

## **IMPORTANT NOTE**

BID DOCUMENT HAS BEEN DISPLAYED BELOW TO UNDERSTAND THE REQUIREMENT ONLY. PARTIES INTERESTED TO PARTICIPATE AGAINST SUCH REQUIREMENTS MAY APPROACH WITH COMPLETE CREDENTIALS TO THE FOLLOWING OFFICE:

HEAD (CALCUTTA BRANCH)  
OIL INDIA LIMITED  
4, INDIA EXCHANGE PLACE  
KOLKATA – 700 001  
E-MAIL: [oilcalmn@cal2.vsnl.net.in](mailto:oilcalmn@cal2.vsnl.net.in)  
FAX: 033-22302596

ISSUE OF ENQUIRY TO THE PARTY MAY BE CONSIDERED AGAINST PRESENT/ FUTURE TENDER BASED ON THE CREDENTIALS.

OIL INDIA LIMITED  
 (A Govt. Of India Enterprise) Tel : 033 2230 1657, 1658  
 4, India Exchange Place, Fax : 91 33 2230 2596  
 Kolkata-700001 E-mail: oilcalmn@cal2.vsnl.net.in

**Tender No. & Date : KIS1879L09/01 22.01.2009**

Bid Security Amount : INR 0.00 OR USD 0.00  
 (or equivalent Amount in any currency)

**Bidding Type : Single Bid (Composite Bid)**

Bid Closing On : 17.02.2009 at 14:00 hrs. (IST)  
 Bid Opening On : 17.02.2009 at 14:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<b>10</b> 85320013	BITUMEN - ROAD SURFACING Bitumen, Hard Grade with the following Specifications : a) Penetration at 25 Deg.C, 100 gm : 30-40 5 Sec. in 1/100 cm. b) Softening point, C.Deg. : 50-65 c)Flash Point - i)Pensky Martin's closed type : 175 min. C. Deg. ii) Cleveland open cup C. Deg. : 250 min. d) Specific gravity at 27 Deg.C. : 0.99 min. e) Water, percent by wt. : 0.20 max. f) Ductility at 27Deg.C. in cm : 50 min. g) Percent by wt. soluble in : 99 min. carbon disulphide h) (i) Loss on heating, percent : 1 max.by wt. (ii) Penetration of residue : 60 min. (expressed as percent of item (a))	15000	KG

**Note description for item no./nos. : 10**

**NOTE :**

- 1.0 Ductility value should be a minimum of 50.
- 2.0 Indian Specification require 99% solubility. Insolubles indicate the presence of mineral matter.
- 3.0 The specific gravity of Road making bit umens should normally vary from 1.02 to 1.05
- 4.0 All the above parameters should adhere to latest BIS standards.
- 5.0 Batch Nos. and Grade of the bitumen should be indicated on the Drums.
- 6.0 Test Certificate should be accompanied with each lot/consignment

Tender No. : KIS1879L09/01  
Tender Date : 22.01.2009  
Bid Closing On : 17.02.2009 at 14:00 hrs.(IST)  
Bid Opening On : 17.02.2009 at 14:00 hrs.(IST)

**Tender issued to following parties only:**

Sln0	V_Code	Vendor Name	City/Country
1	200488	STP LIMITED	KOLKATA
2	202223	JUTEFELT (INDIA) PVT. LTD.	KOLKATA
3	207703	TIKI TAR INDUSTRIES(INDIA) LTD	MUMBAI
4	207704	UNIVERSAL BITUMINOUS INDUSTRIES PVT	KOLKOTA
5	207720	SHIVA BITUMEN	CHANDIGARH