

OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
Udyan Vihar, Narengi, Guwahati,  
Assam

Fax-91 0361 2643686  
Email-oilmatpl@oilindia.in

**Tender No. & Date : GOS3417L10/1P 20.05.2009**

Bid Security Amount : INR 0.00 OR USD 0.00  
(or equivalent Amount in any currency)

**Bidding Type : Single Bid (Composite Bid)**

Bid Closing On : 09.07.2009 at 13:00 hrs. (IST)  
Bid Opening On : 09.07.2009 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<b>10</b> 85054551	<p><b><u>CORROSION INHIBITOR FOR PRODUCT PIPELINE</u></b></p> <p>The corrosion inhibitor shall be film forming type oil soluble and qualified as per MIL-QPL-25017-19 (15 March 2001)</p> <p>1) Physical Properties :</p> <p>a) Appearance : Amber Liquid b) Specific Gravity : 0.92-0.96 c) Pour Point : (-) 18 Deg.C d) Flash Point : 52 Deg.C (min) e) Viscosity @ 40 Deg.(cst): 55-95 f) Corrosion Rating as per NACE TM 0172-2001 (or latest edition) : Min B ++ Rating corresponding to 2-6 ppm continuous dosing.</p> <p>2. Packing : Materials are to be supplied in brand new non returnable MS Cask.</p> <p>Note</p> <p>1. Corrosion inhibitor shall be in latest "Qualified products list Category-1 of Products qualified under performance specification MIL-PRF-25017G or the latest as applicable for Inhibitor. The Documentary proof in support of compliance to aforementioned specifications shall be submitted along with the technical bid.</p> <p>2. Corrosion inhibitor has to be shear stable and effective during flow through Cross country petroleum pipelines. During field monitoring, corrosion rate throughout the pipeline shall be less than 1 mpy. The vendor shall provide in house laboratory test data and performance certification from end user and test result from a reputed laboratory with details of dosage rate in ppm, achieved corrosion rate in mils per year (mpy) duly certified by manufacturer as per NACE standard RP-0775-99 latest edition.</p> <p>3. Corrosion inhibitor shall be fuel soluble and designed to protect the quality of finished products (MS,SKO,HSD &amp; Naptha) and also act as lubricity improver for pipelines.</p> <p>4. Vendor to submit clientele list of their product along with the bid.</p>	7000	L

**Tender No. & Date : GOS3417L10/1P****20.05.2009**

Item No./ Mat. Code	Material Description	Quantity	UOM
	5. The Corrosion Inhibitor should have atleast 18 months of shelf life at the time of delivery.		

**Special Notes** : 1. Please confirm acceptance of NIT payment terms .

2. Terms and conditions applicable to this tender is enclosed vide Annexure II to VI

**Tender No.** : GOS3417L10/1P  
**Tender Date** : 20.05.2009  
**Bid Closing On** : 09.07.2009 at 13:00 hrs.(IST)  
**Bid Opening On** : 09.07.2009 at 13:00 hrs.(IST)

**Tender issued to following parties only:**

Slno	V_Code	Vendor Name	City/Country
1	202190	N.L.C NALCO INDIA LIMITED	KOLKATA
2	206527	DORF KETAL CHEMICALS (I) PVT LTD	MUMBAI