



Oil India Limited

(A Govt. Of India Enterprise)

P.O. DULIAJAN 786 602
DIST. DIBRUGARH
ASSAM , INDIA
FAX : 91 374 2800533
EMAIL : material@oilindia.in
WEBSITE : www.oil-india.com

TENDER NO. : SDG05209L10/07

OIL INDIA LIMITED invites Global Limited Tenders for the item detailed below:

Srl. No.	Material Description	Unit	Qty
10	ANNULAR BLOWOUT PREVENTER (DETAILED SPECIFICATION HAS BEEN FURNISHED VIDE ANNEXURE-A)	NO	2

NOTES:

1.0 The tender will be governed by “General Terms & Conditions” for e-Procurement as per Booklet NO. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) and its amendments.

2.0 Bid Rejection Criteria / Bid Evaluation Criteria is furnished vide Annexure-B of the tender document.

3.0 Technical Checklist and Commercial Checklist are furnished vide Annexure – C and Annexure – D. Please ensure that both the check lists are properly filled up and uploaded along with Technical bid.

4.0 The item qualifies for Nil duty / Deemed Export benefits. For Deemed Export benefits, please refer Addendum to the General terms and conditions for Global tender.


5.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with tender no. and due date to The **Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam** on or before the Bid Closing Date and Time mentioned in the Tender.

a) **Original Bid Security.**

b) **Details Catalogue.**

Contd....2

7.0 The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidders are required to submit both the “TECHNICAL” and “COMMERCIAL” bids through electronic form in the OIL’s e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. Please ensure that Technical Bid / all technical related documents related to the tender are to be uploaded in the c-Folder link (collaboration link) under Un-priced Bid Tab Page only. **Please note that no price details should be uploaded as c-Folder link (collaboration link) under Un-priced Bid Tab Page. Details of prices as per Bid format / Commercial bid can be uploaded as Attachment in the attachment link Search and Add under “Un-priced Bid” under “General Data”. A screen shot in this regard is given below. Offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in Annexure-II (Refer Clause 1.0 of (B) Commercial)**



C-FOLDER LINK

Details of prices as per Bid format / Commercial bid can be uploaded in this Attachment

8.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.

TECHNICAL SPECIFICATION

20.3/4"x 3M ANNULAR BLOWOUT PREVENTOR with accessories - 1 Set consisting of following:

1 No. of Blowout Preventor, Annular / Spherical, Hydraulically operated, Latched / Bolted head, 20.3/4" (527.05 mm) vertical bore, 3000 psi (211 kg/sq.cm) working pressure, R/Rx-74 stainless steel or Incol 625 lined ring grooved 20.3/4" (527.05 mm) x 3 M (211 kg/sq.cm) studded top & R/Rx-74 stainless steel or Incol 625 lined ring grooved 20.3/4" (527.05 mm) x 3 M (211 kg/sq.cm) flanged bottom & internal H2S trim. The operating pressure of BOP should not exceed 1500 psi (105.48 kg/sq.cm) and the closing volume should not exceed 45 Gallons (171 ltrs.). The Blowout Preventor should be furnished with following:

* Standard Nitrile Packing Element installed.

* 2 Nos. of Lifting Shackles installed.

* 20 nos. of Studs with Hexagonal Nuts installed on top flange.

1 No. of Drilling Spool, around 30" (762 mm) high, 20.3/4" (527.05 mm) vertical bore, 3000 psi (211 kg/sq.cm) working pressure, R/Rx-74 stainless steel or Incol 625 lined ring grooved 20.3/4" (527.05 mm) x 3 M (211 kg/sq.cm) Flanged Top & Bottom. Additionally, the drilling spool should have two R/Rx-35 stainless steel or Incol 625 lined ring grooved 3.1/8" (79.4 mm) x 5 M (351.6 kg/sq.cm) flanged side outlets at the middle but in opposite directions.

NOTES for BIDDER:

1. Bidder should forward relevant Catalogue, Drawing, and Literature (in printed form, not in computer media such as floppies or CDs) indicating the quoted items along with the quotation.

2. Bidder must indicate the dimensional details of the offered BOP along with the quotation.

3. The offered BOP should be as per API spec 16A & should bear API monogram in the event of an order. Bidder to confirm while quoting & to forward a copy of valid API certificate with the quotation.

4. The offered Drilling Spool should be as per API spec 16A & should bear API monogram in the event of an order. Bidder to confirm while quoting & to forward a copy of valid API certificate with the quotation.

5. Bidder should forward a list of recommended spares for 2 year operation of BOP indicating part nos., quantity & unit price separately. The price should remain valid for at least 2 years.

6. Bidder should confirm that the items (in the event of an order) shall be brand new, unused & free from any defect.

7. Bidder should indicate the name of manufacturer & country of origin.

8. In the event of order the supply must include the mill test certificate as per API recommended pressure for both the items (i.e. BOP & Drilling Spool) and two copies of Maintenance, Operation, Service & Parts Manual for BOP. Bidder should confirm while quoting.

ANNEXURE-B
TO TENDER NO. SDG5209L10/07

BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)

(I) BID REJECTION CRITERIA (BRC):

The bids must conform to the specifications and terms and conditions given in the demand. Bids shall be rejected in case the item offered do not conform to the required parameters stipulated in the technical specifications and to the respective international /national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements shall have to be particularly met by the bidders, without which the offer will be considered as non responsive and rejected.

A. Technical:

1. The Annular / Spherical BOP should be hydraulically operated.
2. The Annular / Spherical BOP should be 20.3/4" x 3 M rating.
3. The Annular / Spherical BOP should be studded top & flanged bottom.
4. The Annular / Spherical BOP should be with stainless steel or Incol 625 lined ring grooves.
5. The Annular / Spherical BOP should be with nitrile rubber packing element.
6.
 - (a) The operating pressure of BOP should not be more than 1500 psi.
 - (b) The closing volume of BOP should not exceed 45 Gallons (171 ltrs.).
 - (c) The Annular / Spherical BOP should be API monogrammed.
7. The Drilling Spool should be 20.3/4" x 3 M rating.
8. The Drilling Spool should be with stainless steel or Incol 625 lined ring grooves.
9. The Drilling Spool should be API monogrammed.

B. Commercial

Commercial Bid Rejection Criteria will be as per Section D of General Terms & Conditions of Global Tender (MM/GLOBAL/E-01/2005) with following Special Bid Rejection Criteria.

- 1.0 Bids are invited under Single Stage Two Bid System. Bidders shall quote accordingly under Single Stage Two Bid System. Bidder not complying with submission procedure mentioned in General Terms & Conditions of Global Tender will be rejected.

- 2.0 Bid security of US \$ 12,000 or Rs. 5,00,000 shall be furnished as a part of the TECHNICAL BID. Any bid not accompanied by a proper bid security in ORIGINAL will be rejected without any further consideration. For exemption for submission of Bid Security, please refer Clause No. 9.8(Section A) of General Terms and Conditions for Global Tender. The Bid Security shall be valid for 240 days from the date of bid opening.
- 3.0 Bidders must confirm that Goods, materials or plant(s) to be supplied shall be new of recent make and of the best quality and workmanship and shall be guaranteed for a period of eighteen months from the date of shipment/dispatch or twelve months from the date of successful commissioning whichever is earlier against any defects arising from faulty materials, workmanship or design. Defective goods/materials or parts rejected by OIL shall be replaced immediately by the supplier at the supplier's expenses at no extra cost to OIL.
- 4.0 Successful bidder will be required to furnish a Performance Bank Guarantee @10% of the order value. The Performance Bank Guarantee must be valid for one year from the date of successful commissioning of the equipment or 18 months from the date of shipment whichever is earlier. Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected.
- 5.0 The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.
- 6.0 Validity of the bid shall be minimum 180 days. Bids with lesser validity will be rejected.
- 7.0 Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.
- 8.0 Bidders shall quote directly and not through Agents in India. Offers made by Indian Agents on behalf of their foreign principals will be rejected. Similarly offers from unsolicited bidders will be rejected.
- 9.0 Bids containing incorrect statement will be rejected.

(II) BID EVALUATION CRITERIA (BEC) :

Bids conforming to the specifications, terms and conditions stipulated in the enquiry and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria mentioned in Section D of General Terms & Conditions of Global Tender (MM/GLOBAL/E-01/2005)

ANNEXURE-C
TO TENDER NO. SDG5209L10/07

TECHNICAL CHECK LIST

THE CHECK LIST MUST BE COMPLETED AND RETURNED WITH YOUR OFFER. PLEASE ENSURE THAT ALL THESE POINTS ARE COVERED IN YOUR OFFER. THESE WILL ENSURE THAT YOUR OFFER IS PROPERLY EVALUATED. PLEASE SELECT 'YES' OR 'NO' TO THE FOLLOWING QUESTIONS, IN THE RIGHT HAND COLUMN.

1	Whether the offered BOP is Annular / Spherical & Hydraulically operated.	Yes/No
2	Whether the offered BOP is with latched / Bolted head	Yes/No
3(a)	3 (a). Whether the offered BOP is 20.3/4" x 3 M rating.	Yes/No
3(b)	3 (b). Whether the closing volume of BOP is within 45 Gallons (171 ltrs.).	Yes/No
4	Whether the offered BOP is with 20.3/4" x 3 M studded top.	Yes/No
5	Whether the ring groves of offered BOP are stainless steel or Incol 625 lined.	Yes/No
6	Whether the offered BOP is complete with nitrile rubber packing element.	Yes/No
7	Whether the operating pressure of offered BOP is within 1500 psi.	Yes/No
8	Whether relevant Catalogue, Drawing & Literature enclosed.	Yes/No
9	Whether the dimensional details of offered BOP is indicated.	Yes/No
10	Whether the offered BOP will bear API monogram.	Yes/No
11	Whether copy of valid API spec 16A enclosed.	Yes/No
12(a)	Whether the list of recommended spares for 2 years operation enclosed.	Yes/No
12(b)	Whether the price of recommended spares for BOP is valid for 2 years.	Yes/No
13	Whether the name of manufacturer & country of origin indicated.	Yes/No
14	Whether the offered Drilling Spool is 20.3/4" x 3 M rating.	Yes/No
15	Whether the offered Drilling Spool will	Yes/No

	bear API monogram.	
16	Whether all the ring grooves of offered Drilling Spool are with stainless steel or Incol 625 lined.	Yes/No
17	Whether the offered Drilling Spool is with 2 nos. of 3.1/8" x 5M side outlets at the middle & in opposite direction.	Yes/No

Name of the Bidder :

COMMERCIAL CHECK LIST

THE CHECK LIST MUST BE COMPLETED AND RETURNED WITH YOUR OFFER. PLEASE ENSURE THAT ALL THESE POINTS ARE COVERED IN YOUR OFFER. THESE WILL ENSURE THAT YOUR OFFER IS PROPERLY EVALUATED. PLEASE SELECT 'YES' OR 'NO' TO THE FOLLOWING QUESTIONS, IN THE RIGHT HAND COLUMN.

1	Whether bid submitted under Two Bid System ?	
2	Whether ORIGINAL Bid Bond(not copy of Bid Bond) submitted in physical form? If YES, provide details	
	(a) Amount :	
	(b) Name of issuing Bank :	
	(c) Validity of Bid Bond :	
3	Whether offered firm prices ?	
4	Whether quoted offer validity of six months from the date of closing of tenders ?	
5	Whether quoted a firm delivery period?	
6	Whether quoted as per NIT (without any deviations) ?	
7	Whether quoted any deviation ?	
8	Whether deviation separately highlighted ?	
9	Whether agreed to the NIT Warranty clause ?	
10	Whether indicated the country of origin for the items quoted?	
11	Whether Third party inspection charges quoted ?	
12	For Foreign Bidders - Whether offered FOB / FCA port of despatch including sea / air worthy packing & forwarding?	
13	For Foreign Bidders – Whether port of shipment indicated. To specify:	

14	For Foreign Bidders – Whether quoted oceanfreight up to Kolkata (India) port ?	
15	For Indian bidders – Whether indicated the place from where the goods will be dispatched. To specify :	
16	For Indian bidders – Whether road transportation charges up to Duliajan quoted ?	
17	For Indian Bidders only - Whether offered Ex-works price including packing/forwarding charges ?	
18	Whether Indian Agent applicable ?	
19	If YES, whether following details of Indian Agent provided ?	
20	(a) Name & address of the agent in India – To indicate	
21	(b) Amount of agency commission – To indicate	
22	(c) Whether agency commission included in quoted material value?	
23	Whether weight & volume of items offered indicated ?	
24	Whether confirmed to submit PBG as asked for in NIT ?	
25	Whether agreed to submit PBG within 30 days of placement of order ?	
26	For Indian Bidders only - Whether deemed export quoted?	
27	For Indian Bidders only - Whether indicated import content in the offer ?	
28	For Indian Bidders only – Whether all applicable Taxes & Duties have been quoted ?	
29	Whether all BRC/BEC clauses accepted ?	

OFFER REF	
-----------	--

NAME OF THE BIDDER	
--------------------	--

Tender No. : SDG5209L10/07

Bid Closing On : 09.12.2009 at 11:00 hrs.(IST)

Bid Opening On : 09.12.2009 at 14:00 hrs.(IST)

Tender issued to following parties only:

Sl. No.	Vendor Name	City / Country
1	M/s Cameron (Singapore) Pte Ltd.	Singapore
2	M/s Cameron	USA
3	M/s National Oilwell Varco	USA
4	M/s Control Flow Inc.	USA
5	M/s Hydril Company	USA