

## **Corrigendum to Tender NO. : CGI 6427 P21**

This corrigendum is being issued to incorporate the following Sub - clauses additionally pertaining to **Clause No. 1.2. TECHNICAL CRITERIA** under Part – II Bid Rejection criteria / Bid Evaluation criteria as under:

**Sub-clause (B) The Bidder must have a business office establishment within 50 Km radius of Pump Station – 10, Baruni. Documentary evidence must be provided in the form of Municipality trade license or other such documents which satisfies as a proof of having the office establishment.**

- (a) Trade License issued by the local authority in the name of the Firm or
- (b) Landline phone number in the name of the Firm or
- (c) Electricity bill for last one year in the name of the Firm

**Sub-clause (C) Relaxation for OIL's existing contractors:**

**In case of contractors who are providing similar services of listed/unlisted contract labours to OIL (Pipeline Department at PHQ or Pump Stations) for at least six months in the last three years as on Bid Closing date (BCD) will be exempted from submission of documents under clauses of Financial and Experience criteria of BRC conditions. However, they will have to provide the following documentary evidence:**

- i) Copy of OIL's Work Order or**
- ii) Copy of OIL's Contract copy.**

**All other terms and Conditions will remain unchanged.**

**Simply mentioning of OIL Contract Number or Work Order Number without the copy will not be acceptable.**