

OIL INDIA LIMITED
(A GOVT. OF INDIA ENTERPRISE)
CONTRACTS DEPARTMENT, DULIAJAN
DISTRICT: DIBRUGARH (ASSAM), PIN-786602
TEL: (91) 374-2800548, FAX: (91) 374-2803549
E-mail ID: contracts@oilindia.in
Website: www.oil-india.com

**AMENDMENT NO. 10 DATED 11.12.2024 TO TENDER NO. CDG6858P25 FOR
'CHARTER HIRE OF 01 (ONE) NO. OF 3000 HP DRILLING RIG PACKAGE IN
ASSAM AND ARUNACHAL PRADESH'.**

This Amendment to Tender No. **CDG6858P25** is issued to notify about the following:

- i. **Revised Bid Evaluation Criteria (Part-2) and Revised General Conditions of Contract (Part-3, Section-I)** have been uploaded in OIL's e-procurement portal under '**Amendments**' folder.
- ii. Amendment to few other clauses is tabulated vide **Annexure-I**, enclosed below.

All other Terms and Conditions of the Tender/Bid Document including previous amendments (if any) will remain unchanged.

Sd/-

(Z. Das)

Sr. Officer-Contracts(G)

For Chief General Manager-Contracts

ANNEXURE-I

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--|--|--|---|
| FORWARDING LETTER | | | |
| 1. | Sl. No. (xii) under Clause no. 2.0 of Forwarding Letter (Page no. 2 of 495 of the tender document) | Bid Security Validity: Minimum upto 31 st January, 2025 | Bid Security Validity: Minimum upto 30th June, 2025 |
| 2. | Sl. No. (xiv) under Clause no. 2.0 of Forwarding Letter (Page no. 2 of 495 of the tender document) | Amount of Performance Security: 5% of Total Contract Value | Amount of Performance Security: 3% of Total Contract Value |
| PART-1: INSTRUCTIONS TO BIDDERS (ITB) | | | |

AMENDMENT NO. 10/CDG6858P25

| | | | |
|----|---|---|--|
| 5. | <p>Clause no. 10.2 (Page no. 13-14 of 495 of the tender document)</p> | <p>All the bids must be accompanied by Bid Security in Original for the amount as mentioned in the “Forwarding Letter” or an equivalent amount in other freely convertible currency and shall be in DD/FDR (account OIL INDIA LIMITED)/NEFT/RTGS/ Electronic fund transfer to designated account of OIL/online payment through OIL’s e-portal/Bank Guarantee (BG) in OIL’s prescribed format as enclosed with the NIT vide Proforma-E or an irrevocable Letter of Credit (L/C) from any of the following Banks –</p> <p style="padding-left: 40px;">a) Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve</p> | <p>All the bids must be accompanied by Bid Security in Original as prescribed under, for the amount as mentioned in the “Forwarding Letter” of the tender documents:</p> <p style="padding-left: 40px;">a. The Bid Security should be submitted in the form of irrevocable Bank Guarantee (as per Proforma-E) or an irrevocable Letter of Credit (L/C) from any of the following Banks:</p> <ul style="list-style-type: none"> i) Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of domestic bidder, or ii) In case of foreign bidder, the bank guarantee can be accepted from any scheduled bank in India or from international bank who has its branch in India registered with Reserve Bank of India, or iii) Any foreign Bank which is not a Scheduled Bank in India provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in India of any Scheduled Bank incorporated in India. iv) Bank Guarantee issued by a Scheduled Bank on India at the request of some other Non-Schedule Bank of India shall not be acceptable. <p style="padding-left: 40px;">b. Alternately Bid Security can also be paid through Insurance Surety Bond or Bank Draft/Cashier’s Cheque/Banker’s Cheque/Fixed Deposit Receipt (Account OIL INDIA</p> |
|----|---|---|--|

AMENDMENT NO. 10/CDG6858P25

| | | <p>Bank of India as scheduled foreign bank in case of domestic bidder, or</p> <p>b) In case of foreign bidder, the bank guarantee can be accepted from any scheduled bank in India or from International bank who has its branch in India registered with Reserve Bank of India, or</p> <p>c) Any foreign Bank which is not a Scheduled Bank in</p> | <p>LIMITED)/irrevocable Letter of Credit/NEFT/RTGS /Electronic Fund Transfer (subject to credit in OIL's account within prescribed time) to designated account of OIL.</p> <p>i. If the Bid Security is submitted in the form of Bank Draft, Banker's Cheque, Cashier's Cheque, Fixed Deposit Receipt or Letter of Credit, the same should be in favour of "Oil India Limited" payable at Duliajan.</p> <p>ii. Bid Security amount through NEFT or RTGS mode may be deposited on or before bid closing date and time to the following designated OIL's bank account:</p> <table border="1" data-bbox="1319 676 2029 1219"> <thead> <tr> <th colspan="2">Bank Details of Beneficiary: OIL INDIA LIMITED</th> </tr> </thead> <tbody> <tr> <td>a Bank Name</td> <td>STATE BANK OF INDIA</td> </tr> <tr> <td>b Branch Name</td> <td>Duliajan</td> </tr> <tr> <td>c Branch Address</td> <td>Duliajan, Dist-Dibrugarh</td> </tr> <tr> <td>d Bank Account No.</td> <td>10494832599</td> </tr> <tr> <td>e Type of Account</td> <td>Current Account</td> </tr> <tr> <td>f IFSC Code</td> <td>SBIN0002053</td> </tr> <tr> <td>g MICR Code</td> <td>786002302</td> </tr> <tr> <td>h SWIFT Code</td> <td>SBININBB479</td> </tr> </tbody> </table> <p>iii. If the bid security is submitted through NEFT or RTGS mode, details such as UTR No., Tender No., Bidder's</p> | Bank Details of Beneficiary: OIL INDIA LIMITED | | a Bank Name | STATE BANK OF INDIA | b Branch Name | Duliajan | c Branch Address | Duliajan, Dist-Dibrugarh | d Bank Account No. | 10494832599 | e Type of Account | Current Account | f IFSC Code | SBIN0002053 | g MICR Code | 786002302 | h SWIFT Code | SBININBB479 |
|---|--------------------------|---|---|---|--|--------------------|---------------------|----------------------|----------|-------------------------|--------------------------|---------------------------|--------------------|--------------------------|-----------------|--------------------|--------------------|--------------------|-----------|---------------------|-------------|
| Bank Details of Beneficiary: OIL INDIA LIMITED | | | | | | | | | | | | | | | | | | | | | |
| a Bank Name | STATE BANK OF INDIA | | | | | | | | | | | | | | | | | | | | |
| b Branch Name | Duliajan | | | | | | | | | | | | | | | | | | | | |
| c Branch Address | Duliajan, Dist-Dibrugarh | | | | | | | | | | | | | | | | | | | | |
| d Bank Account No. | 10494832599 | | | | | | | | | | | | | | | | | | | | |
| e Type of Account | Current Account | | | | | | | | | | | | | | | | | | | | |
| f IFSC Code | SBIN0002053 | | | | | | | | | | | | | | | | | | | | |
| g MICR Code | 786002302 | | | | | | | | | | | | | | | | | | | | |
| h SWIFT Code | SBININBB479 | | | | | | | | | | | | | | | | | | | | |

AMENDMENT NO. 10/CDG6858P25

| | | | |
|--|--|--|---|
| | | <p>India provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in India of any Scheduled Bank incorporated in India.</p> <p>d) Bank Guarantee issued by a Scheduled Bank on India at the request of some other Non-Schedule Bank of India shall not be acceptable.</p> | <p>name & Deposited Amount etc. must be uploaded with the Unpriced Techno-Commercial Bid documents.</p> <p>c. In case of Bidders submitting Bid Security in the form of Bank Guarantee/Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt/Letter of Credit, the original hard copy of Bid Security should reach the office of <u>CGM-CONTRACTS</u> on or before 12:45 PM (IST) on the bid closing/opening date otherwise bid will be rejected.</p> <p>d. A scanned copy of Bid Security document should also be uploaded along with the Unpriced Techno-Commercial Bid documents.</p> <p>e. This Bid Security Deposit shall be refunded to all unsuccessful bidders but is liable to be forfeited in full or part, at Company's discretion, as per Clause No. 10.8 below. Bids without Bid Security Deposit in the manner specified above will be summarily rejected.</p> <p>f. No other mode of payment will be accepted by the Company. The Bid Security shall not earn any interest to the bidder from the Company.</p> <p>Note:</p> <p>i. Bidders claiming waiver of Bid Security shall upload supporting documents as mentioned in Para No. 11.0 below along with technical bid.</p> |
|--|--|--|---|

AMENDMENT NO. 10/CDG6858P25

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|------------------------|--|----------------|------------------|----------------|------------------|---|-----------------------|----|-----------------|---|-------------------|----|-------------|---|----------------|----|----------------------|---|---------------|----|---------------|---|-------------|----|------------------|---|-----------------|----|---------------------|---|--------------|----|----------------------|---|-----------|----|----------|---|-----------|----|---------------------|----|------------|----|-------------------|----|-----------|----|----------|
| | | | <p>ii. Any offer not accompanied with the Bid Security shall be treated as invalid and summarily rejected unless the bidder is exempted from submission of Bid Security as per Bid Security Exemption Criteria of this tender and proper proof towards this exemption is submitted by the bidder. Any subsequent deposit of Bid Security after the bid closing date shall not be permitted. Also, adjustment of Bid Security due against the instant tender, against dues from the Company or on any account shall not be permitted.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <p>New Clause no. 10.15 (Page no. 16 of 495 of the tender document)</p> | — | <p>Submission of Bid Security in the form of Electronic Bank Guarantee (e-BG) is also acceptable:</p> <table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Bank Name</th> <th>Sl. No.</th> <th>Bank Name</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>AU Small Finance Bank</td> <td>12</td> <td>IDFC First Bank</td> </tr> <tr> <td>2</td> <td>Axis Bank Limited</td> <td>13</td> <td>Indian Bank</td> </tr> <tr> <td>3</td> <td>Bank of Baroda</td> <td>14</td> <td>Indian Overseas Bank</td> </tr> <tr> <td>4</td> <td>Bank of India</td> <td>15</td> <td>IndusInd Bank</td> </tr> <tr> <td>5</td> <td>Canara Bank</td> <td>16</td> <td>Karur Vysya Bank</td> </tr> <tr> <td>6</td> <td>City Union Bank</td> <td>17</td> <td>Kotak Mahindra Bank</td> </tr> <tr> <td>7</td> <td>Federal Bank</td> <td>18</td> <td>Punjab National Bank</td> </tr> <tr> <td>8</td> <td>HDFC Bank</td> <td>19</td> <td>RBL Bank</td> </tr> <tr> <td>9</td> <td>HSBC Bank</td> <td>20</td> <td>State Bank of India</td> </tr> <tr> <td>10</td> <td>ICICI Bank</td> <td>21</td> <td>South Indian Bank</td> </tr> <tr> <td>11</td> <td>IDBI Bank</td> <td>22</td> <td>Yes Bank</td> </tr> </tbody> </table> | Sl. No. | Bank Name | Sl. No. | Bank Name | 1 | AU Small Finance Bank | 12 | IDFC First Bank | 2 | Axis Bank Limited | 13 | Indian Bank | 3 | Bank of Baroda | 14 | Indian Overseas Bank | 4 | Bank of India | 15 | IndusInd Bank | 5 | Canara Bank | 16 | Karur Vysya Bank | 6 | City Union Bank | 17 | Kotak Mahindra Bank | 7 | Federal Bank | 18 | Punjab National Bank | 8 | HDFC Bank | 19 | RBL Bank | 9 | HSBC Bank | 20 | State Bank of India | 10 | ICICI Bank | 21 | South Indian Bank | 11 | IDBI Bank | 22 | Yes Bank |
| Sl. No. | Bank Name | Sl. No. | Bank Name | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | AU Small Finance Bank | 12 | IDFC First Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Axis Bank Limited | 13 | Indian Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Bank of Baroda | 14 | Indian Overseas Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Bank of India | 15 | IndusInd Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | Canara Bank | 16 | Karur Vysya Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | City Union Bank | 17 | Kotak Mahindra Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Federal Bank | 18 | Punjab National Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | HDFC Bank | 19 | RBL Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | HSBC Bank | 20 | State Bank of India | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | ICICI Bank | 21 | South Indian Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | IDBI Bank | 22 | Yes Bank | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

AMENDMENT NO. 10/CDG6858P25

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|-----------------------------|--|--|---------|-------------|---------|---|------|-------------------|---|-----|------------|---|-----------------------|------------|---|----------|--|---|-----------|----------------|---|---------------|-----------------------------------|---|--------------------|-----------------------------------|
| | | | <p data-bbox="958 304 2036 336">Other banks to be included as and when notified by NeSL from time to time.</p> <p data-bbox="958 373 1536 405">Beneficiary details for issue of e-BG are:</p> <table border="1" data-bbox="1072 437 2029 943"> <thead> <tr> <th data-bbox="1077 440 1196 517">Sl. No.</th> <th data-bbox="1196 440 1514 517">Particulars</th> <th data-bbox="1514 440 2024 517">Details</th> </tr> </thead> <tbody> <tr> <td data-bbox="1077 517 1196 564">1</td> <td data-bbox="1196 517 1514 564">NAME</td> <td data-bbox="1514 517 2024 564">OIL INDIA LIMITED</td> </tr> <tr> <td data-bbox="1077 564 1196 612">2</td> <td data-bbox="1196 564 1514 612">PAN</td> <td data-bbox="1514 564 2024 612">AAACO2352C</td> </tr> <tr> <td data-bbox="1077 612 1196 692">3</td> <td data-bbox="1196 612 1514 692">Date of Incorporation</td> <td data-bbox="1514 612 2024 692">18-02-1959</td> </tr> <tr> <td data-bbox="1077 692 1196 740">4</td> <td data-bbox="1196 692 1514 740">Email ID</td> <td data-bbox="1514 692 2024 740">contract-global@oilindia.in</td> </tr> <tr> <td data-bbox="1077 740 1196 788">5</td> <td data-bbox="1196 740 1514 788">Mobile No</td> <td data-bbox="1514 740 2024 788">+91-8638144647</td> </tr> <tr> <td data-bbox="1077 788 1196 868">6</td> <td data-bbox="1196 788 1514 868">Local Address</td> <td data-bbox="1514 788 2024 868">Duliajan, Dibrugarh, Assam-786602</td> </tr> <tr> <td data-bbox="1077 868 1196 943">7</td> <td data-bbox="1196 868 1514 943">Registered Address</td> <td data-bbox="1514 868 2024 943">Duliajan, Dibrugarh, Assam-786602</td> </tr> </tbody> </table> | Sl. No. | Particulars | Details | 1 | NAME | OIL INDIA LIMITED | 2 | PAN | AAACO2352C | 3 | Date of Incorporation | 18-02-1959 | 4 | Email ID | contract-global@oilindia.in | 5 | Mobile No | +91-8638144647 | 6 | Local Address | Duliajan, Dibrugarh, Assam-786602 | 7 | Registered Address | Duliajan, Dibrugarh, Assam-786602 |
| Sl. No. | Particulars | Details | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | NAME | OIL INDIA LIMITED | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | PAN | AAACO2352C | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Date of Incorporation | 18-02-1959 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Email ID | contract-global@oilindia.in | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | Mobile No | +91-8638144647 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | Local Address | Duliajan, Dibrugarh, Assam-786602 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Registered Address | Duliajan, Dibrugarh, Assam-786602 | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | |
|----|---|--|--|
| 5. | <p>Clause no. 27.0</p> <p>(Page no. 16 of 495 of the tender document)</p> | <p>Performance security:</p> <p>Successful bidder has to submit Performance Security amount as mentioned in GCC clause no. 10.0.</p> | <p>Performance Security:</p> <p>Successful bidder has to submit Performance Security amount as mentioned in Introduction, within 30 (thirty) days from the date of issue of Letter of Award (LOA).</p> <p>27.1 a. The Performance Security should be submitted in the form of irrevocable Bank Guarantee (as per Proforma-F) issued by Nationalized or Scheduled Bank in favour of M/s Oil India Limited and payable at DULIAJAN. The Bank Guarantee must be on Non-Judicial Stamp Paper of requisite value as per Indian Stamp Act purchased in the name of Banker. Duly filled 'Undertaking' towards details of BG (Format attached as Proforma-N) must be submitted along with original copy of PBG.</p> <p>b. Alternately, the Performance Security can also be paid through Insurance Surety Bond or Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt (Account OIL INDIA LIMITED)/irrevocable Letter of Credit/NEFT/RTGS/Electronic Fund Transfer (subject to credit in OIL's account within prescribed time) to designated account of OIL.</p> <p>i. If the Performance Security is submitted in the form of Bank Draft, Banker's Cheque, Cashier's Cheque, Fixed Deposit Receipt or Letter of Credit, the same should be in favour of "Oil India Limited" payable at Duliajan.</p> <p>ii. Performance Security amount through NEFT or RTGS mode may be deposited on or before bid closing date and time to the following designated OIL's bank account:</p> |
|----|---|--|--|

AMENDMENT NO. 10/CDG6858P25

| | | | <p>If the</p> <table border="1"> <thead> <tr> <th colspan="3">Bank Details of Beneficiary: OIL INDIA LIMITED</th> </tr> </thead> <tbody> <tr> <td>a</td> <td>Bank Name</td> <td>STATE BANK OF INDIA</td> </tr> <tr> <td>b</td> <td>Branch Name</td> <td>Duliajan</td> </tr> <tr> <td>c</td> <td>Branch Address</td> <td>Duliajan, Dist-Dibrugarh</td> </tr> <tr> <td>d</td> <td>Bank Account No.</td> <td>10494832599</td> </tr> <tr> <td>e</td> <td>Type of Account</td> <td>Current Account</td> </tr> <tr> <td>f</td> <td>IFSC Code</td> <td>SBIN0002053</td> </tr> <tr> <td>g</td> <td>MICR Code</td> <td>786002302</td> </tr> <tr> <td>h</td> <td>SWIFT Code</td> <td>SBININBB479</td> </tr> </tbody> </table> <p>Performance security is submitted through NEFT or RTGS mode, the bidder shall submit details such as UTR No., Contract No., Bidder's name & Deposited Amount etc.</p> <p>iii. Submission of Performance Security in the form of Electronic Bank Guarantee (e-BG) is also acceptable:</p> <p>Beneficiary details for issue of e-BG are:</p> <table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Particulars</th> <th>Details</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NAME</td> <td>OIL INDIA LIMITED</td> </tr> <tr> <td>2</td> <td>PAN</td> <td>AAACO2352C</td> </tr> <tr> <td>3</td> <td>Date of Incorporation</td> <td>18-02-1959</td> </tr> </tbody> </table> | Bank Details of Beneficiary: OIL INDIA LIMITED | | | a | Bank Name | STATE BANK OF INDIA | b | Branch Name | Duliajan | c | Branch Address | Duliajan, Dist-Dibrugarh | d | Bank Account No. | 10494832599 | e | Type of Account | Current Account | f | IFSC Code | SBIN0002053 | g | MICR Code | 786002302 | h | SWIFT Code | SBININBB479 | Sl. No. | Particulars | Details | 1 | NAME | OIL INDIA LIMITED | 2 | PAN | AAACO2352C | 3 | Date of Incorporation | 18-02-1959 |
|---|-----------------------|--------------------------|---|---|--|--|----------|-----------|---------------------|----------|-------------|----------|----------|----------------|--------------------------|----------|------------------|--------------------|----------|-----------------|-----------------|----------|-----------|--------------------|----------|-----------|-----------|----------|------------|-------------|----------------|--------------------|----------------|---|------|-------------------|---|-----|------------|---|-----------------------|------------|
| Bank Details of Beneficiary: OIL INDIA LIMITED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| a | Bank Name | STATE BANK OF INDIA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| b | Branch Name | Duliajan | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| c | Branch Address | Duliajan, Dist-Dibrugarh | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| d | Bank Account No. | 10494832599 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| e | Type of Account | Current Account | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| f | IFSC Code | SBIN0002053 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| g | MICR Code | 786002302 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| h | SWIFT Code | SBININBB479 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sl. No. | Particulars | Details | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | NAME | OIL INDIA LIMITED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | PAN | AAACO2352C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Date of Incorporation | 18-02-1959 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

AMENDMENT NO. 10/CDG6858P25

| | | | | | | |
|--|--|--|--|---|--------------------|--|
| | | | | 4 | Email ID | contract-global@oilindia.in |
| | | | | 5 | Mobile No | +91-8638144647 |
| | | | | 6 | Local Address | Duliajan, Dibrugarh, Assam-786602 |
| | | | | 7 | Registered Address | Duliajan, Dibrugarh, Assam-786602 |
| | | | | <p>c. In case of Bidders submitting Performance Security in the form of Bank Guarantee/Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt/Letter of Credit, the original hard copy of Performance Security shall be submitted within the time frame as stipulated in the LOA.</p> <p>d. No other mode of payment other than the mode covered under point nos. a & b will be accepted by the Company.</p> <p>27.2 Performance Security shall not accrue any interest during its period of validity or extended validity.</p> <p>27.3 The Bank Guarantee issuing bank branch must ensure the following:</p> <p>The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:</p> <p>(i) MT 760/MT 760 COV for issuance of bank guarantee.</p> <p>(ii) MT 760/MT 767 COV for amendment of bank guarantee.</p> <p>[Contract Number should reflect in the SFMS text under MT 760/MT 760 COV]</p> | | |

AMENDMENT NO. 10/CDG6858P25

The above message/intimation shall be sent through SFMS by the BG issuing Bank branch to ICICI Bank, Duliajan Branch, IFSC Code - ICIC0000213; SWIFT Code - ICICINBBXXX. Branch Address: ICICI Bank Limited, Duliajan Branch, Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam-786602. The Bank details are as under:

| Bank Details of Beneficiary | | |
|------------------------------------|-------------------------------------|---|
| A | Bank Name | ICICI BANK LTD. |
| B | Branch Name | Duliajan |
| C | Branch Address | Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam-786602 |
| D | IFSC Code | ICIC0000213 |
| E | Unique Identifier Code (Field 7037) | OIL503988890 |
| F | Company name | Oil India Limited |
| G | SWIFT Code | ICICINBBXXX |

27.4 In _____ case performance security is submitted in the form of Fixed Deposit, the following details must be attached in the form of declaration by the vendor/party for confirmation of Fixed Deposit from the issuing bank.

| |
|----------------------------------|
| Full address of the issuing bank |
| Branch Code |

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause | | | | | | | | |
|--|-----------------------------|-----------------|---|---|---|---|---|---|------------------------|---|---|
| | | | | | | | | India Li mit ed' (Ye s/ No) | of acc ou nts | | |
| | | | A | B | C | D | E | F | G | H | I |
| | | | | | | | | | | | |
| | | | <p>27.6 This Performance Security must be valid for 90 (Ninety) days after the date of expiry of the contract period/defect liability period (if any). In the event of contract being extended within the provisions of the contract agreement, the contractor will have to extend suitably the validity of the "Security Deposit" for the extended period.</p> <p>27.7 The Performance Security Deposit will be refunded to the Contractor after 90 (Ninety) days of satisfactory completion of works/defect liability period (if any) under the contract (including extension, if any), but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason.</p> | | | | | | | | |
| Part-3 SECTION-II: SCOPE OF WORK (SOW) / TERMS OF REFERENCE AND TECHNICAL SPECIFICATIONS OF EQUIPMENT | | | | | | | | | | | |

AMENDMENT NO. 10/CDG6858P25

| Sl N o. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|---------------|--|---|--|
| | <p>Clause no. 5.1 GROUP - I</p> <p>A) MAST AND SUBSTRUCTURE:</p> <p>1.</p> <p>(Page no. 95-96 of 495 of the tender document)</p> | <p>“Swing lift” cantilever type self-elevating mast & substructure with clear height in the range of 152 ft. to 158 ft. and having static hook load capacity of minimum 1,500,000 lbs. (680 MT) with 14 lines strung on traveling block, designed as per API Specifications 4F. Mast should be designed for 85 mph wind load capacity with a full rack of pipe and 100 mph on a bare mast. The Sub-structure accommodating the cantilever type mast should have minimum setback load capacity of 800,000 lbs. (362 MT) simultaneously with hook load &/or rotary load capacity of minimum 1,500,000 lbs. (680 MT). OIL shall have the discretion to accept/reject Rigs with minor deviations in specifications.</p> | <p>Swing lift” cantilever type self-elevating mast or Bootstrap mast & sub-structure with clear height in the range of 152 ft. to 158 ft. and having static hook load capacity of minimum 1,500,000 lbs. (680 MT) with 14 lines strung on traveling block, designed as per API Specifications 4F. Mast should be designed for 69 mph wind load capacity with a full rack of pipe and 86 mph on a bare mast. The Sub-structure accommodating the cantilever type mast should have minimum setback load capacity of 800,000 lbs. (362 MT) simultaneously with hook load &/or rotary load capacity of minimum 1,500,000 lbs. (680 MT). OIL shall have the discretion to accept/ reject Rigs with minor deviations in specifications.</p> |

AMENDMENT NO. 10/CDG6858P25

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|--|--|---|
| 7. | <p>Clause no. 5.1 GROUP - I</p> <p>R) AUTOMATED CATWALK/HYDRAULIC CATWALK</p> <p>(Page no. 95-96 of 495 of the tender document)</p> | <p>2. It should be capable of handling pipes (Drill pipes, Drill Collars, Casing and Tubing) of diameter 2³/₈" to 26" including 10" drill collars. Bidder to indicate Cycle speed of hydraulic catwalk</p> | <p>2. It should be capable of handling pipes (Drill pipes, Drill Collars, Casing and Tubing) of diameter 2³/₈" to 24" including 10" drill collars. Bidder to indicate Cycle speed of hydraulic catwalk</p> |

| | | | |
|----|---|--|---|
| 8. | <p>5.2. GROUP – II</p> <p>5.2.2. TUBULARS- [New/ Premium Grade- (API (NDT) inspection report)]</p> <p>A) DRILL PIPE / PUP JOINT (AS PER API SPECIFICATION SDP):</p> | <p>Contractor shall provide new/unused Drill pipes and Pup joints. Supporting document in the form of manufacturer's certificate to this effect should be forwarded prior to mobilization. However, Premium grade drill pipes & drill pipe pup joints with recent NDT inspection as per API standard /DS 1 Level 5 Inspection with documentary evidence may be offered.</p> <p>But OIL reserves the right to inspect at random and verify through independent NDT inspectors for acceptance. In case of non-acceptance of the drill pipes & drill pipe pup joints due to any discrepancy, contractor shall have to re-inspect the whole drill pipes and drill pipe pup joints in presence of OIL's representative at their own cost.</p> | <p>Contractor shall provide brand new/unused Drill pipes and Pup joints. Supporting document in the form of manufacturer's certificate to this effect should be forwarded prior to mobilization. However, subsequent NDT inspection of the drill pipes & drill pipe pup joints shall be carried out as per API standard / DS 1 Level 4 Inspection documentary evidence may be offered.</p> <p>But OIL reserves the right to inspect at random and verify through independent NDT inspectors for acceptance. In case of non-acceptance of the drill pipes & drill pipe pup joints due to any discrepancy, contractor shall have to re-inspect the whole drill pipes and drill pipe pup joints in presence of OIL's representative at their own cost.</p> |
|----|---|--|---|

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|---|--|--|
| 9. | <p>5.2. GROUP – II</p> <p>5.2.2. TUBULARS- [New/ Premium Grade- (API (NDT) inspection report)]</p> <p>A) (3) DRILL PIPE / PUP JOINT (AS PER API SPECIFICATION 5DP):</p> | <p>Minimum 2000 m of 3½" OD, 15.5 ppf, Grade 'S135' Drill pipes, Internal External upset in range 2 length having XT-39 Tool Joint Connection (Tool Joint OD 4⅞" & ID 2.9/16" ID) with hard banding on box ends.</p> | <p>Minimum 2000 m of 3½" OD, 15.5 ppf, Grade 'S135' Drill pipes, Internal External upset in range 2 length having XT-38 or NC-38 Tool Joint Connection (Tool Joint OD 4⅞" & ID 2.9/16" ID) with hard banding on box ends.</p> |
| 10. | <p>5.2. GROUP – II</p> <p>5.2.2. TUBULARS- [New/ Premium Grade- (API (NDT) inspection report)]</p> <p>A) (4) DRILL PIPE / PUP JOINT (AS PER API SPECIFICATION 5DP):</p> | <p>Minimum 600 m of 2⅞" OD, 10.4 ppf, Grade 'S135' Drill pipes, External upset in range 2 length having SLH90 Tool Joint Connection (Tool Joint OD 3⅞" & ID 2" ID) without hard banding.</p> | <p>Minimum 600 m of 2⅞" or 2⅜" OD, 10.4 ppf, Grade 'S135' or XD-105 Drill pipes, External upset in range 2 length having SLH90 or NC 26 or HT-PAC Tool Joint Connection (Tool Joint OD 3⅞" & ID 2" ID) without hard banding</p> |

AMENDMENT NO. 10/CDG6858P25

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|---|--|---|
| 11. | <p>5.2. GROUP – II</p> <p>5.2.2. TUBULARS- [New/ Premium Grade- (API (NDT) inspection report)]</p> <p>B) DRILL COLLARS & HEAVY WEIGHT DRILL PIPE:</p> | <p>Contractor shall provide new/unused or used (NDT certified) drill collars and heavy weight drill pipes. For new/unused drill collars and heavy weight drill pipes supporting documents in the form of manufacturer's certificate to this effect should be forwarded prior to mobilization. For used drill collars and heavy weight drill pipes NDT inspection (as per TH Hill, DS-I, category-5) certificates to be furnished in this regard prior to mobilization.</p> | <p>Contractor shall provide brand new/ unused drill collars and heavy weight drill pipes. Supporting document in the form of manufacturer's certificate to this effect should be forwarded prior to mobilization. However, subsequent NDT inspection of the drill collars and heavy weight drill pipes shall be carried out as per API standard /DS 1 Level 4 Inspection documentary evidence may be offered.</p> |

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|---|--|---|
| 12. | <p>5.2. GROUP – II</p> <p>5.2.2. TUBULARS- [New/ Premium Grade- (API (NDT) inspection report)]</p> <p>B) (6) DRILL COLLARS & HEAVY WEIGHT DRILL PIPE:</p> | <p>Thirty (30) nos. 5½" OD, 3¼" ID, approx. 60 PPF, 30-31 ft. long having 7" OD x 3¼" ID Tool Joints "Conventional heavy-weight (thick wall)" drill pipes with Double Shoulder Tool Joint (DSTJ), XT57 or XT54 box-up & pin down connection. However, bidder should provide the requisite cross over /adaptor subs compatible with the drill string.</p> | <p>Thirty (30) nos. 5½" OD, 3¼" ID, approx. 60 PPF, 30-31 ft. long having 7" OD x 3¼" ID Tool Joints "Conventional heavy-weight (thick wall)" drill pipes with Double Shoulder Tool Joint (DSTJ), XT57 or XT54 or HT55 box-up & pin down connection. However, bidder should provide the requisite cross over /adaptor subs compatible with the drill string.</p> |
| 13. | <p>5.2. GROUP – II</p> <p>5.2.2. TUBULARS- [New/ Premium Grade- (API (NDT) inspection report)]</p> <p>B) (8) DRILL COLLARS & HEAVY WEIGHT DRILL PIPE:</p> | <p>Sixty (60) nos. 3.1/2" OD, 2-9/16" ID, approx. 28 PPF, 30-31 ft. long, 4-7/8" OD x 2- 9/16" ID Tool Joints "Conventional heavy-weight (thick wall)" drill pipes with XT39 box up & pin down connection.</p> | <p>Sixty (60) nos. 3.1/2" OD, 2-9/16" ID, approx. 28 PPF, 30-31 ft. long, 4-7/8" OD x 2- 9/16" ID Tool Joints "Conventional heavy-weight (thick wall)" drill pipes with XT38 or NC38 box up & pin down connection.</p> |

AMENDMENT NO. 10/CDG6858P25

| Sl N o. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|---------------|--|-----------------|---|
| 14. | 5.2. GROUP – II 5.2.2. TUBULARS- [New/ Premium Grade- (API (NDT) inspection report)] B) DRILL COLLARS & HEAVY WEIGHT DRILL PIPE: | | Note: Bidder should provide the requisite cross over /adaptor subs Compatible with the OIL’s drill string as mentioned. |

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|---|--|--|
| 15. | <p>5.2. GROUP – II</p> <p>5.22 (L)</p> <p>TRANSPORTATION SERVICES</p> <p>M.2)</p> <p>CONTRACTOR'S RESPONSIBILITY</p> | <p>2. All requirements of transport fleet including but not limited to crane(s), trailer(s), truck(s), manpower/crews, etc. during rig up/rig down, during various requirements pertaining to well operations & during inter-location movements (ILM) are to be provided by the Contractor. Any additional requirement of transport fleet for any specific purpose at site during well operation shall also be provided by the Contractor.</p> | <p>2. All requirements of transport fleet including but not limited to crane(s), trailer(s), truck(s), manpower/crews, etc. during rig up/rig down, during various requirements pertaining to well operations & during inter-location movements (ILM) are to be provided by the Contractor. Any specific requirements for day-to-day operation, contractor has to provide the transport fleet for the same.</p> |

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|---|--|---|
| 16. | 5.2. GROUP – II C) BOP CONTROL UNIT (iv) | In case of recertified BOPCU, recertification should be done as per OISD RP 174 (latest edition), following API 16 D (latest edition) guidelines. The Certificate of conformance (COC) should not be more than 01(One) year old, or the certificate should be valid covering the primary contract period including extension, if any from the completion of mobilization of the Rig package. | In case of recertified BOPCU, recertification should be done as per OISD RP 174 . The Certificate of conformance (COC) should not be more than 01(One) year old, or the certificate should be valid covering the primary contract period including extension, if any from the completion of mobilization of the Rig package. |

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|--|--|--|
| 17. | 5.2. GROUP – II E.2 ROTARY SLIPS (BACK UP EQUIPMENTS) | Two (2) Nos. of PS-21 or equivalent power slips with rated capacity of 500 Ton with all required accessories and suitable for 37½" rotary table for handling following tubular: a) 30", 20", 13¾", 10", 10¾", 9⅝", 7⅝", 7", 5½", 5" and 4½" OD casings. b) 9½", 8", 6¾", 4¾" and 3½" OD drill collars. c) 5½", 5", 3½" and 2⅞" OD drill pipes. d) 3½" and 2⅞" OD Tubing. | One (01) No. of PS-21 or equivalent power slips with rated capacity of 500 Ton with all required accessories and suitable for 37½" rotary table for handling following tubular: a) 13¾", 10", 10¾", 9⅝", 7⅝", 7", 5½", 5" and 4½" OD casings. b) 9½", 8", 6¾", 4¾" and 3½" OD drill collars. c) 5½", 5", 3½" and 2⅞" OD drill pipes. d) 3½" and 2⅞" OD Tubing |

Part-3, SECTION-III: SPECIAL CONDITIONS OF CONTRACT (SCC)

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|--|--|--|
| 18. | <p>16.1</p> <p>LOSS OR DAMAGE OF CONTRACTOR'S DRILLING UNIT OR SUB-SURFACE EQUIPME</p> | <p>a). The Contractor shall at all times be solely responsible for any damage to or loss or destruction of the Drilling Unit and its other property irrespective of how such loss, damage or destruction is caused, and even if caused by the negligence of the Company and/or his servants, agents, nominees, assignees, Contractors and subcontractor, and Contractor shall hold harmless and indemnify the Company from and against any expenses, loss or claim related to or resulting from such loss, damages or destruction.</p> | <p>a). The Contractor shall at all times be solely responsible for any damage to or loss or destruction of the Drilling Unit and its other property irrespective of how such loss, damage or destruction is caused, and even if caused by the Gross Negligence of the Company and/or his servants, agents, nominees, assignees, Contractors and subcontractor, and Contractor shall hold harmless and indemnify the Company from and against any expenses, loss or claim related to or resulting from such loss, damages or destruction</p> |

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|--------|-----------------------------|--|--|
| 19. | Clause no. 5.0 | <p><u>PERFORMANCE SECURITY:</u> The Contractor shall furnish to Company a Performance Security amounting to 5% of total Contract validity with validity of 3(three) months beyond the contract period. The performance security shall be payable to Company as compensation for any loss resulting from Contractor's failure to fulfil their obligations under the Contract. In the event of extension of the Contract period, the validity of the bank guarantee shall be suitably extended by the Contractor.</p> | <p><u>PERFORMANCE SECURITY:</u> The Contractor shall furnish to Company a Performance Security amounting to 3% of total Contract validity with validity of 3(three) months beyond the contract period. The performance security shall be payable to Company as compensation for any loss resulting from Contractor's failure to fulfil their obligations under the Contract. In the event of extension of the Contract period, the validity of the bank guarantee shall be suitably extended by the Contractor.</p> |

| Sl No. | Section/Clause No./Page No. | Original Clause | Amended Clause |
|---|---|--|--|
| 20. | <p>25.0</p> <p>INTER-LOCATION RIG MOVEMENT (ILM) STANDARD:</p> <p>25.3</p> | <p>The ILM charge shall be discounted by 5% for each day's delay beyond the standard, as stipulated in 21.1 above of total cost for inter-location movement rate payable for that particular rig movement, when the rig move is delayed beyond the standard</p> | <p>The ILM charge shall be discounted by 5% for each day's delay beyond the standard, as stipulated in 25.1 above of total cost for inter-location movement rate payable for that particular rig movement, when the rig move is delayed beyond the standard</p> |
| Part-3 SECTION-IV: SCHEDULE OF RATES (SOR) | | | |
| 21. | <p>Clause no. 1.5</p> | <p>The mobilization charges for the rig package should not exceed 3.75% of the total estimated Contract cost including Mobilization charges. However, mobilization charges if quoted in excess of 3.75% of the total estimated Contract cost including Mobilization charges, the excess amount shall be paid at the end of the contract.</p> | <p>The mobilization charges for the rig package should not exceed 7.5% of the total estimated Contract cost including Mobilization charges. However, mobilization charges if quoted in excess of 7.5% of the total estimated Contract cost including Mobilization charges, the excess amount shall be paid at the end of the contract.</p> |

NB: The above amended clauses are also applicable in the Annexures/Appendices, etc. wherever present.