

CORRIGENDUM NO.2

Date: 12/08/2024

Tender No. : SSH7058L25 Date: 19/07/2024

Item Details: Wireline Bridge Plug & Adapter Kit / Setting Kit

This Corrigendum is issued to notify the following changes:

1) Bid Submission Deadline:

- (i) Revised Bid Closing Date & Time : **29th August 2024 [11:00 Hrs (IST)]**
(ii) Revised Technical Bid Opening Date & Time : **29th August 2024 [14:00 Hrs (IST)]**

2) Technical Specification:

The technical specification / scope of supply of the tendered items has been amended as under in-lieu of existing:

| NIT Sl. No. 10 | OIL Material Code: 05070324 |
|---|-----------------------------|
| Quantity: 10 Number | |
| WIRE LINE SET DRILLABLE BRIDGE PLUG FOR 9 5/8" CASING. | |
| Wire Line Set Drillable Bridge Plug with wireline set adapter kit, Equivalent to Baker make, Model: N-1 Product No.: H 40120, manufactured, tested and certified as per API Spec 11-D1 (latest edition). Suitable for Casing of size 9 5/8" O.D. with weight range of 29.3 – 58.4 PPF. The wireline set adapter kit shall be suitable for Wireline Pressure Setting Tool Assy. Equivalent to Model E4, size 20, Product No.: H 43702 of Baker make. | |
| Bridge Plug Additional Specification: | |
| 1) Quality Grade: Q2. | |
| 2) Design Validation grade: V3. | |
| 3) Temperature rating of min. 70°F - max. 350°F. | |
| 4) Differential pressure rating of 7500 psi minimum (From both ends). | |
| 5) Packing/Sealing element material must be HNBR/ Viton/ AFLAS with locking arrangement for faster running in. It should resist swab-off but pack-off securely when the Bridge Plug is set. | |
| 6) Service: Standard. | |
| 7) Each Bridge Plug should be complete with | |
| a. Upper Slip. | |
| b. Lower Slip. | |
| c. Release Stud (shear rating of 45,000 - 50,000 lbs.). | |
| The slips should be designed to avoid premature setting at higher running-in speed. | |

Contd ... 2

Note:

1. The bidder shall confirm that the goods, materials to be supplied shall be new, of recent make, of the best quality & workmanship. The manufacturer shall supply complete newly manufactured equipment and shall be guaranteed by the seller for a period of 18 months from the date of dispatch / shipment or 12 months from the date of receipt at destination, whichever is earlier, against defects arising from faulty materials, workmanship, or design. Defective goods/materials or parts notified by OIL to the seller shall be replaced immediately by the seller FOR destination basis including payment of all taxes and duties at seller's expense. This guarantee shall survive and hold good notwithstanding inspection, payment for and acceptance of the goods.
2. The bidder shall clearly mention the model/part number of the quoted item along with the page number of their product catalogue where the specification of the quoted model / item is mentioned in his product catalogue. Bidder to establish link of quoted item vis-à-vis his catalogue/literature.
3. The Bidder shall submit technical literature along with the quotation which must have the following information:
 - i) Cross Sectional Drawing of the Bridge Plug & Setting tool with part number & part list.
 - ii) Details of elastomer of sealing components
 - iii) Dimensional information of the Bridge Plug & Setting tool.
 - iv) Specification guide for the quoted model of the Bridge Plug & Setting tool.
 - v) Bridge Plug setting mechanism.
4. A copy of valid API 11D1 (latest edition) certificate of the OEM as on original bid closing of the tender shall be submitted with the technical offer.
5. The bidder shall confirm that the Manufacturer's name & item Unique Identification Number / Serial number shall be die-stamped on the body of each Bridge Plug & setting tool.
6. The bidder shall confirm that the bidder shall submit following documents along with material supply
 - a) Product data sheet containing all the information as per para 7.2.1 of API 11D1.
 - b) Technical operation manual containing all the information as per para 7.2.2 of API 11D1.
 - c) Product identification: as per para 7.3 of API 11D1.
 - d) OEM's Guarantee certificate for performance at the specified operating conditions.
 - e) Test certificate from the manufacturer for the elastomers.

Contd ... 3

- 3 -

| NIT Sl. No. 20 | OIL Material Code: 05075068 |
|---|-----------------------------|
| Quantity: 4 Number | |
| ADAPTER KIT / SETTING KIT Adapter Kit/ Setting Kit for 9.5/8" Wireline Bridge plug suitable for Wireline Pressure Setting Tool Assy. Model E4 size 20, Baker make. | |

NOTE DESCRIPTION FOR OIL MATERIAL CODE: 05070324 AND 05075068

- 1) BOTH THE BRIDGE PLUG AND ADAPTER KIT WILL BE PROCURED FROM THE SAME SOURCE FOR THE PURPOSE OF COMPATIBILITY.
- 2) BIDDER SHOULD CONFIRM THAT ADAPTER KIT/SETTING KIT QUOTED BY THEM IS COMPATIBLE WITH THE SETTING TOOL, MODEL E4 SIZE 20 OF BAKER MAKE. OIL USES SAME SETTING TOOL (BAKER MAKE) FOR ALL SIZES OF BRIDGE PLUGS.
- 3) BIDDER SHOULD ALSO PROVIDE DETAILED SPECIFICATIONS ALONG WITH LIST OF COMPONENTS/PARTS FOR THE ADAPTER KIT/SETTING KIT AND ALSO PROVIDE DETAILED DRAWING & CATALOGUE WITH THEIR OFFER.

STANDARD NOTES:

- 1) **Delivery Period on FOR, Duliajan basis shall be within 50 days from the date of PO placement.**

SPECIAL TERMS AND CONDITIONS OF THE TENDER:

- i) The bidder should be an Original Equipment Manufacturer (OEM) of the tendered item/equipment or a sole selling agent / authorized distributor / authorized dealer / authorized supply house/ wholly owned subsidiary company of an Original Equipment Manufacturer (OEM) of the tendered item.
- ii) The original equipment manufacturer (OEM) of tender item must have a valid API 11D14th Edition certificate with minimum validity upto completion of supply of the entire purchase order quantity. A copy of the same shall be submitted by the bidder along with the technical bid for verification.

Contd ... 4

- 4 -

- iii) For bidder other than OEM of the tender item, a copy of the valid API 11D1 4th Edition certificate with minimum validity upto completion of supply of the entire purchase order quantity shall be submitted by the bidder along with the technical bid for verification.
- iv) In case the bidder is quoting as agent/distributor/dealer/supply house/wholly owned subsidiary company, the bidder should submit valid authorisation certificate/letter issued by its Original Equipment Manufacturer (OEM), confirming the Bidders' status as their authorized agent/distributor/dealer/supply house/wholly owned subsidiary company (as the case may be) to sell their products with proper warranty and guarantee back up. Such authorization certificate/letter shall be valid for the entire period of execution of the order.
- v) Authorization letter must be issued on the official letter head only of the OEM clearly mentioning the status of Bidder i.e., whether sole selling agent / authorised distributor / authorised dealer / authorised supply house of Original Equipment Manufacturer (OEM), failing which the bid shall not be considered for evaluation and in that case the offer shall be rejected straightway. Such certificates/authority letter issued by a party other than the OEM shall not be considered as valid authorization letter and in such as the bid shall be rejected without any further reference.

All other terms and conditions of the Bid Document remain unchanged. All the tender details and documents including corrigendum(s) is available and can be viewed at www.oil-india.com.

For Oil India Limited,

-Sd-

(SATHIYARAJ.F)

Senior Manager-Materials (F.P.)

For Chief General Manager-Materials (HoD)

For Resident Chief Executive