

**OIL INDIA LIMITED**  
(A GOVT. OF INDIA ENTERPRISE)

CONTRACTS DEPARTMENT, DULIAJAN

DISTRICT: DIBRUGARH (ASSAM), PIN-786602

TEL: (91) 374-2800548, FAX: (91) 374-2803549

E-mail ID: [contracts@oilindia.in](mailto:contracts@oilindia.in)

Website: [www.oil-india.com](http://www.oil-india.com)

---

**AMENDMENT NO. 28 DATED 29.04.2024 TO TENDER NO. CDG1979P23 FOR 'HIRING OF INTEGRATED DRILLING SERVICES (IDS-1) FOR EXTENDED REACH DRILLING (ERD), HIGHLY DEVIATED DRILLING (HDD) & MULTILATERAL DRILLING (MLD) WELLS IN ASSAM & ARUNACHAL PRADESH'.**

This Amendment to Tender No. CDG1979P23 is issued to notify about the following:

- 1) Amendments to tender clauses are enclosed vide **Annexure-I**, enclosed below.
- 2) The Revised Price Bid Format has been uploaded on OIL's e-Procurement Portal under "**Notes and Attachment**" tab.

All other terms & conditions of the tender including previous amendments (if any) will remain unchanged.

Sd/-

(Z. Das)

Sr. Officer – Contracts (G)

For Chief General Manager – Contracts

**AMENDMENTS TO TENDER CLAUSES OF TENDER NO. CDG1979P23**

Sl. No	Section, Clause, Sub Clause of the Revised Tender Document	Existing Tender/Amendment Clause Description	Modified/New clause Description
<b>FORWARDING LETTER</b>			
01	<p><b>Sl. No. (xiv) of the table under para 2.0 of the “Forwarding Letter”</b></p> <p>(Para 2. Of Amendment no. 24 dated 04.03.2024)</p>	5% of <del>Annualized</del> Total Contract Value.	5% of <del>Annualized</del> Total Contract Value.
<b>INSTRUCTION TO BIDDERS</b>			
02	<p><b>Clause no. 8.0: Currencies of bid and payment</b></p> <p><b>(Page 12 of 440 Revised Tender Document)</b></p>	Foreign Bidders are allowed to quote price (and get paid) in RBI's notified basket of foreign currencies - US Dollar or Euro or Pound Sterling or Yen etc., in addition to the Indian Rupees, except for expenditure incurred in India (including agency commission if any) which should be stated in Indian Rupees. Indian Bidders are to quote in INR only.	<p><b><u>FOR FOREIGN BIDDERS:</u></b></p> <p>Foreign Bidders are allowed to quote price (and get paid) in RBI's notified basket of foreign currencies - US Dollar or Euro or Pound Sterling or Yen etc., in addition to the Indian Rupees, except for expenditure incurred in India (including agency commission if any) which should be stated in Indian Rupees. <b>For determining the expenditure incurred in India, the foreign bidder must quote the percentage of the Indian Component/expenditure against each line item of the Price Bid Format. During payment (if successful), the Expenses in India component of the price shall be converted to INR (if their quoted price is other than INR) considering the conversion rate as per Clause no. 21.0 of ITB. The bidder shall submit an Undertaking as per</b></p>

			<p>Proforma-XY (enclosed below) along with the technical bid.</p> <p><b><u>FOR INDIAN BIDDERS:</u></b></p> <p>Indian Bidders are to quote in INR only. However, if any Indian bidder quotes their price in currency other than INR, contract to the bidder shall be awarded (if successful) in INR only considering the conversion rate as per Clause No. 21.0 of ITB.</p>				
<b>PART-3, SECTION-II: SCOPE OF WORK</b>							
03	<p>TABLE NO. (7): <b>EXPERIENCE &amp; CERTIFICATION OF IDS COORDINATOR under Clause No. 1.1</b>  (Page 99 of 440 of Revised tender document)</p>	<p><i>iv) Should have completed at least three wells with depth more than 4500 meters, out of which one well with a depth of <b>5500</b> meter.</i></p> <p><i>vi) Should have completed at least three wells with depth more than 1500 meter, out of which one well with a displacement of <b>2000</b> meter.</i></p>	<p><i>iv) Should have completed at least three wells with depth more than 4500 meter, out of which one well with a depth of <b>5000</b> meter.</i></p> <p><i>vi) Should have completed at least three wells with depth more than 1500 meter, out of which one well with a displacement of <b>1800 meter or more.</b></i></p>				
04	<p>Table No. 11 (List of tools / Equipment and services as per contract under Clause no. 2.10  (Page 123 of 440 of Revised Tender document)</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="width: 50px;">5.10</td> <td>FPWD</td> </tr> </table>	5.10	FPWD	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="width: 50px;">5.10</td> <td>FPWD (Call out)</td> </tr> </table>	5.10	FPWD (Call out)
5.10	FPWD						
5.10	FPWD (Call out)						

	<p>Table No 16, 20, 23 (Sl. No. 10 of Annexure-I of Amendment no. 25 dated 19.03.2024)</p>	<table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Name of Chemical</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>ROP enhancer (HYDRASPEED/PENETRAX/<b>BARALUBE W 839</b>)</td> </tr> <tr> <td>4</td> <td>Accretion Inhibitor (PENETRAX/<b>BXR-L</b>/DRILZONE L)</td> </tr> <tr> <td>5</td> <td>Encapsulating polymer (HYDRACAP/NEW-DRILL LV/<b>EZ MUD</b>)</td> </tr> <tr> <td>7</td> <td>HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/<b>M-I PAC UL</b>)</td> </tr> <tr> <td>8</td> <td>XCD (XANPLEX /<b>BARAZAN D</b> /DUO-VIS)</td> </tr> <tr> <td>13</td> <td>Polyamine-Chloride free (MAX-GUARD/ <b>BARASURE W-988</b>/ HYDRAHIB)</td> </tr> <tr> <td>14</td> <td>Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/<b>BARASEAL W-1040</b>)</td> </tr> </tbody> </table>	Sl. No.	Name of Chemical	3	ROP enhancer (HYDRASPEED/PENETRAX/ <b>BARALUBE W 839</b> )	4	Accretion Inhibitor (PENETRAX/ <b>BXR-L</b> /DRILZONE L)	5	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/ <b>EZ MUD</b> )	7	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ <b>M-I PAC UL</b> )	8	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS)	13	Polyamine-Chloride free (MAX-GUARD/ <b>BARASURE W-988</b> / HYDRAHIB)	14	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> )	<table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Name of the Chemical</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>ROP enhancer (HYDRASPEED/PENETRAX/BARALUBE W 839/<b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>4</td> <td>Accretion Inhibitor (PENETRAX/BXR-L/DRILZONE L/<b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>5</td> <td>Encapsulating polymer (HYDRACAP/NEW-DRILL LV/EZ MUD/ <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>7</td> <td>HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ M-I PAC UL <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>8</td> <td>XCD (XANPLEX /<b>BARAZAN D</b> /DUO-VIS/<b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>13</td> <td>Polyamine-Chloride free (MAX-GUARD/ BARASURE W-988/ HYDRAHIB/ <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>14</td> <td>Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/<b>BARASEAL W-1040</b>/<b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> </tbody> </table> <p><b>Note: Bidder to provide details of the own brand chemicals along with technical bid.</b></p>	Sl. No.	Name of the Chemical	3	ROP enhancer (HYDRASPEED/PENETRAX/BARALUBE W 839/ <b>Bidder's own brand chemical of equivalent grade</b> )	4	Accretion Inhibitor (PENETRAX/BXR-L/DRILZONE L/ <b>Bidder's own brand chemical of equivalent grade</b> )	5	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/EZ MUD/ <b>Bidder's own brand chemical of equivalent grade</b> )	7	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ M-I PAC UL <b>Bidder's own brand chemical of equivalent grade</b> )	8	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS/ <b>Bidder's own brand chemical of equivalent grade</b> )	13	Polyamine-Chloride free (MAX-GUARD/ BARASURE W-988/ HYDRAHIB/ <b>Bidder's own brand chemical of equivalent grade</b> )	14	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> / <b>Bidder's own brand chemical of equivalent grade</b> )
Sl. No.	Name of Chemical																																		
3	ROP enhancer (HYDRASPEED/PENETRAX/ <b>BARALUBE W 839</b> )																																		
4	Accretion Inhibitor (PENETRAX/ <b>BXR-L</b> /DRILZONE L)																																		
5	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/ <b>EZ MUD</b> )																																		
7	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ <b>M-I PAC UL</b> )																																		
8	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS)																																		
13	Polyamine-Chloride free (MAX-GUARD/ <b>BARASURE W-988</b> / HYDRAHIB)																																		
14	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> )																																		
Sl. No.	Name of the Chemical																																		
3	ROP enhancer (HYDRASPEED/PENETRAX/BARALUBE W 839/ <b>Bidder's own brand chemical of equivalent grade</b> )																																		
4	Accretion Inhibitor (PENETRAX/BXR-L/DRILZONE L/ <b>Bidder's own brand chemical of equivalent grade</b> )																																		
5	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/EZ MUD/ <b>Bidder's own brand chemical of equivalent grade</b> )																																		
7	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ M-I PAC UL <b>Bidder's own brand chemical of equivalent grade</b> )																																		
8	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS/ <b>Bidder's own brand chemical of equivalent grade</b> )																																		
13	Polyamine-Chloride free (MAX-GUARD/ BARASURE W-988/ HYDRAHIB/ <b>Bidder's own brand chemical of equivalent grade</b> )																																		
14	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> / <b>Bidder's own brand chemical of equivalent grade</b> )																																		
<p>05</p>	<p>Table No 25 (Sl. No. 11 of Annexure-I of Amendment no. 25 dated 19.03.2024)</p>	<table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Name of Chemical</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table>	Sl. No.	Name of Chemical			<table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Name of the Chemical</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>ROP enhancer (HYDRASPEED/PENETRAX/BARALUBE W</td> </tr> </tbody> </table>	Sl. No.	Name of the Chemical	1	ROP enhancer (HYDRASPEED/PENETRAX/BARALUBE W																								
Sl. No.	Name of Chemical																																		
Sl. No.	Name of the Chemical																																		
1	ROP enhancer (HYDRASPEED/PENETRAX/BARALUBE W																																		

**ANNEXURE-I**

		<table border="1"> <tr> <td>1</td> <td>ROP enhancer (HYDRASPEED/PENETRAX/<b>BARALUBE W 839</b>)</td> </tr> <tr> <td>2</td> <td>Accretion Inhibitor (PENETRAX/<b>BXR-L</b>/DRILZONE L)</td> </tr> <tr> <td>3</td> <td>Encapsulating polymer (HYDRACAP/NEW-DRILL LV/<b>EZ MUD</b>)</td> </tr> <tr> <td>4</td> <td>HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ <b>M-I PAC UL</b>)</td> </tr> <tr> <td>5</td> <td>XCD (XANPLEX /<b>BARAZAN D</b> /DUO-VIS)</td> </tr> <tr> <td>6</td> <td>Polyamine-Chloride free (MAX-GUARD/ <b>BARASURE W-988</b>/ HYDRAHIB)</td> </tr> <tr> <td>7</td> <td>Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/<b>BARASEAL W-1040</b>)</td> </tr> </table>	1	ROP enhancer (HYDRASPEED/PENETRAX/ <b>BARALUBE W 839</b> )	2	Accretion Inhibitor (PENETRAX/ <b>BXR-L</b> /DRILZONE L)	3	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/ <b>EZ MUD</b> )	4	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ <b>M-I PAC UL</b> )	5	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS)	6	Polyamine-Chloride free (MAX-GUARD/ <b>BARASURE W-988</b> / HYDRAHIB)	7	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> )	<table border="1"> <tr> <td>1</td> <td>839/<b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>2</td> <td>Accretion Inhibitor (PENETRAX/<b>BXR-L</b>/DRILZONE L/<b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>3</td> <td>Encapsulating polymer (HYDRACAP/NEW-DRILL LV/EZ MUD/ <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>4</td> <td>HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ M-I PAC UL <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>5</td> <td>XCD (XANPLEX /<b>BARAZAN D</b> /DUO-VIS/ <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>6</td> <td>Polyamine-Chloride free (MAX-GUARD/ BARASURE W-988/ HYDRAHIB/ <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> <tr> <td>7</td> <td>Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/<b>BARASEAL W-1040</b>/ <b>Bidder's own brand chemical of equivalent grade</b>)</td> </tr> </table>	1	839/ <b>Bidder's own brand chemical of equivalent grade</b> )	2	Accretion Inhibitor (PENETRAX/ <b>BXR-L</b> /DRILZONE L/ <b>Bidder's own brand chemical of equivalent grade</b> )	3	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/EZ MUD/ <b>Bidder's own brand chemical of equivalent grade</b> )	4	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ M-I PAC UL <b>Bidder's own brand chemical of equivalent grade</b> )	5	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS/ <b>Bidder's own brand chemical of equivalent grade</b> )	6	Polyamine-Chloride free (MAX-GUARD/ BARASURE W-988/ HYDRAHIB/ <b>Bidder's own brand chemical of equivalent grade</b> )	7	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> / <b>Bidder's own brand chemical of equivalent grade</b> )
1	ROP enhancer (HYDRASPEED/PENETRAX/ <b>BARALUBE W 839</b> )																														
2	Accretion Inhibitor (PENETRAX/ <b>BXR-L</b> /DRILZONE L)																														
3	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/ <b>EZ MUD</b> )																														
4	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ <b>M-I PAC UL</b> )																														
5	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS)																														
6	Polyamine-Chloride free (MAX-GUARD/ <b>BARASURE W-988</b> / HYDRAHIB)																														
7	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> )																														
1	839/ <b>Bidder's own brand chemical of equivalent grade</b> )																														
2	Accretion Inhibitor (PENETRAX/ <b>BXR-L</b> /DRILZONE L/ <b>Bidder's own brand chemical of equivalent grade</b> )																														
3	Encapsulating polymer (HYDRACAP/NEW-DRILL LV/EZ MUD/ <b>Bidder's own brand chemical of equivalent grade</b> )																														
4	HP Fluid loss reducer (MIL-PAC LV/BIO-PAQ/ PAC-L/ M-I PAC UL <b>Bidder's own brand chemical of equivalent grade</b> )																														
5	XCD (XANPLEX / <b>BARAZAN D</b> /DUO-VIS/ <b>Bidder's own brand chemical of equivalent grade</b> )																														
6	Polyamine-Chloride free (MAX-GUARD/ BARASURE W-988/ HYDRAHIB/ <b>Bidder's own brand chemical of equivalent grade</b> )																														
7	Polymeric-Sealing agent (MAX SHIELD/ POROSEAL PLUS/ <b>BARASEAL W-1040</b> / <b>Bidder's own brand chemical of equivalent grade</b> )																														
06	<p><b>4.4.1. New Note no. 5</b></p> <p>(Sl. No. 32 of Annexure-I of Amendment no. 25 dated 19.03.2024)</p>	<p><i>All Packers of liners and tie back system must be of V1 rating.</i></p>	<p>All Packers of liners and tie back system must be of V1 rating <b>as per API11D1 or ISO 14310.</b></p>																												
07	<p>4.4.2 SUPPLY OF (6" x 7<sup>7</sup>/<sub>8</sub>") EXPANDABLE LINER (CONTINGENCY PLAN) &amp; ACCESSORIES</p>	<p>In case of drilling and hole stability issues while drilling 6" Hole section, there is a Contingency plan to enlarge the 6" to 7<sup>7</sup>/<sub>8</sub>" or 7<sup>7</sup>/<sub>8</sub>" in one run or two runs (i.e., 6" to 6<sup>1</sup>/<sub>2</sub>" and 6<sup>1</sup>/<sub>2</sub>" to 7<sup>5</sup>/<sub>8</sub>") by Under Reamer and lower 6" Expandable Liner at that depth. Thereafter, drilling will be continued by 6" bit to TD. A comprehensive plan of drilling &amp; setting expandable liner is prepared based on the Enventure Expandable Liner System</p>	<p>In case of drilling and hole stability issues while drilling 6" Hole section, there is a Contingency plan to enlarge the 6" to 7<sup>7</sup>/<sub>8</sub>" or 7<sup>7</sup>/<sub>8</sub>" in one run or two runs (i.e., 6" to 6<sup>1</sup>/<sub>2</sub>" and 6<sup>1</sup>/<sub>2</sub>" to 7<sup>5</sup>/<sub>8</sub>") by Under Reamer and lower 6" Expandable Liner at that depth. Thereafter, drilling will be continued by 6" bit to TD. A comprehensive plan of drilling &amp; setting expandable</p>																												

<p>(Page 169 of 440 of revised tender document)</p>	<p>which will be shared with successful Bidder separately. However, Bidders are allowed to offer their own expandable liner system or tie up with M/s. Enventure is allowed.</p>	<p>liner is prepared based on the Expandable Liner System which will be shared with successful Bidder separately. However, Bidders are allowed to offer their own expandable liner system or tie up with <b>M/s. Enventure or other reputed expandable liner system service provider is allowed. The expandable liner system service provider must have the followings:</b></p> <p><b>1) Expandable liner Expert/Engineer/Supervisors:</b></p> <ul style="list-style-type: none"> <li>a. Shall deploy two Expert/Engineer/Supervisors</li> <li>b. Both Shall have a minimum of 15 years' experience with expandable liner systems only. Multi service Expert/Engineer/Supervisors are not accepted for this position.</li> <li>c. Shall be employee of the company.</li> <li>d. In case of tie-up, the employee shall be located in India for ease of availability during the time of contingency.</li> </ul> <p><b>2) Additional Technical Specification for Expandable liner:</b></p> <ul style="list-style-type: none"> <li>a. Shall be made of a steel grade that has a minimum nominal yield strength of 80 ksi.</li> <li>b. Shall provide a minimum post expansion drift of 6.00 in.</li> <li>c. Shall have capability (pre-expansion) to rotate downhole.</li> </ul>
---	--	---

			<p><b>3) Provider shall have the following minimum experience with the provision of expandable liners (drilling applications only):</b></p> <p>i. Minimum of 10 installations globally (all sizes supplied by Bidder) and Minimum of 10 installations globally (6 in. expandable liner only). Out of these 20 installations, bidder shall have experience in providing atleast one services in India.</p> <p>ii. Minimum of 3 installation globally in a horizontal hole (6 in. expandable liner only)</p> <p><b>Documentary evidence to be provided against the clause 1), 2) and 3) above.</b></p>
08	<p><b>New Note under Clause no. 4.5. NON-CONSUMABLE ITEMS ON RENTAL</b></p> <p>(Page 171 of 440 of Revised Tender document)</p>	<i>New Note</i>	<p><i>(h) In case the “Retrievable Pack-off Bushing” is a part of Liner Running Tool, bidder need not quote. However, bidder to provide an undertaking for the same.</i></p>
09	<p><b>G.5. RENTAL CHARGES</b></p> <p>(Page 280-281 of 440 of Revised Tender document)</p>	<i>New Note</i>	<p><b>Note:</b> <i>Since there is no requirement for 13<sup>3/8</sup>" section, all sets will be on passive mode from starting of WOC after cementation of 20" casing till the starting of drilling of 12<sup>1/4</sup>" x 13<sup>1/2</sup>" section.</i></p>

	<p>4.7. MOBILISATION PERIOD (ALL CONSUMABLES INCLUDING TIE-BACK CONSUMABLES (Page 171 of 440 of Revised tender Document)</p>	<p>For all other consumable items including liner hanger with standard thread profile for all sizes: <b>150 days</b> including delivery up to Duliajan.</p>	<p>For all other consumable items including liner hanger with standard thread profile for all sizes: <b>120 days</b> including delivery up to Duliajan.</p>
<p>10</p>	<p>Clause no. 10.4 Supply of Bridge Plug, Sub Clause no. (v) Bridge plug for 4½" OD Liner  (Sl. No. 76 of Annexure-I of Amendment no. 25 dated 19.03.2024)</p>	<p><b>BRIDGE PLUG FOR 4.½" OD LINER (12.6 PPF):</b></p> <ul style="list-style-type: none"> <li>• Suitable to be run through 3 ½" OD, 10.2 ppf tubing.</li> <li>• Suitable for Casing Size: 4½" OD (L-80/N-80), 12.6 PPF.</li> <li>• Temperature: 275°F.</li> <li>• Should be able to withstand a differential pressure rating of 3000 psi (minimum).</li> <li>• It should be accompanied with all necessary accessories.</li> <li>• Thru-Tubing Permanent Bridge Plug</li> <li>• Manufactured and certified as per API11D1 or ISO 14310 with VO validation.</li> </ul>	<p><b>BRIDGE PLUG FOR 4½" OD LINER (12.6 PPF):</b></p> <ul style="list-style-type: none"> <li>• Suitable to be run through 3 ½" OD, 10.2 ppf tubing.</li> <li>• Suitable for Casing Size: 4½" OD (L-80/N-80), 12.6 PPF.</li> <li>• Temperature: 275°F.</li> <li>• Should be able to withstand a differential pressure rating of 3000 psi (minimum).</li> <li>• It should be accompanied with all necessary accessories.</li> <li>• Thru-Tubing Permanent Bridge Plug <i>or Wireline set permanent Bridge Plug. Compatible Adapter kit needs to be provided accordingly.</i></li> <li>• Manufactured and certified as per API11D1 or ISO 14310 with V1 validation <i>or as per manufacturer standard conforming all above technical specification and suitable for both gas and liquid environment.</i></li> </ul>

**PART-3, SECTION-III: SPECIAL CONDITIONS OF CONTRACT**

11	5.0  (Para 3. Of Amendment no. 24 dated 04.03.2024)	The Contractor shall furnish to Company a Bank Guarantee amounting to <b>5% of Annualized Total Contract Value</b> with validity of 3(three) months beyond the contract period towards performance security. The performance security shall be payable to Company as compensation for any loss resulting from Contractor's failure to fulfil their obligations under the Contract. In the event of extension of the Contract period, the validity of the bank guarantee shall be suitably extended by the Contractor.	The Contractor shall furnish to Company a Bank Guarantee amounting to <b>5% of Annualized Total Contract Value</b> with validity of 3(three) months beyond the contract period towards performance security. The performance security shall be payable to Company as compensation for any loss resulting from Contractor's failure to fulfil their obligations under the Contract. In the event of extension of the Contract period, the validity of the bank guarantee shall be suitably extended by the Contractor.
12	19.0  (Page 238 of 440 of Revised Tender Document)	<b><u>SUBCONTRACTING:</u></b> Sub-contracting is not allowed for except petty services like catering, transportation of man & materials etc, <b>and JAR/Intensifier and call out Services</b> other than directional service under this contract with prior approval of OIL	<b><u>SUBCONTRACTING:</u></b> Sub-contracting is not allowed for except petty services like <b>catering, transportation of man &amp; materials, etc. and JAR/Intensifier under this contract. However, the Sub-contractor cannot be a bidding entity or part of the bidding entity against the tender.</b>

**PROFORMA-XY**

**Format for undertaking by Foreign Bidders towards taking payment against Expenses in India (To be typed on the letter head of the bidder)**

Ref. No \_\_\_\_\_

Date \_\_\_\_\_

**Sub: Undertaking for taking payment against Expenses in India against tender no. CDG1979P23**

**CGM-Contracts (HoD)**

**Contracts Department,**

**OIL, Duliajan**

Sir,

With reference to our quotation against Tender no. **CDG1979P23**, we hereby confirm that we have gone through the Tender document in toto and quoted Expenses to be incurred in India in percentage (%) against each line item (wherever applicable) of the Price Bid Format (Proforma-B including Proforma-B1 to B9). We have quoted after proper due diligence and take full responsibility for the same. We agree to the condition that during payment (if successful), the "Expenses in India" component of the price shall be converted to INR (if quoted price is other than INR) considering the conversion rate as per Clause No. 21.0 of ITB. If any Expense is incurred in India over and above the aforesaid percentage (%), then we will inform Oil India Limited in due course of time and same will also be considered while calculating "Expenses in India" component.

Yours faithfully,

For (type name of the firm here)

Signature of Authorized Signatory

Name :

Designation :

Phone No.

Place :

Date :

(Affix Seal of the Organization here, if applicable)

**\*\*\*\*\*END OF AMENDMENTS\*\*\*\*\***