Bid Number: GEM/2026/B/7807615
Dated: 21-09-2026

Bid Corrigendum

GEM/2026/B/7807615-C7

Following terms and conditions supersede all existing “Buyer added Bid Specific Terms and conditions” given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

Buyer Added Bid Specific Additional Terms and Conditions

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.
2. Scope of supply (Bid price to include all cost components) : Only supply of Goods
3. Buyer Added text based ATC clauses

   Special Note:

   AAA) The Bid Security / EMD if submitted in the form of e-BG/Bank Guarantee, should be valid for a period of 45 days beyond the bid validity, reckoned from the original bid end date, i.e., up to 31.01.2027.

   ****

   Corrigendum No. 1 dated 21.09.2026

   Bidders to take note of the changes/modifications related to technical specifications & BEC mentioned bel ow while submitting their offers:

Clause No.	Tender’s Technical Specification (TS) / D escription	Revised Specification / Conditions
Clause (A) o f Technical Bid Evaluati on Criteria.	“Similar Item” means “Fire Proximity Suit EN 469:2020 (or Latest Edition) (Level 2) and IS 16890:2024 (or Latest Edition) certified”.	“Similar Item” means “Fire Proximity Su its / IFR Coverall Suits / Fire Entry Suits” .

Clause (A) of TS	The suit shall be a multi-layer fire suit (three-layer), designed for proximity firefighting, in a two-piece design, CE certified/marked, meeting the performance requirements of EN 469:2020 (Latest Edition) (Level 2) AND IS 16890:2024 (Latest Edition).	The suit shall be a multi-layer fire suit (three-layer), designed for proximity firefighting, in a two-piece design, CE certified/marked, meeting the performance requirements of EN 469:2020 (Latest Edition) (Level 2) AND IS 16890:2024 (Latest Edition) (Category-1).
Clause (A) of TS	The outer layer shall be made exclusively of inherently flame-retardant fabric of Composition 75% meta- aramide (±5%) + 23% Para- aramide (±5%) & 2% Anti-Static, weight minimum 190 GSM and not exceeding 220 GSM.	The outer layer shall be made exclusively of inherently flame-retardant fabric of Composition 70 to 75% Meta-aramide, 23 to 28% Para-aramide & 2% Anti-Static. The minimum weight shall be 190 GSM but not exceeding 220 GSM and have Twill or Rip Stop weave.
Clause (A) of TS	The moisture barrier shall be made of suitable membrane material with PTFE/PU laminated flame-resistant fabric.	The moisture barrier shall be made of micro porous layer incorporating an oleophobic polymer treatment laminated to the carrier fabric like expanded polytetrafluoroethylene (ePTFE) or similar type PTFE breathable lining combination which facilitating perspiration and heat to escape to the outside atmosphere, thus reducing the heat stress and water ingress to the wearer. The weight of the middle layer shall not be more than 140 GSM (±10%).
Clause (A) of TS	The thermal liner shall provide insulation against radiant and convective heat and shall be made of a combination of meta aramide and para aramide quilted to FR Face cloth. Weight minimum 200 GSM and not exceeding 250 GSM.	The thermal liner shall provide insulation against radiant and convective heat and shall be made of a combination of Meta-aramide and Para-aramide quilted to FR lining fabric and face cloth. This layer can also be made by stitching together two layers made from thermal barrier and inner lining into one layer with a minimum weight of 200 GSM and not exceeding 250 GSM.

Clause (A) of TS/Design	It should also pass the Manikin Testing as per EN ISO 13506-1 (latest edition) from an ILAC accredited lab, with 2nd and 3rd degree burns ≤ 15%. Necessary test report to be enclosed. The burn injury test report should only for the Jacket & Trouser and without any undergarments. Test report from Central govt/ NABL/ International Laboratory Accredited lab shall have to be uploaded along with the bid.	Manikin or Burn Injury Test: The suits shall pass the Manikin or Burn Injury Testing as per EN ISO 13506-1 (latest edition) from an ILAC accredited lab, with 2nd and 3rd degree burns ≤ 10 %. The test report should only for the Coat & Trouser and without any undergarments. Test report from Central Govt./NABL/ILAC Accredited Lab shall be submitted along with the bid and at the time supply.
Clause (A) of TS / Accessories / 1. Gloves	A five fingered pair of four-layer firefighter gloves with a membrane. The basic and carrier layers on the back of the glove shall be made of aramid textile material. The palm shall be made of specially treated split leather resistant to heat, water, and abrasion, ensuring maximum sensitivity and comfort.	A five fingered firefighter gloves shall be made of below mentioned four-layer: (A) The outer layer shall be made of Neoprene coated Para-aramide in front and Meta-aramide at the back portion resistant to heat, water, abrasion and ensuring maximum sensitivity & comfort. (B) The second layer shall be made from membrane. (C) The third layer shall be Non-woven meta-aramid thermal layer. (D) The gloves shall have a Kevlar/Aramid/Nomex knitted wristlet. (E) The fourth layer shall be made from Aramide knit fabric.
Clause (A) of TS / Accessories / 1. Gloves	The gloves shall be CE marked/certified in accordance with EN 659:2003 AND IS 16874:2018 standards.	The gloves shall have EN 659:2008 (Latest Edition) Certificate (EC Type Examination Certificate)- CE certificate with Article 11 (A or B) or Module C2 or D certificate for ensuring EC Quality of Production along with IS 16874:2018 (Latest Edition) standards Certifications.

Clause (A) of TS / Accessories / 2. Boots	A pair of firefighter boots made of flame-retardant rubber with steel toe cap and steel midsole.	A pair of firefighter boots shall be as per EN 15090 (Latest Edition) (Minimum Type-2) made of flame-retardant rubber with steel toe cap and steel midsole shall have adequate length and circumferential gap at the ankle for tucking in the trouser bottom. The boots shall be provided with carrying arrangements rubber loop on top which allows the four fingers and thumb to pass thorough in order to enable easy lifting.
Clause (A) of TS / Accessories / 2. Boots	The boots shall have heat- and oil-resistant anti-skid soles and shall be electric shock resistant.	The boots shall have heat- and oil-resistant anti-skid soles and shall be electric shock resistant. Test report should be submitted along with offer.
Clause (A) of TS / Accessories / 3. Anti Flash Hood	The hood shall be made of flame-resistant knitted material.	The hoods shall be of universal size, elasticized constructed in double layer configuration made of flame-resistant knitted material for added protection.
Clause (B) Other Details of TS / 2. Approval	All the Items (components) should be approved to relevant EN standards and IS standards individually and should be supported with following valid documents (to be submitted along with the bid): i. Valid “EC Type Examination Certificate” as per Article 10 as per EEC guidelines or EU Type Examination Certificate (Module–B) as per Regulation (EU) 2016/425. ii. Valid "EC Quality System certificate" as per Article 11 A/11B as per EEC guidelines or Quality system certificate as per Module C2 / Module D as per Regulation (EU) 2016/425.	The following latest valid certifications documents shall be submitted along with the bid and at the time of supply: A) Each Items/Components of Fire Proximity Suit shall be approved as per relevant EN Standard as mentioned below: i. Valid “EC Type Examination Certificate” as per Article 10 as per EEC guidelines or EU Type Examination Certificate (Module–B) as per Regulation (EU) 2016/425. ii. Valid "EC Quality System certificate" as per Article 11 A/11B as per EEC guidelines or Quality system certificate as per Module C2 / Module D as per Regulation (EU) 2016/425.

Clause (B) Other Details of TS / 6. Pre-Dispatch Inspection (PDI)	a. Prior to dispatching the materials, the Pre-Dispatch Inspection (PDI) shall be carried out at supplier's works by OIL's representative. The supplier shall felicitate all the required support to OIL for carrying out PDI smoothly as per approved QAP, Technical Specifications and applicable codes & Standards but not limited to the following: i. Visual inspection of suit to ensure no apparent damage or deficiency. ii. Examination of documents / certificates / test reports/ instructions / guidelines etc. as per Purchase Order. b. Supplier shall inform in advance to OIL when the item is ready for Pre-dispatch inspection at least 15 days in advance.	a. Prior to dispatch of materials, the successful bidder shall submit 01(One) piece of complete Fire Proximity Suit in the size of 'XL' along with Other Accessories as sample for approval at OIL (FOR Destination) before executing the bulk supply. The sample is required for evaluation and verification as per terms and conditions of the Purchase Order. In this regard, the supplier shall give an undertaking that the documents along with submitted sample of Fire Proximity Suit & Other Accessories are genuine in nature and in accordance with the PO requirements and also the bulk supply shall meet the PO requirements failing which the material shall be considered as rejected. b. The bulk supply shall be made as per the approved sample. Acceptance of bulk supply consignments shall be done after 100% verification at OIL (FOR Destination) as per terms & conditions of Purchase Order.
Clause (B) Other Details of TS / 7. i. ii. iii. iv.	Bidder shall provide the following information during supply: Procedure for wearing and removing Fire Proximity Suit. i. Maintenance procedure of Fire Proximity Suit. ii. User Manual of Fire Proximity Suit. iii. Wash care maintenance schedule/procedure of Fire Proximity Suit. iv.	The successful bidder shall provide the training (Free of Cost) to OIL's Officials within 15 days after satisfactory supply at OIL (FOR Destination) inclusive of: i. Procedure for wearing and removing Fire Proximity Suit. ii. Maintenance procedure of Fire Proximity Suit. iii. User Manual of Fire Proximity Suit. iv. Wash care maintenance schedule/procedure of Fire Proximity Suit.

Clause (B) Other Details of TS / 8.	A large clear label should be permanently attached (sealed) or stitched inside the lining of fire suits. The label should give full details of compliance to EN Standards and IS standards, manufacturer's contact details, sizing, wash/ care information, style and date of manufacture and traceability coding.	The firefighting suit shall carry the requisite label showing model name, Test House No, CE Logo, OEM information and size offered, CE marking. A large, clear and legible label shall be permanently affixed, either sealed or securely stitched, to the inner lining of the firefighting suit which shall contain complete details regarding compliance with the applicable EN and IS standards, manufacturer's contact details, garment sizing, washing and care instructions, style/ model identification, date of manufacturing, and appropriate traceability/identification coding.
Clause (B) Other Details of TS / 9.	9. SIZES OF FIRE PROXIMITY SUITS: Total Quantity: 70 Breakup: a) XXXL: 07 Nos. b) XXL: 14 Nos. c) XL: 21 Nos. d) L: 19 Nos. e) M: 05 Nos. f) S: 04 Nos.	9. SIZES: I. Tentative sizes of Coat and Trouser are as mentioned below: a) XXXL: 07 Nos. b) XXL: 14 Nos. c) XL: 21 Nos. d) L: 19 Nos. e) M: 05 Nos. f) S: 04 Nos. II. Other Accessories: a) Gloves: The glove should be available in different size i.e., 6 to 11 as per Clause 3.2, (Table 1) of EN 659 (Latest Edition) b) Boots: The Boot size shall vary from 39-46 (Euro size) or UK 6-11 number Note: a) Size chart shall be provided along with the bid. b) Exact size wise quantity of each accessory of Fire Proximity Suits shall be intimated along with QAP approval.

All other terms and conditions of the tender remains unchanged.

****

1. Queries Submission Timeline clause-

All prospective bidders are hereby instructed to submit any queries or requests for clarification related to this tender within the timeline defined in GeM. Any queries received after the stipulated deadline will not be entertained or responded to by OIL. Queries must be submitted in writing via email to **partho.nath@oilindia.in**. Please ensure that the subject line of your email clearly states 'Tender Query - [Tender No. & Name]'.

2. Avoidance of Extension for Bid Submission clause-

Bidders are earnestly advised to ensure that their bid submissions are prepared and submitted in accordance with the deadlines specified in this tender document. OIL has taken all necessary steps to establish reasonable timelines for the submission of bids to allow ample time for thorough preparation.

As a matter of policy, OIL will only consider granting an extension of the bid submission due date as a one time exception in situations deemed unavoidable. Such extensions will be granted solely at the discretion of OIL and only in response to a written request from the bidder (mail to partho.nath@oilindia.in), submitted in accordance with the procedures outlined in this tender document.

It is hereby emphasized that OIL will not entertain or consider any requests for an extension of the bid submission due date, except in cases where OIL deems such extension unavoidable and the bidder submits a formal written request, detailing the compelling circumstances necessitating the extension. Bidders are therefore strongly advised to refrain from seeking an extension of the bid submission due date unless absolutely necessary due to unforeseen and unavoidable circumstances.

By participating in this tender process, all bidders acknowledge and accept the terms and conditions outlined in this Avoidance of Bid Submission Due Date Extensions clause.

.

4. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
5. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
6. **Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid
7. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
8. 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
   2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
   3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.
9. Without prejudice to Buyer’s right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
   i) The Seller fails to comply with any material term of the Contract.
   ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
   iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
   iv) The Seller becomes bankrupt or goes into liquidation.
   v) The Seller makes a general assignment for the benefit of creditors.
   vi) A receiver is appointed for any substantial property owned by the Seller.
   vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
10. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at

consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

This Bid is also governed by the General Terms and Conditions