

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-12-2025 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-12-2025 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Petroleum And Natural Gas
विभाग का नाम/Department Name	Oil India Limited
संगठन का नाम/Organisation Name	Oil India Limited
कार्यालय का नाम/Office Name	Oil India Limited
कुल मात्रा/Total Quantity	1
वस्तु श्रेणी /Item Category	Non-Contact High Voltage Detector (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details

दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 21 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

Non-Contact High Voltage Detector (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Technical Specification	Nominal Voltage	90V-33KV
	Battery included	Yes
Warranty	Warranty	1.0 - 5.0 Or higher (year)

Additional Specification Parameters - Non-Contact High Voltage Detector (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
A) Non-Contact Type LT and HT Voltage Detector: Application for checking & detection of live voltage in HT/ LT switchgear panels, cables, tracing of live wires/ conductors, detection of residual or induced voltages(I)	1) Voltage Range: Minimum from 230V to 33KV AC, 50 Hz (For use in 230V, 415V, 3.3KV, 6.6 KV, 11KV & 33KV AC system only). However, the voltage detector may be designed for use maximum upto 132KV system (bidder to confirm the range). 2) Should be suitable for both Indoor and Outdoor use with usage of proper high voltage Personal Protective equipment (PPEs).
A) Non-Contact Type LT and HT Voltage Detector: Application for checking & detection of live voltage in HT/ LT switchgear panels, cables, tracing of live wires/ conductors, detection of residual or induced voltages.(II)	3) High Voltage Detector shall be designed and manufacturing in such a way so as to avoid any danger to the operating personnel during use, under normal conditions. It should have the capability to warn the user by Audio annunciation as well as Visual Indication of the presence of the voltage from a safe distance. 4) Flashing Display LEDs: The Detector shall have bright high intensity Flashing LEDs to provide clear visual indication even in unfavourable daylight conditions.
A) Non-Contact Type LT and HT Voltage Detector: Application for checking & detection of live voltage in HT/ LT switchgear panels, cables, tracing of live wires/ conductors, detection of residual or induced voltages. (III)	5) Hooter: The High Voltage Detector shall give audible sound for the presence of live line, so that it can be suitably used even in noisy backgrounds. 6) Insulating material used in the manufacturing of High Voltage Detector Probe shall be made from non-hygroscopic, non-ageing, non-allergic of tested premium quality Nylon Resin material or equivalent. 7) Self-Test button: The detector should have a self-test button to assess healthiness of the HV Detector before use.
A) Non-Contact Type LT and HT Voltage Detector: Application for checking & detection of live voltage in HT/ LT switchgear panels, cables, tracing of live wires/ conductors, detection of residual or induced voltages. (IV)	8) The equipment shall be portable, light weight, robust, & compact. 9) Should be IP55 rated (water and dust resistant) or higher for indoor and outdoor use. 10) Shall be compatible with most hot sticks and arrangement shall be there to fix the detector in adjustable inclined angle also.11) Power Source: DC Battery (numbers and type of battery shall be indicated in offer).
B) Hot Stick: One number hot stick shall be supplied with the HT/ LT Voltage detector as per following specification(II)	1) Retractable type with extendable upto 3 mtr. 2) Hot Stick shall be of the same make and compatible with offered Voltage detector 3) Insulating material used in the manufacturing of High Voltage Detector Hot Stick shall be made from non-hygroscopic, non-ageing, non-allergic of tested premium quality Fiber Glass material or equivalent and insulation level shall be sufficient upto maximum detection range of the Voltage Detector.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bandana Borah	786602,Oil India Limited, Duliajan, Assam	1	180

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

5. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Please note that Technical Specifications of the Tendered Item, Technical parameter checklist and all annexures and proformas are attached as Annexure A, B and C respectively in the Buyer uploaded ATC Document tab. Bidders are requested to refer the same while submitting their offer.
2. Bidders are also requested to provide their compliance against the Technical Specifications and parameters (Annexure A& B) attached as Buyer uploaded ATC Document in their offer.
3. Bidder must be the OEM/ authorized dealer / distributor of the item quoted. In the case of Authorized dealer / distributor, Authorization Certificate to be submitted in this regard along with the bid.
4. Bidder must submit technical catalogue/Literature of the offered make mentioning the MODEL Offered and voltage range of HT/LT Voltage Detector and Hot Stick along with the offer for evaluation.
5. Packing should be adequate to avoid any transit damage.
6. The items shall be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and

shall be in full conformity with ordered specifications. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expense on FOR Destination basis. Bidders must confirm the same while quoting.

7. Bidder to provide details of after sales service support in India.

8. Non-Contact Type HT/LT Voltage Detector and Hot Stick must be supplied with all required accessories including carrying case, batteries and instruction manual.

9. TYPE TEST: Along with offer, the bidder shall furnish detailed type test certificates preferably from CPRI [Central Power Research Institute] or ERDA [Electrical Research and Development Association] Laboratory or any other NABL accredited Laboratory for the offered Instrument, for all the tests as per relevant Indian Standard/ International standards amended up to date.

10. Along with offer, the bidder shall submit one undertaking mentioning that in case on placement of order on them, Routine Test certificate of the HT/LT Voltage detector and Hot Stick from OEM shall be submitted along with supply of the materials. Also submit duly sealed & signed warranty as per the terms of NIT.

11. Warranty: All parts of the equipment shall be brand new, free from cracks, pits and other manufacturing defects. The equipment offered should have a minimum onsite warranty of 1 (one) year from the date of receipt or 18 months from the date of dispatch whichever is earlier. The party must replace/ rectify defects arising from faulty design, material, workmanship during the warranty period at their own cost.

12. Queries Submission Timeline clause: All prospective bidders are hereby instructed to submit any queries or requests for clarification related to this tender within the timeline defined in GeM. Any queries received after the stipulated deadline will not be entertained or responded to by OIL. Queries must be submitted in writing via email to sukanya_buragohain@oilindia.in. Please ensure that the subject line of your email clearly states 'Tender Query - [Tender No. & Name]'.

13. Avoidance of Extension for Bid Submission clause-

Bidders are earnestly advised to ensure that their bid submissions are prepared and submitted in accordance with the deadlines specified in this tender document. OIL has taken all necessary steps to establish reasonable timelines for the submission of bids to allow ample time for thorough preparation. As a matter of policy, OIL will only consider granting an extension of the bid submission due date as a one time exception in situations deemed unavoidable. Such extensions will be granted solely at the discretion of OIL and only in response to a written request from the bidder (mail to sukanya_buragohain@oilindia.in), submitted in accordance with the procedures outlined in this tender document. It is hereby emphasized that OIL will not entertain or consider any requests for an extension of the bid submission due date, except in cases where OIL deems such extension unavoidable necessitating the extension. Bidders are therefore strongly advised to refrain from seeking an extension of the bid submission due date unless absolutely necessary due to unforeseen and unavoidable circumstances. By participating in this tender process, all bidders acknowledge and accept the terms and conditions outlined in this Avoidance of Bid Submission Due Date Extensions clause.

14. Bidders to submit signed and sealed Undertakings as per Exhibits-I, II & III, Proforma VI, Annexure-K, Annexure P and Annexure R given in Buyer Specification Document.

9. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.

3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---