



OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
P.O. DULIAJAN, DIST - DIBRUGARH  
ASSAM, INDIA, PIN-786602

CONTRACTS DEPARTMENT  
TEL: (91) 374-2800548  
E-mail: [contracts@oilindia.in](mailto:contracts@oilindia.in)  
Website: [www.oil-india.com](http://www.oil-india.com)  
FAX: (91) 374-2803549

### **FORWARDING LETTER**

**Sub: IFB No. CDG8235P25 for ‘Charter Hire of 01 (One) Number of 2000 HP [Minimum] Drilling Rig Package for a period of 04 (Four) years.’**

Dear Sirs,

**1.0** OIL INDIA LIMITED (OIL), a “Maharatna” Category, Government of India Enterprise, is a premier oil Company engaged in exploration, production and transportation of crude oil & natural gas with its Headquarters at Duliajan, Assam. Duliajan is well connected by Air with nearest Airport being at Dibrugarh, 45 km away.

**2.0** In connection with its operations, OIL invites International Competitive Bids (ICB) from competent and experienced Contractors through OIL’s e-procurement site for **‘Charter Hire of 01 (One) Number of 2000 HP [Minimum] Drilling Rig Package for a period of 04 (Four) years’**. One complete set of Bid Document covering OIL’s IFB for hiring of above services is uploaded in OIL’s e-procurement portal. You are invited to submit your most competitive bid on or before the scheduled bid closing date and time through OIL’s e-procurement portal. For your ready reference, few salient points of the IFB (covered in detail in the Bid Document) are highlighted below:

(i)	IFB No. /E-Tender No.	: <b>CDG8235P25</b>
(ii)	Type of Bidding	: Online open Global e-Tender: Single Stage-Two Bid System
(iii)	Tender Fee	: Not Applicable
(iv)	Bid Closing Date & Time	: <b>11.01.2024 at 11:00 Hrs (IST)</b>
(v)	Technical Bid Opening Date & Time	: <b>11.01.2024 at 13:00 Hrs (IST)</b>
(vi)	Price Bid Opening Date & Time	: Will be intimated only to the eligible/qualified Bidders nearer the time.
(vii)	Bid Submission Mode	: Bids must be uploaded online in OIL’s E-procurement portal
(viii)	Bid Opening Place	: Office of Chief General Manager-Contracts Contracts Department, Oil India Limited, Duliajan -786602, Assam, India.

(ix)	Bid Validity	:	120 (one hundred twenty) days from Bid Closing date
(x)	Mobilization Time	:	As defined in the tender
(xi)	Bid Security Amount	:	Bidders quoting for Charter Hire of 01 (One) rig: Rs. 6.32 Crore or USD 0.74 million.
(xii)	Bid Security Validity	:	30.06.2025
(xiii)	Amount of Performance Security	:	3% of total contract value
(xiv)	Validity of Performance Security	:	Up to 3 (three) months from date of completion of contract
(xv)	Location of job	:	Assam & Arunachal Pradesh with a provision to utilize the service in any other sphere of OIL across India
(xvi)	Duration of the Contract	:	04 (Four) years
(xvii)	Quantum of Liquidated Damage for Default in Timely Mobilization	:	Refer Clause No. 30.0 of Part-3, Section-I (General Conditions of Contract).
(xviii)	Integrity Pact	:	Must be digitally signed & uploaded along with the Techno-commercial Bid.
(xix)	Bids to be addressed to	:	Chief General Manager-Contracts, Contracts Department, Oil India Limited, Duliajan-786602, Assam, India.
(xx)	Pre-Bid conference	:	Not Applicable
(xxi)	Last Date of receipt of Queries	:	02.01.2025  Note: No pre-bid conference shall be held against this tender. However, if bidders require any clarifications against the tender provisions, they shall forward their pre-bid queries within the above-mentioned period. OIL will not be liable for non-response to those queries received within this date. OIL shall not be liable for non-response to the Queries/ Clarifications received beyond the stipulated date. OIL will not be responsible for non-receipt or late receipt of any bidder's query.

### **3.0 GUIDELINES FOR PARTICIPATING IN OIL'S E-PROCUREMENT**

- 3.1 Bids are to be submitted online through OIL's E-Procurement Portal with digital signature. To participate in OIL's E-Procurement tender, bidders should have a legally valid digital certificate of Class 3 with Organizations Name and Encryption Certificate as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (<http://www.cca.gov.in>). Digital Signature Certificates having "Organization Name" field other than Bidder's Name are not acceptable. However, aforesaid Digital Signature Certificates having Bidder's Name in the "Organization Name" field are acceptable.

In case of sole proprietorship firms, Digital Signature Certificates issued in the name of the proprietor is also acceptable provided the bid is submitted in the capacity of a proprietorship firm.

Encryption certificate is mandatorily required for submission of bid. In case bidder creates response with one certificate (using encryption key) and then the bidder changes his Digital Signature Certificate, then the old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of the certificate, OIL INDIA LTD. is not responsible.

The authenticity of above digital signature shall be verified through authorized CA after bid opening and in case the digital signature used for signing is not of "Class 3 with Organizations Name and Encryption Certificate", the bid will be rejected.

Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employee.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidding company.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the Bidder/Bidding company to bind the Bidder/Bidding company to the contract.

- 3.2 For participation, applicants already having User ID & Password for OIL's E-Procurement Portal need to register against the IFB. New vendors/existing vendors not having User ID & Password for OIL's E-Procurement Portal shall obtain User ID & password through online vendor registration system in E-Portal.
- 3.2.1 Bidders without having E-Tender Login ID and password should complete their online registration at least 07 (Seven) days prior to the scheduled Bid Closing Date and time of the tender. For online registration, bidder may visit OIL's E-Tender site <https://etender.srm.oilindia.in/irj/portal>.
- 3.2.2 Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.

- 3.3 Parties, who do not have a User ID, can click on Guest login button in the E-portal to view and download the tender. The detailed guidelines are available in OIL's E-Procurement site (Help Documentation). For any clarification in this regard, bidders may contact E-Tender Support Cell at Duliajan at [erp\\_mm@oilindia.in](mailto:erp_mm@oilindia.in), Ph.: 0374-2807171/7192.
- 3.4 The link to OIL's E-Procurement Portal has been provided through OIL's web site ([www.oil-india.com](http://www.oil-india.com)).
- 4.0 Bid should be submitted online in OIL's E-Procurement site up to 11.00 AM (IST) (Server Time) on the date as mentioned and will be opened on the same day at 1.00 PM (IST) (Server Time) at the office of the GM-Contracts (HoD) in presence of the authorized representatives of the bidders.
- 5.0 The rates shall be quoted per unit as specified in the "PRICE BIDDING FORMAT" attached under "Notes and Attachments" tab. Bidder should note that no pricing information is furnished in the "Technical Attachment" (Un-priced Techno-Commercial Bid) otherwise the bid will be rejected.
- 6.0 (a) No Bidder can withdraw his bid within the validity or extended validity of the bid. Withdrawal of any bid within validity period will lead to debarment from participation in future tenders, at the sole discretion of the company.
- (b) Once a withdrawal letter is received from any bidder, the offer will be treated as withdrawn and no further claim/correspondence will be entertained in this regard.
- 7.0 Conditional bids are liable to be rejected at the discretion of the Company.

## 8.0 **SCREEN SHOTS**

On "EDIT" Mode, bidders are advised to upload "Technical Bid" and "Priced Bid" in the respective places as indicated above:

### Note:

- \* The "Technical Bid" shall contain all techno-commercial details except the prices.

\*\* The “Priced bid” must contain the price schedule and the bidder’s commercial terms and conditions, if any. For uploading Priced Bid, first click on Add Attachment, a browser window will open, select the file from the PC and name the file under Description, Assigned to General Data and click on OK to digitally sign and upload the File. Please click on Save Button of the Response to Save the uploaded files.

**9.0 MAINTENANCE OF TOTAL BID VALUE IN THE RESPONSE:** For convenience of the Bidders and to improve transparency, the rates/costs quoted by bidders against the E-tender shall be available for online viewing after price bid opening to those bidders whose price bids have been opened in the system. For tenders where Detailed Price Information under RFX Information Tab is “No price”, the Price Bid is invited through attachment form under “Notes & Attachment”. As per the existing process, Bidders must upload their pricing as per the “Price Bidding Format” under “Notes & Attachment”. Additionally the bidders must fill up the on-line field “Total Bid Value” under Tab Page “RFX Information” with the Total Cost (Including the GST component) as per the amount of the Price Bid in attachment form.

The screenshot shows the 'Create RFX Response' interface. At the top, there are navigation buttons: Submit, Read Only, Print Preview, Check, Technical RFX Response, and Close. Below this, the RFX Response Number (60038748) and RFX Number are displayed, along with the RFX Owner (BHARALI) and Total Value (0.00 INR). The interface has tabs for RFX Information, Items, and Notes and Attachments. Under the RFX Information tab, there are sub-tabs for Basic Data, Questions, and Technical Attachments. The 'Event Parameters' section includes a 'Currency' dropdown menu set to 'Indian Rupee', a 'Detailed Price Information' dropdown set to 'No Price', and a 'Terms of Payment' field. A 'Total Bid Value' input field is highlighted with a red box. Three callout boxes provide instructions: one points to the 'Currency' dropdown stating 'Bidder to select the currency of the Response'; another points to the 'Detailed Price Information' dropdown stating '“Total Bid Value” is mandatory in “No Price” RFX only'; and a third points to the 'Total Bid Value' input field stating '“Total Bid Value” considering all the taxes & duties.'

The “Total Bid Value” as entered by the Bidder in the on-line response shall be displayed in the e-tender portal amongst the Techno-Commercially qualified bidders and Company will not take any responsibility whatsoever towards incorrect information furnished by the bidders in the “Total Bid Value” field.

It is to be noted that Amount mentioned in the “Total Bid Value” field will not be considered for bid evaluation and evaluation will be purely based on the “Price bidding Format”.

**10.0** The selected bidder will be required to enter into a formal contract, which will be based on their bid and OIL's Standard Form of Contract.

**11.0** The successful bidder shall furnish a Performance Security Deposit in the form of Bank Guarantee as specified above before signing the formal contract. The Performance Security Deposit will be refunded to the Contractor after satisfactory completion of the work, but a part or whole of which shall be used by the Company in realization of

liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason. This Security Money shall not earn any interest.

- 12.0 BACKING OUT BY L1 BIDDER AFTER ISSUE OF LOA:** In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document the bidder shall be suspended for the period of two years. This suspension of two years shall be automatic without conducting any enquiry.
- 13.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT:** The information and documents furnished by the bidder/contractor in respect of the subject tender/contract are accepted to be true and genuine. However, if it is detected during technical scrutiny or after award of the contract or after expiry of the contract, that the bidder had submitted any fake/ fraudulent document or furnished false statement, the offer/contract shall be rejected/ cancelled, as the case may be and the bidder (if fake document/false statement pertains to such bidder) shall be dealt as per the Banning Policy (available in OIL's website) of Company. The bidder has to submit an undertaking in this regard as per attached Proforma-IX.
- 14.0 PROVISION FOR ACTION IN CASE OF ERRING/DEFAULTING AGENCIES:** Erring and defaulting agencies like bidder, contractor, supplier, vendor, service provider will be dealt as per OIL's Banning Policy dated 17.03.2023 available in OIL's website: [www.oil-india.com](http://www.oil-india.com).
- 15.0** Time will be regarded as the essence of the Contract and the failure on the part of the Contractor to complete the work within the stipulated time shall entitle the Company to recover liquidated damages and/or penalty from the Contractor as per terms of the tender/ contract.
- 16.0** The contractor will be required to allow OIL officials to inspect the work site and documents in respect of the workers' payment.
- 17.0 RESTRICTIONS ON PROCUREMENT FROM A BIDDER OF A COUNTRY WHICH SHARES LAND BORDER WITH INDIA:**

Subject to **Order No. F. 7/10/2021-PPD (1) dated 23.02.2023** (as amended from time to time) issued by Department of Expenditure, Ministry of Finance, Govt. of India, Bidders should take note of the following:

- 17.1 Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority [Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT)]. Further, any bidder (including bidder from bidder) having specified Transfer of Technology (ToT) arrangement with an entity from a country which shares a land border with India, shall also require to be registered with the same competent authority to be eligible to bid in this tender.
- 17.2 "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.

17.3 "Bidder (or entity) from a country which shares a land border with India" for the purpose of this Order means:

- a. An entity incorporated, established or registered in such a country; or
- b. A subsidiary of an entity incorporated, established or registered in such a country; or
- c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
- d. An entity whose beneficial owner is situated in such a country; or
- e. An Indian (or other) agent of such an entity; or
- f. A natural person who is a citizen of such a country; or
- g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above

17.4 The beneficial owner for the purpose of para 17.3 above will be as under:

17.4.1 In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation:

- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent. of shares or capital or profits of the company;
- b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders' agreements or voting agreements;

17.4.2 In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;

17.4.3 In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

17.4.4 Where no natural person is identified under 17.4.1 or 17.4.2 or 17.4.3 above, the beneficial owner is the relevant natural person who holds the position of senior managing official;

17.4.5 In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

17.5 An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

- 17.6 The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority. A declaration as per **Exhibit-I** in this respect to be submitted by the bidder for participation in this tender.
- 17.7 **Validity of registration:** In respect of tenders, registration should be valid at the time of submission of bids and at the time of acceptance of bids. In respect of supply otherwise than by tender, registration should be valid at the time of placement of order. If the bidder was validly registered at the time of acceptance/placement of order, registration shall not be a relevant consideration during contract execution.
- 17.8 If the undertakings viz. **Exhibit-I, Exhibit-II and Exhibit-III** given by a bidder whose bid is accepted is found to be false, this would be a ground for debarment/action as per OIL's Banning Policy and further legal action in accordance with law.

**18.0** OIL now looks forward to your active participation in the IFB.

Thanking you,  
Yours faithfully,  
OIL INDIA LIMITED

(KAUSHIK DAS)  
MANAGER CONTRACTS (O&G)  
For CGM (CONTRACTS) (HoD)  
For RESIDENT CHIEF EXECUTIVE

Date: 28.12.2024

**PART-I: INSTRUCTIONS TO BIDDERS****1.0 ELIGIBILITY OF THE BIDDER:**

- 1.1 The eligibility of the bidder are listed under BID EVALUATION CRITERIA (BEC) of the tender document.
- 1.2 Bidder shall bear all costs associated with the preparation and submission of bid. Oil India Limited, hereinafter referred to as Company, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

**2.0 BID DOCUMENTS:**

- 2.1 The services required, bidding procedures and contract terms are prescribed in the Bid Document. This Bid Document includes the following:
- a) A Tender Forwarding Letter
  - b) Instructions to Bidders (ITB), (Part-1)
  - c) Bid Evaluation Criteria (BEC), (Part-2)
  - d) General Conditions of Contract (GCC) : (Part-3, Section-I)
  - e) Terms of Reference/Technical Specification, (Part-3, Section-II)
  - f) Special Conditions of Contract, (Part-3, Section-III)
  - g) Schedule of Rates, (Part-3, Section-IV)
  - h) Safety Measures (SM) : (Part-4)
  - i) Integrity Pact (IP) : (Part-5)
  - j) Bid Form : Proforma-I
  - k) Statement of Non-Compliance : Proforma-II
  - l) Authorisation for Attending Bid Opening : Proforma-III
  - m) Proforma of Letter of Authority : Proforma-IV
  - n) Format of Bid Security: Proforma-V
  - o) Proforma for E-Remittance : Proforma-VI
  - p) Format of Performance Security : Proforma-VII
  - q) Agreement Form : Proforma-VIII
  - r) Format of Undertaking by Bidders towards submission of authentic information/documents : Proforma-IX
  - s) Certificate of Compliance of Financial Criteria : Proforma-X
  - t) Commercial Check List: Proforma-XI
  - u) Undertaking towards submission of Bank Guarantee: Proforma-XII
  - v) Undertaking by TPI (Proforma-XIII)
  - w) Undertaking towards Purchase Preference (Proforma-XIV)
  - x) Financial Turnover and Net-worth (Proforma -XV)
  - y) Technical Evaluation Sheet for BEC-BRC & others
  - z) Other Annexures, Appendices, Exhibits & Checklists
- 2.2 The bidder is expected to examine all instructions, forms, terms and specifications in the Bid Documents. Failure to furnish all information required in the Bid Documents or submission of a bid not substantially responsive to the Bid Documents in every respect will be at the Bidder's risk & responsibility and may result in the rejection of its bid.
- 2.3 Bidders shall be deemed, prior to submitting their bids, to have satisfied themselves about the weather conditions, working culture in the area, socio-political

environment, safety & security aspects, law & order situation and law of the land, and obtain for themselves all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the various obligations under the Contract.

**3.0 TRANSFERABILITY OF BID DOCUMENTS:**

- 3.1 Bid Documents are non-transferable. Bid can be submitted only in the name of the bidder in whose name the Bid Document has been issued.
- 3.2 In case of e-Tender, Bidder must submit the bid using Organizational Class-3 Digital Signature issued by the Competent Authority in favour of the bidder. Bid submitted using Digital Signature other than the Digital Signature of the bidder shall be summarily rejected.
- 3.3 Unsolicited bids will not be considered and will be rejected straightway.

**4.0 AMENDMENT OF BID DOCUMENTS:**

- 4.1 At any time prior to the deadline for submission of bids, the Company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Bid Documents through issuance of an Addendum(s)/Corrigendum(s)/Amendment(s).
- 4.2 The Addendum will be uploaded in OIL's E-Tender Portal in the Tab "Technical Rfx" and under External Area - "Amendments" folder. The Company may, at its discretion, extend the deadline for bid submission. Bidders are expected to take the Addendum into account in preparation and submission of their bid. Bidders are to check from time to time the E-Tender portal ["Technical RFX" Tab and under the folder "Amendments"] for any amendments to the bid documents before submission of their bids. No separate intimation shall be sent to the Bidders.

**5.0 PREPARATION OF BIDS:**

- 5.1 Language of Bids: The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the Bidder and the OIL shall be written in English language. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in English, duly authenticated by local chamber of Commerce of bidder's country, in which case, for purposes of interpretation of the bid, the translation shall prevail.
- 5.2 Bidder's/Agent's Name & address: Bidders should indicate in their bids their detailed postal address including the Fax/Telephone / Cell Phone Nos. and E-mail address. Similar information should also be provided in respect of their authorized Agents in India, if any.
- 5.3 Documents comprising the bid: Bids are invited under Single Stage Two Bid System. The bid to be uploaded by the Bidder in OIL's E-Tender portal shall comprise of the following components:
  - (A) Technical Bid (to be uploaded in "Technical Attachments" tab):
    - a) Complete technical details of the services offered.

- b) Documentary evidence established in accordance with Clause No. 9.0.
- c) Bid Security-
- d) Copy of Bid Form without indicating prices in Proforma-I.
- e) Statement of Non-compliance as per Proforma-II.
- f) Copy of Priced Bid without indicating prices.
- g) Integrity Pact digitally signed by OIL's competent personnel as Part-5.
- h) Proforma-IV attached with the bid document to be signed by the bidders Authorized representative.
- i) All Other relevant Undertakings and Proformas as applicable as part of Bid.

Note: No price should be mentioned in the "Technical Attachments" tab.

(B) The Price Bid as per the Price Bid Format shall be uploaded in "Notes and Attachments" tab.

Note: The Priced Bid shall contain the prices along with the currency quoted and any other commercial information pertaining to the service offered.

6.0 **BID FORM:** The bidder shall complete the Bid Form and upload the same along with their bid.

**7.0 BID PRICE:**

7.1 Prices must be quoted by the Bidders online as per the price bid format available in OIL's E-Tender Portal under "Notes & Attachment" Tab. Prices must be quoted by the bidders as per the Price/Bidding format.

7.2 Prices quoted by the successful bidder must remain firm during its performance of the Contract and is not subject to variation on any account, except as otherwise mentioned in the bid document.

7.3 All duties (except customs duty which will be borne by the Company) and taxes (excluding GST) including other cess/levies payable by the successful bidder under the Contract for which this Bid Document is being issued, shall be included in the rates, prices and total Bid Price submitted by the bidder and the evaluation and comparison of bids shall be made considering the quoted GST in the Price Bid Format. For example, personal taxes and/or any corporate taxes arising out of the profits on the contract as per rules of the country shall be borne by the bidder.

**8.0 CURRENCIES OF BID AND PAYMENT:**

**FOR FOREIGN BIDDERS:**

Foreign Bidders are allowed to quote price (and get paid) in RBI's notified basket of foreign currencies - US Dollar or Euro or Pound Sterling or Yen etc., in addition to the Indian Rupees, except for expenditure incurred in India (including agency commission if any) which should be stated in Indian Rupees. For determining the expenditure incurred in India, the foreign bidder must quote the percentage of the

Indian Component/expenditure against each line item of the Price Bid Format. During payment (if successful), the Expenses in India component of the price shall be converted to INR (if their quoted price is other than INR) considering the conversion rate as per Clause 21.0 of ITB. The bidder shall submit an Undertaking as per **Proforma-XY** along with the technical bid.

**FOR INDIAN BIDDERS:**

Indian Bidders are to quote in INR only. However, if any Indian bidder quotes their price in currency other than INR, contract to the bidder shall be awarded (if successful) in INR only considering the conversion rate as per Clause No. 21.0 of ITB.

**9.0 DOCUMENTS ESTABLISHING BIDDER'S ELIGIBILITY AND QUALIFICATIONS:**

These are listed in BID EVALUATION CRITERIA (BEC), of the tender documents.

**10.0 BID SECURITY:**

10.1 The Bid Security is required to protect the Company against the risk of Bidder's conduct, which would warrant forfeiture of the Bid Security, pursuant to sub-clause 10.8.

10.2 All the bids must be accompanied by Bid Security in Original as prescribed under, for the amount as mentioned in the "Forwarding Letter" of the tender documents:

a. The Bid Security should be submitted in the form of irrevocable Bank Guarantee (as per Proforma-V) issued by Nationalized or Scheduled Bank in favour of M/s Oil India Limited and payable at DULIAJAN. The Bank Guarantee must be on Non-Judicial Stamp Paper of requisite value as per Indian Stamp Act purchased in the name of Banker.

b. Alternately Bid Security can also be paid through Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt (Account OIL INDIA LIMITED)/irrevocable Letter of Credit/NEFT/RTGS /Electronic Fund Transfer through Online Payment Gateway of OIL's e-tender portal (subject to credit in OIL's account within prescribed time) to designated account of OIL.

i. If the Bid Security is submitted in the form of Bank Draft, Banker's Cheque, Cashier's Cheque, Fixed Deposit Receipt or Letter of Credit, the same should be in favour of "Oil India Limited" payable at Duliajan.

ii. Bid Security amount through NEFT or RTGS mode may be deposited on or before bid closing date and time to the following designated OIL's bank account:

<b>Bank Details of Beneficiary: OIL INDIA LIMITED</b>		
<b>a</b>	Bank Name	STATE BANK OF INDIA
<b>b</b>	Branch Name	Duliajan
<b>c</b>	Branch Address	Duliajan, Dist-Dibrugarh
<b>d</b>	Bank Account No.	<b>10494832599</b>
<b>e</b>	Type of Account	Current Account
<b>f</b>	IFSC Code	<b>SBIN0002053</b>
<b>g</b>	MICR Code	786002302
<b>h</b>	SWIFT Code	SBININBB479

If the bid security is submitted through NEFT or RTGS mode, details such as **UTR No., Tender No., Bidder's name & Deposited Amount etc.** must be uploaded with the Unpriced Techno-Commercial Bid documents.

c. In case of Bidders submitting Bid Security in the form of Bank Guarantee/Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt/Letter of Credit, the original hard copy of Bid Security should reach the office of CGM-CONTRACTS on or before **12.45 p.m. (IST)** on the bid closing/opening date otherwise bid will be rejected.

d. A scanned copy of Bid Security document should also be uploaded along with the Unpriced Techno-Commercial Bid documents.

e. This Bid Security Deposit shall be refunded to all unsuccessful bidders but is liable to be forfeited in full or part, at Company's discretion, as per **Clause No. 10.8** below. Bids without Bid Security Deposit in the manner specified above will be summarily rejected.

f. No other mode of payment will be accepted by the Company. The Bid Security shall not earn any interest to the bidder from the Company.

**Note:**

i. Bidders claiming waiver of Bid Security shall upload supporting documents as mentioned in **Para No. 11.0** below along with technical bid.

ii. Any offer not accompanied with the Bid Security shall be treated as invalid and summarily rejected unless the bidder is exempted from submission of Bid Security as per Bid Security Exemption Criteria of this tender and proper proof towards this exemption is submitted by the bidder. Any subsequent deposit of Bid Security after the bid closing date shall not be permitted. Also, adjustment of Bid Security due against the instant tender, against dues from the Company or on any account shall not be permitted.

10.3 Any bid not secured in accordance with sub-clause 10.2 above shall be rejected by the Company as non-responsive.

- 10.4 The bidders shall extend the validity of the Bid Security suitably, if and when specifically advised by OIL, at the bidder's cost.
- 10.5 Unsuccessful Bidder's Bid Security will be discharged and/or returned within 30 days after finalization of the Tender.
- 10.6 Successful Bidder's Bid Security will be discharged and/or returned upon Bidder's furnishing the Performance Security and signing of the contract. Successful bidder will however ensure validity of the Bid Security till such time the Performance Security in conformity with Clause No. 27.0 below is furnished.
- 10.7 Bid Security shall not accrue any interest during its period of validity or extended validity.
- 10.8 The Bid Security may be forfeited:
- a. If the bidder withdraws the bid within its original/extended validity.
  - b. If the bidder modifies/revises their bid suo-moto within its original/extended validity.
  - c. If the bidder does not accept the contract.
  - d. If the bidder does not furnish Performance Security Deposit within the stipulated time as per tender/contract.
  - e. If it is established that the bidder has submitted fraudulent documents or has indulged into corrupt and fraudulent practice, the bid security shall be forfeited after due process in addition to other action against the bidder.
- 10.10 In case any bidder withdraws their bid during the period of bid validity, Bid Security will be forfeited and the party shall be debarred as per the prevailing Banning Policy of the Company (OIL).
- 10.11 A bid shall be rejected straightway if Original Bid Security is not received within the stipulated date & time mentioned in the Tender and/or if the Bid Security validity is shorter than the validity indicated in Tender and/or if the Bid Security amount is lesser than the amount indicated in the Tender.
- 10.12 The Bank Guarantee issuing bank branch must ensure the following:
- The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:
- (i) MT 760 / MT 760 COV for issuance of bank guarantee.
  - (ii) MT 760 / MT 767 COV for amendment of bank guarantee.

[Tender Number should reflect in the SFMS text under MT 760 / MT 760 COV]

The above message / intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to ICICI BANK LTD., Duliajan Branch; IFS Code – ICIC0000213; SWIFT Code – ICICINBB8235;

Branch Address: Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602

<b>Bank Details of Beneficiary</b>		
<b>A</b>	Bank Name	ICICI Bank Ltd.
<b>B</b>	Branch Name	DULIAJAN
<b>C</b>	Branch Address	Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602
<b>D</b>	IFSC Code	ICIC0000213
<b>E</b>	Unique identifier code (Field 7037)	OIL503988890
<b>F</b>	Company Name	Oil India Limited
<b>G</b>	SWIFT Code	ICICINBB8235

12.13 Submission of Bid Security in the form of Electronic Bank Guarantee (e-BG) is also acceptable:

<b>Sl. No.</b>	<b>Bank Name</b>	<b>Sl. No.</b>	<b>Bank Name</b>
1	AU Small Finance Bank	12	IDFC First Bank
2	Axis Bank Limited	13	Indian Bank
3	Bank of Baroda	14	Indian Overseas Bank
4	Bank of India	15	IndusInd Bank
5	Canara Bank	16	Karur Vysya Bank
6	City Union Bank	17	Kotak Mahindra Bank
7	Federal Bank	18	Punjab National Bank
8	HDFC Bank	19	RBL Bank
9	HSBC Bank	20	State Bank of India
10	ICICI Bank	21	South Indian Bank
11	IDBI Bank	22	Yes Bank

Beneficiary details for issue of e-BG are:

<b>Sl. No.</b>	<b>Particulars</b>	<b>Details</b>
1	NAME	OIL INDIA LIMITED
2	PAN	AAACO2352C

3	Date of Incorporation	18-02-1959
4	Email ID	<a href="mailto:contract-global@oilindia.in">contract-global@oilindia.in</a>
5	Mobile No	+91-8638144647
6	Local Address	Duliajan, Dibrugarh, Assam- 786602
7	Registered Address	Duliajan, Dibrugarh, Assam- 786602

**11.0 EXEMPTION FROM SUBMISSION OF BID SECURITY:** In case any bidder is exempted from paying the Bid security, they should upload the supporting documents along with their technical bid. The detailed guidelines for exemption of the Bid security are given below.

- a) MSEs Units (manufacturers/Service Providers only and not their dealers/distributors) eligible for exemption of Bid Security shall furnish Udyam Registration Number with Udyam Registration Certificate along with technical bid.

Note:

i. Categorization and various criteria applicable to MSE bidders shall be guided by the Gazette Notification No. CG-DL-E-26062020-220191 dated 26.06.2020 issued by MINISTRY OF MICRO, SMALL AND MEDIUM ENTERPRISES and as amended time to time.

ii. In case bidding MSE is owned by Schedule Caste or Schedule Tribe or Woman entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ST entrepreneur should also be enclosed.

- b) Central Government Departments and Central Public Sector Undertakings (CPSUs) are also exempted from submitting bid security.

Note:

i. Bids without EMD shall be rejected, if the technical offer does not include a valid copy of relevant Document/Certificate towards exemption of EMD, issued by appropriate authority.

ii. Provisions such as seeking support from another company by way Parent/Subsidiary/ Company's experience/ JV Constituents, etc., wherever allowed in the tender document shall be available to all interested bidders including MSEs. In those scenarios, MSEs quoting on the strength of Parent/Subsidiary/JV Constituents (whichever applicable) will be eligible for the benefits (Purchase Preference and EMD Exemption) reserved for MSEs provided the supporting company for technical and financial strength is/are also MSE(s).

**12.0 PERIOD OF VALIDITY OF BIDS:**

- 12.1 Bids shall remain valid as per the requirement mentioned in forwarding letter from the date of closing of bid prescribed by the Company. Bids of shorter validity will be

rejected as being non-responsive. If nothing is mentioned by the bidder in their bid about the bid validity, it will be presumed that the bid is valid for 120 days from Bid Opening Date.

- 12.2 In exceptional circumstances, the Company may solicit the Bidder's consent to an extension of the period of validity. The request and the response thereto shall be made in writing through Fax or e-mail. A Bidder may refuse the request. A Bidder granting the request will neither be required nor permitted to modify their Bid.

### **13.0 SIGNING & SUBMISSION OF BIDS:**

#### 13.1 Signing of bids:

- 13.1.1 Bids are to be submitted online through OIL's E-procurement portal with digital signature. The bid and all attached documents should be digitally signed by the bidder using "Class-3" digital certificates with Organization's Name [e-commerce application (Certificate with personal verification and Organization Name)] as per Indian IT Act 2000 obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India before bid is uploaded. Digital Signature Certificates having Bidder's Name in the "Organization Name" field are only acceptable. Digital Signature Certificate having "Organization Name" field other than Bidder's Name shall be rejected summarily.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidder holding a Power of Attorney to bind the Bidder to the contract.

If any modifications are made to a document after attaching digital signature, the digital signature shall again be attached to such documents before uploading the same. The Power of Attorney shall be submitted by bidder.

In case the digital signature is not of "Class-3" with organization name, the bid will be rejected. Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employees.

- 13.1.2 The original and all copies of the bid shall be typed or written in indelible inks. Since bids are to be submitted ONLINE with digital signature, manual signature is NOT relevant. The letter of authorization (as per Proforma-IV) shall be indicated by written Power of Attorney accompanying the Bid.

- 13.1.3 Any physical documents submitted by bidders shall contain no interlineations, white fluid erasures or overwriting except as necessary to correct errors made by the Bidder, in which case such correction shall be initialed by the person or persons who has/have digitally signed the Bid.

- 13.1.4 Any Bid, which is incomplete, ambiguous, or not in compliance with the Bidding process shall be rejected.

#### 13.2 Submission of bids:

The tender is processed under Single Stage Two Bid system. Bidder shall submit the Technical bid and Priced bid along with all the Annexures and Proforma (wherever applicable) and copies of documents in electronic form through OIL's e-procurement portal within the Bid Closing Date & Time stipulated in the e-tender. For submission of Bids online at OIL's E-Tender Portal, detailed instructions is available in "User Manual" available in OIL's E-Tender Portal. Guidelines for bid submission are also provided in the "Forwarding Letter". The Technical Bid is to be submitted as per Terms of Reference/Technical Specifications of the bid document and Priced Bid as per the Price Schedule. The Technical Bid should be uploaded in the "Technical Attachment" Tab Page only. Prices to be quoted as per Price Bid Format and should be uploaded as 'Attachment' under "Notes & Attachments" Tab. No price should be given in the "Technical Attachment", otherwise bid shall be rejected. The priced bid submitted in physical form shall not be considered. However, the following documents in one set should necessarily be submitted in physical form in sealed envelope super-scribing the Tender no., Brief Description of services and Bid Closing/Opening date & Time along with the bidder's name and should be submitted to CGM-Contracts (HoD), Oil India Ltd., Duliajan-786602 (Assam) on or before 12.45 Hrs (IST) on the bid closing date indicated in the IFB:

- a) Printed catalogue and literature if called for in the bid document.
- b) Any other document required to be submitted in original as per bid document.

Documents sent through E-mail/Fax/Telephonic method will not be considered.

13.2.1 All the conditions of the contract to be made with the successful bidder are given in various Sections of the Bid Document. Bidders are requested to state their non-compliance to each clause as per Proforma-II of the bid document and the same should be uploaded along with the Technical Bid.

13.2.2 Timely delivery of the documents in physical form as stated in Para 13.2 above is the responsibility of the bidder. Bidders should send the same through Registered Post or by Courier Services or by hand delivery to the Officer in Charge of the particular tender before the Bid Closing Date and Time. Company shall not be responsible for any postal delay/transit loss.

13.2.3 Bids received through the e-procurement portal shall only be accepted. Bids received in any other form shall not be accepted.

#### **14.0 INDIAN AGENT/REPRESENTATIVE/RETAINER/ASSOCIATE**

Foreign bidders shall clearly indicate in their bids whether they have an Agent/Representative/Retainer/Associate in India. In the event the overseas bidder is having an Agent/Representative/Retainer/Associate in India, the bidder should furnish the name and address of their Agent/Representative/Retainer/Associate in India and clearly indicate nature and extent of services to be provided by such an Agent/ Representative/Retainer/Associate in India and also stating in their bids whether the Agent/Representative/Retainer/Associate is authorized to receive any commission. The rate of the commission included in the quoted rates of bidder should be indicated which would be payable to Agent/Representative/Retainer/Associate in non-convertible Indian currency according to Import Trade Regulation of India. Unless otherwise specified, it will be assumed that agency commission is not involved in the particular bid.

Further, overseas bidders shall submit their bids directly and not through their Agent/Representative/Retainer/Associate in India. Bid submitted by Indian Agent/Representative/Retainer/Associate on behalf of their foreign principals will not be considered and will be rejected straightway. Moreover, one Indian Agent/Representative/Retainer/Associate cannot represent more than one foreign bidder against the IFB.

The Indian Agent/Representative/Retainer/Associate will not be permitted to submit any Bid Security and Performance Security on behalf of their foreign principals and also the Indian Agent/Representative/Retainer/Associate will not be allowed to execute the contract and receive payment against bid submitted by their foreign principals. Such bids shall be rejected straightway.

**15.0 DEADLINE FOR SUBMISSION OF BIDS:**

- 15.1 Bids should be submitted online as per the online tender submission deadline. Bidders will not be permitted by System to make any changes in their bid/quote after the bid submission deadline is reached. Bidders are requested to take note of this and arrange to submit their bids within the submission deadline to avoid last minute rush/network problems.
- 15.2 No bid can be submitted after the submission deadline is reached. The system time displayed on the e-procurement web page shall decide the submission deadline.
- 15.3 The documents in physical form as stated in Para 13.2 must be received by Company at the address specified in the "Forwarding Letter" on or before 12.45 Hrs (IST) on the Bid Closing Date mentioned in the "Forwarding Letter". Timely delivery of the same at the address mentioned in the Forwarding Letter is the responsibility of the Bidders.

**16.0 LATE BIDS:** Bidders are advised in their own interest to ensure that their bids are uploaded in system much before the closing date and time of the bid. The documents in physical form if received by the Company after the deadline for submission prescribed by the Company shall be rejected and shall be returned to the Bidders in unopened condition immediately.

**17.0 MODIFICATION AND WITHDRAWAL OF BIDS:**

- 17.1 The Bidder after submission of Bid may modify or withdraw its Bid prior to Bid Closing Date & Time in the e-portal using Digital Signature by the person or persons who has/have digitally signed the Bid. Withdrawal or modification of bid through physical correspondence shall not be considered and accepted.
- 17.2 No Bid can be modified or withdrawn subsequent to the deadline for submission of Bids.
- 17.3 No Bid can be withdrawn in the interval between the deadline for submission of Bids and the expiry of the period of Bid Validity specified by the Bidder on the Bid Form. Withdrawal of a Bid during this interval shall result in debarment from participation in future tenders of OIL.

**18.0 EXTENSION OF BID SUBMISSION DATE:** Normally no request for extension of Bid Closing Date & Time will be entertained. However, OIL at its discretion, may extend the Bid Closing Date and/or Time due to any reasons.

**19.0 BID OPENING AND EVALUATION:**

- 19.1 Company will open the Bids, including submission made pursuant to clause 12.2, in presence of Bidder's representatives who choose to attend at the date, time and place mentioned in the Forwarding Letter. However, an authorization letter (as per Proforma-III) from the Bidder must be produced by the Bidder's representative at the time of Bid Opening. Unless this Letter is presented, the representative will not be allowed to attend the Bid Opening. The Bidder's representatives who are allowed to attend the Bid Opening shall sign a register evidencing their attendance. Only one representative against each Bid will be allowed to attend.
- 19.2 In technical bid opening, only "Technical Attachment" will be opened. Bidders therefore should ensure that technical bid is uploaded in the "Technical Attachment" Tab Page only in the E-portal.
- 19.3 In case of any unscheduled holiday or Bandh on the Bid Opening Date, the Bids will be opened on the next full working day. Accordingly, Bid Closing Date / time will get extended up to the next working day and time.
- 19.4 Bids which have been withdrawn pursuant to clause 17.0 shall not be opened. Company will examine bids to determine whether they are complete, whether requisite Bid Securities have been furnished, whether documents have been digitally signed and whether the bids are generally in order.
- 19.5 At bid opening, Company will announce the Bidder's names, written notifications of bid modifications or withdrawal, if any, the presence of requisite Bid Securing Declaration and such other details as the Company may consider appropriate.
- 19.6 Normally no clarifications shall be sought from the Bidders. However, for assisting in the evaluation of the bids especially on the issues where the Bidder confirms compliance in the evaluation and contradiction exists on the same issues due to lack of required supporting documents in the Bid (i.e. document is deficient or missing), or due to some statement at other place of the Bid (i.e. reconfirmation of confirmation) or vice versa, clarifications may be sought by OIL. In all the above situations, the Bidder will not be allowed to change the basic structure of the Bid already submitted by them and no change in the price or substance of the Bid shall be sought, offered or permitted.
- 19.7 Prior to the detailed evaluation, Company will determine the substantial responsiveness of each bid to the requirement of the Bid Documents. For purpose of these paragraphs, a substantially responsive bid is one, which conforms to all the terms and conditions of the Bid Document without material deviations or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality, or performance of work, or which limits in any substantial way, in-consistent way with the Bid Documents, the Company's right or the bidder's obligations under the contract, and the rectification of which deviation or reservation would affect unfairly the competitive position of other bidders presenting substantial responsive bids. The Company's determination of Bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.

- 19.8 A Bid determined as not substantially responsive will be rejected by the Company and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
- 19.9 The Company may waive minor informality or nonconformity or irregularity in a Bid, which does not constitute a material deviation, provided such waiver, does not prejudice or affect the relative ranking of any Bidder.

**20.0 OPENING OF PRICED BIDS:**

- 20.1 In case of composite bid system, Price bids will be opened on the scheduled bid closing date itself.
- 20.2 In case of two bid system, Company will open the Priced Bids of the techno-commercially qualified Bidders on a specific date in presence of representatives of the qualified bidders. The techno-commercially qualified Bidders will be intimated about the Priced Bid Opening Date & Time in advance.
- 20.3 In case of any unscheduled holiday or Bandh on the Priced Bid Opening Date, the Bids will be opened on the next working day.
- 20.4 The Company will examine the Price quoted by Bidders to determine whether they are complete, any computational errors have been made, the documents have been properly signed, and the bids are generally in order.

Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price (that is obtained by multiplying the unit price and quantity) the unit price shall prevail and the total price shall be corrected accordingly. If there is a discrepancy between words, and figures, the amount in words will prevail. If any Bidder does not accept the correction of the errors, their Bid will be rejected.

**21.0 CONVERSION TO SINGLE CURRENCY:**

While evaluating the bids, the closing rate (B.C. Selling Rate) of exchange declared by State Bank of India on the day prior to price bid opening will be taken into account for conversion of foreign currency into Indian Rupees.

**22.0 EVALUATION AND COMPARISON OF BIDS:** The Company will evaluate and compare the bids as per BID EVALUATION CRITERIA (BEC) of the Tender Documents.

- 22.1 Discounts/Rebates:
- 22.1.1 Unconditional discounts/rebates, if any, given in the bid will be considered for evaluation.
- 22.1.2 Post bid or conditional discounts/rebates offered by any bidder shall not be considered for evaluation of bids. However, if the lowest bidder happens to be the final acceptable bidder for award of contract, and if they have offered any discounts/rebates, the contract shall be awarded after taking into account such discounts/rebates.

**22.2 Loading of foreign exchange**

There would be no loading of foreign exchange for deciding the inter-ranking of domestic bidders.

**22.3 Exchange rate risk:** Company will not compensate for any exchange rate fluctuations in respect of the services.

**22.4 Repatriation of rupee cost**

In respect of foreign parties rupee payments made on the basis of the accepted rupee component of their bid, would not be repatriable by them. A condition to this effect would be incorporated by the Company in the contract.

**23.0 CONTACTING THE COMPANY:**

23.1 Except as otherwise provided in Clause 19.0 above, no Bidder shall contact Company on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded except as required by Company vide sub-clause 19.6.

23.2 An effort by a Bidder to influence the Company in the Company's bid evaluation, bid comparison or Contract award decisions may result in the rejection of their bid.

**24.0 AWARD OF CONTRACT:**

24.1 Award criteria: The Company will award the Contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined as the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

**25.0 COMPANY'S RIGHT TO ACCEPT OR REJECT ANY BID:** Company reserves the right to accept or reject any or all bids and to annul the bidding process and reject all bids, at any time prior to award of contract, without thereby incurring any liability to the affected bidder, or bidders or any obligation to inform the affected bidder of the grounds for Company's action.

**26.0 NOTIFICATION OF AWARD:**

26.1 Prior to the expiry of the period of bid validity or extended validity, Company will notify the successful Bidder in writing by registered letter or by fax or E-mail (to be confirmed in writing by registered/couriered letter) that its Bid has been accepted.

26.2 The notification of award will constitute the formation of the Contract.

**27.0 PERFORMANCE SECURITY:** Successful bidder has to submit Performance Security amount as mentioned in Forwarding Letter, within 02 Weeks from the date of issue of Letter of Award (LOA).

27.1 a. The Performance Security should be submitted in the form of irrevocable Bank Guarantee (as per Proforma-VII) issued by Nationalized or Scheduled Bank in favour of M/s Oil India Limited and payable at DULIAJAN. The Bank Guarantee must be on Non-Judicial Stamp Paper of requisite value as per Indian Stamp Act purchased in the name of Banker. Duly filled 'Undertaking' towards details of BG (Format attached as Proforma-XII) must be submitted along with original copy of PBG.

b. Alternately, the Performance Security can also be paid through Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt (Account OIL INDIA LIMITED)/irrevocable Letter of Credit/NEFT/RTGS/Electronic Fund Transfer (subject to credit in OIL's account within prescribed time) to designated account of OIL.

- i. If the Performance Security is submitted in the form of Bank Draft, Banker's Cheque, Cashier's Cheque, Fixed Deposit Receipt or Letter of Credit, the same should be in favour of "Oil India Limited" payable at Duliajan.
- ii. Performance Security amount through NEFT or RTGS mode may be deposited on or before bid closing date and time to the following designated OIL's bank account:

Bank Details of Beneficiary: OIL INDIA LIMITED		
a	Bank Name	STATE BANK OF INDIA
b	Branch Name	Duliajan
c	Branch Address	Duliajan, Dist-Dibrugarh
d	Bank Account No.	10494832599
e	Type of Account	Current Account
f	IFSC Code	SBIN0002053
g	MICR Code	786002302
h	SWIFT Code	SBININBB479

If the Performance security is submitted through NEFT or RTGS mode, the bidder shall submit details such as UTR No., Contract No., Bidder's name & Deposited Amount etc.

- iii. Submission of Performance Security in the form of Electronic Bank Guarantee (e-BG) is also acceptable:

Sl. No.	Bank Name	Sl. No.	Bank Name
1	AU Small Finance Bank	12	IDFC First Bank
2	Axis Bank Limited	13	Indian Bank
3	Bank of Baroda	14	Indian Overseas Bank
4	Bank of India	15	IndusInd Bank
5	Canara Bank	16	Karur Vysya Bank
6	City Union Bank	17	Kotak Mahindra Bank
7	Federal Bank	18	Punjab National Bank
8	HDFC Bank	19	RBL Bank
9	HSBC Bank	20	State Bank of India

10	ICICI Bank	21	South Indian Bank
11	IDBI Bank	22	Yes Bank

Beneficiary details for issue of e-BG are:

Sl. No.	Particulars	Details
1	NAME	OIL INDIA LIMITED
2	PAN	AAACO2352C
3	Date of Incorporation	18-02-1959
4	Email ID	<a href="mailto:contract-global@oilindia.in">contract-global@oilindia.in</a>
5	Mobile No	+91-8638144647
6	Local Address	Duliajan, Dibrugarh, Assam- 786602
7	Registered Address	Duliajan, Dibrugarh, Assam- 786602

c. In case of Bidders submitting Performance Security in the form of Bank Guarantee/Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt/Letter of Credit, the original hard copy of Performance Security shall be submitted within the time frame as stipulated in the LOA.

d. No other mode of payment other than the mode covered under point nos. a & b will be accepted by the Company.

27.2 Performance Security shall not accrue any interest during its period of validity or extended validity.

27.3 The Bank Guarantee issuing bank branch must ensure the following:

The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:

- (i) MT 760/MT 760 COV for issuance of bank guarantee.
- (ii) MT 760/MT 767 COV for amendment of bank guarantee.

[Tender Number should reflect in the SFMS text under MT 760/MT 760 COV]

The above message/intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code – HDFC0002118; SWIFT Code - HDFCINBBAL. Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN – 786602. The Bank details are as under:

Bank Details of Beneficiary	
A	Bank Name HDFC BANK LTD

B	Branch Name	DULIAJAN
C	Branch Address	Utopia Complex, BOC Jayanagar, Duliajan, Dibrugarh 786602
D	Banker Account No.	21182320000016
E	Type of Account	Current Account
F	IFSC Code	HDFC0002118
G	MICR Code	786240302
H	SWIFT Code	HDFCINBBCAL

- 27.4 In case performance security is submitted in the form of Fixed Deposit, the following details must be attached in the form of declaration by the vendor/party for confirmation of Fixed Deposit from the issuing bank.

Full address of the issuing bank
Branch Code
Authorised signatory with full name and designation
Phone (Mobile) Numbers of the branch
Email address of the branch
Such fixed/term deposit must be pledged in favour of OIL and it must in the printed form on the physical original FDR in words "Pledged in favour of Oil India Limited"

- 27.5 To avoid delay in confirmation of Fixed deposit from the issuing bank and consequent delay in processing of bills and payment, party shall arrange the confirmation mail regarding issue of fixed deposit with the following details directly from **bank's official email id** to Oil India's following e-mail id (**FD\_PS@OILINDIA.IN**):

FD NO.	Issue Date	Maturity Date	FD Amount	Beneficiary/ Contractor Name	Whether above FD is pledged in favour of 'Oil India Limited' (Yes/No)	FD amount pledged (in ₹) as per bank's books of accounts	Mode of FD Renewal (Auto Renewal/Auto closure)	Remarks (if any) of the issuing Bank
A	B	C	D	E	F	G	H	I

--	--	--	--	--	--	--	--	--	--

27.6 This Performance Security must be valid for 90 (Ninety) days after the date of expiry of the contract period/defect liability period (if any). In the event of contract being extended within the provisions of the contract agreement, the contractor will have to extend suitably the validity of the "Security Deposit" for the extended period.

27.7 The Performance Security Deposit will be refunded to the Contractor after 90 (Ninety) days of satisfactory completion of works/defect liability period (if any) under the contract (including extension, if any), but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason..

**28.0 SIGNING OF CONTRACT:**

28.1 At the same time as the Company notifies the successful Bidder that its Bid has been accepted, the Company will either call the successful Bidder for signing of the agreement or send the Contract Form provided in the Bid Documents, along with the General & Special Conditions of Contract, Technical Specifications, Schedule of Rates incorporating all agreements agreed between the two parties.

28.2 The successful Bidder shall sign and date the contract and return it to the Company after receipt of LOA. Till the contract is signed, the LOA issued to the successful bidder shall remain binding amongst the two parties.

28.3 In the event of failure on the part of the successful Bidder to sign the contract, OIL reserves the right to terminate the LOA issued to the successful Bidder and invoke the Performance Security if submitted by the successful Bidder. The bidder will be suspended for the period of two years. This suspension of two years shall be automatic without conducting any enquiry.

**29.0 CREDIT FACILITY:** Bidders should indicate clearly in the Bid about availability of any credit facility inclusive of Government-to-Government credits indicating the applicable terms and conditions of such credit.

**30.0 MOBILISATION AND ADVANCE PAYMENT:**

30.1 Request for advance payment shall not be normally considered. However, depending on the merit and at the discretion of the Company, advance against mobilization charge may be given at an interest rate of 1% above the prevailing Bank rate (CC rate) of SBI from the date of payment of the advance till recovery/refund.

30.2 Advance payment agreed to by the Company shall be paid only against submission of an acceptable bank guarantee whose value should be equivalent to the amount of advance plus the amount of interest covering the period of advance. Bank guarantee shall be valid for 2 months beyond completion of mobilization and the same may be invoked in the event of Contractor's failure to mobilize as per agreement.

30.3 In the event of any extension to the mobilization period, Contractor shall have to enhance the value of the bank guarantee to cover the interest for the extended period and also to extend the validity of bank guarantee accordingly.

**31.0 INTEGRITY PACT:**

- 31.1 OIL shall be entering into an Integrity Pact with the Bidders as per format enclosed vide Part-5 of the Bid Document. The Integrity Pact has been duly signed digitally by OIL's competent signatory and uploaded in the OIL's e-portal. The Integrity Pact shall be returned by the bidder (along with the technical Bid) duly signed by the same signatory who signed the Bid i.e. who is duly authorized to sign the Bid. Uploading the Integrity Pact in the OIL's E-portal with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who has signed the bid.
- 31.2 In case of a joint venture, all the partners of the joint venture should sign the Integrity pact;
- 31.3 In the event of any dispute between the management and the contractor relating to those contracts where Integrity Pact is applicable, in case, both the parties are agreeable, they may try to settle dispute through mediation before the panel of Independent External Monitors (IEMs) in a time bound manner. If required, the organizations may adopt any mediation rules for this purpose. In case, the dispute remains unresolved even after mediation by the panel of IEMs, the organization may take further action as per the terms and conditions of the contract. The fees/expenses on dispute resolution shall be equally shared by both the parties.
- 31.4 OIL has appointed Shri Ram Phal Pawar, IPS (Retd.), Dr. Tejendra Mohan Bhasin, Former Vigilance Commissioner, CVC and Shri Om Prakash Singh, IPS (Retd.) as Independent External Monitors (IEM) for a period of 03 (Three) years to oversee implementation of Integrity Pact in OIL. Bidders may contact the Independent External Monitors for any matter relating to the Integrity Pact at the following addresses:
- a. Shri Ram Phal Pawar, IPS (Retd.)  
E-mail: rpawar61@hotmail.com, ramphal.pawar@ips.gov.in
  - b. Dr. Tejendra Mohan Bhasin, Former Vigilance Commissioner, CVC  
E-mail: tmbhasin@gmail.com
  - c. Shri Ajit Mohan Sharan, IAS (Retd.), Former Secretary, Ministry of Ayush, Govt. of India  
E-mail: [ams057@gmail.com](mailto:ams057@gmail.com)

**32.0 LOCAL CONDITIONS:**

It is imperative for each Bidder to be fully informed themselves of all Indian as well as local conditions, factors and legislation which may have any effect on the execution of the work covered under the Bidding Document. The bidders shall be deemed, prior to submitting their bids to have satisfied themselves of all the aspects covering the nature of the work as stipulated in the Bidding Document and obtain for themselves all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the various obligations under the Contract.

No request will be considered for clarifications from the Company (OIL) regarding such conditions, factors and legislation. It is understood and agreed that such conditions, factors and legislation have been properly investigated and considered by the Bidders while submitting the Bids. Failure to do so shall not relieve the Bidders

from responsibility to estimate properly the cost of performing the work within the provided timeframe. Company (OIL) will assume no responsibility for any understandings or representations concerning conditions made by any of their officers prior to award of the Contract. Company (OIL) shall not permit any Changes to the time schedule of the Contract or any financial adjustments arising from the Bidder's lack of knowledge and its effect on the cost of execution of the Contract.

**33.0 SPECIFICATIONS:** Before submission of Bids, Bidders are requested to make themselves fully conversant with all Conditions of the Bid Document and other relevant information related to the works/services to be executed under the contract.

**34.0 GOODS AND SERVICES TAX:**

34.1 In view of GST Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST / VAT, Service tax, Entry Tax and other indirect taxes and duties have been submerged in GST. Accordingly, reference of Excise Duty, Service Tax, VAT, Sales Tax, Entry Tax or any other form of indirect tax except of GST mentioned in the bidding document shall be ignored.

Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever GST (CGST & SGST / UTGST or IGST) is applicable.

34.2 Bidder should also mention the Harmonised System of Nomenclature (HSN) and Service Accounting Codes (SAC) at the designated place in the Price Bid Format.

34.3 Where the OIL is entitled to avail the input tax credit of GST:

OIL will reimburse the GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of GST paid. In case of any variation in the executed quantities, the amount on which the GST is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

The input tax credit of GST quoted shall be considered for evaluation of bids, as per evaluation criteria of tender document.

34.4 Where the OIL is not entitled to avail/take the full input tax credit of GST:

OIL will reimburse GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules / regulation of GST subject to the ceiling amount of GST as quoted by the bidder. In case of any variation in the executed quantities (If directed and / or certified by the In-Charge) the ceiling amount on which GST is applicable will be modified on pro-rata basis.

The bids will be evaluated based on total price including GST.

34.5 It is the responsibility of the bidder to quote the correct GST rate. The classification of goods / services as per GST (Goods & Service Tax) Act should be correctly done by the contractor to ensure that input tax credit on GST (Goods & Service Tax) is not lost to the OIL on account of any error on the part of the contractor.

- 34.6 Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.
- 34.7 GST liability, if any, on account of supply of free samples against any tender shall be to bidder's account.
- 34.8 In case the bidder is covered under Composition Scheme under GST laws, then bidder should quote the price inclusive of the GST (CGST & SGST / UTGST or IGST). Further, such bidder should mention "Cover under composition system" in column for GST (CGST & SGST/UTGST or IGST) of price schedule.
- 34.9 OIL will prefer to deal with registered supplier of goods / services under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid. Where OIL is entitled for input credit of GST, the same will be considered for evaluation of bid as per evaluation methodology of tender document.
- 34.10 Procurement of Specific Goods: Earlier, there is no tax incidence in case of import of specified goods (i.e. the goods covered under List-34 of Customs Notification no. 12/2012-Cus dated. 17.03.2012 as amended). Customs duty is not payable as per the policy. However, under GST regime, IGST Plus GST compensation cess (if applicable) would be leviable on such imports. Bidders should quote GST as inclusive considering IGST component for the imported Materials portion while quoting their prices on destination basis. However, GST rate to be specified in the price bid format.
- 34.11 The Supplier of Goods / Services may note the Anti-profiteering Clause (Clause No. 12.5) of Part-I GCC and quote their prices accordingly.
- 34.12 In case the GST rating of bidder on the GST portal / Govt. official website is negative / blacklisted, then the bid may be rejected by OIL.

**PART-2: BID EVALUATION CRITERIA (BEC)**

**1.0 GENERAL CONFORMITY:** The bid shall conform generally to the specifications and terms & conditions given in this bid document. Bids shall be rejected in case the services offered do not conform to the required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the bidders, without which the same will be considered as non-responsive and rejected.

**2.0 TECHNICAL EVALUATION CRITERIA:****2.1 EXPERIENCE:**

The Bidder must have the following experience during last **seven (7) years** reckoned from the Original Bid Closing date:

- (a) Bidders must have the experience of providing drilling rig services with at least 01 (One) no. of drilling rig of minimum 1400 HP capacity on charter hire basis for a minimum period of 01 year under a single Contract.
- (b) Bidders must have experience of drilling of at least 03 (Three) nos. oil/gas wells with drilling rig of minimum 1400 HP, out of which at least 01 (One) well should be of minimum 4000 m depth.
- (c) Bidder must have experience for operation and maintenance of Top Drive of the Rig. If the bidder does not have the said experience, then they shall have to confirm that in the event of award of contract, maintenance support of the 'Top Drive' will be provided from the manufacturer of the 'Top Drive' throughout the contract period. A 'Memorandum of understanding (MOU)' between the manufacturer and the bidder shall have to be submitted along with the technical bid in support of the maintenance of their offered 'Top Drive' system.

Note: The Company reserves the right for physical inspection of the rig package at Contractor's site at any time during the finalization of the Contract and prior to mobilization of the rig on its own or through anyone of third-party inspection agency as mentioned below under Clause No. 2.3.5.

**Notes to BEC Clause 2.1 above:**

**I.** Bids of those bidders who themselves do not meet the experience criteria as stipulated in Clause No. 2.1 above, can also quote under the categories listed below:

**A. ELIGIBILITY CRITERIA IN CASE BIDS ARE SUBMITTED ON THE BASIS OF TECHNICAL EXPERIENCE OF THE PARENT/SUBSIDIARY COMPANY:**

Offers of those bidders who themselves do not meet the experience criteria as stipulated in clause no. 2.1 above can also be considered provided the bidder is a subsidiary company of the parent company [supporting company, which holds more than fifty percent of the paid-up equity share capital of the bidder] who fulfils

the experience criteria. Similarly, bid from parent company can also be considered on the strength of requisite experience of its subsidiary [supporting company, in which the bidder holds more than fifty percent of the paid-up equity share capital]. However, the parent/subsidiary company (as the case may be) of the bidder should on its own meet the experience as stipulated in the BEC and should not rely for meeting the experience criteria on its sister subsidiary/co-subsidiary company or through any other arrangement like Technical Collaboration agreement.

In case of bidder who is a subsidiary company dependent upon the experience of the parent company or vice-versa with a view to ensure commitment and involvement of the parent/subsidiary company (Supporting Company) for successful execution of the contract, the participating bidder should enclose a Parent/Subsidiary Agreement (as per format enclosed as **Annexure-A**) and also a parent/subsidiary Guarantee (as per format enclosed as **Annexure-B**) to OIL for fulfilling the obligation under the Agreement, along with the technical bid.

Note: In case of A above, the supporting company shall not be allowed to submit their separate/independent bid against this tender. In such case, all such bids shall be rejected. Also, all the bids having technical support from same entity shall be rejected. Further, bidders shall submit following in addition to the documents specified in 'BEC Clause 4.0 below.

- i. Undertaking by the supporting company to provide a Performance Security (as per format and instructions enclosed at PROFORMA-K), equivalent to 50% of the value of the Performance Security which is to be submitted by the bidding company in case the bidding company is the successful bidder.
- ii. In cases where the supporting company does not have Permanent Establishment in India, the bidding company can furnish Performance Security equivalent to 150% of the value of the Performance Security which is to be submitted by the bidding company. In such case bidding company shall furnish an undertaking that their subsidiary/parent company (i.e. the supporting company) is not having any Permanent Establishment in India in terms of Income Tax Act of India.
- iii. A certificate from the statutory Auditor of the bidding company to establish the relationship and equity percentage holding between bidding company and the supporting company. The certificate should be duly concurred/endorsed by the Company Secretary or one of the Directors of the company concerned.

The above certificate should not be more than 30 days old as on the original bid closing date.

- iv) Undertaking from the supporting company to the effect that in addition to invoking the performance security submitted by the contractor, the performance security provided by supporting company shall be invoked by OIL due to non-performance of the contractor.

**B. BID FROM JOINT VENTURE COMPANY**

- i. In case the bidder is Joint Venture, they must be registered in India and incorporated under the Companies Act 1956/Companies Act 2013/ Limited Liability Partnership Act 2008 and any amendment thereunder and shall comply to Clause No. 2.0 above. They should meet the technical qualification requirements as under:
- A. The JV on its own shall meet the experience criteria as per Clause No. 2.1 above.
- or
- B. Any member of the JV having a stake of at least 26% in the JV, on its own shall meet experience requirement as per Clause No. 2.1 above.

**Note:**

- a. In case of B above, an undertaking from the Joint Venture partner, based on whose experience the JV seek qualification, shall be submitted with the techno commercial bid stating that they shall maintain minimum 26% shareholding in the JV till the execution of the contract.
- b. The JV or its member (as the case may be) shall not rely on the experience of its supporting company/subsidiary/co-subsidiary/sister subsidiary /parent/ holding/affiliating/ associate company or through any other arrangement like technical collaborator for meeting the technical criteria.
- c. The documents establishing experience of the JV or its member (as the case may be) shall be submitted as per Clause No. 4.0 (ii) below.
- ii. **Constitution of Joint Venture:** The members of the JV should not be more than three. If during evaluation of bid, a JV leader proposes any alterations/changes in the constitution or replacement or inclusion or expulsion of any partner(s)/ member(s) of the Joint Venture which had originally submitted the bid, the bid of such a JV shall be rejected.
- iii. Indian bidders whose proposal for Joint Venture involves foreign equity participation or payment of royalty and / or lump sum for technical know-how and wherever Govt. approval is necessary, **are required to submit their application submitted to SIA/RBI along with the bid** and copy of Govt. approval prior to the date of price bid opening. Confirmation to this effect and declaration on the same should be provided as part of their technical offer.
- iv. Members of the JV are not allowed to quote separately/independently/or through any other arrangement like part of any other 'JV/Subsidiary/ Parent company/Sister-subsidiary/Co-subsidiary' against this tender. All the bids received in such a case shall be summarily rejected. Further, all bids from parties with technical support from the same Principal shall be rejected.
- II.** In case the contract is awarded based on the bid submitted as per 'Notes to BEC Clause 2.1. I above, in order to meet the commitment from the supporting company (Parent/Subsidiary Company/Joint Venture Constituents, as applicable), all key

personnel including the rank of Driller and above shall be from the pay roll of the supporting company for the full duration of the project.

**III.** Bidder shall submit details of current work in hand and other contractual commitments of the bidder (indicating areas and clients) along with the Techno-commercial (Un-priced) Bid.

**2.2** The bidder must submit an undertaking along with the techno-commercial bid confirming to provide the key personnel with requisite experience and qualification as specified in Scope of Work under Section-II. The key personnel should have valid International Well Control Forum (IWCF) certification-whenever applicable at appropriate level as per SoW.

**2.3 Drilling Rig:** The Bidder shall be in possession of the rig offered (with Top Drive System) either owned/ leased/proposed purchase. In case the bidder is not in possession of the rig at the time of submission of bids, they may offer a rig for which they have lease agreement / valid proof of placement of Order/purchase document.

**2.3.1 Identification of Rig:**

- (i) Bidders are required to identify their offered Rig(s) at the time of submission of bids with documentary proof thereof, confirming availability of the rig for this contract.
- (ii) In case, owner of the Rig himself is the bidder, the certificate confirming availability of the rig for this contract shall be furnished by the owner himself.
- (iii) In case of leased rig & proposed purchase of rig:

The bidders who do not own the Rig at the time of submission of bid are required to submit along with Techno-commercial (un-priced) Bid, Lease Deed/Agreement concluded with the owner of the rig, with documentary proof of ownership of the rig. **Sub leased Rig shall not be accepted.**

The above Lease Agreement / Lease Deed should be kept valid during the bid validity period and for the entire period of contract including any extension thereof, in the event of award of contract. The Lease Agreement/Lease Deed should be either Registered or Notarised or duly certified/apostilled by the concerned Embassy /Consulate.

In case of proposed purchase of rig package (Brand-New or Vintage), the bidder along with the Techno-commercial (un-priced) Bid shall submit a valid proof of placement of Order/purchase document on the manufacturer (for brand new rig)/owner (for vintage rig) with joint undertaking from the manufacturer/owner & bidder that the complete Rig package shall be mobilized and made available to undertake uninterrupted operation within 120 days of Mobilization Notice issued by OIL. In case of proposed purchase of vintage rig, bidder shall submit documentary proof of ownership of the rig. **Leased agreement for a proposed purchase of Rig will not be entertained.**

- (iv) Bidder may identify maximum of 02 rigs (1:2 ratio), which they feel best suitable, giving complete technical details for evaluation along with copy of Lease/purchase Agreement/Deed, as applicable. The successful Bidder will have to mobilize the identified rigs which are found acceptable to the Company in the event of award of contract within the specified period. **Rig without top drive will not be considered for evaluation.**
- (v) Bidder would not be allowed to substitute the rig once offered by them in their bid during the period of bid validity. If more than one rig is offered by a bidder, all the rigs would be techno-commercially evaluated. The bidder can mobilize rig that is found techno-commercially acceptable by OIL, but the name of the rig to be mobilized by the bidder would have to be furnished by them within 15 days of issue of Letter of Award.

However, the bidder will have an option to change the identified rig at the time of extending the bid validity, on the request of OIL during tender processing, provided the substitute rigs meet tender specification and vintage. Requisite documents of the rig as per BEC must also be submitted by the bidder.

- (vi) Offers with identified Rig but with the condition “subject to availability” may be considered for techno-commercial evaluation. The bidders, however, must have to confirm the unconditional availability of their offered rig minimum one day prior to price bid opening. The date of price bid opening will be intimated to the bidder in due course. Bidders who fail to confirm unconditional availability of Rig shall not be considered for price bid opening/ award of contract, without any further correspondence.
- a. RIGS ALREADY OPERATING IN OIL: Offer of those bidders who offer Rig(s) which are under contract with OIL shall be considered meeting the mobilization schedule stipulated in the tender, if the remaining contract period (including extension provision, if any) in respect of those Rig(s) does not exceed the original validity period of the bids stipulated in the tender PLUS the mobilization period mentioned in the tender. This period shall be reckoned from the date of techno-commercial Bid Opening.
- b. RIGS ALREADY OPERATING IN COMPANY OTHER THAN OIL: In case the offered rig(s) is/are in operation under contractual obligation with any other company then bidder along with their technical bid shall clearly indicate the date of de-hiring/expiry of the contract.

2.3.2 The input horsepower rating of the Draw-works of offered rig should be minimum 2000 HP. Further the rig offered should be Diesel-Electric (AC-SCR or AC-VFD) having minimum 1000 kps static hook load capacity self-elevating type mast and sub-structure (conforming to API specification 4F) and also suitable for cluster location (1 + 3 Wells), spacing between wells at surface on cluster well plinth is maximum 18m. The Rig package should also include a proper Effluent Treatment Plant. The details of the rig package as envisaged for the requirement is given in Part-3: Section-II in the Bid Document. Bidders must confirm compliance of the same.

- 2.3.3 The Bidder should confirm that their offered rig(s) is/are installed with suitable top drive system.
- 2.3.4 Vintage: The offered rig package should not be more than fifteen (15) years old as on the original bid closing date. The vintage should be mentioned in the TPI certificate required to be submitted as per clause 2.3.5 & 2.3.6 below.
- 2.3.5 Rigs older than 15 (Fifteen) years may also be offered, provided the offered drilling rig has undergone refurbishment/up-gradation not earlier than 05 (Five) years prior to the date of issue of TPI report. The TPI Certificate should not be older than 06 (Six) months as on date of original bid closing date. The bidder should submit TPI certificate from any one of the below mentioned inspection agencies as per Form-1 (Annexure-I) of the tender document along with techno-commercial (un-priced) bid:
- (i) M/s Bureau Veritas
  - (ii) M/s Det Norske Veritas
  - (iii) M/s Lloyd's
  - (iv) M/s Oil Field Audit Services
  - (v) M/s ABS.

[For Vintage calculation, oldest item(s) among Mast & Sub-structure, Draw Works, Slush (Mud) Pumps, Top Drive System, Rig Engines and Power Control Room (PCR) will be considered)].

2.3.6 **Residual life:**

- (i) The offered drilling rig, if not brand new, should have a minimum residual life of 07 (Seven) years as on the original bid closing date and this is to be certified by any one of the TPI agencies mentioned at Clause No. 2.3.5 above as per **Form-1 (Annexure-I)** of the tender document along with techno-commercial (un-priced) bid. The last date of inspection by TPI Agency indicated in the TPI Certificate should not be older than 06 (Six) months as on date of original bid closing date.
- (ii) For determination of residual life, major rig items viz. Mast & Sub-structure, Draw Works, Slush (Mud) Pumps, Top Drive System, Rig Engines and Power Control Room (PCR) will be considered.

Note: The certificate should clearly indicate and confirm without any ambiguity the following:

- (a) Name and address of the owner of the rigs after due verification of documents.
- (b) Confirmation that the rig package meets the technical specification as laid down at Part-3: Section-II of the Tender Document.
- (c) Make, Model, Capacity/Rating and residual life as inspected for each of the component as well as for the overall rigs.

2.3.7 In case of proposed purchase of brand-new rigs, the bidder should submit purchase order document and a certificate from the manufacturer certifying the current status of the purchase order and the committed date of readiness of the complete rig package for shipment after due inspection. This certificate must be submitted along with the techno-commercial (Un-priced) bid.

In case of purchase of rig other than brand new, Registered/Notarised/Apostilled Sale-Purchase Agreement with the seller of the Rig has to be submitted. However, in this case, the Rig has to satisfy the vintage clause, residual life clause and the Mobilization schedule as per the tender.

2.3.8 The offered rig(s) should not be idling for more than 3(three) years continuously as on the original bid closing date. In case, the rigs are idling for more than 3 years continuously i.e., if the rig has not carried out operations even in one well during last 3 years as on the original bid closing date, the following should be complied:

(i)The above TPI should also confirm that the specified rig equipment have been serviced and certified towards equipment fitness by OEMs or its authorized agency or any other manufacturer having API certification for the same product during the last 3(three) years from the original bid closing date.

(ii) Bidders shall also submit along with unpriced bid copies of such certificate from OEMs or its authorized agency or any other manufacturer having API certification, as the case may be.

(iii) The date of inspection for issuance of such certificate, shall not be older than 6 (six) months as on the original bid closing date.

(iv) TPI should bring out clearly condition of rig i.e. acceptable or not acceptable in its report and report should be submitted with the unpriced bid.

2.4 **Mobilization Period:** Bidder must confirm to mobilize the Drilling Rig within 120 days from the date of issue of Mobilization Notice, which will be issued not later than 30 (thirty) days from the date of LOA. Offers indicating mobilization time more than 120 days from the date of issuance of Mobilization Notice will be rejected. Bidders are advised to indicate the best mobilization schedule in their bid.

2.5 **Mobilization Period of Offered Rigs which are already operating with OIL:**

In case the offered Rig(s) is/are in operation with OIL under existing contract the bidder may bid as "Subject to Availability". In such case, the bidder has to fulfil the Clause No: 2.3.1 (vi). If the bidder emerges successful against this tender, then successful bidder shall be allowed to deploy their Rig (s) within 60 (Sixty) days from date of de-hiring by OIL from the on-going Contract OR 120 days from the date of issue of Letter of Award (L.O.A), whichever is later.

Repair of Rig, recertification of BOPs and any other major equipment, if any, are to be completed and Rig to be deployed within 60 (Sixty) days from date of de-hiring from the on-going Contract OR 120 days from the date of issue of Letter of Award (L.O.A), whichever is later.

Note for Clause 2.4 & 2.5 above: Bidders to provide schedule of activities for completing the mobilization within the Mobilization Schedule during Kick-Off Meeting Schedule to be held within 15 days from the date of Letter of Award (LOA).

- 2.6 Bidders shall submit **Proforma-S** towards the rigs offered by them along with the technical bid, failing which their bid shall be liable for rejection.

### **3.1 FINANCIAL EVALUATION CRITERIA:**

- 3.1** Annual Financial Turnover from operation of the bidder during any of preceding 03 (Three) financial/accounting years reckoned from the original bid closing date should be at least **Rs. 39,43,76,000.00 (or USD 45,93,000.00 million)**.

- 3.2** Net worth of the bidder must be Positive for the financial/accounting year preceding the original Bid Closing date.

- 3.3** In case the bidder is a subsidiary company, who does not meet financial criteria by itself and submits bid based on the financial strength of its parent/ultimate parent/holding company, then documents need to be submitted along with the technical bid in support of the following:

- (i)** Annual Turnover from operation of last three accounting years of the parent/ultimate parent/holding company (supporting company) shall be as per Clause 3.1 above.

- (ii)** Net worth of the parent/ultimate parent/holding company (supporting company) shall be positive for the accounting year preceding the bid closing date as per Clause 3.2 above.

- (iii) Corporate Guarantee (PROFORMA-XIX)** on parent/ultimate parent/holding company's (supporting company) letter head signed by an authorized official undertaking that they would financially support their subsidiary company for executing the project/job in case the same is awarded to them, and

- (iv)** A certificate from the statutory Auditor of the bidding company to establish the relationship and equity percentage holding between bidding company and the supporting company. The certificate should be duly concurred/endorsed by the Company Secretary or one of the Directors of the company concerned.

The above certificate should not be more than 30 days old as on the original bid closing date.

- 3.4** In case the bidder is a Incorporated Joint Venture company, who does not meet financial criteria by itself and submits bid based on the financial strength of its member having more than 50% stake in the JV, then documents need to be submitted along with the technical bid in support of the following:

- (i)** Annual Financial Turnover from operation of the member having more than 50% stake in the JV during any of preceding 03 (Three) financial/accounting years from the original bid closing date shall be as per Clause 3.1 above.

- (ii) Net worth of the member having more than 50% stake in the JV (supporting company) should be positive for the financial/accounting year preceding the original bid closing date.
- (iii) **Corporate Guarantee (PROFORMA-XX)** on the letter head of the member having more than 50% stake in the JV signed by an authorized official undertaking that they would financially support their subsidiary company for executing the project / job in case the same is awarded to them, and
- (iv) A certificate from the statutory Auditor of the bidding company to establish the relationship and equity percentage holding between bidding company and the supporting company. The certificates should be duly concurred/endorsed by the Company Secretary or one of the Directors of the company concerned or Managing / Authorized partner of the LLP.

The above certificate should not be more than 30 days old as on the original bid closing date.

Further, an undertaking from the Joint Venture partner (based on whose financial strength bidder is bidding) shall be submitted along with the techno commercial bid stating that they shall maintain more than 50% shareholding in the JV till the execution of the contract.

**Notes:**

- i. Annual Financial Turnover of the bidder from operations shall mean: "Aggregate value of the realisation of amount made from the sale, supply or distribution of goods or on account of services rendered, or both, by the company (bidder) during a financial year" as per the Companies Act, 2013 Section 2 (91).
- ii. Net worth shall mean: "Share capital + Reserves created out of profits and securities Premium – Aggregate value of accumulated losses (excluding revaluation reserves) – deferred expenditure – Miscellaneous Expenditure to the extent not written off and carried forward Loss - Reserves created out of write back of depreciation and amalgamation"

**Notes to BEC Clause 3.0 above:**

- a. For proof of Annual Turnover from operation & Net worth, any one of the following documents/photocopies must be submitted along with the bid:
    - (i) Financial Statements (Balance Sheet along with Profit & Loss account) audited by the auditors appointed under the statute like Companies Act, etc. wherever applicable.
- OR
- (ii) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number, Firm Registration Number & UDIN no), as per format prescribed in Proforma-XIV.

In cases where the bidding/ supporting company (as applicable) are not required to prepare Audited Financial Statements as per the Law of the Land

of the country of the bidding/supporting company as applicable, the bidder shall provide documentary evidence for the same along with a certificate from a practicing Chartered Accountant or equivalent to this effect. The bidder must also submit the financial statement as per the accounting standards of the country of the bidding/supporting company as the case may be, duly certified by the practicing-chartered accountant or equivalent.

**Notes:**

- i. Mention of UDIN (Unique Document Identification Number) is mandatory for all Certificates issued w.e.f. February 1, 2019 by Chartered Accountant in Practice.
  - ii. In case the Audited Balance sheet and Profit Loss Account submitted along with the bid are in currencies other than INR/USD, the bidder shall have to convert the figures in equivalent INR considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA Certificate is to be submitted by the bidder regarding converted figures in equivalent INR. Else, the Audited Balance Sheet and Profit & Loss Account shall be evaluated by considering the BC selling rate declared by State Bank of India (on the date on which the Audited Balance Sheet and Profit & Loss Account is signed) for conversion to INR.
- b.** Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date /within the due date for furnishing of audit report as per Section 139(1) of IT Act, 1961 (read along with latest circulars/notifications issued by CBDT from time to time) and the Financial Statements of the preceding financial/accounting year are not available with the bidder, then the financial turnover of the previous three financial /accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial/accounting year will be considered. However, the bidder has to submit an undertaking in support of the same along with their technical bid as per **Proforma-X**.
  - c.** In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.
  - d.** In case the bidder is a Government Department, they are exempted from submission of document mentioned under para **a.** and **b.** above.
  - e.** Bid will be rejected if not accompanied with adequate documentary proof in support of Annual turnover and Net worth as mentioned above in Para 3.0.

**4.0 DOCUMENTS:**

Bidders must furnish documentary evidence with the specific chapters, separated by dividers, in the same order as set out here below (i) to (viii) in support of fulfilling all the requirements along with their un-priced techno-commercial Bids.

(i) Rig offered: Documents relating to rig package already in possession or proposed to own/lease along with the proof of vintage, description and complete technical specifications etc.

(ii) Drilling experience of bidder:

(a) Statement to be furnished by the bidder in a tabular form along with copies of contracts/work-orders along with completion certificates/ payment certificates issued by the clients or any other documents to establish the experience.

(b) End of well reports and/or Daily report or any other document(s) issued by the client(s) in confirmation of number of wells and well depth as per clause no. 2.1 (b) above.

**Note:**

a) Work executed by a bidder for its own organization/subsidiary/Joint Venture cannot be considered as experience for the purpose of meeting BEC.

b) In case requisite experience is against OIL's Contract, bidder shall only require to categorically specify OIL's Contract Number and date.

(iii) Financial Turnover and Net worth of Bidder: As per Notes to BEC Clause 3.0 (a).

(iv) Document in support of Joint Venture arrangements/bidder bidding based on the experience of Parent/Subsidiary Company: As per Notes to BEC Clause 2.1(I).

(v) Residual life of the rig(s) offered as per para 2.3.6 above.

(vi) Proforma-S as per para 2.6.

(vii) Contractor's general structure and organization, including the branch/sub-division dedicated to specific activities related to the execution of the contract.

(viii) Details of bidder's Health, Safety and Environmental Management Policy Manual together with a copy of Safe Operating Practices (SOP) of all rig operations.

**Notes:**

i. Bid without the above listed documents or information shall be liable for rejection.

ii. Oil India Limited (OIL) reserves the right to contact the Client(s) referred by the Bidder for authentication of the documents submitted by the Bidder. OIL may

contact the clients/operators under intimation/copy to the respective Bidder. It will be the responsibility of the Bidder to take up the matter with his Client(s) and arrange for the confirmation as desired by OIL.

iii. All Certificates and documentary evidences required to be submitted in support of Para 2.0 and 3.0 above should be clearly legible and in the English language. If any certificate is submitted in a language other than English language, the same should be translated to English, duly authenticated by local chamber of Commerce of bidder's / Joint Venture partner's country, in which case, for purposes of interpretation of the bid, the English translation shall prevail.

iv. All the documents submitted towards compliance of BEC should be verified and certified by TPI as per Clause No. 9.0 below.

#### **5.0 COMMERCIAL EVALUATION CRITERIA:**

- 5.1** The bids are to be submitted under single stage Two Bid System i.e. Un-priced Techno-Commercial Bid and Price Bid in their respective fields in E-portal. Only the Price Bid should contain the quoted price.
- 5.2** The price quoted by the successful bidder must remain firm during the performance of the contract and not subject to variation on any account except as mentioned in the bid document. Any bid submitted with adjustable price quotation other than the above will be treated as non-responsive and rejected.
- 5.3** Bid security shall be furnished as a part of the Techno Commercial Un-priced Bid. The amount of bid security should be as specified in the forwarding letter. Any bid not accompanied by a proper bid security will be rejected.
- 5.4** Bid Documents/User Id & Password for OIL's E-Tender portal are not transferable.
- 5.5** Any bid received in the form of Physical document/ Fax/E-mail will not be accepted.
- 5.6** Bids shall be typed or written in indelible ink. The Bids and all uploaded documents must be digitally signed using "Class 3" digital certificate [e-commerce application (Certificate with personal verification and Organization name)] as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India[except copies of the documents required in physical form] should invariably be submitted in the 'Technical Attachment Tab' through OIL's e-bidding portal, before the scheduled date and time for the tender closing. All the documents uploaded shall be digitally signed by the authorized signatory of the bidder.
- 5.7** Bids shall contain no interlineations, erasures or overwriting except as necessary to correct errors made by bidder, in which case such corrections shall be initiated by the persons(s) signing (digitally) the bid.
- 5.8** Any bid containing false statement will be rejected and action will be taken by Company as per Bid Document.

- 5.9** Bidders must quote clearly and strictly in accordance with the price schedule outlined in Price Bidding Format attached under "Notes and Attachments" tab in the main bidding engine of OIL's E-Tender portal; otherwise the bid will be rejected. All other techno-commercial documents other than price details to be submitted with Unpriced Techno-Commercial Bid as per tender requirement under "Technical Attachment" Tab Page only.
- 5.10** Bidder must accept and comply with the following provisions as given in the Tender Document in toto, failing which offer will be rejected:
- (i)** Firm price
  - (ii)** Bid Security
  - (iii)** Period of validity of Bid
  - (iv)** Price Schedule
  - (v)** Performance Bank Guarantee / Security deposit
  - (vi)** Delivery / Completion Schedule
  - (vii)** Scope of work
  - (viii)** Guarantee of material / work
  - (ix)** Liquidated Damages clause
  - (x)** Tax liabilities
  - (xi)** Arbitration / Resolution of Dispute Clause
  - (xii)** Force Majeure
  - (xiii)** Applicable Laws
  - (xiv)** Specifications
  - (xv)** Integrity Pact
- 5.11** There should not be any indication of price in the Un-priced Techno-Commercial Bid. A bid will be straightway rejected if this is given in the Un-priced Techno-Commercial Bid.
- 5.12** Bid received with validity of offer less than 120 (one hundred twenty) days from Bid Opening Date will be rejected.
- 5.13** The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide "**Part-5/Integrity Pact**" of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the Un-priced Techno-Commercial Bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit the Integrity Pact, their bid will be rejected.
- 5.14** Bidders should not be under liquidation/bankruptcy/undergoing any insolvency resolution process as on Bid Closing date. Further neither the Bidders nor any of any of its allied concerns/ partners or associates or directors or proprietors involved in any capacity should be under Holiday List/Banning List/Suspension List of OIL as on Bid Closing date. Bidders shall submit undertaking towards compliance of above as per the prescribed formats (Appendix-1 & Appendix-2) along with the bid. If any bidder declines to submit the above undertakings, their bids shall be liable for rejection.

**5.15** Bidders shall submit duly filled checklists on BEC & other relevant technical criteria as prescribed in the tender along with their technical bid. If any bidder fails/declines to submit the same, their bid shall not be considered for further evaluation.

**6.0 PRICE EVALUATION CRITERIA:**

The bids conforming to the technical specifications, terms and conditions stipulated in the bidding document and considered to be responsive after subjecting to Bid Evaluation Criteria mentioned above will be considered for further evaluation as per the Price Evaluation Criteria given below:

- 6.1** Bidders are required to quote for all the items as per Price Bid Format, otherwise the offer of the bidder will be straightway rejected.
- 6.2** If there is any discrepancy between the unit price and the total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.
- 6.3** The quantities shown against each item in the "Price Bid Format" shall be considered for the purpose of Bid Evaluation. It is, however, to be clearly understood that the assumptions made in respect of the quantities for various operations are only for the purpose of evaluation of the bid and the Contractor will be paid on the basis of the actual number of days/parameter, as the case may be.
- 6.4** The bidders are advised not to offer any discount/rebate separately and to offer their prices in the Price Bid Format after considering discount/rebate, if any.
- 6.5** Conditional and unsolicited discount will not be considered in evaluation. However, if such bidder happens to be the lowest recommended bidder, unsolicited discount without any condition will be considered for computing the contract price.
- 6.6** In case of identical overall lowest offered rate by more than 1(one) bidder, the selection will be made by draw of lot between the parties offering the same overall lowest price.
- 6.7** The inter-se-ranking of the techno-commercially qualified bidders will be determined on overall lowest cost basis (L-1 offer) i.e. considering the Total quoted price inclusive of all liabilities and GST.
- 6.8** While evaluating the bids, the closing rate (B.C. Selling Rate) of exchange declared by State Bank of India on the day prior to price bid opening will be taken into account for conversion of foreign currency into Indian Rupees.
- 6.9** Price Bids shall be evaluated on overall lowest cost to OIL (L-1 offer) basis i.e. considering total quoted price for all services including quoted GST (CGST & SGST/UTGST or IGST).
- 6.10** Bidder shall quote same rates for all the Rigs options quoted by them. Bidders quoting different rates (either total or individual item rate) would be rejected.

**6.11** Price Evaluation of the qualified bids will be done on the basis of rates quoted by the bidder as per PROFORMA-B. However, bidders must comply with the limits indicated against each of the following rates:

- (a) Payment towards mobilization charges for each rig package should not exceed 3% of the estimated total Contract value for each Rig for four (4) years operation. However, mobilization charges if quoted in excess of 3% of the estimated total contract cost, the excess amount shall be paid at the end of the contract.
- (b) Payment towards Standby Day Rate shall be 90% (ninety percent) of the Operating Day Rate.
- (c) Payment towards Rig Repair Day Rate and Stack Day Rate each shall be 50% (Fifty percent) of Operating Day Rate.
- (d) Payment towards Force Majeure Day Rate shall be 50% (fifty percent) of Operating Day Rate.
- (e) Demobilization Charges for each rig package should not be less than 2% (two percent) of the estimated total Contract value per Rig for four (4) years operation. In case de-mobilization charges is quoted less than 2%, the differential amount will be kept on hold from the 1st invoice onwards and the same will be paid at the end of the contract along with Demobilization charges.

**6.12** Priced Bids shall be evaluated taking into account the rates quoted by the bidders in the PRICE BID FORMAT (Proforma-B) by taking into account the summation of the following:

TOTAL ESTIMATED CONTRACT COST FOR EACH RIG FOR 4 YEARS CONTRACT DURATION (including GST and all other Taxes & Duties):

$$TCROG = TCRO + GST = TM + TD + TOP + TILM0 + TILM1 + TILM2$$

Where,

- (a) Total 'Mobilization Charges (M)' for each Rig,  $TM = M \times 1$
- (b) Total 'Demobilization Charge (D)' for each Rig,  $TD = D \times 1$
- (c) Total 'Operating Day Rate (ODR)' for each Rig,  $TOP = ODR \times 1297$  days
- (d) Total Inter-Location Movement charge (Cluster location) Lump sum for each Rig,  $TILM0 = ILM0 \times 5$
- (e) Total 'Inter-location Movement Charges (ILM1)' for each Rig,  $TILM1 = ILM1 \times 8$  (For movement within a distance of 30 Kms)
- (f) Total 'Inter-location Movement Charges on Kilometer Basis (ILM2) for each Rig,  $TILM2 = ILM2 \times 500$  (For movement in excess of 30 Kms)

NOTE: The above items are defined in Schedule of Rates/Price bid format.

**6.13** OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet.

However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid.

**6.14** Price Bid uploaded without giving any of the details of the taxes (Including rates and amounts) will be considered as inclusive of all taxes including GST.

When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/Contracts will be binding on the bidder.

**6.15** Input Tax Credit on GST (Goods & Service Tax) for this service is NOT available to OIL & the bids will be evaluated based on total price including GST.

**6.16** **CUSTOMS DUTY:** In terms of Sl. No. 404 of the Customs Notification No.50/2017-Cus dated 30.06.2017, imports of the items specified in List 33 of the Notification are subject to levy of concessional rate of customs duty @12% (BCD Nil & IGST @12%) subject to conditions specified therein (Condition No. 48). However, Condition No. 48 along with List-33 of the said notification has been amended vide Customs Notification No. 02/2022-Customs dated 01.02.2022.

Similarly, the domestic supply of such goods would attract 12% GST (i.e. IGST or CGST & SGST/UTSGT) on submission of EC in terms of GST Notification No. 03/2017.

Bidders shall take note of the prevailing customs notifications including the latest amendment vide gazette Notification No. 02/2022-Customs dated 01.02.2022 while quoting their prices. Bidder should consider concessional Customs Duty only for those items appearing in List-33 therein. Items of their import other than those appearing in List-33 of the said gazette notification shall be considered as duty payable on merit basis in their respective bid. OIL shall issue the requisite undertaking/certificate on request from Contractor for availing concessional rate of customs duty only against the items explicitly covered under List-33 of Customs Notification No. 02/2022-Customs dated 01.02.2022 or against any other item(s) subsequently declared by the competent authority during the tenure of the contract to be duty exempted/concessional. However, in the event of refusal/denial by Customs Authority to accord exemption/concession of Customs Duty against import of items which are explicitly covered under List-33 of Notification No. 02/2022-Customs dated 01.02.2022, such applicable customs duty shall be reimbursed at actual by OIL to the Contractor on submission of documentary evidence.

Similarly, the items other than those appearing in List-33 of the said gazette notification, if to be imported by the Contractor for the purpose of execution of contract against this tender, the same shall be considered as duty payable on merit basis and the applicable customs duty thereof must be included by the bidder in their respective bid value. OIL will not issue any Undertaking/Certificate towards customs duty concession/exemption for those items (not included in List-33 of Notification) and the duty payable on merit shall be borne by the Contractor. However, any other item if subsequently notified by the competent authority to be Duty free/concessional during the tenure of the contract, OIL will issue requisite Certificate/Undertaking for Contractor to avail the Customs Duty benefit and the duty benefit must be passed on to OIL. Additionally, for all those items against which the bidder considers the Customs Duty on merit, the list specifying the Customs Duty Rate (percentage) may be furnished, so that subsequent

increase/decrease in Customs Duty, if any shall be reimbursed/recovered by OIL as the case may be on documentary evidence.

Bidders should submit the list of items which are to be imported for execution of the contract against this tender as per Proforma-A prudently along with their bid. Undertaking/Certificate for availing concessional rate of Customs Duty shall be issued by OIL only for the eligible items, provide the same are included in the Proforma-A submitted by the bidder.

**Notes:**

a. The above stipulations shall prevail over other clauses if stipulated otherwise elsewhere in the original tender document/previous amendments. However, the aforementioned notifications are subject to change as per Government guidelines and the provisions ruling at the time of Bid Closing will be applicable.

b. The Bidder has to re-export the rigs after completion of the contract in case of imported rigs. The bidder will be fully responsible to pay the customs duty in case the rigs are taken by the Contractor to area where customs duty benefit is not applicable. This is applicable in case OIL issues recommendatory letter for availing concessional customs duty for import of goods.

**7.0 GENERAL:**

**7.1** In case bidder takes exception to any clause of bidding document not covered under BEC, then the Company has the discretion to load or reject the offer on account of such exception if the bidder does not withdraw/modify the deviation when/as advised by company. The loading so done by the company will be final and binding on the bidders. No deviation will however be accepted in the clauses covered under BEC.

**7.2** To ascertain the substantial responsiveness of the bid, the Company reserves the right to ask the bidder for clarification in respect of clauses covered under BEC also and such clarifications fulfilling the BEC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be liable for rejection. However, mere submission of such clarification shall not make the offer responsive, unless company is satisfied with the substantial responsiveness of the offer. Clarifications if decided to be sought at the option of Company, the same shall be limited to the original submissions only and no independent fresh submission shall be called for/permitted.

**7.3** If any of the clauses in the BEC contradict with other clauses of bidding document elsewhere, the clauses in the BEC shall prevail.

**7.4** Bidder(s) must note that requisite information(s)/financial values etc. as required in the BEC & Tender are clearly understandable from the supporting documents submitted by the Bidder(s); otherwise Bids shall be rejected.

**7.5** OIL will not be responsible for delay, loss or non-receipt of applications for participating in the bid sent by mail and will not entertain any correspondence in this regard.

**7.6** The originals of such documents [furnished by bidder(s)] shall have to be produced by bidder(s) to OIL as and when asked for.

**8.0 PURCHASE PREFERENCE CLAUSE:**

**8.1 PURCHASE PREFERENCE TO MSE BIDDERS:** Purchase Preference to Micro and Small Enterprises is applicable for this tender.

Note: Provisions such as seeking support from another company by way Parent/Subsidiary Company's experience/ JV Constituents, etc., wherever allowed in the tender document shall be available to all interested bidders including MSEs. In those scenarios, MSEs quoting on the strength of Parent/Subsidiary/JV Constituents (whichever applicable) will be eligible for the benefits (Purchase Preference and EMD Exemption) reserved for MSEs provided the supporting company for technical and financial strength is/are also MSE(s).

**Documentation required to be submitted by MSEs:** Categorization and various criteria applicable to MSE bidders shall be guided by the Gazette Notification No. **CG-DL-E-26062020-220191 dated 26.06.2020** and Amendment vide Gazette Notification no. **CG-DL-E-16062021-227649 dated 16.06.2021** and **No. CG-DL-E-19012022-232763 dated 19.01.2022** and **CG-DL-E-06052022-235600 dated 06.05.2022** issued by MINISTRY OF MICRO, SMALL AND MEDIUM ENTERPRISES, and any amendment thereof.

The bidder claiming the MSE status (MSE-General, MSE-SC/ST, MSE-Woman) against this tender has to submit Udyam Registration Number with Udyam Registration Certificate along with the technical bid for availing the benefits applicable to MSEs.

**Note:** In case bidding MSE is owned by Schedule Caste or Schedule Tribe or Woman entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ST/Woman entrepreneur should also be enclosed.

**8.2 PURCHASE PREFERENCE POLICY (LINKED WITH LOCAL CONTENT) (PP-LC):**

Purchase preference under Public Procurement (Preference to Make in India) Order, 2017 of Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India as revised vide Order No. **P-45021/2/2017-PP (BE-II)** dated **16th September 2020** (and as amended time to time) with modifications as notified vide MoPNG Order No. **FP-20013/2/2017-FP-PNG-Part (4) (E-41432)** dated **26th April 2022**, shall be applicable in this tender. Bidders to check the provisions of the Order for their eligibility to bid and seek benefits for Purchase preference, accordingly.

**8.3** Contract shall be awarded for the entire scope of work under this tender subject to concurrent application of Public Procurement Policy for MSE Order 2012 and PP(MII) Order 2017 as per Order No. F.1/4/2021-PPD dated 18.05.2023 issued by Public Procurement Division, Department of Expenditure, Ministry of Finance, Govt. of India and any subsequent amendment thereto.

Note:

- a. Services under this tender is not splittable.
- b. The 'Total Price' shall be matched with that of the L1 bidder as under:
- I. In case 'Operating Day Rate (ODR)' of the bidder is higher than the corresponding price quoted by the L1 bidder:
- i. The 'Total Price per rig' of the bidder shall be calculated by matching the ODR quoted by the bidder to that of L1 price. If the 'Total Price per rig' of the bidder after matching the ODR is found to be higher than the price of the L1 bidder, the differences in the 'Total Price per rig' after matching as above, shall be reduced proportionately from remaining line items to match the 'Total Price per rig' of the bidder per rig to the corresponding price of L1 bidder.
- ii. In case the 'Total Price per rig' of the bidder after matching the ODR (as stated in Para i. above) is found to be lower than the corresponding L1 price, then ODR shall be reduced in such a way to match 'Total Price per rig' of the bidder with the L1 price.
- iii. In case the 'Operating Day Rate (ODR)' of the bidder is lower than the corresponding L1 price: The difference in the 'Total Price per rig' of the bidder and L1 price shall be reduced proportionately from all the line items except for 'Operating Day Rate (ODR)', to match the 'Total Price' of the bidder to the corresponding L1 price.

**9.0 THIRD PARTY INSPECTION:**

**9.1** Oil India Limited (OIL) has engaged the following 09 (Nine) Independent Inspection Agencies to verify and certify various documents required against BEC/BRC of the tender:

<b>Sl. No.</b>	<b>Name of Independent Inspection Agency</b>	<b>Contact E-Mail ID</b>
1.	M/s. Dr. Amin Controllers Private Limited	<a href="mailto:rkjain@rcaindia.net">rkjain@rcaindia.net</a> ; <a href="mailto:pradeep.mathur@rcaindia.net">pradeep.mathur@rcaindia.net</a> <a href="mailto:info@rcaindia.net">info@rcaindia.net</a>
2.	M/s. TUV India Private Limited	<a href="mailto:noida@tuv-nord.com">noida@tuv-nord.com</a> ; <a href="mailto:mumbai@tuv-nord.com">mumbai@tuv-nord.com</a> <a href="mailto:salim@tuv-nord.com">salim@tuv-nord.com</a>
3.	M/s. Conformity India International Private Limited	<a href="mailto:mktg@ciindia.in">mktg@ciindia.in</a>
4.	M/s. Ravi Energie Private Limited	<a href="mailto:baroda@ravienergie.com">baroda@ravienergie.com</a> <a href="mailto:tpia@ravienergie.com">tpia@ravienergie.com</a>
5.	M/s. SGS India Private Limited	<a href="mailto:dhaval.vora@sgs.com">dhaval.vora@sgs.com</a> <a href="mailto:sgs.india@sgs.com">sgs.india@sgs.com</a>
6.	M/s. Assure Quality Management Certification Services Private Limited	<a href="mailto:aqmcs@aqmcs.com">aqmcs@aqmcs.com</a>
7.	M/s. IRCLASS Systems and Solutions Private Limited	<a href="mailto:industrial_services@irclass.org">industrial_services@irclass.org</a> <a href="mailto:Bhavesh.satam@irclass.org">Bhavesh.satam@irclass.org</a>

8.	M/s. TUV Rheinland (India) Pvt. Ltd.	<a href="mailto:Shailesh.deotale@ind.tuv.com">Shailesh.deotale@ind.tuv.com</a> <a href="mailto:Kaushal.gohil@ind.tuv.com">Kaushal.gohil@ind.tuv.com</a> <a href="mailto:info@ind.tuv.com">info@ind.tuv.com</a> <a href="mailto:ravi.kumar@ind.tuv.com">ravi.kumar@ind.tuv.com</a>
9.	M/s. Gulf Lloyd Industrial Services(I) Pvt. Ltd.	<a href="mailto:contact@gulflloyds.com">contact@gulflloyds.com</a> <a href="mailto:inspection@gulflloyds.com">inspection@gulflloyds.com</a>
10.	M/s. Baltic Testing India Pvt Ltd.	<a href="mailto:office@balticcontrolindia.com">office@balticcontrolindia.com</a>
11.	M/s. Sanmarg Engineering Validation & Assessment Pvt. Ltd.	<a href="mailto:Amrita@sanmargeva.com">Amrita@sanmargeva.com</a>
12.	M/s. Meenar Global Consultants LLP	<a href="mailto:sales@mgcllp.in">sales@mgcllp.in</a>
13.	M/s. Rites Limited	<a href="mailto:nrinspn@rites.com">nrinspn@rites.com</a> <a href="mailto:info@rites.com">info@rites.com</a> <a href="mailto:sbu.ninsp@rites.com">sbu.ninsp@rites.com</a>
14.	M/s. Bureau Veritas (India) Private Limited	<a href="mailto:bvindia.corporate@bureauveritas.com">bvindia.corporate@bureauveritas.com</a>
15.	M/s. TUV SUD South Asia Private Limited	<a href="mailto:Hemant.chavan@tuvsud.com">Hemant.chavan@tuvsud.com</a> <a href="mailto:Jayashree.rane@tuvsud.com">Jayashree.rane@tuvsud.com</a>
16.	M/s. Adornment Engineers India Private Limited	<a href="mailto:jks@adornmentengineers.com">jks@adornmentengineers.com</a>
17.	M/s. TCRC Inspections Pvt. Ltd.	<a href="mailto:admin@tcrcinspections.com">admin@tcrcinspections.com</a> <a href="mailto:ashismallick@tcrcgroup.com">ashismallick@tcrcgroup.com</a> <a href="mailto:tenders@tcrcgroup.com">tenders@tcrcgroup.com</a>

**9.2** The Bidders have to get verified and certified the various documents required against BEC/BRC of the tender by any one of the above Independent Inspection Agencies and submit the duly certified Inspection Certificate as per **Proforma-XIII** by the Inspection Agencies along with the Technical Bid of the Tender. All Charges of the Third-Party Independent Inspection Agencies towards verification of bidder's documents and certification thereof shall be borne by the respective bidders and payments on account of above inspection, verification and certification shall be made directly by the Bidder to the Inspection Agency(s). OIL will not be responsible for any payment dispute between Bidders and Third Party Inspection Agencies.

**9.3** As mentioned above, Bidder(s) have to submit the verified documents along with the Technical Bids. Bid submitted with un-verified supporting documents shall not be considered. However, in case a bidder submits its bid alongwith all relevant supporting documents as per BEC/BRC without getting all/some of them verified by the designated Independent Inspection agency, such bid can be provisionally considered provided it is accompanied by an Undertaking by the Bidder on their official letterhead to submit the duly verified copies and verification certificate within 07 (Seven) days of bid opening. Company will neither send any reminder nor seek any clarification in this regard from such bidders, and the bid will be rejected outright if the bidder fails to submit the verified copies and verification certificate within 07 (Seven) days of bid opening at its own risk and responsibility.

**9.4** The methodology of inspection/verification of documents is broadly as under but not limited to:

(a) It is obligatory on the part of the interested Bidders, who choose to participate against the tender, to understand the tender requirements in entirety and the requisite documents sought for in support of the Bid Evaluation Criteria/Bid Rejection Criteria (BEC/BRC) mentioned in the tender in particular. The Bidder must produce all the appropriate documents before any of the OIL's empanelled third party certifying agencies for verification/certification. Neither OIL nor the third party certifying agency shall be held accountable in any manner regarding the choice of documents by the bidder for verification. Therefore, getting the appropriate documents inspected/verified by the agency in support of BEC/BRC clauses is the sole responsibility of the Bidder.

(b) The prospective bidder shall contact any of the empanelled inspection agencies. The agency shall go through the Tender Document, especially the requirements of BEC/BRC and list the documents to be verified. They shall depute their qualified/competent inspector to the Bidder's premises to check the original documents and certify the copies which the bidder shall submit along with their bids. OIL will reserve the right to ask the inspection agencies to verify the documents with source, if required at no extra cost to OIL. Verification of documents by OIL's empanelled third party agency shall not automatically make the bidder eligible for award of contract.

(c) Verification of documents (but not limited to) are normally categorised as under:

➤ **General Requirement (if applicable):**

- Check Bidder's PAN Card
- Check Bidder's GST Certificate
- Check ITR of company
- Check Bidder's Certificate of Incorporation – Domestic Bidder.

➤ **Additional Documents : (If applicable against the tender)**

- Joint Ventures Agreements – To cross-check with JV Partners
- Consortium Agreements – To cross-check with Consortium Partners
- Holding/Parent/Subsidiary/Sister Subsidiary/Co-Subsidiary Company – To check the Share Holding pattern

➤ **Technical Criteria**

- To check Experience Proof- Completion Certificates, Reference contact verification, Original Work Order/Contract Copy and any other document(s), if called for vide BEC/BRC of the Tender.

➤ **Financial Criteria**

- Check and verify Audited Balance Sheet/CA certificate
- To check the Line of Credit, if incorporated in the tender.

**Notes:** Bidder's self-declared undertakings, Audited Balance Sheet & Profit-loss statement and/or CA certificate having UDIN are not required to be verified by the TPI agency. If any documents LOI/LOA/Contracts etc. are submitted towards BEC/BRC experience criteria issued by Oil India Limited, such documents need not be verified by TPI agency.

**10.0 SUBMISSION OF FORGED DOCUMENTS:** Bidders should note that Company (OIL) may verify authenticity of all the documents /certificates / information submitted by the bidder(s) against the tender. In case at any stage of tendering process or Contract execution etc., if it is established that bidder has submitted forged documents / certificates / information towards fulfilment of any of the tender / contract conditions, Company shall immediately reject the bid of such bidder(s) or cancel / terminate the contract besides taking action as per OIL's Banning Policy dated 6th January 2017, available in the OIL's website. Accordingly, service provider/vendor to submit the Undertaking of authenticity of information/documents submitted as per **Proforma-IX**.

**11.0 LAND BORDER SHARING:** Bidders should submit an Undertaking that, their bid is compliant to Order No. F.No. 6/18/2019-PPD dated 23.07.2020 issued by Ministry of Finance, Department of Expenditure, Public Procurement Division, Govt. of India (including subsequent amendments thereto, if any), regarding restrictions on procurement from a bidder of a country which shares land border with India.

**12.0 COMPLIANCE OF THE COMPETITION ACT, 2002:** The bidder shall strictly comply with the provisions of the Competition Act, 2002, more particularly, Section-3 of the Act. Any violation the provisions of the Act shall attract penal action under the Act.

**GENERAL CONDITIONS OF CONTRACT (GCC)****1.0 APPLICABILITY, DEFINITION & INTERPRETATION:****1.1 Applicability**

All clauses in the General Conditions of Contract [GCC] shall apply to all transactions except as otherwise stated in the Special Conditions of Contract [SCC] and/or BEC-BRC. Furthermore, in the event if there is any conflict between the Principal text of the Agreement and the Appendixes, the Principal text will prevail.

**1.2 Definition & Interpretation**

In the contract (as hereinafter defined) the following words and expressions shall have the meaning hereby assigned to them except where the context otherwise requires:

**1.2.1 COMPANY/OIL/Operator:**

Shall mean Oil India Limited [OIL] a public sector undertaking, incorporated under COMPANY's Act 1956 having its registered office at Duliajan-786602, Assam, India and includes its successor and permitted assigns.

**1.2.2 CONTRACTOR:**

Shall mean the person or persons, firm or COMPANY or corporation incorporated in India or abroad, who has been awarded with the contract and includes contractor's legal representatives, his successors and permitted assigns.

**1.2.3 Contract:**

Shall mean a written agreement between the COMPANY and the CONTRACTOR for execution of the services/works including all contract documents and subsequent amendments, if any.

**1.2.4 Site:**

Shall mean the place in which the operations/services are to be carried out or places approved by OIL for the purposes of the CONTRACT together with any other places designated in the CONTRACT as forming part of the site.

**1.2.5 COMPANY's Site Representative/Engineer:**

Shall mean the person or the persons appointed by the COMPANY from time to time to act on its behalf at the site for overall co- ordination, supervision and project management at site.

**1.2.6 Sub-Contract:**

Shall mean order/ contract placed by the CONTRACTOR for any portion of the CONTRACT or work sublet with necessary written consent of COMPANY on third party. Such sub-letting shall not relieve the CONTRACTOR from any obligation, duty or responsibility under the CONTRACT.

**1.2.7 Sub-Contractor:**

Shall mean any person or firm or COMPANY (other than CONTRACTOR) to whom any part of the work has been entrusted by CONTRACTOR, with written consent of OIL or the persons appointed by OIL, successors and permitted assigns of such persons, firm or COMPANY.

**1.2.8 Contractor's Representative:**

Shall mean such person/or persons duly appointed representative at the site and base as the CONTRACTOR may designate in writing to the COMPANY as having authority to act for the CONTRACTOR in matters affecting the work and to provide the requisite services.

**1.2.9 Contract Price/Value:**

Shall mean the sum accepted or the sum calculated in accordance with the rates accepted in tender and/or the contract rates as payable to the CONTRACTOR for the entire execution and completion of the services/works, including amendments/modification/change order issued by the COMPANY.

**1.2.10 Firm price:**

The prices will remain unchanged, except for statutory changes, during currency of the CONTRACT unless specifically agreed to in writing by COMPANY.

**1.2.11 Service/Works/Operations:**

Shall mean and include all items and things to be supplied/done and all work /Service to be performed by the CONTRACTOR as specified in the Scope of Work under this CONTRACT and shall also include all extra, additional, altered or substituted works/services as required for the purpose of successful execution of the Contract.

**1.2.12 Equipment/Materials/Goods:**

Shall mean and include any equipment, machinery, instruments, stores, goods which CONTRACTOR is required to provide to the COMPANY for/under the CONTRACT and amendments thereto.

**1.2.13 Drawings:**

Shall mean and include all Engineering sketches, general arrangements/ layout drawings, sectional plans, all elevations, photographs, etc. related to the CONTRACT together with modification and revision thereto.

**1.2.14 Specifications:**

Means and includes all technical specifications, provision attached and referred to in the tender/contract document regarding method and manner of performing the services and qualities of the service/materials to be provided under the contract and also as modified by the COMPANY/its site representative during the execution of contract in the best interest of service.

**1.2.15 Engineer In-charge (EIC):**

Shall mean the person designated from time to time by the COMPANY and shall include those who are expressly authorized by the COMPANY to act for and on its behalf for operation of the contract.

**1.2.16 Inspectors:**

Shall mean any person or outside Agency nominated by COMPANY to inspect equipment, materials and services, if any, in the CONTRACT (stage wise as well as final) as per the terms of the CONTRACT.

**1.2.17 Tests:**

Shall mean such process or processes to be carried out by the CONTRACTOR as are prescribed in the CONTRACT, considered necessary by the COMPANY or their representative to ascertain quality, workmanship, performance and efficiency of equipment or services thereof.

**1.2.18 Approval:**

Shall mean and include the written consent duly signed by COMPANY or their authorized official in respect of all documents, drawings or other particulars in relation to the CONTRACT.

**1.2.19 Day:**

Shall mean a calendar day of twenty –four (24) consecutive hours beginning at 00:00 hours with reference to local time at the site.

**1.2.20 Month:**

Shall mean a calendar month as per Gregorian calendar.

**1.2.21 Year:**

Shall mean calendar year as per Gregorian calendar.

**1.2.22 Working day:**

Means any day which is not declared to be holiday by the COMPANY.

**1.2.23 Bid/offer:**

Shall mean the proposal/Offer along with supporting documents submitted by the bidder in response to the tender or enquiry in accordance with the terms of Tender or Enquiry, for consideration by COMPANY, prior to award of contract.

**1.2.24 Guarantee:**

Shall mean the period and other conditions governing the warranty/guarantee of the services as provided in the CONTRACT.

**1.2.25 Mobilization:**

Shall mean rendering the equipment fully manned and equipped as per CONTRACT and ready to begin work at site designated by the COMPANY and accepted by the COMPANY after inspection.

**1.2.26 De-mobilization:**

Shall mean the removal of all items forming part of the Mobilization from the site of the COMPANY and inspection and acceptance thereafter by the COMPANY including compliance of requirement in relation to re-export of imported equipment/materials under concessional duty scheme in accordance with relevant notification from Customs Authorities.

**1.2.27 Wilful Misconduct:**

Shall mean intentional disregard of good and prudent standards of performance or proper conduct under the Contract with knowledge that it is likely to result in any injury to any person or persons or loss or damage of property of the Company or Third Party.

**1.2.28 Gross Negligence:**

Shall mean any act or failure to act (whether sole, joint or concurrent) by a person or entity which was intended to cause, or which was in reckless disregard of or unjustifiable indifference to, avoidable and harmful consequences such person or entity knew, or should have known, would result from such act or failure to act. Notwithstanding the foregoing, Gross negligence shall not include any action taken in good faith for the safeguard of life or property.

**1.2.29 Criminal Negligence:**

Shall mean that the crime happened negligently, there was duty of care upon the Person but inadvertently due to his negligence, the duty was breached, which causes harm to the people in the form of death or serious injury.

**1.2.30 GST Legislations:**

'GST legislations' means 'any or all of the following legislations as may be applicable to the CONTRACTOR and OIL:

- (A) The Central Goods & Services Tax Act, 2017;
- (B) The Integrated Goods & Services Act, 2017;
- (C) The Union Territory Goods & Services Tax Act, 2017;
- (D) The respective State Goods & Service Tax Acts'
- (E) The Goods and Services (Compensation to States) Act, 2017
- (F) The Customs Act and the Customs Tariff Act.
- (G) Any other applicable Act related to GST

**2.0 CONTRACT DOCUMENT:**

**2.1 Governing language:** The governing language for the CONTRACT shall be English. All CONTRACT documents and all correspondence and communication to be given and all other documentation to be prepared and supplied under the CONTRACT shall be written in English and the CONTRACT shall be construed and interpreted in accordance with English language.

**2.2 Entire Agreement:** The CONTRACT constitutes the entire agreement between OIL and the CONTRACTOR with respect to the subject matter of the CONTRACT and supersedes all communication, negotiations and agreement (whether written or

oral) of the parties with respect thereto made prior to the date of this agreement, unless such communication(s) expressly forms part of the contract or included by reference.

**2.3 Amendment in CONTRACT:** No Amendment of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto. OIL shall not be bound by any printed conditions, provisions in the CONTRACTOR's BID, forms of acknowledgement of CONTRACT, invoice and other documents which purport to impose any condition at variance with or supplement to CONTRACT.

**3.0 WAIVERS AND AMENDMENTS:**

**3.1 Waivers:** It is fully understood and agreed that none of the terms and conditions of this contract shall be deemed waived by either party unless such waiver is executed in writing only by the duly authorized representatives of both the parties. The failure of either party to execute any right shall not act as a waiver of such right by such party.

**3.2 Change Program:** It is agreed that CONTRACTOR shall carry out work in accordance with the completion program (e.g. Drilling programme) to be furnished by the COMPANY, which may be changed from time to time by reasonable modifications in the program as COMPANY sees fit. COMPANY's instruction in this regard shall be final and binding.

**4.0 CONTRACT TIMELINE:**

**4.1 Effective Date of Contract:** The contract shall become effective as of the date COMPANY notifies the CONTRACTOR in writing that it has been awarded the contract. This date of issuance of Letter of Award (LOA) by the COMPANY will be the Effective Date of Contract. All terms and conditions of the contract shall come into force with the date of issuance of LOA.

**4.2 Date of Commencement of Operation:**

The date on which the mobilization is completed in all respects and CONTRACTOR is ready to commence operation as per the contract provision [Certified by the COMPANY's representative] will be treated as the date of Commencement of Operation.

**4.3 Duration of the contract:**

The contract shall be valid for a period as defined in the LOA and Special Conditions of Contract [SCC].

**5.0 SCOPE OF WORK/CONTRACT:**

Scope of the CONTRACT shall be as defined in the CONTRACT, specifications, drawings and Appendices.

**6.0 GENERAL OBLIGATION OF CONTRACTOR:**

CONTRACTOR shall, in accordance with and subject to the terms and conditions of this Contract:

- 6.1** Perform the work described in the Terms of Reference/Scope of Work. The CONTRACTOR shall execute the work with professional competence and in an efficient and workman like manner.
- 6.2** Except as otherwise provided in the Terms of Reference and the special Conditions of the contract, employ all labours/personnel as required to perform the work.
- 6.3** Perform all other obligations, work and services which are required by the terms of this contract or which reasonably can be implied from such terms as being necessary for the successful and timely completion of the work.
- 6.4** Comply with all applicable statutory obligations specified in the contract.
- 6.5** CONTRACTOR shall be deemed to have satisfied himself before submitting their bid as to the correctness and sufficiency of its bid for the services required and of the rates and prices quoted, which rates and prices shall, except insofar as otherwise provided, cover all its obligations under the contract.
- 6.6** CONTRACTOR shall be deemed, prior to submitting their bids, to have satisfied themselves about the weather conditions, working culture in the area, socio-political environment, safety & security aspects, law & order situation and law of the land, and obtain for themselves all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the various obligations under the Contract.
- 6.7** CONTRACTOR shall give or provide all necessary supervision during the performance of the services and as long thereafter within the warranty period as COMPANY may consider necessary for the proper fulfilling of CONTRACTOR's obligations under the contract.

**7.0 GENERAL OBLIGATION OF COMPANY:**

COMPANY shall, in accordance with and subject to the terms and conditions of this contract:

- 7.1** Pay CONTRACTOR in accordance with terms and conditions of the contract.
- 7.2** Allow CONTRACTOR access, subject to normal security and safety procedures, to all areas as required for orderly performance of the work as specified in the Scope of Works of the contract or work connected therewith.
- 7.3** Perform all other obligations required of COMPANY by the terms of this contract.

**8.0 DUTIES AND POWER /AUTHORITY:**

**8.1 OIL's site representative/engineer:**

The duties and authorities of OIL's site representative/engineer are to act on behalf of OIL for:

- i. Overall supervision, co-ordination and Project Management at site
- ii. Proper and optimum utilization of equipment and services.
- iii. Monitoring of performance and progress

iv. Commenting/ countersigning on reports made by the CONTRACTOR's representative at site in respect of works, receipts, consumption etc. after satisfying himself with the facts of the respective cases.

v. He shall have the authority, but not obligation at all times and any time to inspect/test/examine/ verify any equipment machinery, instruments, tools, materials, personnel, procedures and reports etc. directly or indirectly pertaining to the execution of the work. However this shall not construe to imply an acceptance by the inspector.

Hence, the overall responsibility of quality of work shall rest solely with the CONTRACTOR.

vi. Each and every document emerging from site in support of any claim by the CONTRACTOR has to have the countersignature/ comments of the OIL's representative/engineer without which no claim shall be entertained by the OIL.

## **8.2 CONTRACTOR's representative:**

(a) The CONTRACTOR's representative shall have all the powers requisite for the performance of the Service/Works, subject to holding due authorisation from the CONTRACTOR.

(b) Representative(s) shall liaise with OIL's representative/engineer for the proper co-ordination and timely completion of the works and on any matter pertaining to the works.

(c) Representative(s) shall extend full co-operation to OIL's representative/inspector/engineer in the manner required by them for supervision/inspection/observation of equipment, material, procedures, performance, reports and records pertaining to works.

(d) To have complete charge of CONTRACTOR's personnel engaged in the performance of the work and to ensure compliance of rules and regulations and safety practice.

## **9.0 Personnel to be deployed by contractor:**

CONTRACTOR warrants that it shall provide competent, qualified and sufficiently experienced personnel to perform the work correctly and efficiently.

**9.1** The CONTRACTOR should ensure that their personnel observe all statutory safety requirement including those prescribed by the COMPANY. Upon COMPANY's written request, CONTRACTOR, entirely at its own expense, shall remove immediately any personnel of the CONTRACTOR determined by the COMPANY to be unsuitable and shall promptly replace such personnel with personnel acceptable to the COMPANY. Replacement personnel should be mobilized within 15 days from the date of issuance of notice without affecting the operation of the COMPANY.

**9.2** The CONTRACTOR shall be solely responsible throughout the period of the contract for providing all requirements of their personnel including but not limited to, their transportation to & fro from Duliajan/field site, enroute/ local boarding, lodging, personal protective gear & medical attention etc. COMPANY shall have no

responsibility or liability in this regard.

**9.3** However, COMPANY shall provide available medical assistance/facilities to CONTRACTOR's Personnel in case of emergency at its own establishment on chargeable basis.

**9.4** CONTRACTOR's key personnel shall be fluent in English language (both writing and speaking).

**10.0 PERFORMANCE SECURITY:**

**10.1** On receipt of notification of award from the COMPANY, the CONTRACTOR shall furnish the Performance Security to COMPANY within **30 (Thirty)** days from the date of issue of LOA for an amount specified in the Forwarding Letter/Introduction and Letter of Award (LOA) as per Proforma enclosed and must be in the form of Insurance Surety Bond or Bank Draft/ Cashier's cheque/Banker's cheque\*/NEFT/RTGS/Electronic fund transfer to designated account of OIL# or Fixed Deposit Receipt (account OIL INDIA LIMITED) or irrevocable Bank Guarantee or irrevocable Letter of Credit (LC) from:

a. Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of domestic CONTRACTOR/service provider.

OR

b. Any scheduled bank in India or from International bank who has its branch in India registered with Reserve Bank of India, in case of foreign CONTRACTOR/service provider.

OR

c. Any foreign Bank which is not a Scheduled Bank in India, provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in India of any Scheduled Bank incorporated in India.

Note: Bank Guarantee issued by a Scheduled Bank of India at the request of some other Non-Schedule Bank of India shall not be acceptable.

**10.2** Bank Guarantee issued by a Bank, amongst others, must contain the following particulars of such bank:

Full address

Branch Code

Code Nos. of the authorized signatory with full name and designation.

Phone Nos.

Fax Nos.

E-mail address.

**10.3** The domestic CONTRACTOR/service provider(s) will have to submit the Bank Guarantee from any of the scheduled banks and on non- judicial stamp paper of requisite value as per the Indian Stamp Act, purchased in the name of the issuing banker.

- 10.4** The foreign CONTRACTOR/service provider(s) will submit the Bank Guarantee from Banks of Indian origin situated in their country. In case no such bank of Indian origin is situated in their country, the Bank Guarantee may be submitted from the bankers as specified above.
- 10.5** The Performance Security shall be denominated in the currency of the contract.
- 10.6** The Performance Security specified above must be valid for the entire duration of the Contract and claim period should be valid for a minimum of 03 (three) months beyond the contract period. The Performance Security will be discharged by COMPANY not later than 30 days following its expiry of claim period. In the event of any extension of the Contract period, Bank Guarantee should be extended by CONTRACTOR by the period equivalent to the extended period.
- 10.7** The Performance Security shall be encashed by COMPANY on account of CONTRACTOR's failure to fulfil its obligations under the Contract and/or non-performance/un-satisfactory performance of the Contractor. Company shall not be required to proof any loss or damage on account of Contractor's non-performance/un-satisfactory performance.
- 10.8** The Performance Security will not accrue any interest during its period of validity or extended validity.
- 10.9** Failure of the successful Bidder to comply with the requirements of clause 10.0 shall constitute sufficient grounds for annulment of the award. In such an eventuality, action will be initiated as per the Banning Policy of OIL in vogue.

# Subject to credit in OIL's account within prescribed time

\* The validity of Bank Draft/Cashier's/Banker's cheque (as applicable) should not be less than 3 months.

In the event CONTRACTOR fails to honour any of the commitments entered into under this agreement, and /or in the event of termination of the contract under provisions of Integrity Pact and /or in respect of any amount due from the CONTRACTOR to OIL, OIL shall have unconditional option under the guarantee to invoke the above bank guarantee and claim the amount from the bank. The bank shall be obliged to pay the amount to OIL on demand.

**11.0 SIGNING OF CONTRACT:**

- 11.1** The successful bidder is required to sign a formal detailed contract with OIL within a maximum period of 60 days of date of LOA. Until the contract is signed, the LOA **as well as GCC & SCC as prescribed in the Tender**, shall remain binding amongst the two parties. In the event of failure on the part of the successful Bidder to sign the contract, OIL reserves the right to terminate the LOA issued to the successful Bidder and invoke the Performance Security if submitted by the successful Bidder. Such CONTRACTOR shall be put on holiday as per the Banning Policy of OIL [available at [www.oil-india.in](http://www.oil-india.in)].

**12.0 CLAIMS, TAXES & DUTIES:**

- 12.1 **Claims:**** CONTRACTOR agrees to pay all claims, taxes and fees for equipment, labour, materials, services and supplies to be furnished by it hereunder and agrees

to allow no lien or charge resulting from such claims to be fixed upon any property of COMPANY. COMPANY may, at its option, pay and discharge any liens or overdue charges for CONTRACTOR's equipment, labour, materials, services and supplies under this CONTRACT and may thereupon deduct the amount or amounts so paid from any sum due, or thereafter become due, to CONTRACTOR hereunder.

**12.2 Notice of claims:** CONTRACTOR or COMPANY, as the case may be, shall promptly give the other, notice in writing of any claim made or proceeding commenced for which that party is entitled to indemnification under the CONTRACT. Each party shall confer with the other concerning the defense of any such claims or proceeding, shall permit the other to be represented by counsel in defense thereof, and shall not affect settlement of or compromise any such claim or proceeding without the other's written consent.

**12.3 Taxes:**

**12.3.1** CONTRACTOR, unless specified otherwise in the CONTRACT, shall bear all tax liabilities, duties, Govt. levies etc. including GST and customs duty, Corporate and personnel taxes levied or imposed on the CONTRACTOR on account of payments received by it from the COMPANY for the work done under this CONTRACT. It shall be the responsibility of CONTRACTOR to submit to the concerned Indian authorities, the returns and all other concerned documents required for this purpose and to comply in all respects with the requirements of the laws in this regard, in time.

**12.3.2** Tax levied on CONTRACTOR as per the provisions of Indian Income Tax Act and any other enactment/rules on income derived/payments received under the contract will be on CONTRACTOR's account.

**12.3.3** CONTRACTOR shall be responsible for payment of personal taxes, if any, for all the personnel deployed in India by CONTRACTOR.

**12.3.4** The CONTRACTOR shall furnish to the COMPANY, if and when called upon to do so, relevant statement of accounts or any other information pertaining to work done under the contract for submitting the same to the Tax authorities, on specific request from them in accordance with provisions under the law. CONTRACTOR shall be responsible for preparing and filing the return of income etc. within the prescribed time limit to the appropriate authority.

**12.3.5** Prior to start of operations under the contract, the CONTRACTOR shall furnish the COMPANY with the necessary documents, as asked for by the COMPANY and/ or any other information pertaining to the contract, which may be required to be submitted to the Income Tax authorities at the time of obtaining "No Objection Certificate" for releasing payments to the CONTRACTOR.

**12.3.6** Corporate income tax will be deducted at source from the invoice at the specified rate of income tax as per the provisions of Indian Income Tax Act as may be in force from time to time and COMPANY will issue TDS Certificate to the CONTRACTOR as per the provisions of Income Tax Act.

**12.3.7** Corporate and personnel taxes on CONTRACTOR shall be the liability of the CONTRACTOR and the COMPANY shall not assume any responsibility on this account.

- 12.3.8** All local taxes, levies and duties, sales tax, octroi, etc. on purchases and sales made by CONTRACTOR shall be borne by the CONTRACTOR.
- 12.3.9** CONTRACTOR shall provide all the necessary compliances/ invoice/documents for enabling OIL to avail Input tax credit benefits in respect of the payments of GST which are payable against the CONTRACT. The CONTRACTOR should provide tax invoice issued under GST legislations for the goods and Services (indicating GST). Payment towards the components of GST shall be released by OIL only against appropriate documents i.e.: Tax Invoice/Bill of entry for availing input tax credit (as applicable).
- 12.3.10** The tax invoices as per above provisions should contain all the particulars as required under the invoicing rules under the GST legislations, including, but not limited to the following:
- i. Name, Address and the GST Registration Number (under the relevant Tax Rules) of the Service Provider (CONTRACTOR)
  - ii. Name and Address and GST Registration Number of the Service Receiver (Address of OIL)
  - iii. Description, Classification and Value of taxable service/goods and the amount of applicable tax (CGST, SGST, IGST, UTGST and cess).
- 12.3.11** In case of imported goods, CONTRACTOR/supplier is required to provide original Bill of Entry or copy of Bill of Entry duly attested by Custom authority.
- 12.3.12** The CONTRACTOR should mention the Place of supply in the invoice raised under GST Law.
- 12.3.13** OIL would not accept any invoice without its GSTIN mentioned on the invoice

*Note: CONTRACTOR who is under composition levy of the GST legislation would raise Bill of supply instead of Tax invoice, which will have GSTIN of supplier as well as OIL.*

#### **12.4 Goods and Services Tax:**

- 12.4.1** "GST" shall mean Goods and Services Tax charged on the supply of material(s) and services. The term "GST" shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as "IGST") or Central Goods and Services Tax (hereinafter referred to as "CGST") or State Goods and Services Tax (hereinafter referred to as "SGST") or Union Territory Goods and Services Tax (hereinafter referred to as "UTGST") depending upon the import/interstate or intrastate supplies, as the case may be. It shall also mean GST compensation Cess, if applicable.
- 12.4.2** Where the OIL is entitled to avail the input tax credit of GST:

OIL will reimburse the GST to the Supplier of Goods/Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of GST paid. In case of any variation in the executed quantities, the amount on which the GST is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

**12.4.3** Where the OIL is not entitled to avail/take the full input tax credit of GST:

OIL will reimburse GST to the Supplier of Goods/Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST subject to the ceiling amount of GST as quoted by the bidder. In case of any variation in the executed quantities (If directed and/or certified by the In-Charge) the ceiling amount on which GST is applicable will be modified on pro-rata basis.

**12.4.4** The CONTRACTOR will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the CONTRACTOR shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/ duties by the CONTRACTOR shall be to CONTRACTOR's account.

**12.4.5** In case of statutory variation in GST, other than due to change in turnover, payable on the contract value during contract period, the Supplier of Goods/ Services (Service Provider) shall submit a copy of the 'Government Notification' to evidence the rate as applicable on the Bid due date and on the date of revision.

**12.4.6** Beyond the contract period, in case OIL is not entitled for input tax credit of GST, then any increase in the rate of GST beyond the contractual delivery period shall be to Service provider's account whereas any decrease in the rate GST shall be passed on to the OIL.

**12.4.7** Beyond the contract period, in case OIL is entitled for input tax credit of GST, then statutory variation in applicable GST on supply and on incidental services, shall be to OIL's account.

**12.4.8** Claim for payment of GST/ Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) GST, otherwise claim in respect of above shall not be entertained for payment of arrears.

**12.4.9** The base date for the purpose of applying statutory variation shall be the Bid Opening Date.

**12.4.10** The CONTRACTOR will be liable to ensure to have registered with the respective tax authorities, wherever applicable and to submit self- attested copy of such registration certificate(s) and the CONTRACTOR will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/ E-way Bill, if applicable etc.

**12.5 Anti-profiteering clause**

**12.5.1** As per Clause 171 of GST Act it is mandatory to pass on the benefit due to reduction in rate of tax or from input tax credit to the consumer by way of commensurate reduction in prices.

**12.5.2** In case rating of Contractor is negative/blacklisted after award of work for supply of goods/services, then OIL shall not be obligated or liable to pay or reimburse GST to such vendor/Contractor and shall also be entitled to deduct/recover such GST

along with all penalties/interest, if any, incurred by OIL.

**13.0 CUSTOMS DUTY, IF APPLICABLE:**

**13.1.1** CONTRACTOR shall be responsible to import the equipment/tools/spares/consumables etc. required for execution of the contract. The CONTRACTOR shall undertake to complete all the formalities as required under the Customs Act/Foreign Trade Policy (FTP) and indemnify OIL from all the liabilities of Customs in this regard.

**13.1.2** CONTRACTOR will be solely responsible for payment of all applicable Customs Duty and to comply all Rules and Regulations. Total Contract Price/Value is inclusive of all Customs Duty, if not mentioned otherwise elsewhere in the Contract.

**13.1.3** Above clause is to be read with Customs Duty Clause in SCC, if any.

**14.0 INSURANCE:**

**14.1** The Contractor shall at its own expense arrange secure and maintain insurance with reputed insurance companies to the satisfaction of the Company as follows:

- a) The Contractor shall, at his own expense, arrange appropriate comprehensive insurance (All-risks insurance cover with suitable limit as per International Standard) to cover all risks assumed by the Contractor under this Contract in respect of its equipment, tools including but not limited to well equipment & tools, any other belongings and personnel during the entire period of this Contract including extensions thereof.
- b) The Contractor shall also carry adequate insurance cover against damage/loss to third party/person/property.
- c) The Contractor at his cost shall arrange, secure and maintain insurance as may be necessary and to its full value for all such amounts to protect the works-in-progress from time to time and the interest of Company against all risks as detailed herein subject to the satisfaction of the Company and irrespective of acceptance of the Work.
- d) The responsibility to maintain adequate insurance coverage at all times during the period of the Contract shall be that of the Contractor alone and OIL will have no liability on this account. The Contractor's failure in this regard shall not relieve him of any of his responsibilities & obligations under the Contract.
- e) All costs on account of insurance liabilities covered under the Contract will be to the Contractor's account.

**14.2 Deductible:**

The Contractor shall take policy with minimum deductible as per IRDA prescribed for the policy(ies) that portion of any loss not covered by the insurance provided for in this article solely by reason of a deductible provision in such insurance policies that shall be the account of the Contractor.

**14.3** The Contractor shall require all of its sub-Contractor to provide such of the foregoing insurance coverage as Contractor is obliged to provide under this Contract and inform the Company about the coverage prior to the commencement of agreements with its sub-Contractors.

**14.4** All insurance taken out by Contractor or their sub-contractor shall be endorsed to provide that the underwriters waive their rights of recourse on the Company and to the extent of the liabilities assumed by Contractor under this Contract.

**14.5 Waiver of subrogation:**

All insurance policies of the Contractor and its Sub-Contractor with respect to the operations conducted hereunder as set forth in clauses hereof, shall be endorsed by the underwriter in accordance with the following policy wording:

"The insurers hereby waive their rights of subrogation against Oil India Limited or any of their employees or their affiliates and assignees."

**14.6 Loss Payee Clause:**

The Insurance Policies should mention the following in Loss Payee Clause:

"In respect of Insurance claims in which OIL's interest is involved, written consent of OIL will be required".

**14.7 Additional Assured:**

**"Oil India Limited"** is to be included as Additional Assured in the Insurance Policies (except in case of Workmen's Compensation/Employer's Liability insurance).

**14.8 Certificate of Insurance:**

Before commencing performance of the CONTRACT, CONTRACTOR shall furnish OIL with certificates of insurance indicating:

- a) Kinds and amounts of insurance as required herein.
- b) Details of coverage
- c) Insurance corporation or companies carrying the aforesaid coverage
- d) Effective and expiry dates of policies
- e) That OIL shall be given thirty (30) days written advance notice of any material change in the policy
- f) Waiver of subrogation endorsement has been attached to all policies.

**Note: An undertaking by the service provider has to be mandatorily provided during the Mobilisation time that they have taken all the Insurance provisions as per the contract and as the Law and Insurance Regulation.**

**14.9** If any of the above policy expire or/are cancelled during the term of this CONTRACT and CONTRACTOR fails for any reason to renew such policies, OIL in no case shall be liable for any loss/damage occurred during the term when the policy is not effective. Furthermore, a penal interest @ 1% of the Total contract value shall be charged towards not fulfilling of the contractual obligations. Notwithstanding above, should there be a lapse in any insurance required to be

taken by the Contractor for any reason whatsoever, loss/damage claims resulting therefrom shall be to the sole account of Contractor.

**14.10** The Contractor on demand from the Company shall furnish the Insurance Policy having detail terms and conditions, with respect to any Certificate of Insurance submitted to the Company.

**14.11 On account payment to OIL in case of claim**

In case any loss or damage happen and where Company's interest is involved, The Company reserves the right to recover the loss amount from the Contractor prior to final settlement of the claim.

**14.12** The CONTRACTOR shall at all time during the currency of the contract provide, pay for and maintain the following insurance amongst others:

- †) **Employees Compensation (EC) Policy or Employer's Liability Policy insurance** as required by the laws of the country of origin of the employee.
- ii) **Commercial General Liability Insurance:** Commercial General Public Liability Insurance covering liabilities including contractual liability for bodily injury, including death of persons, and liabilities for damage of property. This insurance must cover all operations of CONTRACTOR required to fulfil the provisions under this Contract.
- iii) **Comprehensive General Automotive Liability:** Automobile Public Liability Insurance covering owned, non-owned and hired automobiles used in the performance of the work hereunder, with bodily injury limits and property damage limits shall be governed by Indian Insurance Regulations.
- iv) **Carrier's Legal Liability Insurance:** Carrier's Legal Liability Insurance in respect of **all CONTRACTOR's items** to be transported by the CONTRACTOR to the site of work, for physical loss or destruction of or damage to goods or merchandise, while in transit.
- v) **Public Liability Act Policy:** Public Liability Act Policy, if applicable, covering the statutory liability arising out of accidents occurring during the currency of the contract due to handling hazardous substances as provided in the Public Liability Insurance Act 1991 and the Rules framed there under. In case there is no usage of hazardous substance, the Contractor should provide an undertaking during mobilization as per format enclosed below regarding non-inclusion of hazardous substances within the ambit of the contract.
- vi) **Pradhan Mantri Suraksha Bima Yojana (PMSBY) and Pradhan Mantri Jeevan Jyoti Bima Yojana (PMJJBY):** CONTRACTOR shall, ensure that all his/its personnel deployed under this contract have obtained additional insurance coverage under the Pradhan Mantri Suraksha Bima Yojana (PMSBY) and Pradhan Mantri Jeevan Jyoti Bima Yojana (PMJJBY) through the participating banks and submit the proof of such insurance coverage to the satisfaction of OIL.

**Note:** This will be applicable for only Indian citizens and within the prescribed age group defined under the scheme for the insurance coverage.

**vii) Any other insurance policy set forth in the SCC****15.0 LIABILITY:**

- 15.1** Except as otherwise expressly provided herein, neither COMPANY nor its servants, agents, nominees, CONTRACTORs, or sub- CONTRACTORs shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss of or damage to the property of the CONTRACTOR and/or their CONTRACTORs or sub-CONTRACTORs, irrespective of how such loss or damage is caused and even if caused by the negligence of COMPANY and/or its servants, agent, nominees, assignees, CONTRACTORs and sub-CONTRACTORs.
- 15.2** The CONTRACTOR shall protect, defend, indemnify and hold harmless COMPANY from and against such loss or damage and any suit, claim or expense resulting there from. Neither COMPANY nor its servants, agents, nominees, assignees, CONTRACTORs, sub-CONTRACTORs shall have any liability or responsibility whatsoever for injury to, illness, or death of any employee of the CONTRACTOR and/or of its CONTRACTORs or sub-CONTRACTOR irrespective of how such injury, illness or death is caused and even if caused by the negligence of COMPANY and/or its servants, agents nominees, assignees, CONTRACTORs and sub-CONTRACTORs. CONTRACTOR shall protect, defend, indemnify and hold harmless COMPANY from and against such liabilities and any suit, claim or expense resulting there from.
- 15.3** The CONTRACTOR hereby agrees to waive its right of recourse and further agrees to cause its underwriters to waive their right of subrogation against COMPANY and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORs and sub- CONTRACTORs for loss or damage to the equipment of the CONTRACTOR and/or its sub-CONTRACTORs and/or their employees when such loss or damage or liabilities arises out of or in connection with the performance of the contract limited to the CONTRACTOR's liabilities agreed to under this Contract.
- 15.4** The CONTRACTOR hereby further agrees to waive its right of recourse and agrees to cause its underwriters to waive their right of subrogation against COMPANY and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORs and sub-CONTRACTORs for injury to, illness or death of any employee of the CONTRACTOR and of its CONTRACTORs, sub-CONTRACTORs and/or their employees when such injury, illness or death arises out of or in connection with the performance of the contract limited to the CONTRACTOR's liabilities agreed to under this Contract.
- 15.5** Except as otherwise expressly provided herein, neither CONTRACTOR nor its servants, agents, nominees, CONTRACTORs or sub- CONTRACTORs shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss or damage to the property of the COMPANY and/or their CONTRACTORs or sub-CONTRACTORs, irrespective of how such loss or damage is caused and even if caused by the negligence of CONTRACTOR and/or its servants, agents, nominees, assignees, CONTRACTORs and sub-CONTRACTORs. The COMPANY shall protect, defend, indemnify and hold harmless CONTRACTOR from and against such loss or damage and any suit, claim or expense resulting there from.

- 15.6** Except as otherwise expressly provided herein, neither CONTRACTOR nor its servants, agents, nominees, assignees, CONTRACTORs, sub- CONTRACTORs shall have any liability or responsibility whatsoever to whomsoever for injury or illness, or death of any employee of the COMPANY and/or of its CONTRACTORs or sub-CONTRACTORs irrespective of how such injury, illness or death is caused and even if caused by the negligence of CONTRACTOR and/or its servants, agents, nominees, assignees, CONTRACTORs and sub- CONTRACTORs. COMPANY shall protect, defend indemnify and hold harmless CONTRACTOR from and against such liabilities and any suit, claim or expense resulting there from.
- 15.7** The COMPANY agrees to waive its right of recourse and further agrees to cause its underwriters to waive their right of subrogation against CONTRACTOR and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORs and sub-CONTRACTORs for loss or damage to the equipment of COMPANY and/or its CONTRACTORs or sub-CONTRACTORs when such loss or damage or liabilities arises out of or in connection with the performance of the contract.
- 15.8** The COMPANY hereby further agrees to waive its right of recourse and agrees to cause it underwriters to waive their right of subrogation against CONTRACTOR and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORs and sub- CONTRACTORs for injury to, illness or death of any employee of the COMPANY and of its CONTRACTORs, sub-CONTRACTORs and/or their employees when such injury, illness or death arises out of or in connection with the performance of the Contract.
- 16.0** **LIMITATION OF LIABILITY:**
- a) Notwithstanding any other provisions herein to the contrary, except only in cases of Wilful misconduct and/or criminal acts and/or criminal negligence, neither the CONTRACTOR nor the COMPANY (OIL) shall be liable to the other, whether in Contract, tort, or otherwise, for any consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided however that this exclusion shall not apply to any obligation of the CONTRACTOR to pay Liquidated Damages to the COMPANY and/or COMPANY's right to forfeit the Performance Bank Guarantee(s) in terms of the contract.
- b) Notwithstanding any other provisions incorporated elsewhere in the contract, the aggregate liability of the CONTRACTOR in respect of this contract, whether under Contract, in tort or otherwise, shall not exceed 100% of the Contract Price (if not specified otherwise in SCC), provided however that this limitation shall not apply to the cost of repairing or replacing defective equipment by the CONTRACTOR, or to any obligation of the CONTRACTOR to indemnify the COMPANY with respect to Intellectual Property Rights.
- c) COMPANY shall indemnify and keep indemnified CONTRACTOR harmless from and against any and all claims, costs, losses and liabilities in excess of the aggregate liability amount in terms of clause (b) above.

**17.0** **LIABILITY OF UNION GOVERNMENT OF INDIA:**

It is expressly understood and agreed upon by and between CONTRACTOR and OIL INDIA LIMITED, and that OIL INDIA LIMITED is entering into this agreement solely on its own behalf and not on behalf of any other person or entity. In

particular, it is expressly understood and agreed that Union of India is not a party to this agreement and has no liabilities, obligations or rights, whatsoever hereunder. It is expressly understood and agreed that OIL INDIA LIMITED is an independent legal entity with power and authority to enter into contracts solely on its own behalf under the applicable laws of India and general principles of the Contract law. The bidder/ CONTRACTOR expressly agrees, acknowledges and understands that OIL INDIA LIMITED is not an agent, representative or delegate of the Union of India. It is further understood and agreed that Union of India is not and shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the contract. Accordingly, bidder/ CONTRACTOR hereby expressly waives, releases and foregoes any and all actions or claims, including cross claims, impleader claims or counter claims against the Union of India arising out of this contract and covenants not to sue the Union of India as to any manner, claim, cause of action or thing whatsoever arising of or under this agreement.

**18.0 CONSEQUENTIAL DAMAGE:**

Except as otherwise expressly provided, neither party shall be liable to the other for special, indirect or consequential damages resulting from or arising out of the contract, including but without limitation, to loss or profit or business interruptions, howsoever caused and regardless of whether such loss or damage was caused by the negligence (either sole or concurrent) of either party, its employees, agents or sub- CONTRACTORS.

**19.0 RISK PURCHASE:**

In the event, CONTRACTOR's failure to provide the services as per the Contractual scope, terms and conditions, COMPANY (OIL) reserves the right to hire the services from any other source at the CONTRACTOR's risk & cost and the difference in cost shall be borne by the CONTRACTOR. Further, OIL shall retain the right of forfeiture of Performance Bank Guarantee and any other action as deemed fit. In certain operational situations OIL reserves the right to take over the site including the service equipment at the risk and cost of the CONTRACTOR.

**20.0 INDEMNITY AGREEMENT:**

**20.1** Except as provided hereof CONTRACTOR agrees to protect, defend, indemnify and hold COMPANY harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of CONTRACTOR's employees, agents, CONTRACTORS and sub-CONTRACTORS or their employees or in favour of any third party(is) on account of bodily injury or death, or damage to personnel/property as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.

**20.2** Except as provided hereof COMPANY agrees to protect, defend, indemnify and hold CONTRACTOR harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of COMPANY's employees, agents, CONTRACTORS and sub-CONTRACTORS or their employees or in favour of any third party(is) on account of bodily injury or death, or damage to

personnel/property as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.

**21.0 INDEMNITY APPLICATION:**

The indemnities given herein above, whether given by COMPANY or CONTRACTOR shall be without regard to fault or to the negligence of either party even though said loss, damage, liability, claim, demand, expense, cost or cause of action may be caused, occasioned by or contributed to by the negligence, either sole or concurrent of either party.

**22.0 ROYALTY PATENTS:**

Each party shall hold harmless and indemnify the other from and against all claim and proceedings for or on account of any patent rights, design, trade mark or other protected rights arising from any use of materials, equipment, processes, inventions and methods, which have not been imposed on the attending party by the terms of the contract or the specifications forming part thereof.

**23.0 WARRANTY AND REMEDY OF DEFECTS:**

**23.1** CONTRACTOR warrants that they shall perform the work in a first class, workmanlike, and professional manner and in accordance with their highest degree of quality, efficiency and current state of the art technology/industry practices and in conformity with all specifications, standards and drawings set forth or referred to in the Terms of Reference and with instructions and guidance, which COMPANY may, from time to time, furnish to the CONTRACTOR.

**23.2** Should COMPANY discover at any time during the tenure of the Contract or till the Unit/equipment/tools are demobilised from site or base camp (if applicable) that the work does not conform to the foregoing warranty, CONTRACTOR shall after receipt of notice from COMPANY, promptly perform any and all corrective work required to make the services conform to the Warranty. Such corrective Work shall be performed entirely at CONTRACTOR's own expenses. If such corrective Work is not performed within a reasonable time, the COMPANY, at its option may have such remedial Work performed by others and charge the cost thereof to CONTRACTOR subject to a maximum of the contract value payable for the defective work which needs corrective action which the CONTRACTOR must pay promptly. In case CONTRACTOR fails to perform remedial work, or pay promptly in respect thereof, the performance security shall be forfeited.

**24.0 SUBCONTRACTING/ASSIGNMENT:**

**24.1** CONTRACTOR shall not subcontract, transfer or assign the contract, or any part under this contract, to any third party(ies). Except for the main services under this contract, CONTRACTOR may sub-contract the petty support services subject to COMPANY's prior written approval. However, CONTRACTOR shall be fully responsible for complete execution and performance of the services under the Contract.

**24.2** Consequent upon of placement of contract, if successful bidder(s)(other than Micro/Small Enterprise) is procuring materials/services from their sub-vendor,

who is a Micro or Small Enterprise registered with District Industry Centers or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts and Handloom or any other body specified by Ministry of MSME with prior consent in writing of the purchasing authority/Engineer in Charge the details like Name, Registration No., Address, Contact No., details of material and value of procurement made, etc. of such enterprises shall be furnished by the CONTRACTOR at the time of submission of invoice/bill.

**25.0 RECORDS, REPORTS AND INSPECTION:**

The CONTRACTOR shall, at all times during the currency of the contract, permit the COMPANY and its authorized employees and representatives to inspect all the Work performed and to witness and check all the measurements and tests made in connection with the said work. The CONTRACTOR shall keep an authentic, accurate history and logs including safety records of each service item with major items consumed, which shall be open at all reasonable times for inspection by the COMPANY's designated representatives and its authorized employees. The CONTRACTOR shall provide the COMPANY's designated representatives with a daily written report, on form prescribed by the COMPANY showing details of operations during the preceding 24 hours and any other information related to the said services requested by the COMPANY whenever so requested. The CONTRACTOR shall not, without COMPANY's written consent allow any third person(s) access to the said information or give out to any third person information in connection therewith.

**26.0 CONFIDENTIALITY, USE OF CONTRACT DOCUMENTS AND INFORMATION:**

**26.1** CONTRACTOR shall not, without COMPANY's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing pattern, sample or information furnished by or on behalf of COMPANY in connection therewith, to any person other than a person employed by CONTRACTOR in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only, as may be necessary for purposes of such performance with prior permission from COMPANY. However, nothing hereinabove contained shall deprive the CONTRACTOR of the right to use or disclose any information which is:

- a) possessed by the CONTRACTOR, as evidenced by the CONTRACTOR's written records, before receipt thereof from the COMPANY which however the CONTRACTOR shall immediately inform to COMPANY; or
- b) required to be disclosed by the CONTRACTOR pursuant to an order of a court of competent jurisdiction or other governmental agency having the power to order such disclosure, provided the CONTRACTOR uses its best efforts to provide timely notice to COMPANY of such order to permit COMPANY an opportunity to contest such order subject to prior permission from COMPANY.

**26.2** CONTRACTOR shall not, without COMPANY's prior written consent, make use of any document or information except for purposes of performing the contract.

**26.3** Any document supplied to the CONTRACTOR in relation to the contract other than the Contract itself remain the property of COMPANY and shall be returned (in all

copies) to COMPANY on completion of CONTRACTOR's performance under the Contract if so required by COMPANY.

- 26.4** During the currency of the Contract, COMPANY and its employees, agents, other CONTRACTORS, sub-CONTRACTORS (of any tier) and their employees etc. may be exposed to certain confidential information and data of the CONTRACTOR. Such information and data held by the COMPANY, its employees, agents, other CONTRACTORS, sub-CONTRACTORS (of any tier) and their employees in the strictest Confidence and shall not be disclosed to any other party except on a need to know basis.

However, the above obligation shall not extend to information which:

- i) is, at the time of disclosure, known to the public which CONTRACTOR shall immediately inform COMPANY;
- ii) is lawfully becomes at a later date known to the public through no fault of CONTRACTOR subject to CONTRACTOR's undertaking that no information has been divulged by them to the public;
- iii) is lawfully possessed by CONTRACTOR before receipt thereof from COMPANY which should be immediately informed to COMPANY;
- iv) is developed by CONTRACTOR independently of the information disclosed by COMPANY which should be shared with the COMPANY;
- v) CONTRACTOR is required to produce before competent authorities or by court order subject to prior permission from COMPANY;

**27.0 REMUNERATION AND TERMS OF PAYMENT:**

- 27.1** COMPANY shall pay to the CONTRACTOR during the term of the Contract the amount due from time to time calculated according to the rates of payment set and in accordance with other provisions hereof. No other payments shall be due from COMPANY unless specifically provided for in the Contract. All payments will be made in accordance with the terms hereinafter described.

- 27.2** Request for payment/part payment to third party i.e. other than the party on whom the contract has been awarded will not be entertained by OIL under any circumstances.

- 27.3** MANNER OF PAYMENT: All payments due by COMPANY to CONTRACTOR hereunder shall be made at CONTRACTOR's designated bank. Bank charges, if any will be on account of the CONTRACTOR.

- 27.4** Payment of any invoices shall not prejudice the right of COMPANY to question the validity of any charges therein, provided COMPANY within one year after the date of payment shall make and deliver to CONTRACTOR written notice of objection to any item or items the validity of which COMPANY questions.

- 27.5** INVOICES: Mobilization charges will be invoiced only upon completion of mobilization as certified by COMPANY representative and CONTRACTOR is ready at site for starting the services/ operation. Payment of mobilization charges shall be made within 45 days following the date of receipt of undisputed invoices

by COMPANY.

- 27.6** CONTRACTOR shall send invoice to COMPANY on the day following the end of each month for all daily or monthly charges due to the CONTRACTOR.
- 27.7** CONTRACTOR will submit 02 (Two) sets of all invoices duly super scribed 'Original' and 'copy' as applicable to the COMPANY for processing payment. Separate invoices for the charges payable under the contract shall be submitted by the CONTRACTOR for foreign currency and Indian currency.
- 27.8** Payment of monthly invoices, if undisputed, shall be made within 30 days following the date of receipt of invoice by COMPANY.
- 27.9** COMPANY shall within 30 days of receipt of the invoice notify the CONTRACTOR of any item under dispute, specifying the reasons thereof, in which event, payment of the disputed amount may be withheld until settlement of the dispute, but payment shall be made of any undisputed portion on or before the due date. This will not prejudice the COMPANY's right to question the validity of the payment at a later date as envisaged in clause no. **27.4** above.
- 27.10** The acceptance by CONTRACTOR of part payment on any billing not paid on or before the due date shall not be deemed a waiver of CONTRACTOR's rights in any other billing, the payment of which may then or thereafter be due.
- 27.11** Payment of Final demobilization charges shall be made if applicable within 45 days on receipt of invoice by COMPANY accompanied by the following documents from the CONTRACTOR:
- a) Audited account up to completion of the Contract.
  - b) Tax audit report for the above period as required under the Indian Tax Laws.
  - c) Documentary evidence regarding the submission of returns and payment to taxes for the expatriate personnel engaged by the CONTRACTOR or by its sub-CONTRACTOR.
  - d) Proof of re-export of all items including the unutilized spares and consumables (excepting consumables consumed during the contract period) and also cancellation of re-export bond if any.
  - e) Any other documents as required by applicable Indian Laws.

In case, no demobilization charges are payable, the documents mentioned above will have to be submitted by the CONTRACTOR before release of the final payment by the COMPANY. A certificate from Chartered Accountant on (a), (b) & (c) above will suffice

- 27.12** CONTRACTOR shall maintain complete and correct records of all information on which CONTRACTOR's invoice are based upto 02 (two) years from the date of last invoice. Such records shall be required for making appropriate adjustments or payments by either party in case of subsequent audit query/objection.

**28.0 PAYMENT OF COMMISSION/FEE/REMUNERATION OF INDIAN AGENT/CONSULTANT/REPRESENTATIVE/RETAINER/ASSOCIATE OF FOREIGN PRINCIPAL (APPLICABLE IN ICB TENDERS ONLY):**

The Commission/Fee/remuneration of the Indian agent/consultant/associate/representative/retainer, if any, will be paid within 30 days of the payment of invoice made to the CONTRACTOR, The amount of commission/fee/remuneration as a percentage of invoice value as per contract provisions will be deducted by COMPANY/OIL from the monthly invoices of the CONTRACTOR and paid to the Indian agent/consultant/representative/retainer/associate.

**29.0 DETAILS OF STATUTORY PAYMENTS LIKE EPF AND ESI, ETC:**

Wherever applicable, the CONTRACTOR (including those engaging 'International Workers') shall have itself registered under Employees' Provident Fund and Miscellaneous Provisions Act, 1952 and Employees' State Insurance Act, 1948 and follow the relevant statutory provisions including Rules made there-under concerning contractual workers.

The CONTRACTOR shall be required to submit the following documents/details to the Corporation:

- (i) Copy of PF-ECR duly stamped by the designated Bank, alongwith a print of the digitally signed PDF data sheet of the ECR, as proof of payment, each month, details of this PDF data sheet shall be verified by the appropriate authority (i.e. Payment Making Authority) in the COMPANY from the official website of EPFO (<http://www.epfindia.gov.in>).
- (ii) (a) Copy of the online challan endorsed/stamped by the designated bank as proof of receipt of payment towards monthly contribution of ESI contribution.  
  
(b) Copy of Return of contribution in respect of ESI for each contribution period of the six months i.e. for the contribution period ended 30th Sept and the contribution period ended 31st March.
- (iii) As an Annexure to each EPF-ECR and ESI Challan(s), CONTRACTOR shall also furnish the following Certificates:
  - 1) The furnished information is correct to the best of his knowledge.
  - 2) In case any discrepancies or irregularities is /are noticed in this undertaking, then OIL is free to inform the PF/ESIC Authorities.
  - 3) Before the completion of contract, CONTRACTOR shall serve one-month notice to all his contractual workers, informing that their services will be terminated.
  - 4) Within one month on completion/expiry of the contract, CONTRACTOR shall pay all the dues/ terminal dues such as leave with wages, bonus (if applicable), Gratuity (if applicable), to all his contractual workmen, failing which CONTRACTOR's Bank Guarantee/ Security Deposit may be withheld by OIL.

COMPANY may verify the deposit of statutory contribution made by the CONTRACTORs with the EPFO/ESI authorities, where deemed necessary.

However, before making payment of the last bill/invoice of the CONTRACTOR, the COMPANY may verify the details/status of the payment towards EPF/ESI made by the CONTRACTOR from the authorities/official website of EPF/ESI (i.e. <http://www.epfindia.gov.in> and <http://www.esic.in>). In case the information furnished by the CONTRACTOR is found to be incorrect the COMPANY shall take appropriate action against the CONTRACTOR in accordance with law.

The CONTRACTOR agrees and undertakes to indemnify OIL for any liabilities arising out of declarations made by him in future on violation or provisions of the EPF Act 1952 and ESI Act 1948.

**30.0 TIMELY MOBILIZATION AND LIQUIDATED DAMAGES:**

a) Time is the essence of this Contract. If the CONTRACTOR fails to mobilize and deploy the required manpower/equipment and/or fails to commence the operation within the period specified as specified under mobilization clause under SCC, OIL shall have, without prejudice to any other right or remedy in law or contract including sub clause (b) below, the right to terminate the contract.

b) If the contractor is unable to mobilize/deploy and commence the operation within the period specified in sub clause (a) above, it may request OIL for extension of the time with unconditionally agreeing for levy and recovery of LD. Upon receipt of such a request, OIL may at its discretion, extend the period of mobilization and shall recover from the CONTRACTOR, as an ascertained and agreed Liquidated Damages, a sum equivalent to @ 0.5% of contract value including mobilization cost, per week or part thereof of delay subject to maximum of 7.5% of the Contract Price.

c) The parties agree that the sum specified above is not a penalty but a genuine pre-estimate of the loss/damage which will be suffered by OIL on account of delay on the part of the CONTRACTOR and the said amount will be payable without proof of actual loss or damage caused by such delay.

d) LD will be calculated on the basis of Total Contract value [(if not specified otherwise in SCC) excluding duties and taxes, where such duties/taxes have been shown separately in the contract. However, the applicable GST on the LD shall have to be borne by the CONTRACTOR. Accordingly, the liquidated damages shall be recovered from the CONTRACTOR along with applicable GST.

**31.0 FORCE MAJEURE:**

In the event of either party being rendered unable by 'Force Majeure' to perform any obligation required to be performed by them under the contract, the relative obligation of the party affected by such 'Force Majeure' will stand suspended as provided herein. The term force majeure as employed herein shall mean Acts of God such as earthquake, hurricane, typhoon, flood, volcanic activity etc.; war (declared /undeclared); riot, revolts, rebellion, terrorism, sabotage by persons other than the CONTRACTOR's Personnel; fires, explosions, ionising radiation or contamination by radio-activity or noxious gas, if not caused by CONTRACTOR's fault; declared epidemic or disaster; acts and regulations of respective Govt. of the two parties, namely the COMPANY and the CONTRACTOR and civil commotions, lockout not attributable to the CONTRACTOR.

Upon occurrence of such cause, the party claiming that it has been rendered unable as aforesaid thereby, shall notify the other party in writing within 72 (Seventy Two) hours of the alleged beginning and ending thereof, giving full particulars and satisfactory evidence in support of its claim.

Should 'force majeure' condition as stated above occurs and should the same be notified within 72 (Seventy two) hours after its occurrence the 'force majeure' rate (if specified in the SCC of the Contract) shall apply for the first 15 (fifteen) days for each such occasion.

Either party shall have the right to terminate the Contract if such 'force majeure' conditions continue beyond successive 60 (Sixty) days [or exclusively mentioned in the SCC of the Contract] with prior written notice of 15 days, provided termination of the Contract does not result into safety hazard to the life and property on account of withdrawal of operations or the operation is at critical stage. COMPANY shall have the absolute right to decide whether any safety hazard exists or operation is at critical position and decision of the COMPANY shall be binding upon the CONTRACTOR.

Should either party decide not to terminate the Contract even under such condition, no payment would apply after expiry of fifteen (15) days force majeure period. [or exclusively mentioned in the SCC of the Contract]

Time for performance of the relative obligation suspended by Force Majeure shall then stand extended by the period for which such cause lasts.

If however, relative obligation of the party affected by such 'Force Majeure' is limited to part of the obligation(s), the contract shall not be terminated and the parties shall continue to perform their respective obligations, which are not affected by the 'force majeure' condition, provided the obligations affected by the 'force majeure' do not preclude the parties in performing the obligations not affected by such conditions.

**32.0 SET-OFF:**

Any sum of money due and payable to the CONTRACTOR (including Performance Security refundable to them) under this or any other Contract, whether in progress or in future, may be appropriated by OIL and set-off against any claim of OIL (or such other person or persons contracting through OIL) for payment of a sum of money arising out of this contract or under any other contract made by the CONTRACTOR with OIL (or such other person or persons contracting through OIL).

**33.0 WITHHOLDING:**

COMPANY may withhold or nullify the whole or any part of the amount due to CONTRACTOR, after informing the CONTRACTOR of the reasons in writing, on account of subsequently discovered evidence in order to protect COMPANY from loss on account of:

- 33.1** For non-completion of jobs assigned as per Scope of Work/Terms of Reference.
- 33.2** Defective work not remedied by CONTRACTOR.
- 33.3** Claims by COMPANY's recognized sub-CONTRACTOR of CONTRACTOR or others

filed or on the basis of reasonable evidence indicating probable filing of such claims against CONTRACTOR.

- 33.4** Failure of CONTRACTOR to pay or provide for the payment of salaries/ wages, contributions, taxes or enforced savings with-held from wages etc with respect to personnel engaged by the CONTRACTOR.
- 33.5** Failure of CONTRACTOR to pay the cost of removal of unnecessary debris, materials, tools, or machinery.
- 33.6** Any failure by CONTRACTOR to fully reimburse COMPANY under any of the indemnification provisions of this Contract. If, during the progress of the work CONTRACTOR shall allow any indebtedness to accrue for which CONTRACTOR, under any circumstances in the opinion of COMPANY, may be primarily or contingently liable or ultimately responsible and CONTRACTOR shall, within five days after demand is made by COMPANY, fail to pay and discharge such indebtedness, then COMPANY may during the period for which such indebtedness shall remain unpaid, with-hold from the amounts due to CONTRACTOR, a sum equal to the amount of such unpaid indebtedness.
- 33.7** Withholding will also be effected on account of the following:
- i) Order issued by a Court of Law or statutory authority in India.
  - ii) Income-tax deductible at source according to law prevalent from time to time in the country.
  - iii) Any obligation of CONTRACTOR which by any law prevalent from time to time to be discharged by COMPANY in the event of CONTRACTOR's failure to adhere to such laws.
  - iv) Any payment due from CONTRACTOR in respect of unauthorised imports.

When all the above grounds for withholding payments are removed, payment shall thereafter be made for amounts so with-held.

- 33.8** COMPANY reserves the right to disburse or deposit the amount so withheld to the concerned person(s) or agency or government authority, as the case may be, besides nullifying such amount on account of loss suffered by the COMPANY against **33.2, 33.3, 33.6 & 33.7** above.

**34.0** **APPLICABLE LAWS:**

The Contract shall be deemed to be a Contract made under, governed by and construed in accordance with the laws of India for the time being in force and shall be subject to the sole and exclusive jurisdiction of Courts situated in Dibrugarh (or the Place where the contract is executed) and Principal Bench of Gauhati High Court (or the High Court under whose territorial jurisdiction, the place of execution of contract falls).

This Agreement including all matter connected with this Agreement, shall be governed by the laws of India (both substantive and procedural) for the time being in force and shall be subject to exclusive jurisdiction of Courts, mentioned hereinabove. Foreign companies, operating in India or entering into Joint ventures

in India, shall also be governed by the laws of India and shall be subject to sole and exclusive jurisdiction of above Courts.

The CONTRACTOR shall ensure full compliance of various Indian Laws and Statutory Regulations, as stated below, to the extent applicable, as stated below, but not limited to, in force from time to time and obtain necessary permits/licenses etc. from appropriate authorities for conducting operations under the Contract:

- a) The Mines Act 1952
- b) The Oil Mines Regulations, 1984
- c) The Employees' Compensation Act, 1923
- d) The Code of Wages, 2019
- e) The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under
- f) The Employees Pension Scheme, 1995
- g) The Interstate Migrant Workmen Act., 1979 (Regulation of employment and conditions of service).
- h) The Employees Provident Fund and Miscellaneous Provisions Act, 1952
- i) Goods and Service Tax Act
- j) Customs & Excise Act & Rules
- k) Factories Act, 1948
- l) Industrial Disputes Act, 1947
- m) Payment of Gratuity Act, 1972
- n) Environmental Protection Act, 1986 & other pollution control Acts.

Note: The above Acts are only indicative and not exhaustive. The Acts shall include the rules and regulations framed thereunder.

### **35.0 LABOUR LAWS:**

- i) CONTRACTOR shall comply with the provisions of various labour related laws, including but not limited to the Code of Wages, 2019, Employee Provident Fund and Miscellaneous Provisions Act 1952, COMPANY's Liability Act 1938, Employees' Compensation Act 1923, Industrial Disputes Act 1947, the Maternity Benefit Act 1961 and Contract Labour (Regulation and Abolition) Act 1970, Employment of Children Act 1938, Employees' State Insurance Act, 1948 or any modifications/amendment thereof or any other law relating thereto and rules made there under from time to time.
- ii) No Labour below the age of eighteen [18] years shall be employed on the work.
- iii) CONTRACTOR shall not pay less than what is provided under law to labourers engaged by him on the work.
- iv) CONTRACTOR shall at his expense comply with all labour laws and keep the COMPANY indemnified in respect thereof.
- v) CONTRACTOR shall pay equal wages for men and women in accordance with applicable Labour laws.
- vi) If the CONTRACTOR is covered under the Contract Labour (Regulation and Abolition) Act, he shall obtain a license from licensing authority [i.e. office of the

Labour Commissioner] by payment of necessary prescribed fee and the deposit, if any, before starting the work under the Contract. Such fee/deposit shall be borne by the CONTRACTOR.

- vii) CONTRACTOR must obtain the PF Code from the concerned PF Authority under Employees Provident Fund and Miscellaneous Provisions Act, 1952. Similarly, CONTRACTOR must obtain ESI Code under Employees State Insurance Act.
- viii) CONTRACTOR being the employer of the labours/personnel to be engaged under the contract shall be liable to pay gratuity to the labours/personnel as per the provision of the Payment of Gratuity Act, 1972 and accordingly, shall keep the COMPANY indemnified in respect thereof. If however, COMPANY requires to pay gratuity to such labour(s) as per the direction of the competent authority under the Act, COMPANY shall recover such amount from the outstanding dues payable to the CONTRACTOR under the contract or any other contract(s).
- ix) CONTRACTOR shall furnish to Engineer in Charge the distribution return of the number & description, by trades of the work people employed on the works. CONTRACTOR shall also submit on the 4th & 19th of every month to Engineer in Charge a true statement showing in respect of the 2nd half of the preceding month & the 1st half of the current month (1) the accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them and (2) the number of female workers who have been allowed Maternity Benefit as provided in the Maternity Benefit Act 1961 on Rules made there under and the amount paid to them.
- x) Engineer in Charge shall on a report having been made by an inspecting officer as defined in Contract Labour (Regulation and Abolition) Act 1970 have the power to deduct from the money due to the CONTRACTOR any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfilment of the conditions of the Contract for the benefit of workers, non-payment of wages or of deductions made from his or their wages which are not justified by the terms of the Contract or non-observance of the said regulations.
- xi) The CONTRACTOR shall indemnify the COMPANY against any payments to be made under and for the observance of the provisions of the aforesaid acts without prejudice to his right to obtain indemnity from his sub-CONTRACTOR.

### **36.0 STATUTORY REQUIREMENTS:**

During the tenure of this CONTRACT nothing shall be done by the CONTRACTOR in contravention of any law, act and/or rules/regulations, thereunder or any amendment

### **37.0 GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) GUIDELINES:**

- 37.1** It will be solely the CONTRACTOR's responsibility to fulfil all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-CONTRACTORS hired by CONTRACTOR comply with the same requirement as the CONTRACTOR himself and shall be liable for ensuring compliance all HSE laws.

- 37.2** It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager/Safety Officer/Engineer/Official/Supervisor/Junior Engineer for safe operation.
- 37.3** Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.
- 37.4** Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- 37.5** When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE Measures Company shall have the right to direct the contractor to cease work until the non-compliance is corrected.

**38.0 POLLUTION AND CONTAMINATION:**

The CONTRACTOR shall be liable for all surface and sub-surface pollution to the extent caused by CONTRACTOR and resulting from CONTRACTOR's operation/service or spillage or dumping of solvents/additive substances or pollutants, which the CONTRACTOR brings to the Site for use in connection with Work to be performed under this Contract.

Notwithstanding anything to the contrary contained herein, it is agreed that except on the ground of willful misconduct or criminal misconduct, COMPANY shall release, indemnify and hold CONTRACTOR and its sub-CONTRACTORS harmless from any and all claims, judgments, losses, expenses and any costs related thereto (including but not limited to Court costs and "Attorney's fees") for:

- a) Damage to or loss of any reservoir or producing formation; and/ or
- b) Damage to or loss of any well; and/ or
- c) Any other subsurface damage or loss; and/ or
- d) Any property damage or loss or personal injury or death arising out of or in connection with a blowout, fire explosion and loss of well control regardless of cause.

**39.0 STATUTORY VARIATION/ NEWLY ENACTED LAW:**

- 39.1** All duties, taxes except otherwise specified in the Contract as applicable on the closing date of bid submission as per relevant acts and rules shall be in CONTRACTOR's account. Variation in case of custom duty on CIF value declared by the bidder shall be to COMPANY account.
- 39.2** In the event of introduction of any new legislation or any amendment or enforcement of any Act or Law, rules or regulations of Government of India or State Government(s) or Public Body, which becomes effective after the date of

submission of Price Bid or revised price bid, if any, for this CONTRACT and which results in increased/decreased cost of the works under the CONTRACT through increased/decreased liability of taxes and/or duties, required to be paid by the CONTRACTOR, (other than personnel and Corporate taxes), the Parties shall agree to a revision in pricing to reflect such change subject to the production of documentary proof to the satisfaction of the COMPANY/CONTRACTOR as applicable to the extent which directly is attributable to such introduction of new legislation or change or amendment as mentioned above and adjudication by the competent authority (applicable when disputed by COMPANY) & the courts wherever levy of such taxes/duties are disputed by COMPANY/CONTRACTOR.

- 39.3** Any increase in net amount of the duties and taxes (i.e. the amount of taxes/duties payable minus eligible credit of taxes/duties paid on input services/inputs) after the contractual completion/mobilization date during the extended period will be to the CONTRACTOR's account, where delay in completion /mobilization period is attributable to the CONTRACTOR. However, any decrease in net amount of the duties and taxes (i.e. the amount of taxes/duties payable minus eligible credit of taxes/duties paid on input services/inputs) after the contractual completion/mobilization date will be to COMPANY's account.
- 39.4** The Contract Price and other prices given in the Schedule of Prices are based on the applicable tariff as indicated by the CONTRACTOR in the Schedule of Prices. In case this information subsequently proves to be wrong, incorrect or misleading, COMPANY will have no liability to reimburse/pay to the CONTRACTOR the excess duties, taxes, fees, if any finally levied/imposed by the concerned authorities. However, in such an event, COMPANY will have the right to recover the difference in case the rate of duty/tax finally assessed is on the lower side.
- 39.5** Notwithstanding the provision contained in Clause-39.1 to 39.4 above, the COMPANY shall not bear any liability in respect of:
- i. Personal taxes on the personnel deployed by CONTRACTOR, his sub-CONTRACTOR/sub-sub-CONTRACTORs and Agents etc.
  - ii. Corporate taxes and Fringe benefit tax in respect of CONTRACTOR and all of their sub-CONTRACTORs, agents etc.
  - iii. Other taxes & duties including Customs Duty and GST in addition to new taxes etc. in respect of sub-CONTRACTORs, vendors, agents etc. of the CONTRACTOR.
  - iv. Any liability on the CONTRACTOR, which was accrued under the old law or contract, which the CONTRACTOR is obligated to pay either to the COMPANY or to the Government Authority.
- 39.6** In order to ascertain the net impact of the amendment/ revisions/enactment of various provisions of taxes/duties, the CONTRACTOR is liable to provide following disclosure to COMPANY:
- i. Details of each of the input services used in relation to providing service to COMPANY including estimated monthly value of input service and GST tax amount.

ii. Details of Inputs (material/consumable) used/required for providing service to COMPANY including estimated monthly value of input and GST paid/payable on purchase of inputs.

**39.7** The above provisions would be applicable only in case of variation in rate of taxes and duties on supply of services to OIL and not applicable on taxes and duties on input (goods and services) towards such services.

**39.8** Any claim or reduction on account of change in law shall be accompanied with undertaking that the provisions of anti- profiteering clause under GST Act have been complied with.

**40.0 SEVERABILITY:**

Should any provision of this agreement be found to be invalid, illegal or otherwise not enforceable by any court of law, such finding shall not affect the remaining provisions hereto and they shall remain binding on the parties hereto.

**41.0 COMMISSION OF MISCONDUCT/SUBMISSION OF FRAUDULENT DOCUMENT BY THE BIDDER/CONTRACTOR AND BANNING THEREOF:**

The information and documents furnished by the bidder/CONTRACTOR in respect of the tender/contract are accepted by COMPANY to be true and genuine. However, if it comes to the notice of the COMPANY anytime either during the pendency of the tender or after award of the contract or after completion the contract that a Bidder/CONTRACTOR furnished fraudulent document/false information in relation to the subject tender/contract or committed any misconduct, appropriate action shall be taken against the Bidder/CONTRACTOR for debarment/banning of the bidder/CONTRACTOR from participating in any future tender of the COMPANY in terms of the COMPANY's Banning Policy, 2017 besides making the CONTRACTOR liable for other penal action including termination of ongoing contract(s) at his/her risk and peril. In such event, the Performance Security in respect of ongoing contract(s) shall be forfeited by the COMPANY.

**42.0 SETTLEMENT OF DISPUTES:**

**42.1** If dispute of any kind whatsoever shall arise between the company and the contractor in connection with or arising out of the contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the facilities, whether during the progress of the facilities or after their completion and whether before or after the termination, abandonment or breach of the contract, the parties shall seek to resolve any such dispute or difference by mutual consultation. If the parties fail to resolve any such dispute or difference by mutual consultation, then the dispute may be settled through Settlement Advisory Committee (SAC). In the event, a dispute remains unsettled then Arbitration/ other remedies available under the applicable laws may be availed by the Contractor.

**42.2 Resolution of Dispute through SAC:**

- a) OIL has framed the Conciliation Rules 2020 in conformity with Part III of the Arbitration and Conciliation Act 1996 as amended from time to time for speedier, cost effective and amicable settlement of disputes through conciliation.

- b) If the parties fail to resolve such a dispute or difference by mutual consultation as per clause no. 42.1, the dispute, if the parties agree, may be referred to conciliation in accordance with OIL Conciliation Rules 2020 as amended from time to time. A copy of the said Rules has been made available on OIL's Website i.e. [www.oil-india.com](http://www.oil-india.com)
- c) Where the invitation for conciliation has been accepted by the other party, the parties shall attempt to settle such dispute(s) amicably under OIL conciliation Rules 2020.
- d) Parties shall invoke arbitration clauses only after exhausting the option of conciliation as an Alternative Dispute Resolution Mechanism. For the purpose of this clause, the option of conciliation shall be deemed to have been exhausted, even in case of rejection of conciliation by any of the parties.

**42.3 Arbitration (Applicable for Suppliers/Contractors other than PSU and MSME):**

1. Except as otherwise provided elsewhere in the contract, if any dispute, difference, question or disagreement arises between the parties hereto or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the contract or breach thereof which parties are unable to settle mutually through Conciliation/Mediation, the same shall be referred to Arbitration.
2. A party wishing to commence arbitration proceeding shall invoke an Arbitration Clause by giving 30 days' notice to the other party. The notice invoking arbitration shall specify all the points of dispute with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter. If the claim is in foreign currency, the claimant shall indicate its value in Indian Rupee for the purpose of constitution of the arbitral tribunal.
3. The number of arbitrators and the appointing authority will be as under: Claim amount (excluding claim for interest and counter claim, if any)

<b>Claim amount. {excluding claim for interest counter claim, if any}</b>	<b>Number of Arbitrator</b>	<b>Appointing Authority</b>
Up to Rs. 25.00 Lakh	Not applicable	Not applicable
Above Rs. 25.00 Lakh Up to Crore	Sole Arbitrator from the of Arbitrators' List maint by OIL	Mutually to be decid the Parties.

4. The Parties agree that dispute involving claims below Rs. 25 lakhs and above Rs. 5 crores shall not be subject matter of Arbitration but subject to the exclusive jurisdiction of the Court(s) situated at New Delhi.
5. The parties agree that they shall appoint only those persons as arbitrators who

accept the conditions of the arbitration clause. No person shall be appointed as Arbitrator or Presiding Arbitrator who does not accept the conditions of the arbitration clause.

6. If any of the Arbitrators so appointed dies, resigns, becomes incapacitated or withdraws for any reason from the proceedings, it shall be lawful for the concerned party/arbitrators to appoint another person in his place in the same manner as aforesaid. Such person shall proceed with the reference from the stage where his predecessor had left if both parties consent for the same; otherwise, he shall proceed de novo.
7. Parties agree and undertake that neither shall be entitled for any pre- reference or pendent-lite interest on its claims. Parties agree that any claim for such interest made by any party shall be void. Parties agree that a claim for any such interest shall not be considered and shall be void. The Arbitrator or Tribunal shall have no right to award pre-reference or pendent-lite interest in the matter.
8. The arbitral tribunal shall complete the proceedings, make and publish the award within time stipulated in the Arbitration and Conciliation Act, 1996(as amended from time to time)
9. If after commencement of the arbitration proceedings, the parties agree to settle the dispute mutually or refer the dispute to conciliation, the arbitrators shall put the proceedings in abeyance until such period as requested by the parties. Where the proceedings are put in abeyance or terminated on account of mutual settlement of dispute by the parties, the fees payable to the arbitrators shall be determined as under:
  - a) 20% of the fees if the claimant has not submitted a statement of claim.
  - b) 40% of the fees if the pleadings are complete.
  - c) 60% of the fees if the hearing has commenced.
  - d) 80% of the fees if the hearing is concluded but the award is yet to be passed.
10. Each party shall be responsible to make arrangements for the travel and stay etc. of the arbitrator appointed by it. Claimant shall also be responsible for making arrangements for travel and stay of the Presiding Arbitrator and the expenses incurred shall be shared equally by the parties. In the case of sole arbitrator, both parties shall equally share all expenditures that may be required to be incurred.
11. The fees and other administrative/secretarial expenses of the arbitrator(s) shall not exceed the model fee as stipulated in the Schedule of the Act and such expenses shall be equally borne by the parties.
12. The seat and venue of the arbitration proceeding shall be New Delhi.

#### **42.4 Arbitration (applicable in case of Contract awarded on Public Sector Enterprise):**

1. If the Parties fail to resolve such a dispute or differences by Mutual Consultation/Good Faith Discussions, such disputes or difference shall be taken up by either party for resolution through Administrative Mechanism for Resolution

of CPSEs Disputes (AMRCD) as mentioned in DPE Office Memorandum No. 05/0003/2019-FTS-10937 dated 14.12.2022 issued by Department of Public Enterprises, Ministry of Heavy Industries and Public Enterprises, Government of India and its further clarifications, modifications and amendments, issued from time to time.

2. A party wishing to commence arbitration proceedings shall invoke Arbitration Clause and refer the dispute(s) to AMRCD with a copy to the other party. The notice invoking arbitration shall specify all the points of dispute with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter.
3. Upon such reference, the dispute shall be decided by the Competent Authority appointed under the AMRCD, whose decision shall bind the parties finally and conclusively. The parties in the dispute will share equally the cost of the arbitration as intimated by the Arbitrator.

#### **42.5 Arbitration (Applicable to Micro, Small and Medium Enterprise)**

In the event of any dispute or difference relating to, arising from, or connected with the Contract, efforts shall be made to resolve the dispute(s) amicably by mutual consultation and in case such dispute(s) cannot be resolved through mutual consultation, then same shall be resolved through the procedure as prescribed in Section-18 of the Micro, Small and Medium Enterprises Development Act, 2006.

#### **42.6 Exclusions**

Parties agree that following matters shall not be referred to conciliation or arbitration:

- a) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision to initiate any proceedings for suspension or debarment or banning, or decision to suspend or to ban or to debar business dealings with the bidder/CONTRACTOR and/or with any other person involved or connected or dealing with bid/contract/bidder/CONTRACTOR.
- b) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision under the provisions of Integrity Pact executed between OIL and the Bidder/CONTRACTOR.
- c) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision to comply with any order or directive of any statutory or government authority.

#### **43.0 COMPLETION OF CONTRACT:**

Unless otherwise terminated under the provisions of any other relevant Clause or extended through written communication, this Contract shall be deemed to have been completed at the expiry of the Period specified in the contract or period of defect liability, as provided for under the Contract, whichever is later.

#### **44.0 TERMINATION:**

- 44.1 Termination on expiry of the contract:** This Agreement shall be deemed to have been automatically terminated on the expiry of the contract period unless OIL has exercised its option to extend this contract in accordance with the provisions, if any, of this contract.
- 44.2 Termination of contract for death:** If the CONTRACTOR is an individual or a proprietary concern and the individual or the proprietor dies or if the CONTRACTOR is a partnership concern and one of the partners dies then unless, the COMPANY is satisfied that the legal heir of the individual or the proprietary concern or the surviving partners are capable of carrying out and completing Contract, the COMPANY is entitled to cancel the Contract for the uncompleted part without being in any way liable for any compensation payment to the estate of the deceased CONTRACTOR and/or to the surviving partners of the CONTRACTOR's firm on account of the cancellation of Contract. The decision of the COMPANY in such assessment shall be final & binding on the parties. In the event of such cancellation, the COMPANY shall not hold the estate of the deceased CONTRACTOR and/or the surviving partners of CONTRACTOR's firm liable for any damages for non-completion of the Contract.
- 44.3 Termination on account of Force Majeure:** Unless the contract provides otherwise, either party shall have the right to terminate this Contract on account of Force Majeure as set forth in Article-31.0 above.
- 44.4 Termination on account of insolvency:** In the event that the CONTRACTOR or its collaborator or its guarantor at any time during the term of the Contract, becomes insolvent or makes a voluntary assignment of its assets for the benefit of creditors or is adjudged bankrupt or under the process of insolvency or liquidation, then the COMPANY shall, by a notice in writing have the right to terminate the Contract and all the CONTRACTOR's rights and privileges hereunder, shall stand terminated forthwith.
- However, COMPANY shall be at liberty to give the Receiver or Liquidator or Insolvency Professional Manager, as appointed by the Competent Court/Tribunal, the option of carrying out the Contract subject to its technical & financial competence and his providing a guarantee for due and faithful performance of the Contract.
- 44.5 Termination for Unsatisfactory Performance:** If the COMPANY considers that, the performance of the CONTRACTOR is unsatisfactory, or not as per the provision of the Contract, the COMPANY shall notify the CONTRACTOR in writing and specify in details the cause of dissatisfaction. The COMPANY shall have the option to terminate the Contract by giving 15 days notice in writing to the CONTRACTOR, if CONTRACTOR fails to comply with the requisitions contained in the said written notice issued by the COMPANY. In the event CONTRACTOR rectifies its non-performance to the satisfaction of the COMPANY, the option of termination may not be exercised by the COMPANY. If however CONTRACTOR repeats non-performance subsequently, COMPANY shall exercise the option to terminate contract by giving 07 days notice. Such CONTRACTOR shall be put on holiday as per the Banning Policy of OIL [available at [www.oil-india.in](http://www.oil-india.in)].
- 44.6 Termination due to change of ownership and Assignment:** In case the CONTRACTOR's rights and /or obligations under this Contract and/or the

CONTRACTOR's rights, title and interest to the equipment/ material, are transferred or assigned without the COMPANY's written consent, the COMPANY may at its option, terminate this Contract. COMPANY shall not be however under any obligation to accord consent to the CONTRACTOR for change of ownership & assignment of the contract.

- 44.7** If at any time during the term of this Contract, breakdown of CONTRACTOR's equipment results in CONTRACTORs being unable to perform their obligations hereunder for a period of 15 successive days, COMPANY at its option, may terminate this Contract in its entirety or partially to the extent non-performance, without any further right or obligation on the part of the COMPANY, except for the payment of money then due. No notice shall be served by the COMPANY under the condition stated above.
- 44.8 Termination for delay in mobilization:** CONTRACTOR is required to mobilize complete equipment alongwith crew for commencement of services at the specified site within the maximum allowed number of days from the date of LOA/Notice for Mobilization as specified in the special conditions of contract. If the CONTRACTOR (successful bidder) fails to complete the mobilization as above, OIL shall have, without prejudice to any other clause of the CONTRACT, the right to terminate the contract.
- 44.9** Notwithstanding any provisions herein to the contrary, the Contract may be terminated at any time by the COMPANY on giving 30 (thirty) days written notice to the CONTRACTOR due to any other reason not covered under the above Article from **44.1 to 44.8** and in the event of such termination the COMPANY shall not be liable to pay any cost or damage to the CONTRACTOR except for payment of services as per the Contract upto the date of termination.
- 44.10 Consequence of Termination:** In all cases of termination herein set forth, the relative obligations of the parties to the Contract shall be limited to the period up to the date of termination. Notwithstanding the termination of this Contract, the parties shall continue to be bound by the provisions of this Contract that reasonably require some action or forbearance after such termination.

Upon termination of this Contract, CONTRACTOR shall return to COMPANY all of COMPANY's properties, which are at the time in CONTRACTOR's possession.

In the event of termination of contract, COMPANY will issue Notice of termination of the contract with date or event after which the contract will be terminated. The contract shall then stand terminated and the CONTRACTOR shall demobilize their personnel & materials.

Demobilization charges shall not be payable by COMPANY in case of Article from **44.4 to 44.7**

**45.0 TO DETERMINE THE CONTRACT:**

In such an event (i.e. termination under Article No. 44.4 to 44.9 above), the contract shall stand terminated and shall cease to be in force from the date of such notification by the COMPANY. Thereafter the CONTRACTOR shall stop forthwith any of the work then in progress, except those work which the COMPANY may, in writing, require to be done to safeguard any property or work, or installations from

damages, and the COMPANY may take over the remaining unfinished work of the CONTRACTOR and complete the same through a fresh CONTRACTOR or by other means, at the risk and cost of the CONTRACTOR, and any of its sureties if any, shall be liable to the COMPANY for any excess cost occasioned by such work having to be so taken over and completed by the COMPANY over and above the cost at the rate/cost specified in the schedule of quantities and rates/prices.

**46.0 WITHOUT DETERMINING THE CONTRACT:** In such an event (i.e. termination under Article No. 44.4 to 44.9 above), the COMPANY may take over the work of the CONTRACTOR or any part thereof and complete the same through a fresh CONTRACTOR or by other means, at the risk and cost of the CONTRACTOR. The CONTRACTOR and any of its sureties are liable to the COMPANY for any excess cost over and above the cost at the rates specified in the schedule of quantities and rates/prices, occasioned by such work having been taken over and completed by the COMPANY.

**47.0 ERRING/DEFAULTING AGENCIES:**

Erring and defaulting agencies like bidder, CONTRACTOR, supplier, vendor, service provider will be dealt as per OIL's Banning Policy dated 6th January, 2017 available in OIL's website: [www.oil-india.com](http://www.oil-india.com). Moreover, OIL reserves the right to take legal or any other action on the basis of merit of the case.

**48.0 MISCELLANEOUS PROVISIONS:**

CONTRACTOR shall give notices and pay all fees at their own cost required to be given or paid by any National or State Statute, Ordinance, or other Law or any regulation, or bye-law of any local or other duly constituted authority as may be in force from time to time in India, in relation to the performance of the services and by the rules & regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the services.

CONTRACTOR shall conform in all respects with the provisions of any Statute, Ordinance of Law as aforesaid and the regulations or bye-law of any local or other duly constituted authority which may be applicable to the services and with such rules and regulation, public bodies and Companies as aforesaid and shall keep COMPANY indemnified against all penalties and liability of every kind for breach of any such Statute, Ordinance or Law, regulation or bye-law.

During the tenure of the Contract, CONTRACTOR shall keep the site where the services are being performed reasonably free from all unnecessary obstruction and shall store or dispose of any equipment and surplus materials and clear away and remove from the site any wreckage, rubbish or temporary works no longer required. On the completion of the services, CONTRACTOR shall clear away and remove from the site any surplus materials; rubbish or temporary works of every kind and leave the whole of the site clean and in workmanlike condition to the satisfaction of the COMPANY.

Key personnel cannot be changed during the tenure of the Contract except due to sickness/death/resignation of the personnel or any other justified situation in which case the replaced person should have equal experience and qualification, which will be again subject to prior approval, by the COMPANY.

**Format for Undertaking**

**UNDERTAKING REGARDING NON-INCLUSION OF HAZARDOUS SUBSTANCES**

[as per GCC Clause No. 14.12 (v)]

[On Bidder's Letter Head]

To,

M/s OIL INDIA LIMITED,  
CONTRACTS DEPARTMENT,  
DULIAJAN, ASSAM, INDIA, PIN-786602

Dear Sir,

This has reference to your Tender No. .... Dated ..... 20\_\_ on the subject  
.....

We.....(Name of the Company) confirm that no hazardous substance as stipulated in the Public Liability Insurance Act 1991 and the Rules framed thereunder will be handled during the performance of the aforesaid Tender/Contract.

It is hereby also confirmed that we will hold OIL harmless in case of any claim on us under the Public Liability Act Policy covering the statutory liability arising out of accidents occurring during the currency of the contract due to handling hazardous substances as provided in the Public Liability Insurance Act 1991 and the Rules framed thereunder.

Signature

(Name & Designation of Authorized person)

**SECTION-II: SCOPE OF WORK/TERMS OF REFERENCE AND TECHNICAL SPECIFICATIONS****1.0 INTRODUCTION:**

This section establishes the scope and schedule for the work to be performed by the Contractor and describes the specifications, instructions, standards and other documents including the specifications for any materials, tools or equipment, which the Contractor shall satisfy or adhere to in the performance of the work.

**2.0 DEFINITION OF WORK:**

To drill onshore wells with 2000 HP (Minimum) Capacity Drilling Rig with top drive system and associated equipment / tools & services for a firm period of 04 (four) years. The wells will be either straight vertical holes or planned deviated holes with formation pressure to be near or above hydrostatic. Well depths are expected to be in the range of 3800 - 6000 meters.

**3.0 AREA OF OPERATION:**

**3.1** The area of the operation will be primarily in the states of Assam & Arunachal Pradesh with a provision to deploy the service of the rig in OIL's other spheres anywhere in India. The total amount for movement of the rig packages to other spheres shall be at mutually agreed negotiated rate. Payment for all the other items shall be in accordance with the contract rate as per SOR. The first mobilization will be mostly in the districts of Dibrugarh, Tinsukia, Sibsagar & Charaideo - Assam or Changlang - Arunachal Pradesh. However, if the rig is required to be mobilized in the areas other than Assam & AP, the mobilization charges will be paid on mutually agreed terms and conditions.

**3.2** The following information are for general guidelines to the bidders. Company is not responsible for any deviation of figures being spelt out or met with for reason beyond their control.

- a) Minimum width of the well site approach road = 3.66 m.
- b) Turning Radius = 15m (Generally), 12 m (exceptionally)
- c) Maximum allowed height of vehicle with load from ground level = 4.67 m (*Height of the "Height Gauge Barrier" at Railway level crossing: 15.4 ft /4.67 m. Safe consignment height: 15 ft /4.57 m. Minimum Clearance that will be available: 0.4 ft /0.1 m*).
- d) Highest recorded wind velocity in Assam = 80 km/hour
- e) Max. Recorded ambient temp = 45 deg. Celsius
- f) Min. recorded ambient temp. = 5 deg. Celsius
- g) Weather Pattern: Frequent rains from April/May to September/ October with Moderate to Heavy rain and Occasional during the remaining period.
- h) Nature of top soil: Usually clay/Alluvium/ Unconsolidated.
- i) Source of water - Through shallow bore wells usually available at well Site. Otherwise from bore well situated at convenient Locations. Depth of bore well in the range of 15 to 50m (normally).
- j) Average annual rainfall: 250 / 300 cm.
- k) Humidity - max. 98%.

**4.0 SCOPE OF SERVICE:**

The Contractor shall provide the services of 01(one) no. of drilling rig package (with Top Drive) and all necessary equipment and personnel as listed and carryout drilling operations including but not limited to coring, round tripping, lowering & setting of casings, completion, abandonment, Production testing as and when required, and all other associated operations including, rig up, rig down, inter location movement etc. in accordance with the well drilling, and completion programme to be furnished by the company before commencement of the operation, which may be amended from time to time by reasonable modification as deemed fit by the company. The Contractor shall provide mobile Effluent Treatment Plant with each Rig package for effluent management (solid or liquid) generated during operation, suitable for meeting the requirements for drilling in N.E region in line with the guidelines from Ministry of Environment and Forest and also safe disposal of the effluents. Apart from this, the Contractor shall also provide spares for the entire rig package, tools and equipment, fuel (HSD) for running the operations, Lubricant and shall carry out drilling with tools & expert supplied by the contractor. The contractor shall keep adequate stock of spares at all times for uninterrupted progress of work and make available all items listed in this document ready for use. OIL shall provide suggestion on technical matters on request from contractor. However, the contractor shall be wholly responsible for rendering services as per scope of work.

- 4.1** Bit programme, mud programme, casing policy, well programme will be decided and provided by OIL.

**5.0 PRESENCE OF CO<sub>2</sub> & H<sub>2</sub>S:**

Presence of CO<sub>2</sub> is expected in the wells. Most of the wells are H<sub>2</sub>S free but in some rarest wells H<sub>2</sub>S is expected. Accordingly, the equipment/tools etc. to be offered by the Contractor shall be for generally in compliance of H<sub>2</sub>S environment.

**6.0 TECHNICAL SPECIFICATION OF RIG PACKAGE:**

The Contractor shall mobilize all necessary equipment and tools for successful and economic completion of the jobs mentioned. The contract includes supply of drilling rig package including haulage and transportation equipment and its services. HP rating of the rig offered should not be less than 2000 HP with top drive, Diesel Electrical AC/SCR Drilling Rig /AC- VFD Drilling Rig having self-elevating mast and sub-structure (as per API Standard- 4F) and should be capable of drilling 1+3 cluster well from the same plinth. The drilling rig should be rated for minimum nominal drilling depth range of 6000 m and the available horse power output of the rig engine package should be capable of running 2000 HP (minimum) Draw-works and minimum 02 (two) no. 1600 HP pumps simultaneously and complete with other associated system for Drilling. The drilling unit offered should not be more than 15 years vintage and should have a residual life of 7 years (minimum).

Bidder may offer rigs older than 15 years vintage but must fulfil the Vintage and Residual Life criteria as specified in Clause No. 2.3.5 & 2.3.6 of BEC-BRC.

## **7.0 SPECIFICATIONS OF DRILLING RIG**

### **7.1 GROUP – 1**

#### **A) MAST AND SUBSTRUCTURE:**

Swing lift cantilever type self-elevating mast and substructure with clear height of 142 ft. to 153 ft. Rated static hook load capacity of 10,00,000 lbs (1000 kps ) /4500 KN with 12 lines strung on travelling block as per API 4F specifications. Mast is to be designed for 69 mph wind load (Min.) with a full rack of pipe and 87 mph (Min.) on a bare mast. Casing capacity approximately 800,000 lbs simultaneously with 500,000 lbs / 2200 KN (minimum) of racked pipes.

Note: Crown Block capacity should be matching with Mast Capacity.

Self-elevating type sub-structure to have a clearance of minimum 25 ft. from ground level to underneath of rotary table beam. Mast is to be complete with raising lines, lifting lugs for raising, levelling shims, snubber unit and hydraulic jacks or better than the above conventional methods. Mast and substructure should be complete with levelling equipment for front and rear shoes and with all accessories for the operation and erection of the mast and substructure.

- i. The mast shall have a racking capacity of 5500 meters of 5 inch OD, 19.5 PPF, range # 2 drill pipe in thribbles.
- ii. Time taken on raising and lowering system of mast /substructure and job involvement in dismantling, transportation and assembling of the mast/substructure components should be minimum.
- iii. The mast shall be complete with tubing support frame (belly board optional), air hoist sheave units(2), sheave units for rig tongs (2) power tong / pipe spinner, tong counter weights, guides etc.
- iv. The mast shall be complete with dual stand pipe clamp for 5 inch OD stand pipes.
- v. The Racking board (thribbles board) shall be adjustable type and complete with emergency escape from racking board to ground.
- vi. Safety climb equipment for climbing up mast ladder upto crown block shall be provided.
- vii. Adjustable pneumatic or electrically or hydraulically operated casing stabbing board for running in range I & II tubular shall be provided.
- viii. The Sub-structure shall be complete with dog house support frame.
- ix. The Sub-structure shall be complete with tong back-up posts for rig tongs.
- x. Dog house/Driller's operating cabin shall be provided.
- xi. Two flight stairways at driller's side and off driller's side shall be provided.
- xii. The Mast shall be complete with skewed type crown block having 7 x 60" sheaves i.e. one fast line sheave and the remaining 6 nos. cluster sheaves suitable for drilling line.
- xiii. Mast and substructure shall be complete in all respects to start operation without any hold up.

- xiv. The mast & sub-structure shall be complete with grass hopper type cable rack suitable for elevating with rear floor.
- xv. The mast & sub-structure should be complete with combination ramp & stairs, catwalk & rack for casing and other tubular (provision for making doubles at rack & hoisting the same with Traveling Block to be kept).
- xvi. The derrick floor shall be complete in all respect and provided with suitable toe boards and safety railings.
- xvii. BOP TROLLEY BEAMS & BOP HANDLING SYSTEM - One (1) set of BOP trolley beams designed to pin under the substructure floor allowing for front entry of BOP stack complete with One (1) set of manually/ pneumatically / hydraulically operated BOP handling system with necessary trolleys, hoist, etc. with a system capacity of not less than 20 Short Ton (18.14 MT or 40,000 lbs) and having vertical lift not less than 4.3 M (14 feet).
- xviii. The mast shall be painted strictly as per Aviation / Indian Air Force Standards on deployment and later on whenever necessary. The same shall be specified in the contract. The mast shall be fitted with safe flasher type aviation warning light 1 no. at the crown, 4 nos. (At four corners) on the thribble board. These lights shall be operational at all times from the moment the mast is raised and until the mast is finally lowered irrespective of well operation. Every alternate mast section to be painted with red and white paint. The paint may be enamel paint or equivalent. The paint should be freshly made and should be noticeable. Painting may be repeated if required.

**Note:** All Lighting fittings & junction boxes used in the rig mast shall be FLP (Ex-d) type. The light fittings shall be energy efficient, preferably LED type. Four (04) numbers FLP (Ex-d) type night aviation warning lights are to be fitted at the top of the mast. These lights shall be operational at all times from the moment the mast is raised and till the mast is finally lowered irrespective of well operation.

As per IAF requirements, specifications for the above lights are:

**Colour of light:** Red, Light intensity: 10cd.

Additionally, one daylight flasher type aviation warning light is to be fitted at the top of the mast in addition to red aviation warning lights. This light is to be used during daytime when the drilling location is situated within flying zone near by IAF airfields.

The specifications for the above light are:

**Colour of light:** White (Flashing), Light intensity: 20000cd, Flashes per minute: 20-60 flashes per minute.

## **B) DRAW-WORKS**

- i. Input horsepower rating 2000 HP (minimum), with minimum nominal drilling depth rating of 6000 M with 5-inch OD drill pipes. Hoisting capacity should be around 960,000 lbs (435 MT) with 12 lines.
- ii. Twin drum draw-works having main drum lebus grooved for 1.3/8"/1.1/2" casing (drilling) lines. Single drum draw works is also acceptable.

- iii.** Draw works to be operated by 2/3 nos. of GE # 752 or equivalent electric motors either AC or DC (a total minimum 2000 HP capacity).

**Note:** *All auxiliary motors viz. Blower, Lube oil etc. and other electrical equipment used with Draw-works shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall conform to IS/IEC/EN:60079 standard. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110.*

- iv.** Main drum brake should have maximum wrap - around feature, complete with circulating type brake cooling system, energizing type brake band with maximum lining contact. The brake band should be uniform by flexible all round with integral water jacket brake drum and with built in water passage from driller's end to rotary end or should have compatible disc brake system. In case of AC-VFD rig, primary/dynamic braking to be performed with AC motors by generating power in to braking resistors. The motor and frequency drive should be capable of holding full load at zero speed indefinitely.
- v.** Suitable electromagnetic auxiliary brake system/disc brake/ calliper brake, complete with pipings alarm cables & controls, shifters etc. with dedicated cooling system.
- vi.** Suitable pneumatically/hydraulically operated/ actuated make up and break-out catheads should match 2000 HP (minimum) draw works.
- vii.** Draw works to have 4 forward speeds, 2 rotary speeds (in D/W mode) and suitable reversing arrangement. In case of AC-VFD rig the Draw works shall be Dual Speed Gear Driven, suitable for minimum 2000 HP.
- viii.** Draw-works should be equipped with Crown-o-Matic and Floor-o- Matic safety device.
- ix.** Draw works to have pneumatically actuated full circular balloon type or multiple plate friction clutches as available in 2000 HP (minimum) drawworks or as per design of the Draw works.
- x.** Neutral brake or Inertia brake to stop rotation of the draw-works or any other arrangement as per design of the Draw works.
- xi.** Properly designed Driller's console incorporating all functions to carry out drilling operations safely.
- xii.** Independent Rotary drive as per design for 37.½" rotary table with AC/DC Motor, suitable drive system, inertia disc brake for IRD component & full guard having minimum specification of (1) Two Speed Transmission, (2) Minimum 1000hp rated power, (3) minimum torque handling capacity between 32000 – 34000 ft-lbs & (4) suitable cooling system.
- xiii.** However, Draw-works may also be without cathead. In this case separate facility for making up & breaking-out of tubular like hydraulic cathead/pipe spinners/ iron rough neck or similar facility shall be available in the rig. The minimum operating line pull should be 11.8 MT @ 2000 psi to 14.7 MT @ 2500 psi. The unit should be complete with suitable power unit, remote control panel (for selecting cathead 1 or 2) & all required lines, accessories, fittings, etc.

- xiv.** Coring reel assembly with capacity of at least 6000 M of 9/16" or 5/8". Drum size: diameter 12.3/4" x 49" long approximately with pneumatic clutch & full wrap friction brake assembly in case of Double Drum Draw works.
- xv.** The draw-work should be compatible with the mast & sub-structure as indicated above.
- xvi.** Electrical driller's console panel should suitably be located in order to provide driller to operate the rig in ease.
  - (a) It should be able to manage, control and monitor rig floor equipment independently and activity-based operations.
  - (b) It should be designed to allow easy of operations during Drilling, Tripping and Casing tripping in by providing an efficient and intuitive rig floor command centre.
  - (c) It should allow the Driller to supervise and control all drilling-related functions.
- xvii.** Entire rig package must be compliance with all safety & regulations and OISD standards.
- xviii.** All accessories for draw works should conform to API specification, wherever applicable.

**C) TOP DRIVE SYSTEM (Electrical / Hydraulic Top Drive):**

- i.** Hook Load Capacity: - 500 T.
- ii.** Power: - AC / DC Motor of suitable rating, non-sparking, flame proof and suitable for hazardous area classifications/ locations as per standard.
- iii.** Cooling System: - Motor should have the Cooling System to operate with ambient temperature up to 50 Degree Centigrade.
- iv.** Torque Requirement: - Maximum Continuous Torque - Not Less Than 30000 ft-lbs. At 100 RPM.
- v.** Maximum Torque at maximum speed - Not Less than 17,000 ft-lbs.
- vi.** RPM range: 0 – 190 (Minimum).
- vii.** Break- out Torque: 50000 ft-lbs. (Minimum).
- viii.** TDS control panel shall be housed in Driller's Cabin.

**Accessories for TDS:**

- i.** One (1) pair of 350 Short Ton (317 MT) capacity weld less links of suitable size & length suitable for lowering casing with spider slip and elevator attached.
- ii.** One (1) pair of 500 Short Ton (454 MT) capacity weld less links of suitable size & length suitable for lowering casing with spider slip and elevator attached.
- iii.** One (1) set of Master bushing wear guide & adapter ring for wear guide for 3-1/2" to 5" OD drill pipes.
- iv.** Any other item for running the top drive unit.

Note: Electrical power required to run the top drive unit should be made available from rig's electrical power system.

**D) ROTARY TABLE AND ACCESSORIES:**

Rotary table as per API Spec. 7k with 37.½" opening and dead load capacity of 500 tons with independent motor drive, complete with the following. Accessories shall be provided by the contractor. The rotary table shall be either chain driven from draw-works or having independent rotary drive unit or combination of chain and independent motor drive both.

- i. Kelly bushing complete with roller assembly for 5.¼" /6" hexagonal hexagonal Kelly (minimum 1 nos.).
- ii. Master bushing (1 no. of solid / split type) to suit the Rotary table.
- iii. Suitable API insert bowls No. 1, 2 & 3 whichever is applicable for under noted casing sizes.
- iv. Complete bushing arrangement for handling 20" casing, 13.3/8" casing, 9.5/8" casing, 7" Liner casing, 5.½" casing, 5" OD drill pipe, 2.7/8" OD tubing & drill pipes and all other tubular in the offered rotary table.
- v. Bit breakers & adapter plates to suit above master busing / Rotary table.
- vi. All sizes of lifter and handling tools for bushing & inserts.
- vii. Anti-skid safety pad: anti-skid is to be provided on Rotary Table and its surroundings to cover tong swing areas.
- viii. Independent Rotary drive as per design for 37.½" rotary table with AC/DC Motor, suitable drive system, inertia disc brake for IRD component & full guard having minimum specification of (1) Two Speed Transmission, (2) Minimum 1000hp rated power, (3) minimum torque handling capacity between 32000 – 34000 ft-lbs & (4) suitable cooling system.

**E) ROTARY SWIVEL (as per API Spec. 8C):**

The rotary swivel should have the min. under noted specification but not limited to the following:

- i. Working pressure (minimum) - 5000 psi.
- ii. API Dead-load rating (minimum) - 500 Tons.
- iii. Gooseneck API line pipe thread for Rotary hose- 4" (102 mm) Female.
- iv. Stem coupling - 6.5/8" (Reg.) L.H.
- v. Swivel should be equipped with 6.5/8" (Reg) L.H. API double pin sub suitable for connecting it on to Kelly spinner / Kelly.
- vi. Bail bumper link support.
- vii. Additionally suitable crossover sub shall be provided to connect the swivel to 2.½" square Kelly. Necessary fittings for connecting rotary hoses with safety clamps installed.

**F) TRAVELING BLOCK & HOOK (as per API Spec. 8C):**

The specification should include but not limited to the following:

- i. Min. API working load rating = 500 Ton (453MT).
- ii. Number of sheaves = 6 Nos. with 1.3/8" / 1.½" grooving or as suitable to Rig system.
- iii. Traveling block and hook should be independent/combo.

- iv. Hook should be compatible with the swivel & other hoisting equipment.
- v. Hook should have built in hydraulic snubber, convenient rotation lock, safety positioner etc.

**G) SLUSH PUMPS**

- i. Three No motor driven triplex single acting, slush pumps with input HP rating of minimum 1600 HP. Pump should be suitable for continuous heavy-duty application.
- ii. Capacity of the pump:
  - a) Input Horsepower - 1600 (Min) at rated SPM.
  - b) Discharge at rated SPM with replaceable liners and pistons - Min. 2700 litres/min (600 Imp GPM) at 210 kg/cm<sup>2</sup> (3000PSI) and min. 1575 litters/min. (350 Imp. GPM) at 351.5 kg/cm<sup>2</sup> (5000 PSI).
- iii. Motor driven centrifugal Supercharging pumps compatible to Mud Pumps to handle Mud up to 20 ppg. with appropriate independent suction and delivery manifold mounted on a oil field skid.

*Super charger motors and other auxiliaries viz. junction boxes, PBS etc. shall be FLP (Ex-d) type. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110]*

- iv. All the mud pumps shall be connected & hooked up with PCR in all respect for continuous operations in parallel mode whenever required.
- v. Nature of pumping job should include, but not limited to, pumping of drilling fluids, completion fluids, cement slurries, water - both treated and plain. In the event that requirement arises to pump acid, OIL shall provide the pump and contractor shall provide the suction and delivery lines.
- vi. The Bidder has to submit Performance data sheet of the offered pumps along with detailed technical specification of slush pumps.
- vii. All auxiliary motors viz. Blower, Lube oil etc. and other electrical equipment used with slush Pump shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall confirm to IS/IEC/EN: 60079 standards. Details of certification/ test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110.
- viii. Light fittings (if any) fitted near the slush pump shall be FLP (Ex-d) type.

**H) SUCTION AND DELIVERY SYSTEM:**

- i. Adequate suction piping's & fittings must be available.
- ii. The delivery fittings must be of API standard 5000 psi rating.
- iii. Cameron or equivalent 5000 psi WP dual standpipe manifold complete with gate valves, pressure gauge of 5000 psi rating and other standard fittings.

- iv. 5" OD x 5000 psi WP dual standpipe of suitable length with 'H' manifold to match the operating conditions with range 2 drill pipes complete with gooseneck, hammer union or unbolt couplings for making up rotary hose with safety clamp attached.
- v. 3.½" ID x 55/60 ft long x 5000 psi WP, rotary drilling hoses with suitable connection to make up on to the standpipe and rotary swivel. The length of Rotary hose should suit the rig for drilling operations.
- vi. Rig pump delivery manifold shall be connected to the delivery line (preferably vibrator hoses) through rigidly supported strainer cross to filter out unwarranted particles.
- vii. There shall be 5000 Psi working pressure gate valve on each mud delivery manifold for isolating each slush pump.
- viii. The HP safety relief valve from each slush pump should be provided to the active mud system. The HP safety relief line to be anchored properly to avoid vibration and prevent accident.
- ix. The 5000 Psi pulsation dampeners on each pump shall be complete with suitable pressure gauge, charging hose assembly and charging gas for charging.
- x. Sufficient no. of additional intermediate 5000 psi WP pipes as mentioned above to facilitate extension of the delivery pipe upto 170 ft.; to meet the 18 m spacing between the wells in cluster location (1+ 3 wells).
- xi. All delivery lines and fittings shall be NDT inspected as per API standard &/or OISD standards every 6 months of drilling. The Contractor shall also provide documentary evidence of API standard &/or OISD standards inspection carried out on delivery lines and fittings at the time of mobilization.

**I) POWER PACK:**

Diesel electric AC/SCR system complete with the following or suitable for AC/VFD Rig:

- i. Engines - 4(Four) (Minimum) Nos. diesel driven fuel Oilfield engines (Approximate Minimum Combined Rating of 5800 HP) with CPCB approved Acoustic Enclosure & the exhaust stack height should meet the latest CPCB guidelines for DG sets of above 800KW (Environment Protection Act 1986). The engine capacity and the total rating shall be based on total power requirement of the rig & associated equipment for continuous operation of Draw works, three Mud Pumps, Top Drives/IRD and all other rig equipment as specified in this bid document.
- ii. **AC/DC Electric Motors:** Adequate numbers of AC/DC motors with adequate continuous HP rating shall be provided for operation of draw works and slush pump at their respective rated capacity. The motors shall be complete with suitable blowers and ducting.
- iii. **AC-SCR or AC-VFD System:** Suitable AC-SCR or AC-VFD systems of reputed make shall be provided.
- iv. Rig package shall be complete with all electrical control room, SCR cubicles or VFD & Rectifier Cubicles, DC/AC power control room, AC power control room to match the auxiliary loads of mud system, water system, fuel system, air system, lighting system etc. mentioned in this section.

- v. Power pack engines should have automatic fire detection and suppression system.
- vi. The above power pack shall conform to the following:
  - a) Power pack and SCR House or AC-VFD system control room to be placed outside hazardous area, i.e. at a distance of 30 meters (Minimum) from the well center. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110].
  - b) All components shall be suitable for following ambient conditions:  
  
Temperature: Max. 45deg.C & Min. 05 deg.C  
Humidity: Max. 95% & Min. 60%  
Altitude: 100 to 300 M AMSL.
  - c) Suitable de-rating factor shall be taken into account while choosing electrical / electronic components for high ambient temperature condition.
  - d) Engine cooling system shall be designed to withstand above temperature condition and the radiators shall be suitable for maximum 45 deg C ambient temperature.
  - e) Adequate air cleaning system and filters shall be provided on all engines to protect these from dust.
  - f) Power pack and electrical controls of the rig shall be complete in all respect to carry out drilling operations to the objective depth. The system shall meet the detailed technical specifications of rig electric system furnished in this document.
- vii. Power Pack for AC-VFD Rig shall have minimum 4 (four) nos. of Engine (preferably CAT 3512 B series) complying latest emission norms, coupled with the alternator and shall be unitized and enclosed in a weather-proof, acoustical, skid mounted enclosure. Power packs shall be Compatible for varying loading pattern, quick responsive to instantaneous load and torque changes Suitable for VFD controlled AC drives Easily serviceable both at site and at workshop. Compatible with suitable control signals coming from Power Control Rooms (these may be actuator control / speed sensor signals). The alternators (with the engines) shall be suitable for parallel operation.

**J) POWER CONTROL ROOM:**

The PCR should be suitable for diesel electric AC-SCR or AC-VFD system.

- i. Rig package shall be complete with all electrical control room, Main PCR with 'SCR' cubicles or 'VFD' panels, Auxiliary control PCR / AC power control room to match the auxiliary loads of mud system, water system, fuel system and air system mentioned in this section. Bidder may also quote for one single PCR, if the rig design permits. However, bidder should provide physical dimensions and weight of all the PCRs offered, along with the bid.
- ii. SCR / VFD System - Suitable SCR / VFD system should be of reputed make. Bidder should indicate detailed technical specifications in techno-commercial bid.

- iii. Bidder to submit the layout diagram of rig along with their offer showing the placement of power pack at a minimum distance of 30 m from well head.
- iv. Individual electrical panel for each Mud Pump (03 nos.) and Draw-Works shall be available and all drilling motors shall always be connected to PCR. The system should facilitate for running any two mud pumps parallelly in any combination at any point of time. Also, facility to assign/control each of the three (03) Mud pumps shall be available at D'Console.
- v. **SMOKE DETECTION AND FIRE ALARM SYSTEM:** All the PCRs shall have Smoke detection and Fire Alarm System as per requirement of OISD Std. No: 216 for Electrical Safety. Following shall be the scope of supply for the Smoke detection and Fire Alarm System:
  - a. Smoke detector: Photoelectric or Ionized type: minimum 2 nos. per PCR.
  - b. Control Panel with Manual call Point (MCP).
  - c. Internal house buzzer.
  - d. External house Hooter.

**K) DRILLING MOTORS:**

- i. Adequate numbers of motors: 2 or 3 nos. for operation of draw-works and minimum 01 no. each per slush pump at their respective rated capacity. Each motor shall be complete with suitable blower and ducting.
- ii. Bidder shall provide details of all such drilling motors while quoting.

**L) OTHER CONDITIONS FOR ELECTRICAL EQUIPMENT:**

- i. All outdoor equipment such shall be weatherproof with IP 55 protection as per India standards.
- ii. Electrical system shall be provided with all necessary cables and cable trays with grasshopper (Z-trays) arrangement to the derrick floor. Cable trays shall be grounded adequately.
- iii. Explosion proof and vapour types LED/ fluorescent/ mercury vapour lighting system shall be used for lighting the mast and substructure.
- iv. Lighting fixture shall match API specification and the Mines Act, 1952 and its subsequent amendments and Oil Mines Regulation 2017.
- v. The lighting system shall cover but not be limited to the following areas: i.e. lighting the mast and substructure, rig floor, power packs, power control room, plinth area, mud pumps, generator sheds, mud system, water system, fuel system, air system, BOP control unit, dog house, mud storage house, well site offices, chemical storage & lab. areas, camp etc.
- vi. Fixing arrangements of outdoor luminaries shall be such that this can be installed and dismantled quickly and easily for transportation during the interlocation moves.
- vii. Necessary provision for supplying power including electrical, to any other utility unit(s) including OIL's Service providers shall be provided by the Contractor whenever required.
- viii. All DC motors or AC VFD motors shall have blowers with suitable ducting & filter System.
- ix. The bidder must obtain and furnish the following documents which are statutory requirement before mobilization of the rig. Mobilization shall not be considered complete unless these documents are submitted.
  - a. Test Reports confirming to IS/IEC/EN:60079 for all the electrical equipment/ components/ accessories which are to be used in

- hazardous area [Zone 1 and Zone 2, Gas groups IIA and IIB] of the drilling well. The bidders shall submit test reports conforming to the above relevant standards from an Indian Government Laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of manufacturer's facility.
- b. Single line power flow diagram of the rig.
  - c. A Plan layout of electrical equipment used in the rig.
  - d. Details of all electrical motors, control gear, other electrical equipment and accessories used in the classified hazardous area.
  - e. Details of alternators, electrical motors, control gear, all cables, other electrical equipment and accessories used in non-classified area.
  - f. A layout of the complete earthing system including earthing of diesel tanks, PCRs, AC & DC motors, starters, alternators & any other electrical equipment used for the purpose.
- x. The entire electrical installation job should be carried out as specified in the latest version of CEA (Measures relating to safety and electric supply) Regulations, 2010 and other relevant standards and precaution should be adopted in the Oil field as specified in the CEA (Measures relating to safety and electric supply) Regulations, 2010.
  - xi. For all hand-held portable apparatus voltage shall not exceed 125 V as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102 (i).
  - xii. Insulation mats shall be available in all electrical PCRs, stand by alternators and all distribution boards. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.19(5)].
  - xiii. All connections to the motors/PBS/junction boxes should be through double compression glands. All the FLP double compression glands are correctly installed, and the cable entry is tight. The cable size should match with the gland. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 106 (vi) & OISD 216].
  - xiv. Busbar connections / terminations shall be insulated with appropriate insulating tape; naked joints shall be avoided. Terminal blocks of cable entry shall be covered with hylam or transparent insulating plastic sheet. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.17 & OISD 216 (7.1(vi))].
  - xv. The voltage inside the mine shall not exceed 250V (between phases) if neutral is connected to earth. [Ref: CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no-102 (ii)(b)].
  - xvi. The mast shall be provided with telescopic lightening arrestor. The lightening arrestor shall be grounded with continuous cable at two separate & distinct points.
  - xvii. All electrical equipment used inside Driller's cabin (if applicable) shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall confirm to IS/IEC/EN: 60079 standard. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110].

- M) EMERGENCY HOOTER:** The rig should be equipped with one emergency hooter.
- N) EMERGENCY SHUT OFF SYSTEM:** An emergency shut off device shall be located in driller's panel and at suitable strategic location.
- O) EMERGENCY ALARM:** An electrically operated emergency alarm with provision for operating the same from driller's console should be provided.
- P) AUXILIARY GENSETS:** All Such gen-sets must meet CPCB norms as applicable.
- Q) CELLAR PUMPS:** Suitable motor driven pump capable of cleaning fluids and cuttings from the cellar complete with all suction and delivery lines are to be provided. Pump should be suitable for class I, division 2 hazardous areas (as per OSHA) or Zone-I (as per DGMS guideline) and gas group I, IIA & IIB and with Flexible coupling. Alternately, a suitable cellar ejection system is also acceptable.

Cellar pump motor and other auxiliaries viz. junction boxes etc. shall be FLP (Ex-d) type. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110].

Remote PBS placed in hazardous area should have intrinsically safe circuits with a maximum of 30 Volts. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102(iv)].

- R) CAGED LADDER, RIDING BELT, FALL ARRESTOR, and EMERGENCY ESCAPE DEVICE ETC.:** The riding ladder to crown block shall be equipped with fall arrestor/device. The fall prevention device should meet all applicable Indian or international standard to prevent persons from falling. The ladder shall be equipped with landing platform as per statutory guidelines.

A suitable riding belt to be provided to meet any emergency or to carry out repairs above derrick floor. Suitable & effective emergency escape device from racking board to ground shall be provided. All safety guidelines will be guided by OMR'2017.

- S)** A flame proof intercom complete system shall be provided between doghouse, SCR room, mud pump, mud attendant's cabin, geologist's cabin, company representative's office and OIL's service provider's operational room.

## **7.2 GROUP – II**

- 7.2.1 BOP STACK AND WELL CONTROL EQUIPMENT (As per applicable API specifications):** All items including but not limited to those mentioned below shall be supplied by the contractor.

- A) BOP STACKS / SPOOLS:** Make of all BOPs must be of Cameron/Cameron Schlumberger/Shaffer/Shaffer-NOV/NOV-T3/Hydril/ Hydrill- GE/ WOM or any other manufacturer approved by OIL.

- i) One no 21.1/4"x2M OR 20.3/4"x3M Annular BOP with bottom flange/ adopter flange to fit with 20.3/4" x 3M working pressure, drilling spool.
- ii) One no. 21.1/4"x2M OR 20.3/4"x3M Drilling Diverter spool complete with all necessary fittings and 2 (two) nos. of suitable side outlets not less than 7.1/16" OD and 30" overall length to be used with 21.1/4"x2M OR 20.3/4"x3M Ann BOP. This item must be compatible with item no (i) above and to be installed on top of Company provided 20.3/4"x3M Casing Head Housing.
- iii) One no. 13.5/8" x 5000 psi Annular/Spherical BOP with bottom flange of 13.5/8" x 10 M Working Pressure.
- iv) One double ram BOP, 13.5/8" x 10000 psi having top & bottom flange of 13.5/8" x 10M Working Pressure.
- v) One single ram BOP, 13.5/8" x 10000psi having top & bottom flange of 13.5/8" x 10M Working Pressure.
- vi) One double ram BOP 7.1/16"x10000 psi having top and bottom connection of 7.1/16" x 10 M flange, with side outlets (4 Nos.) complete with ring joints gasket, studs & nuts and with 3.1/2" & 2.7/8" pipe rams and blind rams, one pair each. Variable pipe rams and shear-cum-blind rams are also acceptable.
- vii) One set each of 9.5/8", 7", 5.1/2", 2.7/8" pipe rams, two sets of 5" pipe rams or one set of 5" pipe ram along with one set of Top seal plus front packer elements and 1 set of blind rams/ shear-cum-blind rams should be supplied with above item no. (iv). Variable rams are also acceptable if it covers the required range of sizes.
- viii) All BOP should have crossover / Adopter flange to match 5000 & 10000 psi well head i.e. 13.5/8" x 5000Psi, 11" x 5000Psi and 11" x 10000Psi.
- ix) The Contractor shall provide the following:
  - a) New and unused Ring joint gaskets for all flanges with sufficient quantity as spares.
  - b) Adequate no. of studs & nuts for all flanges and wrenches to suit all nuts.
  - c) Operational spares for contractor's BOPs both annular and ram, including ram sub-assemblies of sizes to suit various tubular sizes including blind ram.
  - d) Annular BOP sealing element.
  - e) Maintenance / overhauling / repair services for above BOPs.

**x) DRILLING SPOOL**

- a) 20.3/4" x 3000 psi: 1 No.: (30" - 36" high).
- b) 13.5/8" x 10,000 psi: 1 No. (18" - 20" high).

**Notes:** (i) With facility for hooking up choke / kill lines having flanged side outlet of 3.1/16" in the same plane but in opposite directions.

(ii) 21.1/4" x 2000 psi drilling spool is also acceptable in case the annular & and single ram BOP offered are of 21.1/4" x 2000 psi rating.

- xi) Cross over flange/adaptor spool 11" x 5000 PSI to 13.5/8" X 10000 psi with necessary ring joint gaskets.
- xii) Adapter / crossover spool 13.5/8" x 5,000 psi to 13.5/8" x 10,000 psi 1 No.
- xiii) Double studded adaptor flange / adaptor spool 11" x 10000 psi bottom, 7.1/16" x 10000 psi top with ring joint gaskets.
- xiv) Cross-over/adaptor spool with bottom flange of 20.3/4" x 3000 psi and top flange of 21.1/4" x 2000 PSI – 01 No.

- xv) Double studded cross over flange with bottom configuration of 11" x 10,000 PSI and top configuration of 13.5/8" x 10,000 PSI complete with ring joint gaskets, stud & nuts.
- xvi) Companion flanges of appropriate sizes and numbers and suitable for all kill, choke, check valves and lines etc.
- xvii) Companion /suitable flanges for 3.1/16" to 2.1/16", 2.1/16" to 1.13/16" and 3.1/16" / 3.1/8" to 2" line pipe female thread.
- xviii) All BOPs shall be complete with sufficient numbers of studs with nuts & ring joint gaskets.
- xix) Suitable risers with provision for hole filling line.
- xx) Poor boy swivel and d/pipe shut-in valve 10000 PSI WP with compatible R/hose & D/pipe connections.
- xxi) The contractor shall bring adequate quantity of studs, and ring joint gaskets and wrenches for hooking up all the above sizes of stacks and also for replacement of damaged ones.
- xxii) The ultimate responsibility of making the well head complete lies with the contractor. Contractor shall identify and bring all other items, which are not mentioned above but required to carry out drilling operation.
- xxiii) Bidder should provide a schematic diagram with the dimensions of BOP stacks for different sizes and stages of completion.
- xxiv) All above BOPs should be hydraulically operated with hydraulic/ manual locking arrangement.

**Notes:**

- a) BOPs should be either brand new or re-certified.
- b) In case of Brand new BOPs the make should be as enlisted above in the **Clause no- 7.2 A**.
- c) In case of recertified BOPs, recertification should be done as per OISD RP 174 (June-2023), following API 16 AR (latest edition) guidelines by an API 16A approved facility having 16A certification for the specific type of BOP. As a proof of recertification bidder should submit the certificate of conformance (COC) as per **Annexure-F of API 16 AR** (latest edition).
- d) At the time of mobilization, the COC should not be more than 01(One) year old or the certificate should be valid covering the primary term of contract period including extension, if any. However, if recertification is older than 01 year and validity of recertification does not cover the contract period, then Contractor should arrange to recertify the BOP during the execution of contract by providing replacement & acceptable BOP (having valid recertification in case of old BOP). If Contractor fails to provide replacement BOP while sending it for recertification but normal operation has been allowed to continue, then it will be considered as short supply item and applicable penalty shall be levied on Contractor as per contractual T&C.

**B) CHOKE & KILL MANIFOLD (As per API Spec. 16 C)**

- i) One set of 3.1/16" x 10,000 psi or 3-1/16" or 4-1/16" x 15000 psi) choke manifold rigidly supported, with one manually and two hydraulically operated chokes. As per API Spec. 16C, First Edition 1993, Drawing No. 10.7.3 (Sec. 10.7) including control console mounted at derrick floor showing all necessary parameters.

**Notes:**

- (a) Kill lines should be minimum 2" nominal size and choke line should be minimum 3" nominal size.
  - (b) Size of choke line and choke manifold should be same. Minimum nominal inside ID for downstream chokes shall be equal to or greater than the nominal connection size of the choke inlet and outlet.
- ii) The drilling spool should have side valves consisting of two each of manually operated and hydraulically operated gate valves, on two sides, size - 3.1/16" x 10,000 psi along with one number of check valves on kill line Or The drilling spool should have side valves consisting of two each of manually operated and hydraulically operated gate valves, on two sides, with one size - 3.1/16" x 10,000 psi (For Choke line) and 2.1/16" x 10,000 psi (For Kill line) along with one number of check valves on kill line.
  - iii) BOP/Drilling Spool side valves: should consisting of two each of manually operated and hydraulically operated gate valves, on two sides, size - 3.1/16" x 10,000 psi along with one number of check valves on kill line.

**OR,**

- BOP/Drilling Spool side valves should consisting of two each of manually operated and hydraulically operated gate valves, on two sides, with size - 3.1/16" x 10,000 psi (For Choke line) and 2.1/16" x 10,000 psi (For Kill line) along with one number of check valves on kill line.
- iv) Kill lines and choke lines, articulated or flexible (Co-flexi preferred) of sufficient lengths to match drilling spool side outlet connections and kill/choke manifold connections.

(Note: - kill pump will be placed at least 150 ft away from well bore).

- v) 10000 Psi WP rigidly supported kill manifold with provision for connection onto slush pumps and high-pressure killing pump by means of 2" ID x 10000 Psi chocks hoses.
- vi) Adequate number of 2" ID x 10000 Psi chocks hoses for hooking up well killing pump, test lines, emergency kill line etc.
- vii) Choke & kill manifolds shall be complete with all necessary studs & nuts, ring joint gaskets & fittings etc.

**C) BOP CONTROL UNIT (As per API Spec. 16 D)**

- i) 1 No. Koomey or internationally field proven make skid mounted accumulator & Control Unit for BOP. 3000 Psi WP to suit BOP and choke manifold configuration with two remote controls, adequate reservoir capacity to meet all the requirements & complete with skid mounted pipe racks to keep the control unit at about 100 ft away from the well. The unit shall consist of adequate number of accumulators of 11/15 gallon capacity each, & complete with necessary pressure actuator switches to make unit both automatic & manual. Bidder to forward the work sheet indicating the reservoir capacity & accumulator capacity along with the bid.
- ii) Arrangements for charging the accumulators with nitrogen, as and when required.

- iii) BOP control unit shall be complete with electrical and air operated pressurizing system, capable of pressurizing up to 3000 psi.
- iv) Adequate number of hydraulic accumulators, adequate capacity reserve tanks and all necessary fittings for safe operation of the BOP stack as specified earlier.
- v) BOP remote control unit with graphic visual display, one on the derrick floor and another on the opposite side 100' away from the well bore.
- v) BOP motor and other electrical equipment viz. starter, junction box, PBS etc. used with BOP system shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall confirm to IS/IEC/EN: 60079 standards. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110].
- vi) Sufficient number of high-pressure control lines shall be made available in pipe rack for connection between BOP & control Unit placed 100' away. Also adequate length of air hose bundles for connection of both remote control panels.

**D) WELL CONTROL ACCESSORIES**

- i) One no. Kelly cock suitable for 4.½" IF drill pipe connection.
- ii) IBOP with 4.½" API IF connections and necessary subs for 6.⅝"R.
- iii) One set of BOP testing unit with suitable high pressure test pump.
- iv) One no. of 5" inside BOP for making up with drill pipe, having pressure ratings to suit BOP stack rating and with matching thread connections.
- v) Cup Testers for testing 9.⅝" OD (43.5-53.5 ppf) and 5.½" OD (17-23 ppf) casing with facility of interchange ability of cup to suit different weight of aforesaid casings, shall be provided by the Contractor.

**Note:** All wellhead equipment/accessories viz. BOPs, spools, choke and kill manifolds, BOP Control Units etc. should be pressure tested to its rated capacity and as per OISD RP 174.

**E) HIGH PRESSURE WELL KILLING PUMP:**

- i) One Diesel Engine Driven (equipped with speed reduction Gear Box / Transmission Box) National JWS 340 (10,000 PSI) or OPI 500AWS (15,000PSI) or equivalent High-pressure Low discharge plunger pump.
- ii) The kill pump is to be equipped and supplied with suitable Diesel Engine Driven supercharger pump mounted on the skid itself, all the safety features and control mechanism. Minimum 300 feet (90 m) of 2" fig 1502 steel hose having requisite numbers of swivel joints for delivery line to connect with well head / Stand-pipe manifold, suitable suction line(s), necessary connections / fittings.
- iii) There should be 60 bbls (approx.) capacity Suction Tank to be connected with the pump.
- iv) There should be arrangement of supply of drilling fluid / water etc. to the tank as and when required.

**7.2.2 TUBULARS- [ New/ Premium Grade- (API (NDT) inspection report)]**

- A) DRILL PIPE / PUP JOINT (AS PER API SPECIFICATION 5DP):** Contractor shall provide new/unused Drill pipes and Pup joints. Supporting document in the form of manufacturer's certificate to this effect should be forwarded prior to mobilization. However, Premium grade drill pipes & drill pipe pup joints with recent NDT inspection as per DS 1 Cat-IV Inspection with documentary evidence may be offered. But OIL reserves the right to inspect at random and verify through independent NDT inspectors for acceptance. In case of non-acceptance of the drill pipes & drill pipe pup joints due to any discrepancy, contractor shall have to re-inspect the whole drill pipes and drill pipe pup joints in presence of OIL's representative at their own cost.
- i) Minimum 4000 m of 5" OD, 19.5 PPF Drill pipe consisting of Gr. 'G' flash / friction welded, tapered or square shoulder, Internal External upset in range 2 length. Tool jt. Connection shall be 4.½" IF (NC 50) with hard banding on box ends.
  - ii) Minimum 3000 m of 5" OD, 19.5 PPF Drill pipe consisting of Gr. 'S' flash / friction welded, tapered or square shoulder, Internal External upset in Range-2 length. Tool jt. Connection shall be 4.1/2" IF (NC 50) with hard banding on box ends.
  - iii) Minimum 1500 m of 3.½" OD, 13.3 PPF Drill pipe consisting of Gr. 'G' flash / friction welded, tapered or square shoulder, Internal External upset in range 2 length. Tool jt. Connection shall be 3.½" IF (NC 38) with hard banding on box ends.
  - iv) 3 Nos. each of 5 inch OD, Grade `G' pup joints of 5ft. 10ft and 15 ft length with identical specification as in (i)& (ii) above but without hard banding.

Note: Bidder may offer all S-Grade pup joints with same connection and required quantity of specific length as per tender requirement.

- v) 3 Nos. each of 5 inch OD, Grade `S' pup joints of 5ft. 10ft and 15 ft length with identical specification as in (i) & (ii) above but without hard banding.

**B) DRILL COLLARS & HEAVY WEIGHT DRILL PIPE:** Should be premium class supported by API (NDT) inspection report.

- i) One No. 9.½" OD, 3" ID, slick/ spiral drill collar of 15 ft. length, with API 7.⅝" regular connections, having bore back box up & down connection with slip recess & complete with suitable lifting plugs.
- ii) 3 nos. 9.½" OD, 3" ID, slick/ spiral drill collar approx. 30-31ft length, with API 7.⅝" regular connections, having bore back box up & down connection with slip recess & complete with suitable lifting plugs.
- iii) 18 Nos. 6.½" OD, 2.13/16" ID, 4" IF, 30 ft. long, spiral drill collars having bore-back box and stress relief pin, with slip recess and complete with suitable lifting plugs.
- iv) 18 Nos. 4.¾" OD, 2.1/4" ID, NC35/NC38, 30 ft. long, spiral drill collars, with slip recess and complete with suitable lifting plugs.
- v) 30 No. 5" OD, 50 PPF, 3" ID 30 ft long, 6.½" OD tool joints 'heavy-weight' with Hard Banding drill pipes with 4.½" IF box-up & pin down connection with stress relief.

- vi) 18 No. 3.½" OD, 23.70 PPF, 2.¼" ID, 30 ft long, 4.¾" OD tool joints 'heavy-weight with Hard Banding' drill pipes with 3.½" IF box-up & pin down connection with stress relief.
- vii) 09 Nos. 8" OD, 3" ID, 6.⅝" API regular, 30 ft long, spiral drill collars having bore-back box and stress relief pin, with slip recess and complete with suitable lifting plugs.
- viii) Drill collars with elevator recesses with sufficient fishing neck in addition to slip recesses shall be acceptable.
- ix) Minor variation in dimension for drill collars and heavy weight drill pipes shall be acceptable.

**C) ONE LOT OF NECESSARY SUBSTITUTES, STABILIZERS, REQUIRED FOR DRILL STRING AS WELL AS FOR COMBINATION STRING:**

All items including but not limited to those mentioned below shall be supplied by the contractor. Should be supported by API (NDT) inspection report.

**C.1 BIT SUB**

- i) 1 No. 9.½" OD x 7.⅝" API regular double box bit subs with recess for Baker back pressure valve insert.
- ii) 2 Nos. 6.½" OD x 4.½" API regular box down x 6.½" OD x 4" IF (NC 46) box up bit subs.
- iii) 2 Nos. 9.½" OD x 7.⅝" API regular box down x 8" OD x 6.⅝" API regular box up bit sub with provision for back pressure valve insert.
- iv) 2 Nos. 8" OD x 6.⅝" API regular double box bit sub with provision for back pressure valve insert.
- v) 2 Nos. 4.¾" OD (3.½" Regular Box – NC-35 Regular Box) bit sub.

**Note:** Bit Sub with NC 35 / NC 38 & Cross Over Sub with NC 35 / NC 38 connection in line with thread connection of 4 ¾" OD drill collar offered against **clause B (iv)** above.

**C.2 CROSS OVER SUB**

- i) 1 No. 6.½" OD x 4" IF box up, 9.½" OD x 7.⅝" API regular pin down cross over subs.
- ii) 2 Nos. 4" IF box up x 6.⅝" API Regular pin down crossover bottle neck subs.
- iii) 3 Nos. of 6.½" OD cross over sub with 4.½" API IF Box up x 4" API IF Pin down connection.
- iv) 1 No. 6.½" OD cross over subs with 4.½" API regular pin down and 4.½" IF box up connections.
- v) 1 No. 8" OD x 6.⅝" API regular box up and 9.½" OD x 7.⅝" API regular pin down cross over sub.
- vi) 2 Nos. of 4.½" IF Box up x 6.⅝" API Reg. Pin down bottle neck sub.
- vii) 2 Nos. of NC35 Box up x 4.½" Pin down bottle neck sub.
- viii) Double pin sub of undernoted connection with appropriate OD x ID
  - a) 4" IF x 4.½" API Reg.: 1 No.
  - b) 6.⅝" R - 6.⅝" R: 1 No.
  - c) 6.⅝" R - 7.⅝" R: 1 No.

**Note:** Bit Sub with NC 35 / NC 38 & Cross Over Sub with NC 35 / NC 38 connection in line with thread connection of 4 ¾" OD drill collar offered against **clause B (iv)** above.

**C.3 STABILIZERS** - One set of stabilizer (Means 01 no. near bit stabilizer and 03 nos. string stabilizers)

- i) 2 No. in-string integral blade/welded / replaceable sleeve type stabilizers having 7.5/8" API regular connection for 26" hole.
- ii) 17.1/2" sleeve type / integral type with mandrel size 9.1/2" OD & 7.5/8" API regular connections and with adequate nos. of replaceable sleeves – 1 set.
- iii) 12.1/4" sleeve type / integral type stabilizers with mandrel 8"OD, 6.5/8" API Reg. Connection. This stabilizer shall be used in conjunction with 12.1/4" sleeve. Adequate number of replaceable sleeves shall be available as backup -1 set.
- iv) 8.1/2" sleeve type / integral type stabilizers having 4" IF connection (must be same connection with 6.1/2" Drill Collars) with adequate numbers of replaceable sleeves – 1 set. The near bit 8.1/2" Stabilizer must have 4" IF box up x 4.1/2" Regular box down connection.
- v) 6" sleeve type / integral type stabilizers having NC35/NC38 connections (must be same connection with 4.3/4" OD Drill Collars) with adequate numbers of replaceable sleeves – 1 set. The near bit 6" Stabilizer must have NC35/NC38 Box up & 3.1/2" Regular Box down connection.

**C.4 OTHER SUBS**

- i) Adequate nos. of Kelly saver and protector subs (with adequate numbers of rubber protectors) for 5.1/4" / 6" Hexagonal Kelly for entire duration of the contract.
- ii) All rotary substitutes and other substitutes necessary in pressure line etc. required to carry out drilling and all other rig operations shall be supplied by the contractor in sufficient quantity and it will be contractor's responsibility to find out the requirement.

**D) ONE NO. 5.1/4"/6" HEXAGONAL KELLY AS BACK UP WITH THE FOLLOWING:** (This is the minimum inventory to be made available at all times)

- i) Upper Kelly Cock, Pressure rating 10000 psi WP (Total 2 Nos. i.e. 1+1).
- ii) Lower Kelly Cock, Pressure rating 10000 psi WP-(Total 2 Nos. i.e. 1+1).
- iii) Kelly grief sub with rubber protector installed.
- iv) Kelly saver sub & I- BOP saver sub.
- v) Kelly spinner as per requirement.

**E)** All tubular, rotary substitutes shall be NDT inspected as per API standard after completion of every 6 months of drilling. Contractor shall also provide documentary evidence of API standard inspection carried out on tubular and rotary substitute at the time of mobilization.

However, depending upon operational conditions of wells Company may allow flexibility on due date of 6 (six) months periodicity of inspection on receipt of written request from Contractor. Nevertheless, it is Contractor's sole responsibility to maintain the minimum requirement of 4000m G-Grade 5" drill pipe & 3000m S-Grade 5" drill pipe all the time during the execution of contract.

**F) HANDLING TOOL**

All items, including but not limited to those mentioned below shall be supplied by the contractor. Please note that the ultimate responsibility lies with the contractor for supply of all handling tools as per their inventory of items.

**a) ELEVATORS**

- i) 1 Set consisting of total two nos. 500 tons capacity, 13.3/8" spider dressed as elevator and slip complete with all accessories and slip assemblies to handle 5', 5.½", 7", 9.5/8", 13.3/8" casing.
- ii) 2 Nos. 150 Ton side door elevators for 20", 13.3/8", 9.5/8", 7", 5.½" & 5" Casings.
- iii) 2 Nos. each centre latch elevator, capacity 100 ton, for 9.½", 8", 6.½" & 4.¾" drill collars (for use in conjunction with lift plug only).
- iv) Lift plugs in sufficient quantity for all sizes & nos. of drill collars.
- v) 2 Nos. Centre latch elevator, capacity 350 ton, for 5" OD drill pipe. Elevator should match type of shoulder of drill pipe offered by contractor.
- vi) 2 Nos. centre latch elevator, 150 ton capacity for 3.½" OD drill pipe (tool joint OD 5").
- vii) 2 Nos. each of centre latch elevators, capacity 150 ton, for 2.7/8" OD EUE tubing and 2.7/8" OD Vam tubing.
- viii) 1 No each of Single joint elevators complete with swivel and sling assembly for the sizes of 20", 13.3/8", 9.5/8", 7", 5.½" & 5" Casing.
- ix) Any other handling tool as felt necessary by the contractor. Supply of elevators for all sizes of tubular with replaceable spares shall be the responsibility of the contractor.

**b) ROTARY SLIPS**

- i) 1 No. Casing hand slips each for 37.½" rotary table for handling: 20", 13.3/8", 9.5/8", 7", 5.½" and 5" casings.
- ii) 2 nos. hand slip / power slip for handling 5"/3.½" OD drill pipes medium / extra long type to suit pin / square drive master bushing. Contractor should also provide slips to handle 5.½" OD tubular.
- iii) 2 Nos. medium rotary slip (hand / power) complete with inserts for 2.7/8" Drill pipe/Tubings. iv) 1 set consisting of total two nos. for all sizes of drill collar. v) 1 set consisting of total one no. of 2.7/8" manual tubing spiders.
- iv) Any other handling tools as felt necessary by the contractor. Supply of slips for all sizes of tubular with replaceable spares shall be the responsibility of the contractor.

c) **SAFETY CLAMPS:** Safety clamps to handle all sizes of drill collars.

d) **RIG TONGS:** Complete sets of Rotary tongs in pairs with 2 sets of extra jaws and replaceable spares of required capacities & sizes to handle the following tubular:

- i) 2.7/8" / 3.½" & 5" OD drill pipes/ tubulars & drill collars of all sizes upto 9.½" OD.
- ii) Tubing tongs (both 2.7/8" OD EUE N-80 and VAM) including coupling tong.
- iii) 20", 13.3/8", 9.5/8", 7", 5.½" & 5" casings.

Note: In case the rig is equipped with Iron Rough neck with part range / complete range of tubulars, same is also acceptable.

**e) HYDRAULIC / PNEUMATIC TUBULAR HANDLING TOOLS**

- i) Hydraulic power casing tongs complete with hydraulic power unit with suitable prime mover, standard accessories and pivot head for: 20", 13.3/8", 9.5/8", 7", 5.½" & 5" casing: 2 Nos.
- ii) 1 no. Pipe spinner for handling drill pipes/ tubulars in the range 3.½" - 5" OD complete with all necessary fittings.

- iii) Suitable sizes of pneumatic Kelly spinner: 1 No. (For 5.¼"/6" Kelly).
  - iv) The operator for power casing tong shall be provided by the contractor at their own cost.
  - v) Hydraulic tongs to handle 2.7/8" & 3.½" tubings.
  - vi) Any other tongs as felt necessary by the contractor. Supply of tongs for all jobs shall be the responsibility of the contractor.
- f) **ELEVATOR LINKS:** 1 Set each of suitable size and length weld-less links of capacity 350 Tons - 2.¾" x 108" (min.) and 500 Tons - 3.½" x 132" (min.)
- G) BIT BREAKER / THREAD PROTECTORS / NOZZLES GAUGE / STABILIZER GAUGE**
- i) 1 No. each bit breakers for 26" & 17.½", 12.1/4", 8.½", 6" for TCR bits (compatible with master bushing).
  - ii) 1 set consisting of 2 nos. each size clamp-on or equivalent casing thread protectors for 20", 13.3/8", 9.5/8", 7", 5.½" & 5" sizes.
  - iii) Stabilizer gauges and bit gauges of 20", 17.½", 13.¾", 12.¼", 8.½" sizes.
  - iv) Nozzle gauges for various sizes of nozzles.
- H) AIR WINCH:** 1 No. Air winch mounted on derrick floor (one on drillers side & other on off drillers side) having pulley at crown block suitable for 5/8" soft wire line.
- I) FISHING TOOLS:** All items mentioned below shall be provided by the contractor. Supply of all fishing items and recovery of all fishes in every sizes of hole shall be the responsibility of contractor. However, fishing tools other than listed shall be supplied by Company as and when required.
- a) Overshot: Releasing & circulating overshoots of Bowen Series 150 for operation in 12.½", 8.½" & 6" hole to catch all sizes of Driller collars, heavy weight drill pipes, drill pipes and substitutes as provided by the contractors, with various sizes of spiral grapple, suitable extension sub and oversized lipped guide for operation in 17.½" hole.
  - b) Safety Joints: 1 No. of Bowen or any OIL approved manufacturer for operating in 12.¼" & 8.½" hole size.
  - c) **OTHER FISHING TOOLS**
    - i) **REVERSE CIRCULATING JUNK BASKET:** 1 No. each Bowen or equivalent R.C.J.B complete with accessories for the various hole sizes i.e. 17.½", 12.1/4", 8.½", 6" etc. for 5.½" & 5" completion wells as per requirement.
    - ii) **JUNK SUBS:** 1 No. each Bowen or equivalent Junk subs for operating in the various hole sizes for 5.½" & 5" completion wells as per requirement.
    - iii) **FISHING MAGNET:** 1 No. fishing magnet with standard fishing neck for operating in 12.1/4", 8.½" hole & 6" hole.
    - iv) **IMPRESSION BLOCK:** 1 No. impression block with standard fishing neck for 12.1/4", 8.½" & 6" hole size.
    - v) **JUNK MILL:** 1 No. each junk mill with standard fishing neck for hole sizes of 12.1/4", 8.½" & 6". All materials required for re-dressing of mills shall be provided by the contractor. Re-dressing of mill, if any, shall be carried out by the contractor.

- d) **Hydraulic Jar/ Hydro- Mechanical Drilling Jar:** Type “Z” Bowen or any OIL approved manufacturer, 01 (One) no. each of 6 ½”/ 6¼”, 4¾”/4 ¼” OD Jar.
- e) **Hydraulic Jar/ Hydro- Mechanical Super Fishing Jar:** Type “Z” Bowen or any OIL approved manufacturer, 01 (One) no. each of 8”/7.¾”, 6 ½”/ 6¼”, 4¾”/4 ¼” OD Super Fishing Jar.
- J) CASING SCRAPER / ROTOVERT:** 01 no. each Casing Scrapper (min. 540° contact area) for 9-5/8” (47 PPF) 7” (29 PPF), 5-½” (20 PPF).
- K) FIRE FIGHTING SYSTEM:** Contractor shall provide all Fire Fighting equipment as required under the service as per the provisions of OISD STD 189 & Mines Act of India.
- i) The contractor shall lay a 4" dia. firefighting delivery line with adequate number of fire hydrants and monitor located at strategic points which must be connected to the delivery of the Trailer/skid mounted Engine driven fire pump- 01(One) no. of capacity min 1800LPM @7kg/cm<sup>2</sup>. Contractor shall provide all necessary firefighting and safety equipment as per laid down practice as specified under OISD - STD - 189 and OMR.
- ii) The fire pump should be permanently hooked up with the water tank and fire water line.
- iii) The fire water line shall be designed and properly supported to withstand pressure/reaction force at 7kg/cm<sup>2</sup> and shall have two independent connections with NRV to hook up fire water pump and fire water tender.
- iv) The hydrant and monitors shall be mounted on 4” size stand post and situated 1.2m above ground level.
- v) Hose box at each hydrant point shall be provided and equipped with two fire hoses and one multipurpose nozzle. Alternatively, group of hydrants to be provided with hose hut with enough standard fire hoses and multipurpose foam cum water, spray nozzle. Hose hut should be quick and easily accessible from hydrants.
- vi) This is a mandatory requirement and shall be frequently tested for firefighting purposes. In case of non-conformance, OIL reserves the right to stop further operations and nil day rates will be applicable till the time the line is made functional.
- vii) The contractor shall comply with any / all other regulation (s) that comes into effect from time to time in this regard.
- viii) Two nos. 50 KL capacity water storage tank for Fire Fighting to be made available.
- ix) Independent source of water to supply along with motor/engine driven pump must be made available for filling up of the firefighting water storage tanks.
- x) A Fire Siren – Manual & Electrical siren as fire alarm shall be provided.
- xi) Windsock, intrinsically safe torch, SCBA (Self Contained Breathing Apparatus) set (30 minutes capacity) - 02 nos. should be provided.
- xii) Contractor shall provide portable fire extinguishers which should be located at convenient locations, clearly visible and easily accessible.
- xiii) The Contractor shall comply with any / all other regulation(s) of OISD (India) & DGMS (India) that comes into effect from time to time in this regard. Regular fire drills should be conducted. Mock fire drill should be

conducted at least once in a month & records of all such drills should be maintained properly.

**L) TRANSPORTATION SERVICES****a. OIL's Responsibility**

- i) Transportation of company's personnel and materials/Equipment (those not attached with the rig) will be company's responsibility. Contractor will however be responsible for providing all facilities including use of their crane and personnel for unloading/loading and proper stacking/storing of company's materials at drilling site/camp site.
- ii) Chemicals required for preparation of mud and completion fluid, and Cement shall be supplied by OIL. To & fro collection, transportation, loading/unloading, stacking etc of these chemicals /cement shall be carried out by OIL, as and when required.
- iii) In case of well emergency, it is the responsibility of OIL to supply/ transport Chemicals, Cement etc. to well site.
- iv) Well consumables like casing, tubing, well head etc. shall be supplied by OIL. To & fro' collection, transportation will be provided by OIL and loading/unloading, stacking etc. at well site of these consumables shall be carried out by the contractor, as and when required, with the help of Contractor's crane.
- v) Prior to starting of ILM (inter location movements) the readiness of approach road to forward location and plinth shall be the responsibility of OIL. Clearance of Electrical overhead lines belonging to state Electricity board, tea gardens etc. shall be the responsibility of OIL.

**b. Contractor's Responsibility**

- i) Transportation of contractor's personnel & their material from camp site to drill site and between drilling sites shall be the responsibility of the contractor. All vehicles deployed for this purpose should be in prime condition.
- ii) All requirements of crane(s), during rig up/rig down & inter-location movements are to be provided by the Contractor. Any additional requirement of crane(s) for any specific purpose at site during well operation shall also be provided by the Contractor.
- iii) Bits required for drilling of wells shall be supplied by OIL. However, it is the responsibility of Contractor for loading/offloading and to transport the same from Company's yard/Go-down.
- iv) The contractor must provide at their cost, equipment & services of the following minimum number:
  - (a) Sufficient numbers of Diesel Hydraulic, Truck mounted Telescoping Boom mobile crane during rig up /rig down & inter-location movements of Rig package.
  - (b) Sufficient number of load carrying vehicles and cranes so that the inter-location movement is completed without any delay.

- (c) Minimum 1 no. of Diesel Hydraulic, Truck mounted, Telescoping Boom mobile crane of 40 Tonne minimum capacity to be made available at all times at well site.
- (d) During Inter-location Movement, any left out consumables including but not limited to, well head, casing, tubing or any kind of tubular, bits, chemicals, barytes, bentonite etc. should be collected, loaded, unloaded, stored, handled, transported between locations by the Contractor or as directed by OIL. The maximum load requirement of OIL's equipment will be of around 06(six) trailers. Rig down/Rig up/transportation of Company's materials/ items attached to the rig shall be done by the contractor.
- (e) During inter location movements, the contractor shall arrange for shutdown/ ground clearance/ temporary lifting of Service Lead-in/ wires/ cables /raising of lines (if required) of Electrical overhead lines belonging to third parties viz. state electricity board (APDCL), tea gardens etc.
- (f) The contractor is solely responsible for any damage to existing Electrical infrastructure belonging to third parties viz. state electricity board (APDCL), tea gardens etc. resulting from the movement of the contractor's vehicle during ILM. In case of such damage, contractor is fully responsible for repairing of the damaged Electrical infrastructure.

**M) MISCELLANEOUS TOOLS & EQUIPMENT**

- a) 1 No. each of circulating head with hammer union connection for 20", 13.3/8", 9.5/8", 7", 5.1/2" BTC casings, 2.7/8" IF & 2.3/8" IF drill pipes.
- b) 1 No. poor boy swivel for 4.1/2" IF drill pipes.
- c) Circulation Heads:
  - i) One No. circulating head for 5" OD x 4.1/2" IF drill pipe fitted with quick opening gate valve and Chicksan hose connection.
  - ii) One No. of circulating head for 2.7/8" EUE tubing.
  - iii) One no. of tubing shut in valve for 2.7/8" EUE tubing.
- d) Mud basket for use during round trips with Drill Pipes of sizes 5" & 3.1/2" and other tubular.
- e) Adequate number of appropriate size back pressure valves to be installed on bit subs during different stages of drilling (complete with installation tool).
- f) One No. of additional reels of 7500 ft. each, 1.3/8" or 1.1/2" IWRC drilling line (as per specification of the rig).
- g) Appropriate riser for all stages of drilling.
- h) Complete sets of tools/wrenches.
- i) Suitable size & number of bell nipples and flow nipples for making up at the well head.
- j) Suitable capacity (engine or electrically driven pump reciprocating/centrifugal type) for pumping gauging water to cementing hoppers.
- k) **Welding Machine:** Diesel/ Electric powered electric welding generator capable to generate welding current at 480 Hz with Constant Current characteristics with all associated welding and cutting apparatus, Oxy-acetylene cutting equipment's with flash back arrestor, brazing etc. Engine

should be fitted with spark arrestor. All consumables shall be supplied by the contractor.

*NOTE: Cylinder cap to be provided in Nitrogen, oxygen and acetylene cylinder.*

- l) PESO certified spark arrestor to be provided for all ICE engine except power pack engines.

#### **N) OTHER PROVISIONS TO BE PROVIDED BY CONTRACTOR**

- (i) The contractor shall provide, at his cost a barites loading platform with shed to facilitate storing and mixing of mud chemicals at well site. The size of the platform should be 700-800 sq, ft to accommodate around 30 MT of Barites and 10 MT of Bentonite. The loading and unloading of materials in the shed and in the barites and bentonite mixing hopper shall be done by the contractor.
- (ii) Contractor shall prepare, maintain and use drilling mud as per drilling policy with water loss, weight, viscosity in accordance with mud programme as the OIL may decide as per good oilfield practices, with due diligence in keeping the hole and all strings of casing and space between casing filled with drilling mud shall be exercised. Contractor shall maintain and test drilling mud at least twice each hour for maintaining proper mud weight and viscosity. The contractor shall record the result of such tests and use of mud and mud chemicals in its daily drilling report. Contractor will also be required to keep hourly record of mud weight, viscosity (in and out), active tank volume etc. Preparing and maintaining the drilling fluid properties as per OIL's instruction will be contractor's responsibility, however required chemicals & additives will be provided by OIL. The detailed mud testing is to be carried out at the well site laboratory twice everyday by Contractor.
- (iii) During well testing (Production Testing)
  - (a) Schedule - 1
    - i.** Making & breaking including stacking and running in of production tubing (both 2.7<sup>7</sup>/<sub>8</sub>" OD EUE N-80 and VAM tubing) as per the standard practice.
    - ii.** Installation of Tubing Head Spool, packing of secondary seal and testing of the same as per the rating.
    - iii.** Testing of X-Mass tree and installation of the same.
    - iv.** Making necessary tubing/ casing connections to the well head set up.
    - v.** Hooking up of the production equipment namely Tanks, Separator, Steam jacket, ground X-Mas tree etc and test the same before commissioning as per the requirement.
    - vi.** To make the gas flare line to the flare pit.
    - vii.** To measure the flow rate and to analyze the produced fluid as and when required.
    - viii.** To maintain the tubing tally including any down hole production equipment run.



reserve tank or vice versa. Also, suction from intermediate tanks to mud pumps to be possible.

- b) The mud system should include the following:
- i) High Speed Linear Motion Shale Shaker [LMSS] single or twin unit / Balanced Elliptical motion with minimum 7 G force capable of handling at least 1500 GPM [With 1.08 sp. Gravity water/ polymerbased mud] and sufficient number of screens from API 20 to 250 mesh size for drilling various hole sections.
  - ii) Linear Motion Mud Cleaner, capable of handling at least 1500 GPM [1.08 sp. Gravity water/ polymer-based mud], having screen size up to API 325 mesh size with Desander & Desilter installed over it having the following capacities:
    - 1) Desander (Hydro cyclone type) capacity at least 1500 GPM, with 2 - 3 nos. (or more as per design requirement) of vertical 10" – 12" cones complete with suitable motor driven centrifugal pump capable of delivering the required volume & head of the Drilling fluid as noted.
    - 2) Desilter (Hydro cyclone type) capacity at least 1500 GPM [With 16-20 cones (or more as per design requirement) arranged in 2 rows or circular arrangement] complete with suitable motor driven centrifugal pump capable of delivering the required volume & head of the Drilling fluid as noted.
  - iii) Degasser, Vacuum type capacity at least 1200 GPM, complete with suitable compressor, motor and proper gas disposal system with poor boy degasser chamber for disposing gas beyond hazardous area / zone.
  - iv) 2 (Two) nos. (min) 10 HP (min) mud agitators with suitable gear box & 4(min) bottom gun jet per tank and mud guns for proper churning of mud with TOR :50 (min).
  - v) Mud mixing system, consisting of low pressure hoppers and electric motor driven centrifugal pumps. The System should be capable of mixing mud up to 19 PPG, approx. the system should contain atleast two hoppers & two 75 to 100 HP centrifugal charging pumps.
  - vi) The active mud system should have one platform adjoining the tank with approx. dimensions of 30' x 20' for keeping Bentonite barites & other materials for mixing purposes. Alternatively, contractor should keep adequate provision for keeping Bentonite, barites and other chemicals at site.
  - vii) The reserve tank should have independent suction & delivery lines with mixing arrangement through the hopper.
  - viii) Electric motor driven centrifugal pumps for above mud cleaning and degassing equipment. Throughout the tank system the following lines shall be installed as required complete with all necessary valves fittings & unions:  
- suction lines - mud roll line - discharge line - Water line - Mix line.
  - ix) Centrifuge: Brandt's HS-3400 /Derrick/Kemtron/Swaco/Any OIL approved make having High Gforce capacity and with long clarification area to process approx. 170 gpm with feed density of 9.3 ppg mud [approx.] at more than 2000 G's. The functions of solids sedimentation, separation and draining are all to be combined in the centrifuge. The unit should be complete with charging pump, Main Drive Motor [FLP type], hydraulic drive, and torque control assembly for centrifuge. [Note: All safety measures are to be adopted in placement as well as operation period].

- x) In case, LWC is used while combating stuck pipe situations. LWC shall be provided by OIL free of cost to the contractor. The contractor's responsibility shall be to provide storage facility and infrastructure to utilize the LWC at any moment. In addition, diesel fuel may also be used, for releasing stuck pipe, if the situation so demands, and which shall be provided by the contractor in sufficient quantity and as many times as needed. Cost to be reimbursed by the Company at actual.
- xi) Adequate capacity pre-flush tank, gauging water tank slug tank within the suction tank of approx. capacity 60 bbls with all necessary fittings, valves, connection etc. shall be provided by the contractor.
- xii) Moreover the following shall also be provided by the contractor:
  - (a) a suitable number of stairways from ground to top of tanks, from ground to choke manifold level, from choke manifold level to top of tank.
  - (b) One crossover platform from mud tank to substructure complete with stairs.
  - (c) Tank shall be covered with bar grating.
  - (d) Hand rails shall be provided on all the outer boundaries of the tanks.
  - (e) The mud tanks and all other accessories are to be mounted on rugged oilfield skids. Mud tanks should be in good working condition and rugged enough to last the entire duration of contract including an extension if any, without having to undergo repairs irrespective of their movement.
- c) **CABIN FOR MUD ATTENDANT:** A cabin of dimension 5' L x 5' W x 8' height mounted on a skid with one sliding door, 3 safety glass windows (on 3- sides), one knowledge box and one tool box and standard mud lab Baroid Model No. 821-40 shall be provided by the contractor. The inside walls of the cabin are to be provided with thermal insulation and laminated boards. The cabin shall be placed near the intermediate tank at the level of the walkway.
- B) RIG AIR SYSTEM:** Rig air compressor package complete with utility hut consisting of the following.
  - i) Two Nos. electric motor driven reciprocating / centrifugal / screw type air compressors each having a capacity of min. 90 CFM at 125 psig working pressure, complete with all accessories.
  - ii) One number cold start compressor capacity of minimum 30-40 CFM at 150 psig rated working pressure, driven by diesel engine.
  - iii) 2 nos. air receiver hydraulically tested within last three years with documentary evidence. These receivers should be as per rig design and deployment of the equipment and should be of enough capacity to cater the need of air requirement for smooth operations and complete with air dryer, safety relief valve, condensate drain trap etc.
- C) WATER SYSTEM:** The water system should conform to the minimum requirements as given below for guidance.
  - (a) **Three Nos. water tanks:** (also to be used as gauging water tank) Total storage capacity: 170 M3 (approx.). Fitted with two centrifugal pumps (as water booster) having capacity minimum 80 m3 per hour and 26 m head and complete with suction and discharge lines for operation of either or both pumps. At least two (02) tanks should be fitted with 02(Two) no. of agitator each along with hopper arrangement for mixing chemicals One set

pipings: Std. size & complete with suitable valves for supply of water to mud system from the above 3 tanks.

- (b) **Water Supply:** The contractor shall be responsible for arranging suitable capacity pump for drawing source water from minimum 15 m water source below ground level with all necessary piping, and other set-up. The Contractor shall be responsible for procuring, transporting and storing/supplying adequate quantity of both drill / potable water to well site / campsite at their cost. The company shall in no way be responsible for any water arrangement whatsoever at well site / campsite.
- (c) **Fuel Tank:** Two No Fuel tanks with adequate storage capacity of fuel along with DGMS approved decanting facility for decanting of Diesel from Diesel tankers to storage tanks must be available.

**NOTE:**

- i) In case, the rig remains idle for want of a minimum required quantity of acceptable quality water, then 'NIL' day rate shall be applicable for the entire period of shut-down.
- ii) In case of total mud loss into the formation while drilling or in case of fire fighting, if the whole water stock is consumed, then 'nil' day rate will not be applicable. However, the contractor has to take urgent & all-out effort to replenish the stock immediately in order to tackle the water problem.
- iii) If source water cannot be located within the plinth areas, because of subsurface formation reason, the contractor shall have to set up water supply station at the nearest available source.
- iv) To cater the need of all emergencies an alternate adequate water source should be identified & arrangement should be kept ready to provide water to camp / well-site to meet the emergencies.
- v) Flow meter shall be provided with the ground water drawing system and records to be maintained at well site. Contractor shall be responsible for keeping records for water consumption at wellsite.

**D) ELECTRICITY**

- (a) Generation and supply of electrical power for running the entire operation and for various uses in the camp and well site shall be done by the contractor. Provision shall be made for standby generators both at camp & well site to ensure uninterrupted supply of electricity. Adequate lighting shall be provided in the camp, campsite, and drill site by the Contractor. Supply of electricity to company's mud logging unit and other equipment which operate on 220/415V - 50 Hz shall also be the contractor's responsibility at their cost. The contractor must provide facility for running all electrical equipment of OIL & their own both at 50Hz - AC and 60 Hz AC capacity wherever they are applicable. Rig lighting system shall conform to API standard and be connected to the main rig power system. Standby provision should be kept to meet the requirement as and when necessary. In addition the contractor must provide 5 (Five) Nos. of Flasher type aviation warning light for fixing at mast and conforming to API standard, which shall be used as per OIL's instruction.

- (b) All auxiliary motors, lighting, plug/socket, junction box, starter, push button not placed at safe distance shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall conform to IS/IEC/EN: 60079 standards. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.110].

**Notes:**

- 1) All Electrical Cables used in the Drilling Rig should be multi core flexible copper cables (armored or screened) of 1000 volts grade, EPR insulated, CSP/NBR sheathed. All electrical cables shall conform to the provisions stipulated in line with IS-9968-1 read with the latest BHEL specifications (OR12003, OR12002 & OR12005) as the case may be. If the standard of a particular type of cable is not available in India, the cables must comply relevant International standards (IEC 502) with latest amendments. Ref. to DGMS Tech. Circular (Electrical), (Approval) No. 17 dated 25/05/2015.
- 2) Remote PBS placed in hazardous area should have intrinsically safe circuits with a maximum of 30 Volts. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102(iv).].
- (c) In case of 3-phase and 4 wire systems & the middle conductor of a 2 phase 3 wire system - The neutral conductor shall be earthed by not less than two separate and distinct connections with a minimum of two different earth electrodes or such large number as may be necessary to bring the earth resistance of neutral to a satisfactory value [CEA Regulation 41(i)].
- (d) The neutral system should be such that, the fault current shall not be more than 750 mA in installations of voltages exceeding 250V and upto 1100 volt system for oil mines. The magnitude of the earth fault current shall be limited to the above value by employing suitably designed restricted neutral system of power supply [CEA Regulation 100(1)]. The neutral system should be such that, the fault current shall not be more than 750 m A in 550/1100 volt system for oil field. The magnitude of the earth fault current shall be limited to the above value by employing suitable designed restricted neutral system of power supply (I.E rule 116 (i)) Bidder shall provide details of such arrangement in the technical bid.
- (e) **Earth leakage protective device:** All the outgoing feeder for auxiliary motors, lighting, bunk houses and outgoing feeders from standby generator shall be provided with earth leakage protective device so as to disconnect the supply instantly at the occurrence of earth fault or leakage of current. The maximum earth leakage threshold for tripping shall not exceed 100mA under any circumstances as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 42.
- (f) All the electrical equipment, PCR, Diesel tanks, Mud tanks should be double earthed.
- (g) Documents required with techno-commercial bid: The bidder should furnish the following along with their techno-commercial bid.
- i) Single line Power Flow Diagram of the rig.
  - ii) A Plan layout of electrical equipment used in the rig.

- iii) Details of all electrical equipment used in the rig as per format given in **Annexure-V**.
- iv) Details of all cables, light fittings, push button stations, plug & sockets, junction boxes, motor, starters etc. used in the rig as per the format given in **Annexure – VI**.
- v) Details of rig electrical as per the format given in **Annexure-VII – Electrical**.
- vi) A layout of the complete earthing system including earthing of diesel tanks, PCRs, all motors, motor starters, alternators & any other electrical equipment used for the purpose.
- vii) For all Electrical equipment used inside hazardous area (within 30 meters from well centre), test reports/ certificates confirming to relevant standards (IS/IEC/EN: 60079) from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of the manufacturer's facility shall be submitted along with the bid and also with the supply of the materials.

In case the bidder is unable to provide the test reports/ certificates at the time of bid submission, then the bidder has to categorically confirm in their offer that "Test reports/ certificates will be submitted along with the supply of materials"

**Note:** Bidders have to furnish a list of Electrical equipment to be used in hazardous areas as per format given in Annexure-V. The Electrical equipment placed in classified hazardous area must be certified by Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of the manufacturer's facility.

Also, the electrical appliance, equipment for using in Zone 1, Zone 2 & hazardous area (within 30 meters from well centre) of the mine shall conform to IS/ IEC standards as specified by DGMS as per clause no. 107 of OMR-2017 read with Gazette notification: 898 of 2017.

- (h) **DCON** - Pressurized type driller's console and foot throttle should be used in the rig. Air purging system should be provided for the above.
- (i) **COMMISSIONING REPORT & STATUTORY RECORDS:** The following minimum reports and records are to be maintained by the Contractor –
  - Equipment commissioning record and statutory record registers.
  - Insulation resistance of all motors, generators, cables, distribution board, transformer etc. (in each rig up).
  - Record of Earth resistance of all electrodes (in each rig up) [CEA Regulation 41(xvii)].
  - Test record of RCCBs (once every 3 months) [CEA Regulation 100(3)].
  - Maintenance of FLP equipment (yearly).
  - Log sheet for Mines and Oil-Fields (daily) as per Schedule-XIII of CEA Regulation.
  - Illumination Records.
  - Any other record that may be required by statutory authorities / Company for operational or safety reasons.

- As per DGMS circular & Gazette Notification for Maintenance of register as required by the Mines Act 1952 and Mines Rules, 1955, the forms A, B, D and E have been updated and modified. The above mentioned forms needs to be maintained as per the new format.
  - All other statutory forms to be maintained in respect to Mines Act, 1952, Mines Rules 1966, Oil Mines Regulations 2017 and other applicable laws. Responsibility for maintaining of such records shall rest with the Chief Electrician (on behalf of the Contractor).
  - Electrical Logbook Register to maintain records of operational parameters and energy consumption data (every shift).
  - Daily Progress Report.
  - Electrical Equipment Maintenance Register.
  - Breakdown Maintenance Register.
  - Well Site Inventory Register.
  - By-pass register.
  - Register for management of change.
  - Filled up toolbox talk record file.
  - Closed electrical isolation permit record file.
- (j) **Lighting Transformer:** The voltage for lighting system in-side the mine shall not exceed 250V (between phases) if neutral is connected to earth as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102.
- (k) **Neutral Grounding Resistance:** The Main 600 V/415 V transformer shall be Delta-Star type and star point of the secondary shall be earthed through NGR; and, neutral of the secondary shall not be served for any load. The neutral earthing system should be such that, the earth faults current shall not be more than 750mA in installations of voltage exceeding 250V and up to 1100V system for oil fields. The magnitude of the earth fault current shall be limited to the above value by employing suitable designed restricted neutral system (NGR) of power supply as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 100(1).
- (l) Tri-lingual notices shall be exhibited forbidding unauthorized operation, cautioning the presence of electrical apparatus as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 109 (7(i)).
- (m) Schedule – XIII shall be present and filled as per CEA (Measures relating to safety and electric supply) Regulations, 2010, clause 110 (9) & regulation no. 115(5)
- (n) The switchgear and protective system shall be kept effective, maintained and checked and result shall be recorded as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 100(3).
- (o) Electrical isolation / Energization permits shall be maintained as per Oil Mines Regulation, 2017 regulation no. 99 and OISD 216.
- (p) Shock treatment chart should be displayed in the PCR. This should contain telephone number of fire service and other emergency services. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.28(1) and OISD 216 (Annexure-2&4)].
- (q) All electrical equipment (motors, alternators, Starters, PBS etc.) shall have Danger notices/ caution boards of appropriate voltage. [Ref: CEA (Measures

- relating to safety and electric supply) Regulations, 2010, regulation no.18 and OISD 216(Annexure-4)].
- (r) Valid calibration records of all the measuring instruments shall be available at site.
  - (s) All electrical panels shall be painted with the description of its identification at front and at the rear. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.19(6)].

**E) MOBILE EFFLUENT TREATMENT PLANT WITH RO FACILITY/ EFFLUENT MANAGEMENT**

Full-fledged Mobile Effluent Treatment Plant (ETP) with RO facility and laboratory facility to test the solid and liquid output and to match the requirements for drilling locations in N.E region in line with the recent guidelines from Ministry of Environment and Forest and safe disposal of Oil Drilling Effluents as below –

- i.** Capacity: The ETP shall have the capacity to handle 150 cubic meters input per day along with a Centrifuge capacity of minimum 8m<sup>3</sup>/Hr in the flow cycle after dosing system and other treatment tanks but before final filtration process. For solid effluent, it shall have the capacity to handle 50 cubic meters input per day including solid cakes come from mechanical separation unit.
- ii.** The liquid and solid output from the ETP shall conform to the recent CPCB (Central Pollution Control Board) and SPCB (State Pollution Control Board) norms and follow MoEF (Ministry of Environment & Forest) guidelines published time to time. The liquid output coming out from ETP (final output) shall conform to the standard IS 10500 (or recent amendments for potable water).
- iii.** The treatment process shall be of chemical separation and mechanical separation along with RO.
- iv.** The plant will be within inside mining area and shall comply with new OMR 2017.
- v.** All electrical equipment should be suitable for use in hazardous areas of Zone I and Gas group IIA & IIB of Oil Mines and shall conform to IS/IEC/EN:60079- 0:2011 & IS/IEC/EN:60079-1:2007. The bidders shall submit test reports conforming to the above relevant standards from an Indian Government Laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of manufacturer's facility. Bidder shall provide copies of above test reports along with technical bid. Above Test Reports no should be engraved on the name plates of such equipment.
- vi.** Test Report of flame-proofness conforming to the relevant standards as per OMR-2017 and subsequent guidelines from DGMS shall be required if any in some specific equipment as per OMR- 2017.
- vii.** Laboratory facility with competent personnel to test and report output analysis.

**viii.** ETP shall be efficiently operating condition from the day of spud - in to day of declaration for ILM to next location.

**ix. THE FOLLOWING ARE THE MINIMUM QUALITY OF TREATED WATER FROM RO OUTPUT SHOULD BE MET:**

- i) Suspended Solids: Nil.
- ii) Turbidity: Nil.
- iii) pH: 7.00 to 7.5
- iv) T D S: Less than 40 ppm.
- v) Total Hardness: 30 ppm as CaCo<sub>3</sub>.
- vi) Bacteria Coliform: Nil.

**NOTE:**

- (a) The Chief Electrician engaged by the Contractor shall have the responsibility of operation, maintenance and support of the electrical equipment of the ETP plant.
- (b) All electrical records of the ETP plant should be maintained by the Chief Electrician. These records should be presented for scrutiny as and when required by statutory authority / Company.

**F) MISCELLANEOUS ITEMS**

- (i) Doghouse
- (ii) Two sections catwalk and pipe racks of sufficient capacity and length.
- (iii) Storage and tool house.
- (iv) Pipe and casing rack of suitable height and adequate capacity.
- (v) Suitable arrangement at the end of flow nipples of well head for fixing gas monitoring equipment, with a suitable shed for the gas logger at that location.
- (vi) **Online Gas Monitoring System:** Online Gas Monitoring System having minimum four channels with Audio-Visual Display and Warning for onshore Drilling Rig Application comprising Gas detectors, Measuring & Alarm control unit and Calibration Kit & Accessories. The Multi-Gas shall be inclusive of Hydrogen Sulphide (H<sub>2</sub>S), Carbon Monoxide (CO) and Methane (CH<sub>4</sub>). Multi- Gas detectors (two for Methane & two for H<sub>2</sub>S i.e. total four detectors) are to be located at Riser mouth as well as at Shale Shaker. Display unit is to be located at doghouse & Rig-superintendent's office but connected explosion proof Hooter & Flasher shall be mounted at rig-floor.
- (vii) The wellsite should be adequately covered by CCTV coverage with emphasis of adequate coverage of minimum 08 operational areas – (i) Derrick Floor, (ii) Mud Tank Area, (iii) Thribble Board, (iv) below derrick floor (cellar pit), (v) Mud Pump, (vi) Shale Shaker, (vii) PCR & (viii) Entry Gate with recording facility availability for minimum 30 Days. All CCTV equipment installed will be designed as per applicable statutory guidelines of OMR and DGMS.
- (viii) Two nos. of Digital Portable Multiple Gas Meter (gas detectors) to be provided (one is in use and other one is as back up). The gas detector should have certification of DGMS, CMRI/CCOE or equivalent for Zone 1, Class IIA, IIB, IIC area.

- G) DRILLING INSTRUMENTATION:** The rig should be equipped with the following instruments of Martin Decker or equivalent New Generation instrumentation system i.e. Drill Watch, Touch Screen type digital and Analog display monitors at 3 rig stations with data acquisition and printing facilities for monitoring drilling parameters:
- (a) Martin Decker type E/EB or equivalent wt. indicator complete with accessories and suitable wire line anchor for appropriate number of lines strung at Driller console.
  - (b) Driller's console should contain 1 No. of suitable Mud pressure gauges (additionally one on standpipe manifold, one each at each mud pumps), weight indicator, tong torque system, rotary torque gauge, Rotary RPM, Rotary & Top drive Torque and pump SPM counter for each rig pump, remote mud pump pressure gauge, Mud Vol. Totalizer, Return Mud flow, Trip Tank Level, Hole Depth, Bit Position, Casing Pressure, ROP. It should include emergency honking system, signal alarm and visual display boards at strategic points.
  - (c) Advanced integrated Drilling Instrumentation System to be provided for recording of Hook Load, Weight on Bit, ROP, Rotary & Top drive Torque, RPM, SPM-1, SPM-2, SPM-3, Hole Depth, Bit Position, Total SPM & Stand pipe pressure, Total Strokes, Mud Volume of individual tanks, Trip Tank Level, Active Mud Volume, Mud Loss/ Gain, Mud Temp in, Mud Temp Out, Return Mud Flow, Tone mile, Tong line pull, Casing Pressure. However, in addition to above, digital / analogue display of applicable parameters shall be provided.
  - (d) One intercom telephone system for Rig communication between rig floor and other areas of the rig to be provided which should have flame proof fittings at hazardous places and should be approved by statutory authorities (Govt. approved/Licensed Walkie Talkie is also acceptable if it is FLP). Additionally, there should be provision of 02 (two) independent communication systems (having DGMS approved FLP phone) for communication to & from wellsite to base.
  - (e) Calibrated Pressure Gauges are to be provided at Standpipe manifold, Choke manifold, Discharge of individual mud pumps.
  - (f) Gas Detection System for Three/Two fixed locations (Flow line, Shale Shaker and after Degasser on Mud tank) as per OISD & DGMS guidelines with alarms (Local/Remote) and other accessories

Note: All electrical/electronic instruments and sensors installed on rig should be as per new OMR' 2017.

**GENERAL NOTES:**

- (a) Minor variation in size and specification of tools and equipment quoted with the rig should be acceptable provided these are fully compatible with the offered rig.
- (b) The total number of rig loads required for rig movement should be clearly spelt out in the bid giving details of each load.
- (c) Approximate transportable dimension of one rig load should be preferably within 9 M (L) x 3.5 M (W) x 3 M (H).
- (d) Supply, storage, consumption / regulation of water & fuel at the well sites as well as at the camp site shall be the contractor's responsibility. Any shut

- down of operation due to non-availability of water and fuel shall be on the contractor's account.
- (e) The Bidder shall submit the layout drawing of the offered rig package indicating loading pattern of soil / foundation under the following conditions:
    - (i) While raising / lowering mast.
    - (ii) With rated hook load + set back load.
    - (iii) With casing and set back load. The above shall be furnished with the bid.
  - (f) The digging of deep tube wells at the respective sites and installation is Company's responsibility however Supplying all equipments/materials for sinking of the tube well, operation of water pumps, extraction of water from deep tube wells for rigs as well as camp shall be the contractor's responsibility. For the sake of the Contractor's knowledge the depth of deep tube well in the region will be approximately 15-50 m (with double filter installed). Supply of water from alternate sources shall be the responsibility of the Contractor, if no water is found at the exact camp or well site.
  - (g) Supply of LDO/LWC for mud preparation and for meeting other downhole eventualities will be the company's responsibility. The Contractor shall also provide fuel for all of their vehicles and other stationary engines.
  - (h) All sorts of lubricants for day to day operation of various rig equipment's shall be supplied by the Contractor. Also, various spares for rig components shall be stocked / supplied by the Contractor.
  - (i) All sizes of drilling bits as required separately under different casing / hole policy shall be provided by OIL. Contractor will supply on request, bits selected by OIL at actual cost + 5% handling charge.
  - (j) Wire line Logging Service: All logging requirements as depicted in the drilling programme will be met by OIL through its in-house or through logging service Providers.
  - (k) Well killing: The primary responsibility of well killing and all related operations shall lie with OIL. OIL shall provide man, material and fire service for this purpose. OIL shall render help in civil administration when such a situation arises. Competence of the Contractor's well killing operation shall be decided by OIL. Based on this, OIL reserves the right to bring in external experts. The resultant cost thereof shall be borne by the contractor, in the event that the blow out occurred due to negligence of the Contractor.

## **7.4 CIVIL ENGINEERING WORKS**

**7.4.1** The approximate well plinth preparation for a similar drilling rig as available with the Company is broadly as follows:

- (i) Approx. plinth area: 9215 Sq. m.
- (ii) Concrete volume: 700 to 750 cum (for foundations of slush pumps, drilling rig, rig engines, ETP foundation etc.).
- (iii) Hard standing area: 5640 Sq.m.
- (iv) Effluent pit volume: a. 8,00,000 gallons for Development well. b. 10,00,000 gallons for Exploratory well.
- (v) Safe Bearing Capacity: 8.00 Kg/Sq.cm.

The Contractor may use the above information as a guideline only. The Contractor's and OIL's responsibilities in this regard are defined below.

**7.4.2** All Civil Engineering jobs associated with preparation of approach road, well site plinth, well site toilets as per OIL standard, rig foundation (with cellar) etc. will be the Company's sole responsibility. However, the Contractor shall submit the following along with technical Bid (in case of brand new Rig within 15 days from the date of issue of LOA) in order to assess the quantum of civil engineering works required:

- i) Rig layout drawing clearly indicating areas where RCC and hard standing is required.
- ii) Substructure foundation design and detailed working drawing.
- iii) Cellar foundation design and detailed working drawing. Also, indicate maximum allowable cellar foundation size.
- iv) Structural configuration and load distribution of the rig package / equipment.
- v) Detailed design and working drawing of any other equipment requiring cement/concrete foundation.
- vi) All approach roads to well site and hard standing of well sites will be made from gravel locally available without any black toping what so ever as per prevailing practice.
- vii) The foundation for substructure, mud pumps, engines, PCR, HSD tank etc. shall be constructed by company as per the working drawing submitted by the contractor at one go. Any addition or alteration of foundation at the later stage or during rig up operation shall be done by the Contractor at his own cost and additional time required for such kind of alteration shall be attributed to the Contractor.
- viii) In case of delay in submission of rig layout diagram by the Contractor results in delay of preparation of plinth and subsequently delay in mobilization shall be attributed to the Contractor.

**7.4.3** Grouting of the false conductor including supply of the false conductor (may be in cut pieces) & civil-materials will be responsibility of OIL. However, Sizing/fabrication work or any other associated job is to be done by the Contractor.

**7.4.4** All grouting required for anchoring guy post/any wire line (if required), delivery/other lines etc. including supply of civil materials for such jobs will be responsibility of OIL.

**7.4.5** Maintenance of Well plinth, Approach roads to well sites, shall be the Company's responsibility including supply of materials.

**7.4.6** OIL will provide the land required for the base camp at Rig/well site with approach road and will also be responsible for preparation of camp site, making foundation, maintenance of this campsite & its approach road including supply of civil materials. However, setting up of the camp other than the mentioned jobs herein is the responsibility of the contractor.

Note: Contractor should provide necessary lay-out, drawings and other details required for preparation of drill site and base camp site by OIL along with the techno-commercial bid.

**7.4.7** Construction of all types of sheds/ ramps (if required by the contractor) over equipment's, tanks, chemical storage, telephone etc or construction any temporary hut required for operation and also subsequent dismantling of the same after completion of well will be the responsibilities of the company (OIL). CGI sheets for such jobs are to be provided by the contractor and all other materials will be provided by OIL.

**7.4.8** Erection and dismantling of Panel fencing in well site as per OIL's standard drawing. The required Panel fencings as per OIL's drawing will be supplied by the Contractor.

Note:

1. Civil Materials mentioned in above clauses are cement, sand, aggregate, brick/ brickbats, gravels, boulders, broken stone etc.
2. All the civil ancillary jobs are under OIL's responsibility and intimation from Contractor for getting the jobs done in time should be received by OIL well in advance so that drilling operation is not hampered.

**7.5 ASSOCIATED SERVICES:** The Contractor shall offer the following associated services along with the rig package.

#### **7.5.1 MUD ENGINEERING SERVICES**

- i) Standard Mud testing laboratory with the requisite mud testing equipment including but not limited to Fan Viscometer, API & HP-HT fluid loss apparatus, lubricity testing equipment etc. along with the laboratory & necessary mud testing equipment/ apparatus etc. shall be provided by the contractor.
- ii) OIL shall submit a detailed stage wise mud programme based on the depth data/casing policy as indicated in this document including their recommended dosage for mud additives and optimum range of mud parameters which need to be maintained by Contractor at the well site for achieving trouble free drilling operations.
- iii) Shift wise mud report in detail (as per standard IADC Proforma) indicating all mud properties like mud weight, viscosity, API fluid loss, HP-HT fluid loss, 'O' gel/15' gel, mud stock, details of chemicals/additives mixed during the shift, the operating condition of solid control equipment, Mud hydraulics etc. shall be prepared and submitted to the company representative.
- iv) The Contractor must ensure proper maintenance of mud parameters to avoid damage to producing formations and maintain a good bore hole. He should also ensure the availability of mud chemicals at well site by submitting his requirement to the company's representative well ahead of time.
- v) In case of any difference of opinion at any stage, with regard to mud policy, OIL's mud programme shall prevail and the Contractor must use OIL's mud policy at that point of time.

#### **7.5.2 CEMENTING SERVICES**

- (a) OIL shall perform the cementation jobs at the wells planned to be drilled. The Contractor shall provide the following tools, equipment and services to enable OIL to carry out the jobs successfully.
- i) Compressor as per specification or equivalent, specified in **Annexure-X**, to be utilized for loading/off-loading of oil well cement at well site. The requisite spares for compressor is to be maintained by contractor.
  - ii) Both slush pumps shall be used (individually or in conjunction) to pump cement slurry. Expected parameters are 3500 psi, (max.) 400 GPM.
  - iii) Unloading of OIL's cement from transport silos to field silos & vice - versa at well site under supervision of OIL.
  - iv) OIL shall provide a platform with a set of hoppers, bucket tank (4'x4'x2') to the Contractor/which shall be operated and maintained by the contractor. All necessary lines & fitting for above arrangement will be provided by OIL.
  - v) The Contractor shall provide suitable air connection with suitable air and lube oil regulator to tap air pressure from main air supply of the rig or its branches for hooking upto cementing silos for pneumatic loading/unloading of cement to the cement hoppers/field silos.
  - vi) Contractor shall assist to deploy all other cementing services/contract which may be provided by company in future.
  - vii) Two (2) Electric motor driven horizontal multistage centrifugal pumps set complete with piping/ Dresser type couplings and butterfly valves with hopper arrangement and should be mounted on an independent three runner oilfield skid. These pump sets will be used to load chemicals through hoppers to water tanks, to agitate the mixture by jet gun/ and to feed chemical-mixed (gauging) water in the cement hopper for preparation of cement slurry. Each horizontal multi stage centrifugal pump should be capable of developing minimum 150 m. of head and the discharge of each pump should be minimum 60.0 m<sup>3</sup> / hr at 1450 rpm.
- (b) The Contractor shall be required to assist OIL in performing all cementation jobs at all the wells.
- (c) OIL may at any time decide to utilize a cementing unit for carrying out the cementation job. Further the Contractor will carry out cleaning / flushing of cementing unit and associated surface lines after completion of the cementing jobs.
- (d) **OTHER FUNCTIONS:**
- (1) A cementation job includes all primary, secondary and plug cementation of a well. The mode and schedule of cementation of the well where the Contractor's rig is deployed shall be fixed by OIL. The Contractor shall render all personnel, machinery, infrastructure [except the items mentioned under clause **7.5.2(a) iv** above], water, air, etc. to carry out the jobs successfully.
  - (2) It is to be specifically understood that both slush pumps of the Contractor shall be used for cementing operation and Operating day

rate shall be applicable during this period. If OIL carries out the cementing operation using Contractor's items other than the slush pump during pumping of cement (pumping of cement when done by a cementing unit) and uses the slush pump only for displacement of cement, Operating day rate shall still be applicable during the entire period from the beginning to the end of cementation operation.

- (3) Fixing of cementing accessories and equipment.
- (4) Following specific facilities are essential in order to utilize cementing units besides rig pumps for executing primary cementation jobs.
  - i) One additional high-pressure (5000 psi) discharge line (minimum 3" dia) other than standard mud pump delivery line is necessary. This particular line, connecting both the rig-pumps with stand pipe junction manifold at Derrick floor should be provided with adequate valve arrangements (for isolation) wherever required for the purpose of flexibility during cementing operation. We should have the option of utilizing both rig pumps as well as cementing units for carrying out cementation jobs. Once again we repeat that the 3" dia. HP line must have provision for receiving delivery from both rig pumps with adequate isolating facilities.
  - ii) 2" hammer union T-type outlets from the rig pump pressure gauge points should be provided for connecting pressure recorder assembly during cementing operation. The said facility should have the provision of interconnecting both the pumps through 2" high pressure line having adequate isolating facilities. These facilities must ensure recording of relevant data even while carrying out parallel pumping.
  - iii) A common suction line of 8" NB for both the slush pumps from the cementing hoppers and pre flush tank must be provided with necessary fittings, valves etc.
- (5) **Pre cementation equipment readiness:** The contractor shall thoroughly clean-up and make all cementing suction and delivery lines from slurry mixing/pre-flush tanks etc. to slush pump and slush pump to stand pipe junction manifold point at Derrick floor, all mud lines, air & water lines perfectly ready to the satisfaction of OIL's Cementing Engineer.
- (6) **During cementation readiness:** The Contractor shall, during the cementing job, attend to all problems, render help and rectify all defects to the satisfaction of OIL's cementing Engineer. These shall include equipment and accessories supplied by OIL also.
- (7) **Post cementation follow up action:** The Contractor shall carry out cleaning and flushing to remove all traces of cement from unwanted locations. They shall also disassemble and remove/load all OIL's equipment, which are required to be removed after the mandatory period.

**7.5.3 CORING SERVICES:** The Contractor shall be required to take cores during drilling in different stages whenever desired by OIL. The Operating Day rate will be applicable during the coring period. The total number of days envisaged for coring per location will be finalized by OIL later. The hole proving trips /

preparation of hole to take cores will be considered as coring operation. All materials (Core Barrel Assembly with Core Head) required to take cores will be supplied by OIL or through Service Provider deployed by OIL.

**7.5.4 CATERING SERVICES**

- i.** A suitable catering service serving Indian and continental food to the contractor's personnel and 15 nos. OIL designated personnel on an average per day shall be made available per day during the entire contractual period by the contractor. The Contractor shall also provide catering service to all the Service Providers engaged by OIL on chargeable basis under their purview.
- ii.** Skid mounted modular kitchen having all kitchen essentials should be provided for cooking purpose.
- iii.** Cooking in temporary sheds will not be allowed.

**7.5.5 MEDICAL SERVICES:** Suitable first aid medical services shall be provided by the Contractor on round the clock basis. Contractor shall provide an experienced and trained Medic personnel with sufficient quantity of first aid equipment and medicines to meet any emergency at well site.

**7.5.6 CAMP AND OTHER ESTABLISHMENT:** Suitable facilities for Contractor's personnel (inclusive of third party Contractors personnel) including camp site dispensary and catering services shall be provided by the contractor. Additionally, fully furnished air conditioned bunk house type accommodation should be provided for at least 15 company personnel or OIL's representatives. The facilities to be provided by the contractor to the company should include but not limited to the following:

- a) 2 Nos. 1 seater bed unit accommodations with attached bath and toilet.
- b) 2 nos. 2 seater bed unit accommodation with attached bath & toilet. One no. of this may be placed at well site.
- c) 2 Nos. four seater bed accommodation with attached bath & toilets. Additionally 01 no. four seater bed accommodation with attached bath & toilets to be provided as and when required basis.
- d) One dual office unit to be used as company Representative & Tool Pusher office at site. This unit should be attached with Tool Pushers office and should have inter-connection.
- e) One additional office unit to be used by the company at well site, with facility for use by 4 nos. of OIL officials equipped with PC, printer.
- f) All bunk houses shall be air-conditioned and fully furnished equipped with Cable connection.
- g) Laundry service to be made available at well site.
- h) One air-conditioned bunkhouse type first aid disbursement room to meet any emergency with doctor and attendant.
- i) A separate dining hall for OIL officials to be provided.
- j) The Contractor should bring light and easily transportable dwelling units for camp establishment.
- k) All units including those to be used as office/lab should be fully furnished and air conditioned with proper lighting arrangements.

- l) Disposal of any effluents from toilets/kitchen etc. will be the responsibility of the Contractor and should be discharged as per applicable laws.
- m) The Contractor shall be solely responsible for keeping the entire camp area and well site neat, clean and hygienic.

**7.5.7 FIRE FIGHTING AND SAFETY EQUIPMENT/SERVICES:** (As per API wherever applicable)

- i) Safety: Contractor shall observe such safety regulations in accordance with acceptable oilfield practice and applicable Indian Laws. Contractor shall take all measures reasonably necessary to provide safe working conditions and shall exercise due care and caution in preventing fire, explosion and blow out and maintain fire and well control equipment in sound condition at all times. Contractor shall conduct such safety drills, BOP tests, etc. as may be required by company at prescribed intervals.
- ii) Contractor shall provide all necessary firefighting and safety equipment as per laid down practice as specified under OISD - STD - 189 and OMR.
- iii) Fire protection at drilling sites shall be the responsibility of the Contractor. Necessary action shall be taken and prior arrangements to be made for providing competent persons trained in the field of firefighting (certificate/diploma holders) at the rig site.
- iv) Documentation, record keeping of all safety practices should be conducted as per international/Indian applicable laws, act, regulations etc, as per standard Oilfield practice and these records should be made available for inspection at any point of time. The H.S.E (Hygiene Safety and Environment) policy as well as emergency procedure manual should be kept at site. Compliance of these shall be the sole responsibility of the contractor.
- v) One brand new ambulance with dedicated driver shall be kept standby at well site for 24 hrs. to meet any emergency with all basic facilities like stretchers, oxygen cylinders, first aid facilities, etc. Small passenger vehicles will not be allowed to be used as Ambulances.

**7.5.8 MAINTENANCE OF COMPANY'S EQUIPMENT**

- i) In case of any non-conformity in the connections/sizes between various equipment and tools to be provided by the Contractor, which depart from the generally adopted procedure followed for a particular equipment / tool of the rig package, the company reserves the right to ask the contractor to provide all necessary accessories to use such items without any obligations on the part of the company. This clause shall not however, be unduly exercised without consultation/ agreement with the Contractor.
- ii) The Contractor shall erect, commission, dismantle the cementing **field silos** along with platform with sets of hopper, bucket tank & fitting which shall be handed over to the contractor at the first well for cementation. The contractor shall draw or tap required air supply from the auxiliary lines from the contractor's rig compressor for its operation. After completion of the well the same should be transferred to the next forward location by **the contractor** as part of the rig package without any additional cost to Company.

- iii) Loading of Barites shall have to be carried out by the Contractor.
- iv) The Contractor shall provide one no. chemical godown with floor space of approx. 660 Sq.ft. of appropriate dimensions with proper raised brick soled cemented/wooden flooring for storing of chemicals, LCM etc.
- v) The Contractor should ensure that AVIATION WARNING LIGHTS on the crown of the mast should be provided as per Aviation Standards.
- vi) Contractor shall assemble, dismantle, move all OIL's designated items- if any attached with the rig without any obligation to OIL.

## 7.6 PERSONNEL TO BE DEPLOYED

**7.6.1** The Contractor will have to deploy adequate manpower to carry out the required operations. The deployment pattern will be as per the contractor's discretion for all the required services except for the rig operations during drilling & completion phases for which the deployment pattern per day (12 hours shift, day & night and ON-OFF roster) has to be as per the following norm with the indicated key personnel:

Sl.No.	Personnel Designation &	Number of required personnel	Shift	Remarks	Category
<b>A</b>	<b>Key Personnel</b>				
1	Area Manager / Rig Superintendent / Rig Manager	1	On call 24 Hrs		N/A
2	Mechanical Engineer	1	On call 24 Hrs		N/A
3	Electrical Engineer	1	On call 24 Hrs		N/A
4	HSE Officer	1	On call 24 Hrs		N/A
5	Tool Pusher	1	Day	12 hours	N/A
6	Tour Pusher / Night Tool Pusher	1	Night	12 hours	N/A
7	Driller	1	Day	12 hours	N/A
8	Driller	1	Night	12 hours	N/A
9	Mud Engineer	1	Day	12 hours	N/A
10	Mud Engineer	1	Night	12 hours	N/A
11	Assistant Driller	1	Day	12 hours	Highly Skilled
12	Assistant Driller	1	Night	12 hours	Highly Skilled

13	Mechanic (i/c)	1	Day	12 hours	Skilled
14	Mechanic (Fitter)	1	Day	12 hours	Skilled
15	Mechanic (i/c)	1	Night	12 hours	Skilled
16	Mechanic (Fitter)	1	Night	12 hours	Skilled
17	Rig Electrician	1	Day	12 hours	Skilled
18	Asstt. Electrician	1	Day	12 hours	Skilled
19	Rig Electrician	1	Night	12 hours	Skilled
20	Asstt. Electrician	1	Night	12 hours	Skilled
21	Derrick Man / Top man	2	Day	12 hours	12 hours
22	Derrick Man / Top man	2	Night	12 hours	12 hours
23	Floor Man	4	Day	12 hours	12 hours
24	Floor Man	4	Night	12 hours	Semi-Skilled
<b>Sub Total</b>		32			
<b>B</b>	<b>Other Personnel</b>				
1	Roust About	4	Day	12 hours	Un-Skilled
2	Roust About	4	Night	12 hours	Un-Skilled
3	Gas logger cum sample washer	1	Day	12 hours	Semi-Skilled
4	Gas logger cum sample washer	1	Night	12 hours	Semi-Skilled
5	Welder	1	Day	12 hours	Skilled
6	Welder	1	Night	12 hours	Skilled
7	Heavy Crane Operator	1	Day	12 hours	Highly Skilled
8	Heavy Crane Operator	1	Night	12 hours	Highly Skilled
9	Effluent Treatment Plant (ETP) Operator	1	Day	12 hours	Skilled
10	Effluent Treatment Plant (ETP) Operator	1	Night	12 hours	Skilled
11	Laboratory Assistant for ETP	1	Day only	12 hours	Semi-Skilled

12	Medico	1	On call 24 hours	Skilled	
Sub Total		18			
Total (A+B)		50			
Grand Total including ON & OFF		100			

**7.6.2** The Rig Manager/Rig Superintendent/Area Manager has to be present at site all the times and should report to Drilling Dept.'s office as and when asked for to receive instruction/resolving any issue on contractual obligation.

**7.6.3 KEY PERSONNEL:** The qualification and experience of the key personnel are to be as under:

**a. AREA MANAGER/Rig Manager/Rig superintendent**

- (i) Should be of sound health and have minimum 10 years work experience in drilling oil/gas wells for (Engineering Graduate) of which at least 03 years should be in a senior management level OR, 12 Years for (Engineering diploma /Science Graduate) of which at least 6 years should be in a senior management level.
- (ii) Must possess valid well control certificate (IWCF- Level 4) / IADC Well Cap/Sharp (Supervisor) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/IADC certificate and considered as absent which shall be dealt as per **Clause No: 31.0 of SCC.**
- (iii) Qualification: Must be Engineering/Science Graduate or 3 Years engineering diploma holder.

**b. TOOL PUSHER:** Should be of sound health and have work experience in drilling oil/gas wells.

- (i) Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.
- (ii) Must possess valid well control certificate (IWCF- Level 4) / IADC Well Cap / Sharp (Supervisor) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/IADC certificate and considered as absent which shall be dealt as per **Clause No: 31.0 of SCC.**
- (iii) Should be conversant about mud chemicals & maintenance of mud property.
- (iv) Qualification and experience: Graduate in Engineering with minimum 10 years' experience in Drilling **OR** 3-Years Diploma in Engineering **OR** B.Sc. or equivalent with minimum 12-years in Drilling, out of which at

least one year as rig-in-charge/03 years as NTP (Night Tool Pusher) in exploratory & development wells.

- c. TOUR PUSHER/NIGHT TOOL PUSHER:** Should be of sound health and have work experience in drilling deep oil/gas wells.
- (i) Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.
  - (ii) Must possess valid well control certificate (IWCF- Level 4) / IADC Well Cap/Sharp (Supervisor) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/IADC certificate and considered as absent which shall be dealt as per **Clause No: 31.0 of SCC**.
  - (iii) Should be conversant about mud chemicals & maintenance of mud property.
  - (iv) Qualification and experience: Graduate in Engineering with minimum 06 years' experience in Drilling Or 3-Years Diploma in Engineering or B.Sc. or equivalent with minimum 08 years in Drilling, out of which at least one year as rig-in-charge/04 years as Driller in exploratory & development wells.
- d. HSE Officer:** Should be of sound health and have work experience of 1 year as a HSE Officer in any E&P Company either directly or through any drilling service provider to any E&P Company.
- (i) Duties and responsibilities include safety during drilling site preparation, rig up, rig down & rig move, raising & lowering mast, rig floor operations like making & lowering of BHA, cementing jobs, tripping in / out of tubular, safety meeting during crew change, pre job safety meetings, routine inspection rig and well site, preparation of job specific SOP in local language, ERP (Emergency Response Plan), Risk Register, preparation of Job Safety analysis, Permit to Work systems, investigation & analysis of accidents, incidents & near miss.
  - (ii) To follow all DGMS, OISD & MoEF guidelines and submit return at specified intervals.
  - (iii) Responsible for designing Safe Briefing Area and advising all personnel of the current safe briefing area.
  - (iv) Responsible for issuing safety equipment to all personnel arriving at rig and ascertain that all personnel use and maintain this equipment properly.
  - (v) Responsible for designing location entrance and exit.
  - (vi) Qualification and Experience:
    - (1) Should hold degree or diploma in engineering or degree in science with minimum 08 years of experience in any Oil mine.  
OR,
    - (2) Degree in Industrial safety of an educational institution recognised by the Central Government / Post-graduate diploma in industrial safety from Regional Labour Institute and has experience in the management or supervision of operations in oil mines for a period of not less 05(five) years.

OR,

- (3) Should have experience of working as HSE officer at least for 01(one) year in any E&P company or service provider to E&P companies.

**e. DRILLER:** Should be of sound health and have work experience as driller for a minimum period of 5 years in drilling oil/gas wells.

- (i) Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.
- (ii) Must possess valid well control certificate minimum (IWCF- Level 3) / IADC Well Sharp (Driller) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/IADC certificate and considered as absent which shall be dealt as per **Clause No: 31.0 of SCC**.
- (iii) Should be conversant about mud chemicals & maintenance of mud property.
- (iv) Qualification and Experience:
  - (1) BE/B Tech with 5 years' experience including 2 years as driller/ 2 years as Assistant driller in drilling rig.  
OR,
  - (2) B.Sc. /Diploma in Engineering with 7 years' experience including 3 years as driller / including 5 years as Assistant driller in drilling rig.  
OR,
  - (3) 10+2 or equivalent with 10 years' experience including five years as driller in drilling rig.

**f. ASSISTANT DRILLER:**

- (i) Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.
- (ii) Must possess valid well control certificate minimum (IWCF- Level 3) / IADC Well Sharp (Driller) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/IADC certificate and considered as absent which shall be dealt as per **Clause No: 31.0 of SCC**.
- (iii) Should be conversant about mud chemicals & maintenance of mud property.
- (iv) Qualification:
  - (1) BE/B Tech with 01 years' experience in drilling rig.  
OR,
  - (2) Diploma in Engineering/ Science Graduate with 2 years' experience in drilling rig including one year as Asst. Driller.  
OR,
  - (3) 10+2 or equivalent with 4 years' experience in drilling rig including 1 year as Asst. Driller.

**g. TOPMAN:** Should have minimum 1 year experience as Top man in a drilling rig.

- h. FLOOR-MAN:** Should have sufficient knowledge/ experience in working at derrick floor in a drilling/Work over rig with at least one year experience as Floor man/Rig man.
- i. MECHANICAL ENGINEER / CHIEF MECHANIC:** Should have a degree in Mechanical Engineering or Diploma in Mechanical Engineering with minimum 04/06 years' experience respectively in Diesel Electrical Drilling Rig.
- j. MECHANIC (IC) & MECHANIC (Fitter)**
- (i) Should have a minimum working experience as Master Mechanic in drilling rig.
  - (ii) Should have sufficient knowledge of operation and maintenance of Drilling/work over rigs and its components viz. engines, rig pumps supercharge pumps, centrifugal pumps, solid control equipment, degasser, shale shaker and all other mechanical items/engines operating in drilling rigs.
  - (iii) Qualification: Diploma in Mech. (3 years' experience) / ITI (IC & Fitter – 5 year experience) or SSC/HS/PU/I.Sc. with 8 years' experience. Out of which at least one year as Mechanic in Drilling /Work over rig.

- k. ELECTRICAL ENGINEER / CHIEF ELECTRICIAN:** Should have Degree in Electrical Engineering with minimum 5 years' experience OR Diploma in Electrical Engineering with 7 years' experience in ACSCR / ACVFD drilling rigs. He should be confident in independently carrying out the fault-finding analysis, rectification of fault, operation and maintenance of all the electrical items of diesel electric drilling rig including the air conditioners.

He must possess valid Electrical Supervisor's Certificate of Competency with authorization for Parts 1, 2, 3, 4 & 8 issued by State Licensing Board and should be conversant with Oil Mines Regulations and Central Electricity Authority Regulation, 2010.

ITI certificate holders are not acceptable as Electrical Engineers.

Ref: Central Electricity Authority (Measures relating to safety and electric supply) Regulations, 2010; regulation no.3, 6 & 115 and Oil Mines Regulations, 2017; regulation no.114 (4 & 5).

**Note:** Electrical Engineer to be read as ELECTRICAL ENGINEER / CHIEF ELECTRICIAN/ ELECTRICAL SUPERVISOR appearing elsewhere in the Tender.

- l. RIG ELECTRICIAN:** Must be diploma / ITI in Electrical discipline with minimum 3yrs. / 5yrs. experience respectively in the operation and maintenance of ACSCR/ ACVFD drilling rig independently in shifts. He should be able to read circuits, communicate, detect and rectify faults.

He must possess valid Electrical Work Permit with authorization for Parts/ Class - I & II issued by State Licensing Board allowing him to work in the

state / region where he is deployed. Responsibility for ensuring adherence to these norms' rests with the contractor. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010; regulation no. 3, 6, 29 & 115 and Oil Mines Regulations, 2017; regulation no.114 (4 & 5)].

- m. ASSISTANT ELECTRICIAN:** Must be diploma / ITI in Electrical discipline with minimum 2yrs. / 4yrs. experience respectively in the operation and maintenance of ACSCR/ ACVFD drilling rig independently in shifts. He should be able to read circuits, communicate, detect and rectify faults.

He must possess valid Electrical Work Permit with authorization for Parts/ Class - I & II issued by State Licensing Board allowing him to work in the state / region where he is deployed. Responsibility for ensuring adherence to these norms' rests with the contractor. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010; regulation no. 3, 6, 29 & 115 and Oil Mines Regulations, 2017; regulation no.114 (4 & 5)].

**Notes to (k), (l) & (m):**

- (1) A person holding a valid Electrical Supervisor's Certificate of Competency or valid Electrical workman's permit, as the case may be, issued by any state government will be considered.

However, such Electrical Supervisor's Certificate of Competency or Electrical workman's permit issued by any other state shall be endorsed by State Electrical Licensing Board of Assam [Ref: Regulation No. 29 of CEA (Measures relating to Safety and Electric Supply) Regulations, 2010].

- (2) It may also be noted that, a person holding Electrical Supervisor's Certificate of Competency issued by or endorsed by State Electrical Licensing Board of Assam shall be considered only if such a person is authorized for mining part as well [Ref: Regulation No. 115 of CEA (Measures relating to Safety and Electric Supply) Regulations, 2010].

- n. WELDER:** Should have adequate experience in working in drilling wells and must be conversant of welding of casing and well head accessories. He must possess the certificate of welding trade from any recognized institute of State Govt. (One year course).
- o. MUD ENGINEER:** The minimum educational qualification should be science graduate with chemistry as a subject or B.Tech. in Chemical Engineering/Drilling Fluid Engineering from a recognized university. Experience: The Mud Engineer(s) must have a minimum 5 years of work experience in managing independently various kinds of mud in deep exploratory/development wells and other related activities. Prior to deployment the Contractor should provide a detailed resumed of the mud engineer(s) highlighting qualifications and relevant experience (field experience) with documentary evidence for Company's scrutiny and approval).

- p. HEAVY CRANE / PIPE LAYER OPERATOR:** Should have a minimum of 2 years work experience in operating a heavy crane/pipe layer attached to drilling rigs and possess heavy motor vehicle license.
- q. Operator for Mobile Effluent Treatment Plant:** Shall have degree of Bachelor of Science/Class 12th pass with chemistry as a subject from Govt. recognized University and with minimum 03(Three) years of experience in operation of effluent treatment plant in any company.
- r. Laboratory Assistant for ETP:** Should be of sound health and have work experience in E & P company of minimum 02 (two) years. He shall have a minimum educational qualification of 12+ from recognized University /Board. He shall be conversant to all SPCB / CPCB guidelines.
- s. Medico (First aid trained professional)**
- (i) Qualification:
1. Should have passed minimum 10+2 (Science) Class or equivalent examination.
  2. Must possess minimum First aid basic training certificate from a recognised institution.
- (ii) Experience: Shall have a minimum work experience of first aid/ medical assistance for 5 years in any hospital /Drilling Rig.
- (iii) Fresh Candidate having diploma in Emergency and trauma care from Government recognized Institute will also be considered.
- t. Gas logger cum sample washer:** Should have sound health with minimum educational qualification of 12+ from recognized University /Boards in Arts/Science/Commerce stream and should have work experience in drilling wells of minimum 01 (one) year.
- u. Roustabout:** Should have working knowledge of working at drilling /Work over rig site.

**7.6.4** On top of the experience of the personnel as listed above, they all should be conversant with BOP drill as per standard oilfield practice.

**7.6.5** In addition to the above key-personnel, following additional personnel are to be made available compulsorily throughout the contract period.

Sl.No.	Category	Nature of duty	Qty	Min. Experience
1	Suitable medical services with First Aid Trained personnel shall be provided by the Contractor on round the clock basis.	Available for 24 hours/day	One	05 yrs
2	Camp Boss	Available for 24 hours/day	One	With adequate experience
3	Cook for camp site	Available for 24 hours/day	Two	With adequate experience

4	Kitchen Helper / Caterer	Available for 24 hours/day	Two	With adequate experience
5	Laundry attendants	Each 12 hrs / per day	One	With adequate experience
6	Camp Cleaner	Each 12 hrs / per day	One	With adequate experience
7	Field administrator	On call basis 12 hrs	One	With adequate experience

**Notes to personnel to be deployed:**

- a) An undertaking from all the personnel as per **Annexure-IV** should be forwarded after deployment of manpower prior to mobilization.
- b) The personnel deployed by the contractor should comply with all the safety norms applicable during operation.
- c) Medical Fitness:
  - i) The Contractor shall ensure that all of the Contractor Personnel shall have had a full medical examination prior to commencement of the Drilling operation.
  - ii) A qualified and registered doctor shall conduct all such medical examinations in accordance with accepted medical standards.
- d) Training Courses:
  - i) The Contractor shall ensure that all of the Contractor Personnel performing services hereunder shall have attended all safety and operational training courses such as mines vocational training etc. required by applicable law and as is generally consistent with international petroleum industry practice and/or as otherwise required by the Company.
  - ii) The Contractor shall, if requested, forthwith produce valid and current certificates of completion or attendance for the Company's inspection.
- e) Personnel should be well versed in firefighting, BOP control, gas testing and MVT as applicable. The appropriate certificates to this effect, issued by ONGCL/OIL or any other organization, also should be submitted during mobilization. (In case, the above training course for contractor's personnel is to be arranged by OIL, the contractor will be charged accordingly).
- f) Area Manager will operate in well site only. He shall operate from places other than well site on specific permission of OIL.
- g) Adequate number of experience personnel to run the camp / kitchen / Mess smoothly should be kept. One camp boss on 24 Hrs. basis will be responsible for smooth running of the camp/mess. Kitchen and cooking shall be supervised by a qualified chef.
- h) Contractor should deploy other personnel at rig site, which shall include drivers, Rig fitters, carpenters warehouse personnel, security men, (both at well site and camp site), power casing tong operator, mobile effluent treatment plant operator and laboratory assistant, services of unskilled labour as and when required for following multiple jobs.
  - i) Chemical Helper.
  - ii) Engineering helper (Additional).

- iii) Electrical helper (Additional).
  - iv) Persons on rack during casing job. The entire skilled / semi-skilled workman involved in carrying out electrical jobs should have valid electrical wireman permit issued by state licensing board.
- i) Bidder shall furnish biodata of key personnel with all supporting documents, certificates etc. prior to deployment for verification / approval by OIL.
- j) Employment of personnel other than key personnel & other personnel as specified in Clause No. 7.6.1 (A) & (B) of this section shall be at the discretion of the contractor in line with normal drilling practices. Bidders shall forward a complete list of all the persons with their job descriptions that they shall deploy to run all operations at well site and camp successfully.
- k) On/off duty details of rig and associated service personnel should be indicated.
- l) The Contractor shall indicate their manpower category-wise clearly in their offer. The qualification/biodata / experience / track record of the personnel proposed to be deployed shall have to be indicated clearly. Any additional manpower deployed by the contractor shall be at the expense of the Contractor. The age of key personnel except Rig Manager/Rig Superintendent should not be more than 50(fifty) years. However, OIL deserves the right to accept the personnel of above 50 years with good health conditions.
- m) The contractor shall be responsible for arranging relief of personnel during vacation, statutory off days, sickness etc. entirely at their cost. However, the relief personnel also must have the experience as indicated above. Moreover, the contractor will have to obtain prior approval from Company for the relief personnel of the contractor.
- n) Company reserves the right to instruct for removal of any Contractor's personnel who in the opinion of company is technically not competent or not rendering the services faithfully, or due to other reasons. The replacement of such personnel will also be fully at cost of the Contractor and the Contractor shall have to replace within Ten (10) days of such instruction.
- o) All charges for personnel are included in Day rates. No. separate charges shall be payable for the personnel deployed.
- p) Contractor should employ adequate number of authorized supervisors as per regulation 115 of CEA (Measures relating to safety and electric supply) Regulations, 2010 having relevant experience and possessing appropriate license(s).
- q) **SECURITY:** Contractor should deploy at least **12 nos. armed security personnel** for well site security. All the expenses related to security service shall be borne by the Contractor. Contractor shall be wholly responsible for complete Security of their personnel, their Rig Packages, Base camp and during ILM, operation, transit etc. and arrange suitable and comprehensive security services accordingly on round the clock basis for their personnel and equipment/ material at all drilling sites. All security related issues shall be dealt by the Contractor on their own including dealings with the Government agencies. The Contractor shall provide prefabricated XPM/ Panel re-usable type fencing, gate at drill site, camp site etc. Company in no case will be involved in security related issues relating to Contractor's personnel and equipment/ material. Contractor shall also be responsible for safety and security of Company's personnel, equipment/ material etc. in the well-site and camp site.
- 7.7 CEA (Measures related to safety and Electric Supply) clause mentioned with Regulation 2010 to be read under relevant amended clause of Regulation 2023 (latest).

**SPECIAL CONDITIONS OF CONTRACT (SCC)**

The following Special Conditions of Contract (SCC) shall supplement and/or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

- 1.0 DEFINITIONS:** Following terms and expression shall have the meaning hereby assigned to them unless the context otherwise requires:
- 1.1 "Base camp" means the camp where the Contractor's personnel, Company's personnel and Company third party personnel shall reside for carrying out the operations as per the contract.
  - 1.2 "Contractor's representatives" means such persons duly appointed by the Contractor thereof at site to act on Contractor's behalf and notified in writing to the Company.
  - 1.3 "Drilling Operation" means all operations as generally understood for drilling Oil/Gas wells, more particularly all the operations required to be carried out pursuant to this contract.
  - 1.4 "Drilling Unit" means drilling rig complete with pumps, power packs, and other accessories and equipment as listed in the Contract.
  - 1.5 "Inter-location movement" means transferring of Drilling Unit & complete rig materials from present location after rig release till spud-in of the well at next location.
  - 1.6 "Operating Area" means those areas in onshore India in which Company or its affiliated Company may from time to time be entitled to conduct drilling operations.
  - 1.7 "Operation Base" means the place or places, onshore, designated as such by Company from time to time.
  - 1.8 "Spud-in of the well" means the initiation of drilling of the well and the very first hit on well centre of the new location after alignment and after the rig preparation is complete in all respects subsequent to clearance from safety, audit and the Company representative.
  - 1.9 "Certificate of Completion" means certificate issued by the Company to the Contractor stating that the Contractor has successfully completed the jobs/works assigned to him/them and submitted all necessary reports as required by the Company.
  - 1.10 "Company's items" means the equipment, materials and services, which are to be provided by company at the expense of company and listed in the Contract.
  - 1.11 "Contractor's items" means the equipment; materials and services, which are to be provided by Contractor at the expense of the Contractor, which are listed in section under terms of reference and technical specifications.
  - 1.12 "Day" means a calendar day of twenty-four (24) consecutive hours.
  - 1.13 "Contractor's personnel" means the personnel as mentioned under section terms of reference and technical specification, to be provided by Contractor from time to time to conduct operations hereunder.
  - 1.14 "Commencement Date" means the date on which the first well under this contract is spudded in.

**2.0 MOBILIZATION:**

- 2.1 The mobilization of Drilling Rig Package shall commence on the date of issue of the mobilization notice and continue until the complete Drilling Rig Package along with all equipment, tools, accessories, materials and manpower is properly positioned at the first drilling location, rig-up operations completed and the well is actually spudded in.
- 2.2 Liquidated damages (LD) if any will be calculated for the drilling rig package as per GCC Clause.
- 2.3 After the receipt of mobilization notice w.r.t the Letter of Award, Contractor shall submit fortnightly report or any other report as desired by Company showing progress in each activities of mobilization.
- 2.4 Company may inspect the rig package before mobilization. Thus, complete rig package should be offered for inspection by Company's representatives prior to mobilization with at least one month notice. Bidder should indicate their acceptance to this effect in the techno-commercial bid.
- 2.5 The Contractor will advise readiness for commencement of mobilization/shipment to Company, at least 3 days before actual mobilization/shipment commences.
- 2.6 Mobilization of the Drilling Rig should be completed by the Contractor within 120 days from the date of Mobilization Notice issued by the Company, which will be issued not later than 30 (thirty) days from the date of LOA.

However, if the offered Rigs are in operation with OIL, the Contractor shall deploy their Rigs within 60 (Sixty) days from date of de-hiring from the on-going Contract or 120 days from the date of issue of Letter of Award (L.O.A), whichever is later.

Repair of Rig, recertification of BOPs and any other major equipment, if any, are to be completed and Rig to be deployed within 60 (Sixty) days from date of de-hiring from the on-going Contract OR 120 days from the date of issue of Letter of Award (L.O.A), whichever is later.

Notes to Clause No. 2.6 above:

- (i) The bidder must submit the detail drawing of the rig layout within 7 days from the date of issue of LOA.
- (ii) OIL to finalize the drawing within 21 (Twenty-One) days from the date of receipt of the detail drawing from the bidder/contractor. Contractor should deploy competent technical personnel at FHQ within 5 days from the submission of detail drawing till finalization of drawing.
- (iii) Completion of plinth (inclusive of all civil work) within 60 (Sixty) days from the date of finalization of drawing.
- (iv) Separate notice for transportation of rig package shall be issued based on status of well plinth preparation. Transportation and mobilization should be completed within 60 (Sixty) days from the date of this notification.
- (v) Delay in the submission of the drawing by the contractor which will inevitably delay the finalisation of the drawing and subsequent preparation of the well plinth, the delay period will be reduced from the period allotted for Transportation of rig package, rig up and spud in period originally planned for 60 days.

2.7 Mobilization charges will be payable when mobilization is completed in all respects without any short supplied items and well is actually spudded-in at its 1<sup>st</sup> location which is to be certified by the Company representative.

**Note:**

- (a) All documents pertaining to the Rig(s) in connection with the import of the Rig, Block transfer, etc. as applicable under law will have to be submitted / applied prior to mobilization. Mobilization will not be treated as complete by OIL unless all the documents submitted are found to be in order and to the satisfaction of OIL.
- (b) The succeeding day of issue of mobilization/demobilization notice shall be counted as day 1 for the purpose of Mobilization/Demobilization period.

2.7.1 Company at its discretion may allow spudding-in and commence operations at its 1<sup>st</sup> well without complete mobilization provided it does not hamper or affect drilling operation. *In such event the mobilization charge shall be withheld till all the short supplied items are mobilized and Contractor must indicate the tentative date of mobilization of such item(s)/ equipment/accessories/tools. However, applicable penalty against the short supplied items will be deducted from the day one at Company's determined cost. Following terms & conditions are applicable in this regard:*

- (i) Penalty charges for short supplied items will be deducted from Contractor and it will be calculated based on Company's determined cost, which shall be treated as final, basis of which shall be provided to the Contractor. The deductions will be made from Contractors running monthly invoice / bill till the short supplied items are supplied by the Contractor.
- (ii) *All other applicable charges viz. ODR, SDR, ILM, Force Majeure etc. will be paid regularly.*
- (iii) Deductions will be calculated after amortizing the cost of the item over a period of five (5) years applying 15% PTRR (Post tax rate of return).
- (iv) Deduction of penalty and rental charges towards short supplied items will cease once the items are made available by the contractor at well site. However, company will inspect prior to acceptance.
- (v) Contractor shall inform the Company in writing indicating the date of availability of short supplied items at drill site & in no case the drilling operation should suffer for want of such items.
- (vi) In the event Contractor fails to mobilize the short supplied items within the specified period of three months, the penalty charges would increase by 1.5 times. For next three months, penalty charges would be 1.5 times the penalty charges of the first three months. Penalty charges in any quarter would be 1.5 times the penalty charges of the previous quarter and will continue/repeat but limited to total cumulative deductions of each individual item to a maximum of 2 times the original price of the short supplied items. The price of the item will be based on Company's determined cost.
- (vii) In the event any operations at well site suffers for non-availability of Contractor's item / equipment / accessories / tools then nil day rates will become applicable. This clause will be applicable notwithstanding any other provisions in contrary elsewhere in this contract.

- (viii) Notwithstanding this provision for partial mobilization bidder must quote in accordance with relevant clauses for full mobilization. In the event Contractor is allowed to start operation without complete mobilization as per provision of the contract but Contractor fails to mobilize short supplied item (s) till the end of the contract in such event the withheld mobilization charge will be released at the end of the contract by deducting the amount proportionate to the short supplied item (s) that will be calculated based on Company's determined cost which shall be treated as final.

2.7.2 Company at its discretion may provide item / equipment / accessories / tools to Contractor in exceptional cases only on rental basis based on Contractor's written request at least 20 days in advance subject to availability. In the event Company provides any item / equipment / accessories / tools to Contractor on rental basis for / during operation, the following shall be applicable:

- (i) Contractor shall deposit the assessed value of the item / equipment / accessories / tools either in cash or may withheld from invoice or in the form of a Bank Guarantee to Company in advance before taking delivery of the item / equipment / accessories / tools from Company. However, in case of an emergent situation, OIL may consider to accept the assessed value in Bank Guarantee or in cash within 7(seven) days of issue of the items/equipment.
- (ii) Item / equipment / accessories / tools will be rented out to Contractor for a maximum period of 3(three) months and the same should be returned by Contractor to Company within a specific date to be specified by Contractor.
- (iii) Contractor will be fully responsible for collecting / returning the item / equipment/ accessories / tools either from OIL's field headquarter, Duliajan, Assam, India or from any OIL's nominated place (within India) including to & fro transportation to respective well site.
- (iv) Rental charges (from the date of collection till the date of return) for first three months would be evaluated taking cognizance of the present market trend. Rental will be calculated after amortizing the cost of the item over a period of five (5) years applying 15% PTRR (Post tax rate of return).
- (v) In the event the rented item / equipment / accessories / tools are not returned by Contractors within the specified period of three months, the rental charges would increase by 1.5 times. For next three months, rental charges would be 1.5 times the rental charges of the first three months. Rental charges in any quarter would be 1.5 times the rental charges of the previous quarter.
- (vi) Deductions of rental charges will be made from running monthly invoice /bill & will be calculated based on Company's determined cost, which shall be treated as final, basis of which shall be provided to the Contractor. This will be in addition to the rental charges deducted as penalty as indicated under clause 2.4.1 (ii, iii & iv).

2.8 **EFFECTIVE DATE:** The contract shall become effective as of the date Company notifies Contractor in writing (through Letter of Award) that it has been awarded the contract. The date of issue of Letter of Award (LOA) by Company to the Contractor shall be the Effective Date of the Contract.

2.9 **DATE OF COMMENCEMENT OF OPERATION:** The date on which the mobilization is completed in all respects and spudded in the 1<sup>st</sup> well at first location is treated as date of Commencement of Operation.

2.10 **DURATION OF CONTRACT:** The contract shall be for a period of 04 (Four) years from the due date of mobilization completion or actual date of mobilization completion whichever is earlier. For delays in mobilization beyond stipulated time of 120 days, the delayed period shall be reduced from the firm contract period of 4 (four) years.

The terms and conditions shall continue until the completion/ abandonment of the last well being drilled at the time of the end of the Contract.

### **3.0 CONTRACTOR'S PERSONNEL:**

3.1 Except as otherwise hereinafter provided, Contractor shall be responsible for the selection, replacement, and determining remuneration of Contractor's personnel. Such employees shall be employees solely of the Contractor. Contractor shall ensure that its personnel will be competent and efficient. However, the Contractor shall provide details of experience, qualification and other relevant data of the personnel to be deployed for scrutiny and clearance by the Company before actual deployment. The Contractor shall not deploy its personnel unless cleared by the Company.

3.2 The Contractor shall authorize the rig manager / superintendent to liaise with Company's representative & Company's third party service providers for all day to day operational requirements. Additionally the rig manager / superintendent should also resolve other day to day matters which arise at site.

3.3 The Contractor shall be responsible for arranging relief of personnel during vacation, statutory off days, sickness etc. entirely at their cost. However, such relievers must also have the qualification/experience as indicated in Section-II, 'Scope of Work' and Contractor should submit qualification/ bio-data / experience / track record of the personnel. Moreover, the Contractor will have to obtain prior permission/approval from Company for the relief personnel of the Contractor.

3.4 The Contractor shall provide all manpower for necessary supervision and execution of all work under this contract to Company's satisfaction except where otherwise stated. The minimum number of key personnel to be deployed is mentioned in this document.

The Contractor shall indicate their manpower category-wise clearly in their offer. The qualification/bio-data / experience / track record of the personnel proposed to be deployed shall have to be indicated clearly. Any additional manpower deployed by the Contractor shall be at the expense of the Contractor.

3.5 **Replacement of Contractor's Personnel:** The Contractor will immediately remove and replace any of their personnel, who in the opinion of the Company is incompetent or negligent or of unacceptable behaviour or whose employment is otherwise considered by Company to be undesirable. The replacement personnel must also have the qualification/experience as

indicated in **Clause No. 8.0** of **Section-II**. The Contractor shall submit qualification/bio- data/experience/track record of the replacement personnel and shall obtain prior permission/approval from Company for the replacement personnel. The replacement of such personnel will be fully at the cost of the Contractor and shall be made within ten (10) days of such instruction from the Company.

3.6 Contractor shall deploy on regular basis, all category of their employee required for economic and efficient drilling and other related operations.

**4.0 FOOD, ACCOMMODATION AND TRANSPORTATION FACILITY AT WILL SITE:**

4.1 The Contractor shall provide catering services, sanitation, laundry services & accommodation for their employees as well as for Company's employees, employees of Company's third party service provider(s) engaged by the Company and for any other Company designated personnel. Catering Services should include bed tea, breakfast, lunch, evening tea with snacks and dinner.

4.2 Transportation of Contractor's personnel will be arranged by Contractor whilst that of company's staying at base camp will be arranged by Company.

**5.0 CONTRACTOR'S ITEMS**

5.1 Contractor shall provide Contractor's items to perform the services under the contract as specified in this document. Contractor shall be liable to obtain any permits or licenses required for the use of Contractor's Items.

5.2 The Contractor shall be responsible for maintaining at his cost adequate stock levels of Contractor's items including spares and replenishing them as necessary.

5.3 Contractor shall be responsible for the maintenance and repair of all Contractors' items and will provide all spare parts, materials, consumables etc. during the entire period of the contract.

5.4 Contractor will provide full water requirement at rig site and campsite. The camp should have proper water filtration plant or provide bottled drinking water.

5.5 The Contractor shall provide all fuel & lubricants for operation of Contractor's equipment both at well site and camp site at Contractor's cost. There shall be no escalation in day rates throughout the duration of the Contract including extension, on account of any price increase in fuel/lubricants etc.

5.6 Contractor will provide electricity at both drill-site and campsite for meeting both Contractors' as well as Company's & Company's third party requirement.

5.7 Nil day rates will be applicable in case the operation is to be suspended and rig remains idle for want of Contractor's personnel, items or on account of non- compliance by the Contractor to any of their obligation under this contract.

**6.0 CONDUCTING DRILLING OPERATIONS**

- 6.1 The Contractor shall carry out all operations mentioned hereunder with due diligence in a safe and workman like manner and in accordance with accepted international oilfield practices.
- 6.2 Wells shall be drilled to a depth as specified in the drilling programme but subject to the condition that Company may revise the well depth either lesser or deeper than originally planned. However, it shall be within the capacity of drilling rig.
- 6.3 The Drilling Unit and all other equipment and materials to be provided by the Contractor shall be in good working condition.
- 6.4 The drilling programme to be provided by Company shall primarily include but not limited to the following:
- a) Well structure & deviation plan (if any).
  - b) Casing / Liner programme.
  - c) Well head assembly, blow out prevention system.
  - d) Expected formation details.
  - e) Mud rheology and physico-chemical parameters.
  - f) Coring programme (if any).
  - g) Cementing programme.
  - h) Drill stem testing programme (if any).
  - i) Wireline logging programme.
  - j) Mud hydraulics programme.
- 6.5 Well testing programme to be provided by Company shall primarily include but not limited to the following:
- a) Well testing programme.
  - b) Well head assembly, blow out prevention system.
  - c) Details of well testing string.
  - d) Mud hydraulic programme.
  - e) Cement repair programme (if any).
  - f) Wire line logging programme.
  - g) Drill out plug and packers (if any).
  - h) Casing repair job.
  - i) Gas and water injection programme.
  - j) Wire line operation including perforation.
- 6.6 Completion of drilling shall occur when the well is drilled to the required depth with casings lowered, cemented, logged satisfactorily, hermetically tested, and drill pipes broken off in singles, initial production testing carried out & well plinth cleared from all debris/pollutants unless otherwise advised by the Company.
- 6.7 **Operation of Drilling Unit:** Contractor shall be solely responsible for the operation of the Drilling Unit including but not limited to supervising rig move operations and positioning and rigging up at drilling location as required by Company as well as such operations at drilling locations as may be necessary or desirable for the safety of the Drilling Unit.
- 6.8 **Safety & Environment:** Contractor shall observe such safety & environment regulations in accordance with acceptable oilfield practice and applicable Indian Laws such as Mines Act, Oil Mines Regulation Act 2017, guidelines of OISD, CPCB, SPCB, & MoEF& CC and CEA Regulations (2010) safety rules etc. Contractor shall take all measures necessary to provide safe working conditions and shall exercise due care & caution in preventing

pollution, fire, explosion and blow out, and maintain firefighting and well control equipment in sound condition at all times. Contractor shall conduct such safety drills, BOP tests etc. as may be required by Company at prescribed intervals.

- 6.9 **Coring:** Contractor shall have to take either rat-hole or full-hole, conventional cores between such depths as specified by Company and in the manner requested by Company in consultation with Coring Service Expert, to be provided separately by Company along with relevant coring equipment.
- 6.10 **Cuttings:** Contractor shall save and collect cuttings samples according to company's instructions and place them duly labelled in containers furnished by company.
- 6.11 **Hole Inclination:** Contractor shall do his best in accordance with good oil field drilling practices to maintain the deviation of the hole within the limit specified by the company in the drilling programme.
- 6.12 **Deviation Drilling:** Contractor shall do his best in accordance with good oilfield drilling practices to assist the directional drilling expert & services if provided by the Company to maintain deviation of the hole within the limit to be specified by the Company.
- 6.13 Contractor shall assist in performing any tests to determine the productivity of any Formation encountered as may be directed by Company. Such tests and services may include, but not limited to electric logging, drill stem tests, surface production testing, perforation of casing, acidizing, swabbing, fracturing and acid fracturing. Specialized Tools and personnel for these operations will be provided by the Company.
- 6.14 **Depth Measurement:** Contractor shall at all times be responsible for keeping accurate record of the depth of the hole including the various components of drill string, fishing string, tubular, casing, etc. or any other tool run into the hole and record such depth on the daily drilling report and tally books. OIL shall have the right at any time to check measurements of the depth of the hole in any manner.
- 6.15 **Plug back and Sidetrack:** Upon being requested to do so by the Company, the Contractor shall cease drilling and carryout sidetracking of the hole after plugging-back (if required) to be done by Company or Company's engaged third party Cementing Services. All required help for plugging-back operation should be extended by the Contractor.
- 6.16 **Casing and Cementing:** Lowering and / or pulling out (if required) of casing / liner are Contractor's responsibility. Contractor shall use best international oilfield practices for handling, running and setting the supplied casing / liner to the required depths as instructed by the Company. In case the casing / liner are required to be retrieved, the Contractor shall take full precautions for safely retrieving & keeping the same segregated at a suitable place. (Note: – Liner Hanger Services whenever required will be hired separately/provided by Company).

The cementation of casing / liner will be carried out by the Company/ Company's third party cementing service provider. However, the Contractor shall extend all required assistance for the entire cementing operations. Contractor shall allow cement to set for a length of time as specified by the Company. During such time, Contractor shall assemble blowout prevention equipment and test the same in a manner satisfactory to Company and

otherwise make preparation for subsequent work. After cement has set, casing job shall be tested in a manner satisfactory to Company, and Contractor shall continue such testing until results satisfactory to Company are secured. Any re-cementing or repairs to casing will be done at Company's discretion.

- 6.17 The Contractor is required to provide all necessary assistance as per standard international drilling practice to Mud Engineering Service Provider if any is hired separately by Company for effective maintenance of drilling fluid parameters in accordance with specifications and/or formulations set forth by the Company.
- 6.18 In the event of any fire or blowout, Contractor shall use all reasonable means at his disposal to protect the hole and bring the said fire or blowout under Control.
- 6.19 **Adverse Weather:** Contractor, in consultation with Company, shall decide when, in the face of impending adverse weather conditions, to institute precautionary measures in order to safeguard the well, the well equipment, the Drilling Unit and personnel to the fullest possible extent. Contractor and Company shall each ensure that their representatives for the time being at well site will not act unreasonably in exercising this clause.
- 6.20 **AMENDMENTS OF DRILLING AND COMPLETION PROGRAMME:** It is agreed that Contractor shall carry out drilling, testing, completions, abandonment, if any and all other operations, in accordance with the well drilling and completion programme to be furnished by Company, which may be amended from time to time by reasonable modification as Company deems fit, in accordance with good oilfield practices.
- 6.21 **WELL POLICY:** The drilling policy given in this document is tentative only. The depth, nature, area or all other factor may vary depending on the actual requirement at and during the time of commencement of the contract. The Contractor shall be bound to honour those changes made by Company from time to time, if any.
- 6.22 **WELL COMPLETION/WELL ABANDONMENT:** After completion of a well successfully, Contractor will provide the completion report of the well with all information and events including above-mentioned information. In case of abandonment of a well, abandonment report, in addition to above, will be provided by the Contractor in Company's prescribed format or as per requirement.

## **7.0 CONTRACTOR'S SPECIAL OBLIGATIONS**

- 7.1 It is expressly understood that Contractor is an independent Contractor and that neither it nor its employees and its sub-contractors are employees or agents of Company provided, however, Company is authorized to designate its representative, who shall at all times have access to the Drilling Unit, related equipment and materials and all records, for the purposes of observing, inspecting and designating the work to be performed hereunder by Contractor. The Contractor may treat Company's representative at well site as being in-charge of all Company's designated personnel at well Site. Company representative may, amongst other duties, observe, test, check and control implementation of drilling, casing, mud and testing programmes, equipment and stock, examine cuttings and

inspect works performed by Contractor or examine records kept at well site by Contractor.

7.2 **COMPLIANCE WITH COMPANY'S INSTRUCTIONS:** Contractor shall comply with all instructions of Company consistent with the provision of this Contract, including but not limited to drilling, well control, safety instructions, confidential nature of information, etc. Such instructions shall, if Contractor request, be confirmed in writing by Company's representative.

7.3 **WELL RECORDS:** Contractor shall keep an authentic log and history of each well on the daily drilling report prescribed by Company and upon completion or abandonment of the well, deliver to Company, the original history and log, book, properly signed and all other data and records of every nature, relating to the drilling, casing and completion of the well. Such reports shall include the depth drilled formations encountered and penetrated, depth cored and footage of cores recovered, during the preceding twenty four (24) hours, details of BHA in hole, details of drilling parameters maintained and any other pertinent information relating to the well.

**Contractor shall also provide OIL:**

- (i) Daily drilling report on IADC pro-forma duly certified by Company's representative along with daily record-o-graph/Rig sense graph/ drill-o-meter chart/Drill watch. Hardcopies along with softcopies of Daily report of all critical parameters from the Drill watch system shall be generated in a prescribed soft format and send to concerned Company Representative.
- (ii) Daily mud report on IADC pro-form including mud stock, daily consumption and stock position of chemicals and daily mud hydraulics.
- (iii) Daily report on P.O.L. consumption.
- (iv) Daily report on effluent management with chemical analysis report of the output samples.
- (v) Deviation charts/records on daily basis, whenever applicable.
- (vi) Casing tally/Tubular tally details: After each job.
- (vii) Bit performance record: After completion of each well.
- (viii) Well completion/well abandonment report: After completion of a well successfully, Contractor will provide drilling and completion report of the well with all information and events including above-mentioned information. In case of abandonment of a well, abandonment report, in addition to above, will be provided by the Contractor in Company's prescribed format or as per requirement. Entire Drilling Data for a particular well from the Drillwatch system shall be given to the Company Representative in soft form in a transferrable storage device like Pendrive, DVDs or external Hard Drives so that the data can be accessed in future for reference.

Well completion report shall primarily include but not limited to the following for all stages of drilling:

- Well head diagrams
- BHA used
- Depth vs Mud Parameters
- Depth vs Drilling Parameters

- Depth vs Lithology
  - Drill bit performance
  - Different survey reports
  - Casing Running in
  - Cementing reports
  - Testing including well head testing, LOT, Hermetical etc.
  - Drilling Complication and Remedies
  - Time break ups for all drilling activities.
- (ix) Daily roster of Contractor's personnel.
- (x) The Contractor shall maintain inventory of rig equipment & accessories at site, indicating their respective models, serial nos., vintage, specifications etc. The Contractor shall provide inventory list endorsed by Company representative and any addition & deletion of items will be intimated to Company representative.
- (xi) All items including consumables if imported against Essentiality Certificate (EC) under 'concessional' (Nil) Customs Duty shall be recorded in the proper format, indicating date of receipt, type, consumption, date of replacement etc.
- (xii) The Contractor shall complete re-export formalities upon completion/ termination of this contract against all such items which were brought into India on re-exportable basis and provide the list of the items, equipment, consumables etc. to Company alongwith all relevant export documents. It will also be the sole responsibility of the Contractor to ensure cancellation & discharge of all undertakings/bonds from Customs authorities which were provided by Company at the time of import against this contract.
- 7.4 **Confidentiality of Information:** All information obtained by Contractor in the conduct of Drilling Operations hereunder, including but not limited to, depth, formations penetrated, coring, testing, surveying etc. shall be considered confidential and shall not be divulged by Contractor or its employees to anyone other than Company's representative. This obligation of Contractor shall be in force even after the termination of this Contract.
- 7.5 Contractor shall carryout normal maintenance of Company's items at well site excepting for those items which Contractor is not qualified to, or cannot maintain or repair, with its normal complement of personnel and equipment.
- 7.6 Contractor should furnish the list of items, which are required to be imported by Contractor for execution of this contract, in the format specified in **Proforma-A**, towards which the recommendatory letters to the Directorate General of Hydrocarbons (DGH), New Delhi would be issued subsequently by Company on request for clearance of goods from Indian customs by Contractor at concessional (nil) rate of customs duty.
- 7.7 Contractor shall arrange for inland transportation of all equipment, etc. from the port to the place of work and back at the end of the work at their own expense. Arrangement of Road Permits and payment of Entry Tax for bringing Contractor's equipment/materials to Work place shall be Contractor's responsibility.

Electrical overhead line / electrical obstructions clearance shall have to be arranged by the Contractor. This covers all movements of the rig, including

initial deployment to designated well-site, and from there to subsequent well- sites as required.

- 7.8 In case the Contractor imports the equipment etc. on re-exportable basis, the Contractor shall ensure for re-export of the equipment and all consumables and spares (except those consumed during the contract period) and complete all documentation required. Company will issue necessary certificates etc. as required. The Contractor should arrange for re-export of equipment within sixty (60) days of notice of de-mobilization issued by Company. If the re-export is not completed within the specified period, customs duty, penalty etc. levied by customs authorities for such delay shall be to Contractor's account and same will be deducted by the Company from Contractor's bills and Performance Security.

**7.9 INSPECTIONS:**

**(a) Pre-move Inspection:**

- (i) The Contractor shall engage an independent third party inspection agency acceptable to Company as listed at Clause 2.3.5 under BEC/BRC. Additionally, all tubular, fishing tools, drill string, and handling Equipment to be provided by the Contractor as specified must be inspected/tested (NDT) as per relevant API & OISD Standards by an independent third-party inspection agency prior to the Mobilisation/Commencement Date.
- (ii) Contractor shall ensure that its drill string and all other down hole tools furnished by Contractor are inspected according to API RP 7G Standard / TH Hill DS-1, Level 3 standard.
- (iii) Copies of all inspections reports are to be sent to Company along with an explanation of the standards used for the inspection procedures. All inspection reports shall be legibly signed by an identified person.
- (iv) If new tubular and handling equipment are used, with mill / manufacturer's certification, no inspection will be required.
- (v) Pre-move inspection reports related to all tubular, drill string, and handling Equipment must be submitted to the company at least one month prior to completion of mobilization.

**(b) Inspection during drilling:**

- (i) The Drilling Unit and Equipment shall be made available for inspection by Company promptly upon request and as often as Company requests.
- (ii) During the execution of the Work Program, Contractor will frequently inspect the drill string and all down hole tools furnished by Contractor as specified below:
- The Contractor shall carry out inspections of down hole tubulars, equipment and tools regularly in use, at reasonable interval to the standard of TH HILL DS1-Level 3 at contractor's cost.
  - The Contractor shall carry out non-destructive test / inspection of Mast & Sub-structure at reasonable interval at Contractor's cost.
- (iii) Hoisting and handling equipment shall be inspected in accordance with the intervals as per Contractor's inspection and maintenance standards which should be submitted to the company.

**(c) Blowout Preventer:**

Contractor shall inspect, install, and pressure test all Blowout Preventer equipment. All documentation of certification, pressure testing, and BOP drills will be made available to the Company. Any discrepancies to the Contractors or Companies safety policy will be corrected prior to continuation of operations. All related documentation will be made available to the Company. BOPs to be installed tested & operated as per API RP53 and OISD RP 174.

**(d) Lifting Equipment:**

- (i) All lifting equipment, except brand new equipment (where current certification is available) including but not limited to shackles, slings, pad eyes, crane, man riding equipment, elevators, bails, pulleys etc. must be inspected to and at a frequency directed by current manufacturer's guidelines and relevant API Recommended Practices.
- (ii) As a minimum, all lifting equipment will be fully inspected on an annual basis by an independent third party, NDT inspectors who are fully qualified to international standard.
- (iii) Full visual inspection shall be carried out by every 6 (six) months by Contractor and inspection report should be made available to the Company for review as & when required.
- (iv) Dye Penetration Test will only be done to the hook of the crane. Load test of the crane at different loads will be carried out by the contractor.

**7.10 MAINTENANCE:**

- (i) Contractor shall have in place and carry out the manufacturer's recommended preventive maintenance program for all equipment.
- (ii) All replacement parts must be manufactured by the original equipment manufacturer (OEM) or as recommended by OEM/API/OISD wherever applicable.
- (iii) Fasteners and seal elements for BOP equipment must also be manufactured by the original equipment manufacturer (OEM) or as recommended by OEM/API/OISD wherever applicable.
- (iv) All BOP seal elements are to be stored per manufacturer's recommendations, but not limited to the following:
  - Sunlight exposure
  - Temperature and moisture control
  - Dust and other contamination protection

**8.0 COMPANY'S SPECIAL OBLIGATIONS:**

- 8.1 The Company shall at its cost, provide items and services as shown in this document.
- 8.2 The Company shall be responsible at its cost, for maintaining adequate stock levels of its items and replenishing the same as deemed necessary, unless specified to the contrary elsewhere in the contract.
- 8.3 Ingress and Egress at location: Company shall provide Contractor requisite certificates for obtaining rights of ingress to egress from the locations,

where wells are to be drilled, including any certificate required for permits or licenses for the movement of Contractor's personnel. Should such permits / licenses be delayed because of objections of appropriate authorities in respect of specific Contractor's personnel, such personnel should be promptly removed from the list by the Contractor and replaced by acceptable personnel. For any stoppage of operations for such delays, no day rate will be applicable.

**9.0 PAYMENTS, MANNER OF PAYMENT, RATES OF PAYMENT, SET-OFF, FORCE MAJEURE ETC.**

- 9.1 Company shall pay to the Contractor during the term of the Contract the amount due from time to time calculated according to the rates of payment set and in accordance with other provisions hereof. No other payments shall be due from Company unless specifically provided for in the Contract. All payments will be made in accordance with the terms hereinafter described.
- 9.2 **MANNER OF PAYMENT:** All payments due by Company to Contractor hereunder shall be made at Contractor's designated bank with Reserve Bank of India (RBI)'s approval, if applicable. Bank charges, if any will be on account of the Contractor.
- 9.3 Payment of any invoices shall not prejudice the right of Company to question the validity of any charges therein, provided Company within 2 (two) year after the date of payment shall make and deliver to Contractor written notice of objection to any item or items the validity of which in question.
- 9.4 **Invoices:** Mobilization charges will be invoiced only upon completion of mobilization (after commencement of operation at the first well), submission /production of appropriate inventory documents, and physical verification by Company representative.
- 9.5 Contractor shall submit monthly invoices to Company only after the end of each calendar month for all daily or monthly charges due to the Contractor.
- 9.6 Billings for daily charges/day rates will reflect details of time spent (calculated to the nearest quarter of an hour) and the rates charged for that time. This should be in the form of monthly time analysis chart(s). Monthly invoices will be raised only after spudding-in of the first well.
- 9.7 Invoice for reimbursable charges, if any, related to the Contract will be accompanied by documents supporting the cost incurred and duly certified by Company representative.
- 9.8 Contractor will submit 02(Two) sets of all invoices duly super scribed 'Original' and 'copy' as applicable to the company for processing payment. Separate invoices for the charges payable under the contract shall be submitted by the Contractor for foreign currency and Indian currency.
- 9.9 Payment of monthly invoices, if undisputed, shall be made within 45 days following the date of receipt of invoice by Company excepting for the first two (2) and last monthly invoices where some delay (up to two months) may occur.
- 9.10 Company shall within 30 days of receipt of the invoice notify the Contractor of any item under dispute, specifying the reasons thereof, in which event, payment of the disputed amount may be withheld until settlement of the dispute, but payment shall be made of any undisputed portion on or before

- the due date. This will not prejudice OIL's right to question the validity of the payment at a later date as envisaged in **Clause 9.3** above.
- 9.11 The acceptance by Contractor of part payment on any billing not paid on or before the due date shall not be deemed a waiver of Contractor's rights in any other billing, the payment of which may then or thereafter be due.
- 9.12 Payment of other invoices as set forth in **Clause 9.7** (reimbursable items) shall be made within 60 days following the date of receipt of the invoices by Company.
- 9.13 Payment of Mobilization Charges shall be made within 45 days following the date of receipt of undisputed invoices by Company. Mobilization should be complete in all respect before raising invoice.
- 9.14 **Payment of Demobilization charges** shall be made when applicable within 45 days following receipt of invoice by Company accompanied by the following documents from the Contractor:
- a) Audited account up to completion of the Contract.
  - b) Tax audit report for the above period as required under the Indian Tax Laws.
  - c) Documentary evidence regarding the submission of returns and payment of taxes for the personnel engaged by the Contractor or by its sub-contractor.
  - d) Proof of re-export of all items including the unutilized spares and consumables (excepting consumables consumed during the contract period) and also cancellation of re-export bond if any.
  - e) Any other documents as required by applicable Indian Laws.
  - f) In case, no de mobilization charges are payable, the documents mentioned above will have to be submitted by the Contractor before release of the final payment by OIL.
- 9.15 Contractor shall maintain complete and correct records of all information on which Contractor's invoice are based up to 2 (two) years from the date of last invoice. Such records shall be required for making appropriate adjustments or payments by either party in case of subsequent audit query/objection. Any audit conducted by Company of Contractor's records, as provided herein, shall be limited to Company's verification (i) of the accuracy of all charges made by Contractor to Company and (ii) that Contractor is otherwise in compliance with the terms and conditions of this Contract.
- 9.16 **SET-OFF:** Any sum of money due and payable to the Contractor (including Performance Security refundable to them) under this or any other Contract may be appropriated by OIL and set-off against any claim of OIL (or such other person or persons contracting through OIL) for payment of a sum of money arising out of this contract or under any other contract made by the Contractor with OIL (or such other person or persons contracting through OIL).
- 9.17 **SUBSEQUENTLY ENACTED LAWS:** Subsequent to the date of bid submission, if there is a change in or enactment of any law or interpretation of existing law, which results in addition/reduction in cost to Contractor on account of the operation contemplated under the Contract, the Company/ Contractor shall reimburse the Contractor/pay Company for such additional/reduced costs actually incurred/saved by Contractor, subject to the submission of documentary evidence by Contractor/Company.

**10.0 LIABILITY FOR THE WELL:** The Company shall be liable for the cost of regaining control of any wild Well as well as the cost of removal of debris, and shall indemnify Contractor for any such cost, regardless of the cause thereof except in the case of negligence of the Contractor, its Agents, Employees or sub- contractors, the Company shall be responsible for and shall indemnify and hold harmless Contractor from any claims in respect of loss or damage to the hole or Well. In the event the hole is lost or damaged because of the negligence of Contractor, Contractor's sole responsibility thereafter shall be the obligation to repair such damage within the limits of Contractor's normal complement of equipment and personnel or re-drill the hole in the same well or an alternate well to the depth at which, such hole was lost at a rate equal to fifty (50) percent of the applicable operating day rate only by deploying the drilling unit and personnel provided. However, that in the case of any relief well, Operator shall be solely responsible for all other costs or damage with respect to such loss or damage, regardless of the cause of such loss or damage.

**10.1 LOSS OR DAMAGE OF CONTRACTOR'S DRILLING UNIT OR SUBSURFACE EQUIPMENT**

- (a) The Contractor shall at all times be solely responsible for any damage to or loss or destruction of the Drilling Unit and its other property irrespective of how such loss, damage or destruction is caused, and even if caused by the negligence of the Company and/or his servants, agents, nominees, assignees, Contractors and subcontractor, and Contractor shall hold harmless and indemnify the Company from and against any expenses, loss or claim related to or resulting from such loss, damages or destruction.
- (b) If the Drilling Unit is declared to be a total loss and/or construed to be total loss, as determined by the applicable insurance coverage, this Contract shall stand terminated in respect of the Drilling Unit(s) as of the occurrence of the event causing such loss and each party shall thereupon be released of all further obligations hereunder in respect of that Drilling Unit(s), except for its payment of money then due or liabilities to be charged in respect of the Work already done under this Contract in respect of that Drilling Unit(s).
- (c) Except as otherwise specifically provided in the Contract, any damage to or loss, of the Drilling Unit and/or subsurface tools/equipment regardless of the cause or reason for said loss, shall be the loss of the Contractor, its underwriters or insurers. Contractor indemnifies OIL, its Co-licensees and its and their affiliates, agents, employees, invitees, servants, their underwriters or insurers (other than Contractor's) and their employees, agent from any claim whatsoever or responsibility for any damage to or loss of the Drilling Unit or any other equipment or property of Contractor or Contractor's sub- contractors furnished or intended for use in the operations herein undertaken.
- (d) If the Drilling Unit or any part thereof or sub-surface tools/equipment is lost or damaged beyond repair or becomes an actual or constructive compromised, arranged loss or is otherwise abandoned, the Contractor shall, if required by OIL or by the laws, regulation or order of Governmental Authorities or Agency remove the Drilling Unit from operating areas to the satisfaction of Company. If the Contractor unreasonably delays in removing

- the Drilling Unit or any part thereof, Company may remove it and the Contractor shall indemnify and reimburse Company for all cost and expenses incurred by OIL in connection therewith. Any expense incurred by Company in connection with or for locating the area/price of such loss/damage and/or ascertain whether such loss/ damage has resulted in any pollution or not, shall also be reimbursed by the Contractor to Company.
- 10.2 **COMPANY'S EQUIPMENT:** Contractor shall assume the risk of and shall be solely responsible for, damage to and loss or destruction of materials and equipment or supplies furnished by Company. In case there is a loss or damage to Company's equipment for causes attributable to Contractor, the Contractor shall compensate Company.
- 10.3 **BLOWOUT OR CRATER:** In the event any well being drilled hereunder shall blowout or crater due to negligence of the Contractor, Contractor shall bear the entire cost and expenses of killing the well or otherwise bringing the well under control upto US Dollar One Million for each incident and in this regard Operator shall indemnify and hold Contractor harmless in excess of US Dollar One Million for each incident. This applies only to the cost of bringing the well under control and is not to be interpreted as an assumption by Operator of any liability for injuries, to Contractor's personnel and or damage to the Drilling Unit, caused by such blowout to the Contractor, except as otherwise provided under the terms and conditions of this Agreement.
- 10.4 **USE OF CONTRACTOR'S EQUIPMENT:** The Company shall have the right to use the Drilling Unit and the entire Contractor's equipment provided under the Contract during such times as Company or both Company and the Contractor are engaged in bringing the well under control.
- 10.5 **POLLUTION AND CONTAMINATION:** Notwithstanding anything to the contrary contained herein, it is agreed that the responsibility and liability for pollution or contamination shall be as follows:
- (a) Contractor shall assume all responsibility and liability for cleaning up and removal of pollution or contamination which originates above the surface from spills of fuels, lubricants, motor oils, pipe dope, paints, solvents and garbage wholly in Contractor's possession and control and/or directly associated with Contractor's equipment and facilities, provided, however, Contractor's liability shall be limited to US Dollars One Million (US\$ 1 Million) where after the Operator shall indemnify and hold harmless Contractor for amounts in excess.
- (b) Except as otherwise provided in para 10.5(a) above, Operator shall assume all responsibility for (including control and removal of the pollutant involved) and shall protect, defend and save the Contractor harmless from and against all claims, demands, and causes of action of every kind and character arising from all pollution or contamination, other than that described in sub-clause (a) above, which may occur from any cause including negligence of Contractor but not limited to, that which may result from fire, blowout, cratering, seepage of any other uncontrolled flow of oils, gas, water or other substances, as well as the use or disposition of oil emulsion, oil base or chemically treated drilling fluids, contaminated cuttings or caving, lost circulation and fish recovery materials and fluids provided however, Contractor's sole liability under this sub-clause is to reimburse Operator US Dollars One Million (US\$ 1 Million) of cost

- paid/incurred by Operator in control of the pollutant, clean-up costs, or damage to a third party, provided said pollution results from contractor's sole negligence.
- (c) In the event a third party commits an act of omission which results in pollution or contamination for which either the Contractor or Company, by whom such party is performing work is held to be legally liable, the responsibility shall be considered as between Contractor and Company, regardless of the party for whom the job was performed and liability as set forth in (a) and (b) above would be specifically applied.
- (d) In the event effluent / waste pit provided by the Company, getting filled up in the normal course which can be prevented by Contractor, the same shall be emptied completely or partially using disposal pumps by the Contractor after proper treatment of effluent, to avoid overflow in the neighbouring areas or alternatively the Company will provide additional pits at its cost. In case pits so constructed have seepage from the walls of the pit or bund of the pit, Company will take remedial action to prevent the same at its cost.
- (e) Contractor shall assume all responsibility and liability for erection/ installation and efficient operation of the mobile Effluent Treatment Plant, dismantling after completion of effluent treatment of entire effluent after declaration of ILM for next location and maintaining the sample analysis report for both solid and liquid output conforming to SPCB Standard (desired output of treated effluent, expected effluent characteristics from various sources & test frequency are given below). Conforming to SPCB Standard (desired output of treated effluent, expected effluent characteristics from various sources & test frequency are given below).

Sl. No.	Parameters	Permissible Limit (not to exceed) SPCB
1	pH	5.5 -9.0
2	Temperature	40° C
3	Suspended Solids	100 mg/L
4	Oil & Grease	10 mg/L
5	Phenolics	1.0 mg/L
6	Cyanides	0.2 mg/L
7	Fluorides	1.5 mg/L
8	Sulphides	2.0 mg/L
9	Chromium (Hexa)	0.1 mg/L
10	Chromium (Total)	1.0 mg/L
11	Copper	0.2 mg/L
12	Lead	0.1 mg/L
13	Mercury	0.01 mg/L
14	Nickel	3.0 mg/L

15	Zinc	2.0 mg/L
16	BOD at 27° C for 3 days	30 mg/L
17	COD	100 mg/L
18	Chlorides	600 mg/L
19	Sulphates	1000 mg/L
20	Total Dissolved Solids	2100 mg/L
21	Percent Sodium	60 mg/L

**Name of the sample:** Composite sample of drilling mud effluents from Hydro cyclones

Sl. No.	Parameters	Units	Result
1.	Appearance	-	Greyish pourable mud
2.	Total suspended solid	Mg/I	65300
3.	Total Solid	Mg/I	66800
4.	Total Dissolved Solid	Mg/I	1500
5.	M. Value as CaCO <sub>3</sub>	Mg/I	120
6.	Chloride as Cl	Mg/	85
7.	Sulphate as SO <sub>4</sub>	Mg/I	1400
8.	Total Iron as Fe	Mg/I	60
9.	Total Chromium as Cr	Mg/I	5.6
10.	Hexavalent chromium as Cr	Mg/I	< 0.1
11.	Vanadium as V	Mg/I	< 0.2
12.	Total Heavy Metals as Pb	Mg/I	< 0.2
13.	Specific Gravity of Mud		1.03

Physio Chemical Characteristic of drilling mud (Waste Water)			
Sl. No.	Parameters	Units	Result
1.	Appearance	-	Greyish pourable mud
2.	Total suspended solids	Mg/I	12990
3.	Total Solids	Mg/I	14490
4.	Total Dissolved Solids	Mg/I	1500
5.	M. Value as CaCO <sub>3</sub>	Mg/I	600
6.	Chloride as Cl	Mg/I	210
7.	Sulphate as SO <sub>4</sub>	Mg/I	25

8.	Total Iron as Fe	Mg/I	-
9.	Total Chromium as Cr	Mg/I	< 0.02
10.	Hexavalent chromium as Cr	Mg/I	< 0.02
11.	Vanadium as V	Mg/I	< 0.1
12.	Total Heavy Metals as Pb	Mg/I	< 0.2
13.	Specific Gravity of Mud		1.0074
14.	Total Oil	% (m/v)	1.0
15.	Free Oil	% (m/v)	0.8
17.	Emulsified Oil	% (m/v)	0.2
18	BOD at 270C for 3 days	mg/l	137
19	COD	mg/l	825

Name of the sample: Sample Collected from vibrating screen			
Sl. No.	Parameters	Units	Result
1.	Appearance	-	i. Hard Cake having solid consistency 36%. ii. Lower layer Black uplayer- Gray on dissolution with water in ratio 1:1
2.	Soil to Emulsified mud ratio	-	82:12
3.	Nature of Settling	-	Black mud separates out from emulsified mud in 2 to 4 Hrs.
4.	pH of the upper un-settleable layer	-	7.3
5.	M. Value as CaCO <sub>3</sub>	mg/I	148
6.	Chloride as Cl	mg/I	95
7.	Sulphate as SO <sub>4</sub>	mg/I	1650
8.	Iron as Fe	mg/l	68
9.	Total Chromium as Cr	mg/l	6.0
10.	Hexavalent Chromium as cr	mg/l	< 0.2
11.	Vanadium as V	mg/l	< 1.0
12.	Other Heavy Metals as Ph	mg/l	< 1.0

Test Parameters and tentative Frequency of various tests				
Sl. No	Parameters	Permissible Limit (not to exceed) SPCB	Daily Testing at Site	Fortnightly Testing offsite by the Contractor
1	pH	5.5 -9.0	Yes	
2	Temperature	40° C	Yes	
3	Suspended Solids	100 mg/L	Yes	
4	Oil & Grease	10 mg/L	Yes	Yes
5	Phenolics	1.2 mg/L	Yes	
6	Cyanides	0.2 mg/L		Yes
7	Fluorides	1.5 mg/L		Yes
8	Sulphides	2.0 mg/L		Yes
9	Chromium (Hexa)	0.1 mg/L	Yes	
10	Chromium (Total)	1.0 mg/L		Yes
11	Copper	0.2 mg/L		Yes
12	Lead	0.1 mg/L		Yes
13	Mercury	0.01 mg/L		Yes
14	Nickel	3.0 mg/L		Yes
15	Zinc	2.0 mg/L		Yes
16	BOD at 27° C for 3 days	30 mg/L		Yes
17	COD	100 mg/L	Yes	
18	Chlorides	600 mg/L	Yes	
19	Sulphates	1000 mg/L	Yes	
20	Total Dissolved Solids	2100 mg/L	Yes	
21	Percent Sodium	60 mg/L		Yes

#### 11.0 **WAIVERS AND AMENDMENTS:**

It is fully understood and agreed that none of the terms and conditions of the contract shall be deemed waived or amended by either party unless such waiver or amendment is executed in writing by the duly authorized agents or representatives of such party. The failure of the Company to execute any right of termination shall not act as a waiver or amendment of any right of the Company provided hereunder.

#### 12.0 **CUSTOMS DUTY:**

- i) In terms of Sl. No. 404 of the Customs Notification No.50/2017-Cus dated 30.06.2017, imports of the items specified in List 33 of the Notification are

subject to levy of concessional rate of customs duty subject to conditions specified therein (Condition No. 48). However, Condition No. 48 along with List-33 of the said notification has been amended vide Customs Notification No. 02/2022-Customs dated 01.02.2022. Similarly, the domestic supply of such goods would attract concessional GST on submission of Essentiality Certificate (EC) issued by DGH in terms of Gazette Notification No. No. 3/2017-Central Tax (Rate) dated 28.06.2017 (and as amended from time to time).

- ii) Bidder should provide the list of items to be imported by them under the Contract in the format specified in **Proforma-A** along with their bid for issuance of requisite undertaking/certificate for availing concessional rate of customs duty only against the items explicitly covered under List-33 of Customs Notification No. 02/2022-Customs dated 01.02.2022 or against any other item(s) subsequently declared by the competent authority during the tenure of the contract to be duty exempted/concessional. Contractor shall make written request to Company immediately after shipment of the goods indicated by them in **Proforma-A**, alongwith the Invoices and all shipping documents (with clear 15 working days' notice) requesting Company for issuance of the Recommendatory Letter/requisite undertaking/certificate. Company shall issue the Recommendatory Letter/ requisite undertaking/certificate provided all the documents submitted by the Contractor are found in order as per contract. Undertaking/Certificate for availing concessional rate of Customs Duty shall be issued by OIL only for the eligible items, provided the same are included in the Proforma-A submitted by the bidder.
- iii) The required certificate/undertaking for availing concessional duty will be issued by OIL only for those items which are either consumed during the execution of work or for those equipment/tools which are undertaken to be re-exported by the bidder. The required certificate/undertaking will not be issued when the bidder imports the equipment/tools on acquisition basis and does not undertake to re-export the same after the completion of the contract.
- iv) The contractor shall be responsible to carry out all the formalities. In case of any mis-declarations or offences committed under the Customs rules and regulations and also allied rules, fine, penalty or any other charges levied by the concerned authorities on OIL shall be borne by the Contractor including the element of interest on OIL's fund blocked under such circumstances. OIL shall be indemnified by the Contractor against all actions by Govt. or any other agency for acts of commission and omission.
- v) Contractor shall be responsible to import the equipment/tools for execution of the contract. The contractor shall undertake to complete all the formalities as required under the Customs Act/Foreign Trade Policy (FTP) and indemnify OIL from all the liabilities of Customs in this regard.
- vi) The equipment/tools imported by the Contractor for petroleum operations against the certificate/undertaking provided by OIL shall not be used/deployed by the Contractor for any purpose other than the jobs arising out of the contract awarded by OIL and in the event of equipment/tools being

misused or put to use other than specified use, the Contractor shall be liable to pay duty, fine, penalty and other actions taken by the Customs Department and other authorities for violation of the customs rules and regulations and other allied rules.

- vii) OIL will not issue any Undertaking/Certificate towards customs duty concession/exemption for those items (not included in List-33 of Notification) and the duty payable on merit shall be borne by the Contractor. However, any other item if subsequently notified by the competent authority to be Duty free/concessional during the tenure of the contract, OIL will issue requisite Certificate/Undertaking for Contractor to avail the Customs Duty benefit and the duty benefit must be passed on to OIL.
- viii) All costs of imports and import clearances under the contract shall be borne by the contractor and Company shall not provide any assistance in this regard.
- ix) However, in the event customs duty becomes leviable during the course of Contract arising out of a change in the policy of the Government, the Company shall be liable for payment of the customs duties leviable in India on Contractor's items as provided in **Proforma-A** or the actual whichever is less, provided the Contractor furnishes all necessary documents indicating the estimated customs duty at least 10 days in advance. Such payment of Customs Duty shall be arranged by the Company and made available to the representatives of Contractor at Kolkata (Port of Importation in India) within 3 working days after the Contractor submits the undisputed and clear necessary documents/duty assessment papers at Company's office at Kolkata. Contractor would be responsible for passing such payment to customs authorities at the port of entry. Company's obligation for Customs Duty payment shall be limited / restricted to the tariff rates as assessed by the Customs on the day of clearance, or as on the last day of the stipulated mobilization period. In case of clearance thereafter, on the CIF value of items in Proforma-A will be frozen and any increase in Customs Duty on account of increase in value on these will be to the Contractor's account. Furthermore, in case the above CIF value is not acceptable to assessing Customs Officer and as a result if any excess Customs Duty becomes payable, it shall be to Contractor's account. Before filing Bill of lading, Bill of entry, the Contractor must consult the Company to avoid payment of excess Customs Duty.
- x) Contractor shall, however, arrange clearance of such items from Customs and port authorities in India and shall pay all requisite demurrages, if any, clearance fees/charges, port fees, clearing and forwarding agent fees/charges, inland transport charges etc. Company shall provide all assistance by issuance of necessary letter of authority or other relevant documents and necessary help.
- xi) Contractor must ensure that the spares and consumables imported by them for providing the services under Contract are properly used in executing their job under the Contract in the PEL/ML areas of Company for which EC has been obtained. Contractor shall furnish to Company a certificate as and

when the spares and consumables are used/consumed certifying that the spares and the consumables imported by them have been consumed in those ML/PEL areas under the contract for which ECs were obtained by them. In order to avoid any misuse of the spares and consumables imported by the Contractor for providing the services under the Contract, Contractor shall furnish an Undertaking similar to that being furnished by Company to Customs of suitable amount before issue of the Recommendatory Letter.

**13.0 DEMOBILIZATION & RE-EXPORT:**

- 13.1 The Contractor shall arrange for and execute demobilization of the entire Rig package, Tools/Equipment/Spare/ Accessories/Manpower etc. upon receipt of notice for demobilization from Company. Demobilization shall mean completion / termination of the contract and shall include dismantling of the complete Rig package, its accessories/ equipment, including the manpower and re-export of the complete Rig package (if re-exportable), its accessories/equipment, unutilized spares and consumables at the cost of the Contractor. Demobilization shall be completed by Contractor within 60 (sixty) days of issue of demobilization notice by Company. Immediately after re-exporting the Rig package, its accessories, equipment and the unused spares and consumables, Contractor shall submit the detailed re-export documents to Company as documentary proof of re- exporting the complete Rig package, its accessories, equipment and the unused spares and consumables. In case of failure to re-export any of the items as above within the allotted time period of 60 (sixty) days except under circumstances relating to Force Majeure, Company reserves the right to withhold the estimated amount equivalent to the Customs Duty and/or penalty leviable by customs on such default in re-export from Contractor's final settlement of bills and Performance Security.
- 13.2 In the event all/ part of the equipment etc. are transferred by Contractor within the country to an area where nil Customs Duty is not applicable and/or sold to a third party after obtaining permission from Company and other appropriate government clearances in India, then Contractor shall be fully liable for payment of the Customs Duty.
- 13.3 Contractor must furnish an undertaking that "the equipment imported and also spares & accessories which remained unutilized after the expiry of the contract, would be re-exported at their own cost as applicable after completion of contractual obligations and observing all the formalities/rules as per Customs Act or any other relevant Act of Govt. of India applicable on the subject". In case of non-observance of formalities of any provisions of the Customs Act or any other Act of Govt. of India, the Contractor shall be held responsible for all the liabilities including the payment of Customs Duty and penalties to the Govt. on each issue. Non-compliance of these provisions will be treated as breach of contract and their Performance Bank Guarantee will be forfeited.
- 13.4 In the event all / part of the equipment etc. are transferred by Contractor after expiry/termination of the contract within the country to another operator for providing services, and/or sold to a third party, Contractor shall obtain all necessary Govt. of India clearances including the Customs formalities for transferring to another operator and/or sale of the Rig package, its accessories, equipment and the unused spares and

consumables to a third party. Company will not be responsible for any non-compliance of these formalities by Contractor. Payment of Customs Duty and penalties (if any) imposed by Govt. of India or Customs authorities for transferring the items in part or in full to an area where Nil Customs Duty is not applicable or sale of the items shall be borne by the Contractor and Contractor indemnifies Company from all such liabilities.

**14.0 CONFIDENTIALITY:**

- 14.1 Contractor agrees to be bound by professional secrecy and undertake to keep confidential any information obtained during the conduct of Drilling Operations, including, but not limited to, formations penetrated, results of coring, testing and surveying of the well. And to take all reasonable steps to ensure the Contractor's personnel likewise keep such information confidential.
- 14.2 This obligation shall remain in force even after the termination date and until such information will be disclosed by Company.
- 14.3 Contractor shall handover to Company all Company's documents or drafts concerning operations carried out and which are still in its possession before transferring the Drilling Unit to another sphere.
- 14.4 Contractor shall forbid access to the Drilling Unit to any people not involved in the drilling operations or not authorized by the Company to have access to the drilling Unit, however, this provision is not applicable to any Government and/or police representative on duty.

**15.0 RIGHTS AND PRIVILEGES OF THE COMPANY:** Company shall be entitled-

- 15.1 To check the Drilling Unit and Contractor's items before the commencement Date. If they are not found in good order or do not meet specifications as per Section - II or in case of non-availability of some of the Contractor's items listed therein, the Contractor may not be allowed for commencement until the Contractor has remedied such default.
- 15.2 To change the drilling programme, mud programme, well depths to complete or abandon any well at any time.
- 15.3 To approve the choice of sub-contractors for any essential third party contract, concerning materials, equipment, personnel and services to be rendered by Contractor. Sub-contract may be entered into by Contractor only after Company's approval.
- 15.4 To check, at all-times, Contractor's stock level, to inspect Contractor's equipment and request for renovation or replacement thereof, if found in unsatisfactory condition or not conforming to regulations or specifications.
- 15.5 To order suspension of operations at Nil Day Rate while and whenever:
- (i) Contractor's personnel is deemed by Company to be not satisfactory.
  - (ii) Contractor's equipment does not conform to regulations or to the specifications laid down in the Contract.
  - (iii) Contractor's equipment turns into a danger to personnel on or around the rig or to the well.
  - (iv) Contractor's insurance in connection with the operations hereunder is found by Company not to conform to the requirements set forth in the contract.
  - (v) Contractor fails to meet any of the provisions in the Contract.

- (vi) Any shortage in key/additional (compulsory) personnel and inadequacy of other personnel.
  - (vii) Contractor is found non-compliant to HSE requirements as per Safe Operating Practices or applicable laws.
- 15.6 To reduce the rates reasonably, at which payments shall be made if the Contractor is allowed to continue the operation despite having certain deficiency in meeting the requirements as per provision in the contract. In case of breakdown or malfunctioning of some equipment and Contractor is allowed to continue operation in such event the period from the breakdown or malfunctioning time to make it functional shall be treated as short supply and necessary deduction shall be levied as per SCC Clause No. 2.7 & its sub-clauses.

**16.0 EMERGENCY:**

- 16.1 Without prejudice to **Clause 10.4** here of Company shall be entitled in emergency (the existence of which shall be determined by Company) at its own discretion, to take over the operations of the Drilling Unit, direct Contractor 's personnel in the event that Company's interest will demand so. In such case, Company will notify Contractor of its action and within three (3) days confirm such notice in writing, setting forth the reasons for its action.
- 16.2 In such event, Company shall pay Contractor in accordance with the terms of the Contract as if Contractor was carrying out the operations.
- 16.3 All operations so conducted shall remain at the risk of Contractor to the extent Contractor is covered by insurance. When the well has been completed or when the conduct of the operations has been returned to the Contractor, the equipment shall again be put at Contractor's disposal in the same condition as at the time the operations were taken over by Company, taking into account normal wear and tear and any inherent defects at the time of taking over by OIL.

**17.0 FIRM PRICE:** The rates payable under this Contract, shall be firm during the Contract period including the extension period, if any, under **Clause 2.0 of the Section-I** 'General Conditions of Contract'.

**18.0 HEADINGS:** The headings of the clauses of the Contract are for convenience only and shall not be used to interpret the provisions hereof.

**19.0 SUSPENSION AT COMPANY'S REQUEST:** The Company shall have the right, without cause, at any time to require the Contractor to suspend the work under this Contract on giving notice to the Contractor specifying the estimated duration of the suspension period. The work shall resume at the end of suspension period or such other date as the Company may specify to the Contractor by notice in writing. During the suspension period, Contractor shall be paid as per the provisions of **Clause 8.0 of Section - IV 'Schedule of Rates'**. The Company shall notify the Contractor, whether it requires the Contractor to stack Equipment and/or Personnel at its current location or at a different location.

The total suspension period during the Contract duration shall not exceed 3 (three) months. However, beyond said period, the suspension period may be

extended by the parties at mutually agreed rates, terms and conditions. The Company, at its discretion, may add back such suspension period to the original Contract duration at the same rates, terms and conditions by giving 30 (thirty) days notice to the Contractor before the expiry of the Contract.

**20.0 LOSS OF SUB-SURFACE EQUIPMENT:**

Notwithstanding any provision under this contract to the contrary, Company shall assume liability except in the event of Willful Misconduct on the part of the contractor for loss or damage to the contractor's equipment/ tool in hole below rotary table. Company shall at its option either reimburse the contractor for the value of lost equipment/ tool as declared in the import invoices at the time of mobilization or subsequent replacement/ addition of the same equipment/ tool or CIF value whichever is lower for any such loss or damage, less depreciation @ 3% per month from the date of start of the contract up to a maximum depreciation equivalent to 50% of CIF value as indicated by the contractor or at its option to replace similar equipment/ tools and any transportation expenses incurred in connection herewith. All such cost shall be payable by Company only after contractor submits the self-declaration form as per the sample format attached (Annexure). For any such loss/damage, the contractor shall notify the Company within one month. The inspection of recovered from downhole need to be made by Company Representative before submission of the invoice by contractor.

**NOTE:**

The claim on account of Loss /damage should be claimed within six months of the incident or before expiry of the Contract, whichever is earlier. OIL shall certify the Loss/Damage in Hole immediately upon receiving the intimation from the Contractor, so that replacement and claiming of Loss/Damage can be done within the stipulated time.

**20.1 DOCUMENTATION OF LOSS:**

Whenever any loss, damage or destruction to any of the Contractor's Equipment occurs, as stated in Clause above, the Contractor shall immediately notify the same to OIL describing the loss/damage. Whenever the Contractor makes any claim pursuant to the provisions under the above Clause, the Contractor shall furnish in support thereof as noted below:

- a) List of the Equipment lost or damaged.
- b) Extent of the damage.
- c) Particulars of import, Customs assessed Bill of entry & invoices.
- d) Vouchers, invoices or any other documents indicating the date of first use of the Equipment in India.
- e) Costs of repairs, if any, supported by evidence of the same.
- f) Documentary evidence or self-declaration as per Format provided that the particular tool(s)/equipment in question is/are not covered by Contractor's insurance.

**20.2 Time for Replacement of tubulars in the event of fish and LIH:**

Contractor shall replace the lost in hole tubulars within six months from the date on which OIL notifies end of fishing operation or within six months from the date of NDT report (To be completed within 01 month from the end of

fishing operation) for the recovered tubulars - if applicable. Any delay in replacement of tubulars beyond six months will be treated as short supply and will be guided as per the **Clause 2.7** and its sub-clauses of **SCC**. Company at its discretion may provide LIH tubulars to Contractor on rental basis based on Contractor's written request subject to availability, criticality of operation and without hampering operation of in-house drilling rigs. In such event, applicable rental charge and other terms & conditions shall be guided as per **Clause No. 2.7.2** and its sub-clauses of **SCC**.

**21.0 INTER-LOCATION RIG MOVE STANDARD:**

- 21.1 Time allowed for inter-location movement of entire rig package for a distance upto thirty (30) Kms shall be twelve (12) days. For more kilometerage, the time allowed shall be in proportions of one (1) day for each 30 KM or part thereof. In case of **cluster** location on the same well plinth time allowed for inter-location movement of rig package shall be ten (10) days.
- 21.2 The time for inter-location movement suspended by Force Majeure, shall be extended by the period for which the Force majeure conditions last. No Day Rate, whatsoever, will be payable for extended period due to force majeure conditions.
- 21.3 The ILM charge shall be discounted by 5% **of total cost** for each day's delay beyond the standard time period as stipulated in Clause No: **21.1 above** for inter-location movement rate payable for that particular rig movement, when the rig move is delayed beyond the standard.

**22.0 PREVENTION OF FIRE AND BLOWOUTS:**

- 22.1 Contractor shall maintain all well control equipment in good condition at all times and shall take all possible steps to control and prevent the fire and blowouts to protect the hole. The Contractor shall be responsible for taking all preventive and corrective measures for initial control of kick, inflow, fire and blowouts. After initial control of well, Contractor shall inform OIL's Representative about the well condition and finally well shall be killed after mutual discussion with Company's representative.
- 22.2 Bridging document & Risk Register to be prepared by the contractor, mentioning Contractor's role in case of fire / uncontrolled release of well fluid or any other such eventualities.
- 22.3 The Contractor shall conduct testing of the BOPs as per OMR &/or OISD Std. RP174. Contractor shall record results of all such tests in the daily drilling report.
- 22.4 Contractor shall use all reasonable means to keep the hole and all strings of casing filled with drilling fluid at all times.

**23.0 SAFETY:** Contractor shall take all measures necessary or proper to protect the personnel, work and facilities and shall observe all reasonable safety rules and instructions. No smoking shall be permitted outside the living quarters, and welding jobs will be carried out with full safety precautions. Company employee also shall comply with safety procedures/ policy.

**24.0 DISCIPLINE:** The Contractor shall maintain strict discipline and good order among their respective employees and their respective Sub-contractors, if any, and shall abide by and conform to all rules and regulations promulgated

by the Company and Contractor governing the operations at the assigned worksites. Should the Company feel with just cause that the conduct of any of the Contractor's personnel is detrimental to Company's interests, the Company shall notify Contractor in writing the reasons for requesting removal of such personnel. The Contractor shall remove and replace such employees at their expense within 7 days from the time of such instruction given by OIL.

**25.0 WATER MANAGEMENT:**

- 25.1 The Contractor is solely responsible for making available the required water for well site & campsite use. The sinking of deep tube wells at the respective sites and installation/ operation of water pumps, extraction of water from deep tube wells or collection from natural sources nearby including treatment of same for rigs as well as camp shall be the Contractor's responsibility. Supply of water from any alternate sources shall be the sole responsibility of the Contractor, if no water is found at the exact camp or well site.
- 25.2 Strict control has to be made on the use of water. Wastage of water increases the effluent volume in the pit and may aggravate pollution problems.
- 25.3 The valves, glands, hoses etc. are to be checked for any leakage and the same to be rectified.
- 25.4 Arrangements have to be made for pumping effluents into the nearest dry pit as provided by the Company in case of emergency. Company shall provide effluent pit line to the entrance gate of the well plinth.

**NOTE:**

- (i) In case, the rig remains idle for want of acceptable quality water, then 'NIL' Day Rate shall be applicable for the entire period of shut-down.
- (ii) In case of total mud loss into the formation while drilling or in case of fire-fighting, if the whole water stock is consumed, then 'NIL' Day Rate will not be applicable. However, the Contractor has to take urgent & all effort to replenish the stock immediately in order to tackle the water problem.
- (iii) To cater the need of all emergencies an alternate adequate water source should be identified & arrangement should be kept ready to provide water to camp / well- site to meet the emergencies.

**26.0 COMPREHENSIVE 'HSE' GUIDELINES:**

- 26.1 The contractor shall strictly comply with the applicable and prevailing provisions of the Mines Act 1952, OISD Guidelines, and 10th Conference Recommendations of Safety in Mines. A copy of provisions of 10th Conference Recommendations in the form of "General HSE Points" is available in the office which may be issued to Contractor at the time of need.
- 26.2 It will be solely the Contractor's responsibility to fulfil all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-Contractors hired by him comply with the same

- requirement as the Contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-sub-contractors.
- 26.3 Every person deployed by the Contractor in a mine must wear safety gadgets to be provided by the Contractor. The Contractor shall provide proper Personnel Protective Equipment (PPE) as per the hazard identified and risk assessed for the job and conforming to statutory requirement and Company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS, India approved. Necessary supportive document shall have to be submitted as proof. Moreover, the electrical persons should be provided with Electrically safe safety shoes, rubber hand gloves suitable for working at the maximum voltage level used in rig and leather hand gloves for handling cables. However, it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work. All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.
- 26.4 The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including risk register (assessment of risk), safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the Contractor and how it is to be managed.
- 26.5 The Contractor shall provide a copy of the SOP duly signed by the Contractors Representatives to the person designated by the mine owner who shall be supervising the Contractor's work.
- 26.6 Keep an up to date SOP and provide a copy of changes to a person designated by the Mine Owner/Agent/Manager.
- 26.7 Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line.
- 26.8 All persons deployed by the Contractor for working in a mine must undergo Mines Vocational Training, initial medical examination, PME. They should be issued cards stating the name of the Contractor and the work and its validity period, indicating status of MVT, IME & PME.
- 26.9 The Contractor shall submit to DGMS returns indicating - Name of his firm, Registration number, Name and address of person heading the firm, Nature of work, type of deployment of work persons, Number of work persons deployed, how many work persons hold MVT Certificate, how many work persons undergone IME and type of medical coverage given to the work persons.
- 26.10 The return shall be submitted quarterly (by 10th of April, July, October & January) for contracts of more than one year. However, for contracts of less than one year, returns shall be submitted monthly.
- 26.11 It will be entirely the responsibility of the Contractor/his Supervisor/ representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by Company's representative for safe operation.
- 26.12 Any compensation arising out of the job carried out by the Contractor whether related to pollution (Attributable to the contractor), Safety or Health will be paid by the Contractor only.

- 26.13 Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the Contractor.
- 26.14 The Contractor shall have to report all incidents including near miss to Installation Manager/departmental representative of the concerned department of OIL.
- 26.15 The Contractor has to keep a register of the persons employed by him/her. The Contractor's rig manager / rig superintendent shall take and maintain attendance of his personnel every shift for the work.
- 26.16 If the Company arranges any safety class/training for the working personnel at site (Company employee, Contractor worker, etc.) The Contractor will not have any objection to any such training.
- 26.17 The medical examination aforesaid shall be carried out by a Medical Officer appointed for the mine or a Medical Officer in the employment of the owner of the mine, if any, or by any medical officer employed in the Coal Mines Welfare Fund Organization or any other mines Welfare organization, failing which by any State or Central Government medical officer not below the rank of an Assistant Civil Surgeon. Additionally, medical examination can also be carried out in OIL empaneled Hospitals and countersigned the reports at OIL's Medical Officer assigned by GM (MS). The proof of such test(s) is to be submitted to OIL, in both the cases in the latest "O" form with all the test results. The frequency of periodic medical examinations should be every five years for the employees below 45 years of age and every three years for employees of 45 years of age and above.
- 26.18 To arrange daily tool box meeting, Job Safety Analysis (for Critical Jobs) and regular site safety meetings and maintain records.
- 26.19 As per DGMS circular & Gazette Notification for Maintenance of register as required by the Mines Act 1952 and Mines Rules, 1955, the forms A, B, D and E have been updated and modified. The above mentioned forms needs to be maintained as per the new format by the Contractor.
- 26.20 A Contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.
- 26.21 A Contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.
- 26.22 Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.
- 26.23 In case Contractor is found non-compliant of HSE laws as required, the Company will have the right for directing the Contractor to take action to comply with the requirements, and for further non-compliance, the Contractor will be penalized prevailing relevant Acts / Rules / Regulations.
- 26.24 When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE measures Company will have the right to direct the Contractor to cease work until the non-compliance is corrected.
- 26.25 The Contractor should prevent the frequent change of his contractual employees as far as practicable.
- 26.26 The Contractor should frame a mutually agreed bridging document between the Company & the Contractor with roles and responsibilities clearly defined.

- 26.27 For any HSE matters not specified in the contract document, the Contractor will abide by the relevant and prevailing Acts/rules/ regulations/pertaining to Health, Safety and Environment.
- 26.28 Contractor shall observe such safety regulations in accordance with acceptable oilfield practice and applicable Indian Laws. Contractor shall take all measures reasonably necessary to provide safe working conditions and shall exercise due care and caution in preventing fire, explosion and blow out and maintain fire and well control equipment in sound condition at all times. Contractor shall conduct such safety drills, BOP tests, etc. as may be required by Company at prescribed intervals.
- 26.29 Contractor shall provide all necessary fire-fighting and safety equipment as per laid down practice and as specified under OISD - STD - 189 and OMR.
- 26.30 Fire protection at drilling sites shall be the responsibility of the Contractor. Necessary action shall be taken and prior arrangements to be made for providing at least three competent persons trained in the field of basic fire-fighting course (from any board or an institute recognized by state/central government of India) as per OISD-GDN-228 on any shift at the rig site.
- 26.31 The Contractor shall submit details of measures adopted towards management of environment protection (waste management/engine emissions/Noise monitoring/water management etc.) and improving the quality of the environment for submission of Environmental Statement to the SPCB for every financial year.
- 26.32 Documentation, record keeping of all safety practices should be conducted as per international/ Indian applicable laws, act, regulations etc., as per standard Oilfield practice and these records should be made available for inspection at any point of time. The H.S.E policy as well as emergency procedure manual should be kept at site. Compliance of these shall be the sole responsibility of the Contractor.

**Notes:**

- a. Bidder should have the HSE Management system (HSEMS) for each quoted rig certified as per ISO: 9001, ISO: 14001 & ISO 45001 on the date of actual BCD (Bid Closing Date) and should submit undertaking that the certificates(s) shall be kept valid during the currency of the contract and extensions, if any. The documentary proof in the form of valid certificates should be provided along with the technical bid.

However, in case of proposed purchased Rig (Brand New / Vintage), bidder should confirm to provide above ISO certification prior to completion of mobilization of the rig.

- b. Bidder to give an undertaking that they shall comply with all the relevant provisions of OISD guidelines, DGMS, OMR, MOEF guidelines, CPCB/SPCB Guidelines and Safety conferences on Health, Safety and mandatory training like MVT, well control/intervention/ well cap including filing of requisite returns to regulatory authorities'

**27.0 EFFLUENT PIT BUNDS:**

- 27.1 Regular checks are to be made to ensure that there are no leakage/seepage/overflow of effluents from the pit into the surrounding areas.
- 27.2 The bunds/walls of the effluent pit are to be checked for any breaches during the operation and the same are to be immediately intimated to OIL for repair or any corrective measure to be taken by OIL.

**28.0 COLLECTION OF USED/ BURNT LUBE OIL:**

The used lube oils are to be collected separately in drums. Floating burnt oil, if any, in the effluent pit has to be lifted and collected into drums immediately.

**29.0 MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE (MOEF & CC) GUIDELINES:**

- 29.1 Pre commissioning rig inspection, safety meeting tools box meetings, job safety analysis and audits shall be carried out to identify hidden/ potential hazards including risk register and ERP (Emergency Response Plan).
- 29.2 The DG sets shall have suitable acoustic enclosures to contain the noise level within the CPCB specified limits. The Contractor shall regularly measures the noise levels at noise generating sources and at the periphery of the well site.
- 29.3 Necessary mitigation measures shall be adopted to reduce noise levels at source and at the drill sites to meet the norms notified by MoEF & CC and CPCB. Height of all stacks / vents shall be provided as per CPCB guidelines. Noise meter should be available with the rig package.
- 29.4 To prevent well blowouts, during drilling operations, Blow out Preventer (BOP) system shall be installed. Blow out preventer measures during drilling shall be focus on maintaining well bore hydrostatic pressure by proper pre well planning and drilling fluid logging etc.
- 29.5 The emissions of RSPM, SPM, SOX, NOX, and HC & VOC from DG sets shall conform to the standard prescribed by MoEF & CC and CPCB. Regular monitoring of Ambient Air of HC and VOC shall be carried out as per CPCB guideline. Stack height attached to DG sets shall be as per CPCB guidelines.
- 29.6 The overall noise level in and around the plinth areas shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA rules, 1989 that is 75 DBA (daytime) and 70 DBA (night time).
- 29.7 The test and monitoring reports of the treated effluents, both for liquid and solid effluents in compliance of the CPCB norms and duly acknowledged by the SPCB, shall be submitted in every fortnight.

**30.0 RECORDS & DOCUMENTS TO BE MAINTAINED AT WELL SITE:**

Documentation, record keeping of all safety practices should be conducted as per applicable international/Indian laws, acts, regulations etc., as per standard Oilfield practice and these records should be made available for inspection at any point of time. The H.S.E (Health, Safety and Environment) policy manual, SOP (safe operating practices), risk register & bridging

document should be available at site. Compliance of these shall be the sole responsibility of the Contractor.

**LIST OF RECORDS / REGISTERS / FORMS / DISPLAY (but not limited to) TO BE MAINTAINED AT WELL SITE**

- (i) Pressure test of BOP and choke & kill manifold
- (ii) BOP function test
- (iii) BOP Pressure Test
- (iv) BOP drill
- (v) Fire Drill
- (vi) Hot work / cold work permit
- (vii) Casing line inspection / ton mileage
- (viii) Training record (FF, FA, MVT, Well control)
- (ix) Form O (IME/PME of employees)
- (x) NDT of mast & substructure and handling tools
- (xi) Records of all mechanical equipment.
- (xii) Records of all Electrical equipment.
- (xiii) Records of all Instrumentation System
- (xiv) Periodical inspection of all equipment
- (xv) Display of all statutory signboards
- (xvi) Display of Blow out contingency plan
- (xvii) Display of Fire contingency plan
- (xviii) Display of First Aid trained personnel during the shift
- (xix) Display of Fire Fighting trained personnel during the shift
- (xx) Display of First-Aid Action for electric shock
- (xxi) Minutes of all safety audit including pre spud
- (xxii) Minutes of Pit level safety meeting & Tool Box meeting
- (xxiii) Safety circulars
- (xxiv) Copy of OMR
- (xxv) Copies of Relevant OISD standards
- (xxvi) Copy of Safe Operating Procedure (SOP)
- (xxvii) Copy of GTO (Geo-technical order) / Well Policy
- (xxviii) Copy of DPR (Daily progress report)
- (xxix) Installation manager's instruction book
- (xxx) BOP kill sheet
- (xxxi) Trip sheet
- (xxxii) Form-A (It should be as per modified format by Gazette Notification No. 126 dated 21.02.2017 on Ease of Compliance to Maintain Registers under various Labour Laws Rules, 2017")
- (xxxiii) Form-B (It should be as per modified format by Gazette Notification No. 126 dated 21.02.2017 on Ease of Compliance to Maintain Registers under various Labour Laws Rules, 2017")
- (xxxiv) Form-D (It should be as per modified format by Gazette Notification No. 126 dated 21.02.2017 on Ease of Compliance to Maintain Registers under various Labour Laws Rules, 2017")
- (xxxv) Form-E (It should be as per modified format by Gazette Notification No. 126 dated 21.02.2017 on Ease of Compliance to Maintain Registers under various Labour Laws Rules, 2017")
- (xxxvi) Form-K (Return of Minor accidents)
- (xxxvii) Form-J (Return of reportable accidents)

(xxxviii) Copy of Contract with the Company

(xxxix) DGMS Annual Return (Printout of online return)

**31.0 PENALTIES:** In the event of the Contractor’s failure to strictly adhere in providing the requirements as per Scope of Work, the penalty shall be levied at the following rates:

Sl. No.	Category	Penalty
1	SAFETY: Noncompliance of Safety Management System of Drilling Services, Oil India Ltd, violations of HSE specification and statutory requirement will attract penalty (ies).	In such case, operation will be stopped & ZERO RATES will be applicable.
2	DEFICIENCY: In the event of the Contractor failure to strictly adhere in providing the minimum requirements of Key Personnel and Other Personnel as set out under <b>Clause 7.6.1 (A) &amp; (B), Section IV</b> , the penalty shall be levied at the following rates.	
	Failure to provide any of the following personnel: (a) Rig Manager/Rig Superintendent/Tool pusher/Tour Pusher / Night Tool Pusher / Mechanical Engineer / Electrical Engineer	At the rate of 5% of the operating day rate (ODR) for each person per day.
	(b) Failure to provide Driller / Asstt. Driller / HSE Officer / Mud Engineer / Mechanic / Electrician / Medico	At the rate of 3% of the operating day rate (ODR) for each person per day.
	(c) Failure to provide personnel other than mentioned in (a) & (b).	At the rate of 2% of the operating day rate (ODR) for each person per day.
<p><b>NOTE:</b></p> <p>(1) The above penalty rates are applicable for the first seven (07) days. In case more than one key personnel are not available at a time, penalties applicable for such personnel will be levied simultaneously.</p> <p>(2) Beyond seven (07) days, the penalty will be levied at double the rates mentioned above for each day per person for non-availability of any key personnel.</p> <p>(3) NIL day rate will be applicable if operation is suspended for non- availability of key personnel.</p>		
3	ILM:	The ILM charge shall be discounted by 5% for each day's delay beyond the standard, as stipulated in <b>Clause No. 21.0</b> & it’s sub-clauses under SCC.
4	Inoperative Rig Equipment:	
4(a)	Top Drive System	During the period of operations being continued with Kelly Drive System due to breakdown of TDS all the day rates (i.e. operating, standby, rig

		repair, force majeure and stack) will be slashed to 80% (Eighty Percent) of respective day rates.
	Note: Nil day rates will be applicable during the entire period of change over from top drive system to Kelly drive system or vice-versa.	
4(b)	ETP	Zero-rate will be applicable if OIL decides not to continue operation due to non-function of the ETP. However, if OIL decides to continue operation without ETP and/or operation of the ETP not meeting the scope fully (as per <b>Clause no. 7.3 (E) under Scope of Work</b> ), then all day rates during the first five (5) days will be slashed to 90% of respective day rates. Beyond five (5) days the rates will be further slashed to 80% of respective day rates till ETP is fully functional.
5	Non availability of Documents / Certification	At the rate of 0.5% of the ODR per day
6	Rig Repair	In case total Rig Repairing hours in a particular month crossed the permissible time of 30 hours then penalty will be levied on Contractor at the rate of 0.05% of ODR (Operating Day Rate) per hour.
7	Break Down of Major Equipment viz. Engine & Rig Pump irrespective of operational hamper.	In case of break-down of any Rig Engine & Rig Pump but operation is continued with remaining Engines & Rig Pump, then Contractor will be allowed to repair the break-down equipment within 07 days. At the end of 07 days, if Contractor fails to repair the equipment, a penalty @0.5% of ODR per day will be levied and deducted from the subsequent Bill.

### 32.0 SUB-CONTRACT

CONTRACTOR shall not subcontract, transfer or assign the contract or any part under this contract to any third party/parties other than the services mentioned below:

- (i) Contractor may deploy "Other Personnel" as specified in **Clause No. 7.6.1 (B)** by outsourcing to a third party/Sub-contractor but Key Personnel as specified in **Clause No. 7.6.1 (A)** cannot be outsourced and must be in the pay roll of the CONTRACTOR.
- (ii) All other additional personnel required for Catering, Camp Management, Laundry, Security etc. as specified in **Clause No. 7.6.5 and "Notes to personnel to be deployed" of SoW under Section-IV** may be outsourced.
- (iii) ETP Service with manpower may be outsourced.
- (iv) Crane Service with manpower may be outsourced.

**Notes to Sub Contracting:**

- (a) Written prior approval for sub-contracting the above mentioned services has to be obtained from the competent authority of COMPANY.
- (b) CONTRACTOR shall be fully responsible for complete execution and performance of the services under the Contract even though the above mentioned services are hired by outsourcing to third party/parties.
- (c) It is CONTRACTOR's responsibility to ensure that its Sub-contractors shall at all time during the currency of the contract period provide, pay for and maintain the insurance coverage as specified in Clause No. 14.16 of GCC under Part-3, Section-I.
- (d) The "APPLICABLE LAWS" as mentioned in Clause No. 34.0 of GCC under Part-3, Section-I is equally applicable and effective to its Sub-contractors.
- (e) It is CONTRACTOR's responsibility to ensure that when its Sub-contractors deploy their personnel it must follow and comply the guidelines of "Labour Laws" as specified in Clause No. 35.0 of GCC under Part-3, Section-I.

**33.0 GOODS AND SERVICES TAX**

- 33.1 In view of GST Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST/VAT, Service tax, Entry Tax and other indirect taxes and duties have been submerged in GST. Accordingly reference of Excise Duty, Service Tax, VAT, Sales Tax, Entry Tax or any other form of indirect tax except of GST mentioned in the bidding document shall be ignored.
- 33.2 Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever GST (CGST & SGST/UTGST or IGST) is applicable.
- 33.3 "GST" shall mean Goods and Services Tax charged on the supply of material(s) and services. The term "GST" shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as "IGST") or Central Goods and Services Tax (hereinafter referred to as "CGST") or State Goods and Services Tax (hereinafter referred to as "SGST") or Union Territory Goods and Services Tax (hereinafter referred to as "UTGST") depending upon the import / interstate or intrastate supplies, as the case may be. It shall also mean GST compensation Cess, if applicable.
- 33.4 Quoted price/rate(s) should be inclusive of all taxes and duties, except GST (i.e. IGST or CGST and SGST/UTGST applicable in case of interstate supply or intra state supply respectively and cess on GST if applicable) on the final service. However, GST rate (including cess) to be provided in the respective places in the Price Bid .Please note that the responsibility of payment of GST (CGST & SGST or IGST or UTGST) lies with the Supplier of Goods/Services (Service Provider) only .Supplier of Goods/Services (Service Provider) providing taxable service shall issue an Invoice/Bill, as the case may be as per rules/regulation of GST. Further, returns and details required to be filled under GST laws & rules should be timely filed by Supplier of Goods/Services (Service Provider) with requisite details.
- 33.5 Bidder should also mention the Harmonized System of Nomenclature (HSN) and Service Accounting Codes (SAC) at the designated place in SOR.

**33.6 Where the OIL is entitled to avail the input tax credit of GST:**

OIL will reimburse the GST to the Supplier of Goods/Services (Service Provider) at actual against submission of Invoices as per format specified in rules/regulation of GST to enable OIL to claim input tax credit of GST paid. In case of any variation in the executed quantities, the amount on which the GST is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

The input tax credit of GST quoted shall be considered for evaluation of bids, as per evaluation criteria of tender document.

**33.7 Where the OIL is not entitled to avail/take the full input tax credit of GST:**

OIL will reimburse GST to the Supplier of Goods/Services (Service Provider) at actual against submission of Invoices as per format specified in rules/regulation of GST subject to the ceiling amount of GST as quoted by the bidder. In case of any variation in the executed quantities (If directed and/or certified by the In-Charge) the ceiling amount on which GST is applicable will be modified on pro-rata basis.

The bids will be evaluated based on total price including GST.

- 33.8 Payments to Service Provider for claiming GST amount will be made provided the above formalities are fulfilled. Further, OIL may seek copies of challan and certificate from Chartered Accountant for deposit of GST collected from OIL.
- 33.9 Contractor shall be required to issue tax invoice in accordance with GST Act and/or Rules so that input credit can be availed by OIL. In the event that the Contractor fails to provide the invoice in the form and manner prescribed under the GST Act read with GST Invoicing Rules there under, OIL shall not be liable to make any payment on account of GST against such invoice.
- 33.10 GST shall be paid against receipt of tax invoice and proof of payment of GST to government. In case of non-receipt of tax invoice or non-payment of GST by the Contractor, OIL shall withhold the payment of GST.
- 33.11 GST payable under reverse charge mechanism for specified services or goods under GST act or rules, if any, shall not be paid to the Contractor but will be directly deposited to the government by OIL.
- 33.12 Where OIL has the obligation to discharge GST liability under reverse charge mechanism and OIL has paid or is/liable to pay GST to the Government on which interest or penalties becomes payable as per GST laws for any reason which is not attributable to OIL or ITC with respect to such payments is not available to OIL for any reason which is not attributable to OIL, then OIL shall be entitled to deduct/setoff/recover such amounts against any amounts paid or payable by OIL to Contractor/Supplier.
- 33.13 Notwithstanding anything contained anywhere in the Agreement, in the event that the input tax credit of the GST charged by the Contractor is denied by the tax authorities to OIL for reasons attributable to Contractor, OIL shall be entitled to recover such amount from the Contractor by way of adjustment from the next invoice. In addition to the amount of GST, OIL shall also be entitled to recover interest at the rate prescribed under GST Act and penalty, in case any penalty is imposed by the tax authorities on OIL.

- 33.14 TDS under GST, if applicable, shall be deducted from Contractor's bill at applicable rate and a certificate as per rules for tax so deducted shall be provided to the Contractor.
- 33.15 The Contractor will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the Contractor shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/duties by the contractor shall be to contractor's account.
- 33.16 It is the responsibility of the bidder to quote the correct GST rate. The classification of goods/services as per GST (Goods & Service Tax) Act should be correctly done by the contractor to ensure that input tax credit on GST (Goods & Service Tax) is not lost to the OIL on account of any error on the part of the contractor.
- 33.17 In case, the quoted information related to various taxes, duties & levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference and in case the rate of duty/taxes finally assessed is on the lower side.
- 33.18 Notwithstanding anything mentioned elsewhere in the Bidding Document the aggregate liability of OIL towards Payment of Taxes & Duties shall be limited to the volume of GST declared by the bidder in its bid & nothing shall be payable extra except for the statutory variation in taxes & duties.
- 33.19 Further, it is the responsibility of the bidders to make all possible efforts to make their accounting/IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.
- 33.20 GST liability, if any on account of supply of free samples against any tender shall be to bidder's account.
- 33.21 In case of statutory variation in GST, other than due to change in turnover, payable on the contract value during contract period, the Supplier of Goods/ Services (Service Provider) shall submit a copy of the 'Government Notification' to evidence the rate as applicable on the Bid due date and on the date of revision.
- 33.22 Beyond the contract period, in case OIL is not entitled for input tax credit of GST, then any increase in the rate of GST beyond the contractual delivery period shall be to Service provider's account whereas any decrease in the rate GST shall be passed on to the OIL.
- 33.23 Beyond the contract period, in case OIL is entitled for input tax credit of GST, then statutory variation in applicable GST on supply and on incidental services, shall be to OIL's account.
- 33.24 Claim for payment of GST/Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) GST, otherwise claim in respect of above shall not be entertained for payment of arrears.
- 33.25 The base date for the purpose of applying statutory variation shall be the Bid Opening Date.
- 33.26 The contractor will be liable to ensure to have registered with the respective tax authorities, wherever applicable and to submit self-attested copy of such registration certificate(s) and the Contractor will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/E-way Bill, if applicable etc.

- 33.27 In case the bidder is covered under Composition Scheme under GST laws, then bidder should quote the price inclusive of the GST (CGST & SGST/UTGST or IGST). Further, such bidder should mention "Cover under composition system" in column for GST (CGST & SGST/UTGST or IGST) of price schedule.
- 33.28 OIL will prefer to deal with registered supplier of goods/services under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid. Where OIL is entitled for input credit of GST, the same will be considered for evaluation of bid as per evaluation methodology of tender document.
- 33.29 Procurement of Specific Goods: Earlier, there is no tax incidence in case of import of specified goods (i.e. the goods covered under List-34 of Customs Notification no. 12/2012-Cus dated. 17.03.2012 as amended). Customs duty is not payable as per the policy. However, under GST regime, IGST Plus GST compensation cess (if applicable) would be leviable on such imports. Bidders should quote GST as inclusive considering IGST component for the imported Materials portion while quoting their prices on destination basis. However, GST rate to be specified in the price bid format.
- 33.30 Documentation requirement for GST:

The Contractor will be under the obligation for invoicing correct tax rate of tax/duties as prescribed under the GST law to OIL, and pass on the benefits, if any, after availing input tax credit.

Any Invoice issued shall contain the following particulars:

- a) Name, address and GSTIN of the supplier;
- b) Serial number of the invoice;
- c) Date of issue;
- d) Name, address and GSTIN or UIN, if registered of the recipient;
- e) Name and address of the recipient and the address of the delivery, along with the State and its code,
- f) HSN code of goods or Accounting Code of services [SAC];
- g) Description of goods or services;
- h) Quantity in case of goods and unit or Unique Quantity Code thereof;
- i) Total value of supply of goods or services or both;
- j) Taxable value of supply of goods or services or both taking into discount or abatement if any;
- k) Rate of tax (IGST, CGST, SGST/ UTGST, cess);
- l) Amount of tax charged in respect of taxable goods or services (IGST, CGST, SGST/UTGST, cess);
- m) Place of supply along with the name of State, in case of supply in the course of interstate trade or commerce;
- n) Address of the delivery where the same is different from the place of supply and
- o) Signature or digital signature of the supplier or his authorised representative.
- p) GST invoice shall be prepared in triplicate, in case of supply of goods, in the following manner:
  - (i) The original copy being marked as ORIGINAL FOR RECIPIENT;

- (ii) The duplicate copy being marked as DUPLICATE FOR TRANSPORTER and
  - (iii) The triplicate copy being marked as TRIPLICATE FOR SUPPLIER.
  - q) In case of any advance given against any supplies contract, the supplier of the goods shall issue Receipt Voucher containing the details of details of advance taken along with particulars as mentioned in clause no. (1), (2), (3), (4), (7), (11), (12), (13) & (15) above.
- 33.31 **Anti-profiteering clause:** As per Clause 171 of GST Act it is mandatory to pass on the benefit due to reduction in rate of tax or from input tax credit to the consumer by way of commensurate reduction in prices. The Supplier of Goods/Services may note the above and quote their prices accordingly.
- 33.32 In case the GST rating of Contractor on the GST portal/Govt. official website is negative/black listed, then the bids may be rejected by OIL. Further, in case rating of bidder is negative/black listed after award of work for supply of goods/services, then OIL shall not be obligated or liable to pay or reimburse GST to such Contractor and shall also be entitled to deduct/recover such GST along with all penalties/interest, if any, incurred by OIL.
- 34.0 GENERAL OBLIGATION OF CONTRACTOR RELATED TO PAYMENT OF WAGES:**
- 34.1 The Contractor shall also have to comply with all types of labour wages rates applicable in Assam and Arunachal Pradesh for unskilled, semi-skilled, skilled and highly skilled labourers employed locally or by the Contractor's sub-Contractors throughout the period of the contract.
- 34.2 The contractor shall periodically submit the monthly challans/receipts/proof of provident fund deposited amount along with a list of his workers to Company's representative. The contractor shall be required to deposit contribution towards Provident fund or any other statutory payments to be made in respect of his workers well in time and submit a copy of challan to Company's representative on monthly basis, failing which, OIL will deduct from his bills the amount equivalent to such deductions with penalty as per the provisions of applicable act.
- 34.3 The contractor shall pay the wages to the workers engaged under the Contract latest by 7th of every month as per notification issued by the Ministry of Labour & Employment, Government of India from time to time. In case payments are not made regularly, subsequent invoices might be kept on hold.
- 34.4 Contractor shall comply statutory minimum labour wages, P.F. to his workers at the prevailing rates as fixed by statutory bodies from time to time.
- 34.5 The contractor shall issue wages slip every month to each worker as per THE CONTRACT LABOUR (REGULATION AND ABOLITION) CENTRAL RULES, 1971, Chapter VII, Section 78(1)(b) vide Form XIX and pay the monthly wages to the workers through bank transfer to each individual worker's bank account. Contractor must submit the monthly wages' Bank statement/Wages Register statement & PF Statement to the Company along with their invoices.

- 34.6 The contractor must pay at least the minimum wage as applicable throughout the Contract period including PF. The payment should be made through on-line bank transfer to the worker.
- 34.7 Contractor shall ensure deployment of personnel under the contract preferably from local area to the extent possible. Preference should be given to personnel who have experience of working with OIL for similar services.
- 34.8 The Service Provider must make the Wages to all the personnel/Manpower deployed under the contract as per the Minimum wages act wherever applicable as defined under this service and it should be in compliance with the minimum wage act of govt. as per notification issued by the Ministry of Labour & Employment, Government of India in respect of workers engaged in employment in various mines such as Gypsum mines and Bauxite mines for work above grounds and revised from time to time. Employment card to be issued as per the CONTRACT LABOUR (REGULATION AND ABOLITION) CENTRAL RULES, 1971, vide form XIV.
- 34.9 An additional allowance of INR 2,250.00 per month shall be payable by the Contractor to the contract labours engaged under the Contract at the rig site. This additional allowance has to be paid on a pro-rata basis along with the monthly minimum wages based on the actual attendance.
- 34.10 The Contractor shall have to bear the responsibility for employment matters and any problem in this regard inclusive of employment of local people and other issues pertaining to the Contractor's operations with Oil India Limited (OIL). In case there is any disruption of work at the well site under such conditions, as stated above, the Contractor will be paid at 'Zero' rate for first 24 (twenty four) hours of affected period beyond which penalty will be levied at proportionate operating day rate in addition to zero rate.

**35.0 NOTICES:**

- 35.1 Any notice given by one party to other, pursuant to this Contract shall be sent in writing or by telex or Fax and confirmed in writing to the applicable address specified below:

**Company**

a) For contractual matters

CGM (Contracts)  
OIL INDIA LIMITED  
PO DULIAJAN - 786602  
ASSAM, INDIA  
Fax No. 91-374-2803549  
Email: contracts@oilindia.in

b) For technical matters

CGM (Drilling Service)  
OIL INDIA LIMITED  
PO: Duliajan - 786602,  
Assam, India  
Fax No. 91-374-2804254  
Email: drilling@oilindia.in

c) Contractor

\_\_\_\_\_

\_\_\_\_\_

Fax No.:

35.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

**SCHEDULE OF RATE (SOR)**

**DESCRIPTION OF WORK/SERVICE: Charter Hire of 01 (One) Number of 2000 HP [Minimum] Drilling Rig Package for a period of 04 (Four) years.**

<b>Item No.</b>	<b>Description of Services</b>	<b>UOM</b>	<b>Estimated Quantity</b>
10	Mobilization Charges (M)	LSM (Lumpsum)	1
20	Operating Day Rate (ODR)	DAY	1297
30	Inter Location Movement for cluster location (ILM0)	NO (Number)	5
40	Inter Location Movement Upto 30 Km (ILM1)	LSM (Lumpsum)	8
50	Inter Location Movement Excess of 30 Km (ILM2)	KM (Kilometer)	500
60	Demobilization Charges (D)	LSM (Lumpsum)	1
<b>1. Tenure of Agreement: 04 (Four) Years</b>			
<b>2. Mobilisation Period: 120 (One Hundred Twenty) days from the date of issue of Mobilization Notice.</b>			

The bidders must quote their rates as per Price Schedule, **Proforma-B** in their priced bids considering the following:

**1.0 MOBILIZATION CHARGES (ONE TIME LUMP SUM CHARGES) (M)**

In case the rig package is contemplated to be mobilized partly or fully from outside India then the breakup of the mobilization charges to 1st location must be furnished separately.

- 1.1 Mobilization charges should include mobilization of Rig package including ETP, all associated equipment and manpower.
- 1.2 Mobilization charges should cover local and foreign costs to be incurred by the Contractors to mobilize to the first location.
- 1.3 The first location will be anywhere in Assam in the district of Dibrugarh, Tinsukia, Sibsagar & Charaideo or Changlang of Arunachal Pradesh.
- 1.4 Mobilization charges shall be payable only when all materials, equipment and crew are mobilized at site and the well is actually spudded-in under the Contract at the first drilling location and duly certified by Company's Engineer.

- 1.5 Company will issue Recommendatory Letters on the basis of documents to be provided by the Contractor for import of items, if envisaged in **Proforma-A**, for Contractor to obtain necessary Essentiality Certificates from the Directorate General of Hydrocarbon (DGH), India to avail nil/concessional Customs Duty. However, responsibility for securing EC and payment of port rent, demurrage etc. and clearance of goods through Indian Customs authority will exclusively rest on the Contractor.
- 1.6 The Mobilization charges for each rig package should not exceed 3.0% of the estimated total Contract value for each Rig for 04 (Four) years operation. However, mobilization charges if quoted in excess of 3.0% of the estimated total contract cost, the excess amount shall be paid at the end of the contract.

## **2.0 DEMOBILIZATION CHARGES (LUMP SUM) (DM)**

- 2.1 Demobilization charges for the complete Rig package and manpower shall be quoted on lump sum basis and shall include all charges for demobilization of the complete Rig package, unutilized spares & consumables etc. from the site.
- 2.2 All charges connected with demobilization including all fees, taxes, insurance, freight on export outside India or to any other place will be to Contractor's account.
- 2.3 Demobilization charges shall be paid one time to the Contractor for demobilizing the complete rig package including Tools/Equipment/Spare/ Accessories etc. after successful completion of all contractual obligations including Re-export/ block transfer –if any.
- 2.4 All Day Rates/Charges of the Rig package/operation shall cease to exist with effect from the date and time or event as to be specified by Company in the demobilization notice. No charges whatsoever will be payable thereafter.
- 2.5 The Demobilization Charges for each rig package should not be less than 2% (two percent) of the estimated total Contract value for each rig package for 04 (four) years operation. In case de-mobilization charges is quoted less than 2%, the differential amount will be kept on hold from the 1st invoice onwards and the same will be paid at the end of the contract along with Demobilization charges.

## **3.0 OPERATING DAY RATE (Per 24 Hrs. day) (ODR)**

The Operating Day rate will become payable from the time the well is spudded (after drilling rat & mouse hole and setting of scabbard and mouse hole pipe) until the rig is released for the move to the next location during the following operations:

- 3.1 Drilling.
- 3.2 Coring.
- 3.3 Tripping with Contractor's drill pipes.
- 3.4 Circulating drilling fluid.
- 3.5 Fishing.
- 3.6 Reaming, conditioning hole, hole opening.
- 3.7 Making up and breaking down drill pipe, collars tubing and other tubular.

- 3.8 Drilling out cement, collar and shoe.
- 3.9 Production tests with Contractor's drill pipe.
- 3.10 Any other operations with use of Contractor's drill pipes.
- 3.11 Casing running and cementation.
- 3.12 Mixing or conditioning mud with Contractor's drill pipe in the hole.
- 3.13 Retrieving casing.
- 3.14 Effluent treatment.

**4.0 STAND BY DAY RATE (Per 24 Hrs. day) (SB)**

Standby Day Rate shall be 90% of the operating day rate. The Standby Day rate will be payable under the following conditions:

- 4.1 Waiting on cement.
- 4.2 Assembling and dis-assembling of BOP and well head hook-up.
- 4.3 Electric logging and wire line operations (both open and cased hole).
- 4.4 Production testing with Company's drill pipe or tubing.
- 4.5 Waiting on order.
- 4.6 Waiting on company's equipment, materials and services.
- 4.7 For all time during which the company at its option may suspend operations.
- 4.8 Waiting for day light for certain production testing operation.

**5.0 REPAIR DAY RATE (Per 24 Hrs. day) (RR)**

- 5.1 The Repair Day rate shall be payable when operations are suspended due to break-down or repair of contractor's equipment.
- 5.2 The Contractor shall be paid Repair Day Rate to a maximum of 30 (Thirty) cumulative hours per calendar month. Neither the same can be carried forward and/or adjusted against any other calendar month. In case the total hours of break-down or repairing of Contractor's equipment exceeds 30 (Thirty) hours in any particular calendar month during the currency of the contract, the Repair Day Rate will be applicable for the initial 30 hours only and no payment whatsoever will be made by Company until normal operations are resumed from the point where normal operation was suspended.
- 5.3 This clause shall, however, not be applicable for routine inspections/lubrications and replacements, e.g. changing swivel packing, slipping or cutting block line, changing pump valve assemblies, packings, etc. During this period, Operating Day Rate (ODR) to a maximum of 30 cumulative hours in a calendar month will be applicable.
- 5.4 Payment towards rig repair day rate should be 50% of the operating day rate.

**6.0 INTER LOCATION MOVE RATE:**

- 6.1 Depending on the distance between the locations, separate rates will be applicable as mentioned below:

a	Fixed Charge (Lumpsum) for Cluster location (Movement of mast and substructure etc. only on the same plinth). The spacing between wells at surface in cluster well plinth is around 15 m.  Note: 05 (Five) cluster location has been considered for three years contractual period. However the amount will be paid on actual as certified by company representative.	<b>(ILM0)</b>
b	Fixed Charge (Lumpsum) per rig move upto 30 Km.  Note: 05 (Five) inter-location movement (upto 30 km) has been considered for three years contractual period. However the amount will be paid on actual as certified by company representative).	<b>(ILM1)</b>
c	Kilometrage charges for rig movement in excess of 30 Km. This will be in addition to lumpsum rate for ILM upto 30 Km as mentioned in 'b' above.	<b>(ILM2)</b>

6.2 Inter-location movement operation will start from the moment the company releases the drilling unit for rig down at previous location. Rig & all materials including the additional and optional items, if any, are to be transferred after rig down and rig up at the next location is completed and the well is spudded. Before spudding in, the Contractor shall complete all jobs, including, but not limited to, rig up of service lines, block, hook etc., drilling and setting scabbards of mouse & rat hole, compliance/rectification to meet safety norms and any other job normally done prior to spudding in. The inter-location movement of Rig package should be completed within the period as specified in **Clause 21.0** under **Special Terms and Conditions**.

6.3 The Inter location movement operation will include the clearing of the drilling location off all materials, rig parts and made free from all pollutants.

6.4 No day rate under para 3.0, 4.0, 5.0 & 7.0 hereof will be payable when inter-location move rate is applicable.

**7.0 FORCE MAJEURE DAY RATE (Per 24 Hrs. day) (FM)**

7.1 The Force Majeure Day Rate shall be payable during the first 15 days period of force majeure. No payment shall accrue to the Contractor beyond the first 15 days period unless mutually agreed upon.

7.2 Payment towards force majeure day rate will be 50% of operating day rate.

**8.0 STACK DAY RATE (SDR):**

The Stack Day Rate shall be payable when the Drilling Unit and other Contractor's Equipment is stacked in accordance with **Clause 19.0 of SCC, Section- III** and as further set out below:

- 8.1 If Company notifies the Contractor that the Drilling Unit is to be stacked at its current location, the Standby Day Rate shall apply for the first 5 (five) days from the time of such notification and Stack Day Rate shall apply thereafter. Stack Day Rate shall apply until such time as the Drilling Unit is ready to recommence Drilling Operations after the notification from Company to commence the operations.
- 8.2 If Company notifies the Contractor to stack the Drilling Unit at a different location; the Stack Day Rate shall apply from the time that the Drilling Unit arrives at the stacking site. Inter Location Move rate shall apply during the period that the Drilling Unit is being moved to/ from the stacking site.
- 8.3 **Payment towards Stack Day Rate will be 50% (Fifty percent) of Operating Day Rate.**

#### **9.0 HSD / FUEL PRICE VARIATION:**

- 9.1 Reimbursement/ Recovery due to Variation in the HSD price will be effective, provided the fuel (HSD) price of the month for which the payment is due changes over the tendered HSD price i.e. *the rate as declared in the tender by OIL*, and this will be termed as **BASE RATE\*\*** for all future HSD variation calculation. All subsequent reimbursement will be effective once the fuel (HSD) price of the month for which payment is due changes over the BASE RATE. Similarly, when the HSD price falls below the BASE RATE, there will be recovery/deduction from the monthly invoices for that amount based on the actual consumption. The reimbursement will be on the actual consumption as per meter reading in the Rig engines only and diesel consumption for ancillary engines will not be taken into account.
- 9.2 Reimbursement / recovery – if any for any particular month, will be calculated based on the variation of AVERAGE PRICE OF HSD FOR THE MONTH (from individual invoices) over the BASE RATE multiplied by the total actual consumption for that month.
- 9.3 All the Rig engines will be equipped by individual flow meter for measuring daily consumption and this consumption figure should reflect in the daily drilling operation report/IADC report including stock position (Both opening and closing stock) of the HSD at site. Based on this daily figure, the reimbursement/recovery – if any in the subsequent month will be calculated. In case, the Rig engines are equipped with in- built Lifetime fuel meter, the daily fuel consumption will be taken and recorded from this meter. However, in case the meter is malfunctioning for any reasons, no reimbursement will be applicable for that period.
- 9.4 For the purpose of claiming the variation in HSD rate, the service provider will have to submit the HSD purchase invoices for the month and based on the invoices, the AVERAGE PRICE OF HSD will be calculated for that particular month and if any reimbursement/recovery is applicable, the same will be processed accordingly through SES by OIL.
- 9.5 Daily Diesel stock position of the Rig to be provided in the daily Drilling report / IADC DPR including daily diesel consumption of the Rig engines duly certified by the Authorized Company representative.

**\*\*BASE RATE OF HSD FUEL FOR THIS TENDER = INR 90.41/LITRE.**

**BIDDERS TO NOTE THAT ALL VARIATIONS IN HSD PRICE FOR REIMBURSEMENT/RECOVERY SHALL BE CALCULATED BASED ON THE INVOICED RATE OF HSD (RETAIL PRICE).**

**10.0 GENERAL NOTE:**

- 10.1 Variation in the HSD price will be effective provided fuel (HSD) price of the month for which the payment is due changes over the tendered HSD price i.e. *the rate as declared in the tender by OIL*, and this will be termed as BASE RATE for all future HSD variation calculation. All subsequent reimbursement will be effective once the fuel (HSD) price of the month for which payment is due changes over the BASE RATE. Similarly, when the HSD price falls below the BASE RATE, there will be recovery/deduction from the monthly invoices for that amount based on the actual consumption. The reimbursement will be on the actual consumption as per meter reading in the Rig engines only and diesel consumption for ancillary engines will not be taken into account.
- 10.2 The Company shall advise the Contractor to mobilize all the equipment & tools with all accessories at the first designated drilling location on dedicated basis for the entire duration of the Contract.
- 10.3 Bidders should indicate name and address of their Indian agent and the percentage of agency commission payable, if any. Such agency commission involved, if any, should be included in the quoted rates. In case no Indian agent commission is involved then it should be shown as “NIL”.
- 10.4 Bidder should submit the list of items with CIF value to be imported into India in connection with execution of this contract as per **Proforma- A**.
- 10.5 From the **Proforma-A**, bidder should identify the items of re-exportable in nature (i.e. items which will not be consumed during the execution of the contract and required to be exported outside India after completion of the contract). Total CIF value of such items should be shown in the “PRICE FORMAT” as CIF (RE-EX).
- 10.6 Similarly, from the **Proforma-A**, bidder should identify the items of consumable in nature (i.e. items which will be consumed during the execution of the contract). Total CIF value of such items should be shown in the “PRICE FORMAT” as CIF (CONSUMABLES).

**To,  
CGM-CONTRACT(HoD)  
OIL INDIA LIMITED  
DULIAJAN-786602**

**SUB: SAFETY MEASURES**

**Description of service: Charter Hire of 01 (One) Number of 2000 HP [Minimum] Drilling Rig Package for a period of 04 (Four) years**

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.

b) The names of the authorized persons who would be supervising the jobs on day to day basis from our end are the following:

i) \_\_\_\_\_

ii) \_\_\_\_\_

iii) \_\_\_\_\_

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

c) Due notice would be given for any change of personnel under item (b) above.

d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil Mines Regulations, 1984 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the Company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.

e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.

f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.

g) We shall abide by the following HSE (Health, Safety & Environmental) POINTS:

**GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) POINTS:**

- I. The contractor shall strictly comply with the applicable and prevailing provisions of the Mines Act 1952, OISD Guidelines, and 10th Conference Recommendations of Safety in Mines. A copy of provisions of 10th Conference Recommendations in the form of "General HSE Points" is available in the office which may be issued to Contractor at the time of need.
- II. It will be solely the Contractor's responsibility to fulfil all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-Contractors hired by him comply with the same requirement as the Contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-sub-contractors.
- III. Every person deployed by the Contractor in a mine must wear safety gadgets to be provided by the Contractor. The Contractor shall provide proper Personnel Protective Equipment (PPE) as per the hazard identified and risk assessed for the job and conforming to statutory requirement and Company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS, India approved. Necessary supportive document shall have to be submitted as proof. Moreover, the electrical persons should be provided with Electrically safe safety shoes, rubber hand gloves suitable for working at the maximum voltage level used in rig and leather hand gloves for handling cables. However, it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work. All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.
- IV. The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including risk register (assessment of risk), safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the Contractor and how it is to be managed.
- V. The Contractor shall provide a copy of the SOP duly signed by the Contractors Representatives to the person designated by the mine owner who shall be supervising the Contractor's work.
- VI. Keep an up to date SOP and provide a copy of changes to a person designated by the Mine Owner/Agent/Manager.
- VII. Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line.
- VIII. All persons deployed by the Contractor for working in a mine must undergo Mines Vocational Training, initial medical examination, PME. They should be issued cards stating the name of the Contractor and the work and its validity period, indicating status of MVT, IME & PME.

- IX. The Contractor shall submit to DGMS returns indicating - Name of his firm, Registration number, Name and address of person heading the firm, Nature of work, type of deployment of work persons, Number of work persons deployed, how many work persons hold MVT Certificate, how many work persons undergone IME and type of medical coverage given to the work persons.
- X. The return shall be submitted quarterly (by 10th of April, July, October & January) for contracts of more than one year. However, for contracts of less than one year, returns shall be submitted monthly.
- XI. It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by Company's representative for safe operation.
- XII. Any compensation arising out of the job carried out by the Contractor whether related to pollution (Attributable to the contractor), Safety or Health will be paid by the Contractor only.
- XIII. Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the Contractor.
- XIV. The Contractor shall have to report all incidents including near miss to Installation Manager/departmental representative of the concerned department of OIL.
- XV. The Contractor has to keep a register of the persons employed by him/her. The Contractor's rig manager / rig superintendent shall take and maintain attendance of his personnel every shift for the work.
- XVI. If the Company arranges any safety class/training for the working personnel at site (Company employee, Contractor worker, etc.) The Contractor will not have any objection to any such training.
- XVII. The medical examination aforesaid shall be carried out by a Medical Officer appointed for the mine or a Medical Officer in the employment of the owner of the mine, if any, or by any medical officer employed in the Coal Mines Welfare Fund Organisation or any other mines Welfare organisation, failing which by any State or Central Government medical officer not below the rank of an Assistant Civil Surgeon. Additionally, medical examination can also be carried out in OIL empanelled Hospitals and countersigned the reports at OIL's Medical Officer assigned by GM (MS). The proof of such test(s) is to be submitted to OIL, in both the cases in the latest "O" form with all the test results. The frequency of periodic medical examinations should be every five years for the employees below 45 years of age and every three years for employees of 45 years of age and above.
- XVIII. To arrange daily tool box meeting, Job Safety Analysis (for Critical Jobs) and regular site safety meetings and maintain records.
- XIX. As per DGMS circular & Gazette Notification for Maintenance of register as required by the Mines Act 1952 and Mines Rules, 1955, the forms A, B, D

- and E have been updated and modified. The above mentioned forms needs to be maintained as per the new format by the Contractor.
- XX. A Contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.
- XXI. A Contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.
- XXII. Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.
- XXIII. In case Contractor is found non-compliant of HSE laws as required, the Company will have the right for directing the Contractor to take action to comply with the requirements, and for further non-compliance, the Contractor will be penalized prevailing relevant Acts / Rules / Regulations.
- XXIV. When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE measures Company will have the right to direct the Contractor to cease work until the non-compliance is corrected.
- XXV. The Contractor should prevent the frequent change of his contractual employees as far as practicable.
- XXVI. The Contractor should frame a mutually agreed bridging document between the Company & the Contractor with roles and responsibilities clearly defined.
- XXVII. For any HSE matters not specified in the contract document, the Contractor will abide by the relevant and prevailing Acts/rules/ regulations/pertaining to Health, Safety and Environment.
- XXVIII. Contractor shall observe such safety regulations in accordance with acceptable oilfield practice and applicable Indian Laws. Contractor shall take all measures reasonably necessary to provide safe working conditions and shall exercise due care and caution in preventing fire, explosion and blow out and maintain fire and well control equipment in sound condition at all times. Contractor shall conduct such safety drills, BOP tests, etc. as may be required by Company at prescribed intervals.
- XXIX. Contractor shall provide all necessary fire-fighting and safety equipment as per laid down practice and as specified under OISD - STD - 189 and OMR.
- XXX. Fire protection at drilling sites shall be the responsibility of the Contractor. Necessary action shall be taken and prior arrangements to be made for providing at least three competent persons trained in the field of basic fire-fighting course (from any board or an institute recognized by state/central government of India) as per OISD-GDN-228 on any shift at the rig site.
- XXXI. The Contractor shall submit details of measures adopted towards management of environment protection (waste management/engine

emissions/Noise monitoring/water management etc.) and improving the quality of the environment for submission of Environmental Statement to the SPCB for every financial year.

XXXII. Documentation, record keeping of all safety practices should be conducted as per international/ Indian applicable laws, act, regulations etc., as per standard Oilfield practice and these records should be made available for inspection at any point of time. The H.S.E policy as well as emergency procedure manual should be kept at site. Compliance of these shall be the sole responsibility of the Contractor.

(Seal)

Yours Faithfully

Date \_\_\_\_\_

M/s \_\_\_\_\_

FOR & ON BEHALF OF CONTRACTOR

**INTEGRITY PACT**

Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(Name of the bidder).....hereinafter referred to as "The Bidder/Contractor"

**Preamble:**

The Principal intends to award, under laid down organizational procedures, contract/s for **Charter Hire of 01 (One) Number of 2000 HP [Minimum] Drilling Rig Package for a period of 04 (Four) years.** The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organization "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

**(1)** The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:

- (i) No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
- (ii) The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
- (iii) The Principal will exclude from the process all known prejudiced persons.

**(2)** If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officers and in addition can initiate disciplinary actions.

**Section: 2 -Commitments of the Bidder/Contractor**

**(1)** The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.

- (i) The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
- (ii) The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- (iii) The Bidder (s) / Contractor (s) will not commit any offence under the relevant Anticorruption Laws of India, further, the Bidder (s) / Contractor (s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- (iv) The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (v) Bidders to disclose any transgressions with any other company that may impinge on the anti-corruption principle.
- (vi) The Bidder (s)/ Contractor (s) of foreign origin shall disclose the name and address of the Agents/ representatives in India, if any. Similarly, the Bidder (s)/ Contractor (s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further, all the payments made to the Indian agent/ representative have to be in India Rupees only.
- (vii) Bidders not to pass any information provided by Principal as part of business relationship to others and not to commit any offence under PC/ IPC Act;

**(2)** The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

- (3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

### **Section 3 -Disqualification from tender process and exclusion from future Contracts**

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 2 years.

2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.

3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.

4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.

5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract **or as mentioned in Section 9- Pact Duration whichever is later**. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings. Any issue relating to execution of contract, if specifically raised before the IEMs shall be looked into by IEMs.

### **Section 4 -Compensation for Damages**

1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.

2. If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.

3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

**Section 5 -Previous transgression**

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.

2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

**Section: 6 -Equal treatment of all Bidders/Contractor/Subcontractors**

1. The Principal will enter into Pacts on identical terms with all bidders and contractors.

2. The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.

3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

**Section: 7 -Criminal charges against violating Bidders/Contractors/ Subcontractors**

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

**Section: 8 -External Independent Monitor/Monitors**

1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.

2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.

3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the

Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality. However, the documents/records/information having National Security implications and those documents which have been classified as Secret/Top Secret are not to be disclosed.

4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.

5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.

6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.

7. If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

8. The word 'Monitor' would include both singular and plural.

9. In case of any complaints referred under IP Program, the role of IEMs is advisory and would not be legally binding and it is restricted to resolving the issues raised by an intending bidder regarding any aspect of the tender which allegedly restricts competition or bias towards some bidder.

**Section:9 -Pact Duration**

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

**Section:10 -Other provisions**

1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.
2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
3. If the Contractor / Bidder is a Joint Venture or a partnership concern or a consortium, this agreement must be signed by all partners or consortium members. In case of sub-contracting, the Principal contractor shall take the responsibility of the adoption of IP by the sub-contractor and all sub-contractors shall also sign the IP.
4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
5. Issues like warranty / guarantee, etc. shall be outside the purview of IEMs.

.....  
**For the Principal**

.....  
**For the Bidder/Contractor**

Witness 1: .....

Witness 2: .....

Place.  
Date:

**BID FORM**

**To**  
**M/s Oil India Limited,**  
**P.O. Duliajan, Assam, India**

**Sub: IFB No. CDG8235P25**

*Gentlemen,*

Having examined the General and Special Conditions of Contract and the Terms of Reference including all attachments thereto, the receipt of which is hereby duly acknowledged, we the undersigned offer to perform the work/services in conformity with the said conditions of Contract and Terms of Reference for the sum quoted in the Price Bid Format or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to commence the work as per the terms & conditions set out in the subject tender.

If our Bid is accepted, we will submit the Performance Security Deposit as specified in the tender document for the due performance of the Contract.

We agree to abide by this Bid for a period of 120 days from the date of Bid Opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof in your notification of award shall constitute a binding Contract between us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 2024.

**Authorised Person's Signature:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Designation:** \_\_\_\_\_

**Seal of the Bidder:**

**STATEMENT OF NON-COMPLIANCE (IF ANY)**

**(Only exceptions/deviations to be rendered)**

**1.0** The Bidder shall furnish detailed statement of **exceptions/deviations**, if any, to the IFB stipulations, terms and conditions in respect of each Section of Bid Document in the following format:

<b>Section No.</b>	<b>Clause No. (Page No.)</b>	<b>Non-Compliance</b>	<b>Remarks</b>

**Signature of Bidder:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**NOTE:** OIL INDIA LIMITED expects the bidders to fully accept the terms and conditions of the bid document. However, should the bidders still envisage some exceptions/deviations to the terms and conditions of the bid document, the same should be indicated as per above format and submit along with their bids. If the **“Statement of Non-Compliance”** in the above Proforma is left blank (or not submitted along with the Bid), then it would be constructed that the bidder has not taken any exception/deviation to the IFB requirements.

**PROFORMA LETTER OF AUTHORISATION FOR ATTENDING BID OPENING**

**TO  
GM-CONTRACTS(HoD)  
OIL INDIA LIMITED  
P.O. DULIAJAN-786602  
Assam, India**

Sir,

**SUB: OIL's IFB No. CDG8235P25**

I/We \_\_\_\_\_ confirm that Mr. \_\_\_\_\_ (Name and address) as authorised to represent us during bid opening on our behalf with you against IFB No. **CDG8235P25** for **Charter Hire of 01 (One) Number of 2000 HP [Minimum] Drilling Rig Package for a period of 04 (Four) years.**

Yours Faithfully,

**Authorised Person's Signature:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Signature of Bidder:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**PROFORMA LETTER OF AUTHORITY**

**TO**  
**GM-CONTRACTS(HoD)**  
**Contracts Department**  
**P.O. DULIAJAN PIN-786602**  
**Dist. Dibrugarh, Assam**  
**India**

Dear Sir,

**SUB: OIL's IFB No. CDG8235P25**

We \_\_\_\_\_ of \_\_\_\_\_  
Confirm that Mr. \_\_\_\_\_  
\_\_\_\_\_ (Name and Address) is authorised to represent us to Bid, negotiate  
and conclude the agreement on our behalf with you against IFB No. **CDG8235P25**  
for **Charter Hire of 01 (One) Number of 2000 HP [Minimum] Drilling Rig Package**  
**for a period of 04 (Four) years** for any commercial/ Legal purpose etc.

We confirm that we shall be bound by all and whatsoever our said  
representative shall commit.

**Authorised Person's Signature:** \_\_\_\_\_

**Name:** \_\_\_\_\_

Yours faithfully,

Signature: \_\_\_\_\_

Name & Designation \_\_\_\_\_

For & on behalf of \_\_\_\_\_

**NOTE:** This letter of authority shall be on printed letter head of the bidder, and shall be signed by a person competent and having the power of attorney (Power of attorney shall be annexed) to bind such Bidder.

**FORM OF BID SECURITY (BANK GUARANTEE FORMAT)**

**To**  
**M/s OIL INDIA LIMITED,**  
**CONTRACTS DEPARTMENT,**  
**DULIAJAN, ASSAM, INDIA, PIN-786602**

WHEREAS, (Name of Bidder) \_\_\_\_\_ (hereinafter called "the Bidder") has submitted their offer Dated \_\_\_\_\_ for the provision of certain services (hereinafter called "the Bid") against OIL INDIA LIMITED, Duliajan, Assam, India (hereinafter called the Company's) Tender No. \_\_\_\_\_ KNOW ALL MEN BY these presents that we (Name of Bank) \_\_\_\_\_ of (Name of Country) \_\_\_\_\_ having our registered office at \_\_\_\_\_ (hereinafter called "Bank") are bound unto the Company in the sum of (\*\_\_\_\_\_ ) for which payment well and truly to be made to Company, the Bank binds itself, its successors and assignees by these presents.

SEALED with the said Bank this \_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_

THE CONDITIONS of these obligations are:

1. If the Bidder withdraws their Bid within its original/extended validity; or
2. The Bidder modifies/revises their bid suomoto; or
3. The Bidder does not accept the contract; or
4. The Bidder does not furnish Performance Security Deposit within the stipulated time as per tender/contract; or
5. If it is established that the Bidder has submitted fraudulent documents or has indulged into corrupt and fraudulent practice.

We undertake to pay to Company up to the above amount upon receipt of its first written demand (by way of letter/fax/cable), without Company having to substantiate its demand provided that in its demand Company will note that the amount claimed by it is due to it owing to the occurrence of any of the conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including the date (\*\*--/--/--) and any demand in respect thereof should reach the Bank not later than the above date.

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:  
BANK FAX NO:  
BANK EMAIL ID:  
BANK TELEPHONE NO.:  
IFSC CODE OF THE BANK:

B. Controlling Office:  
Address of the Controlling Office of the BG issuing Bank:

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

Notwithstanding anything contained herein:

a) Our liability under this Bank Guarantee shall be restricted up to Rs. \_\_\_\_\_

b) This guarantee shall be valid till .....

c) We are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before .....(Date of Expiry of BG PLUS one year claim period).

d) At the end of the claim period that is on or after ..... (Date of expiry of the Bank Guarantee Plus Minimum of 1 year claim period shall be stipulated) all your rights under this Guarantee shall stand extinguished and we shall be discharged from all our liabilities under this Guarantee irrespective of receipt of original Bank Guarantee duly discharged, by Bank.

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS \_\_\_\_\_

Name of Bank & Address \_\_\_\_\_

Witness \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_  
(Signature, Name and Address)

Date: \_\_\_\_\_

Place: \_\_\_\_\_

\* The Bidder should insert the amount of the guarantee in words and figures.

\*\* Date of expiry of Bank Guarantee should be as specified in the Tender.

**Note:**

The Bank Guarantee issuing bank branch shall ensure the following:

a. The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:

- (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
- (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message/intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to ICICI BANK LTD., Duliajan Branch; IFS Code – ICIC0000213; SWIFT Code – ICICINBB8235; Branch Address: Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602.

b. Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

**[TO BE FILLED-UP/SUBMITTED BY THE VENDOR ON ITS LETTER HEAD FOR  
E-REMITTANCE]**

Name:

FULL Address:

Phone Number:

Mobile Number:

E-mail address:

Fax Number:

Bank Account Number (in which the Bidder wants remittance against invoices):

Bank Name:

Branch:

Address of the Bank:

Bank Code:

IFSC/RTGS Code of the Bank:

NEFT Code of the Bank:

PAN Number:

GST Registration Number:

---

Signature of Bidder with Official Seal

**FORM OF PERFORMANCE BANK GUARANTEE**

To:

M/s. Oil India Limited  
Contracts Department

Duliajan, Assam - 786602

WHEREAS \_\_\_\_\_ (Name and address of Contractor) (hereinafter called "Contractor") had undertaken, in pursuance of Contact No. \_\_\_\_\_ to execute (Name of Contract and Brief Description of the Work) \_\_\_\_\_ (hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.

AND WHEREAS we ( May incorporate the Bank Name) have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) \_\_\_\_\_ (in words \_\_\_\_\_), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or arguments, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:  
BANK FAX NO:  
BANK EMAIL ID:  
BANK TELEPHONE NO:  
IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contract Person at the Controlling Office with Mobile No. and e-mail address:

Notwithstanding anything contained herein:

a) Our liability under this Bank Guarantee shall is restricted up to Rs. \_\_\_\_\_

- b) This guarantee shall be valid till .....
- c) We are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before .....(Date of Expiry of BG PLUS one year claim period).
- d) At the end of the claim period that is on or after ..... (Date of expiry of the Bank Guarantee Plus Minimum of 1 year claim period shall be stipulated) all your rights under this Guarantee shall stand extinguished and we shall be discharged from all our liabilities under this Guarantee irrespective of receipt of original Bank Guarantee duly discharged, by Bank.

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS \_\_\_\_\_  
 Designation \_\_\_\_\_  
 Name of the Bank \_\_\_\_\_  
 Address \_\_\_\_\_

**Note:**

The Bank Guarantee issuing bank branch shall ensure the following:

- a. The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:
  - (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
  - (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to ICICI BANK LTD., Duliajan Branch; IFS Code – ICIC0000213; SWIFT Code – ICICINBB8235; Branch Address: Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602.

- b. Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

**AGREEMENT FORM**

This Agreement is made on \_\_\_ day of \_\_\_\_\_ between Oil India Limited, a Government of India Enterprise, incorporated under the Companies Act 1956, having its registered office at Duliajan in the State of Assam, hereinafter called the "Company" which expression unless repugnant to the context shall include executors, administrators and assignees on the one part, and M/s. \_\_\_\_\_ (Name and address of Contractor) hereinafter called the "Contractor" which expression unless repugnant to the context shall include executors, administrators and assignees on the other part,

WHEREAS the Company desires that Services \_\_\_\_\_ (brief description of services) should be provided by the Contractor as detailed hereinafter or as Company may requires;

WHEREAS, Contractor engaged themselves in the business of offering such services represents that they have adequate resources and equipment, material etc. in good working order and fully trained personnel capable of efficiently undertaking the operations and is ready, willing and able to carry out the said services for the Company as per Section-II attached herewith for this purpose and

WHEREAS, Company had issued a firm Letter of Award No. \_\_\_\_\_ dated \_\_\_\_\_ based on Offer No. \_\_\_\_\_ dated \_\_\_\_\_ submitted by the Contractor against Company's IFB No. \_\_\_\_\_ and the Contractor accepted the same vide Letter No. \_\_\_\_\_ dated \_\_\_\_\_.

WHEREAS, the Contractor has furnished to Company the performance security in the form of DD/BC/BG for Rs. \_\_\_\_\_ (being 3% of Contract value) with validity of 90 (Ninety) days beyond the contract period.

All these aforesaid documents shall be deemed to form and be read and construed as part of this agreement/contract. However, should there be any dispute arising out of interpretation of this contract in regard to the terms and conditions with those mentioned in Company's tender document and subsequent letters including the Letter of Intent and Contractor's offer and their subsequent letters, the terms and conditions attached hereto shall prevail. Changes, additions or deletions to the terms of the contract shall be authorized solely by an amendment to the contract executed in the same manner as this contract.

NOW WHEREAS, in consideration of the mutual covenants and agreements hereinafter contained, it is hereby agreed as follows –

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. In addition to documents herein above, the following Sections and Annexures attached herewith shall be deemed to form and be read and construed as part of this agreement viz.:

(a) PART-I indicating the General Conditions of this Contract;

- (b) PART-II indicating the Schedule of work, unit, quantities & rates;
- (c) PART-III indicating the Special Conditions of Contract;
- (d) PART-V indicating the Safety Measures.

3. In consideration of the payments to be made by the Company to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Company to provide the Services and to remedy defects therein in conformity in all respect with the provisions of this Contract.

4. The Company hereby covenants to pay the Contractor in consideration of the provision of the Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of this Contract at the times and in the manner prescribed by this Contract.

IN WITNESS thereof, each party has executed this contract at Duliajan, Assam as of the date shown above.

Signed, Sealed and Delivered,

For and on behalf of  
Company (Oil India Limited)

for and on behalf of Contractor  
(M/s. \_\_\_\_\_)

Name:

Name:

Status:

Status:

In presence of

In presence of

1.

1.

2.

2.

**Format of undertaking by Bidders towards submission of authentic information/documents (To be typed on the letter head of the bidder)**

Ref. No \_\_\_\_\_

Date \_\_\_\_\_

**Sub: Undertaking of authenticity of information/documents submitted**

**Ref: Your Tender No. CDG8235P25**

**To,  
The CGM-Contracts (HoD)  
Contracts Department,  
OIL, Duliajan**

**Sir,**

With reference to our quotation against your above-referred tender, we hereby undertake that no fraudulent information/documents have been submitted by us.

We take full responsibility for the submission of authentic information/documents against the above cited bid.

We also agree that, during any stage of the tender/contract agreement, in case any of the information/documents submitted by us are found to be false/forged/fraudulent, OIL has right to reject our bid at any stage including forfeiture of our PBG and/or cancel the award of contract and/or carry out any other penal action on us, as deemed fit.

Yours faithfully,

For (type name of the firm here)

Signature of Authorized Signatory

Name :

Designation :

Phone No.

Place :

Date :

(Affix Seal of the Organization here, if applicable)

**(TO BE EXECUTED BY THE AUTHORIZED SIGNATORY OF THE BIDDER ON  
THE OFFICIAL LETTER HEAD OF THE BIDDER)**

**CERTIFICATE OF COMPLIANCE TO FINANCIAL CRITERIA**

**Ref : Note 'b' under Clause 3.1 Financial Criteria of BEC/BRC of  
Tender No. CDG8235P25**

I \_\_\_\_\_ the authorized signatory(s) of  
\_\_\_\_\_ (Company or Firm name with address) do  
hereby solemnly affirm and declare/ undertake as under:

**The balance sheet/Financial Statements for the financial year \_\_\_\_\_  
have actually not been audited as on the Original Bid Closing Date.**

Yours faithfully,

For (type name of the firm here)

Signature of Authorized Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

Note: This certificate is to be issued only considering the time required for preparation of Financial Statements i.e. if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the Original Bid Closing Date.

**COMMERCIAL CHECK LIST**

**Bidder's Name:** \_\_\_\_\_

**TENDER NO. CDG8235P25**

This Questionnaire duly filled in should be returned along with each copy of Un-priced Bid. Clauses confirmed hereunder should not be repeated in the Bid.

<b>Sl. No.</b>	<b>Description</b>	<b>Bidder's Confirmation</b>	
1.	Bidding structure (please tick)	Proprietorship	
		Partnership	
		Private Limited	
		Public Limited	
		Other	Please specify
2.	Bidder's name and address:		
3.	It is noted that deviations to Terms & Conditions shall lead to rejection of offer, as specified in the Tender.		
4.	Ensure and confirm that prices quoted in 'Schedule of Rates', are for complete scope of work as defined in the tender		
5.	Indicate SAC Code Indicate rate of GST applicable.	SAC Code:	GST .....%
6.	EMD Details: Whether Bid Security submitted		
7.	Confirm to Submit PBG as per Tender requirement		
8.	Confirm that the offer shall remain valid for acceptance up to 120 (One Hundred Twenty) days from Date of opening of bids.		
9.	Whether Mobilization and Completion period of contract is complied?		

10.	Whether Integrity Pact Submitted (if applicable)?	
11.	Confirm that quoted prices shall remain firm and fixed until completion of the contract, except as otherwise mentioned in the bid document.	
12.	Confirm that you have submitted all documents as mentioned in the Tender/Annexures	
13.	Confirm acceptance to all terms & conditions of the Tender.	
14.	Confirm that all correspondence must be in English Language only.	
15.	Indicate Name & Contact No. (Telephone/Fax/E-mail) of person signing the bid.	Name: Contact No.: Fax: Email:
16.	Confirm that all Bank charges associated with Bidder's Bank shall be borne by Bidder.	
17.	Please indicate the following: (i) PAN No. (ii) GST Regn. No.	

Bidder confirms that in case of conflicting version of various terms & conditions at different places, the confirmation furnished as above shall be considered over-riding and final and any other deviation indicated elsewhere shall be treated as redundant.

Signature \_\_\_\_\_

Name \_\_\_\_\_

Designation \_\_\_\_\_

Office Stamp \_\_\_\_\_

**UNDERTAKING TOWARDS SUBMISSION OF BANK GUARANTEE**

To,  
Oil India Limited  
Contracts Department  
Duliajan, Assam - 786602

We, M/s..... are submitting the Performance Security in favour of Oil India Limited, Duliajan in the form of bank guarantee bearing Reference No. ....for an amount of INR..... valid up to ..... as per terms and conditions of Tender/Contract No. ....

**BG issuing bank details:-**

Bank Branch IFS Code	
<b>Contact Details</b> E-mail Addresses	Mobile Telephone Fax
<b>Correspondence Address</b> H No/Street/City	State Country Pin Code

Declaration:

We have arranged to send the confirmation of issuance of the bank guarantee via SFMS portal through our bank using the details mentioned in the tender and hereby confirming the correctness of the details mentioned.

Authorized Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Vendor Code: \_\_\_\_\_

Email ID: \_\_\_\_\_

Mobile No: \_\_\_\_\_

Encl: Original bank guarantee

**PROFORMA FOR UNDERTAKING FROM THIRD PARTY INSPECTION AGENCY**  
**(to be submitted on official letter head)**

**TO**  
**M/s OIL INDIA LIMITED**  
**P.O. DULIAJAN-786602**  
**Assam, India**

Sir,

**SUB: OIL's IFB No. CDG8235P25**

M/s \_\_\_\_\_ having registered office at \_\_\_\_\_ intend to participate in the above referred tender of OIL INDIA LIMITED.

The tender conditions stipulates that the bidder shall submit documents pertaining to Bid Evaluation Criteria (BEC), duly verified and certified by designated independent Third Party Inspection Agency.

In this regard this is to certify that copies of documents pertaining to Bid Evaluation Criteria (BEC) submitted to us by the bidder have been verified and certified by us with originals and found to be genuine and authentic. We have signed and stamped on the copies of all the verified and certified documents having \_\_\_\_ nos. pages.

Note: In the event of any requirement, OIL reserves the right to ask the inspection agencies to verify the documents with source, if required at no extra cost to OIL.

Thanking you,

**Authorised Person's Signature:** \_\_\_\_\_

**Name:** \_\_\_\_\_

**CERTIFICATE OF ANNUAL TURNOVER & NET WORTH**

TO BE ISSUED BY PRACTISING **CHARTERED ACCOUNTANTS' FIRM** ON THEIR LETTER HEAD

**TO WHOM IT MAY CONCERN**

This is to certify that the following financial positions extracted from the audited financial statements of M/s ..... (Name of the Bidder) for the last 03 (Three) completed accounting years upto.....**(as the case may be)** are correct.

<b>YEAR</b>	<b>TURN OVER</b> (In INR/USD)	<b>NET WORTH</b> (In INR/USD)

Place:

Date:

Seal:

Membership Number:

Signature

Registration No.:

UDIN:

**FORMAT OF AGREEMENT BETWEEN BIDDER AND THEIR PARENT COMPANY/SUBSIDIARY COMPANY/SISTER-SUBSIDIARY/CO-SUBSIDIARY/MEMBER OF SAME NETWORK OR MEMBER OF SAME GLOBAL FIRM (As the case may be)**

**(TO BE EXECUTED ON STAMP PAPER OF REQUISITE VALUE AND NOTORISED)**

This agreement made this \_\_\_ day of \_\_\_ month \_\_\_ year by and between M/s \_\_\_\_\_ (Fill in the Bidder's full name, constitution and registered office address) hereinafter referred to as bidder on the first part and M/s. \_\_\_\_\_ (Fill in full name, constitution and registered office address of Parent Company/Subsidiary Company) hereinafter referred to as "Parent Company/Subsidiary Company/Sister-Subsidiary/Co-Subsidiary/Member of same network or Member of same global firm (Delete whichever not applicable)" of the other part:

WHEREAS

M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their tender No. \_\_\_\_\_ for \_\_\_\_\_ and M/s \_\_\_\_\_ (Bidder) intends to bid against the said tender and desires to have technical support of M/s \_\_\_\_\_ [Parent Company/Subsidiary Company -(Delete whichever not applicable)] and whereas Parent Company/Subsidiary Company (Delete whichever not applicable) represents that they have gone through and understood the requirements of subject tender and are capable and committed to provide the services as required by the bidder for successful execution of the contract, if awarded to the bidder.

Now, it is hereby agreed to by and between the parties as follows:

1. M/s. \_\_\_\_\_ (Bidder) will submit an offer to OIL for the full scope of work as envisaged in the tender document as a main bidder and liaise with OIL directly for any clarifications etc. in this context.
2. M/s. \_\_\_\_\_ (Parent Company/Subsidiary Company (Delete whichever not applicable)) undertakes to provide technical support and expertise, expert manpower and procurement assistance and project management to support the bidder to discharge its obligations as per the Scope of work of the tender/ Contract for which offer has been made by the Parent Company/Subsidiary Company (Delete whichever not applicable) and accepted by the bidder.
3. This agreement will remain valid till validity of bidder's offer to OIL including extension if any and till satisfactory performance of the contract in the event the contract is awarded by OIL to the bidder.
4. It is further agreed that for the performance of work during contract period bidder and Parent Company/Subsidiary Company (Delete whichever not applicable) shall be jointly and severally responsible to OIL for satisfactory execution of the contract.

5. However, the bidder shall have the overall responsibility of satisfactory execution of the contract awarded by OIL.

In witness whereof the parties hereto have executed this agreement on the date mentioned above.

For and on behalf of  
(Bidder)

For and on behalf of  
(Parent Company/Subsidiary  
Company (Delete whichever not  
applicable))

M/s.  
Witness:  
1)  
2)

M/s.  
Witness:  
1)  
2)

**PARENT COMPANY/SUBSIDIARY COMPANY GUARANTEE (Delete whichever not applicable)**

**(TO BE EXECUTED ON STAMP PAPER OF REQUISITE VALUE AND NOTORISED)**  
**DEED OF GUARANTEE**

THIS DEED OF GUARANTEE executed at ..... this ..... day of ..... by M/s ..... (mention complete name) a company duly organized and existing under the laws of ..... (insert jurisdiction/country), having its Registered Office at ..... hereinafter called “the Guarantor” which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted assigns.

WHEREAS

M/s Oil India Limited, a company duly registered under the Companies Act 1956, having its Registered Office at Duliajan in the State of Assam, India, hereinafter called “OIL” which expression shall unless excluded by or repugnant to the context thereof, be deemed to include its successor and assigns, invited tender number ..... for ..... on ..... M/s ..... (mention complete name), a company duly organized and existing under the laws of ..... (insert jurisdiction/country), having its Registered Office at ..... (give complete address) hereinafter called “the Company” which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successor and permitted assigns, have, in response to the above mentioned tender invited by OIL, submitted their bid number ..... to OIL with one of the condition that the Company shall arrange a guarantee from its parent company guaranteeing due and satisfactory performance of the work covered under the said tender including any change therein as may be deemed appropriate by OIL at any stage. The Guarantor represents that they have gone through and understood the requirement of the above said tender and are capable of and committed to provide technical and such other supports as may be required by the Company for successful execution of the same.

The Company and the Guarantor have entered into an agreement dated ..... as per which the Guarantor shall be providing technical and such other supports as may be necessary for performance of the work relating to the said tender.

Accordingly, at the request of the Company and in consideration of and as a requirement for OIL to enter into agreement(s) with the Company, the Guarantor hereby agrees to give this guarantee and undertakes as follows:

1. The Guarantor **(Parent Company/ Subsidiary Company) (Delete whichever not applicable)** unconditionally agrees that in case of nonperformance by the Company of any of its obligations in any respect, the Guarantor shall, immediately on receipt of notice of demand by OIL, take up the job without any demur or objection, in continuation and without loss of time and without any cost to OIL and duly perform the obligations of the Company to the satisfaction of OIL.

2. The Guarantor agrees that the Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including discharge of the warranty obligations) awarded to the Company.

3. The Guarantor shall be jointly with the Company as also severally responsible for satisfactory performance of the contract entered between the Company and OIL.

4. The liability of the Guarantor, under the Guarantee, is limited to the 50% of the annualized contract price entered between the Company and OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee furnished by the Company.

5. The Guarantor represents that this Guarantee has been issued after due observance of the appropriate laws in force in India. The Guarantor hereby undertakes that the Guarantor shall obtain and maintain in full force and effect all the governmental and other approvals and consents that are necessary and do all other acts and things necessary or desirable in connection therewith or for the due performance of the Guarantor’s obligations hereunder.

6. The Guarantor also agrees that this Guarantee shall be governed and construed in accordance with the laws in force in India and subject to the exclusive jurisdiction of the courts of ....., India.

7. The Guarantor hereby declares and represents that this Guarantee has been given without any undue influence or coercion, and that the Guarantor has fully understood the implications of the same.

8. The Guarantor represents and confirms that the Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws.

For & on behalf of (Parent Company/Subsidiary Company (Delete whichever not applicable))

<u>Witness:</u>	M/s _____
1. Signature _____	Signature _____
Full Name _____	Name _____
Address _____	Designation _____
	Common seal of the
	Company _____

Witness:

2. Signature \_\_\_\_\_

Full Name \_\_\_\_\_

Address \_\_\_\_\_

**PARENT/ULTIMATE PARENT/HOLDING COMPANY'S CORPORATE  
GUARANTEE TOWARDS FINANCIAL STANDING  
(Delete whichever not applicable)**

(TO BE EXECUTED ON COMPANY'S LETTER HEAD)

**DEED OF GUARANTEE**

THIS DEED OF GUARANTEE executed at ..... this ..... day of ..... by M/s ..... (mention complete name) a company duly organized and existing under the laws of ..... (insert jurisdiction/country), having its Registered Office at ..... hereinafter called "the Guarantor" which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted assigns.

WHEREAS

M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their Tender No. \_\_\_\_\_ for \_\_\_\_\_ and M/s \_\_\_\_\_ (Bidder) intends to bid against the said tender and desires to have Financial support of M/s \_\_\_\_\_ [Parent/Ultimate Parent/Holding Company(Delete whichever not applicable)] and whereas Parent/Ultimate Parent/Holding Company(Delete whichever not applicable) represents that they have gone through and understood the requirements of subject tender and are capable and committed to provide the Financial support as required by the bidder for qualifying and successful execution of the contract, if awarded to the bidder.

Now, it is hereby agreed by the Guarantor to give this Guarantee and undertakes as follows:

1. The Guarantor confirms that the Bidder is a subsidiary of the Guarantor.
2. The Guarantor agrees and confirms to provide the Audited Annual Reports of any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date.
3. The Guarantor have an annual financial turnover of minimum INR .....(or equivalent USD .....) during any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date.
4. **Net worth** of the Guarantor is positive for preceding financial/ accounting year.
5. The Guarantor undertakes to provide financial support to the Bidder for executing the project/job, in case the same is awarded to the Bidder.  
The Guarantor represents that:

- (a) This Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including discharge of the warranty obligations) awarded to the Bidder.
- (b) The liability of the Guarantor, under the Guarantee, is limited to the 50% of the annualized contract price entered between the Bidder and

OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee furnished by the Bidder.

- (c) This Guarantee has been issued after due observance of the appropriate laws in force in India.
- (d) This Guarantee shall be governed and construed in accordance with the laws in force in India and subject to the exclusive jurisdiction of the courts of New Delhi, India.
- (e) This Guarantee has been given without any undue influence or coercion, and that the Guarantor has fully understood the implications of the same.
- (f) The Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws.

For and on behalf of  
(Bidder)

For and on behalf of  
(Parent/Ultimate Parent / Holding  
Company  
(Delete whichever not applicable))

Witness:

1.

2.

Witness:

1.

2.

**JOINT VENTURE COMPANY'S CORPORATE GUARANTEE TOWARDS  
FINANCIAL STANDING**

(TO BE EXECUTED ON COMPANY'S LETTER HEAD)

**DEED OF GUARANTEE**

THIS DEED OF GUARANTEE executed at ..... this ..... day of ..... by M/s ..... [Name of JV member with more than 50% stake] a company duly organized and existing under the laws of ..... (insert jurisdiction/country), having its Registered Office at ..... hereinafter called "the Guarantor" which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted assigns.

WHEREAS

M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their Tender No. \_\_\_\_\_ for \_\_\_\_\_ and M/s \_\_\_\_\_ [Name of the incorporated Joint Venture Company] intends to bid against the said tender based on the financial strength of M/s \_\_\_\_\_ [Complete Name of JV member with more than 50% stake] and whereas M/s \_\_\_\_\_ [Complete Name of JV member with more than 50% stake] represents that they have gone through and understood the requirements of subject tender and are capable and committed to provide the Financial support as required by the bidder for qualifying and successful execution of the contract, if awarded to the bidder.

Now, it is hereby agreed by the Guarantor to give this Guarantee and undertakes as follows:

1. The Guarantor confirms it hold ..... (in percentage, should be more than 50%) stake in the M/s \_\_\_\_\_ [Name of the incorporated Joint Venture Company].
2. The Guarantor agrees and confirms to provide the Audited Annual Reports of any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date.
3. The Guarantor have an annual financial turnover of minimum INR ..... during any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date.
4. **Net worth** of the Guarantor is minimum INR ..... for the accounting year preceding the original bid closing date.
5. The Guarantor undertakes to provide financial support to ..... [Name (s) of other JV members] for executing the project/job, in case the same is awarded to the M/s \_\_\_\_\_ [Name of the incorporated Joint Venture Company].

The Guarantor represents that:

- (g) This Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including

discharge of the warranty obligations) awarded to ..... [Name of the incorporated Joint Venture Company].

- (h) The liability of the Guarantor, under the Guarantee, is limited to the 50% of the contract price entered between the M/s \_\_\_\_\_ [Name of the incorporated Joint Venture Company] and OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee furnished by the Bidder.
- (i) This Guarantee has been issued after due observance of the appropriate laws in force in India.
- (j) This Guarantee shall be governed and construed in accordance with the laws in force in India and subject to the exclusive jurisdiction of the courts of New Delhi, India.
- (k) This Guarantee has been given without any undue influence or coercion, and that the Guarantor has fully understood the implications of the same.
- (l) The Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws.

For and on behalf of the bidder M/s .....	For and on behalf of M/s ..... (Name of JV member with more than 50% stake)
<u>Witness:</u>  1.  2.	<u>Witness:</u>  1.  2.

**FORM OF PERFORMANCE BANK GUARANTEE BY SUPPORTING  
COMPANY**

**To**  
**M/s OIL INDIA LIMITED (OIL)**  
**CONTRACTS DEPARTMENT**  
**DULIAJAN, ASSAM, INDIA, PIN-786602**

WHEREAS \_\_\_\_\_ (Name and address of Contractor) (hereinafter called "Contractor", which expression shall, unless repugnant to the context or meaning thereof include all its successors, administrators, executors and assignees) had undertaken, in pursuance of Contract No. \_\_\_\_\_ to execute -----(Brief Description of the Work)(hereinafter called "the Contract").

Further, M/s \_\_\_\_\_ (Name of the ultimate parent) having its registered/head office at \_\_\_\_\_ is the **"Ultimate Parent"** of **"Supporting Company"** M/s.....(Name of the supporting company with address)/M/s.....(Name of the Contractor with address, in case experience is taken from the ultimate parent) (hereinafter referred to as the 'SUPPORTING COMPANY'/ "ULTIMATE PARENT", which expression shall, unless repugnant to the context or meaning thereof include all its successors, administrators, executors and assignees). Based on the experience/technical strength of the **"Supporting Company"/ "Ultimate Parent"** (whichever is applicable), the CONTRACTOR has qualified for award of contract and has agreed to provide complete technical and other support to the CONTRACTOR for successful completion of the contract as mentioned above, entered between OIL and the CONTRACTOR and OIL having agreed that the **"ULTIMATE PARENT/SUPPORTING COMPANY"**, shall furnish to OIL a performance guarantee for Indian Rupees/US\$ ..... towards providing complete technical and other support to the CONTRACTOR for successful completion of the contract as mentioned above,

AND WHEREAS we have agreed to give the **"ULTIMATE PARENT/SUPPORTING COMPANY"**, such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the **"ULTIMATE PARENT/SUPPORTING COMPANY"**, up to a total of (Amount of Guarantee in figures) \_\_\_\_\_ (in words \_\_\_\_\_), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor / **ULTIMATE PARENT/SUPPORTING COMPANY** before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed there under or of any of the Contract

documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_.

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:

BANK FAX NO:

BANK EMAIL ID:

BANK TELEPHONE NO:

IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS \_\_\_\_\_

Designation \_\_\_\_\_

Name of Bank \_\_\_\_\_

Address \_\_\_\_\_

Witness \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

Date: \_\_\_\_\_

Place: \_\_\_\_\_

**Note:**

The Bank Guarantee issuing bank branch shall ensure the following:

b. The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:

(i) MT 760 / MT 760 COV for issuance of Bank Guarantee

(ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to ICICI BANK LTD., Duliajan Branch; IFS Code – ICIC0000213; SWIFT Code – ICICINBB8235; Branch Address: Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602.

- b. Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

**DECLARATION ON STATUS OF THE RIG(S) OFFERED AGAINST TENDER NO.  
CDG8235P25**

**(Ref. BEC Clause No. 2.6)**

**(On Non-Judicial Stamp Paper of Rs. 100/-) TO BE NOTORISED UNDER NOTARY  
ACT, 1952**

UNDERTAKING CUM DECLARATION

Dated .....

I Sri/Smti \_\_\_\_\_, son / daughter / wife of \_\_\_\_\_,  
of Resident of \_\_\_\_\_(Place), P.O \_\_\_\_\_, District \_\_\_\_\_,  
State \_\_\_\_\_ Pin \_\_\_\_\_ on behalf of M/s \_\_\_\_\_, a proprietary  
firm/partnership firm/company (hereinafter referred to as "Bidder/Contractor") do  
hereby solemnly affirm and undertake on oath as follows:

1.0 That, I am competent and duly authorized by the Competent Authority to execute the instant undertaking cum declaration.

2.0 That, in response to Tender No....., for..... M/s..... have participated and submitted the bid.

3.0 That, the following Rig(s) Package has been offered in the bid

Details of Rig, viz, Make, Capacity, Registration No. (If Any) & Year of Manufacture

4.0 That, .....is the sole and absolute owner of the offered Rig(s), which is transferred in favour of..... (name of the bidder) through a registered Deed of Lease executed on (Applicable if the bidder is not the owner of the Rig)

5.0 That, the Rig(s) offered under the subject tender is free from encumbrance and no third party interest is created on the offered Rig(s).

6.0 That the offered Rig(s) is not under any litigation and/or dispute in India or abroad.

7.0 That, all documents pertaining to the offered Rig(s) in connection with the import of the Rig (if applicable) are in order and up-to-date on the date of submission of the tender. All documents as applicable under law will be submitted prior to mobilization.

8.0 That, it is agreed and understood that the mobilization will not be considered as complete by OIL unless all the documents submitted are found to be in order and to the satisfaction of OIL.

9.0 It is agreed and undertaken that in the event it is detected at any stage during the currency of tender/contract that any of the above declaration/information furnished by me is false/incorrect or there is suppression of any material facts, in such situation, OIL reserves the right to reject/cancel/terminate the bid/contract.

10.0 It is unequivocally and unambiguously agreed without demur that in the event of cancellation/termination of contract for the reason stated at Para-9.0 above, M/s.....

(the bidder) shall pay compensation to OIL for damages suffered by it, as determined by OIL.

OATH

“I swear that, I am duly authorized by the competent authority of the Firm/Company and above undertaking/declaration is true, that it conceals nothing and that no part of it is false, so help us God”

Identified By

DEPONENT

(Advocate)

Signed and sworn before me by the above named deponents after being read over the contents mentioned above by ... , Advocate so that the deponents seemed to understand properly the contents of this affidavit.

**Note:** The Affidavit shall be executed by a person competent and having the power of attorney (power of attorney shall be annexed) to bind such Bidder. If bidder is consortium, separate affidavit must be submitted by each member.

**Format for undertaking by Foreign Bidders towards taking payment against Expenses in India (To be typed on the letter head of the bidder)**

Ref. No \_\_\_\_\_

Date \_\_\_\_\_

**Sub: Undertaking for taking payment against Expenses in India**

**To  
The CGM-Contracts (HoD)  
Contracts Department,  
OIL, Duliajan**

**Sir,**

With reference to our quotation against your above-referred tender, we hereby confirm that we have gone through the Tender document in toto and quoted **Expenses to be incurred in India** in percentage (%) against each line item (wherever applicable) of the Price Bid Format (Proforma-B). We have quoted after proper due diligence and take full responsibility for the same. We agree to the condition that during payment (if successful), the “Expenses in India” component of the price shall be converted to INR (if quoted price is other than INR) considering the conversion rate as per Clause **21.0 of ITB**. If any Expense incur in India over and above the aforesaid percentage (%), then we will inform Oil India Limited in due course of time and same will also be considered while calculating “Expenses in India” component.

Yours faithfully,

For (type name of the firm here)

Signature of Authorized Signatory

Name :

Designation :

Phone No.

Place :

Date :

(Affix Seal of the Organization here, if applicable)

**UNDERTAKING FOR WORKS INVOLVING POSSIBILITY OF SUB-CONTRACTING**  
**(REF. CLAUSE NO. 17.0 OF INTRODUCTION)**

We, M/s \_\_\_\_\_ , have read the clause regarding restrictions on procurement from a country which shares a land border with India and on sub-contracting to contractors from such-countries, we certify that we are not from such a country/or if from such a country, has been registered with the Competent Authority and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regard and is eligible to be considered.

Yours faithfully,

For (type name of the firm here)

Signature of Authorized Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

**UNDERTAKING TOWARDS COMPLIANCE OF CLAUSE NO. 17.0 OF THE  
INTRODUCTION**

We, M/s \_\_\_\_\_ , have read the clause regarding restrictions on procurement from a country which shares a land border with India, we certify that we are not from such a country/or if from such a country, has been registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regard and is eligible to be considered.

Yours faithfully,

For (type name of the firm here)

Signature of Authorised Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

**ADDITIONAL UNDERTAKING BY BIDDER IN CASES OF SPECIFIED TRANSFER  
OF TECHNOLOGY (ToT)**

(REF. CLAUSE NO. 17.1 OF THE INTRODUCTION/FORWARDING LETTER)

We, M/s \_\_\_\_\_, have read the clause regarding restrictions on procurement from a bidder having Transfer of Technology (ToT) arrangement. We certify that we do not have any ToT arrangement requiring registration with competent authority.

OR

We, M/s \_\_\_\_\_, have read the clause regarding restrictions on procurement from a bidder having Transfer of Technology (ToT) arrangement. We certify that we have valid registration to participate in this procurement.

Yours faithfully,

For (type name of the firm here)

Signature of Authorised Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

**DECLARATION ABOUT BIDDER'S FINANCIAL STANDING**

**To,  
CGM-CONTRACTS  
OIL INDIA LIMITED  
DULIAJAN - 786602**

**Sub:** Undertaking/Declaration regarding financial standing

**Ref:** Tender No CDG8235P25.

We, \_\_\_\_\_ (name of bidder), hereby confirm that:

(1) We are neither bankrupt nor undergoing any insolvency resolution process or liquidation or bankruptcy proceeding under any law.

**(OR)**

(2) No insolvency resolution process or liquidation or bankruptcy proceeding is initiated under any law against us.

Place: \_\_\_\_\_

Date: \_\_\_\_\_

\_\_\_\_\_  
(Name & Signature of the authorised  
signatory of the bidder)

**DECLARATION THAT BIDDER IS NOT UNDER HOLIDAY  
LIST/DELISTED/BLACKLISTED/DEBARRED IN OIL**

**To,  
CGM-CONTRACTS  
OIL INDIA LIMITED  
DULIAJAN - 786602**

**Sub:** Undertaking/Declaration regarding Holiday List, debarment etc.

**Ref:** Tender No. CDG8235P25

We, \_\_\_\_\_ (Name of the bidder) hereby declare that neither our company nor any of its allied concerns, partners or associates or directors or proprietors involved in any capacity, are currently put on holiday list/banning list by OIL debaring us/them from carrying on business dealings with OIL.

Place: \_\_\_\_\_

Date: \_\_\_\_\_

\_\_\_\_\_  
(Name & Signature of the authorised  
signatory of the bidder)

**Form-1**

Date: \_\_\_\_\_

**DRILLING RIG INSPECTION CERTIFICATE**  
**(SEPARATE CERTIFICATE TO BE ISSUED FOR EACH RIG)**  
**(TO BE ISSUED BY BV / DNV / ABS / LLOYDS / OILFIELD AUDIT SERVICES)**  
**FOR OLD RIGS**

The following rig and equipment were inspected physically on \_\_\_\_\_ (date) and certified as under:

Sl. No.	Description		Details					
1	Identification No. of rig							
2	Purchase Order No. & date							
3	Name of Original Purchaser of Rig package							
4	Present Owner of the rig (Detailed address, contact No., email ID)							
5	Current location of the rig (Detailed address telephone & Fax No.)							
6	Details of rig / equipment inspected	Details of rig / equipment offered with ID No.	Model/HP/Capacity/Pressure Rating	<b>Present Condition</b> (Whether meets the	Month & Year of manufacture	Date of refurbishment/upgradation.	Residual life (in years)	Remarks of Certifying

				tender specification)				Agency
6.1	Mast Make: Model: Capacity in MT: Height from ground level(in Ft):							
6.2	(b) Sub Structure: Capacity in MT: Height from ground level (in Ft): Clear height under rotary beams (i.e. clearance below rotary table) in ft:							
6.3	Rig engine: Nos. of engine: Make: Model: H.P.:							

6.4	Generators: No. of Generators: Make: Model: H.P						
6.5	Rig Compressors(Cold Start ): Make: Model: H.P.:						
6.6	Rig Compressors (Reciprocating/Screw Type): Make: Model: H.P.:						
6.7	Draw works: Type:						

	<p>Make:</p> <p>Model:</p> <p>H.P.</p>							
6.8	<p>Eddy Brake/Disc Brake/Auxiliary Brake:</p>							
6.9	<p>Rotary Table:</p> <p>Make:</p> <p>Model:</p> <p>Static and rotating capacity (in MT):</p> <p>Rotary Table opening (in Inch):</p>							
6.10	<p>Traveling Block:</p> <p>Make:</p> <p>Model:</p> <p>Capacity in MT:</p>							
6.11	<p>Crown Block:</p> <p>Make:</p>							

	<p>Model:</p> <p>Capacity in MT:</p>							
6.12	<p>Swivel:</p> <p>Make:</p> <p>Model:</p> <p>Capacity in MT:</p> <p>Pressure rating (Kg/sq. cm):</p>							
7	<p>RAM BOPs:</p> <p>Make:</p> <p>Model:</p> <p>Size:</p> <p>Pressure rating:</p> <p>Type: Single / Double Ram</p> <p>Manual locking : (Y/N)</p> <p>Operating Pressure:</p>							
7.1	<p>ANNULAR BOPs:</p> <p>Make:</p>							

	Model: Size: Pressure rating: Operating Pressure:							
7.2	BOP Control unit: Make: Model: Accumulator Capacity: Pressure rating: No. of remote controls:							
7.3	Choke & Kill Manifold							
7.4	Remote BOP Panel							
7.5	Remote Choke Panel							
8	Mud Pumps: Make: Model: No. of Pumps:							

	Max Pressure rating: Discharge rate at specified pressure.							
8.1	Super Charge pump							
9	Linear Motion Shale Shaker							
9.1	Desander							
9.2	Desilter							
9.3	Degasser							
9.4	Centrifuge							
9.5	Liner Motion Mud Cleaner							
10	Stand Pipe Manifold							
10.1	Rotary Hose							
11	TOP DRIVE Unit: Make: Model: Capacity in MT: Pressure Rating:							

12	Electrical Items viz. alternators, drilling & auxiliary motors, Control PCRs (SCR / VFD house), MCC, cable system, etc.						
13	<p>Drilling Instrumentation;</p> <p>a) Weight Indicator</p> <p>Make:</p> <p>Model/Type:</p> <p>Range:</p> <p>b) Drillers Console instruments</p> <p>List of all instruments along with Make, Model &amp; Range</p> <p>c) Advanced Instrumentation System</p> <p>Make:</p> <p>Model:</p> <p>d) Online Gas Monitoring System</p>						

	Make: Model: e) Rig Intercom System Make: Model							
14	Overall Rig Package							

Certification:

- i) NDT of Mast & Substructure:
- ii) Refurbishment, if any, with date and details of refurbishment.

The rig after due inspection, is found in good operating / working conditions.

**To be digitally signed by Bidder's Authorized signatory**

**Note:**

- (1) The above certificate shall be given by third party inspection agency namely BV/DNV/ABS/ LLOYDS/ OILFIELD AUDIT SERVICES on their letter head in original. Certificate from other agencies shall not be accepted.
- (2) Third party Inspection date should not be older than 06 (Six) months from the original bid closing date and original inspection documents should be submitted along with the techno-commercial bid. Bidders failing to provide the certificate as above will not be considered for technical evaluation.

**RESPONSIBILITY MATRIX FOR EACH DRILLING RIG SERVICES**

The equipment machinery, tools, materials supplies, instruments, services and labour, including but not limited to those listed at the following terms shall be provided at the location by the COMPANY or the CONTRACTOR and the expenses of COMPANY or CONTRACTOR as designated hereunder by 'X' mark in the appropriate column.

**'C' – Contractor and 'O' – OIL/Company**

Sl. No.	I T E M	At Expense of		Supplied by	
		C	O	C	O
<b>A. GENERAL-I</b>					
1	All charges relative to acquisition, shipping and transportation of all Contractor's Items required as replacements or spare parts,	<b>X</b>		<b>X</b>	
2	Contractor's personnel including replacement, subsistence, insurance, wages, benefits, and all other costs related thereto.	<b>X</b>		<b>X</b>	
3	Extra personnel in excess of the complement of personnel set forth in Section II – Contractor's Personnel deputed by Contractor itself.	<b>X</b>		<b>X</b>	
4	Required licenses, permits, certificates of financial responsibility and clearances to enter and depart from drilling location	<b>X</b>		<b>X</b>	
5	Transportation for Contractor's Items and its subcontractor's item and personnel.	<b>X</b>		<b>X</b>	
6	Duties, fees, licenses, pilotage fees, wharf age fees, harbour fees and costs or similar charges including any sales taxes or clearing agent or brokerage fees relating to Contractor's Items and replacements or spare parts.	<b>X</b>		<b>X</b>	
7	Insurance as provided in the Contract.	<b>X</b>		<b>X</b>	
8	Passports and visas for Contractor's Personnel	<b>X</b>		<b>X</b>	
9	Work permits for Contractor's Personnel.	<b>X</b>		<b>X</b>	
10	Labour license and all regulatory requirements as per DGMS, Labour Law for Contractor's personnel.	<b>X</b>		<b>X</b>	
11	Obtain and maintain all necessary consents, permits, licenses and certificates required for movement and use of Contractor's Equipment to/from Site including diesel storage	<b>X</b>		<b>X</b>	
12	Corporate registration, documentation and fees for Contractor in India required solely for the performance of this Contract	<b>X</b>		<b>X</b>	
13	Clearance of Contractor's Equipment through Indian Customs (EC to be provided by Operator)	<b>X</b>		<b>X</b>	
<b>B. GENERAL-II</b>					
1	Base / Well site camp complete in all respects.	<b>X</b>		<b>X</b>	
2	Accommodation and food for all of Contractor's personnel and up to 15 Company and Company's third party personnel per day.	<b>X</b>		<b>X</b>	
3	Accommodation and food for Company's personnel and Company's third party personnel in excess of 15 per day.		<b>X</b>	<b>X</b>	

Sl. No.	I T E M	At Expense of		Supplied by	
		C	O	C	O
4	Potable water for rig site and camp site.	X		X	
5	Loading and offloading Company's and Company's third party's equipment and materials at rig site	X		X	
6	Transportation of Company's equipment and materials during inter- location moves (Up to 06 trailers).	X		X	
7	Supply of additional labour for cleaning pits, cuttings and other related work	X		X	
8	All safety equipment and gears as per Contract	X		X	
9	Necessary IT equipment.	X		X	
10	Electricity and air supply to Company and Company's third party's Equipment	X		X	
11	All housekeeping services and supplies	X		X	
12	First aid medical attention by a qualified medic for all personnel.	X		X	
13	Emergency medical treatment for Contractor's, Company's and Company's third party's Personnel	X		X	
14	Ambulance with all necessary medical facilities	X		X	
15	Communication system capable of transmitting online data.	X		X	
16	Security arrangement / facility at rig and campsite.	X		X	
17	Welding for Company's third party's work within a reasonable request. (Note: Welding for Company's third party's work beyond a reasonable request shall be mutually agreed between both the Parties)	X		X	
<b>C. RIG &amp; EQUIPMENT-I</b>					
1	Complete Drilling Rig Package with ETP	X		X	
2	BOP Handling System	X		X	
3	BOP, Spools, flanges, its attachments & spares	X		X	
4	BOP testing equipment and accessories	X		X	
5	Choke & kill unit & connections	X		X	
6	Diverter system	X		X	
7	Kill pump, tank, lines and attachments	X		X	
8	All Solid control equipment	X		X	
9	Degasser, Poor Boy Degasser (Mud Gas Separator)	X		X	
10	BOP Control Unit and accessories	X		X	
11	All Drill pipes, drill collars, HWDPs.	X		X	
12	Lifting subs	X		X	
13	All sizes & capacities of elevators, slips, tongs, safety clamps for handling drilling & tubing string.	X		X	
14	All sizes & capacities of elevators, slips, tongs (manual & hydraulic), for handling casing & Liner string including spider slip & elevator	X		X	
15	Kelly (s)	X		X	
16	Rotary substitutes of all sizes	X		X	
17	Stabilizers	X		X	

Sl. No.	I T E M	At Expense of		Supplied by	
		C	O	C	O
18	All Fishing tools & their spares	X		X	
19	Kelly spinner	X		X	
20	Drill pipe spinner	X		X	
21	Elevator links	X		X	
22	Bit breaker, casing thread protector, nozzle gauge, stabilizer gauge & bit gauge	X		X	
23	Air winch (s)	X		X	
24	Drilling jars, safety joints and all fishing tools such overshots, spear, RCJB, Junk subs, fishing magnets, impression blocks, junk mills, ditch magnet, etc. with spares / consumables / replacement parts.	X		X	
25	Casing scrappers / rotoverts	X		X	
26	Circulating heads & FOSV	X		X	
27	Poor boy swivel	X		X	
28	Mud basket	X		X	
29	Back pressure valves	X		X	
30	Risers	X		X	
31	Complete set of tools & wrenches	X		X	
32	Flow nipple & flow branch	X		X	
33	Gauging water pump	X		X	
34	All kind of mud agitators & mud guns	X		X	
35	On line gas monitoring system & portable gas detector	X		X	
36	Cabin for mud attendant.	X		X	
37	Emergency electricity generator at well site & camp	X		X	
38a	Advanced Instrumentation System	X		X	
38b	Rig Intercom System	X		X	
39	Firefighting & safety equipment	X		X	
40	Shut in valves	X		X	
41	Welding & Cutting set	X		X	
42	Cellar Pump	X		X	
43	Rig compressor (including auxiliary)	X		X	
44	Mud making/loading facilities at drill site complete with reciprocating pumps, prime movers, hoppers, tankages etc.	X		X	
45	Mud & water system inclusive of active, intermediate & storage tanks	X		X	
46	Supplying water at drilling site	X		X	
47	Equipment required for generating electricity at the rig site, camp, etc.	X		X	
48	Rig lighting	X		X	
49	All required Lines / Chiksans / Fittings, etc.	X		X	
50	Crane and forklifts	X		X	
51	Any additional crane & forklift required to carry out normal drilling operations & during rig move, rig up & rig down.	X		X	
52	Required wire lines & ropes	X		X	

Sl. No.	I T E M	At Expense of		Supplied by	
		C	O	C	O
53	Office for Company's personnel at well site complete in all respects	X		X	
54	Bug Blower	X		X	
55	Kelly cocks, upper & lower	X		X	
56	Float valves for bit subs	X		X	
57	Inside BOPs	X		X	
58	Cup tester	X		X	
59	Effluent Treatment Plant with accessories	X		X	
60	Top Drive System with accessories	X		X	
61	Equipment not specified but required for Contractor's normal operations	X		X	
<b>D. RIG &amp; EQUIPMENT-II</b>					
1	Inspection of Contractor's tubular & handling equipment / tools and other in-hole equipment as specified in Section III, before operations commence under this Contract.	X		X	
2	Inspection of Contractor's tubular & handling equipment / tools and other in-hole equipment as specified in Section III, during operations at reasonable intervals requested by the Company.	X		X	
3	Repair and/or replacement parts for Contractor furnished fishing tools.	X		X	
4	Replacement of elements / parts for Contractor's Diverter System and BOPs	X		X	
5	Mud pump liners	X		X	
6	Removal and disposal of camp site waste	X		X	
<b>E. CONSUMABLES</b>					
1	All required Oil, grease, lube, cleaning solvent, hydraulic fluid and accumulator charging gases for Contractor's equipment	X		X	
2	Drill water for drilling, rig cleaning & cementing.	X		X	
3	Kelly saver-sub rubber protectors	X		X	
4	Drill pipes & tubing rubber wipers	X		X	
5	All required Spares for solid control equipment.	X		X	
6	Air, water, electricity, fuel (HSD) and other POL for the rig site and camp site	X		X	
7	Casing thread lubricant & thread locking compound		X		X
8	Thread Dope/Thread lubricant for all contractor tubular and tubings.	X		X	
9	Required rope, cotton waste, hand tools and general drilling rig consumables	X		X	
10	Stabilizer sleeves	X		X	
11	Welding & cutting consumables	X		X	
12	All BOP consumables including ring joint gaskets	X		X	
13	Consumables not described but needed for normal drilling operations and maintenance of Contractor's Equipment	X		X	
14	Spares for drilling unit & accessories.	X		X	
15	Replacement of electrical fittings as & when necessary.	X		X	

Sl. No.	I T E M	At Expense of		Supplied by	
		C	O	C	O
16	Spares & consumables for communication equipment	X		X	
17	Replacement, spares & consumables for fire-fighting equipment	X		X	
18	Maintaining adequate stock of consumables.	X		X	
19	Consumables for computers. Software should be upgraded as and when required.	X		X	
20	Replacement of tool equipment services as & when necessary	X		X	
21	First-aid & medicine	X		X	
22	Materials required for hygienic atmosphere at well site & camp site	X		X	
23	Materials required for control of pollution.	X		X	
24	Consumables not indicated but required by Contractor in normal operation or needed for the maintenance of Contractor's equipment.	X		X	
<b>F. OTHER SERVICES &amp; PERSONNEL</b>					
1	Site preparation		X		X
2	Furnish adequate roadway to location and the right of way		X		X
3	Mud Engineering Services (if engaged) including supply of complete line of chemicals.		X		X
4	Effluent management	X		X	
5	Directional / Vertical Drilling Services		X		X
6	Cementing Services including supply of cement & complete line of chemicals/ additives.		X		X
7	Coring Services including supply of core barrels. Core heads with all accessories and handling tools.		X		X
8	Mud Logging Services		X		X
9	Handling (running in / pulling out) of Casing & Tubing	X		X	
10	Wireline Logging & TCP Services.		X		X
11	Liner Hanger Services including supply of handling/ setting tools and liner hanger accessories		X		X
12	Drill Stem Testing & Surface Production Testing Services		X		X
13	Casing Torque & Turn Services		X		X
14	Procurement and supply of drill Bits		X		X
15	Procurement and supply of casings, liners and tubing		X		X
16	Procurement and supply of well heads		X		X
17	Casing handling, servicing, drifting, measuring, thread cleaning		X		X
18	Centralizer installation on the Drilling Unit	X		X	
19	Transportation of entire drilling unit with accessories between locations (inter-location move)	X		X	
20	Inter-location movement of company's equipment attached with the rig (Up to 06 trailers).	X		X	


Sl. No.	I T E M	At Expense of		Supplied by	
		C	O	C	O
20	Transportation of contractor personnel	X		X	
21	Collection of bits, light consumables and transportation of same including handling at well site.	X		X	
22	Communication service	X		X	
23	Medical facilities at well site & camp site	X		X	
24	Well head hookup	X		X	
25	Handling of all Company equipment at the drilling locations	X		X	
26	BOP testing services	X		X	
27	Maintenance of Contractor's equipment.	X		X	
28	Well killing services	X		X	
29	Effluent water disposal. Pumping of Effluent water through Company provided pit line for evacuation of effluent water from effluent pit to Company designated place/pit.	X		X	
30	Pollution control services	X		X	
31	Computation and record keeping services	X		X	
32	Degassing services	X		X	
33	Catering services	X		X	
34	Medical Services	X		X	
35	Ambulance services	X		X	
36	Firefighting services	X		X	
37	Services of Personnel	X		X	
38	Services not specified above but required by Contractor in normal operations or needed to maintain & operate Contractor's equipment.	X		X	
39	Services not indicated but required due to directions of the Company		X	X	X

**To be digitally signed by Bidder's Authorized signatory**

-----

**PROFORMA FOR BIO DATA OF KEY PERSONNEL**

1. NAME
2. PRESENT ADDRESS
3. PERMANENT ADDRESS
4. FATHER'S NAME
5. NATIONALITY
6. PASSPORT NO. AND VALIDITY (IN CASE OF EXPATRIATE)
7. DATE OF BIRTH
8. DESIGNATED POST
9. EDUCATIONAL QUALIFICATIONS:



Sl. No.	Exam Passed	Institute	Board   University	Grade   %
			Council	Marks
			Others	Obtained

10. HSE TRAININGS (If any):
11. DETAILS OF PROFESSIONAL CERTIFICATE, LICENSE, ETC. WITH VALIDITY
12. EXPERIENCE IN REVERSE ORDER:

Sl. No.	Name of the Company (Employer)	Designation or Post Held	Name of Client or Company with type of Service Provided	Period of Service		HP & type of Drilling Rig worked
				From	To	

**N.B.:** Add rows as required. Annexure(s) may also be attached if required.

Signature & Name of personnel

**NOTE:**

1. *Attach copies of following documents:*
  - Identity Proof
  - Date of Birth Proof
  - Proof of educational qualification
  - Proof of Experience
  - IWCF certificate (For Rig Manager / Rig Superintendent, Tool Pusher, Tour Pusher / Night Tool Pusher, Driller & Asst. driller), Heavy Motor Vehicle Driving License (For Crane Operator), Certificate of Welding Trade (For Welder)
  - Medical Fitness Certificate in Form 'O' (as per The Mines Act 1952).
  - Electrical license and Supervisor license (For Electrical Engineer, Rig Electrician and Assistant Rig Electrician).
  
2. *Contractor shall provide the following before deploying his personnel:*
  - a) Police verification report for domestic employees of Contractor.
  - b) Security clearance from Ministry of Home Affairs, Govt. of India for expatriate employees of Contractor.
  
3. *In case of replacement of the key personnel, except Rig Manager(s)/ Rig Superintendent(s), the replacement personnel must have the requisite qualification and experience as per Scope of Work/Terms of Reference (Section-II) and shall submit their credentials along with their recent photographs & documents to Company for clearance of Company.*

-----

**ANNEXURE-IV**

**UNDERTAKING FROM CONTRACTORS PERSONNEL**

I \_\_\_\_\_ S/o \_\_\_\_\_ having permanent residence at Vill: \_\_\_\_\_, PO: \_\_\_\_\_, PS: \_\_\_\_\_ District: \_\_\_\_\_, State: \_\_\_\_\_ am working with M/s \_\_\_\_\_ as their employee. Now, I have been transferred by M/s \_\_\_\_\_ for carrying out the contract job under Contract No: \_\_\_\_\_ which has been awarded in favour of my employer M/s \_\_\_\_\_.

I do hereby declare that I will not have any claim for employment or any service benefit from OIL by virtue of my deployment for carrying out contract job in OIL by M/s \_\_\_\_\_.

I am an employee of \_\_\_\_\_ for all practical purposes and there is no privity of Contract between OIL and me.

\_\_\_\_\_

\_\_\_\_\_

Signature

Signature

Name & Designation:  
Bidder: Place:  
Date:

Name & Designation of  
(Official Seal of Bidder)

**Signed in presence of following:**

(1) Signature:  
Name:  
Designation:

(2) Signature:  
Name:  
Designation:

**ANNEXURE-V**

**DETAILS OF ELECTRICAL MACHINE USED IN DRILLING RIG PACKAGE**

Sl. No.	Name of Equipment/ Motor	Make	Maker's Sl. No.	Type	CIMFR/ recognized laboratory of country of origin approval no. & validity	Distance from Well head	Gas Group
1							
2							
3							
4							
5							
6							
7							
8							
9							

**To be digitally signed by Bidder's Authorized signatory**

**ANNEXURE-VI**

**DETAILS OF ALL CABLES, LIGHT FITTINGS, PUSH BUTTON STATIONS, PLUG & SOCKETS, JUNCTION BOXES, MOTORS, STARTERS ETC.**

**TO BE USED IN THE OFFERED RIG PACKAGE**

<b>Sl. No.</b>	<b>Description</b>	<b>Make</b>	<b>Type</b>	<b>CIMFR/ recognized laboratory of country of origin approval no. &amp; validity</b>	<b>Gas Group</b>

**To be digitally signed by Bidder's Authorized signatory**

**ANNEXURE-VII****Electrical****Questionnaire for Electrical**

(To be filled up separately for each drilling rig offered & to be uploaded along with techno-commercial bid)

<b>Sl.N o.</b>	<b>Details</b>	<b>Bidder Remarks</b>
1	Offered Rig is AC-SCR or AC-VFD?	
2	Does the offer include ETP?	
3	Does the rig have provision for installing a top drive? Explain details of provision offered?	
4	Have you submitted the following drawings with the bid? Physical layout, showing all important components Electrical single line diagram, showing all major components Earthing diagram for the rig	
5	Whether Neutral resistance grounding is offered for 415V system (as per CEA Regulations, 2010)?	
6	Give details of the drilling motors offered for MP Make & model Voltage (in V)/ Power rating (in HP) No. of motors per mud pump	
7	Give details of the drilling motors offered for DW Make & model Voltage (in V)/ Power rating (in HP) No. of motors for DW	
8	Give details of Rotary drive employed (chain driven from DW, IRD, combination of chain/IRD) If IRD motor employed, give details similar to MP/DW above	
9	Give details of lighting for hazardous areas Voltage (phase to phase), in V Neutral employed?	(Yes / No)
10	Power Pack Details Make and model offered No of power packs offered Are all offered power packs identical in terms of make/model/power rating / voltage rating Output Voltage (in VAC) Output power (in kVA) Rotation speed (RPM)	(YES / NO). If NO, give details
11	Control Rom details No of PCRs offered Details of SCR / VFD system (Make / model / etc.)	
12	Details of control panels offered Drillers control (DCON) make Is DCON purged with positive pressure? If no, please provide how the control panel is made safe for use.	

	Mud pump / cementing console offered?	(Yes / No)
	If MPCON offered, give details	
13	Details of braking system offered	
	Primary Brake – (Band brake / others)	
	Auxiliary Brake – (EC Brake / through AC motors, etc)	
	If EC Brake offered, make and model offered	
14	Aviation warning lights offered	
	Day time, white color, flasher type	(YES / NO) If Yes – Qty?
	Night Time, Red color, steady type	(Yes / No) If Yes – Qty?
15	Emergency / Hooter Alarm system	
	Emergency shut-off system provided?	
	Does the system shut off the alternators when activated?	
	Does the system de-activate the drives when activated?	
	Emergency hooter (electrical) provided?	(Yes / No)
16	BOP control unit	
	Are all electrical items employed in BOP control unit suitable for hazardous areas (Zone 1, Gas group 2A/2B)?	
	CIMFR/ recognized laboratory of country of origin approval obtained and such certificates submitted with bid?	
17	Does bidder agree explicitly to deal with all electrical overhead lines to be encountered during Inter-Location movement (ILM) including the OH lines encountered during initial deployment of the rig at designated site? (OIL support will not be available for this.	
18	CIMFR/ recognized laboratory of country of origin approval	
	Does bidder have CIMFR/ recognized laboratory of country of origin approval for all electrical equipment (including motors / lights / panels etc.) deployed in hazardous areas.	(Yes / No)
	Does all electrical equipment conform to IS/ IEC standards as specified by DGMS as per clause no. 107 of OMR- 2017 for use in Zone 1 and Zone 2 hazardous area of the mine.	(Yes / No)
	Has bidder enclosed approval copies for all electrical equipment deployed in hazardous areas?	(Yes / No)
	Is there any equipment without approval, deployed in hazardous areas? If yes, give details of such equipment.	
	Does bidder agree to make rig available for inspection by any statutory authority, and abide by any instruction / directions arising there-from?	(Yes / No)
19	Does bidder agree to supply electric power to production set-up, as and when required, until “Rig-down” is not formally declared?	

**To be digitally signed by Bidder’s Authorized signatory**

**RESPONSIBILITY MATRIX AND REPORTING & COMMUNICATION CHANNEL OF KEY PERSONNEL**

The responsibilities of Contractor key personnel including but not limited to those listed under Operational and HSE at the following terms as designated hereunder by 'X' mark in the appropriate rows. The listed responsibilities are in addition to the Primary Responsibilities of the specific Job title.

**Operational:**


Sl. no	Job Responsibility	Contractor Personnel																
		Rig Manager	Tool Pusher/ NTP	Electrical Supervisor	Mechanical Engineer	Driller	HSE officer	Mud Engineer	Assistant Driller	Top man	Floor man	Mechanic	Electrician	Welder	ETP Supervisor	Top Drive Operator	Medic/Doctor	Crane Operator
1	Operation & Maintenance of the Drilling Rig	X	X	X	X													
2	Look-ahead plan for 7/15/30 days	X	X	X	X													
3	Timely supply of consumables	X	X	X	X	X												
4	Inventory management of Spares	X	X	X	X	X												
5	Adherence to equipment maintenance schedule and record	X	X	X	X													
6	Monitor plans, programs and work progress	X	X			X												
7	Downhole & Well Control problems	X	X			X												
8	Co-ordinate activities with Company's third party	X	X			X												
9	Daily Operations Report	X	X			X												
10	ILM & Schedule of load transfer	X	X			X												X
11	Rig up/rig down	X	X			X			X									
12	BHAs, Drill String, Casing String, Fishing String, Tubing/completion string	X	X			X												

13	Wellhead & BOP hook up, slip seal setting cum testing.	<b>X</b>	<b>X</b>			<b>X</b>												
14	Implementation of mud program, mud parameters & mud stock	<b>X</b>	<b>X</b>					<b>X</b>										
15	Formation Integrity Test/ Pressure Integrity Test, LOTs, Casing Integrity Test	<b>X</b>	<b>X</b>			<b>X</b>												
16	Casing, liner and tubing running operations	<b>X</b>	<b>X</b>			<b>X</b>												
17	Hard or Soft Shut-in line ups	<b>X</b>	<b>X</b>			<b>X</b>												
18	Flow Check		<b>X</b>			<b>X</b>												
19	Well shutting operation	<b>X</b>	<b>X</b>			<b>X</b>												
20	Well Killing ( As per Standing Order)	<b>X</b>	<b>X</b>			<b>X</b>												
21	Servicing of all equipment & consumables	<b>X</b>	<b>X</b>			<b>X</b>		<b>X</b>										
22	Tubular & x-over		<b>X</b>			<b>X</b>		<b>X</b>										
23	Measurement and Drawing of downhole Tool and Tubulars		<b>X</b>			<b>X</b>		<b>X</b>										
24	Inspection of mast and crown		<b>X</b>			<b>X</b>		<b>X</b>	<b>X</b>									
25	P.O.L records	<b>X</b>			<b>X</b>						<b>X</b>							
26	Operation & Maintenance of ETP	<b>X</b>		<b>X</b>	<b>X</b>									<b>X</b>				
27	Overall Housekeeping	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>
28	Any Instruction from Rig Manager, Tool Pusher/NTP, Electrical Supervisor & Mechanical Engineer					<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>

**HSE:**

Sl. No.	Job Responsibility	Contractor Personnel															
		Rig Manager	Tool Pusher/ NTP	Electrical Supervisor	Mechanical Engineer	Driller	HSE officer	Mud Engineer	Assistant Driller	Top man	Floor man	Mechanic	Electrician	Welder	ETP Supervisor	Top Drive Operator	Medic/Doctor
1	Implementing Safety Management system	X	X	X	X	X	X	X									
2	Safety document management system	X	X	X	X	X	X										
3	Legal compliance	X					X										
4	Implementation of Emergency Response Plan	X	X				X										
5	BOP Function & Pressure tests	X	X			X	X										
6	BOP & Fire drills	X	X			X	X										
7	Tool box talk & JSA	X	X	X	X	X	X										
8	Schematic drawing layout of rig	X	X				X										
9	Shift Hand Over	X	X	X	X	X	X	X	X								
10	Personal protective equipment	X					X										
11	Accident/Dangerous occurring/ Near miss reporting	X	X	X	X	X	X	X									
12	Adhering to the SOP	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
13	Compliance of all safety rule(s)/ regulation(s)/ circular(s)	X	X	X	X		X										
14	Permit To Work		X	X	X	X	X										
16	Inspection of EED and FPD	X					X		X								
17	Pollution control & environmental management	X					X										

## REPORTING AND COMMUNICATION CHANNEL



**EXPERIENCE STATEMENT OF BIDDER/ SERVICE PROVIDER**

**Tender No:** \_\_\_\_\_

Bidders' experience statement for their Service in previous Seven (7) years to be reckoned from the original bid closing date of the tender.

Sl. No.	Contract No.	Name & Contact details of client	Place of Operation	Capacity of Rig in HP	Details of Oil and/or Gas Wells drilled & completed			Commencement date of contract	Completion date of contract
					Name of Well / Location	Drilled Depth of the Well	Nature of Well (vertical/ Deviated / Horizontal)		
1					1. 2. 3.				
2					1. 2. 3.				
3					1. 2. 3.				

Add rows as required.

**Note:** As a proof of successful completion of well(s), bidder must attach either copy of end of the wellreport or copy of daily progress report or any other document duly certified by Client for substantiating the drilled depth, name of well/location, Rig HP with contract number.

**Compressor Specification (Or Equivalentl) for Cement loading / off-loading**

Make: ATLAS COPCO Type: XA\_140 ALD

No. of Compressor stage: 1

Maximum unloading pressure: 8.5 Bar

Normal working pressure: 7.0 Bar

Minimum working pressure: 4 Bar

Free AIR Delivery at normal working pressure and Maximum load speed: 140 liters/sec

Diesel Engine: ALU-400

Compressor cooling system: 012/AIR

Engine speed:

Maximum Load: 2150

Unloaded speed: 1300

No. load speed: 1350

**NOTE:**

1. Suitable air dryer is needed for above compressor.

**TECHNICAL EVALUATION SHEET FOR BEC**

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder to indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
1	1.0	<p><b>GENERAL CONFORMITY:</b> The bid shall conform generally to the specifications and terms &amp; conditions given in this bid document. Bids shall be rejected in case the services offered do not conform to the required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the bidders, without which the same will be considered as non-responsive and rejected.</p>			
2	2.0	<p><b>2.0 <u>TECHNICAL EVALUATION CRITERIA:</u></b></p> <p><b>2.1 <u>EXPERIENCE:</u></b></p> <p>The Bidder must have the following experience during last <b>seven (7) years</b> reckoned from the Original Bid Closing date:</p> <p>Bidders must have the experience of providing drilling rig services with at least 01 (One) no. of drilling rig of minimum 1400 HP capacity on charter hire basis for a minimum period of 01 year under a single Contract.</p> <p>Bidders must have experience of drilling of at least 03 (Three) nos. oil/gas wells with drilling rig of minimum 1400 HP, out of which at least 01 (One) well should be of minimum 4000 m depth.</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>Bidder must have experience for operation and maintenance of Top Drive of the Rig. If the bidder does not have the said experience, then they shall have to confirm that in the event of award of contract, maintenance support of the 'Top Drive' will be provided from the manufacturer of the 'Top Drive' throughout the contract period. A 'Memorandum of understanding (MOU)' between the manufacturer and the bidder shall have to be submitted along with the technical bid in support of the maintenance of their offered 'Top Drive' system.</p> <p>Note: The Company reserves the right for physical inspection of the rig package at Contractor's site at any time during the finalization of the Contract and prior to mobilization of the rig on its own or through anyone of third-party inspection agency as mentioned below under Clause No. 2.3.5.</p>			
4	<p align="center"><b>Note to BEC Clause 2.1 above</b></p>	<p>Bids of those bidders who themselves do not meet the experience criteria as stipulated in Clause No. 2.1 above, can also quote under the categories listed below:</p> <p><b><u>A. ELIGIBILITY CRITERIA IN CASE BIDS ARE SUBMITTED ON THE BASIS OF TECHNICAL EXPERIENCE OF THE PARENT/SUBSIDIARY COMPANY:</u></b></p> <p>Offers of those bidders who themselves do not meet the experience criteria as stipulated in clause no. 2.1 above can also be considered provided the bidder is a subsidiary company of the parent company [supporting company, which holds more than fifty percent of the paid-up equity share capital of the bidder] who fulfils the experience criteria. Similarly, bid from parent company can also be considered on the strength of requisite experience of its subsidiary [supporting company, in which the bidder holds more than fifty percent of the paid-up equity share capital]. However, the parent/subsidiary company (as the case may be) of the bidder should on its own meet the experience as stipulated in the BEC and should not rely for meeting the experience criteria on its sister</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>subsidiary/co-subsidiary company or through any other arrangement like Technical Collaboration agreement.</p> <p>In case of bidder who is a subsidiary company dependent upon the experience of the parent company or vice-versa with a view to ensure commitment and involvement of the parent/subsidiary company (Supporting Company) for successful execution of the contract, the participating bidder should enclose a Parent/Subsidiary Agreement (as per format enclosed as <b>Annexure-A</b>) and also a parent/subsidiary Guarantee (as per format enclosed as <b>Annexure-B</b>) to OIL for fulfilling the obligation under the Agreement, along with the technical bid.</p> <p><u>Note:</u> In case of A above, the supporting company shall not be allowed to submit their separate/independent bid against this tender. In such case, all such bids shall be rejected. Also, all the bids having technical support from same entity shall be rejected. Further, bidders shall submit following in addition to the documents specified in 'BEC Clause 4.0 below.</p> <p>i. Undertaking by the supporting company to provide a Performance Security (as per format and instructions enclosed at PROFORMA-K), equivalent to 50% of the value of the Performance Security which is to be submitted by the bidding company in case the bidding company is the successful bidder.</p> <p>ii. In cases where the supporting company does not have Permanent Establishment in India, the bidding company can furnish Performance Security equivalent to 150% of the value of the Performance Security which is to be submitted by the bidding company. In such case bidding company shall furnish an undertaking that their subsidiary/parent company (i.e. the supporting company) is not having any Permanent Establishment in India in terms of Income Tax Act of India.</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>iii. A certificate from the statutory Auditor of the bidding company to establish the relationship and equity percentage holding between bidding company and the supporting company. The certificate should be duly concurred/endorsed by the Company Secretary or one of the Directors of the company concerned.</p> <p>The above certificate should not be more than 30 days old as on the original bid closing date.</p> <p>iv) Undertaking from the supporting company to the effect that in addition to invoking the performance security submitted by the contractor, the performance security provided by supporting company shall be invoked by OIL due to non-performance of the contractor.</p> <p><b><u>B. BID FROM JOINT VENTURE COMPANY</u></b></p> <p>In case the bidder is Joint Venture, they must be registered in India and incorporated under the Companies Act 1956/Companies Act 2013/ Limited Liability Partnership Act 2008 and any amendment thereunder and shall comply to Clause No. 2.0 above. They should meet the technical qualification requirements as under:</p> <p>The JV on its own shall meet the experience criteria as per Clause No. 2.1 above.</p> <p style="text-align: center;">or</p> <p>Any member of the JV having a stake of at least 26% in the JV, on its own shall meet experience requirement as per Clause No. 2.1 above.</p> <p><u>Note:</u></p>			
--	--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>a. In case of B above, an undertaking from the Joint Venture partner, based on whose experience the JV seek qualification, shall be submitted with the techno commercial bid stating that they shall maintain minimum 26% shareholding in the JV till the execution of the contract.</p> <p>b. The JV or its member (as the case may be) shall not rely on the experience of its supporting company/subsidiary/co-subsidiary/sister subsidiary /parent/ holding/affiliating/ associate company or through any other arrangement like technical collaborator for meeting the technical criteria.</p> <p>c. The documents establishing experience of the JV or its member (as the case may be) shall be submitted as per Clause No. 4.0 (ii) below.</p> <p><b><u>Constitution of Joint Venture:</u></b> The members of the JV should not be more than three. If during evaluation of bid, a JV leader proposes any alterations/changes in the constitution or replacement or inclusion or expulsion of any partner(s)/ member(s) of the Joint Venture which had originally submitted the bid, the bid of such a JV shall be rejected.</p> <p>Indian bidders whose proposal for Joint Venture involves foreign equity participation or payment of royalty and / or lump sum for technical know-how and wherever Govt. approval is necessary, <b>are required to submit their application submitted to SIA/RBI along with the bid</b> and copy of Govt. approval prior to the date of price bid opening. Confirmation to this effect and declaration on the same should be provided as part of their technical offer.</p> <p>Members of the JV are not allowed to quote separately/independently/or through any other arrangement like part of any other 'JV/Subsidiary/ Parent company/Sister-subsidiary/Co-subsidiary' against this tender. All the bids received in such a case shall</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>be summarily rejected. Further, all bids from parties with technical support from the same Principal shall be rejected.</p> <p>In case the contract is awarded based on the bid submitted as per 'Notes to BEC Clause 2.1. I above, in order to meet the commitment from the supporting company (Parent/Subsidiary Company/Joint Venture Constituents, as applicable), all key personnel including the rank of Driller and above shall be from the pay roll of the supporting company for the full duration of the project.</p> <p>Bidder shall submit details of current work in hand and other contractual commitments of the bidder (indicating areas and clients) along with the Techno-commercial (Un-priced) Bid.</p>			
5	<b>2.2</b>	<p>The bidder must submit an undertaking along with the techno-commercial bid confirming to provide the key personnel with requisite experience and qualification as specified in Scope of Work under Section-II. The key personnel should have valid International Well Control Forum (IWCF) certification-whenever applicable at appropriate level as per SoW.</p>			
6	<b>2.3</b>	<p><b>Drilling Rig:</b> The Bidder shall be in possession of the rig offered (with Top Drive System) either owned/ leased/proposed purchase. In case the bidder is not in possession of the rig at the time of submission of bids, they may offer a rig for which they have lease agreement / valid proof of placement of Order/purchase document.</p> <p><b>2.3.1 Identification of Rig:</b></p> <p>Bidders are required to identify their offered Rig(s) at the time of submission of bids with documentary proof thereof, confirming availability of the rig for this contract.</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>In case, owner of the Rig himself is the bidder, the certificate confirming availability of the rig for this contract shall be furnished by the owner himself.</p> <p>(iii) In case of leased rig &amp; proposed purchase of rig:</p> <p>The bidders who do not own the Rig at the time of submission of bid are required to submit along with Techno-commercial (un-priced) Bid, Lease Deed/Agreement concluded with the owner of the rig, with documentary proof of ownership of the rig. <b>Sub leased Rig shall not be accepted.</b></p> <p>The above Lease Agreement / Lease Deed should be kept valid during the bid validity period and for the entire period of contract including any extension thereof, in the event of award of contract. The Lease Agreement/Lease Deed should be either Registered or Notarised or duly certified/apostilled by the concerned Embassy /Consulate.</p> <p>In case of proposed purchase of rig package (Brand-New or Vintage), the bidder along with the Techno-commercial (un-priced) Bid shall submit a valid proof of placement of Order/purchase document on the manufacturer (for brand new rig)/owner (for vintage rig) with joint undertaking from the manufacturer/owner &amp; bidder that the complete Rig package shall be mobilized and made available to undertake uninterrupted operation within 120 days of Mobilization Notice issued by OIL. In case of proposed purchase of vintage rig, bidder shall submit documentary proof of ownership of the rig. <b>Leased agreement for a proposed purchase of Rig will not be entertained.</b></p> <p>Bidder may identify maximum of 02 rigs (1:2 ratio), which they feel best suitable, giving complete technical details for evaluation along with copy of Lease/purchase Agreement/Deed, as applicable. The successful Bidder will have to mobilize the identified rigs which are found acceptable</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>to the Company in the event of award of contract within the specified period. <b>Rig without top drive will not be considered for evaluation.</b></p> <p>Bidder would not be allowed to substitute the rig once offered by them in their bid during the period of bid validity. If more than one rig is offered by a bidder, all the rigs would be techno-commercially evaluated. The bidder can mobilize rig that is found techno-commercially acceptable by OIL, but the name of the rig to be mobilized by the bidder would have to be furnished by them within 15 days of issue of Letter of Award.</p> <p>However, the bidder will have an option to change the identified rig at the time of extending the bid validity, on the request of OIL during tender processing, provided the substitute rigs meet tender specification and vintage. Requisite documents of the rig as per BEC must also be submitted by the bidder.</p> <p>Offers with identified Rig but with the condition “subject to availability” may be considered for techno-commercial evaluation. The bidders, however, must have to confirm the unconditional availability of their offered rig minimum one day prior to price bid opening. The date of price bid opening will be intimated to the bidder in due course. Bidders who fail to confirm unconditional availability of Rig shall not be considered for price bid opening/ award of contract, without any further correspondence.</p> <p><u>RIGS ALREADY OPERATING IN OIL:</u> Offer of those bidders who offer Rig(s) which are under contract with OIL shall be considered meeting the mobilization schedule stipulated in the tender, if the remaining contract period (including extension provision, if any) in respect of those Rig(s) does not exceed the original validity period of the bids stipulated in the tender PLUS the mobilization period mentioned in the tender. This period shall be reckoned from the date of techno-commercial Bid Opening.</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p><u>RIGS ALREADY OPERATING IN COMPANY OTHER THAN OIL:</u> In case the offered rig(s) is/are in operation under contractual obligation with any other company then bidder along with their technical bid shall clearly indicate the date of de-hiring/expiry of the contract.</p> <p>The input horsepower rating of the Draw-works of offered rig should be minimum 2000 HP. Further the rig offered should be Diesel-Electric (AC-SCR or AC-VFD) having minimum 1000 kps static hook load capacity self-elevating type mast and sub-structure (conforming to API specification 4F) and also suitable for cluster location (1 + 3 Wells), spacing between wells at surface on cluster well plinth is maximum 18m. The Rig package should also include a proper Effluent Treatment Plant. The details of the rig package as envisaged for the requirement is given in Part-3: Section-II in the Bid Document. Bidders must confirm compliance of the same.</p> <p>The Bidder should confirm that their offered rig(s) is/are installed with suitable top drive system.</p> <p>Vintage: The offered rig package should not be more than fifteen (15) years old as on the original bid closing date. The vintage should be mentioned in the TPI certificate required to be submitted as per clause 2.3.5 &amp; 2.3.6 below.</p> <p>Rigs older than 15 (Fifteen) years may also be offered, provided the offered drilling rig has undergone refurbishment/up-gradation not earlier than 05 (Five) years prior to the date of issue of TPI report. The TPI Certificate should not be older than 06 (Six) months as on date of original bid closing date. The bidder should submit TPI certificate from any one of the below mentioned inspection agencies as per Form-1 (Annexure-I) of the tender document along with techno-commercial (un-priced) bid:</p> <p>(i) M/s Bureau Veritas</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>(ii) M/s Det Norske Veritas (iii) M/s Lloyd's (iv) M/s Oil Field Audit Services (v) M/s ABS.</p> <p>[For Vintage calculation, oldest item(s) among Mast &amp; Sub-structure, Draw Works, Slush (Mud) Pumps, Top Drive System, Rig Engines and Power Control Room (PCR) will be considered)].</p> <p><b><u>Residual life:</u></b></p> <p>The offered drilling rig, if not brand new, should have a minimum residual life of 07 (Seven) years as on the original bid closing date and this is to be certified by any one of the TPI agencies mentioned at Clause No. 2.3.5 above as per <b>Form-1 (Annexure-I)</b> of the tender document along with techno-commercial (un-priced) bid. The last date of inspection by TPI Agency indicated in the TPI Certificate should not be older than 06 (Six) months as on date of original bid closing date.</p> <p>For determination of residual life, major rig items viz. Mast &amp; Sub-structure, Draw Works, Slush (Mud) Pumps, Top Drive System, Rig Engines and Power Control Room (PCR) will be considered.</p> <p>Note: The certificate should clearly indicate and confirm without any ambiguity the following:</p> <p>(a) Name and address of the owner of the rigs after due verification of documents.</p> <p>Confirmation that the rig package meets the technical specification as laid down at Part-3: Section-II of the Tender Document.</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>Make, Model, Capacity/Rating and residual life as inspected for each of the component as well as for the overall rigs.</p> <p>In case of proposed purchase of brand-new rigs, the bidder should submit purchase order document and a certificate from the manufacturer certifying the current status of the purchase order and the committed date of readiness of the complete rig package for shipment after due inspection. This certificate must be submitted along with the techno-commercial (Un-priced) bid.</p> <p>In case of purchase of rig other than brand new, Registered/Notarised/Apostilled Sale-Purchase Agreement with the seller of the Rig has to be submitted. However, in this case, the Rig has to satisfy the vintage clause, residual life clause and the Mobilization schedule as per the tender.</p> <p>The offered rig(s) should not be idling for more than 3(three) years continuously as on the original bid closing date. In case, the rigs are idling for more than 3 years continuously i.e., if the rig has not carried out operations even in one well during last 3 years as on the original bid closing date, the following should be complied:</p> <p>(i)The above TPI should also confirm that the specified rig equipment have been serviced and certified towards equipment fitness by OEMs or its authorized agency or any other manufacturer having API certification for the same product during the last 3(three) years from the original bid closing date.</p> <p>(ii) Bidders shall also submit along with unpriced bid copies of such certificate from OEMs or its authorized agency or any other manufacturer having API certification, as the case may be.</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>(iii) The date of inspection for issuance of such certificate, shall not be older than 6 (six) months as on the original bid closing date.</p> <p>(iv) TPI should bring out clearly condition of rig i.e. acceptable or not acceptable in its report and report should be submitted with the unpriced bid.</p>			
7	2.4	<p><b>Mobilization Period:</b> Bidder must confirm to mobilize the Drilling Rig within 120 days from the date of issue of Mobilization Notice, which will be issued not later than 30 (thirty) days from the date of LOA. Offers indicating mobilization time more than 120 days from the date of issuance of Mobilization Notice will be rejected. Bidders are advised to indicate the best mobilization schedule in their bid.</p>			
8	2.5	<p><b>Mobilization Period of Offered Rigs which are already operating with OIL:</b></p> <p>In case the offered Rig(s) is/are in operation with OIL under existing contract the bidder may bid as “Subject to Availability”. In such case, the bidder has to fulfil the Clause No: 2.3.1 (vi). If the bidder emerges successful against this tender, then successful bidder shall be allowed to deploy their Rig (s) within 60 (Sixty) days from date of de-hiring by OIL from the on-going Contract OR 120 days from the date of issue of Letter of Award (L.O.A), whichever is later.</p> <p>Repair of Rig, recertification of BOPs and any other major equipment, if any, are to be completed and Rig to be deployed within 60 (Sixty) days from date of de-hiring from the on-going Contract OR 120 days from the date of issue of Letter of Award (L.O.A), whichever is later.</p> <p><u>Note for Clause 2.4 &amp; 2.5 above:</u> Bidders to provide schedule of activities for completing the mobilization within the Mobilization Schedule during Kick-Off Meeting Schedule to be held within 15 days from the date of Letter of Award (LOA).</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

9	<b>2.6</b>	Bidders shall submit Proforma-S towards the rigs offered by them along with the technical bid, failing which their bid shall be liable for rejection.			
<b><u>3.0 FINANCIAL EVALUATION CRITERIA:</u></b>					
10	<b>3.1</b>	Annual Financial Turnover from operation of the bidder during any of preceding 03 (Three) financial/accounting years reckoned from the original bid closing date should be at least Rs. 39,43,76,000.00 (or USD 45,93,000.00 million).			
11	<b>3.2</b>	Net worth of the bidder must be Positive for the preceding financial/accounting year.			
12	<b>3.3</b>	<p>In case the bidder is a subsidiary company, who does not meet financial criteria by itself and submits bid based on the financial strength of its parent/ultimate parent/holding company, then documents need to be submitted along with the technical bid in support of the following:</p> <p><b>(i)</b> Annual Turnover from operation of last three accounting years of the parent/ultimate parent/holding company (supporting company) shall be as per Clause 3.1 above.</p> <p><b>(ii)</b> Net worth of the parent/ultimate parent/holding company (supporting company) shall be positive for the accounting year preceding the bid closing date as per Clause 3.2 above.</p> <p><b>(iii) Corporate Guarantee (PROFORMA-XIX)</b> on parent/ultimate parent/holding company's (supporting company) letter head signed by an authorized official undertaking that they would financially support their subsidiary company for executing the project/job in case the same is awarded to them, and</p> <p><b>(iv)</b> A certificate from the statutory Auditor of the bidding company to establish the relationship and equity percentage holding between bidding company and the supporting company. The certificate should be duly concurred/endorsed by the Company Secretary or one of the Directors of the company concerned.</p> <p>The above certificate should not be more than 30 days old as on the original bid closing date.</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

13	<b>3.4</b>	<p>se the bidder is a Incorporated Joint Venture company, who does not meet financial criteria by itself and submits bid based on the financial strength of its member having more than 50% stake in the JV, then documents need to be submitted along with the technical bid in support of the following:</p> <p>Annual Financial Turnover from operation of the member having more than 50% stake in the JV during any of preceding 03 (Three) financial/accounting years from the original bid closing date shall be as per Clause 3.1 above.</p> <p>Net worth of the member having more than 50% stake in the JV (supporting company) should be positive for the financial/accounting year preceding the original bid closing date.</p> <p><b>(iii) Corporate Guarantee (PROFORMA-XX)</b> on the letter head of the member having more than 50% stake in the JV signed by an authorized official undertaking that they would financially support their subsidiary company for executing the project / job in case the same is awarded to them, and</p> <p>A certificate from the statutory Auditor of the bidding company to establish the relationship and equity percentage holding between bidding company and the supporting company. The certificates should be duly concurred/endorsed by the Company Secretary or one of the Directors of the company concerned or Managing / Authorized partner of the LLP.</p> <p>The above certificate should not be more than 30 days old as on the original bid closing date.</p> <p>Further, an undertaking from the Joint Venture partner (based on whose financial strength bidder is bidding) shall be submitted along with the techno commercial bid stating that they shall maintain more than 50% shareholding in the JV till the execution of the contract.</p>			
----	------------	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p><b>Notes:</b></p>	<p>i. Annual Financial Turnover of the bidder from operations shall mean: "Aggregate value of the realisation of amount made from the sale, supply or distribution of goods or on account of services rendered, or both, by the company (bidder) during a financial year" as per the Companies Act, 2013 Section 2 (91).</p> <p>ii. Net worth shall mean: "Share capital + Reserves created out of profits and securities Premium – Aggregate value of accumulated losses (excluding revaluation reserves) – deferred expenditure – Miscellaneous Expenditure to the extent not written off and carried forward Loss - Reserves created out of write back of depreciation and amalgamation"</p>			
<p align="center">14</p>	<p align="center"><b>Note to BEC clause 3.0 above</b></p>	<p>Financial Statements (Balance Sheet along with Profit &amp; Loss account) audited by the auditors appointed under the statute like Companies Act, etc. wherever applicable.</p> <p align="center">OR</p> <p>A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number, Firm Registration Number &amp; UDIN no), as per format prescribed in Proforma-XIV.</p> <p>In cases where the bidding/ supporting company (as applicable) are not required to prepare Audited Financial Statements as per the Law of the Land of the country of the bidding/supporting company as applicable, the bidder shall provide documentary evidence for the same along with a certificate from a practicing Chartered Accountant or equivalent to this effect. The bidder must also submit the financial statement as per the accounting standards of the country of the bidding/supporting company as the case may be, duly certified by the practicing-chartered accountant or equivalent.</p> <p>Note :</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>i. Mention of UDIN (Unique Document Identification Number) is mandatory for all Certificates issued w.e.f. February 1, 2019 by Chartered Accountant in Practice.</p> <p>ii. In case the Audited Balance sheet and Profit Loss Account submitted along with the bid are in currencies other than INR/USD, the bidder shall have to convert the figures in equivalent INR considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit &amp; Loss Account is signed. A CA Certificate is to be submitted by the bidder regarding converted figures in equivalent INR. Else, the Audited Balance Sheet and Profit &amp; Loss Account shall be evaluated by considering the BC selling rate declared by State Bank of India (on the date on which the Audited Balance Sheet and Profit &amp; Loss Account is signed) for conversion to INR.</p> <p><b>a.</b> Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months/within the due date for furnishing of audit report as per Section 139(1) of IT Act, 1961 (read along with latest circulars/notifications issued by CBDT from time to time) reckoned from the original bid closing date and the Financial Statements of the preceding financial/accounting year are not available with the bidder, then the financial turnover of the previous three financial /accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial/accounting year will be considered. However, the bidder has to submit an undertaking in support of the same along with their technical bid as per <b>Proforma-X</b>.</p> <p><b>b.</b> In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government,</p>			
--	--	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.</p> <p><b>d.</b> In case the bidder is a Government Department, they are exempted from submission of document mentioned under para <b>a.</b> and <b>b.</b> above.</p> <p><b>e.</b> Bid will be rejected if not accompanied with adequate documentary proof in support of Annual turnover and Net worth as mentioned above in Para 3.0.</p>			
<p align="center"><b>15.0</b></p>	<p align="center"><b>4.0</b></p>	<p><b><u>DOCUMENTS:</u></b></p> <p>Bidders must furnish documentary evidence with the specific chapters, separated by dividers, in the same order as set out here below (i) to (viii) in support of fulfilling all the requirements along with their un-priced techno-commercial Bids.</p> <p>(i) Rig offered: Documents relating to rig package already in possession or proposed to own/lease along with the proof of vintage, description and complete technical specifications etc.</p> <p>(ii) Drilling experience of bidder:</p> <p>(a) Statement to be furnished by the bidder in a tabular form along with copies of contracts/work-orders along with completion certificates/ payment certificates issued by the clients or any other documents to establish the experience.</p> <p>(b) End of well reports and/or Daily report or any other document(s) issued by the client(s) in confirmation of number of wells and well depth as per clause no. 2.1 (b) above.</p> <p><b><u>Note:</u></b></p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>a) Work executed by a bidder for its own organization/subsidiary/Joint Venture cannot be considered as experience for the purpose of meeting BEC.</p> <p>b) In case requisite experience is against OIL's Contract, bidder shall only require to categorically specify OIL's Contract Number and date.</p> <p>(iii) Financial Turnover and Net worth of Bidder: As per Notes to BEC Clause 3.0 (a).</p> <p>(iv) Document in support of Joint Venture arrangements/bidder bidding based on the experience of Parent/Subsidiary Company: As per Notes to BEC Clause 2.1(I).</p> <p>(v) Residual life of the rig(s) offered as per para 2.3.6 above.</p> <p>(vi) Proforma-S as per para 2.6.</p> <p>(vii) Contractor's general structure and organization, including the branch/sub-division dedicated to specific activities related to the execution of the contract.</p> <p>(viii) Details of bidder's Health, Safety and Environmental Management Policy Manual together with a copy of Safe Operating Practices (SOP) of all rig operations.</p> <p><b><u>Notes:</u></b></p> <p>i. Bid without the above listed documents or information shall be liable for rejection.</p> <p>ii. Oil India Limited (OIL) reserves the right to contact the Client(s) referred by the Bidder for authentication of the documents submitted by</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>the Bidder. OIL may contact the clients/operators under intimation/copy to the respective Bidder. It will be the responsibility of the Bidder to take up the matter with his Client(s) and arrange for the confirmation as desired by OIL.</p> <p>iii. All Certificates and documentary evidences required to be submitted in support of Para 2.0 and 3.0 above should be clearly legible and in the English language. If any certificate is submitted in a language other than English language, the same should be translated to English, duly authenticated by local chamber of Commerce of bidder's / Joint Venture partner's country, in which case, for purposes of interpretation of the bid, the English translation shall prevail.</p> <p>iv. All the documents submitted towards compliance of BEC should be verified and certified by TPI as per Clause No. 9.0 below.</p>			
<b>5.0 COMMERCIAL EVALUATION CRITERIA:</b>					
16	<b>5.1</b>	The bids are to be submitted under single stage Two Bid System i.e. Un-priced Techno-Commercial Bid and Price Bid in their respective fields in E-portal. Only the Price Bid should contain the quoted price.			
17	<b>5.2</b>	The price quoted by the successful bidder must be firm during the performance of the contract and not subject to variation on any account except as mentioned in the bid document. Any bid submitted with adjustable price quotation other than the above will be treated as non-responsive and rejected.			
18	<b>5.3</b>	Bid security shall be furnished as a part of the Techno Commercial Un-priced Bid. The amount of bid security should be as specified in the forwarding letter. Any bid not accompanied by a proper bid security will be rejected.			
19	<b>5.4</b>	Bid Documents/User Id & Password for OIL's E-Tender portal are not transferable.			

**TECHNICAL EVALUATION SHEET FOR BEC**

20	<b>5.5</b>	Any bid received in the form of Physical document/ Telex/Cable/Fax/E-mail will not be accepted.			
21	<b>5.6</b>	Bids shall be typed or written in indelible ink. The Bids and all uploaded documents must be digitally signed using “Class 3” digital certificate [e-commerce application (Certificate with personal verification and Organization name)] as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India[except copies of the documents required in physical form] should invariably be submitted in the ‘Technical Attachment Tab’ through OIL’s e-bidding portal, before the scheduled date and time for the tender closing. All the documents uploaded shall be digitally signed by the authorized signatory of the bidder.			
22	<b>5.7</b>	Bids shall contain no interlineations, erasures or overwriting except as necessary to correct errors made by bidder, in which case such corrections shall be initiated by the persons(s) signing (digitally) the bid. However, white fluid should not be used for making corrections. Any bid not meeting this requirement shall be rejected.			
23	<b>5.8</b>	Any bid containing false statement will be rejected and action will be taken by Company as per Bid Document.			
24	<b>5.9</b>	Bidders must quote clearly and strictly in accordance with the price schedule outlined in Price Bidding Format attached under "Notes and Attachments" tab in the main bidding engine of OIL's E-Tender portal; otherwise the bid will be rejected. All other techno-commercial documents other than price details to be submitted with Unpriced Techno-Commercial Bid as per tender requirement under "Technical Attachment" Tab Page only.			
25	<b>5.10</b>	Bidder must accept and comply with the following provisions as given in the Tender Document in toto, failing which offer will be rejected: (i) Firm price (ii) Bid Security (iii) Period of validity of Bid (iv) Price Schedule			

**TECHNICAL EVALUATION SHEET FOR BEC**

		<ul style="list-style-type: none"> <li>(v) Performance Bank Guarantee/Security deposit</li> <li>(vi) Delivery/Completion Schedule</li> <li>(vii) Scope of work</li> <li>(viii) Guarantee of material/work</li> <li>(ix) Liquidated Damages clause</li> <li>(x) Tax liabilities</li> <li>(xi) Arbitration/Resolution of Dispute Clause</li> <li>(xii) Force Majeure</li> <li>(xiii) Applicable Laws</li> <li>(xiv) Specifications</li> <li>(xv) Integrity Pact</li> </ul>			
26	<b>5.11</b>	There should not be any indication of price in the Un-priced Techno-Commercial Bid. A bid will be straightway rejected if this is given in the Un-priced Techno-Commercial Bid.			
27	<b>5.12</b>	Bid received with validity of offer less than 120 (one hundred twenty) days from Bid Opening Date will be rejected.			
28	<b>5.13</b>	The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide “ <b>Part-5-Integrity Pact</b> ” of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the Un-priced Techno-Commercial Bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit the Integrity Pact, their bid will be rejected.			
29	<b>5.14</b>	Bidders should not be under liquidation/bankruptcy/undergoing any insolvency resolution process as on Bid Closing date. Further neither the Bidders nor any of any of its allied concerns/ partners or associates or directors or proprietors involved in any capacity should be under Holiday List/Banning List/Suspension List of OIL as on Bid Closing date. Bidders shall submit undertaking towards compliance of above as per the			

**TECHNICAL EVALUATION SHEET FOR BEC**

		prescribed formats (Appendix-1 & Appendix-2) along with the bid. If any bidder declines to submit the above undertakings, their bids shall be liable for rejection.			
30	<b>5.15</b>	Bidders shall submit duly filled checklists on BEC & other relevant technical criteria as prescribed in the tender along with their technical bid. If any bidder fails/declines to submit the same, their bid shall not be considered for further evaluation.			
<b>6.0 PRICE EVALUATION CRITERIA:</b>					
31		The bids conforming to the technical specifications, terms and conditions stipulated in the bidding document and considered to be responsive after subjecting to Bid Evaluation Criteria mentioned above will be considered for further evaluation as per the Price Evaluation Criteria given below:			
32	<b>6.1</b>	Bidders are required to quote for all the items as per Price Bid Format, otherwise the offer of the bidder will be straightway rejected.			
33	<b>6.2</b>	If there is any discrepancy between the unit price and the total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.			
34	<b>6.3</b>	The quantities shown against each item in the "Price Bid Format" shall be considered for the purpose of Bid Evaluation. It is, however, to be clearly understood that the assumptions made in respect of the quantities for various operations are only for the purpose of evaluation of the bid and the Contractor will be paid on the basis of the actual number of days/parameter, as the case may be.			
35	<b>6.4</b>	The bidders are advised not to offer any discount/rebate separately and to offer their prices in the Price Bid Format after considering discount/rebate, if any.			
36	<b>6.5</b>	Conditional and unsolicited discount will not be considered in evaluation. However, if such bidder happens to be the lowest recommended bidder, unsolicited discount without any condition will be considered for computing the contract price.			

**TECHNICAL EVALUATION SHEET FOR BEC**

37	<b>6.6</b>	In case of identical overall lowest offered rate by more than 1(one) bidder, the selection will be made by draw of lot between the parties offering the same overall lowest price.			
38	<b>6.7</b>	The inter-se-ranking of the techno-commercially qualified bidders will be determined on overall lowest cost basis (L-1 offer) i.e. considering the Total quoted price inclusive of all liabilities and GST.			
39	<b>6.8</b>	While evaluating the bids, the closing rate (B.C. Selling Rate) of exchange declared by State Bank of India on the day prior to price bid opening will be taken into account for conversion of foreign currency into Indian Rupees			
40	<b>6.9</b>	Price Bids shall be evaluated on overall lowest cost to OIL (L-1 offer) basis i.e. considering total quoted price for all services including quoted GST (CGST & SGST/UTGST or IGST).			
41	<b>6.10</b>	Bidder shall quote same rates for all the Rigs options quoted by them. Bidders quoting different rates (either total or individual item rate) would be rejected.			
42	<b>6.11</b>	<p>Price Evaluation of the qualified bids will be done on the basis of rates quoted by the bidder as per PROFORMA-B. However, bidders must comply with the limits indicated against each of the following rates:</p> <p>(a) Payment towards mobilization charges for each rig package should not exceed 3% of the estimated total Contract value for each Rig for four years operation. However, mobilization charges if quoted in excess of 3% of the estimated total contract cost, the excess amount shall be paid at the end of the contract.</p> <p>(b) Payment towards Standby Day Rate shall be 90% (ninety percent) of the Operating Day Rate.</p> <p>(c) Payment towards Rig Repair Day Rate and Stack Day Rate each shall be 50% (Fifty percent) of Operating Day Rate.</p> <p>(d) Payment towards Force Majeure Day Rate shall be 50% (fifty percent) of Operating Day Rate.</p> <p>(e) Demobilization Charges for each rig package should not be less than 2% (two percent) of the estimated total Contract value per Rig for four (4) years operation. In case de-mobilization charges is quoted less than</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

		2%, the differential amount will be kept on hold from the 1st invoice onwards and the same will be paid at the end of the contract along with Demobilization charges.			
43	<b>6.12</b>	<p>Priced Bids shall be evaluated taking into account the rates quoted by the bidders in the PRICE BID FORMAT (Proforma-B) by taking into account the summation of the following:  TOTAL ESTIMATED CONTRACT COST FOR EACH RIG FOR 4 YEARS CONTRACT DURATION (including GST and all other Taxes &amp; Duties):  TCROG = TCRO+GST = TM + TD + TOP + TILM0+ TILM1 + TILM2  Where,  (a) Total 'Mobilization Charges (M)' for each Rig, TM = M x 1  (b) Total 'Demobilization Charge (D)' for each Rig, TD = D x 1  (c) Total 'Operating Day Rate (ODR)' for each Rig, TOP = ODR x 1297 days  (d) Total Inter-Location Movement charge (Cluster location) Lump sum for each Rig, TILM0 = ILM0 x 5  (e) Total 'Inter-location Movement Charges (ILM1)' for each Rig, TILM1 = ILM1 x 8 (For movement within a distance of 30 Kms)  (f) Total 'Inter-location Movement Charges on Kilometer Basis (ILM2) for each Rig, TILM2= ILM2 x 500 (For movement in excess of 30 Kms)  NOTE: The above items are defined in Schedule of Rates/Price bid format.</p>			
44	<b>6.13</b>	<p>OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet.  However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid.</p>			
45	<b>6.14</b>	Price Bid uploaded without giving any of the details of the taxes (Including rates and amounts) will be considered as inclusive of all taxes including GST.			

**TECHNICAL EVALUATION SHEET FOR BEC**

		When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/Contracts will be binding on the bidder.			
43	<b>6.15</b>	Input Tax Credit on GST (Goods & Service Tax) for this service is NOT available to OIL & the bids will be evaluated based on total price including GST.			
44	<b>6.16</b>	<p><b>CUSTOMS DUTY:</b> In terms of Sl. No. 404 of the Customs Notification No.50/2017-Cus dated 30.06.2017, imports of the items specified in List 33 of the Notification are subject to levy of concessional rate of customs duty @12% (BCD Nil &amp; IGST @12%) subject to conditions specified therein (Condition No. 48). However, Condition No. 48 along with List-33 of the said notification has been amended vide Customs Notification No. 02/2022-Customs dated 01.02.2022.</p> <p>Similarly, the domestic supply of such goods would attract 12% GST (i.e. IGST or CGST &amp; SGST/UTSGT) on submission of EC in terms of GST Notification No. 03/2017.</p> <p>Bidders shall take note of the prevailing customs notifications including the latest amendment vide gazette Notification No. 02/2022-Customs dated 01.02.2022 while quoting their prices. Bidder should consider concessional Customs Duty only for those items appearing in List-33 therein. Items of their import other than those appearing in List-33 of the said gazette notification shall be considered as duty payable on merit basis in their respective bid. OIL shall issue the requisite undertaking/certificate on request from Contractor for availing concessional rate of customs duty only against the items explicitly covered under List-33 of Customs Notification No. 02/2022-Customs dated 01.02.2022 or against any other item(s) subsequently declared by the competent authority during the tenure of the contract to be duty</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>exempted/concessional. However, in the event of refusal/denial by Customs Authority to accord exemption/concession of Customs Duty against import of items which are explicitly covered under List-33 of Notification No. 02/2022-Customs dated 01.02.2022, such applicable customs duty shall be reimbursed at actual by OIL to the Contractor on submission of documentary evidence.</p> <p>Similarly, the items other than those appearing in List-33 of the said gazette notification, if to be imported by the Contractor for the purpose of execution of contract against this tender, the same shall be considered as duty payable on merit basis and the applicable customs duty thereof must be included by the bidder in their respective bid value. OIL will not issue any Undertaking/Certificate towards customs duty concession/exemption for those items (not included in List-33 of Notification) and the duty payable on merit shall be borne by the Contractor. However, any other item if subsequently notified by the competent authority to be Duty free/concessional during the tenure of the contract, OIL will issue requisite Certificate/Undertaking for Contractor to avail the Customs Duty benefit and the duty benefit must be passed on to OIL. Additionally, for all those items against which the bidder considers the Customs Duty on merit, the list specifying the Customs Duty Rate (percentage) may be furnished, so that subsequent increase/decrease in Customs Duty, if any shall be reimbursed/recovered by OIL as the case may be on documentary evidence.</p> <p>Bidders should submit the list of items which are to be imported for execution of the contract against this tender as per Proforma-A prudently along with their bid. Undertaking/Certificate for availing concessional rate of Customs Duty shall be issued by OIL only for the eligible items, provide the same are included in the Proforma-A submitted by the bidder.</p> <p>Note</p>			
--	--	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>a. The above stipulations shall prevail over other clauses if stipulated otherwise elsewhere in the original tender document/previous amendments. However, the aforementioned notifications are subject to change as per Government guidelines and the provisions ruling at the time of Bid Closing will be applicable.</p> <p>b. The Bidder has to re-export the rigs after completion of the contract in case of imported rigs. The bidder will be fully responsible to pay the customs duty in case the rigs are taken by the Contractor to area where customs duty benefit is not applicable. This is applicable in case OIL issues recommendatory letter for availing concessional customs duty for import of goods.</p>			
45	7.0	<p><b><u>GENERAL:</u></b></p> <p><b>7.1</b> In case bidder takes exception to any clause of bidding document not covered under BEC/BRC, then the Company has the discretion to load or reject the offer on account of such exception if the bidder does not withdraw/modify the deviation when/as advised by company. The loading so done by the company will be final and binding on the bidders. No deviation will however be accepted in the clauses covered under BEC/BRC.</p> <p><b>7.2</b> To ascertain the substantial responsiveness of the bid the Company reserves the right to ask the bidder for clarification in respect of clauses covered under BEC also and such clarifications fulfilling the BEC clauses in toto must be received or before the deadline given by the company, failing which the offer will be evaluated based on the submission. However, mere submission of such clarification shall not make the offer responsive, unless company is satisfied with the substantial responsiveness of the offer.</p> <p><b>7.3</b> If any of the clauses in the BEC contradict with other clauses of bidding document elsewhere, the clauses in the BEC shall prevail.</p> <p><b>7.4</b> Bidder(s) must note that requisite information(s)/financial values etc. as required in the BEC &amp; Tender are clearly understandable from the</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>supporting documents submitted by the Bidder(s); otherwise Bids shall be rejected.</p> <p><b>7.5</b> OIL will not be responsible for delay, loss or non-receipt of applications for participating in the bid sent by mail and will not entertain any correspondence in this regard.</p> <p><b>7.6</b> The originals of documents [furnished by bidder(s)] shall have to be produced by bidder(s) to OIL as and when asked for.</p>			
46	7.0	<p><b><u>PURCHASE PREFERENCE CLAUSE:</u></b></p> <p><b>8.1 <u>PURCHASE PREFERENCE TO MSE BIDDERS:</u></b> Purchase Preference to Micro and Small Enterprises is applicable for this tender.</p> <p>Note: Provisions such as seeking support from another company by way Parent/Subsidiary Company’s experience/ JV Constituents, etc., wherever allowed in the tender document shall be available to all interested bidders including MSEs. In those scenarios, MSEs quoting on the strength of Parent/Subsidiary/JV Constituents (whichever applicable) will be eligible for the benefits (Purchase Preference and EMD Exemption) reserved for MSEs provided the supporting company for technical and financial strength is/are also MSE(s).</p> <p><b><u>Documentation required to be submitted by MSEs:</u></b> Categorization and various criteria applicable to MSE bidders shall be guided by the Gazette Notification No. <b>CG-DL-E-26062020-220191 dated 26.06.2020</b> and Amendment vide Gazette Notification no. <b>CG-DL-E-16062021-227649 dated 16.06.2021</b> and <b>No. CG-DL-E-19012022-232763 dated 19.01.2022</b> and <b>CG-DL-E-06052022-235600 dated 06.05.2022</b> issued by MINISTRY OF MICRO, SMALL AND MEDIUM ENTERPRISES, and any amendment thereof.</p> <p>The bidder claiming the MSE status (MSE-General, MSE-SC/ST, MSE-Woman) against this tender has to submit Udyam Registration Number</p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>with Udyam Registration Certificate along with the technical bid for availing the benefits applicable to MSEs.</p> <p><b>Note:</b> In case bidding MSE is owned by Schedule Caste or Schedule Tribe or Woman entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ST/Woman entrepreneur should also be enclosed.</p> <p><b>8.2 PURCHASE PREFERENCE POLICY (LINKED WITH LOCAL CONTENT) (PP-LC):</b> Purchase preference under Public Procurement (Preference to Make in India) Order, 2017 of Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India as revised vide Order No. <b>P-45021/2/2017-PP (BE-II)</b> dated <b>16th September 2020</b> (and as amended time to time) with modifications as notified vide MoPNG Order No. <b>FP-20013/2/2017-FP-PNG-Part (4) (E-41432)</b> dated <b>26th April 2022</b>, shall be applicable in this tender. Bidders to check the provisions of the Order for their eligibility to bid and seek benefits for Purchase preference, accordingly.</p> <p><b>8.3</b> Contract shall be awarded for the entire scope of work under this tender subject to concurrent application of Public Procurement Policy for MSE Order 2012 and PP(MII) Order 2017 as per Order No. F.1/4/2021-PPD dated 18.05.2023 issued by Public Procurement Division, Department of Expenditure, Ministry of Finance, Govt. of India and any subsequent amendment thereto.</p> <p>Note:</p> <p>a. Services under this tender is not splittable.</p> <p>b. The 'Total Price' shall be matched with that of the L1 bidder as under:</p>			
--	--	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<p>I. <u>In case ‘Operating Day Rate (ODR)’ of the bidder is higher than the corresponding price quoted by the L1 bidder:</u></p> <p>i. The <u>‘Total Price per rig’</u> of the bidder shall be calculated by matching the ODR quoted by the bidder to that of L1 price. If the <u>‘Total Price per rig’</u> of the bidder after matching the ODR is found to be higher than the price of the L1 bidder, the differences in the <u>‘Total Price per rig’</u> after matching as above, shall be reduced proportionately from remaining line items to match the <u>‘Total Price per rig’</u> of the bidder per rig to the corresponding price of L1 bidder.</p> <p>ii. In case the <u>‘Total Price per rig’</u> of the bidder after matching the ODR (as stated in Para i. above) is found to be lower than the corresponding L1 price, then ODR shall be reduced in such a way to match <u>‘Total Price per rig’</u> of the bidder with the L1 price.</p> <p><u>In case the ‘Operating Day Rate (ODR)’ of the bidder is lower than the corresponding L1 price:</u> The difference in the <u>‘Total Price per rig’</u> of the bidder and L1 price shall be reduced proportionately from all the line items except for <u>‘Operating Day Rate (ODR)’</u>, to match the <u>‘Total Price’</u> of the bidder to the corresponding L1 price.</p>									
48	<p align="center"><b>THIRD PARTY INSPECTI ON</b></p>	<p><b>10.1</b> Oil India Limited (OIL) has engaged the following 09 (Nine) Independent Inspection Agencies to verify and certify various documents required against BEC/BRC of the tender:</p> <table border="1" data-bbox="459 1141 1460 1377"> <thead> <tr> <th data-bbox="459 1141 1034 1177">Name of Independent Inspection Agency</th> <th data-bbox="1034 1141 1460 1177">Contact E-Mail ID</th> </tr> </thead> <tbody> <tr> <td data-bbox="459 1177 1034 1278">M/s. Dr. Amin Controllers Private Limited</td> <td data-bbox="1034 1177 1460 1278"> <a href="mailto:rkjain@rcaindia.net">rkjain@rcaindia.net</a>;  <a href="mailto:pradeep.mathur@rcaindia.net">pradeep.mathur@rcaindia.net</a>  <a href="mailto:info@rcaindia.net">info@rcaindia.net</a> </td> </tr> <tr> <td data-bbox="459 1278 1034 1377">M/s. TUV India Private Limited</td> <td data-bbox="1034 1278 1460 1377"> <a href="mailto:noida@tuv-nord.com">noida@tuv-nord.com</a>;  <a href="mailto:mumbai@tuv-nord.com">mumbai@tuv-nord.com</a>  <a href="mailto:salim@tuv-nord.com">salim@tuv-nord.com</a> </td> </tr> </tbody> </table>	Name of Independent Inspection Agency	Contact E-Mail ID	M/s. Dr. Amin Controllers Private Limited	<a href="mailto:rkjain@rcaindia.net">rkjain@rcaindia.net</a> ; <a href="mailto:pradeep.mathur@rcaindia.net">pradeep.mathur@rcaindia.net</a> <a href="mailto:info@rcaindia.net">info@rcaindia.net</a>	M/s. TUV India Private Limited	<a href="mailto:noida@tuv-nord.com">noida@tuv-nord.com</a> ; <a href="mailto:mumbai@tuv-nord.com">mumbai@tuv-nord.com</a> <a href="mailto:salim@tuv-nord.com">salim@tuv-nord.com</a>			
Name of Independent Inspection Agency	Contact E-Mail ID										
M/s. Dr. Amin Controllers Private Limited	<a href="mailto:rkjain@rcaindia.net">rkjain@rcaindia.net</a> ; <a href="mailto:pradeep.mathur@rcaindia.net">pradeep.mathur@rcaindia.net</a> <a href="mailto:info@rcaindia.net">info@rcaindia.net</a>										
M/s. TUV India Private Limited	<a href="mailto:noida@tuv-nord.com">noida@tuv-nord.com</a> ; <a href="mailto:mumbai@tuv-nord.com">mumbai@tuv-nord.com</a> <a href="mailto:salim@tuv-nord.com">salim@tuv-nord.com</a>										

**TECHNICAL EVALUATION SHEET FOR BEC**

	M/s. Conformity India International Private Limited	<a href="mailto:mktg@ciindia.in">mktg@ciindia.in</a>			
	M/s. Ravi Energie Private Limited	<a href="mailto:baroda@ravienergie.com">baroda@ravienergie.com</a> <a href="mailto:tpia@ravienergie.com">tpia@ravienergie.com</a>			
	M/s. SGS India Private Limited	<a href="mailto:dhaval.vora@sgs.com">dhaval.vora@sgs.com</a> <a href="mailto:sgs.india@sgs.com">sgs.india@sgs.com</a>			
	M/s. Assure Quality Management Certification Services Private Limited	<a href="mailto:aqmcs@aqmcs.com">aqmcs@aqmcs.com</a>			
	M/s. IRCLASS Systems and Solutions Private Limited	<a href="mailto:industrial_services@irclass.org">industrial_services@irclass.org</a> <a href="mailto:Bhavesh.satam@irclass.org">Bhavesh.satam@irclass.org</a>			
	M/s. TUV Rheinland (India) Pvt. Ltd.	<a href="mailto:Shailesh.deotale@ind.tuv.com">Shailesh.deotale@ind.tuv.com</a> <a href="mailto:Kaushal.gohil@ind.tuv.com">Kaushal.gohil@ind.tuv.com</a> <a href="mailto:info@ind.tuv.com">info@ind.tuv.com</a> <a href="mailto:ravi.kumar@ind.tuv.com">ravi.kumar@ind.tuv.com</a>			
	M/s. Gulf Lloyd Industrial Services(I) Pvt. Ltd.	<a href="mailto:contact@gulflloyds.com">contact@gulflloyds.com</a> <a href="mailto:inspection@gulflloyds.com">inspection@gulflloyds.com</a>			
	M/s. Baltic Testing India Pvt Ltd.	<a href="mailto:office@balticcontrolindia.com">office@balticcontrolindia.com</a>			
	M/s. Sanmarg Engineering Validation & Assessment Pvt. Ltd.	<a href="mailto:Amrita@sanmargeva.com">Amrita@sanmargeva.com</a>			
	M/s. Meenar Global Consultants LLP	<a href="mailto:sales@mgclp.in">sales@mgclp.in</a>			
	M/s. Rites Limited	<a href="mailto:nrinspn@rites.com">nrinspn@rites.com</a> <a href="mailto:info@rites.com">info@rites.com</a> <a href="mailto:sbu.ninsp@rites.com">sbu.ninsp@rites.com</a>			
	M/s. Bureau Veritas (India) Private Limited	<a href="mailto:bvindia.corporate@bureauveritas.com">bvindia.corporate@bureauveritas.com</a>			
	M/s. TUV SUD South Asia Private Limited	<a href="mailto:Hemant.chavan@tuvsud.com">Hemant.chavan@tuvsud.com</a> <a href="mailto:Jayashree.rane@tuvsud.com">Jayashree.rane@tuvsud.com</a>			
	M/s. Adornment Engineers India Private Limited	<a href="mailto:jks@adornmentengineers.com">jks@adornmentengineers.com</a>			
	M/s. TCRC Inspections Pvt. Ltd.	<a href="mailto:admin@tcrcinspections.com">admin@tcrcinspections.com</a> <a href="mailto:ashismallick@tcrcgroup.com">ashismallick@tcrcgroup.com</a> <a href="mailto:tenders@tcrcgroup.com">tenders@tcrcgroup.com</a>			

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p><b>10.2</b> The Bidders have to get verified and certified the various documents required against BEC/BRC of the tender by any one of the above Independent Inspection Agencies and submit the duly certified Inspection Certificate by the Inspection Agencies as per <b>Proforma-XIII</b> along with the Technical Bid of the Tender. All Charges of the Third-Party Independent Inspection Agencies towards verification of bidder's documents and certification thereof shall be borne by the respective bidders and payments on account of above inspection, verification and certification shall be made directly by the Bidder to the Inspection Agency(s). OIL will not be responsible for any payment dispute between Bidders and Third Party Inspection Agencies.</p> <p><b>10.3</b> As mentioned above, Bidder(s) have to submit the verified documents along with the Technical Bids. Bid submitted with un-verified supporting documents shall not be considered. However, in case a bidder submits its bid alongwith all relevant supporting documents as per BEC/BRC without getting all/some of them verified by the designated Independent Inspection agency, such bid can be provisionally considered provided it is accompanied by an Undertaking by the Bidder on their official letterhead to submit the duly verified copies/verification certificate within 07 (Seven) days of bid opening. Company will neither send any reminder nor seek any clarification in this regard from such bidders, and the bid will be rejected outright if the bidder fails to submit the verified copies/verification certificate within 07 (Seven) days of bid opening at its own risk and responsibility.</p> <p><b>10.4</b> The methodology of inspection/verification of documents is broadly as under but not limited to:</p> <p>(d) It is obligatory on the part of the interested Bidders, who choose to participate against the tender, to understand the tender requirements in entirety and the requisite documents sought for in support of the Bid</p>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

	<p>Evaluation Criteria/Bid Rejection Criteria (BEC/BRC) mentioned in the tender in particular. The Bidder must produce all the appropriate documents before any of the OIL's empanelled third party certifying agencies for verification/certification. Neither OIL nor the third party certifying agency shall be held accountable in any manner regarding the choice of documents by the bidder for verification. Therefore, getting the appropriate documents inspected/verified by the agency in support of BEC/BRC clauses is the sole responsibility of the Bidder.</p> <p>(e) The prospective bidder shall contact any of the empanelled inspection agencies. The agency shall go through the Tender Document, especially the requirements of BEC/BRC and list the documents to be verified. They shall depute their qualified/competent inspector to the Bidder's premises to check the original documents and certify the copies which the bidder shall submit along with their bids. OIL will reserve the right to ask the inspection agencies to verify the documents with source, if required at no extra cost to OIL. Verification of documents by OIL's empanelled third party agency shall not automatically make the bidder eligible for award of contract.</p> <p>(f) Verification of documents (but not limited to) are normally categorised as under:</p> <p>➤ <b>General Requirement (if applicable)::</b></p> <ul style="list-style-type: none"><li>• Check Bidder's PAN Card</li><li>• Check Bidder's GST Certificate</li><li>• Check ITR of company</li><li>• Check Bidder's Certificate of Incorporation – Domestic Bidder.</li></ul> <p>➤ <b>Additional Documents : (If applicable against the tender)</b></p> <ul style="list-style-type: none"><li>• Joint Ventures Agreements – To cross-check with JV Partners</li><li>• Consortium Agreements – To cross-check with Consortium Partners</li></ul>			
--	---	--	--	--

**TECHNICAL EVALUATION SHEET FOR BEC**

		<ul style="list-style-type: none"> <li>• Holding/Parent/Subsidiary/Sister Subsidiary/Co-Subsidiary Company – To check the Share Holding pattern</li> <li>➤ <b>Technical Criteria</b></li> <li>• To check Experience Proof- Completion Certificates, Reference contact verification, Original Work Order/Contract Copy and any other document(s), if called for vide BEC/BRC of the Tender.</li> <li>➤ <b>Financial Criteria</b></li> <li>• Check and verify Audited Balance Sheet/CA certificate</li> <li>• To check the Line of Credit, if incorporated in the tender.</li> </ul> <p><b>Note: If any documents LOI/LOA/Contracts, etc. are submitted towards BEC/BRC experience criteria issued by Oil India Limited, such documents need not be verified by TPI agency. Further TPI Verification and certification is not required for financial documents having Unique Document Identification Number (UDIN).</b></p>			
42	<b>11.0</b>	<p><b><u>SUBMISSION OF FORGED DOCUMENTS:</u></b> Bidders should note that Company (OIL) may verify authenticity of all the documents /certificates / information submitted by the bidder(s) against the tender. In case at any stage of tendering process or Contract execution etc., if it is established that bidder has submitted forged documents / certificates / information towards fulfilment of any of the tender / contract conditions, Company shall immediately reject the bid of such bidder(s) or cancel / terminate the contract besides taking action as per OIL’s Banning Policy dated 6th January 2017, available in the OIL’s website. Accordingly, service provider/vendor to submit the Undertaking of authenticity of information/documents submitted as per Proforma-IX.</p>			
		<p><u>LAND BORDER SHARING:</u> Bidders should submit an Undertaking that, <u>their bid is compliant to Order No. F.No. 6/18/2019-PPD dated 23.07.2020 issued by Ministry of Finance, Department of Expenditure, Public Procurement Division, Govt. of India (including subsequent amendments thereto, if any), regarding restrictions on procurement from a bidder of a country which shares land border with India.</u></p>			

**TECHNICAL EVALUATION SHEET FOR BEC**

43	<b>12.0</b>	<b><u>COMPLIANCE OF THE COMPETITION ACT, 2002:</u></b> The bidder shall strictly comply with the provisions of the Competition Act, 2002, more particularly, Section-3 of the Act. Any violation the provisions of the Act shall attract penal action under the Act.			
----	-------------	--	--	--	--

**TECHNICAL SPECIFICATION EVALUATION MATRIX**

**Tender No: CDG8235P25**

Part-3				
SECTION-II				
TERMS OF REFERENCE / TECHNICAL SPECIFICATIONS / SCOPE OF WORK				
Clause No	Description	Compliance by Bidder		Relevant pg. no. of supporting documents
		Yes	No	
1.0	INTRODUCTION: This section establishes the scope and schedule for the work to be performed by the Contractor and describes the specifications, instructions, standards and other documents including the specifications for any materials, tools or equipment, which the Contractor shall satisfy or adhere to in the performance of the work.			
2.0	DEFINITION OF WORK: To drill onshore wells with 2000 HP (Minimum) Capacity Drilling Rigs with top drive system and associated equipment / tools & services for a firm period of 04 (four) years. The wells will be either straight vertical holes or planned deviated holes with formation pressure to be near or above hydrostatic. Well depths are expected to be in the range of 3000 - 6000 meters.			
3.0	<b>AREA OF OPERATION:</b>			
3.1	The area of the operation will be primarily in the states of Assam & Arunachal Pradesh with a provision to deploy the service of the rig in OIL's other spheres anywhere in India. The total amount for movement of the rig packages to other spheres shall be at mutually agreed negotiated rate. Payment for all the other items shall be in accordance with the contract rate as per SOR. The first mobilization will be mostly in the districts of Dibrugarh, Tinsukia, Sibsagar - Assam or Changlang - Arunachal Pradesh. However, if the rig is required to be mobilized in			

	the areas other than Assam & AP, the mobilization charges will be paid on mutually agreed terms and conditions.			
3.2	<p>The following information are for general guidelines to the bidders. Company is not responsible for any deviation of figures being spelt out or met with for reason beyond their control.</p> <p>a) Minimum width of the well site approach road = 3.66 m.</p> <p>b) Turning Radius = 15m (Generally), 12 m (exceptionally)</p> <p>c) Maximum allowed height of vehicle with load from ground level = 4.67 m (<i>Height of the “Height Gauge Barrier” at Railway level crossing: 15.4 ft /4.67 m. Safe consignment height: 15 ft /4.57 m. Minimum Clearance that will be available: 0.4 ft /0.1 m).</i></p> <p>d) Highest recorded wind velocity in Assam = 80 km/hour</p> <p>e) Max. Recorded ambient temp = 45 deg. Celsius</p> <p>f) Min. recorded ambient temp. = 5 deg. Celsius</p> <p>g) Weather Pattern: Frequent rains from April/May to September/ October with Moderate to Heavy rain and Occasional during the remaining period.</p> <p>h) Nature of top soil: Usually clay/Alluvium/ Unconsolidated.</p> <p>i) Source of water - Through shallow bore wells usually available at well Site. Otherwise from bore well situated at convenient Locations. Depth of bore well in the range of 15 to 50m (normally).</p> <p>j) Average annual rainfall: 250 / 300 cm.</p> <p>k) Humidity - max. 98%.</p>			
4.0	<p><b>SCOPE OF SERVICE:</b></p> <p>The Contractor shall provide the services 01 (one) no. of drilling rig package (with Top Drive) and all necessary equipment and personnel as listed and carryout drilling operations including but not limited to coring, round tripping, lowering &amp; setting of casings, completion, abandonment, Production testing as and when required, and all other associated operations including, rig up, rig down, inter location movement etc. in accordance with the well drilling, and completion programme to be furnished by the company before commencement of the operation, which may be amended from time to time by reasonable modification as deemed fit by the company. The Contractor shall provide mobile Effluent Treatment Plant with each Rig package for effluent management (solid or liquid) generated during operation, suitable for</p>			

	meeting the requirements for drilling in N.E region in line with the guidelines from Ministry of Environment and Forest and also safe disposal of the effluents. Apart from this, the Contractor shall also provide spares for the entire rig package, tools and equipment, fuel (HSD) for running the operations, Lubricant and shall carry out drilling with tools & expert supplied by the contractor. The contractor shall keep adequate stock of spares at all times for uninterrupted progress of work and make available all items listed in this document ready for use. OIL shall provide suggestion on technical matters on request from contractor. However, the contractor shall be wholly responsible for rendering services as per scope of work.			
4.1	Bit programme, mud programme, casing policy, well programme will be decided and provided by OIL.			
5.0	<b>PRESENCE OF CO2 &amp; H2S:</b> Presence of CO2 is expected in the wells. Most of the wells are H2S free but in some rarest wells H2S is expected. Accordingly, the equipment/tools etc. to be offered by the Contractor shall be for generally in compliance of H2S environment.			
6.0	<b>TECHNICAL SPECIFICATION OF RIG PACKAGE:</b> The Contractor shall mobilize all necessary equipment and tools for successful and economic completion of the jobs mentioned. The contract includes supply of drilling rig package including haulage and transportation equipment and its services. HP rating of the rig offered should not be less than 2000 HP with top drive, Diesel Electrical AC/SCR Drilling Rig /AC- VFD Drilling Rig having self-elevating mast and sub-structure (as per API Standard- 4F) and should be capable of drilling 1+3 cluster well from the same plinth. The drilling rig should be rated for minimum nominal drilling depth range of 6000 m and the available horse power output of the rig engine package should be capable of running 2000 HP (minimum) Draw-works and minimum 2(two) no. 1600 HP pumps simultaneously and complete with other associated system for Drilling. The drilling unit offered should not be more than 15 years vintage and should have a residual life of 7 years (minimum).			
7.0	<b>SPECIFICATIONS OF DRILLING RIG</b>			
7.1	<b>GROUP – 1</b>			
<b>A</b>	<b>MAST AND SUBSTRUCTURE:</b>			

	<p>Swing lift cantilever type self-elevating mast and substructure with clear height of 142 ft. to 153 ft. Rated static hook load capacity of 10,00,000 lbs (1000 kps)/4500 KN with 12 lines strung on travelling block as per API 4F specifications. Mast is to be designed for 69 mph wind load (Min.) with a full rack of pipe and 87 mph (Min.) on a bare mast. Casing capacity approximately 800,000 lbs simultaneously with 500,000 lbs / 2200 KN (minimum) of racked pipes.</p> <p>Note: Crown Block capacity should be matching with Mast Capacity.</p> <p>Self-elevating type sub-structure to have a clearance of minimum 25 ft. from ground level to underneath of rotary table beam. Mast is to be complete with raising lines, lifting lugs for raising, levelling shims, snubber unit and hydraulic jacks or better than the above conventional methods. Mast and substructure should be complete with levelling equipment for front and rear shoes and with all accessories for the operation and erection of the mast and substructure.</p>			
1	The mast shall have a racking capacity of 5500 meters of 5 inch OD, 19.5 PPF, range # 2 drill pipe in thribbles.			
2	Time taken on raising and lowering system of mast /substructure and job involvement in dismantling, transportation and assembling of the mast/substructure components should be minimum.			
3	The mast shall be complete with tubing support frame (belly board optional), air hoist sheave units(2), sheave units for rig tongs (2) power tong / pipe spinner, tong counter weights, guides etc.			
4	The mast shall be complete with dual stand pipe clamp for 5 inch OD stand pipes.			
5	The Racking board (thribbles board) shall be adjustable type and complete with emergency escape from racking board to ground.			
6	Safety climb equipment for climbing up mast ladder upto crown block shall be provided.			
7	Adjustable pneumatic or hydraulically or electrically operated casing stabbing board for running in range I & II tubular shall be provided.			

8	The Sub-structure shall be complete with dog house support frame.			
9	The Sub-structure shall be complete with tong back-up posts for rig tongs.			
10	Dog house/Driller's operating cabin shall be provided.			
11	Two flight stairways at driller's side and off driller's side shall be provided.			
12	The Mast shall be complete with skewed type crown block having 7 x 60" sheaves i.e. one fast line sheave and the remaining 6 nos. cluster sheaves suitable for drilling line.			
13	Mast and substructure shall be complete in all respects to start operation without any hold up.			
14	The mast & sub-structure shall be complete with grass hopper type cable rack suitable for elevating with rear floor.			
15	The mast & sub-structure should be complete with combination ramp & stairs, catwalk & rack for casing and other tubular (provision for making doubles at rack & hosting the same with TB to be kept).			
16	The derrick floor shall be complete in all respect and provided with suitable toe boards and safety railings.			
17	BOP TROLLEY BEAMS & BOP HANDLING SYSTEM - One (1) set of BOP trolley beams designed to pin under the substructure floor allowing for front entry of BOP stack complete with One (1) set of manually/ pneumatically / hydraulically operated BOP handling system with necessary trolleys, hoist, etc. with a system capacity of not less than 20 Short Ton (18.14 MT or 40,000 lbs) and having vertical lift not less than 4.3 M (14 feet).			
18	The mast shall be painted strictly as per Aviation / Indian Air Force Standards on deployment and later on whenever necessary. The same shall be specified in the contract. The mast shall be fitted with safe flasher type aviation warning light 1 no. at the crown, 4 nos. (At four corners) on the thribble board. These lights shall be operational at all times from the moment the mast is raised and until the mast is finally lowered			

		irrespective of well operation. Every alternate mast section to be painted with red and white paint. The paint may be enamel paint or equivalent. The paint should be freshly made and should be noticeable. Painting may be repeated if required.			
	Note	<p>All Lighting fittings &amp; junction boxes used in the rig mast shall be FLP (Ex-d) type. The light fittings shall be energy efficient, preferably LED type. Four (04) numbers FLP (Ex-d) type night aviation warning lights are to be fitted at the top of the mast. These lights shall be operational at all times from the moment the mast is raised and till the mast is finally lowered irrespective of well operation.</p> <p>As per IAF requirements, specifications for the above lights are:</p> <p><b>Colour of light:</b> Red, Light intensity: 10cd.</p> <p>Additionally, one daylight flasher type aviation warning light is to be fitted at the top of the mast in addition to red aviation warning lights. This light is to be used during daytime when the drilling location is situated within flying zone near by IAF airfields.</p> <p>The specifications for the above lights are:</p> <p><b>Colour of light:</b> White (Flashing), Light intensity: 20000cd, Flashes per minute: 20-60 flashes per minute.</p>			
<b>B</b>	<b>DRAW-WORKS</b>				
	1	Input horsepower rating 2000 HP (minimum), with minimum nominal drilling depth rating of 5500 M with 5-inch OD drill pipes. Hoisting capacity should be around 960,000 lbs (435 MT) with 12 lines.			
	2	Twin drum draw-works having main drum lebus grooved for 1.3/8"/1.1/2" casing (drilling) lines. Single drum draw works is also acceptable.			
	3	Draw works to be operated by 2/3 nos. of GE # 752 or equivalent electric motors either AC or DC (a total minimum 2000 HP capacity).			

	<p><b>Note:</b> All auxiliary motors viz. Blower, Lube oil etc. and other electrical equipment used with Draw-works shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A &amp; II-B of oil mines and shall conform to IS/IEC/EN:60079 standard. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEX accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110.</p>			
4	<p>Main drum brake should have maximum wrap - around feature, complete with circulating type brake cooling system, energizing type brake band with maximum lining contact. The brake band should be uniform by flexible all round with integral water jacket brake drum and with built in water passage from driller's end to rotary end or should have compatible disc brake system. In case of AC-VFD rig, primary/dynamic braking to be performed with AC motors by generating power in to braking resistors. The motor and frequency drive should be capable of holding full load at zero speed indefinitely.</p>			
5	<p>Suitable electromagnetic auxiliary brake system/disc brake/ calliper brake, complete with pipings alarm cables &amp; controls, shifters etc. with dedicated cooling system.</p>			
6	<p>Suitable pneumatically/hydraulically operated/ actuated make up and break-out catheads should match 2000 HP (minimum) draw works.</p>			
7	<p>Draw works to have 4 forward speeds, 2 rotary speeds (in D/W mode) and suitable reversing arrangement. In case of AC-VFD rig the Draw works shall be Dual Speed Gear Driven, suitable for minimum 2000 HP.</p>			
8	<p>Draw-works should be equipped with Crown-o-Matic and Floor-o- Matic safety device.</p>			
9	<p>Draw works to have pneumatically actuated full circular balloon type or multiple plate friction clutches as available in 2000 HP (minimum) drawworks or as per design of the Draw works.</p>			

10	Neutral brake or Inertia brake to stop rotation of the draw-works or any other arrangement as per design of the Draw works.			
11	Properly designed Driller's console incorporating all functions to carry out drilling operations safely.			
12	Independent Rotary drive as per design for 37.½" rotary table with AC/DC Motor, suitable drive system, inertia disc brake for IRD component & full guard having minimum specification of (1) Two Speed Transmission, (2) Minimum 1000hp rated power, (3) minimum torque handling capacity between 32000 – 34000 ft-lbs & (4) suitable cooling system.			
13	However, Draw-works may also be without cathead. In this case separate facility for making up & breaking-up of tubular like hydraulic cathead/pipe spinners/ iron rough neck or similar facility shall be available in the rig. The minimum operating line pull should be 11.8 MT @ 2000 psi to 14.7 MT @ 2500 psi. The unit should be complete with suitable power unit, remote control panel (for selecting cathead 1 or 2) & all required lines, accessories, fittings, etc.			
14	Coring reel assembly with capacity of at least 6000 M of 9/16" or 5/8". Drum size: diameter 12.¾"x 49" long approximately with pneumatic clutch & full wrap friction brake assembly in case of Double Drum Draw works.			
15	The draw-work should be compatible with the mast & sub-structure as indicated above.			
16	Electrical driller's console panel should suitably be located in order to provide driller to operate the rig in ease.			
(a)	It should be able to manage, control and monitor rig floor equipment independently and activity-based operations.			
(b)	It should be designed to allow easy of operations during Drilling, Tripping and Casing tripping in by providing an efficient and intuitive rig floor command centre.			
(c)	It should allow the Driller to supervise and control all drilling-related functions.			

	17	Entire rig package must be compliance with all safety & regulations and OISD standards.			
	18	All accessories for draw works should conform to API specification, wherever applicable.			
<b>C</b>	<b>TOP DRIVE SYSTEM (Electrical / Hydraulic Top Drive):</b>				
	1	Hook Load Capacity: - 500 T.			
	2	Power: - AC / DC Motor of suitable rating, non-sparking, flame proof and suitable for hazardous area classifications/ locations as per standard.			
	3	Cooling System: - Motor should have the Cooling System to operate with ambient temperature up to 50 Degree Centigrade.			
	4	Torque Requirement: - Maximum Continuous Torque - Not Less Than 30000 ft-lbs. At 100 RPM.			
	5	Maximum Torque at maximum speed - Not Less than 17,000 ft-lbs.			
	6	RPM range: 0 – 190 (Minimum).			
	7	Break- out Torque: 50000 ft-lbs. (Minimum).			
	8	TDS control panel shall be housed in Driller's Cabin.			
	9	<b>Accessories for TDS:</b>			
	(i)	One (1) pair of 350 Short Ton (317 MT) capacity weld less links of suitable size & length suitable for lowering casing with spider slip and elevator attached.			
	(ii)	One (1) pair of 500 Short Ton (454 MT) capacity weld less links of suitable size & length suitable for lowering casing with spider slip and elevator attached.			
	(iii)	One (1) set of Master bushing wear guide & adapter ring for wear guide for 3-½" to 5" OD drill pipes.			

	(iv)	Any other item for running the top drive unit.			
	Note	Electrical power required to run the top drive unit should be made available from rig's electrical power system.			
<b>D</b>	<b>ROTARY TABLE AND ACCESSORIES:</b> Rotary table as per API Spec. 7k with 37.½" opening and dead load capacity of 500 tons with independent motor drive, complete with the following. Accessories shall be provided by the contractor. The rotary table shall be either chain driven from draw-works or having independent rotary drive unit or combination of chain and independent motor drive both.				
	1	Kelly bushing complete with roller assembly for 5.¼"/6" hexagonal Kelly (minimum 1 nos.).			
	2	Master bushing (1 no. of solid / split type) to suit the Rotary table.			
	3	Suitable API insert bowls No. 1, 2 & 3 whichever is applicable for under noted casing sizes.			
	4	Complete bushing arrangement for handling 20" casing, 13.3/8" casing, 9.5/8" casing, 7" Liner casing, 5.½" casing, 5" OD drill pipe, 2.7/8" OD tubing & drill pipes and all other tubular in the offered rotary table.			
	5	Bit breakers & adapter plates to suit above master busing / Rotary table.			
	6	All sizes of lifter and handling tools for bushing & inserts.			
	7	Anti-skid safety pad: anti-skid is to be provided on Rotary Table and its surroundings to cover tong swing areas.			
	8	Independent Rotary drive as per design for 37.½" rotary table with AC/DC Motor, suitable drive system, inertia disc brake for IRD component & full guard having minimum specification of (1) Two Speed Transmission, (2) Minimum 1000hp rated power, (3) minimum torque handling capacity between 32000 – 34000 ft-lbs & (4) suitable cooling system.			

<b>E</b>	<b>ROTARY SWIVEL (as per API Spec. 8C):</b>				
	The rotary swivel should have the min. under noted specification but not limited to the following:				
	1	Working pressure (minimum) - 5000 psi.			
	2	API Dead-load rating (minimum) - 500 Tons.			
	3	Gooseneck API line pipe thread for Rotary hose- 4" (102 mm) Female.			
	4	Stem coupling - 6.5/8" (Reg.) L.H.			
	5	Swivel should be equipped with 6.5/8" (Reg) L.H. API double pin sub suitable for connecting it on to Kelly spinner / Kelly.			
	7	Additionally suitable crossover sub shall be provided to connect the swivel to 2.1/2" square Kelly. Necessary fittings for connecting rotary hoses with safety clamps installed.			
<b>F</b>	<b>TRAVELING BLOCK &amp; HOOK (as per API Spec. 8C):</b> The specification should include but not limited to the following:				
	1	Min. API working load rating = 500 Ton (453MT).			
	2	Number of sheaves = 6 Nos. with 1.3/8" / 1.1/2" grooving or as suitable to Rig system.			
	3	Traveling block and hook should be independent/combo.			
	4	Hook should be compatible with the swivel & other hoisting equipment.			
	5	Hook should have built in hydraulic snubber, convenient rotation lock, safety positioner etc.			
<b>G</b>	<b>SLUSH PUMPS</b>				

1	Three No motor driven triplex single acting, slush pumps with input HP rating of minimum 1600 HP. Pump should be suitable for continuous heavy-duty application.			
2	Capacity of the pump: c) Input Horsepower - 1600 (Min) at rated SPM. <b>d)</b> Discharge at rated SPM with replaceable liners and pistons - Min. 2700 litres/min (600 Imp GPM) at 210 kg/cm <sup>2</sup> (3000PSI) and min. 1575 liters/min. (350 Imp. GPM) at 351.5 kg/cm <sup>2</sup> (5000 PSI).			
3	Motor driven centrifugal Supercharging pumps compatible to Mud Pumps to handle Mud up to 20 ppg with appropriate independent suction and delivery manifold mounted on an oil field skid.  <i>Super charger motors and other auxiliaries viz. junction boxes, PBS etc. shall be FLP (Ex-d) type. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110]</i>			
4	All the mud pumps shall be connected & hooked up with PCR in all respect for continuous operations in parallel mode whenever required.			
5	Nature of pumping job should include, but not limited to, pumping of drilling fluids, completion fluids, cement slurries, water - both treated and plain. In the event that requirement arises to pump acid, OIL shall provide the pump and contractor shall provide the suction and delivery lines.			
6	The Bidder has to submit Performance data sheet of the offered pumps along with detailed technical specification of slush pumps.			
7	All auxiliary motors viz. Blower, Lube oil etc. and other electrical equipment used with slush Pump shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall confirm to IS/IEC/EN: 60079 standards. Details of certification/ test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017,			

		Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110.			
	8	Light fittings (if any) fitted near the slush pump shall be FLP (Ex-d) type.			
<b>H</b>	<b>SUCTION AND DELIVERY SYSTEM:</b>				
	1	Adequate suction piping's & fittings must be available.			
	2	The delivery fittings must be of API standard 5000 psi rating.			
	3	Cameron or equivalent 5000 psi WP dual standpipe manifold complete with gate valves, pressure gauge of 5000 psi rating and other standard fittings.			
	4	5" OD x 5000 psi WP dual standpipe of suitable length with 'H' manifold to match the operating conditions with range 2 drill pipes complete with gooseneck, hammer union or unbolt couplings for making up rotary hose with safety clamp attached.			
	5	3.½" ID x 55/60 ft long x 5000 psi WP, rotary drilling hoses with suitable connection to make up on to the standpipe and rotary swivel. The length of Rotary hose should suit the rig for drilling operations.			
	6	Rig pump delivery manifold shall be connected to the delivery line (preferably vibrator hoses) through rigidly supported strainer cross to filter out unwarranted particles.			
	7	There shall be 5000 Psi working pressure gate valve on each mud delivery manifold for isolating each slush pump.			
	8	The HP safety relief valve from each slush pump should be provided to the active mud system. The HP safety relief line to be anchored properly to avoid vibration and prevent accident.			
	9	The 5000 Psi pulsation dampeners on each pump shall be complete with suitable pressure gauge, charging hose assembly and charging gas for charging.			

	10	Sufficient no. of additional intermediate 5000 psi WP pipes as mentioned above to facilitate extension of the delivery pipe upto 170 ft.; to meet the 18 m spacing between the wells in cluster location (1+ 3 wells).			
	11	All delivery lines and fittings shall be NDT inspected as per API standard &/or OISD standards every 6 months of drilling. The Contractor shall also provide documentary evidence of API standard &/or OISD standards inspection carried out on delivery lines and fittings at the time of mobilization.			
<b>I</b>	<b>POWER PACK:</b> Diesel electric AC/SCR system complete with the following or suitable for AC/VFD Rig:				
	1	Engines - 4(Four) (Minimum) Nos. diesel driven fuel Oilfield engines (Approximate Minimum Combined Rating of 5800 HP) with CPCB approved Acoustic Enclosure & the exhaust stack height should meet the latest CPCB guidelines for DG sets of above 800KW (Environment Protection Act 1986). The engine capacity and the total rating shall be based on total power requirement of the rig & associated equipment for continuous operation of Draw works, three Mud Pumps, Top Drives/IRD and all other rig equipment as specified in this bid document.			
	2	AC/DC Electric Motors: Adequate numbers of AC/DC motors with adequate continuous HP rating shall be provided for operation of draw works and slush pump at their respective rated capacity. The motors shall be complete with suitable blowers and ducting.			
	3	AC-SCR or AC-VFD System: Suitable AC-SCR or AC-VFD systems of reputed make shall be provided.			
	4	Rig package shall be complete with all electrical control room, SCR cubicles or VFD & Rectifier Cubicles, DC/AC power control room, AC power control room to match the auxiliary loads of mud system, water system, fuel system, air system, lighting system etc. mentioned in this section.			
	5	Power pack engines should have automatic fire detection and suppression system.			
	6	The above power pack shall conform to the following:			

	<b>a</b>	Power pack and SCR House or AC-VFD system control room to be place outside hazardous area, i.e. at a distance of 30 meters (Minimum) from the well center. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110]			
	<b>b</b>	All components shall be suitable for following ambient conditions:  Temperature: Max. 45deg.C& Min. 05 deg.C  Humidity: Max. 95% & Min. 60%  Altitude: 100 to 300 M AMSL.			
	<b>c</b>	Suitable de-rating factor shall be taken into account while choosing electrical / electronic components for high ambient temperature condition.			
	<b>d</b>	Engine cooling system shall be designed to withstand above temperature condition and the radiators shall be suitable for maximum 45 deg C ambient temperature.			
	<b>e</b>	Adequate air cleaning system and filters shall be provided on all engines to protect these from dust.			
	<b>f</b>	Power pack and electrical controls of the rig shall be complete in all respect to carry out drilling operations to the objective depth. The system shall meet the detailed technical specifications of rig electric system furnished in this document.			
7		Power Pack for AC-VFD Rig shall have minimum 4 (four) nos. of Engine (preferably CAT 3512 B series) complying latest emission norms, coupled with the alternator and shall be unitized and enclosed in a weather-proof, acoustical, skid mounted enclosure. Power packs shall be Compatible for varying loading pattern, quick responsive to instantaneous load and torque changes Suitable for VFD controlled AC drives Easily serviceable both at site and at workshop. Compatible with suitable control signals coming from Power			

		Control Rooms (these may be actuator control / speed sensor signals). The alternators (with the engines) shall be suitable for parallel operation.			
<b>J</b>		<b>POWER CONTROL ROOM:</b> The PCR should be suitable for diesel electric AC-SCR or AC-VFD system.			
	1	Rig package shall be complete with all electrical control room, Main PCR with `SCR` cubicles or `VFD` panels, Auxiliary control PCR / AC power control room to match the auxiliary loads of mud system, water system, fuel system and air system mentioned in this section. Bidder may also quote for one single PCR, if the rig design permits. However, bidder should provide physical dimensions and weight of all the PCRs offered, along with the bid.			
	2	SCR / VFD System - Suitable SCR / VFD system should be of reputed make. Bidder should indicate detailed technical specifications in techno- commercial bid.			
	3	Bidder to submit the layout diagram of rig along with their offer showing the placement of power pack at a minimum distance of 30 m from well head.			
	4	Individual electrical panel for each Mud Pump (03 nos.) and Draw-Works shall be available and all drilling motors shall always be connected to PCR. The system should facilitate for running any two mud pumps parallelly in any combination at any point of time. Also, facility to assign/control each of the three (03) Mud pumps shall be available at D'Console.			
<b>K</b>		<b>SMOKE DETECTION AND FIRE ALARM SYSTEM:</b> All the PCRs shall have Smoke detection and Fire Alarm System as per requirement of OISD Std. No: 216 for Electrical Safety. Following shall be the scope of supply for the Smoke detection and Fire Alarm System:  e. Smoke detector: Photoelectric or Ionized type: minimum 2 nos. per PCR. f. Control Panel with Manual call Point (MCP). g. Internal house buzzer. h. External house Hooter.			
	<b>DRILLING MOTORS:</b>				

	1	Adequate numbers of motors: 2 or 3 nos. for operation of draw-works and minimum 01 no. each per slush pump at their respective rated capacity. Each motor shall be complete with suitable blower and ducting.			
	2	Bidder shall provide details of all such drilling motors while quoting.			
<b>L</b>	<b>OTHER CONDITIONS FOR ELECTRICAL EQUIPMENT:</b>				
	1	All outdoor equipment such shall be weatherproof with IP 55 protection as per India standards.			
	2	Electrical system shall be provided with all necessary cables and cable trays with grasshopper (Z-trays) arrangement to the derrick floor. Cable trays shall be grounded adequately.			
	3	Explosion proof and vapour types LED/ fluorescent/ mercury vapour lighting system shall be used for lighting the mast and substructure.			
	4	Lighting fixture shall match API specification and the Mines Act, 1952 and its subsequent amendments and Oil Mines Regulation 2017.			
	5	The lighting system shall cover but not be limited to the following areas: i.e. lighting the mast and substructure, rig floor, power packs, power control room, plinth area, mud pumps, generator sheds, mud system, water system, fuel system, air system, BOP control unit, dog house, mud storage house, well site offices, chemical storage & lab. areas, camp etc.			
	6	Fixing arrangements of outdoor luminaries shall be such that this can be installed and dismantled quickly and easily for transportation during the interlocation moves.			
	7	Necessary provision for supplying power including electrical, to any other utility unit(s) including OIL's Service providers shall be provided by the Contractor whenever required.			
	8	All DC motors or AC VFD motors shall have blowers with suitable ducting & filter System.			

9	The bidder must obtain and furnish the following documents which are statutory requirement before mobilization of the rig. Mobilization shall not be considered complete unless these documents are submitted.			
	(i) Test Reports confirming to IS/IEC/EN:60079 for all the electrical equipment/ components/ accessories which are to be used in hazardous area [Zone 1 and Zone 2, Gas groups IIA and IIB] of the drilling well. The bidders shall submit test reports conforming to the above relevant standards from an Indian Government Laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of manufacturer's facility.			
	(ii) Single line power flow diagram of the rig.			
	(iii) A Plan layout of electrical equipment used in the rig.			
	(iv) Details of all electrical motors, control gear, other electrical equipment and accessories used in the classified hazardous area.			
	(v) Details of alternators, electrical motors, control gear, all cables, other electrical equipment and accessories used in non-classified area.			
	(vi) A layout of the complete earthing system including earthing of diesel tanks, PCRs, AC & DC motors, starters, alternators & any other electrical equipment used for the purpose.			
10	The entire electrical installation job should be carried out as specified in the latest version of CEA (Measures relating to safety and electric supply) Regulations, 2010 and other relevant standards and precaution should be adopted in the Oil field as specified in the CEA (Measures relating to safety and electric supply) Regulations, 2010.			
11	For all hand-held portable apparatus voltage shall not exceed 125 V as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102 (i).			
12	Insulation mats shall be available in all electrical PCRs, stand by alternators and all distribution boards. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.19(5)]			
13	All connections to the motors/PBS/junction boxes should be through double compression glands. All the FLP double compression glands are correctly installed, and the cable entry is tight. The cable size should match with the gland. [Ref: CEA (Measures			

		relating to safety and electric supply) Regulations, 2010, regulation no.106(vi) & OISD 216]			
	14	Busbar connections / terminations shall be insulated with appropriate insulating tape; naked joints shall be avoided. Terminal blocks of cable entry shall be covered with hylam or transparent insulating plastic sheet. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.17 & OISD 216 (7.1(vi))]			
	15	The voltage inside the mine shall not exceed 250V (between phases) if neutral is connected to earth. [Ref: CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.102(ii)(b)].			
	16	The mast shall be provided with telescopic lightning arrestor. The lightning arrestor shall be grounded with continuous cable at two separate & distinct points.			
	17	All electrical equipment used inside Driller's cabin (if applicable) shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall conform to IS/IEC/EN: 60079 standard. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110]			
<b>M</b>	<b>EMERGENCY HOOTER:</b> The rig should be equipped with one emergency hooter.				
<b>N</b>	<b>EMERGENCY SHUT OFF SYSTEM:</b> An emergency shut off device shall be located in driller's panel and at suitable strategic location.				
<b>O</b>	<b>EMERGENCY ALARM:</b> An electrically operated emergency alarm with provision for operating the same from driller's console should be provided.				
<b>P</b>	<b>AUXILIARY GENSETS:</b> All Such gen-sets must meet CPCB norms as applicable.				
<b>Q</b>	<b>CELLAR PUMPS:</b> Suitable motor driven pump capable of cleaning fluids and cuttings from the cellar complete with all suction and delivery lines are to be provided. Pump should be suitable for class I, division 2 hazardous areas (as per OSHA) or Zone-I (as per DGMS guideline) and gas group I, IIA & IIB and with Flexible coupling. Alternately, a suitable cellar ejection system is also acceptable.				

	Cellar pump motor and other auxiliaries viz. junction boxes etc. shall be FLP (Ex-d) type. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110]. Remote PBS placed in hazardous area should have intrinsically safe circuits with a maximum of 30 Volts. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102(iv)].			
<b>R</b>	<b>CAGED LADDER, RIDING BELT, FALL ARRESTOR, and EMERGENCY ESCAPE DEVICE ETC.:</b> The riding ladder to crown block shall be equipped with fall arrestor/device. The fall prevention device should meet all applicable Indian or international standard to prevent persons from falling. The ladder shall be equipped with landing platform as per statutory guidelines. A suitable riding belt to be provided to meet any emergency or to carry out repairs above derrick floor. Suitable & effective emergency escape device from racking board to ground shall be provided. All safety guidelines will be guided by OMR'2017.			
<b>S</b>	A flame proof intercom complete system shall be provided between doghouse, SCR room, mud pump, mud attendant's cabin, geologist's cabin, company representative's office and OIL's service provider's operational room.			
<b>7.2</b>	<b>GROUP - II</b>			
<b>7.2.1</b>	<b>BOP STACK AND WELL CONTROL EQUIPMENT (As per applicable API specifications):</b> All items including but not limited to those mentioned below shall be supplied by the contractor.			
<b>A</b>	<b>BOP STACKS / SPOOLS:</b> Make of all BOPs must be of Cameron/Cameron Schlumberger/Shaffer/Shaffer-NOV/NOV-T3/Hydril/ Hydrill- GE/ WOM or any other manufacturer approved by OIL.			
i	One no 21.¼"x2M OR 20.¾"x3M Annular BOP with bottom flange/ adopter flange to fit with 20.¾" x 3M working pressure, drilling spool.			
ii	One no. 21.¼"x2M OR 20.¾"x3M Drilling Diverter spool complete with all necessary fittings and 2 (two) nos. of suitable side outlets not less than 7.1/16" OD and 30" overall length to be used with 21.¼"x2M OR 20.¾"x3M Ann BOP. This item must be compatible			

	with item no (i) above and to be installed on top of Company provided 20. 3/4"x3M Casing Head Housing.			
iii	One no. 13.5/8" x 5000 psi Annular/Spherical BOP with bottom flange of 13.5/8" x 10 M Working Pressure.			
iv	One double ram BOP, 13.5/8" x 10000 psi having top & bottom flange of 13.5/8" x 10M Working Pressure.			
v	One single ram BOP, 13.5/8" x 10000psi having top & bottom flange of 13.5/8" x 10M Working Pressure.			
vi	One double ram BOP 7.1/16"x10000 psi having top and bottom connection of 7.1/16" x 10 M flange, with side outlets (4 Nos.) complete with ring joints gasket, studs & nuts and with 2.7/8" and blind rams, one pair each.			
vii	One set each of 9.5/8", 7", 5.1/2", 2.7/8" pipe rams, two sets of 5" pipe rams or one set of 5" pipe ram along with one set of Top seal plus front packer elements and 1 set of blind rams should be supplied with above item no. (iv). Variable rams are also acceptable if it covers the required range of sizes.			
viii	All BOP should have crossover / Adopter flange to match 5000 & 10000 psi well head i.e. 13.5/8" x 5000Psi, 11" x 5000Psi and 11" x 10000Psi.			
ix	The Contractor shall provide the following: a) New and unused Ring joint gaskets for all flanges with sufficient quantity as spares. b) Adequate no. of studs & nuts for all flanges and wrenches to suit all nuts. c) Operational spares for contractor's BOPs both annular and ram, including ram sub-assemblies of sizes to suit various tubular sizes including blind ram. d) Annular BOP sealing element. e) Maintenance / overhauling / repair services for above BOPs.			
x	<b>DRILLING SPOOL:</b> c) 20.3/4" x 3000 psi: 1 No. (30" - 36" high).			

	<p>d) 13.5/8" x 10,000 psi: 1 No. (18" - 20" high).</p> <p><b>Notes:</b> (i) With facility for hooking up choke / kill lines having flanged side outlet of 3.1/16" in the same plane but in opposite directions.</p> <p>(ii) 21.1/4" x 2000 psi drilling spool is also acceptable in case the annular &amp; and single ram BOP offered are of 21.1/4" x 2000 psi rating.</p>			
xi	Cross over flange/adaptor spool 11" x 5000 PSI to 13.5/8" X 10000 psi with necessary ring joint gaskets.			
xii	Adapter / crossover spool 13.5/8" x 5,000 psi to 13.5/8" x 10,000 psi 1 No.			
xiii	Double studded adaptor flange / adaptor spool 11" x 10000 psi bottom, 7.1/16" x 10000 psi top with ring joint gaskets.			
xiv	Cross-over/adaptor spool with bottom flange of 20.3/4" x 3000 psi and top flange of 21.1/4" x 2000 PSI – 01 No.			
xv	Double studded cross over flange with bottom configuration of 11" x 10,000 PSI and top configuration of 13.5/8" x 10,000 PSI complete with ring joint gaskets, stud & nuts.			
xvi	Companion flanges of appropriate sizes and numbers and suitable for all kill, choke, check valves and lines etc.			
xvii	Companion /suitable flanges for 3.1/16" to 2.1/16", 2.1/16" to 1.13/16" and 3.1/16" / 3.1/8" to 2" line pipe female thread.			
xviii	All BOPs shall be complete with sufficient numbers of studs with nuts & ring joint gaskets.			
xix	Suitable risers with provision for hole filling line.			

	xx	Poor boy swivel and d/pipe shut-in valve 10000 PSI WP with compatible R/hose & D/pipe connections.			
	xxi	The contractor shall bring adequate quantity of studs, and ring joint gaskets and wrenches for hooking up all the above sizes of stacks and also for replacement of damaged ones.			
	xxii	The ultimate responsibility of making the well head complete lies with the contractor. Contractor shall identify and bring all other items, which are not mentioned above but required to carry out drilling operation.			
	xxiii	Bidder should provide a schematic diagram with the dimensions of BOP stacks for different sizes and stages of completion.			
	xxiv	All above BOPs should be hydraulically operated with hydraulic/ manual locking arrangement.			
<b>Note</b>					
<b>s:</b>	a	BOPs should be either brand new or re-certified.			
	b	In case of Brand new BOPs the make should be as enlisted above in the <b>Clause no- 7.2 A.</b>			
	c	In case of recertified BOPs, recertification should be done as per OISD RP 174 (Latest Edition of June-2024), following API 16 AR (latest edition) guidelines by an API 16A approved facility having 16A certification for the specific type of BOP. As a proof of recertification bidder should submit the certificate of conformance (COC) as per <b>Annexure-F of API 16 AR</b> (latest edition).			
	d	At the time of mobilization, the COC should not be more than 01(One) year old or the certificate should be valid covering the primary term of contract period including extension, if any. However, if recertification is older than 01 year and validity of recertification does not cover the contract period, then Contractor should arrange to recertify the BOP during the execution of contract by providing replacement & acceptable			

		BOP (having valid recertification in case of old BOP). If Contractor fails to provide replacement BOP while sending it for recertification but normal operation has been allowed to continue, then it will be considered as short supply item and applicable penalty shall be levied on Contractor as per contractual T&C.			
<b>B</b>	<b>CHOKE &amp; KILL MANIFOLD (As per API Spec. 16 C)</b>				
	i	<p>One set of 3.1/16" x 10,000 psi or 3-1/16" or 4-1/16" x 15000 psi) choke manifold rigidly supported, with one manually and two hydraulically operated chokes. As per API Spec. 16C, First Edition 1993, Drawing No. 10.7.3 (Sec. 10.7) including control console mounted at derrick floor showing all necessary parameters.</p> <p><b>Notes:</b></p> <p>(a) Kill lines should be minimum 2" nominal size and choke line should be minimum 3" nominal size.</p> <p>(b) Size of choke line and choke manifold should be same. Minimum nominal inside ID for downstream chokes shall be equal to or greater than the nominal connection size of the choke inlet and outlet.</p>			
	ii	The drilling spool should have side valves consisting of two each of manually operated and hydraulically operated gate valves, on two sides, size - 3.1/16" x 10,000 psi along with one number of check valves on kill line Or The drilling spool should have side valves consisting of two each of manually operated and hydraulically operated gate valves, on two sides, with one size - 3.1/16" x 10,000 psi (For Choke line) and 2.1/16" x 10,000 psi (For Kill line) along with one number of check valves on kill line.			
	iii	<p><b>BOP/Drilling Spool side valves:</b> should consisting of two each of manually operated and hydraulically operated gate valves, on two sides, size - 3.1/16" x 10,000 psi along with one number of check valves on kill line.</p> <p><b>OR,</b></p> <p>BOP/Drilling Spool side valves should consisting of two each of manually operated and hydraulically operated gate valves, on two sides, with size - 3.1/16" x 10,000 psi (For Choke line) and 2.1/16" x 10,000 psi (For Kill line) along with one number of check valves on kill line.</p>			

	iv	Kill lines and choke lines, articulated or flexible (Co-flexi preferred) of sufficient lengths to match drilling spool side outlet connections and kill/choke manifold connections.  (Note: - kill pump will be placed at least 150 ft away from well bore).			
	v	10000 Psi WP rigidly supported kill manifold with provision for connection onto slush pumps and high-pressure killing pump by means of 2" ID x 10000 Psi chicsan hoses.			
	vi	Adequate number of 2" ID x 10000 Psi chickson hoses for hooking up well killing pump, test lines, emergency kill line etc.			
	vii	Choke & kill manifolds shall be complete with all necessary studs & nuts, ring joint gaskets & fittings etc.			
<b>C</b>	<b>BOP CONTROL UNIT (As per API Spec. 16 D)</b>				
	i	1 No. Koomey or internationally field proven make skid mounted accumulator & Control Unit for BOP. 3000 Psi WP to suit BOP and choke manifold configuration with two remote controls, adequate reservoir capacity to meet all the requirements & complete with skid mounted pipe racks to keep the control unit at about 100 ft away from the well. The unit shall consist of adequate number of accumulators of 11/15 gallon capacity each, & complete with necessary pressure actuator switches to make unit both automatic & manual. Bidder to forward the work sheet indicating the reservoir capacity & accumulator capacity along with the bid.			
	ii	Arrangements for charging the accumulators with nitrogen, as and when required.			
	iii	BOP control unit shall be complete with electrical and air operated pressurizing system, capable of pressurizing up to 3000 psi.			
	iv	Adequate number of hydraulic accumulators, adequate capacity reserve tanks and all necessary fittings for safe operation of the BOP stack as specified earlier. v) BOP remote control unit with graphic visual display, one on the derrick floor and another on the opposite side 100' away from the well bore.			

	v	BOP motor and other electrical equipment viz. starter, junction box, PBS etc. used with BOP system shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A & II-B of oil mines and shall confirm to IS/IEC/EN: 60079 standards. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulation 2010, regulation no.110].			
	vi	Sufficient number of high-pressure control lines shall be made available in pipe rack for connection between BOP & control Unit placed 100' away. Also adequate length of air hose bundles for connection of both remote control panels.			
<b>D</b>	<b>WELL CONTROL ACCESSORIES</b>				
	i	One no. Kelly cock suitable for 4.½" IF drill pipe connection.			
	ii	IBOP with 4.½" API IF connections and necessary subs for 6.⅝"R.			
	iii	One set of BOP testing unit with suitable high pressure test pump.			
	iv	One no. of 5" inside BOP for making up with drill pipe, having pressure ratings to suit BOP stack rating and with matching thread connections.			
	v	Cup Testers for testing 9.⅝" OD (43.5-53.5 ppf) and 5.½" OD (17-23 ppf) casing with facility of interchange ability of cup to suit different weight of aforesaid casings, shall be provided by the Contractor.			
<b>Note</b>	All wellhead equipment/accessories viz. BOPs, spools, choke and kill manifolds, BOP Control Units etc. should be pressure tested to its rated capacity and as per OISD RP 174.				
<b>E</b>	<b>HIGH PRESSURE WELL KILLING PUMP:</b>				
	i	One Diesel Engine Driven (equipped with speed reduction Gear Box / Transmission Box) National JWS 340 (10,000 PSI) or OPI 500AWS (15,000PSI) or equivalent High-pressure			

		Low discharge plunger pump having plunger size of 2.3/4" or 3.1/2" or 4" or 4.1/2" of minimum 10,000 PSI working pressure with Stroke length upto 8".			
	ii	The kill pump is to be equipped and supplied with suitable Diesel Engine Driven supercharger pump mounted on the skid itself, all the safety features and control mechanism. Minimum 300 feet (90 m) of 2" fig 1502 steel hose having requisite numbers of swivel joints for delivery line to connect with well head / Stand-pipe manifold, suitable suction line(s), necessary connections / fittings.			
	iii	There should be 60 bbls (approx.) capacity Suction Tank to be connected with the pump.			
	iv	There should be arrangement of supply of drilling fluid / water etc. to the tank as and when required.			
<b>7.2.2</b>	<b><u>TUBULARS- [ New/ Premium Grade- (API (NDT) inspection report)]</u></b>				
<b>A</b>	DRILL PIPE / PUP JOINT (AS PER API SPECIFICATION 5DP): Contractor shall provide new/unused Drill pipes and Pup joints. Supporting document in the form of manufacturer's certificate to this effect should be forwarded prior to mobilization. However, Premium grade drill pipes & drill pipe pup joints with recent NDT inspection as per DS 1 Cat-IV Inspection with documentary evidence may be offered. But OIL reserves the right to inspect at random and verify through independent NDT inspectors for acceptance. In case of non-acceptance of the drill pipes & drill pipe pup joints due to any discrepancy, contractor shall have to re-inspect the whole drill pipes and drill pipe pup joints in presence of OIL's representative at their own cost.				
	i	Minimum 4000 m of 5" OD, 19.5 PPF Drill pipe consisting of Gr. 'G' flash / friction welded, tapered or square shoulder, Internal External upset in range 2 length. Tool jt. Connection shall be 4.1/2" IF (NC 50) with hard banding on box ends.			
	ii	Minimum 3000 m of 5" OD, 19.5 PPF Drill pipe consisting of Gr. 'S' flash / friction welded, tapered or square shoulder, Internal External upset in Range-2 length. Tool jt. Connection shall be 4.1/2" IF (NC 50) with hard banding on box ends.			

	iii	Minimum 1500 m of 3.½" OD, 13.3 PPF Drill pipe consisting of Gr. 'G' flash / friction welded, tapered or square shoulder, Internal External upset in range 2 length. Tool jt. Connection shall be 3.½" IF (NC 38) with hard banding on box ends.			
	iv	3 Nos. each of 5 inch OD, Grade 'G' pup joints of 5ft. 10ft and 15 ft length with identical specification as in (i)& (ii) above but without hard banding.  Note: Bidder may offer all S-Grade pup joints with same connection and required quantity of specific length as per tender requirement			
	v	3 Nos. each of 5 inch OD, Grade 'S' pup joints of 5ft. 10ft and 15 ft length with identical specification as in (i) & (ii) above but without hard banding.			
<b>B</b>	<b>DRILL COLLARS &amp; HEAVY WEIGHT DRILL PIPE:</b> Should be premium class supported by API (NDT) inspection report.				
	i	One No. 9.½" OD, 3" ID, slick/ spiral drill collar of 15 ft. length, with API 7.⁵⁄₈" regular connections, having bore back box up & down connection with slip recess & complete with suitable lifting plugs.			
	ii	3 nos. 9.½" OD, 3" ID, slick/ spiral drill collar approx. 30-31ft length, with API 7.⁵⁄₈" regular connections, having bore back box up & down connection with slip recess & complete with suitable lifting plugs.			
	iii	18 Nos. 6.½" OD, 2.13/16" ID, 4" IF, 30 ft. long, spiral drill collars having bore-back box and stress relief pin, with slip recess and complete with suitable lifting plugs.			
	iv	18 Nos. 4.¾" OD, 2.1/4" ID, NC35/NC38, 30 ft. long, spiral drill collars, with slip recess and complete with suitable lifting plugs.			
	v	30 No. 5" OD, 50 PPF, 3" ID 30 ft long, 6.½" OD tool joints 'heavy-weight' with Hard Banding drill pipes with 4.½" IF box-up & pin down connection with stress relief.			
	vi	18 No. 3.½" OD, 23.70 PPF, 2.¼" ID, 30 ft long, 4.¾" OD tool joints 'heavy-weight with Hard Banding' drill pipes with 3.½" IF box-up & pin down connection with stress relief.			

	vii	09 Nos. 8" OD, 3" ID, 6.5/8" API regular, 30 ft long, spiral drill collars having bore-back box and stress relief pin, with slip recess and complete with suitable lifting plugs.			
	viii	Drill collars with elevator recesses with sufficient fishing neck in addition to slip recesses shall be acceptable.			
	ix	Minor variation in dimension for drill collars and heavy weight drill pipes shall be acceptable.			
<b>C</b>	<b>ONE LOT OF NECESSARY SUBSTITUTES, STABILIZERS, REQUIRED FOR DRILL STRING AS WELL AS FOR COMBINATION STRING:</b>  All items including but not limited to those mentioned below shall be supplied by the contractor. Should be supported by API (NDT) inspection report.				
<b>C1</b>	<b>BIT SUB</b>				
	i	1 No. 9.1/2" OD x 7.5/8" API regular double box bit subs with recess for Baker back pressure valve insert.			
	ii	2 Nos. 6.1/2" OD x 4.1/2" API regular box down x 6.1/2" OD x 4" IF (NC 46) box up bit subs.			
	iii	2 Nos. 9.1/2" OD x 7.5/8" API regular box down x 8" OD x 6.5/8" API regular box up bit sub with provision for back pressure valve insert.			
	iv	2 Nos. 8" OD x 6.5/8" API regular double box bit sub with provision for back pressure valve insert.			
	v	2 Nos. 4.3/4" OD (3.1/2" Regular Box – NC-35 Regular Box) bit sub.			
<b>Note</b>	Bit Sub with NC 35 / NC 38 & Cross Over Sub with NC 35 / NC 38 connection <i>in line with thread connection of 4 3/4" OD drill collar offered against <b>clause B (iv)</b> above.</i>				
<b>C2</b>	<b>CROSS OVER SUB</b>				
	i	1 No. 6.1/2" OD x 4" IF box up, 9.1/2" OD x 7.5/8" API regular pin down cross over subs.			

	ii	2 Nos. 4" IF box up x 6.5/8" API Regular pin down crossover bottle neck subs.			
	iii	3 Nos. of 6.1/2" OD cross over sub with 4.1/2" API IF Box up x 4" API IF Pin down connection.			
	iv	1 No. 6.1/2" OD cross over subs with 4.1/2" API regular pin down and 4.1/2" IF box up connections.			
	v	1 No. 8" OD x 6.5/8" API regular box up and 9.1/2" OD x 7.5/8" API regular pin down cross over sub.			
	vi	2 Nos. of 4.1/2" IF Box up x 6.5/8" API Reg. Pin down bottle neck sub.			
	vii	2 Nos. of NC35 Box up x 4.1/2" Pin down bottle neck sub.			
	viii	Double pin sub of undernoted connection with appropriate OD x ID  a) 4" IF x 4.1/2" API Reg.: 1 No. b) 6.5/8" R - 6.5/8" R: 1 No. c) 6.5/8" R - 7.5/8" R: 1 No.			
<b>Note</b>	Bit Sub with NC 35 / NC 38 & Cross Over Sub with NC 35 / NC 38 connection <i>in line with thread connection of 4 3/4" OD drill collar offered against <b>clause B (iv)</b> above.</i>				
<b>C3</b>	<b>STABILIZERS</b> - One set of stabilizer (Means 01 no. near bit stabilizer and 03 nos. string stabilizers)				
	i	2 No. in-string integral blade/welded / replaceable sleeve type stabilizers having 7.5/8" API regular connection for 26" hole.			
	ii	17.1/2" sleeve type / integral type with mandrel size 9.1/2" OD & 7.5/8" API regular connections and with adequate nos. of replaceable sleeves - 1 set.			
	iii	12.1/4" sleeve type / integral type stabilizers with mandrel 8"OD, 6.5/8" API Reg. Connection. This stabilizer shall be used in conjunction with 12.1/4" sleeve. Adequate number of replaceable sleeves shall be available as backup - 1 set.			

	iv	8.½" sleeve type / integral type stabilizers having 4" IF connection (must be same connection with 6.½" Drill Collars) with adequate numbers of replaceable sleeves – 1 set. The near bit 8.½" Stabilizer must have 4" IF box up x 4.½" Regular box down connection			
	v	6" sleeve type / integral type stabilizers having NC35/NC38 connections (must be same connection with 4.¾" OD Drill Collars) with adequate numbers of replaceable sleeves – 1 set. The near bit 6" Stabilizer must have NC35/NC38 Box up & 3.½" Regular Box down connection			
<b>C4</b>	<b>OTHER SUBS</b>				
	i	Adequate nos. of Kelly saver and protector subs (with adequate numbers of rubber protectors) for 5.¼" /6" Hexagonal Kelly for entire duration of the contract.			
	ii	All rotary substitutes and other substitutes necessary in pressure line etc. required to carry out drilling and all other rig operations shall be supplied by the contractor in sufficient quantity and it will be contractor's responsibility to find out the requirement.			
<b>D</b>	<b>ONE NO. 5.¼"/6" HEXAGONAL KELLY AS BACK UP WITH THE FOLLOWING::</b> (This is the minimum inventory to be made available at all times)				
	i	Upper Kelly Cock, Pressure rating 10000 psi WP (Total 2 Nos. i.e. 1+1).			
	ii	Lower Kelly Cock, Pressure rating 10000 psi WP-(Total 2 Nos. i.e. 1+1).			
	iii	Kelly grief sub with rubber protector installed.			
	iv	Kelly saver sub & I- BOP saver sub.			
	v	Kelly spinner as per requirement.			
<b>E</b>	All tubular, rotary substitutes shall be NDT inspected as per API standard after completion of every 6 months of drilling. Contractor shall also provide documentary evidence of API standard inspection carried out on tubular and rotary substitute at the time of mobilization.				

	However, depending upon operational conditions of wells Company may allow flexibility on due date of 6 months periodicity of inspection on receipt of written request from Contractor. Nevertheless, it is Contractor's sole responsibility to maintain the minimum requirement of 4000m G-Grade 5" drill pipe & 3000m S-Grade 5" drill pipe all the time during the execution of contract.			
<b>F</b>	<b>HANDLING TOOL</b>  All items, including but not limited to those mentioned below shall be supplied by the contractor. Please note that the ultimate responsibility lies with the contractor for supply of all handling tools as per their inventory of items.			
<b>a)</b>	<b>ELEVATORS</b>			
i	1 Set consisting of total two nos. 500 tons capacity, 13.3/8" spider dressed as elevator and slip complete with all accessories and slip assemblies to handle 5', 5.1/2", 7", 9.5/8", 13.3/8" casing.			
ii	2 Nos. 150 Ton side door elevators for 20", 13.3/8", 9.5/8", 7", 5.1/2" & 5" Casings.			
iii	2 Nos. each centre latch elevator, capacity 100 ton, for 9.1/2", 8", 6.1/2" & 4.3/4" drill collars (for use in conjunction with lift plug only).			
iv	Lift plugs in sufficient quantity for all sizes & nos. of drill collars.			
v	2 Nos. Centre latch elevator, capacity 350 ton, for 5" OD drill pipe. Elevator should match type of shoulder of drill pipe offered by contractor.			
vi	2 Nos. centre latch elevator, 150 ton capacity for 3.1/2" OD drill pipe (tool joint OD 5").			
vii	2 Nos. each of centre latch elevators, capacity 150 ton, for 2.7/8" OD EUE tubing and 2.7/8" OD Vam tubing.			
viii	1 No each of Single joint elevators complete with swivel and sling assembly for the sizes of 20", 13.3/8", 9.5/8", 7", 5.1/2" & 5" Casing.			

	ix	Any other handling tool as felt necessary by the contractor. Supply of elevators for all sizes of tubular with replaceable spares shall be the responsibility of the contractor.			
<b>b)</b>	<b>ROTARY SLIPS</b>				
	i	1 No. Casing hand slips each for 37.½” rotary table for handling: 20”, 13.3/8”, 9.5/8”, 7”, 5.½” and 5” casings.			
	ii	2 nos. hand slip / power slip for handling 5”/3.½” OD drill pipes medium / extra long type to suit pin / square drive master bushing. Contractor should also provide slips to handle 5.½” OD tubular.			
	iii	2 Nos. medium rotary slip (hand / power) complete with inserts for 2.7/8” Drill pipe/Tubings. iv) 1 set consisting of total two nos. for all sizes of drill collar. v) 1 set consisting of total one no. of 2.7/8” manual tubing spiders.			
	iv	Any other handling tools as felt necessary by the contractor. Supply of slips for all sizes of tubular with replaceable spares shall be the responsibility of the contractor.			
<b>c)</b>	<b>SAFETY CLAMPS:</b> Safety clamps to handle all sizes of drill collars.				
<b>d)</b>	<b>RIG TONGS:</b> Complete sets of Rotary tongs in pairs with 2 sets of extra jaws and replaceable spares of required capacities & sizes to handle the following tubular:				
	i	2.7/8” / 3.½”& 5” OD drill pipes/ tubulars & drill collars of all sizes upto 9.½” OD.			
	ii	Tubing tongs (both 2.7/8” OD EUE N-80 and VAM) including coupling tong.			
	iii	20”, 13.3/8”, 9.5/8”, 7”, 5.½”& 5” casings.			
Note:	In case the rig is equipped with Iron Rough neck with part range / complete range of tubulars, same is also acceptable.				
<b>e)</b>	<b>HYDRAULIC / PNEUMATIC TUBULAR HANDLING TOOLS</b>				

	i	Hydraulic power casing tongs complete with hydraulic power unit with suitable prime mover, standard accessories and pivot head for: 20", 13.3/8", 9.5/8", 7", 5.1/2" & 5" casing: 2 Nos.			
	ii	1 no. Pipe spinner for handling drill pipes/ tubulars in the range 3.1/2" - 5" OD complete with all necessary fittings.			
	iii	Suitable sizes of pneumatic Kelly spinner: 1 No. (For 5.1/4" Kelly).			
	iv	The operator for power casing tong shall be provided by the contractor at their own cost.			
	v	Hydraulic tongs to handle 2.7/8" & 3.1/2" tubings.			
	vi	Any other tongs as felt necessary by the contractor. Supply of tongs for all jobs shall be the responsibility of the contractor.			
<b>f)</b>	<b>ELEVATOR LINKS:</b> 1 Set each of suitable size and length weld-less links of capacity 350 Tons - 2.3/4" x 108" (min.) and 500 Tons - 3.1/2" x 132" (min.)				
<b>G</b>	<b>BIT BREAKER / THREAD PROTECTORS / NOZZLES GAUGE / STABILIZER GAUGE</b>				
	i	1 No. each bit breakers for 26" & 17.1/2", 12.1/4", 8.1/2", 6" for TCR bits (compatible with master bushing).			
	ii	1 set consisting of 2 nos. each size clamp-on or equivalent casing thread protectors for 20", 13.3/8", 9.5/8", 7", 5.1/2" & 5" sizes.			
	iii	Stabilizer gauges and bit gauges of 20", 17.1/2", 13.3/4", 12.1/4" 8.1/2" sizes.			
	iv	Nozzle gauges for various sizes of nozzles.			
<b>H</b>	<b>AIR WINCH:</b> 1 No. Air winch mounted on derrick floor (one on drillers side & other on off drillers side) having pulley at crown block suitable for 5/8" soft wire line.				
<b>I</b>	<b>FISHING TOOLS:</b> All items mentioned below shall be provided by the contractor. Supply of all fishing items and recovery of all fishes in every sizes of hole shall be the responsibility of				

	contractor. However, fishing tools other than listed shall be supplied by Company as and when required.			
<b>a</b>	Overshot: Releasing & circulating overshoots of Bowen Series 150 overshoots for operation in 12.½", 8.½"& 6" hole to catch all sizes of Driller collars, heavy weight drill pipes, drill pipes and substitutes as provided by the contractors, with various sizes of spiral grapple, suitable extension sub and oversized lipped guide for operation in 17.½" hole.			
<b>b</b>	Safety Joints: 1 No. of Bowen or equivalent for operating in 12.1/4" & 8.½"hole size.			
<b>c</b>	<b>OTHER FISHING TOOLS</b>			
i	<b>REVERSE CIRCULATING JUNK BASKET:</b> 1 No. each Bowen or equivalent R.C.J.B complete with accessories for the various hole sizes i.e. 17.½", 12.1/4", 8.½", 6" etc. for 5.½" & 5" completion wells as per requirement.			
ii	<b>JUNK SUBS:</b> 1 No. each Bowen or equivalent Junk subs for operating in the various hole sizes for 5.½"& 5" completion wells as per requirement.			
iii	<b>FISHING MAGNET:</b> 1 No. fishing magnet with standard fishing neck for operating in 12.1/4", 8.½" hole& 6" hole.			
iv	<b>IMPRESSION BLOCK:</b> 1 No. impression block with standard fishing neck for 12.1/4", 8.½" & 6" hole size.			
v	<b>JUNK MILL:</b> 1 No. each junk mill with standard fishing neck for hole sizes of 12.1/4", 8.½"& 6". All materials required for re-dressing of mills shall be provided by the contractor. Re-dressing of mill, if any, shall be carried out by the contractor.			
<b>d</b>	<b>Hydraulic Jar/ Hydro- Mechanical Drilling Jar:</b> Type "Z" Bowen or any OIL approved manufacturer, 01 (One) no. each of 6 ½"/ 6¼", 4¾"/4 ¼" OD Drilling Jar.			
<b>e</b>	<b>Hydraulic Jar/ Hydro- Mechanical Super Fishing Jar:</b> Type "Z" Bowen or any OIL approved manufacturer, one each of 8"/7.¾", 6 ½"/ 6¼", 4¾"/4 ¼" OD Super Fishing Jar.			

<b>J</b>	<b>CASING SCRAPER / ROTOVERT:</b> 01 no. each Casing Scrapper (min. 540° contact area) for 9-5/8" (47 PPF) 7" (29 PPF), 5-1/2" (20 PPF).			
<b>K</b>	<b>FIRE FIGHTING SYSTEM:</b> Contractor shall provide all Fire Fighting equipment as required under the service as per the provisions of OISD STD 189 & Mines Act of India.			
i	The contractor shall lay a 4" dia. firefighting delivery line with adequate number of fire hydrants and monitor located at strategic points which must be connected to the delivery of the Trailer/skid mounted Engine driven fire pump- 01(One) no. of capacity min 1800LPM @7kg/cm2. Contractor shall provide all necessary firefighting and safety equipment as per laid down practice as specified under OISD - STD - 189 and OMR.			
ii	The fire pump should be permanently hooked up with the water tank and fire water line.			
iii	The fire water line shall be designed and properly supported to withstand pressure/reaction force at 7kg/cm2 and shall have two independent connections with NRV to hook up fire water pump and fire water tender.			
iv	The hydrant and monitors shall be mounted on 4" size stand post and situated 1.2m above ground level.			
v	Hose box at each hydrant point shall be provided and equipped with two fire hoses and one multipurpose nozzle. Alternatively, group of hydrants to be provided with hose hut with enough standard fire hoses and multipurpose foam cum water, spray nozzle. Hose hut should be quick and easily accessible from hydrants.			
vi	This is a mandatory requirement and shall be frequently tested for firefighting purposes. In case of non-conformance, OIL reserves the right to stop further operations and nil day rates will be applicable till the time the line is made functional.			
vii	The contractor shall comply with any / all other regulation (s) that comes into effect from time to time in this regard.			
viii	Two nos. 50 KL capacity water storage tank for Fire Fighting to be made available.			

	ix	Independent source of water to supply along with motor/engine driven pump must be made available for filling up of the firefighting water storage tanks.			
	x	A Fire Siren – Manual & Electrical siren as fire alarm shall be provided.			
	xi	Windsock, intrinsically safe torch, SCBA (Self Contained Breathing Apparatus) set (30 minutes capacity) - 02 nos. should be provided.			
	xii	Contractor shall provide portable fire extinguishers which should be located at convenient locations, clearly visible and easily accessible.			
	xiii	The Contractor shall comply with any / all other regulation(s) of OISD (India) & DGMS (India) that comes into effect from time to time in this regard. Regular fire drills should be conducted. Mock fire drill should be conducted at least once in a month & records of all such drills should be maintained properly.			
<b>L</b>	<b>TRANSPORTATION SERVICES</b>				
a)	<b>OIL's Responsibility</b>				
	i	Transportation of company's personnel and materials/Equipment (those not attached with the rig) will be company's responsibility. Contractor will however be responsible for providing all facilities including use of their crane and personnel for unloading/loading and proper stacking/storing of company's materials at drilling site/camp site.			
	ii	Chemicals required for preparation of mud and completion fluid, and Cement shall be supplied by OIL. To & fro collection, transportation, loading/unloading, stacking etc of these chemicals /cement shall be carried out by OIL, as and when required.			
	iii	In case of well emergency, it is the responsibility of OIL to supply/ transport Chemicals, Cement etc. to well site.			
	iv	Well consumables like casing, tubing, well head etc. shall be supplied by OIL. To & fro' collection, transportation will be provided by OIL and loading/unloading, stacking etc.			

		at well site of these consumables shall be carried out by the contractor, as and when required, with the help of Contractor's crane.			
	v	Prior to starting of ILM (inter location movements) the readiness of approach road to forward location and plinth shall be the responsibility of OIL. Clearance of Electrical naked overhead lines belonging to state Electricity board, tea gardens etc. shall be the responsibility of OIL.			
b)	<b>Contractor's Responsibility</b>				
	i	Transportation of contractor's personnel & their material from camp site to drill site and between drilling sites shall be the responsibility of the contractor. All vehicles deployed for this purpose should be in prime condition.			
	ii	All requirements of crane(s), during rig up/rig down & inter-location movements are to be provided by the Contractor. Any additional requirement of crane(s) for any specific purpose at site during well operation shall also be provided by the Contractor.			
	iii	Bits required for drilling of wells shall be supplied by OIL. However, it is the responsibility of Contractor for loading/offloading and to transport the same from Company's yard/Go-down.			
	iv	Bits required for drilling of wells shall be supplied by OIL. However, it is the responsibility of Contractor for loading/offloading and to transport the same from Company's yard/Go-down.			
	a	Sufficient numbers of Diesel Hydraulic, Truck mounted Telescoping Boom mobile crane during rig up /rig down & inter-location movements of Rig package.			
	b	Sufficient number of load carrying vehicles and cranes so that the inter-location movement is completed without any delay.			
	c	Minimum 1 no. of Diesel Hydraulic, Truck mounted, Telescoping Boom mobile crane of 40 Tonne minimum capacity to be made available at all times at well site.			

	d	During Inter-location Movement, any left out consumables including but not limited to, well head, casing, tubing or any kind of tubular, bits, chemicals, barytes, bentonite etc. should be collected, loaded, unloaded, stored, handled, transported between locations by the Contractor or as directed by OIL. The maximum load requirement of OIL's equipment will be of around 06(six) trailers. Rig down/Rig up/transportation of Company's materials/ items attached to the rig shall be done by the contractor.			
	e	During inter location movements, the contractor shall arrange for shutdown/ ground clearance/ temporary lifting of Service Lead-in/ wires/ cables / raising of lines (if required) of Electrical overhead lines belonging to third parties viz. state electricity board (APDCL), tea gardens etc.			
	f	The contractor is solely responsible for any damage to existing Electrical infrastructure belonging to third parties viz. state electricity board (APDCL), tea gardens etc. resulting from the movement of the contractor's vehicle during ILM. In case of such damage, contractor is fully responsible for repairing of the damaged Electrical infrastructure.			
M	<b>MISCELLANEOUS TOOLS &amp; EQUIPMENT</b>				
a)	1 No. each of circulating head with hammer union connection for 20", 13.3/8", 9.5/8", 7", 5.1/2" BTC casings, 2.7/8" IF & 2.3/8" IF drill pipes.				
b)	1 No. poor boy swivel for 4.1/2" IF drill pipes.				
c)	Circulation Heads:				
	i	One No. circulating head for 5" OD x 4.1/2" IF drill pipe fitted with quick opening gate valve and Chicksan hose connection.			
	ii	One No. of circulating head for 2.7/8" EUE tubing.			
	iii	One no. of tubing shut in valve for 2.7/8" EUE tubing.			
d)	Mud basket for use during round trips with Drill Pipes of sizes 5" & 3.1/2" and other tubular.				

e)	Adequate number of appropriate size back pressure valves to be installed on bit subs during different stages of drilling (complete with installation tool).			
f)	One No. of additional reels of 7500 ft. each, 1.3/8" or 1.½" IWRC drilling line (as per specification of the rig).			
g)	Appropriate riser for all stages of drilling.			
h)	Complete sets of tools/wrenches.			
i)	Suitable size & number of bell nipples and flow nipples for making up at the well head.			
j)	Suitable capacity (engine or electrically driven pump reciprocating/centrifugal type) for pumping gauging water to cementing hoppers.			
k)	<b>Welding Machine:</b> Diesel/ Electric powered electric welding generator capable to generate welding current at 480 Hz with Constant Current characteristics with all associated welding and cutting apparatus, Oxy-acetylene cutting equipment's with flash back arrestor, brazing etc. Engine should be fitted with spark arrestor. All consumables shall be supplied by the contractor.  <i>NOTE: Cylinder cap to be provided in Nitrogen, oxygen and acetylene cylinder.</i>			
l)	PESO certified spark arrestor to be provided for all ICE engine except power pack engines.			
N	<b>OTHER PROVISIONS TO BE PROVIDED BY CONTRACTOR</b>			
i	The contractor shall provide, at his cost a barites loading platform with shed to facilitate storing and mixing of mud chemicals at well site. The size of the platform should be 700-800 sq, ft to accommodate around 30 MT of Barites and 10 MT of Bentonite. The loading and unloading of materials in the shed and in the barites and bentonite mixing hopper shall be done by the contractor.			
ii	Contractor shall prepare, maintain and use drilling mud as per drilling policy with water loss, weight, viscosity in accordance with mud programme as the OIL may decide as per good oilfield practices, with due diligence in keeping the hole and all strings of casing and space between			

	casing filled with drilling mud shall be exercised. Contractor shall maintain and test drilling mud at least twice each hour for maintaining proper mud weight and viscosity. The contractor shall record the result of such tests and use of mud & mud chemicals in its daily drilling report. Contractor will also be required to keep hourly record of mud weight, viscosity (in and out), active tank volume etc. Preparing and maintaining the drilling fluid properties as per OIL's instruction will be contractor's responsibility, however required chemicals & additives will be provided by OIL. The detailed mud testing is to be carried out at the well site laboratory twice everyday by Contractor.				
iii	During well testing (Production Testing)				
	(a)	Schedule - 1			
	1	Making & breaking including stacking and running in of production tubing (both 2.7 $\frac{7}{8}$ " OD EUE N-80 and VAM tubing) as per the standard practice.			
	2	Installation of Tubing Head Spool, packing of secondary seal and testing of the same as per the rating.			
	3	Testing of X-Mass tree and installation of the same.			
	4	Making necessary tubing/ casing connections to the well head set up.			
	5	Hooking up of the production equipment namely Tanks, Separator, Steam jacket, ground X-Mas tree etc and test the same before commissioning as per the requirement.			
	6	To make the gas flare line to the flare pit.			
	7	To measure the flow rate and to analyze the produced fluid as and when required.			
8	To maintain the tubing tally including any down hole production equipment run.				

	9	All necessary surface connections to be made by the contractor for enlivening of the wells using nitrogen pumping unit. Crane services to be provided by OIL in case any CTU operation is carried out.			
	10	Hooking up of the steam lines to production tanks and steam jacket.			
	(b)	Schedule -2			
	1	All production equipment's namely X-Mass tree, Tubing head spool, Hanger flange / Tubing hanger, Separators with all accessories, Tanks, Steam jacket, Ground X-Mas tree, Tubings (both EUE N-80 and VAM), Pipes for surface fittings and flare line etc will be provided by Production Oil Department.			
	2	All tools required for making up of the above equipments are to be supplied by the contractor i.e. Elevators, slips, Tubing tong, Coupling tong, Hydraulic pumps and other necessary equipment's for hydraulic testing of the separators, X-Mas tree, Ground X-Mas tree, Steam Jacket etc. to be provide by the contractor.			
	3	Consumables as thread dopes to be provided by the contractor.			
iv	Mud testing laboratory inclusive of all well site testing equipment as per following list to be provided by the Contractor.				
	a	Baroid Mud Balance # 2 nos. (1 for Mud cabin for Attendant & 1 for Mud testing Laboratory).			
	b	Marsh Funnel Viscometer # 1 no.			
	c	Fann VG meter # 1 no.			
	d	API Fluid Loss Apparatus # 1 no.			
	e	High Pressure/High Temperature Fluid Loss Apparatus # 1 no.			
	f	Lubricity Test Equipment # 1 no.			

	g	pH Meter # 1 no.			
	h	Salinity Measurement Kit # 1 set.			
	i	Sand Content Measurement apparatus # 1 no.			
	j	2 Pan Balance # 1 no.			
v	OIL reserves the right for inspection and verification of the rigs and associated ancillaries during any time after bid closing date. Bidder should confirm acceptance of this clause in their bid.				
<b>7.3</b>	<b>GROUP - III (MUD /AIR/WATER/FUEL SYSTEM)</b>				
A	<b>MUD SYSTEM</b>				
	a)	A mud system having an active capacity of approximately 1200 bbls/ 190M3 and gross capacity of 2200 bbls/350M3 including reserve capacity, with the following tanks / tanks compartments - Shaker tank - Intermediate tank - Suction tank - One trip tank (80 bbls / ~ 13M3 minimum, with 2" x 3" centrifugal pump and 25 HP explosion proof electric motor Trip tank should have suitable calibration of 0.5 bbl sensitivity) - One mixing tank - Three Nos. of reserve tanks to accommodate the above reserve capacity. - Pre-flush tank, gauging water tank & slug tank (Slug tank should be a part of suction tank capacity around 60 bbls - Continuous casing fill up system for all sizes casings. - All mud tanks are to be provided with Drill water & Diesel supply lines a. NOTE: Provision of suction of mud from any of the reserve tanks with any of the mud pumps and with suitable facilities for transfer of mud from active to reserve tank or vice versa. Also, suction from intermediate tanks to mud pumps to be possible.			
	b)	The mud system should include the following:			
	i	High Speed Linear Motion Shale Shaker [LMSS] single or twin unit / Balanced Elliptical motion with minimum 7 G force capable of handling at least 1500 GPM [With 1.08 sp. Gravity water/ polymerbased mud] and sufficient number of screens from API 20 to 250 mesh size for drilling various hole sections.			

		<p>ii Linear Motion Mud Cleaner, capable of handling at least 1500 GPM [1.08 sp. Gravity water/ polymer-based mud], having screen size up to API 325 mesh size with Desander &amp; Desilter installed over it having the following capacities:</p> <p>1) Desander (Hydro cyclone type) capacity at least 1500 GPM, with 2 - 3 nos. (or more as per design requirement) of vertical 10” – 12” cones complete with suitable motor driven centrifugal pump capable of delivering the required volume &amp; head of the Drilling fluid as noted.</p> <p>2) Desilter (Hydro cyclone type) capacity at least 1500 GPM [With 16-20 cones (or more as per design requirement) arranged in 2 rows or circular arrangement] complete with suitable motor driven centrifugal pump capable of delivering the required volume &amp; head of the Drilling fluid as noted.</p>			
		<p>iii Degasser, Vacuum type capacity at least 1200 GPM, complete with suitable compressor, motor and proper gas disposal system with poor boy degasser chamber for disposing gas beyond hazardous area / zone.</p>			
		<p>iv 2 (Two) nos. (min) 10 HP (min) mud agitators with suitable gear box &amp; 4(min) bottom gun jet per tank and mud guns for proper churning of mud with TOR :50 (min).</p>			
		<p>v Mud mixing system, consisting of low pressure hoppers and electric motor driven centrifugal pumps. The System should be capable of mixing mud up to 19 PPG, approx. the system should contain atleast two hoppers &amp; two 75 to 100 HP centrifugal charging pumps.</p>			
		<p>vi The active mud system should have one platform adjoining the tank with approx. dimensions of 30' x 20' for keeping Bentonite barites &amp; other materials for mixing purposes. Alternatively, contractor should keep adequate provision for keeping Bentonite, barites and other chemicals at site.</p>			
		<p>vii The reserve tank should have independent suction &amp; delivery lines with mixing arrangement through the hopper.</p>			
		<p>viii Electric motor driven centrifugal pumps for above mud cleaning and degassing equipment. Throughout the tank system the following lines shall be installed as</p>			

		required complete with all necessary valves fittings & unions: - suction lines - mud roll line - discharge line - Water line - Mix line.			
	ix	Centrifuge: Brandt's HS-3400 /Derrick/Kemtron/Swaco/Any other OIL approved make having High Gforce capacity and with long clarification area to process approx. 170 gpm with feed density of 9.3 ppg mud [approx.] at more than 2000 G's. The functions of solids sedimentation, separation and draining are all to be combined in the centrifuge. The unit should be complete with charging pump, Main Drive Motor [FLP type], hydraulic drive, and torque control assembly for centrifuge. [Note: All safety measures are to be adopted in placement as well as operation period].			
	x	In case, LWC is used while combating stuck pipe situations. LWC shall be provided by OIL free of cost to the contractor. The contractor's responsibility shall be to provide storage facility and infrastructure to utilize the LWC at any moment. In addition, diesel fuel may also be used, for releasing stuck pipe, if the situation so demands, and which shall be provided by the contractor in sufficient quantity and as many times as needed. Cost to be reimbursed by the Company at actual.			
	xi	Adequate capacity pre-flush tank, gauging water tank slug tank within the suction tank of approx. capacity 60 bbls with all necessary fittings, valves, connection etc. shall be provided by the contractor.			
	xii	Moreover the following shall also be provided by the contractor:  (a) A suitable number of stairways from ground to top of tanks, from ground to choke manifold level, from choke manifold level to top of tank. (b) One crossover platform from mud tank to substructure complete with stairs. (c) Tank shall be covered with bar grating. (d) Hand rails shall be provided on all the outer boundaries of the tanks. (e) The mud tanks and all other accessories are to be mounted on rugged oilfield skids. Mud tanks should be in good working condition and rugged enough to last the entire duration of contract including an extension if any, without having to undergo repairs irrespective of their movement.			

	c)	<b>CABIN FOR MUD ATTENDANT:</b> A cabin of dimension 5' L x 5' W x 8' height mounted on a skid with one sliding door, 3 safety glass windows (on 3- sides), one knowledge box and one tool box and standard mud lab Baroid Model No. 821-40 shall be provided by the contractor. The inside walls of the cabin are to be provided with thermal insulation and laminated boards. The cabin shall be placed near the intermediate tank at the level of the walkway.			
B		<b>RIG AIR SYSTEM:</b> Rig air compressor package complete with utility hut consisting of the following.			
	i	Two Nos. electric motor driven reciprocating / centrifugal / screw type air compressors each having a capacity of min. 90 CFM at 125 psig working pressure, complete with all accessories.			
	ii	One number cold start compressor capacity of minimum 30-40 CFM at 150 psig rated working pressure, driven by diesel engine.			
	iii	2 nos. air receiver hydraulically tested within last three years with documentary evidence. These receivers should be as per rig design and deployment of the equipment and should be of enough capacity to cater the need of air requirement for smooth operations and complete with air dryer, safety relief valve, condensate drain trap etc.			
C		<b>WATER SYSTEM:</b> The water system should conform to the minimum requirements as given below for guidance.			
	a	<b>Three Nos. water tanks:</b> (also to be used as gauging water tank) Total storage capacity: 170 M3 (approx.). Fitted with two centrifugal pumps (as water booster) having capacity minimum 80 m3 per hour and 26 m head and complete with suction and discharge lines for operation of either or both pumps. At least two (02) tanks should be fitted with 02(Two) no. of agitator each along with hopper arrangement for mixing chemicals One set piping: Std. size & complete with suitable valves for supply of water to mud system from the above 3 tanks.			
	b	<b>Water Supply:</b> The contractor shall be responsible for arranging suitable capacity pump for drawing source water from minimum 15 m water source below ground level with all			

		necessary piping, and other set-up. The Contractor shall be responsible for procuring, transporting and storing/supplying adequate quantity of both drill / potable water to well site / campsite at their cost. The company shall in no way be responsible for any water arrangement whatsoever at well site / campsite.			
	c	<b>Fuel Tank:</b> Two No Fuel tanks with adequate storage capacity of fuel along with DGMS approved decanting facility for decanting of Diesel from Diesel tankers to storage tanks must be available.			
NOT E:	i	In case, the rig remains idle for want of a minimum required quantity of acceptable quality water, then 'NIL' day rate shall be applicable for the entire period of shut-down.			
	ii	In case of total mud loss into the formation while drilling or in case of fire fighting, if the whole water stock is consumed, then 'nil' day rate will not be applicable. However, the contractor has to take urgent & all-out effort to replenish the stock immediately in order to tackle the water problem.			
	iii	If source water cannot be located within the plinth areas, because of subsurface formation reason, the contractor shall have to set up water supply station at the nearest available source.			
	iv	To cater the need of all emergencies an alternate adequate water source should be identified & arrangement should be kept ready to provide water to camp / well-site to meet the emergencies.			
	v	Flow meter shall be provided with the ground water drawing system and records to be maintained at well site. Contractor shall be responsible for keeping records for water consumption at wellsite.			
D	<b>ELECTRICITY</b>				
	a	Generation and supply of electrical power for running the entire operation and for various uses in the camp and well site shall be done by the contractor. Provision shall be made for standby generators both at camp & well site to ensure uninterrupted supply of electricity. Adequate lighting shall be provided in the camp, campsite, and drill site by			

	<p>the Contractor. Supply of electricity to company's mud logging unit and other equipment which operate on 220/415V - 50 Hz shall also be the contractor's responsibility at their cost. The contractor must provide facility for running all electrical equipment of OIL &amp; their own both at 50Hz - AC and 60 Hz AC capacity wherever they are applicable. Rig lighting system shall conform to API standard and be connected to the main rig power system. Standby provision should be kept to meet the requirement as and when necessary. In addition the contractor must provide 5 (Five) Nos. of Flasher type aviation warning light for fixing at mast and conforming to API standard, which shall be used as per OIL's instruction.</p>			
b	<p>All auxiliary motors, lighting, plug/socket, junction box, starter, push button not placed at safe distance shall be suitable for use in oilfield hazardous area, Zone-I or Zone-II and Gas group II-A &amp; II-B of oil mines and shall confirm to IS/IEC/EN: 60079 standards. Details of certification / test reports confirming to the above relevant standard from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body shall be submitted. [Ref: Oil Mines Regulation, 2017, Regulation no.96 and CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.110].</p> <p><b>Notes:</b></p> <p>1) All Electrical Cables used in the Drilling Rig should be multi core flexible copper cables (armored or screened) of 1000 volts grade, EPR insulated, CSP/NBR sheathed. All electrical cables shall conform to the provisions stipulated in line with IS-9968-1 read with the latest BHEL specifications (OR12003, OR12002 &amp; OR12005) as the case may be. If the standard of a particular type of cable is not available in India, the cables must comply relevant International standards (IEC 502) with latest amendments. Ref. to DGMS Tech. Circular (Electrical), (Approval) No. 17 dated 25/05/2015.</p> <p>2) Remote PBS placed in hazardous area should have intrinsically safe circuits with a maximum of 30 Volts. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102(iv).]</p>			
c	<p>In case of 3-phase and 4 wire systems &amp; the middle conductor of a 2 phase 3 wire system - The neutral conductor shall be earthed by not less than two separate and distinct</p>			

		connections with a minimum of two different earth electrodes or such large number as may be necessary to bring the earth resistance of neutral to a satisfactory value [CEA Regulation 41(i)].			
d		The neutral system should be such that, the fault current shall not be more than 750 mA in installations of voltages exceeding 250V and upto 1100 volt system for oil mines. The magnitude of the earth fault current shall be limited to the above value by employing suitably designed restricted neutral system of power supply [CEA Regulation 100(1)]. The neutral system should be such that, the fault current shall not be more than 750 mA in 550/1100 volt system for oil field. The magnitude of the earth fault current shall be limited to the above value by employing suitable designed restricted neutral system of power supply (I.E rule 116 (i)) Bidder shall provide details of such arrangement in the technical bid.			
e		<b>Earth leakage protective device:</b> All the outgoing feeder for motor, lighting shall be provided with earth leakage protective device so as to disconnect the supply instantly at the occurrence of earth fault or leakage of current (I.E. rule no 61 A).			
f		All the electrical equipment, PCR, Diesel tanks, Mud tanks should be double earthed.			
g		Documents required with techno-commercial bid: The bidder should furnish the following along with their techno-commercial bid.			
	i	Single line Power Flow Diagram of the rig.			
	ii	A Plan layout of electrical equipment used in the rig.			
	iii	Details of all electrical equipment used in the rig as per format given in Annexure-V.			
	iv	Details of all cables, light fittings, push button stations, plug & sockets, junction boxes, motor, starters etc. used in the rig as per the format given in Annexure – VI.			
	v	Details of rig electrical as per the format given in Annexure-VII – Electrical.			

	vi	A layout of the complete earthing system including earthing of diesel tanks, PCRs, all motors, motor starters, alternators & any other electrical equipment used for the purpose.			
	vii	For all Electrical equipment used inside hazardous area (within 30 meters from well centre), test reports/ certificates confirming to relevant standards (IS/IEC/EN: 60079) from an Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of the manufacturer's facility shall be submitted along with the bid and also with the supply of the materials. In case the bidder is unable to provide the test reports/ certificates at the time of bid submission, then the bidder has to categorically confirm in their offer that "Test reports/ certificates will be submitted along with the supply of materials".			
		<p><b>Note:</b> Bidders have to furnish a list of Electrical equipment to be used in hazardous areas as per format given in Annexure-V. The Electrical equipment placed in classified hazardous area must be certified by Indian government laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of the manufacturer's facility.</p> <p>Also, the electrical appliance, equipment for using in Zone 1, Zone 2 &amp; hazardous area (within 30 meters from well centre) of the mine shall conform to IS/ IEC standards as specified by DGMS as per clause no. 107 of OMR- 2017 read with Gazette notification: 898 of 2017.</p>			
	h	<b>DCON</b> - Pressurized type driller's console and foot throttle should be used in the rig. Air purging system should be provided for the above.			
	i	<p><b>COMMISSIONING REPORT &amp; STATUTORY RECORDS:</b> The following minimum reports and records are to be maintained by the Contractor –</p> <ul style="list-style-type: none"> <li>• Equipment commissioning record and statutory record registers.</li> <li>• Insulation resistance of all motors, generators, cables, distribution board, transformer etc. (in each rig up).</li> <li>• Record of Earth resistance of all electrodes (in each rig up) [CEA Regulation 41(xvii)].</li> <li>• Test record of RCCBs (once every 3 months) [CEA Regulation 100(3)].</li> <li>• Maintenance of FLP equipment (yearly).</li> </ul>			

	<ul style="list-style-type: none"> <li>• Log sheet for Mines and Oil-Fields (daily) as per Schedule-XIII of CEA Regulation.</li> <li>• Illumination Records.</li> <li>• Any other record that may be required by statutory authorities / Company for operational or safety reasons.</li> <li>• As per DGMS circular &amp; Gazette Notification for Maintenance of register as required by the Mines Act 1952 and Mines Rules, 1955, the forms A, B, D and E have been updated and modified. The above mentioned forms needs to be maintained as per the new format.</li> <li>• All other statutory forms to be maintained in respect to Mines Act, 1952, Mines Rules 1966, Oil Mines Regulations 2017 and other applicable laws. Responsibility for maintaining of such records shall rest with the Chief Electrician (on behalf of the Contractor).</li> <li>• Electrical Logbook Register to maintain records of operational parameters and energy consumption data (every shift).</li> <li>• Daily Progress Report.</li> <li>• Electrical Equipment Maintenance Register.</li> <li>• Breakdown Maintenance Register.</li> <li>• Well Site Inventory Register.</li> <li>• By-pass register.</li> <li>• Register for management of change.</li> <li>• Filled up toolbox talk record file.</li> <li>• Closed electrical isolation permit record file.</li> </ul>			
j	<p><b>Lighting Transformer:</b> The voltage for lighting system in-side the mine shall not exceed 250V (between phases) if neutral is connected to earth as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 102.</p>			
k	<p><b>Neutral Grounding Resistance:</b> The Main 600 V/415 V transformer shall be Delta-Star type and star point of the secondary shall be earthed through NGR; and, neutral of the secondary shall not be served for any load. The neutral earthing system should be such that, the earth faults current shall not be more than 750mA in installations of voltage exceeding 250V and up to 1100V system for oil fields. The magnitude of the earth fault current shall be limited to the above value by employing suitable designed restricted</p>			

		neutral system (NGR) of power supply as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 100(1).			
	l	Tri-lingual notices shall be exhibited forbidding unauthorized operation, cautioning the presence of electrical apparatus as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 109 (7(i)).			
	m	Schedule – XIII shall be present and filled as per CEA (Measures relating to safety and electric supply) Regulations, 2010, clause 110 (9) & regulation no. 115(5)			
	n	The switchgear and protective system shall be kept effective, maintained and checked and result shall be recorded as per CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no. 100(3).			
	o	Electrical isolation / Energization permits shall be maintained as per Oil Mines Regulation, 2017 regulation no. 99 and OISD 216.			
	p	Shock treatment chart should be displayed in the PCR. This should contain telephone number of fire service and other emergency services. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.28(1) and OISD 216 (Annexure-2&4)]			
	q	All electrical equipment (motors, alternators, Starters, PBS etc.) shall have Danger notices/ caution boards of appropriate voltage. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.18 and OISD 216(Annexure-4)]			
	r	Valid calibration records of all the measuring instruments shall be available at site.			
	s	All electrical panels shall be painted with the description of its identification at front and at the rear. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010, regulation no.19(6)]			
<b>E</b>		<b>MOBILE EFFLUENT TREATMENT PLANT WITH RO FACILITY/ EFFLUENT MANAGEMENT</b>  Full-fledged Mobile Effluent Treatment Plant (ETP) with RO facility and laboratory facility to test the solid and liquid output and to match the requirements for drilling locations in N.E region in line with the recent guidelines from Ministry of Environment and Forest and safe disposal of Oil Drilling Effluents as below –			
	1	Capacity: The ETP shall have the capacity to handle 150 cubic meters input per day along with a Centrifuge capacity of minimum 8m <sup>3</sup> /Hr in the flow cycle after dozing			

	system and other treatment tanks but before final filtration process. For solid effluent, it shall have the capacity to handle 50 cubic meters input per day including solid cakes come from mechanical separation unit.			
2	The liquid and solid output from the ETP shall conform to the recent CPCB (Central Pollution Control Board) and SPCB (State Pollution Control Board) norms and follow MoEF (Ministry of Environment & Forest) guidelines published time to time. The liquid output coming out from ETP (final output) shall conform to the standard IS 10500 (or recent amendments for potable water).			
3	The treatment process shall be of chemical separation and mechanical separation along with RO.			
4	The plant will be within inside mining area and shall comply with new OMR 2017.			
5	All electrical equipment should be suitable for use in hazardous areas of Zone I and Gas group IIA & IIB of Oil Mines and shall conform to IS/IEC/EN:60079- 0:2011 & IS/IEC/EN:60079-1:2007. The bidders shall submit test reports conforming to the above relevant standards from an Indian Government Laboratory or NABL accredited laboratory or IECEx accredited laboratory or ATEX notified body, which is not a part of manufacturer's facility. Bidder shall provide copies of above test reports along with technical bid. Above Test Reports no should be engraved on the name plates of such equipment.			
6	Test Report of flame-proofness conforming to the relevant standards as per OMR-2017 and subsequent guidelines from DGMS shall be required if any in some specific equipment as per OMR- 2017.			
7	Laboratory facility with competent personnel to test and report output analysis.			
8	ETP shall be efficiently operating condition from the day of spud - in to day of declaration for ILM to next location.			

	9	<p><b>THE FOLLOWING ARE THE MINIMUM QUALITY OF TREATED WATER FROM RO OUTPUT SHOULD BE MET:</b></p> <p>vii) Suspended Solids: Nil.  viii) Turbidity: Nil.  ix) pH: 7.00 to 7.5  x) T D S: Less than 40 ppm.  xi) Total Hardness: 30 ppm as CaCo3.  xii) Bacteria Coliform: Nil.</p>			
Note	a	The Chief Electrician engaged by the Contractor shall have the responsibility of operation, maintenance and support of the electrical equipment of the ETP plant.			
	b	All electrical records of the ETP plant should be maintained by the Chief Electrician. These records should be presented for scrutiny as and when required by statutory authority / Company.			
F	<b>MISCELLANEOUS ITEMS</b>				
	a	Doghhouse			
	b	Two sections catwalk and pipe racks of sufficient capacity and length.			
	c	Storage and tool house.			
	d	Pipe and casing rack of suitable height and adequate capacity.			
	e	Suitable arrangement at the end of flow nipples of well head for fixing gas monitoring equipment, with a suitable shed for the gas logger at that location.			
	f	<b>Online Gas Monitoring System:</b> Online Gas Monitoring System having minimum four channels with Audio-Visual Display and Warning for onshore Drilling Rig Application comprising Gas detectors, Measuring & Alarm control unit and Calibration Kit & Accessories. The Multi-Gas shall be inclusive of Hydrogen Sulphide (H2S), Carbon Monoxide (CO) and Methane (CH4). Multi- Gas detectors (two for Methane & two for H2S i.e. total four detectors) are to be located at Riser mouth as well as at Shale Shaker.			

		Display unit is to be located at doghouse & Rig-superintendent's office but connected explosion proof Hooter & Flasher shall be mounted at rig-floor.			
	g	The wellsite should be adequately covered by CCTV coverage with emphasis of adequate coverage of minimum 08 operational areas – (i) Derrick Floor, (ii) Mud Tank Area, (iii) Thribble Board, (iv) below derrick floor (cellar pit), (v) Mud Pump, (vi) Shale Shaker, (vii) PCR & (viii) Entry Gate with recording facility availability for minimum 30 Days. All CCTV equipment installed will be designed as per applicable statutory guidelines of OMR and DGMS.			
	h	Two nos. of Digital Portable Multiple Gas Meter (gas detectors) to be provided (one is in use and other one is as back up). The gas detector should have certification of DGMS, CMRI/CCOE or equivalent for Zone 1, Class IIA, IIB, IIC area.			
<b>G</b>		<b>DRILLING INSTRUMENTATION:</b> The rig should be equipped with the following instruments of Martin Decker or equivalent New Generation instrumentation system i.e. Drill Watch, Touch Screen type digital and Analog display monitors at 3 rig stations with data acquisition and printing facilities for monitoring drilling parameters:			
	a	Martin Decker type E/EB or equivalent wt. indicator complete with accessories and suitable wire line anchor for appropriate number of lines strung at Driller console.			
	b	Driller's console should contain 1 No. of suitable Mud pressure gauges (additionally one on standpipe manifold, one each at each mud pumps), weight indicator, tong torque system, rotary torque gauge, Rotary RPM, Rotary & Top drive Torque and pump SPM counter for each rig pump, remote mud pump pressure gauge, Mud Vol. Totalizer, Return Mud flow, Trip Tank Level, Hole Depth, Bit Position, Casing Pressure, ROP. It should include emergency honking system, signal alarm and visual display boards at strategic points.			
	c	Advanced integrated Drilling Instrumentation System to be provided for recording of Hook Load, Weight on Bit, ROP, Rotary & Top drive Torque, RPM, SPM-1, SPM-2, SPM-3, Hole Depth, Bit Position, Total SPM & Stand pipe pressure, Total Strokes, Mud Volume of individual tanks, Trip Tank Level, Active Mud Volume, Mud Loss/ Gain, Mud Temp in, Mud Temp Out, Return Mud Flow, Tone mile, Tong line pull, Casing Pressure.			

		However, in addition to above, digital / analogue display of applicable parameters shall be provided.			
	d	One intercom telephone system for Rig communication between rig floor and other areas of the rig to be provided which should have flame proof fittings at hazardous places and should be approved by statutory authorities (Govt. approved/Licensed Walkie Talkie is also acceptable if it is FLP). Additionally, there should be provision of 02 (two) independent communication systems (having DGMS approved FLP phone) for communication to & from wellsite to base.			
	e	Calibrated Pressure Gauges are to be provided at Standpipe manifold, Choke manifold, Discharge of individual mud pumps.			
	f	Gas Detection System for Three/Two fixed locations (Flow line, Shale Shaker and after Degasser on Mud tank) as per OISD & DGMS guidelines with alarms (Local/Remote) and other accessories.			
Note		All electrical/electronic instruments and sensors installed on rig should be as per new OMR' 2017.			
<b>GENERAL NOTES:</b>					
(a)		Minor variation in size and specification of tools and equipment quoted with the rig should be acceptable provided these are fully compatible with the offered rig.			
(b)		The total number of rig loads required for rig movement should be clearly spelt out in the bid giving details of each load.			
(c)		Approximate transportable dimension of one rig load should be preferably within 9 M (L) x 3.5 M (W) x 3 M (H).			
(d)		Supply, storage, consumption / regulation of water & fuel at the well sites as well as at the camp site shall be the contractor's responsibility. Any shut down of operation due to non-availability of water and fuel shall be on the contractor's account.			

(e)	<p>The Bidder shall submit the layout drawing of the offered rig package indicating loading pattern of soil / foundation under the following conditions:</p> <ul style="list-style-type: none"> <li>(i) While raising / lowering mast.</li> <li>(ii) With rated hook load + set back load.</li> <li>(iii) With casing and set back load. The above shall be furnished with the bid.</li> </ul>			
(f)	<p>The digging of deep tube wells at the respective sites and installation is Company's responsibility however Supplying all equipments/materials for sinking of the tube well, operation of water pumps, extraction of water from deep tube wells for rigs as well as camp shall be the contractor's responsibility. For the sake of the Contractor's knowledge the depth of deep tube well in the region will be approximately 15-50 m (with double filter installed). Supply of water from alternate sources shall be the responsibility of the Contractor, if no water is found at the exact camp or well site.</p>			
(g)	<p>Supply of LDO/LWC for mud preparation and for meeting other downhole eventualities will be the company's responsibility. The Contractor shall also provide fuel for all of their vehicles and other stationary engines.</p>			
(h)	<p>All sorts of lubricants for day to day operation of various rig equipment's shall be supplied by the Contractor. Also, various spares for rig components shall be stocked / supplied by the Contractor.</p>			
(i)	<p>All sizes of drilling bits as required separately under different casing / hole policy shall be provided by OIL. Contractor will supply on request, bits selected by OIL at actual cost + 5% handling charge.</p>			
(j)	<p>Wire line Logging Service: All logging requirements as depicted in the drilling programme will be met by OIL through its in-house or through logging service Providers.</p>			
(k)	<p>Well killing: The primary responsibility of well killing and all related operations shall lie with OIL. OIL shall provide man, material and fire service for this purpose. OIL shall render help in civil administration when such a situation arises. Competence of the Contractor's well killing operation shall be decided by OIL. Based on this, OIL reserves the right to bring in external</p>			

	experts. The resultant cost thereof shall be borne by the contractor, in the event that the blow out occurred due to negligence of the Contractor.			
7.4	<b>CIVIL ENGINEERING WORKS</b>			
7.4.1	<p>The approximate well plinth preparation for a similar drilling rig as available with the Company is broadly as follows:</p> <p>(i) Approx. plinth area: 9215 Sq. m.  (ii) Concrete volume: 700 to 750 cum (for foundations of slush pumps, drilling rig, rig engines, ETP foundation etc.).  (iii) Hard standing area: 5640 Sq.m.  (iv) Effluent pit volume: a. 8,00,000 gallons for Development well. b. 10,00,000 gallons for Exploratory well.  (v) Safe Bearing Capacity: 8.00 Kg/Sq.cm.</p> <p>The Contractor may use the above information as a guideline only. The Contractor's and OIL's responsibilities in this regard are defined below.</p>			
7.4.2	<p>All Civil Engineering jobs associated with preparation of approach road, well site plinth, well site toilets as per OIL standard, rig foundation (with cellar) etc. will be the Company's sole responsibility. However, the Contractor shall submit the following along with technical Bid (in case of brand new Rig within 15 days from the date of issue of LOA) in order to assess the quantum of civil engineering works required –</p> <p>i Rig layout drawing clearly indicating areas where RCC and hard standing is required.</p> <p>ii Substructure foundation design and detailed working drawing.</p> <p>iii Cellar foundation design and detailed working drawing. Also, indicate maximum allowable cellar foundation size.</p> <p>iv Structural configuration and load distribution of the rig package / equipment.</p> <p>v Detailed design and working drawing of any other equipment requiring cement/concrete foundation.</p>			

	vi	All approach roads to well site and hard standing of well sits will be made from gravel locally available without any black topping what so ever as per prevailing practice.			
	vii	The foundation for substructure, mud pumps, engines, PCR, HSD tank etc. shall be constructed by company as per the working drawing submitted by the contractor at one go. Any addition or alteration of foundation at the later stage or during rig up operation shall be done by the Contractor at his own cost and additional time required for such kind of alteration shall be attributed to the Contractor.			
	viii	In case of delay in submission of rig layout diagram by the Contractor results in delay of preparation of plinth and subsequently delay in mobilization shall be attributed to the Contractor.			
7.4.3		Grouting of the false conductor including supply of the false conductor (may be in cut pieces) & civil-materials will be responsibility of OIL. However, Sizing/ fabrication work or any other associated job is to be done by the Contractor.			
7.4.4		All grouting required for anchoring guy post/any wire line (if required), delivery/other lines etc. including supply of civil materials for such jobs will be responsibility of OIL.			
		Maintenance of Well plinth, Approach roads to well sites, shall be the Company's responsibility including supply of materials.			
7.4.5		OIL will provide the land required for the base camp at Rig/well site with approach road and will also be responsible for preparation of camp site, making foundation, maintenance of this campsite & its approach road including supply of civil materials. However, setting up of the camp other than the mentioned jobs herein is the responsibility of the contractor.  Note: Contractor should provide necessary lay-out, drawings and other details required for preparation of drill site and base camp site by OIL along with the techno-commercial bid.			
7.4.6		Construction of all types of sheds/ ramps (if required by the contractor) over equipment's, tanks, chemical storage, telephone etc or construction any temporary hut required for operation and also subsequent dismantling of the same after completion of well will be the responsibilities			

	of the company (OIL). CGI sheets for such jobs are to be provided by the contractor and all other materials will be provided by OIL.			
7.4.7	Erection and dismantling of Panel fencing in well site as per OIL's standard drawing. The required Panel fencings as per OIL's drawing will be supplied by the Contractor.			
Note:	<ol style="list-style-type: none"> <li>1. Civil Materials mentioned in above clauses are cement, sand, aggregate, brick/ brickbats, gravels, boulders, broken stone etc.</li> <li>2. All the civil ancillary jobs are under OIL's responsibility and intimation from Contractor for getting the jobs done in time should be received by OIL well in advance so that drilling operation is not hampered.</li> </ol>			
<b>7.5</b>	<b>ASSOCIATED SERVICES:</b> The Contractor shall offer the following associated services along with the rig package.			
<b>7.5.1</b>	<b>MUD ENGINEERING SERVICES</b>			
i	Standard Mud testing laboratory with the requisite mud testing equipment including but not limited to Fan Viscometer, API & HP-HT fluid loss apparatus, lubricity testing equipment etc. along with the laboratory & necessary mud testing equipment/ apparatus etc. shall be provided by the contractor.			
ii	OIL shall submit a detailed stage wise mud programme based on the depth data/casing policy as indicated in this document including their recommended dosage for mud additives and optimum range of mud parameters which need to be maintained by Contractor at the well site for achieving trouble free drilling operations.			
iii	Shift wise mud report in detail (as per standard IADC Proforma) indicating all mud properties like mud weight, viscosity, API fluid loss, HP-HT fluid loss, `O' gel/15' gel, mud stock, details of chemicals/additives mixed during the shift, the operating condition of solid control equipment, Mud hydraulics etc. shall be prepared and submitted to the company representative.			
iv	The Contractor must ensure proper maintenance of mud parameters to avoid damage to producing formations and maintain a good bore hole. He should also ensure the			

		availability of mud chemicals at well site by submitting his requirement to the company's representative well ahead of time.			
	v	In case of any difference of opinion at any stage, with regard to mud policy, OIL's mud programme shall prevail and the Contractor must use OIL's mud policy at that point of time.			
<b>7.5.2</b>	<b>CEMENTING SERVICES</b>				
a		OIL shall perform the cementation jobs at the wells planned to be drilled. The Contractor shall provide the following tools, equipment and services to enable OIL to carry out the jobs successfully.			
	i	Compressor as per specification or equivalent, specified in <b>Annexure-X</b> , to be utilized for loading/off-loading of oil well cement at well site. The requisite spares for compressor is to be maintained by contractor.			
	ii	Both slush pumps shall be used (individually or in conjunction) to pump cement slurry. Expected parameters are 3500 psi, (max.) 400 GPM.			
	iii	Unloading of OIL's cement from transport silos to field silos & vice - versa at well site under supervision of OIL.			
	iv	OIL shall provide a platform with a set of hoppers, bucket tank (4'x4'x2') to the Contractor/which shall be operated and maintained by the contractor. All necessary lines & fitting for above arrangement will be provided by OIL.			
	v	The Contractor shall provide suitable air connection with suitable air and lube oil regulator to tap air pressure from main air supply of the rig or its branches for hooking upto cementing silos for pneumatic loading/unloading of cement to the cement hoppers/field silos.			
	vi	Contractor shall assist to deploy all other cementing services/contract which may be provided by company in future.			

	vii	Two (2) Electric motor driven horizontal multistage centrifugal pumps set complete with piping/ Dresser type couplings and butterfly valves with hopper arrangement and should be mounted on an independent three runner oilfield skid. These pump sets will be used to load chemicals through hoppers to water tanks, to agitate the mixture by jet gun/ and to feed chemical-mixed (gauging) water in the cement hopper for preparation of cement slurry. Each horizontal multi stage centrifugal pump should be capable of developing minimum 150 m. of head and the discharge of each pump should be minimum 60.0 m3 / hr at 1450 rpm.			
b	The Contractor shall be required to assist OIL in performing all cementation jobs at all the wells.				
c	OIL may at any time decide to utilize a cementing unit for carrying out the cementation job. Further the Contractor will carry out cleaning / flushing of cementing unit and associated surface lines after completion of the cementing jobs.				
d	<b>OTHER FUNCTIONS:</b>				
	1	A cementation job includes all primary, secondary and plug cementation of a well. The mode and schedule of cementation of the well where the Contractor's rig is deployed shall be fixed by OIL. The Contractor shall render all personnel, machinery, infrastructure [except the items mentioned under clause 7.5.2(a) iv above], water, air, etc. to carry out the jobs successfully.			
	2	It is to be specifically understood that both slush pumps of the Contractor shall be used for cementing operation and Operating day rate shall be applicable during this period. If OIL carries out the cementing operation using Contractor's items other than the slush pump during pumping of cement (pumping of cement when done by a cementing unit) and uses the slush pump only for displacement of cement, Operating day rate shall still be applicable during the entire period from the beginning to the end of cementation operation.			
	3	Fixing of cementing accessories and equipment.			

4	Following specific facilities are essential in order to utilize cementing units besides rig pumps for executing primary cementation jobs.			
i	One additional high-pressure (5000 psi) discharge line (minimum 3" dia) other than standard mud pump delivery line is necessary. This particular line, connecting both the rig-pumps with stand pipe junction manifold at Derrick floor should be provided with adequate valve arrangements (for isolation) wherever required for the purpose of flexibility during cementing operation. We should have the option of utilizing both rig pumps as well as cementing units for carrying out cementation jobs. Once again we repeat that the 3" dia. HP line must have provision for receiving delivery from both rig pumps with adequate isolating facilities.			
ii	2" hammer union T-type outlets from the rig pump pressure gauge points should be provided for connecting pressure recorder assembly during cementing operation. The said facility should have the provision of interconnecting both the pumps through 2" high pressure line having adequate isolating facilities. These facilities must ensure recording of relevant data even while carrying out parallel pumping.			
iii	A common suction line of 8" NB for both the slush pumps from the cementing hoppers and pre flush tank must be provided with necessary fittings, valves etc.			
5	<b>Pre cementation equipment readiness:</b> The contractor shall thoroughly clean-up and make all cementing suction and delivery lines from slurry mixing/pre-flush tanks etc. to slush pump and slush pump to stand pipe junction manifold point at Derrick floor, all mud lines, air & water lines perfectly ready to the satisfaction of OIL's Cementing Engineer.			
6	<b>During cementation readiness:</b> The Contractor shall, during the cementing job, attend to all problems, render help and rectify all defects to the satisfaction of OIL's cementing Engineer. These shall include equipment and accessories supplied by OIL also.			
7	<b>Post cementation follow up action:</b> The Contractor shall carry out cleaning and flushing to remove all traces of cement from unwanted locations. They shall also			

		disassemble and remove/load all OIL's equipment, which are required to be removed after the mandatory period.			
7.5.3		<b>CORING SERVICES:</b> The Contractor shall be required to take cores during drilling in different stages whenever desired by OIL. The Operating Day rate will be applicable during the coring period. The total number of days envisaged for coring per location will be finalized by OIL later. The hole proving trips / preparation of hole to take cores will be considered as coring operation. All materials (Core Barrel Assembly with Core Head) required to take cores will be supplied by OIL or through Service Provider deployed by OIL.			
7.5.4		<b>CATERING SERVICES</b>			
	<b>1</b>	A suitable catering service serving Indian and continental food to the contractor's personnel and 15 nos. OIL designated personnel on an average per day shall be made available per day during the entire contractual period by the contractor. The Contractor shall also provide catering service to all the Service Providers engaged by OIL on chargeable basis under their purview.			
	<b>2</b>	Skid mounted modular kitchen having all kitchen essentials should be provided for cooking purpose.			
	<b>3</b>	Cooking in temporary sheds will not be allowed.			
7.5.5		<b>MEDICAL SERVICES:</b> Suitable first aid medical services shall be provided by the Contractor on round the clock basis. Contractor shall provide an experienced and trained Medic personnel with sufficient quantity of first aid equipment and medicines to meet any emergency at well site.			
7.5.6		<b>CAMP AND OTHER ESTABLISHMENT:</b> Suitable facilities for Contractor's personnel (inclusive of third party Contractors personnel) including camp site dispensary and catering services shall be provided by the contractor. Additionally, fully furnished air conditioned bunk house type accommodation should be provided for at least 15 company personnel or OIL's representatives. The facilities to be provided by the contractor to the company should include but not limited to the following:			

a	2 Nos. 1 seater bed unit accommodations with attached bath and toilet.			
b	2 nos. 2 seater bed unit accommodation with attached bath & toilet. One no. of this may be placed at well site.			
c	2 Nos. four seater bed accommodation with attached bath & toilets. Additionally 01 no. four seater bed accommodation with attached bath & toilets to be provided as and when required basis.			
d	One dual office unit to be used as company Representative & Tool Pusher office at site. This unit should be attached with Tool Pushers office and should have inter-connection.			
e	One additional office unit to be used by the company at well site, with facility for use by 4 nos. of OIL officials equipped with PC, printer.			
f	All bunk houses shall be air-conditioned and fully furnished equipped with Cable connection.			
g	Laundry service to be made available at well site.			
h	One air-conditioned bunkhouse type first aid disbursement room to meet any emergency with doctor and attendant.			
i	A separate dining hall for OIL officials to be provided.			
j	The Contractor should bring light and easily transportable dwelling units for camp establishment.			
k	All units including those to be used as office/lab should be fully furnished and air conditioned with proper lighting arrangements.			
l	Disposal of any effluents from toilets/kitchen etc. will be the responsibility of the Contractor and should be discharged as per applicable laws.			
m	The Contractor shall be solely responsible for keeping the entire camp area and well site neat, clean and hygienic.			

7.5.7	<b>FIRE FIGHTING AND SAFETY EQUIPMENT/SERVICES:</b> (As per API wherever applicable)				
	i	Safety: Contractor shall observe such safety regulations in accordance with acceptable oilfield practice and applicable Indian Laws. Contractor shall take all measures reasonably necessary to provide safe working conditions and shall exercise due care and caution in preventing fire, explosion and blow out and maintain fire and well control equipment in sound condition at all times. Contractor shall conduct such safety drills, BOP tests, etc. as may be required by company at prescribed intervals.			
	ii	Contractor shall provide all necessary firefighting and safety equipment as per laid down practice as specified under OISD - STD - 189 and OMR.			
	iii	Fire protection at drilling sites shall be the responsibility of the Contractor. Necessary action shall be taken and prior arrangements to be made for providing competent persons trained in the field of firefighting (certificate/diploma holders) at the rig site.			
	iv	Documentation, record keeping of all safety practices should be conducted as per international/Indian applicable laws, act, regulations etc, as per standard Oilfield practice and these records should be made available for inspection at any point of time. The H.S.E (Hygiene Safety and Environment) policy as well as emergency procedure manual should be kept at site. Compliance of these shall be the sole responsibility of the contractor.			
	v	One brand new ambulance with dedicated driver shall be kept standby at well site for 24 hrs. to meet any emergency with all basic facilities like stretchers, oxygen cylinders, first aid facilities, etc. Small passenger vehicles will not be allowed to be used as Ambulances.			
7.5.8	<b>MAINTENANCE OF COMPANY'S EQUIPMENT</b>				
	i	In case of any non-conformity in the connections/sizes between various equipment and tools to be provided by the Contractor, which depart from the generally adopted procedure followed for a particular equipment / tool of the rig package, the company reserves the right to ask the contractor to provide all necessary accessories to use such			

		items without any obligations on the part of the company. This clause shall not however, be unduly exercised without consultation/ agreement with the Contractor.			
	ii	The Contractor shall erect, commission, dismantle the cementing field silos along with platform with sets of hopper, bucket tank & fitting which shall be handed over to the contractor at the first well for cementation. The contractor shall draw or tap required air supply from the auxiliary lines from the contractor's rig compressor for its operation. After completion of the well the same should be transferred to the next forward location by the contractor as part of the rig package.			
	iii	Loading of Barites shall have to be carried out by the Contractor.			
	iv	The Contractor shall provide one no. chemical godown with floor space of approx. 660 Sq.ft. of appropriate dimensions with proper raised brick soled cemented/wooden flooring for storing of chemicals, LCM etc.			
	v	The Contractor should ensure that AVIATION WARNING LIGHTS on the crown of the mast should be provided as per Aviation Standards.			
	vi	Contractor shall assemble, dismantle, move all OIL's designated items- if any attached with the rig without any obligation to OIL.			
<b>7.6</b>	<b>PERSONNEL TO BE DEPLOYED</b>				
7.6.1	The Contractor will have to deploy adequate manpower to carry out the required operations. The deployment pattern will be as per the contractor's discretion for all the required services except for the rig operations during drilling & completion phases for which the deployment pattern has to be as per the following norm with the indicated key personnel:  **Bidder to confirm to deploy manpower as per the Table under this clause.				
7.6.2	The Rig Manager/Rig Superintendent/Area Manager has to be present at site all the times and should report to Drilling Dept.'s office as and when asked for to receive instruction/resolving any issue on contractual obligation.				

7.6.3	<b>KEY PERSONNEL:</b> The qualification and experience of the key personnel are to be as under:				
a)	AREA MANAGER/Rig Manager/Rig superintendent				
	i	Should be of sound health and have minimum 10 years work experience in drilling oil/gas wells for (Engineering Graduate) of which at least 03 years should be in a senior management level OR, 12 Years for (Engineering diploma /Science Graduate) of which at least 6 years should be in a senior management level.			
	ii	Must possess valid well control certificate (IWCF- Level 4) / IADC Well Cap/Sharp (Supervisor) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/ IADC certificate and considered as absent which shall be dealt as per <b>Clause No: 31.0 of SCC.</b>			
	iii	Qualification: Must be Engineering/Science Graduate or 3 Years engineering diploma holder.			
b)	TOOL PUSHER: Should be of sound health and have work experience in drilling oil/gas wells.				
	i	Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.			
	ii	Must possess valid well control certificate (IWCF- Level 4) / IADC Well Cap / Sharp (Supervisor) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/ IADC certificate and considered as absent which shall be dealt as per <b>Clause No: 31.0 of SCC.</b>			
	iii	Should be conversant about mud chemicals & maintenance of mud property.			
	iv	Qualification and experience: Graduate in Engineering with minimum 10 years' experience in Drilling <b>OR</b> 3-Years Diploma in Engineering <b>OR</b> B.Sc. or equivalent with minimum 12-years in Drilling, out of which at least one year as rig-in-charge / 3 years as NTP in exploratory & development wells.			

c)	TOUR PUSHER/NIGHT TOOL PUSHER: Should be of sound health and have work experience in drilling deep oil/gas wells.			
	i Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.			
	ii Must possess valid well control certificate (IWCF- Level 4) / IADC Well Cap/Sharp (Supervisor) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/ IADC certificate and considered as absent which shall be dealt as per <b>Clause No: 31.0 of SCC.</b>			
	iii Should be conversant about mud chemicals & maintenance of mud property.			
	iv Qualification and experience: Graduate in Engineering with minimum 06 years' experience in Drilling Or 3-Years Diploma in Engineering or B.Sc. or equivalent with minimum 08 years in Drilling, out of which at least one year as rig-in-charge / 4 years as Driller in exploratory & development wells.			
d)	HSE Officer: Should be of sound health and have work experience of 1 year as a HSE Officer in any E&P Company either directly or through any drilling service provider to any E&P Company.			
	i Duties and responsibilities include safety during drilling site preparation, rig up, rig down & rig move, raising & lowering mast, rig floor operations like making & lowering of BHA, cementing jobs, tripping in / out of tubular, safety meeting during crew change, pre job safety meetings, routine inspection rig and well site, preparation of job specific SOP in local language, ERP (Emergency Response Plan), Risk Register, preparation of Job Safety analysis, Permit to Work systems, investigation & analysis of accidents, incidents & near miss.			
	ii To follow all DGMS, OISD & MoEF guidelines and submit return at specified intervals.			
	iii Responsible for designing Safe Briefing Area and advising all personnel of the current safe briefing area.			

	iv	Responsible for issuing safety equipment to all personnel arriving at rig and ascertain that all personnel use and maintain this equipment properly.			
	v	Responsible for designing location entrance and exit.			
	vi	<p>Qualification and Experience:</p> <p>(1) Should hold degree or diploma in engineering or degree in science with minimum 08 years of experience in any Oil mine.</p> <p>OR,</p> <p>(2) Degree in Industrial safety of an educational institution recognised by the Central Government / Post-graduate diploma in industrial safety from Regional Labour Institute and has experience in the management or supervision of operations in oil mines for a period of not less 05(five) years.</p> <p>OR,</p> <p>(3) Should have experience of working as HSE officer at least for 01(one) year in any E&amp;P company or service provider to E&amp;P companies.</p>			
e		DRILLER: Should be of sound health and have work experience as driller for a minimum period of 5 years in drilling oil/gas wells.			
	i	Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.			
	ii	Must possess valid well control certificate minimum (IWCF- Level 3) / IADC Well Sharp (Driller) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/ IADC certificate and considered as absent which shall be dealt as per <b>Clause No: 31.0 of SCC.</b>			
	iii	Should be conversant about mud chemicals & maintenance of mud property.			
	iv	<p>Qualification and Experience:</p> <p>1) BE/B Tech with 5 years' experience including 2 years as driller/ 2 years as Assistant driller in drilling rig.</p>			

		<p>OR,</p> <p>2) B.Sc. /Diploma in Engineering with 7 years' experience including 3 years as driller / including 5 years as Assistant driller in drilling rig.</p> <p>OR,</p> <p>3) 10+2 or equivalent with 10 years' experience including five years as driller in drilling rig.</p>			
f	ASSISTANT DRILLER:				
	i	Should be conversant with working in AC/SCR system diesel electrical rigs or AC/VFD Rig.			
	ii	Must possess valid well control certificate minimum (IWCF- Level 3) / IADC Well Sharp (Driller) and should be conversant with well control methods to take independent decisions in case of well emergencies. He will not be allowed to work without valid IWCF/ IADC certificate and considered as absent which shall be dealt as per <b>Clause No: 31.0 of SCC.</b>			
	iii	Should be conversant about mud chemicals & maintenance of mud property.			
	iv	<p>Qualification:</p> <p>1) BE/B Tech with 01 years' experience in drilling rig.</p> <p>OR,</p> <p>2) Diploma in Engineering/ Science Graduate with 2 years' experience in drilling rig including one year as Asst. Driller.</p> <p>OR,</p> <p>3) 10+2 or equivalent with 4 years' experience in drilling rig including 1 year as Asst. Driller.</p>			
g	TOPMAN: Should have minimum 1 year experience as Top man in a drilling rig.				
h	FLOOR-MAN: Should have sufficient knowledge/ experience in working at derrick floor in a drilling/Work over rig with at least one year experience as Floor man/Rig man.				

i	MECHANICAL ENGINEER: Should have a degree in Mechanical Engineering or Diploma in Mechanical Engineering with minimum 04/06 years' experience respectively in Diesel Electrical Drilling Rig.			
j	<p><b>MECHANIC (IC) &amp; MECHANIC (FITTER)</b></p> <p>i Should have a minimum working experience as Master mechanic in drilling rig.</p> <p>ii Should have sufficient knowledge of operation and maintenance of Drilling/work over rigs and its components viz. engines, rig pumps supercharge pumps, centrifugal pumps, solid control equipment, degasser, shale shaker and all other mechanical items/engines operating in drilling rigs.</p> <p>iii Qualification: Diploma in Mech. (3 year experience)/ITI (IC &amp; Fitter with 5 years' experience) or SSC/HS/PU/I.Sc with 8 years' experience. Out of which at least one year as Mechanic in Drilling /Work over rig.</p>			
k	<p><b>ELECTRICAL ENGINEER / CHIEF ELECTRICIAN / ELECTRICAL SUPERVISOR:</b></p> <p>Should have Degree in Electrical Engineering with minimum 5 years' experience OR Diploma in Electrical Engineering with 7 years' experience in ACSCR / ACVFD drilling rigs. He should be confident in independently carrying out the fault-finding analysis, rectification of fault, operation and maintenance of all the electrical items of diesel electric drilling rig including the air conditioners.</p> <p>He must possess valid Electrical Supervisor's Certificate of Competency with authorization for Parts 1, 2, 3, 4 &amp; 8 issued by State Licensing Board and should be conversant with Oil Mines Regulations and Central Electricity Authority Regulation, 2010.</p> <p>ITI certificate holders are not acceptable as Electrical Engineers.</p> <p>Ref: Central Electricity Authority (Measures relating to safety and electric supply) Regulations, 2010; regulation no.3, 6 &amp; 115 and Oil Mines Regulations, 2017; regulation no.114 (4 &amp; 5).</p> <p>Note: Electrical Engineer to be read as ELECTRICAL ENGINEER / CHIEF ELECTRICIAN/ ELECTRICAL SUPERVISOR appearing elsewhere in the Tender.</p>			

1	<p><b>RIG ELECTRICIAN:</b></p> <p>Must be diploma / ITI in Electrical discipline with minimum 3yrs. / 5yrs. experience respectively in the operation and maintenance of ACSCR/ ACVFD drilling rig independently in shifts. He should be able to read circuits, communicate, detect and rectify faults.</p> <p>He must possess valid Electrical Work Permit with authorization for Parts/ Class - I &amp; II issued by State Licensing Board allowing him to work in the state / region where he is deployed. Responsibility for ensuring adherence to these norms' rests with the contractor. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010; regulation no. 3, 6, 29 &amp; 115 and Oil Mines Regulations, 2017; regulation no.114 (4 &amp; 5)].</p>			
m	<p><b>ASSISTANT ELECTRICIAN:</b></p> <p>Must be diploma / ITI in Electrical discipline with minimum 2yrs. / 4yrs. experience respectively in the operation and maintenance of ACSCR/ ACVFD drilling rig independently in shifts. He should be able to read circuits, communicate, detect and rectify faults.</p> <p>He must possess valid Electrical Work Permit with authorization for Parts/ Class - I &amp; II issued by State Licensing Board allowing him to work in the state / region where he is deployed. Responsibility for ensuring adherence to these norms' rests with the contractor. [Ref: CEA (Measures relating to safety and electric supply) Regulations, 2010; regulation no. 3, 6, 29 &amp; 115 and Oil Mines Regulations, 2017; regulation no.114 (4 &amp; 5)].</p>			
	<p><b><u>Notes to (k), (l) &amp; (m):</u></b></p> <p>(1) A person holding a valid Electrical Supervisor's Certificate of Competency or valid Electrical workman's permit, as the case may be, issued by any state government will be considered.</p> <p>However, such Electrical Supervisor's Certificate of Competency or Electrical workman's permit issued by any other state shall be endorsed by State Electrical Licensing Board of Assam [Ref: Regulation No. 29 of CEA (Measures relating to Safety and Electric Supply) Regulations, 2010].</p> <p>(2) It may also be noted that, a person holding Electrical Supervisor's Certificate of Competency issued by or endorsed by State Electrical Licensing Board of Assam shall be considered only</p>			

	if such a person is authorized for mining part as well [Ref: Regulation No. 115 of CEA (Measures relating to Safety and Electric Supply) Regulations, 2010].			
n	<b>WELDER:</b> Should have adequate experience in working in drilling wells and must be conversant of welding of casing and well head accessories. He must possess the certificate of welding trade from any recognized institute of State Govt. (One year course).			
o	<b>MUD ENGINEER:</b> The minimum educational qualification should be science graduate with chemistry as a subject or B.Tech. in Chemical Engineering/Drilling Fluid Engineering from a recognized university.  Experience: The Mud Engineer(s) must have a minimum 5 years of work experience in managing independently various kinds of mud in deep exploratory/development wells and other related activities. Prior to deployment the Contractor should provide a detailed resumed of the mud engineer(s) highlighting qualifications and relevant experience (field experience) with documentary evidence for Company's scrutiny and approval).			
p	<b>HEAVY CRANE / PIPE LAYER OPERATOR:</b> Should have a minimum of 2 years work experience in operating a heavy crane/pipe layer attached to drilling rigs and possess heavy motor vehicle license.			
q	<b>Operator for Mobile Effluent Treatment Plant:</b> Shall have degree of Bachelor of Science/Class 12th pass with chemistry as a subject from Govt. recognized University and with minimum 03(Three) years of experience in operation of effluent treatment plant in any company.			
r	<b>Laboratory Assistant for ETP:</b> Should be of sound health and have work experience in E & P company of minimum 02 (two) years. He shall have a minimum educational qualification of 12+ from recognized University /Board. He shall be conversant to all SPCB / CPCB guidelines.			
s	<b>Medico (First aid trained professional)</b>  (i) Qualification: 1. Should have passed minimum 10+2 (Science) Class or equivalent examination. 2. Must possess minimum First aid basic training certificate from a recognized institution.			

	(ii) Experience: Shall have a minimum work experience of first aid/ medical assistance for 5 years in any hospital /Drilling Rig. <b>(iii)</b> Fresh Candidate having diploma in Emergency and trauma care from Government recognized Institute will also be considered.																																			
t	<b>Gas logger cum sample washer:</b> Should have sound health with minimum educational qualification of 12+ from recognized University /Boards in Arts/Science/Commerce stream and should have work experience in drilling wells of minimum 01 (one) year.																																			
u	<b>Roustabout:</b> Should have working knowledge of working at drilling /Work over rig site.																																			
7.6.4	<table border="1"> <thead> <tr> <th>Category</th> <th>Nature of duty</th> <th>Qty</th> <th>Min. Experience</th> </tr> </thead> <tbody> <tr> <td>Suitable medical services with First Aid Trained personnel shall be provided by the Contractor on round the clock basis.</td> <td>Available for 24 hours/day</td> <td>One</td> <td>05 yrs</td> </tr> <tr> <td>Cook for camp site</td> <td>Available for 24 hours/day</td> <td>Two</td> <td>With adequate experience</td> </tr> <tr> <td>Kitchen Helper / Caterer</td> <td>Available for 24 hours/day</td> <td>Two</td> <td>With adequate experience</td> </tr> <tr> <td>Camp Boss</td> <td>Available for 24 hours/day</td> <td>One</td> <td>With adequate experience</td> </tr> <tr> <td>Laundry attendants</td> <td>Each 12 hrs / per day</td> <td>One</td> <td>With adequate experience</td> </tr> <tr> <td>Camp Cleaner</td> <td>Each 12 hrs / per day</td> <td>One</td> <td>With adequate experience</td> </tr> <tr> <td>Field administrator</td> <td>On call basis 12 hrs</td> <td>One</td> <td>With adequate experience</td> </tr> </tbody> </table> <p>On top of the experience of the personnel as listed above, they all should be conversant with BOP drill as per standard oilfield practice.</p>	Category	Nature of duty	Qty	Min. Experience	Suitable medical services with First Aid Trained personnel shall be provided by the Contractor on round the clock basis.	Available for 24 hours/day	One	05 yrs	Cook for camp site	Available for 24 hours/day	Two	With adequate experience	Kitchen Helper / Caterer	Available for 24 hours/day	Two	With adequate experience	Camp Boss	Available for 24 hours/day	One	With adequate experience	Laundry attendants	Each 12 hrs / per day	One	With adequate experience	Camp Cleaner	Each 12 hrs / per day	One	With adequate experience	Field administrator	On call basis 12 hrs	One	With adequate experience			
Category	Nature of duty	Qty	Min. Experience																																	
Suitable medical services with First Aid Trained personnel shall be provided by the Contractor on round the clock basis.	Available for 24 hours/day	One	05 yrs																																	
Cook for camp site	Available for 24 hours/day	Two	With adequate experience																																	
Kitchen Helper / Caterer	Available for 24 hours/day	Two	With adequate experience																																	
Camp Boss	Available for 24 hours/day	One	With adequate experience																																	
Laundry attendants	Each 12 hrs / per day	One	With adequate experience																																	
Camp Cleaner	Each 12 hrs / per day	One	With adequate experience																																	
Field administrator	On call basis 12 hrs	One	With adequate experience																																	
7.6.5	In addition to the above key-personnel, following additional personnel are to be made available compulsorily throughout the contract period.																																			
	<b><u>Notes to personnel to be deployed</u></b>																																			

<b>a</b>	An undertaking from all the personnel as per <b>Annexure-IV</b> should be forwarded after deployment of manpower prior to mobilization.			
<b>b</b>	The personnel deployed by the contractor should comply with all the safety norms applicable during operation.			
<b>c</b>	Medical Fitness:  i) The Contractor shall ensure that all of the Contractor Personnel shall have had a full medical examination prior to commencement of the Drilling operation. ii) A qualified and registered doctor shall conduct all such medical examinations in accordance with accepted medical standards.			
<b>d</b>	Training Courses:  i) The Contractor shall ensure that all of the Contractor Personnel performing services hereunder shall have attended all safety and operational training courses such as mines vocational training etc. required by applicable law and as is generally consistent with international petroleum industry practice and/or as otherwise required by the Company. ii) The Contractor shall, if requested, forthwith produce valid and current certificates of completion or attendance for the Company's inspection.			
<b>e</b>	Personnel should be well versed in firefighting, BOP control, gas testing and MVT as applicable. The appropriate certificates to this effect, issued by ONGCL/OIL or any other organization, also should be submitted during mobilization. (In case, the above training course for contractor's personnel is to be arranged by OIL, the contractor will be charged accordingly).			
<b>f</b>	Area Manager will operate in well site only. He shall operate from places other than well site on specific permission of OIL.			
<b>g</b>	Adequate number of experience personnel to run the camp / kitchen / Mess smoothly should be kept. One camp boss on 24 Hrs. basis will be responsible for smooth running of the camp/mess. Kitchen and cooking shall be supervised by a qualified chef.			
<b>h</b>	Contractor should deploy other personnel at rig site, which shall include drivers, Rig fitters, carpenters warehouse personnel, security men, (both at well site and camp site), power casing			

	<p>tong operator, mobile effluent treatment plant operator and laboratory assistant, services of unskilled labour as and when required for following multiple jobs.</p> <p>i) Chemical Helper.  ii) Engineering helper (Additional).  iii) Electrical helper (Additional).  iv) Persons on rack during casing job. The entire skilled / semi-skilled workman involved in carrying out electrical jobs should have valid electrical wireman permit issued by state licensing board.</p>			
<b>i</b>	Bidder shall furnish biodata of key personnel with all supporting documents, certificates etc. prior to deployment for verification / approval by OIL.			
<b>j</b>	Employment of personnel other than key personnel & other personnel as specified in Clause No. 7.6.1 (A) & (B) of this section shall be at the discretion of the contractor in line with normal drilling practices. Bidders shall forward a complete list of all the persons with their job descriptions that they shall deploy to run all operations at well site and camp successfully.			
<b>k</b>	On/off duty details of rig and associated service personnel should be indicated.			
<b>l</b>	The Contractor shall indicate their manpower category-wise clearly in their offer. The qualification/biodata / experience / track record of the personnel proposed to be deployed shall have to be indicated clearly. Any additional manpower deployed by the contractor shall be at the expense of the Contractor. The age of key personnel except Rig Manager/Rig Superintendent should not be more than 50(fifty) years. However, OIL deserves the right to accept the personnel of above 50 years with good health conditions.			
<b>m</b>	The contractor shall be responsible for arranging relief of personnel during vacation, statutory off days, sickness etc. entirely at their cost. However, the relief personnel also must have the experience as indicated above. Moreover, the contractor will have to obtain prior approval from Company for the relief personnel of the contractor.			
<b>n</b>	Company reserves the right to instruct for removal of any Contractor's personnel who in the opinion of company is technically not competent or not rendering the services faithfully, or due			

	to other reasons. The replacement of such personnel will also be fully at cost of the Contractor and the Contractor shall have to replace within Ten (10) days of such instruction.			
o	All charges for personnel are included in Day rates. No. separate charges shall be payable for the personnel deployed.			
p	Contractor should employ adequate number of authorized supervisors as per regulation 115 of CEA (Measures relating to safety and electric supply) Regulations, 2010 having relevant experience and possessing appropriate license(s).			
q	<b>SECURITY:</b> Contractor should deploy at least 12 nos. of <b>armed security</b> personnel for well site security. All the expenses related to security service shall be borne by the Contractor. Contractor shall be wholly responsible for complete Security of their personnel, their Rig Packages, Base camp and during ILM, operation, transit etc. and arrange suitable and comprehensive security services accordingly on round the clock basis for their personnel and equipment/ material at all drilling sites. All security related issues shall be dealt by the Contractor on their own including dealings with the Government agencies. The Contractor shall provide prefabricated XPM/ Panel re-usable type fencing, gate at drill site, camp site etc. Company in no case will be involved in security related issues relating to Contractor's personnel and equipment/ material. Contractor shall also be responsible for safety and security of Company's personnel, equipment/ material etc. in the well-site and camp site.			
7.7	CEA (Measures related to safety and Electric Supply) clause mentioned with Regulation 2010 to be read under relevant amended clause of Regulation 2023 (latest).			