



OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. DULIAJAN, DIST - DIBRUGARH
ASSAM, INDIA, PIN-786602

CONTRACTS DEPARTMENT
TEL: (91) 374-2808653
E-mail: contracts@oilindia.in
Website: www.oil-india.com
FAX: (91) 374-2803549

FORWARDING LETTER

Sub: IFB No. CDI7922P25 for ‘Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects’.

Dear Sir(s),

- 1.0** OIL INDIA LIMITED (OIL), a “Navaratna” Category, Government of India Enterprise, is a premier Oil Company engaged in exploration, production and transportation of crude oil & natural gas with its Headquarters at Duliajan, Assam. Duliajan is well connected by Air with nearest Airport being at Dibrugarh, 45 km away.
- 2.0** In connection with its operations, OIL invites National Competitive Bids (NCB) from competent and experienced/approved Contractors for the mentioned work/service under **OPEN E-TENDER SINGLE STAGE TWO BID SYSTEM** through OIL’s E-Procurement Portal: “<https://etender.srm.oilindia.in/irj/portal>” for “**Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects**”. One complete set of Bid Document covering OIL’s IFB for hiring of above services is uploaded in OIL’s E-Procurement Portal. You are invited to submit your most competitive bid on or before the scheduled bid closing date and time through OIL’s E-Procurement Portal. For your ready reference, few salient points of the IFB (covered in detail in the Bid Document) are highlighted below:

(i)	IFB No./E-Tender No.	:	CDI7922P25
(ii)	Type of Bid	:	Open Indigenous E-Tender, Single Stage Two Bid System
(iii)	Bid Closing Date & Time	:	As mentioned in the E-procurement portal.
(iv)	Technical Bid Opening Date & Time	:	As mentioned in the E-procurement portal.
(v)	Price Bid Opening Date & Time	:	As mentioned in the E-procurement portal.
(vi)	Bid Submission Mode	:	Bids must be uploaded online in OIL’s E-Procurement Portal.
(vii)	Bid Opening Place	:	Office of CGM-Contracts Contracts Department, Oil India Limited, Duliajan-786602,

		Assam, India.
(viii)	Bid Validity	: Minimum 120 (One Hundred Twenty) days from Original Bid Closing Date (OBCD). Note: In exceptional circumstances, OIL may solicit the Bidder's consent to an extension of the period of validity. The request and the response thereto shall be made in writing. A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request will neither be required nor permitted to modify their bid.
(ix)	Mobilization Period	: Thirty (30) days from the date of issuance of Letter of Award (LOA).from the date of issuance of Letter of Award (LOA).
(x)	Bid Security/EMD Amount	: ₹ 4,63,000.00 (This, being a Works Contract is excluded from the purview of Public Procurement Policy for MSEs Order,2012)
(xi)	Bid Security/EMD Validity	: 165 days from OBCD
(xii)	Amount of Performance Security	: 10% of Contract Value. Refer Clause No. 24.0 of Instruction to Bidder (ITB)
(xiii)	Validity of Performance Security	: 90 (Ninety) days beyond the contract period.
(xiv)	Location of job	Assam and Arunachal Pradesh.
(xv)	Duration of the Contract	: Four (04) years and Thirty (30) days from the date of issuance of LOA. Accordingly, the scheduled contract end date shall remain firm even in case of delayed mobilization. In case mobilization is completed before the scheduled mobilization completion date, then the duration of the contract shall be considered for 04 (Four) years from the date of completion of actual mobilization.
(xvi)	Quantum of Liquidated Damage for Default in Timely Mobilization/ Completion	: Refer Clause No. 30.0 of General Conditions of Contract (GCC).
(xvii)	Bids to be addressed to	: CGM-Contracts, Contracts Department, Oil India Limited, Duliajan-786602, Assam, India.
(xviii)	Pre-Bid conference	: Applicable (Date shall be intimated in OIL's E-Tender portal)

(xix)	Last Date of receipt of Queries	: 10 (Ten) days from the date of publishing of this tender. Bidders must submit any queries related to the tender within this stipulated time and OIL will not be liable to respond to any queries received after the stipulated deadline.
-------	---------------------------------	--

3.0 GUIDELINES FOR PARTICIPATING IN OIL'S E-PROCUREMENT:

- 3.1 To participate in OIL's E-procurement tender, bidders should have a legally valid digital certificate **of Class 3 with Organization's Name and Encryption certificate** as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (<http://www.cca.gov.in>). **Digital Signature Certificates having "Organization Name" field as "Personal" are not acceptable.** However, aforesaid Digital Signature Certificates having Bidder's Name in the "Organization Name" field are acceptable. **"Only in case of sole proprietorship firms, Digital Signature Certificates issued in the name of the proprietor is also acceptable provided the bid is submitted in the capacity of a proprietorship firm."**
- 3.2 Digital Signature Certificate comes in a pair of signing/verification and encryption/decryption certificate. Bidder should have both the Signing/verification and Encryption/Decryption certificate for Signing and encryption, decryption purpose respectively. The driver needs to be installed once, without which the DSC will not be recognized. While participating on e-Tendering the DSC token should be connected to your system.
- 3.3 Encryption certificate is mandatorily required for submission of bid. In case bidder created response with one certificate (using encryption key) and bidder change his Digital Signature Certificate then old certificate [Used for encryption] is required in order to decrypt his encrypted response for getting the EDIT mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of the certificate, OIL INDIA LTD. will not be responsible.
- 3.4 For participation, applicants already having User ID & Password for OIL's E-Procurement Portal need to register against the IFB. New vendors/existing vendors not having User ID & Password for OIL's E-Procurement Portal shall obtain User ID & password through online vendor registration system in E-Portal.
- 3.4.1 Bidders without having E-Tender Login ID and password should complete their online registration at least 07 (Seven) days prior to the scheduled bid closing date and time of the tender. For online registration, bidder may visit OIL's E-Tender site - <https://etender.srm.oilindia.in/irj/portal>.
- 3.4.2 Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late

registration/incomplete registration by bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.

- 3.5 Parties, who do not have a User ID, can click on Guest login button in the E-Tender portal to view and download the tender. The detailed guidelines are given in User Manual available in OIL's E-Procurement site. For any clarification in this regard, bidders may contact E-Tender Support Cell at Duliajan at erp_mm@oilindia.in and esupport@oilindia.in, Ph.: 0374- 2807171/7192.
- 3.7 The link for OIL's E-Procurement Portal is available on OIL's web site (www.oil-india.com).


4.0 IMPORTANT NOTES: Bidders shall take note of the following important points while participating in OIL's e-procurement tender:

- i) **BACKING OUT BY BIDDER:** In case any bidder withdraws their bid within the bid validity period, as declared in the "Bid Security Declaration Form", bidder shall be suspended for the period of two years. This suspension of two year shall be automatic without conducting any enquiry.
- ii) **BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA:** In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document the bidder shall be suspended for the period of two years. This suspension of two years shall be automatic without conducting any enquiry.
- iii) **FURNISHING FRAUDULENT INFORMATION/DOCUMENT:** The information and documents furnish by the bidder/contractor in respect of the subject tender/contract are accepted to be true and genuine. However, if it is detected during technical scrutiny or after award of the contract or after expiry of the contract, that the bidder had submitted any fake/fraudulent document or furnished false statement, the offer/contract shall be rejected/cancelled, as the case may be and the bidder (if fake document/false statement pertains to such bidder) shall be dealt as per the Banning Policy (available in OIL's website) of Company. The bidder has to submit an undertaking in this regard as per attached **PROFORMA-IX**.
- iv) **ERRING/DEFAULTING AGENCIES:** Erring and defaulting agencies like bidder, contractor, supplier, vendor, service provider will be dealt as per OIL's Banning Policy available in OIL's website: www.oil-india.com.
- v) Bid should be submitted online in OIL's E-procurement site up to 11.00 AM (IST) (Server Time) on the date as mentioned and will be opened on the same day at 2.00 PM (IST) at the office of the GM-Contracts in presence of the authorized representatives of the bidders.
- vi) If the digital signature used for signing is not of "Class-3" with Organizations name, the bid will be rejected.

- vii) The tender is invited under **SINGLE STAGE-TWO BID SYSTEM**. The bidders shall submit both the “**TECHNICAL**” and “**PRICED**” bids through electronic form in the OIL’s e-Procurement portal within the Bid Closing Date and Time stipulated in the e-Tender. The Technical Bid should be submitted as per Scope of Work & Technical Specifications along with all technical documents related to the tender and uploaded in “**Technical Attachments**” **Tab only**. **Bidders to note that no price details should be uploaded in “Technical Attachments” Tab Page. Details of prices as per Price Bid format/Priced bid can be uploaded under “Notes & Attachments” tab. A screen shot in this regard is shown below. Offer not complying with above submission procedure will be rejected as per Bid Evaluation Criteria.**

5.0 INTEGRITY PACT: The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Integrity Pact, (PART-VI) of the tender document. This Integrity Pact (PART-VI) has been duly signed digitally by OIL's competent signatory. The (PART-VI) has to be returned by the bidder (along with the Un-priced Techno-Commercial Bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid.

6.0 SCREEN SHOTS



On “EDIT” Mode, Bidders are advised to upload “Technical Bid” and “Priced Bid” in the places as indicated above.

Notes:

* The “Technical Bid” shall contain all techno-commercial details **except the prices**.

** The “Priced bid” must contain the price schedule and the bidder’s commercial terms and conditions, if any. For uploading Priced Bid, click on Add Attachment, a browser window will open, select the file from the PC and name the file under Description, Assigned to General Data and click on OK to digitally sign and upload the File. Please click on Save Button of the Response to Save the uploaded files.

7.0 MAINTENANCE OF TOTAL BID VALUE IN THE RESPONSE: For convenience of the Bidders and to improve transparency, the rates/costs quoted by bidders against the E-tender shall be available for online viewing to all the Techno-

commercially qualified Bidders against the tender after price bids are opened in the system. For tenders where **Detailed Price Information under RFX Information Tab is “No price”**, the Price Bid is invited against the tender through attachment form under “Notes & Attachment”. In such tenders, Bidders must upload their pricing as per the **“Price Bid Format”** under **“Notes & Attachment”** and additionally fill up the **on-line field “Total Bid Value”** under **“RFX Information”** Tab Page with the Total Cost (Including the GST component) as per the amount of the Price Bid in attachment form.

The screenshot shows the 'Create RFX Response' interface. At the top, there are navigation buttons: 'Submit', 'Read Only', 'Print Preview', 'Check', 'Technical RFX Response', and 'Close'. Below this, the 'RFX Response Number' is 60038748 and the 'RFX Owner' is BHARALI. The 'Total Value' is 0.00. The 'RFX Information' tab is selected, showing 'Basic Data', 'Questions', and 'Technical Attachments'. Under 'Event Parameters', the 'Currency' is set to 'Indian Rupee', 'Detailed Price Information' is 'No Price', and 'Terms of Payment' is empty. The 'Total Bid Value' field is highlighted in yellow. Three callouts provide instructions: 1. 'Bidder to select the currency of the Response' points to the 'Currency' dropdown. 2. '“Total Bid Value” is mandatory in “No Price” RFX only' points to the 'Detailed Price Information' field. 3. '“Total Bid Value” considering all the taxes & duties.' points to the 'Total Bid Value' field.

The “Total Bid Value” as entered by the Bidder in the on-line response shall be displayed in the E-tender portal amongst the techno-commercially qualified bidders and Company will not take any responsibility whatsoever towards incorrect information furnished by the bidders on the “Total Bid Value” field. It is to be noted that Amount mentioned in the “Total Bid Value” field will not be considered for bid evaluation and evaluation will be purely based on the Price bid submitted as per the “Price Bid Format” under “Notes & Attachments” tab page.

Thanking you.

Yours faithfully,
OIL INDIA LIMITED

(BIKRAMJIT BORGHAIN)
MANAGER-CONTRACTS

For **GM-CONTRACTS (S&G)**
For **CGM-CONTRACTS (HoD)**

For **RESIDENT CHIEF EXECUTIVE**

Date: 27.11.2024

INSTRUCTIONS TO BIDDERS

1.0 ELIGIBILITY OF THE BIDDER:

- 1.1 The eligibility criteria of the bidder are listed under BID EVALUATION CRITERIA – BID REJECTION CRITERIA (BEC-BRC) of the tender document.
- 1.2 Bidder shall bear all costs associated with the preparation and submission of bid. Oil India Limited, hereinafter referred to as Company, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

2.0 BID DOCUMENTS:

- 2.1 The services required, bidding procedures and contract terms are prescribed in the Bid Document. This Bid Document includes the following:
- i. A Tender Forwarding Letter.
 - ii. Instructions to Bidders (ITB)
 - iii. Bid Evaluation Criteria - Bid Rejection Criteria (BEC-BRC)
 - iv. General Conditions of Contract (GCC): PART-I
 - v. Schedule of Work, Unit, Quantities (SOQ): PART-II
 - vi. Special Conditions of Contract (SCC): PART-III
 - vii. Schedule of Company's Plants, Materials and Equipment (SCPME): PART-IV [Not applicable for this Tender]
 - viii. Safety Measures (SM): PART-V
 - ix. Integrity Pact (IP): PART-VI
 - x. Bid Form: PROFORMA-I
 - xi. Statement of Non-Compliance: PROFORMA-II
 - xii. Authorisation for Attending Bid Opening: PROFORMA-III
 - xiii. PROFORMA of Letter of Authority: PROFORMA-IV
 - xiv. Bid Security Declaration-PROFORMA-V**
 - xv. PROFORMA for E-Remittance: PROFORMA-VI
 - xvi. Format of Performance Security: PROFORMA-VII
 - xvii. Agreement Form: PROFORMA-VIII
 - xviii. Format of undertaking by Bidders towards submission of authentic information / documents: PROFORMA-IX
 - xix. Certificate of Compliance of Financial Criteria: PROFORMA-X
 - xx. Certificate of Annual Turnover & Net Worth: PROFORMA-XI
 - xxi. Undertaking by vendor on submission of bank guarantee: PROFORMA-XII
 - xxii. Price Bidding Format (Attached under “**Notes and Attachments**” tab in the main bidding engine of OIL’s E-Tender portal)
 - xxiii. Technical Evaluation Sheet for BEC-BRC & others
 - xxiv. Commercial check List
- 2.2 The bidder is expected to examine all instructions, forms, terms and specifications in the Bid Documents. Failure to furnish all information required in the Bid Documents or submission of a bid not substantially responsive to the Bid Documents in every respect will be at the Bidder's risk & responsibility and may result in the rejection of its bid.
- 2.3 Bidders shall be deemed, prior to submitting their bids, to have satisfied themselves about the weather conditions, working culture in the area, socio-political environment, safety & security aspects, law & order situation and

law of the land, and obtain for themselves all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the various obligations under the Contract.

3.0 TRANSFERABILITY OF BID DOCUMENTS:

- 3.1 Bid Documents are non-transferable. Bid can be submitted only in the name of the bidder in whose name the Bid Document has been issued.
- 3.2 In case of e-Tender, Bidder must submit the bid using Organizational Class-3 Digital Signature issued by the Competent Authority in favour of the bidder. Bid submitted using Digital Signature other than the Digital Signature of the bidder shall be summarily rejected.
- 3.3 Unsolicited bids will not be considered and will be rejected straightway.

4.0 AMENDMENT OF BID DOCUMENTS:

- 4.1 At any time prior to the deadline for submission of bids, the Company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Bid Documents through issuance of an Addendum(s) / Corrigendum(s) / Amendment(s).
- 4.2 The Addendum will be uploaded in OIL's E-Tender Portal in the Tab "Technical Rfx" and under External Area - "Amendments" folder. The Company may, at its discretion, extend the deadline for bid submission. Bidders are expected to take the Addendum into account in preparation and submission of their bid. **Bidders are to check from time to time the E-Tender portal ["Technical RFX" Tab and under the folder "Amendments"] for any amendments to the bid documents before submission of their bids. No separate intimation shall be sent to the Bidders.**

5.0 PREPARATION OF BIDS:

- 5.1 Language of Bids: The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the Bidder and the OIL shall be written in English language. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in English, duly authenticated by local chamber of Commerce of bidder's country, in which case, for purposes of interpretation of the bid, the translation shall prevail.
- 5.2 Bidder's / Agent's Name & Address: Bidders should indicate in their bids their detailed postal address including the Fax / Telephone / Cell Phone Nos. and E-mail address. Similar information should also be provided in respect of their authorized Agents in India, if any.
- 5.3 Documents comprising the bid: Bids are invited under **Two-Bid System**. The bid to be uploaded by the Bidder in OIL's E-Tender portal shall comprise of the following components:
 - (A) Technical Bid (to be uploaded in "Technical Attachments" tab):
 - a) Complete technical details of the services offered.

- b) Documentary evidence established in accordance with Clause No. 8.0.
- c) Bid Security Declaration as **PROFORMA-V** in accordance with Clause No. 9.0 hereunder.
- d) Bid Form as per **PROFORMA-I**.
- e) Statement of Non-compliance as per **PROFORMA-II**.
- f) Integrity Pact, digitally signed by OIL's competent personnel as PART-VI.
- g) **PROFORMA-IV** attached with the bid document to be signed by the bidder's authorized representative.
- h) All other relevant Undertakings and PROFORMAS as applicable as part of Bid.

Note: **No price should be mentioned in the Technical Bid being uploaded in "Technical Attachments" tab. If any price is mentioned by the bidder in their Technical bid, then their bid will be rejected straightway.**

(B) Price Bid (to be uploaded in "Notes and Attachments" tab)

The Price Bid Format containing the prices along with the currency quoted and any other commercial information pertaining to the service offered.

6.0 BID FORM: The bidder shall complete the Bid Form and upload the same along with their Technical bid.

7.0 BID PRICE:

7.1 Prices must be quoted by the Bidders online as per the price bid format available in OIL's E-Tender Portal under "Notes & Attachment" Tab. Prices must be quoted by the bidders as per the Price Bidding format.

7.2 Prices quoted by the successful bidder must remain firm during performance of the Contract and must not be subject to variation on any account, except as otherwise mentioned in the bid document.

7.3 All duties (except customs duty which will be borne by the Company) and taxes (excluding GST) including Corporate Income Tax, Personal Tax, Assam Entry Tax etc. and other Cess / levies payable by the successful bidder under the Contract for which this Bid Document is being issued, shall be included in the rates, prices and total Bid Price submitted by the bidder and the evaluation and comparison of bids shall be made considering the quoted GST in the Price Bid Format. For example, personal taxes and / or any corporate taxes arising out of the profits on the contract as per rules of the country shall be borne by the bidder.

8.0 DOCUMENTS ESTABLISHING BIDDER'S ELIGIBILITY AND QUALIFICATIONS: These are listed in BEC-BRC of the tender documents.

9.0 BID SECURITY

9.1 The Bid Security is required to protect the Company against the risk of Bidder's conduct, which would warrant forfeiture of the Bid Security, pursuant to sub-clause 9.8.

9.2 All the bids must be accompanied by Bid Security in Original as prescribed under, for the amount as mentioned in the “Forwarding Letter” of the tender documents:

a. The Bid Security may be submitted in the form of irrevocable Bank Guarantee (as per **PROFORMA-V**) issued by Nationalized or Scheduled Bank in favour of M/s Oil India Limited and payable at DULIAJAN. The Bank Guarantee must be on Non-Judicial Stamp Paper of requisite value as per Indian Stamp Act purchased in the name of Banker.

b. Alternately Bid Security can also be paid through Bank Draft/Cashier’s Cheque/ Banker’s Cheque/Fixed Deposit Receipt (Account OIL INDIA LIMITED)/irrevocable Letter of Credit/NEFT/RTGS/Electronic Fund Transfer through Online Payment Gateway of OIL’s e-tender portal (subject to credit in OIL’s account within prescribed time) to designated account of OIL.

i. If the Bid Security is submitted in the form of Bank Draft, Banker’s Cheque, Cashier’s Cheque, Fixed Deposit Receipt or Letter of Credit, the same should be in favour of “Oil India Limited” payable at Duliajan.

ii. Bid Security amount through NEFT or RTGS mode may be deposited on or before bid closing date and time to the following designated OIL’s bank account:

Bank Details of Beneficiary: OIL INDIA LIMITED		
a	Bank Name	STATE BANK OF INDIA
b	Branch Name	Duliajan
c	Branch Address	Duliajan, Dist.-Dibrugarh
d	Bank Account No.	10494832599
e	Type of Account	Current Account
f	IFSC Code	SBIN0002053
g	MICR Code	786002302
h	SWIFT Code	SBININBB479

iii. If the bid security is submitted through NEFT or RTGS mode, details such as **UTR No., Tender No., Bidder’s name & Deposited Amount etc.** must be uploaded with the Unpriced Techno-Commercial Bid documents.

c. In case of Bidders submitting Bid Security in the form of Bank Guarantee/ Bank Draft/Cashier’s Cheque/Banker’s Cheque/Fixed Deposit Receipt/Letter of Credit, the original hard copy of Bid Security should reach the office of GM-CONTRACTS on or before **12.45 p.m. (IST)** on the bid closing / opening date otherwise bid will be rejected.

d. A scanned copy of Bid Security document should also be uploaded along with the Unpriced Techno-Commercial Bid documents.

e. This Bid Security Deposit shall be refunded to all unsuccessful

bidders but is liable to be forfeited in full or part, at Company's discretion, as per **Clause No. 9.8** below. Bids without Bid Security Deposit in the manner specified above will be summarily rejected.

f. No other mode of payment will be accepted by the Company. The Bid Security shall not earn any interest to the bidder from the Company.

Note:

i. Bidders claiming waiver of Bid Security shall upload supporting documents as mentioned in **Para No. 10.0** below along with technical bid.

ii. Any offer not accompanied with the Bid Security shall be treated as invalid and summarily rejected unless the bidder is exempted from submission of Bid Security as per Bid Security Exemption Criteria of this tender and proper proof towards this exemption is submitted by the bidder. Any subsequent deposit of Bid Security after the bid closing date shall not be permitted. Also, adjustment of Bid Security due against the instant tender, against dues from the Company or on any account shall not be permitted.

9.3 Any bid not secured in accordance with sub-clause 9.2 above shall be rejected by the Company as non-responsive.

9.4 The bidders shall extend the validity of the Bid Security suitably, if and when specifically advised by OIL, at the bidder's cost.

9.5 Unsuccessful Bidder's Bid Security will be discharged and / or returned within 30 days after finalization of the Tender.

9.6 Successful Bidder's Bid Security will be discharged and / or returned upon Bidder's furnishing the Performance Security and signing of the contract. Successful bidder will however ensure validity of the Bid Security till such time the Performance Security in conformity with Clause No. 24.0 below is furnished.

9.7 Bid Security shall not accrue any interest during its period of validity or extended validity.

9.8 The Bid Security may be forfeited:

a. If the bidder withdraws the bid within its original / extended validity.

b. If the bidder modifies / revises their bid suo-moto within its original / extended validity.

c. If the bidder does not accept the contract.

d. If the bidder does not furnish Performance Security Deposit within the stipulated time as per tender / contract.

e. If it is established that the bidder has submitted fraudulent documents or has indulged into corrupt and fraudulent practice, the bid security shall be forfeited after due process in addition to other action against the bidder.

9.9 In case any bidder withdraws their bid during the period of bid validity, Bid Security will be forfeited, and the party shall be debarred as per the prevailing Banning Policy of the Company (OIL).

9.10 A bid shall be rejected straightway if Original Bid Security is not received within the stipulated date & time mentioned in the Tender and / or if the Bid Security validity is shorter than the validity indicated in Tender and / or if the Bid Security amount is lesser than the amount indicated in the Tender.

9.11 The Bank Guarantee issuing bank branch must ensure the following:

The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:

- (i) MT 760 / MT 760 COV for issuance of bank guarantee.
- (ii) MT 760 / MT 767 COV for amendment of bank guarantee.

[Tender Number should reflect in the SFMS text under MT 760 / MT 760 COV]

The above message / intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to ICICI BANK LTD., Duliajan Branch; IFS Code – ICIC0000213; SWIFT Code – ICICINBBXXX; Branch Address: Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602.

Bank Details of Beneficiary	
A	Bank Name ICICI Bank Ltd.
B	Branch Name Duliajan
C	Branch Address Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602
D	IFSC Code ICIC0000213
E	Unique identifier code (Field 7037) OIL503988890
F	Company name Oil India Limited
H	SWIFT Code ICICINBBXXX

10.0 EXEMPTION FROM SUBMISSION OF BID SECURITY: (This, being a Works Contract is excluded from the purview of Public Procurement Policy for MSEs Order,2012) In case any bidder is exempted from paying the Bid security, they should upload the supporting documents along with their technical bid. The detailed guidelines for exemption of the Bid security are given below.

- a) MSEs Units (manufacturers / Service Providers** only and not their dealers / distributors) are eligible for exemption of Bid Security.
- b) Central Government Departments and Central Public Sector Undertakings (CPSUs)** are also exempted from submitting bid security.

Note: Bids without EMD shall be rejected, if the technical offer does not include a valid copy of relevant Document/Certificate towards exemption of EMD, issued by appropriate authority.

- c) Documentation required to be submitted by MSEs: **Refer Clause No. 32.0 below.**

11.0 PERIOD OF VALIDITY OF BIDS

- 11.1 Bids shall remain valid as per the requirement mentioned in forwarding letter from the date of closing of bid prescribed by the Company. Bids of shorter validity will be rejected as being non-responsive. If nothing is mentioned by the bidder in their bid about the bid validity, it will be presumed that the bid is valid for **120 days** from Original Bid Closing Date.
- 11.2 In exceptional circumstances, the Company may solicit the Bidder's consent to an extension of the period of validity. The request and the response thereto shall be made in writing through Fax or e-mail. A Bidder may refuse the request. A Bidder granting the request will neither be required nor permitted to modify their Bid.

12.0 SIGNING & SUBMISSION OF BIDS:

12.1 Signing of bids:

- 12.1.1 Bids are to be submitted online through OIL's E-procurement portal with digital signature. The bid and all attached documents should be digitally signed by the bidder using "Class 3" digital certificates with Organization's Name [e-commerce application (Certificate with personal verification and Organisation Name)] as per Indian IT Act 2000 obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India before bid is uploaded. Digital Signature Certificates having Bidder's Name in the "Organization Name" field are only acceptable. Digital Signature Certificate having "Organization Name" field other than Bidder's Name shall be rejected summarily.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidder holding a Power of Attorney to bind the Bidder to the contract.

If any modifications are made to a document after attaching digital signature, the digital signature shall again be attached to such documents before uploading the same.

In case the digital signature is not of "Class-3" with organization name, the bid will be rejected. Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employees.

- 12.1.2 The original and all copies of the bid shall be typed or written in indelible inks. Since bids are to be submitted ONLINE with digital signature, manual signature is NOT relevant. The Letter of Authority (as per **PROFORMA-IV**) shall be indicated by written Power of Attorney accompanying the Bid.
- 12.1.3 Any physical documents submitted by bidders shall contain no interlineations, white fluid erasures or overwriting except as necessary to correct errors made by the Bidder, in which case such correction shall be initialed by the person or persons who has / have digitally signed the Bid.

12.1.4 Any Bid, which is incomplete, ambiguous, or not in compliance with the Bidding process shall be rejected.

12.2 Submission of bids:

The tender is processed under **Two-Bid System**. Bidder shall submit the Technical bid and Priced bid along with all the Annexures and Proforma (wherever applicable) and copies of documents in electronic form through OIL's e-procurement portal within the Bid Closing Date & Time stipulated in the e-tender. For submission of Bids online at OIL's E-Tender Portal, detailed instructions is available in "User Manual" available in OIL's E-Tender Portal. Guidelines for bid submission are also provided in the "Forwarding Letter". The Technical Bid is to be submitted as per Terms of Reference/Technical Specifications of the bid document and Priced Bid as per the Price Schedule. The Technical Bid should be uploaded in the "Technical Attachment" Tab Page only. Prices to be quoted as per Price Bid Format and should be uploaded as 'Attachment' under "Notes & Attachments" Tab. No price should be given in the "Technical Attachment", otherwise bid shall be rejected. The priced bid submitted in physical form shall not be considered. However, the following documents in one set should necessarily be submitted in physical form in sealed envelope super-scribing the Tender no., Brief Description of services and Bid Closing/Opening date & Time along with the bidder's name and should be submitted to CGM-Contracts, Oil India Ltd., Duliajan-786602 (Assam) on or before 12.45 Hrs (IST) on the bid closing date indicated in the IFB:

- a) Printed catalogue and literature if called for in the bid document.
- b) Any other document required to be submitted in original as per bid document.

Documents sent through E-mail / Fax / Telephonic method will not be considered.

12.2.1 All the conditions of the contract to be made with the successful bidder are given in various Sections of the Bid Document. Bidders are requested to state their non-compliance to each clause as per PROFORMA-II of the bid document and the same should be uploaded along with the Technical Bid.

12.2.2 Timely delivery of the documents in physical form as stated in Para 12.2 above is the responsibility of the bidder. Bidders should send the same through Registered Post or by Courier Services or by hand delivery to the Officer in Charge of the particular tender before the Bid Closing Date and Time. Company shall not be responsible for any postal delay / transit loss.

12.2.3 Bids received through the e-procurement portal shall only be accepted. Bids received in any other form shall not be accepted.

13.0 DEADLINE FOR SUBMISSION OF BIDS:

13.1 Bids should be submitted online as per the online tender submission deadline. Bidders will not be permitted by System to make any changes in their bid/quote after the bid submission deadline is reached. Bidders are requested to take note of this and arrange to submit their bids within the submission deadline to avoid last minute rush/network problems.

- 13.2 No bid can be submitted after the submission dead line is reached. The system time displayed on the e-procurement web page shall decide the submission dead line.
- 13.3 The documents in physical form as stated in Para 12.2 must be received by Company at the address specified in the "Forwarding Letter" on or before 12.45 Hrs (IST) on the Bid Closing Date mentioned in the "Forwarding Letter". Timely delivery of the same at the address mentioned in the Forwarding Letter is the responsibility of the Bidders.
- 14.0 LATE BIDS:** Bidders are advised in their own interest to ensure that their bids are uploaded in system much before the closing date and time of the bid. The documents in physical form if received by the Company after the deadline for submission prescribed by the Company shall be rejected and shall be returned to the Bidders in unopened condition immediately.
- 15.0 MODIFICATION AND WITHDRAWAL OF BIDS:**
- 15.1 The Bidder after submission of Bid may modify or withdraw its Bid prior to Bid Closing Date & Time in the e-portal using Digital Signature by the person or persons who has / have digitally signed the Bid. Withdrawal or modification of bid through physical correspondence shall not be considered and accepted.
- 15.2 No Bid can be modified or withdrawn subsequent to the deadline for submission of Bids.
- 15.3 No Bid can be withdrawn in the interval between the deadline for submission of Bids and the expiry of the period of Bid Validity specified by the Bidder on the Bid Form. Withdrawal of a Bid during this interval by a Bidder shall be debarred from participation in future tenders of OIL.
- 16.0 EXTENSION OF BID SUBMISSION DATE:** Normally no request for extension of Bid Closing Date & Time will be entertained. However, OIL at its discretion, may extend the Bid Closing Date and / or Time due to any reasons.
- 17.0 BID OPENING AND EVALUATION:**
- 17.1 Company will open the Bids, including submission made pursuant to Clause 12.2, in presence of Bidder's representatives who choose to attend at the date, time and place mentioned in the Forwarding Letter. However, an authorization letter (as per **PROFORMA-III**) from the Bidder must be produced by the Bidder's representative at the time of Bid Opening. Unless this Letter is presented, the representative will not be allowed to attend the Bid Opening. The Bidder's representatives who are allowed to attend the Bid Opening shall sign a register evidencing their attendance. Only one representative against each Bid will be allowed to attend.
- 17.2 In technical bid opening, only "Technical Attachment" will be opened. Bidders therefore should ensure that technical bid is uploaded in the "Technical Attachment" Tab Page only in the E-portal.
- 17.3 In case of any unscheduled holiday or Bandh on the Bid Opening Date, the Bids will be opened on the next full working day. Accordingly, Bid Closing Date / time will get extended up to the next working day and time.

- 17.4 Bids which have been withdrawn pursuant to **Clause 15.0** shall not be opened. Company will examine bids to determine whether they are complete, whether requisite Bid Security Declarations have been furnished, whether documents have been digitally signed and whether the bids are generally in order.
- 17.5 At bid opening, Company will announce the Bidder's names, written notifications of bid modifications or withdrawal, if any, the presence of requisite Bid Security Declaration and such other details as the Company may consider appropriate.
- 17.6 Normally no clarifications shall be sought from the Bidders. However, for assisting in the evaluation of the bids especially on the issues where the Bidder confirms compliance in the evaluation and contradiction exists on the same issues due to lack of required supporting documents in the Bid (i.e. document is deficient or missing), or due to some statement at other place of the Bid (i.e. reconfirmation of confirmation) or vice versa, clarifications may be sought by OIL. In all the above situations, the Bidder will not be allowed to change the basic structure of the Bid already submitted by them and no change in the price or substance of the Bid shall be sought, offered or permitted.
- 17.7 Prior to the detailed evaluation, Company will determine the substantial responsiveness of each bid to the requirement of the Bid Documents. For purpose of these paragraphs, a substantially responsive bid is one, which conforms to all the terms and conditions of the Bid Document without material deviations or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality, or performance of work, or which limits in any substantial way, in-consistent way with the Bid Documents, the Company's right or the bidder's obligations under the contract, and the rectification of which deviation or reservation would affect unfairly the competitive position of other bidders presenting substantial responsive bids. The Company's determination of Bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.
- 17.8 A Bid determined as not substantially responsive will be rejected by the Company and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
- 17.9 The Company may waive minor informality or nonconformity or irregularity in a Bid, which does not constitute a material deviation, provided such waiver, does not prejudice or affect the relative ranking of any Bidder.

18.0 OPENING OF PRICED BIDS:

- 18.1 In case of composite bid system, Price bids will be opened on the scheduled bid closing date itself.
- 18.2 In case of two-bid system, Company will open the Priced Bids of the techno-commercially qualified Bidders on a specific date in presence of representatives of the qualified bidders. The techno-commercially qualified Bidders will be intimated about the Priced Bid Opening Date & Time in advance.

18.3 In case of any unscheduled holiday or Bandh on the Priced Bid Opening Date, the Bids will be opened on the next working day.

18.4 The Company will examine the Price quoted by Bidders to determine whether they are complete, any computational errors have been made, the documents have been properly signed, and the bids are generally in order.

Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price (that is obtained by multiplying the unit price and quantity) the unit price shall prevail and the total price shall be corrected accordingly. If there is a discrepancy between words, and figures, the amount in words will prevail. If any Bidder does not accept the correction of the errors, their Bid will be rejected.

19.0 EVALUATION AND COMPARISON OF BIDS: The Company will evaluate and compare the bids as per BEC-BRC of the Tender Documents.

19.1 Discounts / rebates:

19.1.1 Unconditional discounts / rebates, if any, given in the bid will be considered for evaluation.

19.1.2 Post bid or conditional discounts / rebates offered by any bidder shall not be considered for evaluation of bids. However, if the lowest bidder happens to be the final acceptable bidder for award of contract, and if they have offered any discounts / rebates, the contract shall be awarded after taking into account such discounts/rebates.

20.0 CONTACTING THE COMPANY:

20.1 Except as otherwise provided in **Clause 17.0** above, no Bidder shall contact Company on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded except as required by Company vide sub-clause 17.6.

20.2 An effort by a Bidder to influence the Company in the Company's bid evaluation, bid comparison or Contract award decisions may result in the rejection of their bid.

21.0 AWARD OF CONTRACT:

21.1 **Award criteria:** The Company will award the Contract to the successful Bidder as per the evaluation criteria mentioned under BEC-BRC of the tender document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

22.0 COMPANY'S RIGHT TO ACCEPT OR REJECT ANY BID: Company reserves the right to accept or reject any or all bids and to annul the bidding process and reject all bids, at any time prior to award of contract, without thereby incurring any liability to the affected bidder, or bidders or any obligation to inform the affected bidder of the grounds for Company's action.

23.0 NOTIFICATION OF AWARD:

23.1 Prior to the expiry of the period of bid validity or extended validity, Company will notify the successful Bidder in writing by registered letter or by fax or E-

mail (to be confirmed in writing by registered / couriered letter) that its Bid has been accepted.

23.2 The notification of award will constitute the formation of the Contract.

23.3 Upon the successful Bidder's furnishing of Performance Security pursuant to Clause 24.0 below, the Company will promptly notify each un-successful Bidder.

24.0 PERFORMANCE SECURITY: Successful bidder has to submit Performance Security amount as mentioned in Forwarding Letter, within 02 Weeks from the date of issue of Letter of Award (LOA).

24.1 a. The Performance Security should be submitted in the form of irrevocable Bank Guarantee (as per **PROFORMA-VII**) issued by Nationalized or Scheduled Bank in favour of M/s Oil India Limited and payable at DULIAJAN. The Bank Guarantee must be on Non-Judicial Stamp Paper of requisite value as per Indian Stamp Act purchased in the name of Banker. A duly filled undertaking towards details of the BG (as per **PROFORMA-XII**) must also be submitted along with the original BG.

b. Alternately, the Performance Security can also be paid through Bank Draft / Cashier's Cheque / Banker's Cheque / Fixed Deposit Receipt (Account OIL INDIA LIMITED) / irrevocable Letter of Credit / NEFT / RTGS (subject to credit in OIL's account within prescribed time) to designated account of OIL.

i. If the Performance Security is submitted in the form of Bank Draft, Banker's Cheque, Cashier's Cheque, Fixed Deposit Receipt or Letter of Credit, the same should be in favour of "Oil India Limited" payable at Duliajan.

ii. Performance Security amount through NEFT or RTGS mode may be deposited on or before bid closing date and time to the following designated OIL's bank account:

Bank Details of Beneficiary: OIL INDIA LIMITED		
a	Bank Name	STATE BANK OF INDIA
b	Branch Name	Duliajan
c	Branch Address	Duliajan, Dist-Dibrugarh
d	Bank Account No.	10494832599
e	Type of Account	Current Account
f	IFSC Code	SBIN0002053
g	MICR Code	786002302
h	SWIFT Code	SBININBB479

iii. If the Performance security is submitted through NEFT or RTGS mode, the bidder shall submit details such as **UTR No., Contract No., Bidder's name & Deposited Amount etc.**

c. In case of Bidders submitting Performance Security in the form of Bank Guarantee/Bank Draft/Cashier's Cheque/Banker's Cheque/Fixed Deposit Receipt/Letter of Credit, the original hard copy of Performance Security shall be submitted within the time frame as stipulated in the LOA.

d. No other mode of payment other than the mode covered under Point Nos. a. & b. will be accepted by the Company.

24.2 Performance Security shall not accrue any interest during its period of validity or extended validity.

24.3 The Bank Guarantee issuing bank branch must ensure the following:
The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:

- (i) MT 760/MT 760 COV for issuance of bank guarantee.
- (ii) MT 760/MT 767 COV for amendment of bank guarantee.

[[Contract No. should reflect in the SFMS text under MT 760/MT 760 COV]

The above message/intimation shall be sent through SFMS by the BG issuing Bank branch to ICICI Bank Ltd., Duliajan Branch, IFS Code – ICIC0000213; SWIFT Code - ICICINBBXXX. Branch Address: ICICI Bank Ltd, Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602. The Bank details are as under:

Bank Details of Beneficiary		
A	Bank Name	ICICI Bank Ltd.
B	Branch Name	DULIAJAN
C	Branch Address	Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602
D	IFSC Code	ICIC0000213
E	Unique identifier code (Field 7037)	OIL503988890
F	Company Name	Oil India Limited
H	SWIFT Code	ICICINBBXXX

24.4 In case performance security is submitted in the form of Fixed Deposit, the following details must be attached in the form of declaration by the vendor/party for confirmation of Fixed Deposit from the issuing bank.

Full address of the issuing bank
Branch Code
Authorised signatory with full name and designation
Phone (Mobile) Numbers of the branch
Email address of the branch

Such fixed/term deposit must be pledged in favour of OIL and it must in the printed form on the physical original FDR in words "Pledged in favour of Oil India Limited"

- 24.5 To avoid delay in confirmation of Fixed deposit from the issuing bank and consequent delay in processing of bills and payment, party shall arrange the confirmation mail regarding issue of fixed deposit with the following details directly from **bank's official email id** to Oil India's following e-mail id (FD_PS@OILINDIA.IN):

FD NO.	Issue Date	Maturity Date	FD Amount	Beneficiary / Contractor Name	Whether above FD is pledged in favour of 'Oil India Limited' (Yes/No)	FD amount pledged (in ₹) as per bank's books of accounts	Mode of FD Renewal (Auto Renewal/Auto closure)	Remarks (if any) of the issuing Bank
A	B	C	D	E	F	G	H	I

- 24.6 This Performance Security must be valid for 90 (Ninety) days after the date of expiry of the contract period/defect liability period (if any). In the event of contract being extended within the provisions of the contract agreement, the contractor will have to extend suitably the validity of the "Security Deposit" for the extended period.
- 24.7 The Performance Security Deposit will be refunded to the Contractor after **90 (Ninety) days** of satisfactory completion of works / defect liability period (if any) under the contract (including extension, if any), but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason.

25.0 SIGNING OF CONTRACT:

- 25.1 At the same time as the Company notifies the successful Bidder that its Bid has been accepted, the Company will either call the successful Bidder for signing of the agreement or send the Contract Form provided in the Bid Documents, along with the General & Special Conditions of Contract, Technical Specifications, Schedule of Rates incorporating all agreements agreed between the two parties.

- 25.2 The successful Bidder shall sign and date the contract and return it to the Company after receipt of LOA. Till the contract is signed, the LOA issued to the successful bidder shall remain binding amongst the two parties.
- 25.3 In the event of failure on the part of the successful Bidder to sign the contract, OIL reserves the right to terminate the LOA issued to the successful Bidder and invoke the Performance Security if submitted by the successful Bidder. In case the Bidder fails to sign the contract or submit the Performance Security within the stipulated time as defined in the tender document, Oil India Limited will suspend the Bidder for a period of two years without conducting any enquiry.
- 26.0 CREDIT FACILITY:** Bidders should indicate clearly in the Bid about availability of any credit facility inclusive of Government to Government credits indicating the applicable terms and conditions of such credit.
- 27.0 MOBILIZATION AND ADVANCE PAYMENT:**
- 27.1 Request for advance payment shall not be normally considered. However, depending on the merit and at the discretion of the Company, advance against mobilization charge may be given at an interest rate of 1% above the prevailing Bank rate (CC rate) of SBI from the date of payment of the advance till recovery / refund.
- 27.2 Advance payment agreed to by the Company shall be paid only against submission of an acceptable bank guarantee whose value should be equivalent to the amount of advance plus the amount of interest covering the period of advance. Bank guarantee shall be valid for 2 months beyond completion of mobilization and the same may be invoked in the event of Contractor's failure to mobilize as per agreement.
- 27.3 In the event of any extension to the mobilization period, Contractor shall have to enhance the value of the bank guarantee to cover the interest for the extended period and also to extend the validity of bank guarantee accordingly.
- 28.0 GOODS AND SERVICES TAX:**
- 28.1 In view of **GST** Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST / VAT, Service tax, Entry Tax and other indirect taxes and duties have been submerged in **GST**. Accordingly, reference of Excise Duty, Service Tax, VAT, Sales Tax, Entry Tax or any other form of indirect tax except of **GST** mentioned in the bidding document shall be ignored.
- Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever **GST** (CGST & SGST / UTGST or IGST) is applicable.
- 28.2 Bidder should also mention the **Harmonised System of Nomenclature (HSN)** and **Service Accounting Codes (SAC)** at the designated place in the Price Bid Format.
- 28.3 **Where the OIL is entitled to avail the input tax credit of GST:**

OIL will reimburse the GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of GST paid. In case of any variation in the executed quantities, the amount on which the GST is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

The input tax credit of **GST** quoted shall be considered for evaluation of bids, as per evaluation criteria of tender document.

28.4 Where the OIL is not entitled to avail/take the full input tax credit of GST:

OIL will reimburse GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules / regulation of GST subject to the ceiling amount of GST as quoted by the bidder. In case of any variation in the executed quantities (If directed and / or certified by the In-Charge) the ceiling amount on which GST is applicable will be modified on pro-rata basis.

The bids will be evaluated based on total price including GST.

- 28.5 It is the responsibility of the bidder to quote the correct GST rate. The classification of goods / services as per GST (Goods & Service Tax) Act should be correctly done by the contractor to ensure that input tax credit on GST (Goods & Service Tax) is not lost to the OIL on account of any error on the part of the contractor.
- 28.6 Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.
- 28.7 GST liability, if any, on account of supply of free samples against any tender shall be to bidder's account.
- 28.8 In case the bidder is covered under Composition Scheme under GST laws, then bidder should quote the price inclusive of the GST (CGST & SGST / UTGST or IGST). Further, such bidder should mention "Cover under composition system" in column for GST (CGST & SGST/UTGST or IGST) of price schedule.
- 28.9 OIL will prefer to deal with registered supplier of goods / services under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid. Where OIL is entitled for input credit of GST, the same will be considered for evaluation of bid as per evaluation methodology of tender document.
- 28.10 Procurement of Specific Goods: Earlier, there is no tax incidence in case of import of specified goods (i.e. the goods covered under List-34 of Customs Notification no. 12/2012-Cus dated. 17.03.2012 as amended). Customs duty is not payable as per the policy. However, under GST regime, IGST Plus GST

compensation cess (if applicable) would be leviable on such imports. Bidders should quote GST as inclusive considering IGST component for the imported Materials portion while quoting their prices on destination basis. However, GST rate to be specified in the price bid format.

28.11 The Supplier of Goods / Services may note the Anti-profiteering Clause (Clause No. 12.5) of Part-I GCC and quote their prices accordingly.

28.12 In case the GST rating of bidder on the GST portal / Govt. official website is negative / black listed, then the bid may be rejected by OIL.

29.0 INTEGRITY PACT:

29.1 OIL shall be entering into an Integrity Pact with the Bidders as per format enclosed in the Bid Document. The Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma shall be returned by the bidder (along with the technical Bid) duly signed by the same signatory who signed the Bid i.e., who is duly authorized to sign the Bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder's authorized signatory who has signed the bid.

29.2 In case of a joint venture, all the partners of the joint venture should sign the Integrity pact.

29.3 In the event of any dispute between the management and the contractor relating to those contracts where Integrity Pact is applicable, in case, both the parties are agreeable, they may try to settle dispute through mediation before the panel of Independent External Monitors (IEMs) in a time bound manner. If required, the organizations may adopt any mediation rules for this purpose. In case, the dispute remains unresolved even after mediation by the panel of IEMs, the organization may take further action as per the terms and conditions of the contract. The fees/expenses on dispute resolution shall be equally shared by both the parties.

29.4 OIL has appointed **Shri Ram Phal Pawar, IPS (Retd.), Former Director, NCRB, MHA, Dr. Tejendra Mohan Bhasin, Former Vigilance Commissioner, CVC, and Shri Ajit Mohan Sharan, IAS (Retd.),** as Independent External Monitors (IEM) for a period of 03 (Three) years to oversee implementation of Integrity Pact in OIL. Bidders may contact the Independent External Monitors for any matter relating to the Integrity Pact at the following addresses:

(a) Shri Ram Phal Pawar, IPS (Retd.), Former Director, NCRB, MHA
Mobile No.: 8017017878,
E-mail IDs: rpawar61@hotmail.com, ramphal.pawar@ips.gov.in

(b) Dr. Tejendra Mohan Bhasin, Former Vigilance Commissioner, CVC.
E-mail ID: tmbhasin@gmail.com

(c) Shri Ajit Mohan Sharan, IAS (Retd.), Former Secretary, Ministry of Ayush, Govt. of India, Mob No.: 9810701876

E-mail: ams057@gmail.com

30.0 LOCAL CONDITIONS:

It is imperative for each Bidder to be fully informed themselves of all Indian as well as local conditions, factors and legislation which may have any effect on the execution of the work covered under the Bidding Document. The bidders shall be deemed, prior to submitting their bids to have satisfied themselves of all the aspects covering the nature of the work as stipulated in the Bidding Document and obtain for themselves all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the various obligations under the Contract.

No request will be considered for clarifications from the Company (OIL) regarding such conditions, factors and legislation. It is understood and agreed that such conditions, factors and legislation have been properly investigated and considered by the Bidders while submitting the Bids. Failure to do so shall not relieve the Bidders from responsibility to estimate properly the cost of performing the work within the provided timeframe. Company (OIL) will assume no responsibility for any understandings or representations concerning conditions made by any of their officers prior to award of the Contract. Company (OIL) shall not permit any Changes to the time schedule of the Contract or any financial adjustments arising from the Bidder's lack of knowledge and its effect on the cost of execution of the Contract.

31.0 SPECIFICATIONS: Before submission of Bids, Bidders are requested to make themselves fully conversant with all Conditions of the Bid Document and other relevant information related to the works / services to be executed under the contract.

*******END OF ITB*******

PRE-QUALIFICATION CRITERIA (PQC)/BID EVALUATION CRITERIA (BEC)-BID REJECTION CRITERIA (BRC)

1.0 GENERAL CONFORMITY:

The bid shall conform to the specifications and terms and conditions given in the Bidding Documents. Bids will be rejected in case material and services offered do not conform to the required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bid to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and will not be considered for evaluation. All the documents related to BEC shall be submitted along with the Technical Bid.

1.1 ELIGIBILITY CRITERIA:

The bidder must be incorporated in India and must maintain more than 20% local content (LC) for the offered services to be eligible to bid against this tender.

Regarding calculation of local content and submission of documents during bidding & execution of contracts, provision of Purchase preference under Public Procurement (Preference to Make in India) Order, 2017 of Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India and as amended time to time with modifications as notified vide MoPNG Order No. FP-20013/2/2017-FP-PNG-Part (4) (E-41432) dated 26th April 2022 (including subsequent amendments thereof, if any) shall be applicable.

If such local content is not maintained during execution of contract, OIL reserves the right to invoke the Performance Securities submitted by the bidding and supporting companies, in addition to resorting to other options as may be deemed appropriate.

Whether or not the bidders want to avail PPP-MII benefit against this tender, it is mandatory for them to meet the following at the bidding stage:

(a) Without specifying the unit rates and bid amount in the technical bid, the bidder must specify the **percentage (%) of local content** in their bid as per format prescribed in **PROFORMA-XVI (duly signed & sealed by the Power of Attorney holder)**, without which the bid may be rejected being non-compliant. Such undertaking shall become a part of the contract, if awarded.

(b) Along with the technical bid, bidder must submit a copy of their Certificate of Incorporation/Registration or any other valid document(s) which substantially establishes its constitution in India.

2.0 TECHNICAL EVALUATION CRITERIA:

2.1 TECHNICAL REQUIREMENTS:

2.1.1 Bidder must have experience of successfully executed/ completed '**SIMILAR WORK**' over the last previous 07 (seven) years reckoned from the original bid closing date in Central Government / State Government Organization / PSUs / Nationalised Banks/ Public Limited Company of India.

- i. One similar completed work each costing not less than ₹ **1,85,17,900.00 (Rupees One Crore Eighty-Five Lakh Seventeen Thousand Nine Hundred)** only;
- or
- ii. Two similar completed works each costing not less than ₹ **1,15,73,700.00 (Rupees One Crore Fifteen Lakh Seventy-Three Thousand Seven Hundred)** only;
- or
- iii. Three similar completed works each costing not less than ₹ **92,59,000.00 (Rupees Ninety-Two Lakh Fifty-Nine Thousand)** only.

2.1.2 Bidder must submit an Undertaking (enclosed as **PROFORMA-A**) stating to comply in toto to the following:

- (i) I/We undertake that I/We am/are capable for simultaneous execution of the jobs as detailed in the Tender in at-least 02 (two) locations as and when required by OIL.
- (ii) In the event of award of Contract, We/I shall deploy sufficient pool of manpower, machinery, tools & tackles and resources for simultaneous execution of the jobs as detailed under this tender in at-least 02 (two) locations on as and when required basis.
- (iii) In the event of award of Contract, We/I shall engage at least one (01) supervisor at each location having the requisite experience (as mentioned in the SCC of the tender) & credentials of the same shall be furnished to OIL by us/me during mobilization period of the Contract.

Notes to Clause 2.1.1 above:

A. ‘**SIMILAR WORK**’ mentioned above means **“Experience in successful completion of carrying out pipeline laying and related jobs for pipe dimensions of 100 MM NB or above.”**

B. Proof of requisite Experience, viz. award and subsequent successful execution/completion of ‘**SIMILAR WORK**’ (refer Clause No. 2.1.1 above), must be substantiated by submission of the following documents along with the bid:

- (a) Contract document/ Letter of Intent (LOI)/Letter of Award (LOA)/ Work Order showing detailed scope of work in line with Clause 2.1.1 above,

AND

- (b) Job Completion Certificate showing:

- (i) Gross value of job/quantity done
(ii) Nature of job done and Work Order No. / Contract No.
(iii) Contract period and date of completion

OR

SES (Service Entry Sheet) / Certificate of Payment (COP) issued by the company indicating the following:

- (i) Work Order No. / Contract No.
 - (ii) Gross value of jobs/quantities done
 - (iii) Period of Service
 - (iv) Nature of Service
- C.** Only Letter of Intent (LOI)/Letter of Award (LOA), or Work Order(s) are not acceptable as evidence.
- D.** In case requisite experience is against **OIL's Contract**, bidder shall only be required to categorically specify OIL's Contract Number and date.
- E.** Mere award of contract(s) will not be counted towards experience. Successful completion of the awarded contract(s) to the extent of volume & value, as stipulated under Clause No. 2.1.1 will only be treated as acceptable experience.
- F.** Following work experience will also be taken into consideration:
- (a)** If the prospective bidder is executing '**SIMILAR WORK**' which is still running, and the contract value/quantity executed prior to original bid closing date is equal to or more than the minimum prescribed value in the BEC.
 - (b)** In case the start date of the requisite experience is beyond the prescribed 07 (seven) years reckoned from the original bid closing date, but completion is within the prescribed 07 (seven) years reckoned from the original bid closing date.
 - (c)** If the prospective bidder has executed a contract in which '**SIMILAR WORK**' is a component of the contract.
- In case the document submitted as per **Para B** above, are not sufficient to establish the value/quantity/period of the '**SIMILAR WORK**' against **Para F (a), (b) & (c)** above the bidder shall also have to submit the breakup of the works executed under such contract(s) clearly indicating the value / quantity / period of '**SIMILAR WORK**' which should be certified by the end user or a certificate issued by a practicing Chartered / Cost Accountant Firm (with Membership Number & Firm Registration Number).
- G.** Experience of executing '**SIMILAR WORK**' through 'sub-contracting' shall not be considered for evaluation.
- H.** '**SIMILAR WORK**' executed by a bidder for its own organization / subsidiary cannot be considered as experience for the purpose of meeting BEC.
- I.** Bids submitted for part of the '**SIMILAR WORK**' will be rejected.
- J.** Bid will be rejected if not accompanied with adequate documentary proof in support of Work experience as mentioned in Para 2.1.1.
- K.** Any Bidder, if participated in the tender as Joint Venture, Consortium and through any other arrangement like MOU with another party, such offers shall not be considered for evaluation.
- L.** Only one bid against a party offering individually as well as under Proprietorship/Partnership firms shall be accepted. In case any bidder is

found to submit more than one bid including separate bids under proprietorship as well as under any Partnership firm then all the bids submitted by the bidder in his own name or in the name of firm where he/she is a partner/sole proprietor will be rejected.

2.2 FINANCIAL CRITERIA:

2.2.1 Annual Financial Turnover of the bidder in any of preceding 03 (three) financial / accounting years, reckoned from the original bid closing date should be at least **₹ 28,93,500.00 (Rupees Twenty-Eight Lakh Ninety-Three Thousand Five Hundred)** only.

2.2.2 Net worth of bidder must be positive for preceding financial / accounting year.

Note:

- Annual Financial Turnover of the bidder from operations shall mean: "Aggregate value of the realisation of amount made from the sale, supply or distribution of goods or on account of services rendered, or both, by the company (bidder) during a financial year" as per the Companies Act, 2013 Section 2 (91).
- Net worth shall mean: "Share capital + Reserves created out of profits and securities Premium – Aggregate value of accumulated losses (excluding revaluation reserves) – deferred expenditure – Miscellaneous Expenditure to the extent not written off and carried forward Loss - Reserves created out of write back of depreciation and amalgamation"
- The Net worth to be considered against the clause above, should be read in conjunction with the definition of Net worth as mentioned in Section 2 (57) of The Companies Act, 2013.

Notes to BEC Clause 2.2 above:

A. For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:

(i) A certificate* issued by a practicing Chartered / Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in **PROFORMA-XV**.

OR

(ii) Audited Balance Sheet along with Profit & Loss account.

*Note:

- Mention of UDIN (Unique Document Identification Number) is mandatory for all Certificates issued w.e.f. February 1, 2019 by Chartered Accountant in Practice.
- In case the bidder is a Central Govt. organization / PSU /State Govt. organization / Nationalized Banks/ Semi-State Govt. Organization or any other Central / State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidences for the same.

B. Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months / within the due date for furnishing of audit report as per Section 139(1) of IT Act, 1961 (read along with latest circulars/notifications issued by CBDT from time to time) reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an undertaking in support of the same along with their technical bid as per **PROFORMA-X**.

C. In case the bidder is a Central Govt. organization / PSU /State Govt. organization / Semi-State Govt. Organization or any other Central / State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.

D. In case the bidder is a Government Department, they are exempted from submission of documents mentioned under **Para-A. & Para-B.** above.

E. Bid will be rejected if not accompanied with adequate documentary proof in support of Annual turnover and Net worth as mentioned in Para 2.2.1 & 2.2.2.

3.0 COMMERCIAL EVALUATION CRITERIA

3.1 Bids are to be submitted under Single-Stage Two-Bid System i.e., Un-priced Techno-Commercial Bid and Price Bid in their respective fields in e-tender portal. Only the Price Bid should contain the quoted price.

3.2 The price quoted by the successful bidder must be firm during the performance of the contract and not subject to variation on any account except as mentioned in the bid document. Any bid submitted with adjustable price quotation other than the above will be treated as non- responsive and rejected.

Note: The breakup of the quoted/offered price i.e., the duly filled Price Bid Format MUST NOT be uploaded with the technical bid; otherwise, the bid shall be rejected straightway.

3.3 Bid Security in Original shall be furnished as a part of the Technical Bid and shall reach the office of CGM- Contracts, OIL at Duliajan on or before 12.45 Hrs (IST) on the bid closing date. A scanned copy of the bid security shall however be uploaded in OIL's E-Procurement portal along with the Technical Bid. The amount of Bid Security shall be **₹ 4,63,000.00 (Rupees Four Lakh Sixty-Three Thousand)**. Bid without proper & valid Bid Security will be rejected.

For detailed may please refer to **Clause No. 12.0 of INSTRUCTIONS TO BIDDERS (ITB)**.

3.4 Bid Documents / User Id & Password for OIL's E-Tender portal are not transferable.

3.5 Any bid received in the form of Physical document/ Telex/ Cable/ Fax/ E-mail will not be accepted.

3.6 Bids shall be typed or written in indelible ink. The bidder or his authorized representative shall sign the bid digitally, failing which the bid will be rejected.

3.7 Bids shall contain no interlineations, erasures or overwriting except as necessary to correct errors made by bidder, in which case such corrections shall be initiated by the persons(s) signing (digitally) the bid. However, white fluid should not be used for making corrections. Any bid not meeting this requirement shall be rejected.

3.8 Any bid containing false statement will be rejected and action will be taken by Company as per Bid Document.

3.9 Bidder must accept and comply with the following provisions as given in the Tender Document in toto, failing which offer will be rejected:

- (i) Firm price
- (ii) Bid Security
- (iii) Period of validity of Bid
- (iv) Price Schedule
- (v) Performance Bank Guarantee / Security deposit
- (vi) Delivery / Completion Schedule
- (vii) Scope of work
- (viii) Guarantee of material / work
- (ix) Liquidated Damages clause
- (x) Tax liabilities
- (xi) Arbitration / Resolution of Dispute Clause
- (xii) Force Majeure
- (xiii) Applicable Laws
- (xiv) Specifications
- (xv) Integrity Pact

3.10 There should not be any indication of price in the Un-priced Techno-Commercial Bid. A bid will be straightway rejected if this is given in the Un-priced Techno-Commercial Bid.

3.11 Bid received with validity of offer less than **One Hundred and Twenty (120) Days** from Bid Closing Date will be rejected.

3.12 The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide **PROFORMA-XVIII** of the tender document. This Integrity Pact proforma has been duly signed by OIL's competent signatory. The proforma must be returned by the bidder (along with the Un-priced Techno-Commercial Bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder's authorized signatory who sign the Bid.

3.13 Bidders shall submit declaration as per **Appendix-1** that they are neither bankrupt nor undergoing any insolvency resolution process or liquidation or bankruptcy proceeding under any law OR no insolvency resolution process or liquidation or bankruptcy proceeding is initiated under any law against them.

3.14 Bidders shall submit declaration as per **Appendix-2** confirming that neither

the bidder nor any of their allied concerns, partners or associates or directors or proprietors involved in any capacity, are currently put on holiday list/banning list by OIL debarring them from carrying on business dealings with OIL.

4.0 PRICE EVALUATION CRITERIA

4.1 Price bid shall be opened in respect of only the techno-commercially acceptable bidders whose bids have been found to be substantially responsive. A substantially responsive bid is one that meets the terms and conditions of the Tender and/or the acceptance of which bid will not result in indeterminate liability on OIL.

4.2 Bidders are required to quote for all the items in the BOQ/Price Bid/ Financial Document. In case the bidder does not quote against any of the line items, the total bid value shall be considered as inclusive of the cost of the service/item.

4.3 It is to be clearly understood that the assumptions made in respect of the quantities for various operations are only for the purpose of evaluation of the bid and the Contractor will be paid on the basis of the actual number of days/parameters.

4.4 The bidders are advised not to offer any discount/rebate separately and to offer their prices after considering discount/rebate, if any.

4.5 Conditional and unsolicited discount will not be considered in evaluation. However, if such bidder happens to be the lowest recommended bidder, unsolicited discount without any condition will be considered for computing the contract price.

4.6 The inter-se-ranking of the techno-commercially qualified bidders will be determined on overall lowest cost basis (L-1 offer) i.e., considering the Total quoted price inclusive of all liabilities and GST.

4.7 Based on the evaluation of techno-commercially qualified bidders, the job will be awarded to the L-1 bidder.

4.8 In case of identical overall lowest offered rate by more than 01 (one) bidder, the selection will be made by draw of lot between the parties offering the same overall lowest price.

4.9 OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid.

4.10 When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/Contracts will be binding on the bidder.

4.11 Input Tax Credit on GST (Goods & Service Tax) for this service is NOT available to OIL & the bids will be evaluated based on total price including GST.

4.12 For evaluation purpose, quoted unit rates against each Line Item of the price bidding format shall be considered only upto 02 (two) decimal places without rounding off for evaluation.

5.0 PURCHASE PREFERENCE CLAUSE:

5.1 PURCHASE PREFERENCE CLAUSE: MSEs Units (manufacturers / Service Providers: (NOT APPLICABLE FOR THIS TENDER)

5.2 PURCHASE PREFERENCE POLICY (PPP-MII): This service is not splittable. Purchase preference under Public Procurement (Preference to Make in India) Order, 2017 of Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India and as amended time to time with modifications as notified vide MoPNG Order No. FP-20013/2/2017-FP-PNG-Part (4) (E-41432) dated 26th April 2022 (including subsequent amendments thereof, if any) shall be applicable for this Tender. Bidders to check the provisions of the Notifications for their eligibility to bid and seek benefits for Purchase preference, accordingly. The minimum local content and the margin of purchase preference are as per notifications from Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India from time to time.

6.0 GENERAL:

6.1 In case bidder takes exception to any clause of bidding document not covered under BEC/BRC, then the Company has the discretion to load or reject the offer on account of such exception if the bidder does not withdraw/modify the deviation when/as advised by company. The loading so done by the company will be final and binding on the bidders. No deviation will however be accepted in the clauses covered under BEC/BRC.

6.2 Bidders should provide self-attested copies of GST Registration Certificate, PAN Card, ESIC registration (if applicable), P.F. Registration Number OR Declaration (Declaration by applicant that provisions of Provident Fund Act are not applicable to them. In case P.F. is required to be deposited later on, the same will be deposited by the bidder (Applicant). In case successful bidder doesn't have P.F. Code at the time of bidding and PF Act is applicable on him / her, the same has to be provided by him / her before signing of contract agreement and issue of Work Order by OIL.

6.3 To ascertain the substantial responsiveness of the bid the Company reserves the right to ask the bidder for clarification in respect of clauses covered under BEC/BRC also and such clarifications fulfilling the BEC/BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be evaluated based on the submission. However, mere submission of such clarification shall not make the offer responsive, unless company is satisfied with the substantial responsiveness of the offer.

6.4 If any of the clauses in the BEC/BRC contradict with other clauses of bidding document elsewhere, the clauses in the BEC/BRC shall prevail.

6.5 Bidder(s) must note that requisite information(s)/financial values etc. as required in the BEC/BRC & Tender are clearly understandable from the supporting documents submitted by the Bidder(s); otherwise, Bids shall be rejected.

6.6 OIL will not be responsible for delay, loss, or non-receipt of applications for participating in the bid sent by mail and will not entertain any correspondence in this regard.

6.7 The originals of such documents [furnished by bidder(s)] shall have to be produced by bidder(s) to OIL as and when asked for.

6.8 Any bidder who are on Holiday/ Banning/ Suspension list of OIL on due date of submission of bid/ during the process of evaluation of the bids, the offers of such bidders shall not be considered and will be straightaway rejected.

7.0 CHECKLIST FOR BEC-BRC: Enclosed as **TECHNICAL EVALUATION SHEET (PROFORMA-XX)** and **COMMERCIAL CHECK-LIST (PROFORMA-XII)**. To be submitted along with the technical bid. In case of non-submission of the checklist, the offer shall be liable for rejection.

8.0 COMPLIANCE OF THE COMPETITION ACT, 2002: The bidder shall strictly comply with the provisions of the Competition Act, 2002, more particularly, Section-3 of the Act. Any violation the provisions of the Act shall attract penal action under the Act.

*******End of BEC-BRC*******

GENERAL CONDITIONS OF CONTRACT (GCC)**1.0 APPLICABILITY, DEFINITION & INTERPRETATION:****1.1 Applicability**

All clauses in the General Conditions of Contract [GCC] shall apply to all transactions except as otherwise stated in the Special Conditions of Contract [SCC] and/or BEC-BRC. Furthermore, in the event if there is any conflict between the Principal text of the Agreement and the Appendixes, the Principal text will prevail.

1.2 Definition & Interpretation

In the contract (as hereinafter defined) the following words and expressions shall have the meaning hereby assigned to them except where the context otherwise requires:

1.2.1 COMPANY/OIL/Operator:

Shall mean Oil India Limited [OIL] a public sector undertaking, incorporated under COMPANY's Act 1956 having its registered office at Duliajan-786602, Assam, India and includes its successor and permitted assigns.

1.2.2 CONTRACTOR:

Shall mean the person or persons, firm or COMPANY or corporation incorporated in India or abroad, who has been awarded with the contract and includes contractor's legal representatives, his successors and permitted assigns.

1.2.3 Contract:

Shall mean a written agreement between the COMPANY and the CONTRACTOR for execution of the services/works including all contract documents and subsequent amendments, if any.

1.2.4 Site:

Shall mean the place in which the operations/services are to be carried out or places approved by OIL for the purposes of the CONTRACT together with any other places designated in the CONTRACT as forming part of the site.

1.2.5 COMPANY's Site Representative/Engineer:

Shall mean the person or the persons appointed by the COMPANY from time to time to act on its behalf at the site for overall co- ordination, supervision and project management at site.

1.2.6 Sub-Contract:

Shall mean order/ contract placed by the CONTRACTOR for any portion of the CONTRACT or work sublet with necessary written consent of COMPANY on third party. Such sub-letting shall not relieve the CONTRACTOR from any obligation, duty

or responsibility under the CONTRACT.

1.2.7 Sub-Contractor:

Shall mean any person or firm or COMPANY (other than CONTRACTOR) to whom any part of the work has been entrusted by CONTRACTOR, with written consent of OIL or the persons appointed by OIL, successors and permitted assigns of such persons, firm or COMPANY.

1.2.8 Contractor's Representative:

Shall mean such person/or persons duly appointed representative at the site and base as the CONTRACTOR may designate in writing to the COMPANY as having authority to act for the CONTRACTOR in matters affecting the work and to provide the requisite services.

1.2.9 Contract Price/Value:

Shall mean the sum accepted or the sum calculated in accordance with the rates accepted in tender and/or the contract rates as payable to the CONTRACTOR for the entire execution and completion of the services/works, including amendments/modification/change order issued by the COMPANY.

1.2.10 Firm price:

The prices will remain unchanged, except for statutory changes, during currency of the CONTRACT unless specifically agreed to in writing by COMPANY.

1.2.11 Service/Works/Operations:

Shall mean and include all items and things to be supplied/done and all work /Service to be performed by the CONTRACTOR as specified in the Scope of Work under this CONTRACT and shall also include all extra, additional, altered or substituted works/services as required for the purpose of successful execution of the Contract.

1.2.12 Equipment/Materials/Goods:

Shall mean and include any equipment, machinery, instruments, stores, goods which CONTRACTOR is required to provide to the COMPANY for/under the CONTRACT and amendments thereto.

1.2.13 Drawings:

Shall mean and include all Engineering sketches, general arrangements/ layout drawings, sectional plans, all elevations, photographs, etc. related to the CONTRACT together with modification and revision thereto.

1.2.14 Specifications:

Means and includes all technical specifications, provision attached and referred to in the tender/contract document regarding method and manner of performing the

services and qualities of the service/materials to be provided under the contract and also as modified by the COMPANY/its site representative during the execution of contract in the best interest of service.

1.2.15 Engineer In-charge (EIC):

Shall mean the person designated from time to time by the COMPANY and shall include those who are expressly authorized by the COMPANY to act for and on its behalf for operation of the contract.

1.2.16 Inspectors:

Shall mean any person or outside Agency nominated by COMPANY to inspect equipment, materials and services, if any, in the CONTRACT (stage wise as well as final) as per the terms of the CONTRACT.

1.2.17 Tests:

Shall mean such process or processes to be carried out by the CONTRACTOR as are prescribed in the CONTRACT, considered necessary by the COMPANY or their representative to ascertain quality, workmanship, performance and efficiency of equipment or services thereof.

1.2.18 Approval:

Shall mean and include the written consent duly signed by COMPANY or their authorized official in respect of all documents, drawings or other particulars in relation to the CONTRACT.

1.2.19 Day:

Shall mean a calendar day of twenty –four (24) consecutive hours beginning at 00:00 hours with reference to local time at the site.

1.2.20 Month:

Shall mean a calendar month as per Gregorian calendar.

1.2.21 Year:

Shall mean calendar year as per Gregorian calendar.

1.2.22 Working day:

Means any day which is not declared to be holiday by the COMPANY.

1.2.23 Bid/offer:

Shall mean the proposal/Offer along with supporting documents submitted by the bidder in response to the tender or enquiry in accordance with the terms of Tender or Enquiry, for consideration by COMPANY, prior to award of contract.

1.2.24 Guarantee:

Shall mean the period and other conditions governing the warranty/guarantee of the services as provided in the CONTRACT.

1.2.25 Mobilization:

Shall mean rendering the equipment fully manned and equipped as per CONTRACT and ready to begin work at site designated by the COMPANY and accepted by the COMPANY after inspection.

1.2.26 De-mobilization:

Shall mean the removal of all items forming part of the Mobilization from the site of the COMPANY and inspection and acceptance thereafter by the COMPANY including compliance of requirement in relation to re-export of imported equipment/materials under concessional duty scheme in accordance with relevant notification from Customs Authorities.

1.2.27 Willful Misconduct:

Shall mean intentional disregard of good and prudent standards of performance or proper conduct under the Contract with knowledge that it is likely to result in any injury to any person or persons or loss or damage of property of the Company or Third Party.

1.2.28 Gross Negligence:

Shall mean any act or failure to act (whether sole, joint or concurrent) by a person or entity which was intended to cause, or which was in reckless disregard of or unjustifiable indifference to, avoidable and harmful consequences such person or entity knew, or should have known, would result from such act or failure to act. Notwithstanding the foregoing, Gross negligence shall not include any action taken in good faith for the safeguard of life or property.

1.2.29 Criminal Negligence:

Shall mean that the crime happened negligently, there was duty of care upon the Person but inadvertently due to his negligence, the duty was breached, which causes harm to the people in the form of death or serious injury.

1.2.30 GST Legislations:

‘GST legislations’ means ‘any or all of the following legislations as may be applicable to the CONTRACTOR and OIL:

- (A) The Central Goods & Services Tax Act, 2017;
- (B) The Integrated Goods & Services Act, 2017;
- (C) The Union Territory Goods & Services Tax Act, 2017;
- (D) The respective State Goods & Service Tax Acts’
- (E) The Goods and Services (Compensation to States) Act, 2017
- (F) The Customs Act and the Customs Tariff Act.
- (G) Any other applicable Act related to GST

2.0 CONTRACT DOCUMENT:

2.1 Governing language: The governing language for the CONTRACT shall be English. All CONTRACT documents and all correspondence and communication to be given and all other documentation to be prepared and supplied under the CONTRACT shall be written in English and the CONTRACT shall be construed and interpreted in accordance with English language.

2.2 Entire Agreement: The CONTRACT constitutes the entire agreement between OIL and the CONTRACTOR with respect to the subject matter of the CONTRACT and supersedes all communication, negotiations and agreement (whether written or oral) of the parties with respect thereto made prior to the date of this agreement, unless such communication(s) expressly forms part of the contract or included by reference.

2.3 Amendment in CONTRACT: No Amendment of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto. OIL shall not be bound by any printed conditions, provisions in the CONTRACTOR's BID, forms of acknowledgement of CONTRACT, invoice and other documents which purport to impose any condition at variance with or supplement to CONTRACT.

3.0 WAIVERS AND AMENDMENTS:

3.1 Waivers: It is fully understood and agreed that none of the terms and conditions of this contract shall be deemed waived by either party unless such waiver is executed in writing only by the duly authorized representatives of both the parties. The failure of either party to execute any right shall not act as a waiver of such right by such party.

3.2 Change Program: It is agreed that CONTRACTOR shall carry out work in accordance with the completion program (e.g. Drilling programme) to be furnished by the COMPANY, which may be changed from time to time by reasonable modifications in the program as COMPANY sees fit. COMPANY's instruction in this regard shall be final and binding.

4.0 CONTRACT TIMELINE:

4.1 Effective Date of Contract: The contract shall become effective as of the date COMPANY notifies the CONTRACTOR in writing that it has been awarded the contract. This date of issuance of Letter of Award (LOA) by the COMPANY will be the Effective Date of Contract. All terms and conditions of the contract shall come into force with the date of issuance of LOA.

4.2 Date of Commencement of Operation:

The date on which the mobilization is completed in all respects and CONTRACTOR is ready to commence operation as per the contract provision [Certified by the COMPANY's representative] will be treated as the date of Commencement of Operation.

4.3 Duration of the contract:

The contract shall be valid for a period as defined in the LOA and Special Conditions of Contract [SCC].

5.0 SCOPE OF WORK/CONTRACT:

Scope of the CONTRACT shall be as defined in the CONTRACT, specifications, drawings and Appendices.

6.0 GENERAL OBLIGATION OF CONTRACTOR:

CONTRACTOR shall, in accordance with and subject to the terms and conditions of this Contract:

6.1 Perform the work described in the Terms of Reference/Scope of Work. The CONTRACTOR shall execute the work with professional competence and in an efficient and workman like manner.

6.2 Except as otherwise provided in the Terms of Reference and the special Conditions of the contract, employ all labours/personnel as required to perform the work.

6.3 Perform all other obligations, work and services which are required by the terms of this contract or which reasonably can be implied from such terms as being necessary for the successful and timely completion of the work.

6.4 Comply with all applicable statutory obligations specified in the contract.

6.5 CONTRACTOR shall be deemed to have satisfied himself before submitting their bid as to the correctness and sufficiency of its bid for the services required and of the rates and prices quoted, which rates and prices shall, except insofar as otherwise provided, cover all its obligations under the contract.

6.6 CONTRACTOR shall be deemed, prior to submitting their bids, to have satisfied themselves about the weather conditions, working culture in the area, socio-political environment, safety & security aspects, law & order situation and law of the land, and obtain for themselves all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the various obligations under the Contract.

6.7 CONTRACTOR shall give or provide all necessary supervision during the performance of the services and as long thereafter within the warranty period as COMPANY may consider necessary for the proper fulfilling of CONTRACTOR's obligations under the contract.

7.0 GENERAL OBLIGATION OF COMPANY:

COMPANY shall, in accordance with and subject to the terms and conditions of this contract:

7.1 Pay CONTRACTOR in accordance with terms and conditions of the contract.

7.2 Allow CONTRACTOR access, subject to normal security and safety procedures, to all areas as required for orderly performance of the work as specified in the Scope of Works of the contract or work connected therewith.

7.3 Perform all other obligations required of COMPANY by the terms of this contract.

8.0 DUTIES AND POWER /AUTHORITY:

8.1 OIL's site representative/engineer:

The duties and authorities of OIL's site representative/engineer are to act on behalf of OIL for:

- i. Overall supervision, co-ordination and Project Management at site
- ii. Proper and optimum utilization of equipment and services.
- iii. Monitoring of performance and progress
- iv. Commenting/ countersigning on reports made by the CONTRACTOR's representative at site in respect of works, receipts, consumption etc. after satisfying himself with the facts of the respective cases.
- v. He shall have the authority, but not obligation at all times and any time to inspect/test/examine/ verify any equipment machinery, instruments, tools, materials, personnel, procedures and reports etc. directly or indirectly pertaining to the execution of the work. However this shall not construe to imply an acceptance by the inspector.

Hence, the overall responsibility of quality of work shall rest solely with the CONTRACTOR.

- vi. Each and every document emerging from site in support of any claim by the CONTRACTOR has to have the countersignature/ comments of the OIL's representative/engineer without which no claim shall be entertained by the OIL.

8.2 CONTRACTOR's representative:

(a) The CONTRACTOR's representative shall have all the powers requisite for the performance of the Service/Works, subject to holding due authorisation from the CONTRACTOR.

(b) Representative(s) shall liaise with OIL's representative/engineer for the proper co-ordination and timely completion of the works and on any matter pertaining to the works.

(c) Representative(s) shall extend full co-operation to OIL's representative/inspector/engineer in the manner required by them for supervision/inspection/observation of equipment, material, procedures, performance, reports and records pertaining to works.

(d) To have complete charge of CONTRACTOR's personnel engaged in the

performance of the work and to ensure compliance of rules and regulations and safety practice.

9.0 Personnel to be deployed by contractor:

CONTRACTOR warrants that it shall provide competent, qualified and sufficiently experienced personnel to perform the work correctly and efficiently.

9.1 The CONTRACTOR should ensure that their personnel observe all statutory safety requirement including those prescribed by the COMPANY. Upon COMPANY's written request, CONTRACTOR, entirely at its own expense, shall remove immediately any personnel of the CONTRACTOR determined by the COMPANY to be unsuitable and shall promptly replace such personnel with personnel acceptable to the COMPANY. Replacement personnel should be mobilized within 15 days from the date of issuance of notice without affecting the operation of the COMPANY.

9.2 The CONTRACTOR shall be solely responsible throughout the period of the contract for providing all requirements of their personnel including but not limited to, their transportation to & fro from Duliajan/field site, enroute/ local boarding, lodging, personal protective gear & medical attention etc. COMPANY shall have no responsibility or liability in this regard.

9.3 However, COMPANY shall provide available medical assistance/facilities to CONTRACTOR's Personnel in case of emergency at its own establishment on chargeable basis.

9.4 CONTRACTOR's key personnel shall be fluent in English language (both writing and speaking).

10.0 PERFORMANCE SECURITY:

10.1 On receipt of notification of award from the COMPANY, the CONTRACTOR shall furnish the Performance Security to COMPANY within **30 (Thirty)** days from the date of issue of LOA for an amount specified in the Forwarding Letter and Letter of Award (LOA) as per Proforma-Form and must be in the form of **Insurance Surety Bond or** Bank Draft/ Cashier's cheque/Banker's cheque*/NEFT/RTGS/Electronic fund transfer to designated account of OIL# or Fixed Deposit Receipt (account OIL INDIA LIMITED) or irrevocable Bank Guarantee or irrevocable Letter of Credit (LC) from:

a. Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of domestic CONTRACTOR/service provider.

OR

b. Any scheduled bank in India or from International bank who has its branch in India registered with Reserve Bank of India, in case of foreign CONTRACTOR/service provider.

OR

c. Any foreign Bank which is not a Scheduled Bank in India, provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in

India of any Scheduled Bank incorporated in India.

Note: Bank Guarantee issued by a Scheduled Bank of India at the request of some other Non-Schedule Bank of India shall not be acceptable.

10.2 Bank Guarantee issued by a Bank, amongst others, must contain the following particulars of such bank:

Full address

Branch Code

Code Nos. of the authorized signatory with full name and designation.

Phone Nos.

Fax Nos.

E-mail address.

10.3 The domestic CONTRACTOR/service provider(s) will have to submit the Bank Guarantee from any of the scheduled banks and on non- judicial stamp paper of requisite value as per the Indian Stamp Act, purchased in the name of the issuing banker.

10.4 The foreign CONTRACTOR/service provider(s) will submit the Bank Guarantee from Banks of Indian origin situated in their country. In case no such bank of Indian origin is situated in their country, the Bank Guarantee may be submitted from the bankers as specified above.

10.5 The Performance Security shall be denominated in the currency of the contract.

10.6 The Performance Security specified above must be valid for the entire duration of the Contract and claim period should be valid for a minimum of 03 (three) months beyond the contract period. The Performance Security will be discharged by COMPANY not later than 30 days following its expiry of claim period. In the event of any extension of the Contract period, Bank Guarantee should be extended by CONTRACTOR by the period equivalent to the extended period.

10.7 The Performance Security shall be encashed by COMPANY on account of CONTRACTOR's failure to fulfil its obligations under the Contract and/or non-performance/un-satisfactory performance of the Contractor. Company shall not be required to proof any loss or damage on account of Contractor's non-performance/un-satisfactory performance.

10.8 The Performance Security will not accrue any interest during its period of validity or extended validity.

10.9 Failure of the successful Bidder to comply with the requirements of clause 10.0 shall constitute sufficient grounds for annulment of the award. In such an eventuality, action will be initiated as per the Banning Policy of OIL in vogue.

Subject to credit in OIL's account within prescribed time

* The validity of Bank Draft/Cashier's/Banker's cheque (as applicable) should not be less than 3 months.

In the event CONTRACTOR fails to honour any of the commitments entered into under this agreement, and /or in the event of termination of the contract under provisions of Integrity Pact and /or in respect of any amount due from the CONTRACTOR to OIL, OIL shall have unconditional option under the guarantee to invoke the above bank guarantee and claim the amount from the bank. The bank shall be obliged to pay the amount to OIL on demand.

11.0 SIGNING OF CONTRACT:

11.1 The successful bidder is required to sign a formal detailed contract with OIL within a maximum period of 60 days of date of LOA. Until the contract is signed, the LOA **as well as GCC & SCC as prescribed in the Tender**, shall remain binding amongst the two parties. In the event of failure on the part of the successful Bidder to sign the contract, OIL reserves the right to terminate the LOA issued to the successful Bidder and invoke the Performance Security if submitted by the successful Bidder. Such CONTRACTOR shall be put on holiday as per the Banning Policy of OIL [available at www.oil-india.in].

12.0 CLAIMS, TAXES & DUTIES:

12.1 **Claims:** CONTRACTOR agrees to pay all claims, taxes and fees for equipment, labour, materials, services and supplies to be furnished by it hereunder and agrees to allow no lien or charge resulting from such claims to be fixed upon any property of COMPANY. COMPANY may, at its option, pay and discharge any liens or overdue charges for CONTRACTOR's equipment, labour, materials, services and supplies under this CONTRACT and may thereupon deduct the amount or amounts so paid from any sum due, or thereafter become due, to CONTRACTOR hereunder.

12.2 **Notice of claims:** CONTRACTOR or COMPANY, as the case may be, shall promptly give the other, notice in writing of any claim made or proceeding commenced for which that party is entitled to indemnification under the CONTRACT. Each party shall confer with the other concerning the defense of any such claims or proceeding, shall permit the other to be represented by counsel in defense thereof, and shall not affect settlement of or compromise any such claim or proceeding without the other's written consent.

12.3 **Taxes:**

12.3.1 CONTRACTOR, unless specified otherwise in the CONTRACT, shall bear all tax liabilities, duties, Govt. levies etc. including GST and customs duty, Corporate and personnel taxes levied or imposed on the CONTRACTOR on account of payments received by it from the COMPANAY for the work done under this CONTRACT. It shall be the responsibility of CONTRACTOR to submit to the concerned Indian authorities, the returns and all other concerned documents required for this purpose and to comply in all respects with the requirements of the laws in this regard, in time.

12.3.2 Tax levied on CONTRACTOR as per the provisions of Indian Income Tax Act and any other enactment/rules on income derived/payments received under the contract will be on CONTRACTOR's account.

- 12.3.3** CONTRACTOR shall be responsible for payment of personal taxes, if any, for all the personnel deployed in India by CONTRACTOR.
- 12.3.4** The CONTRACTOR shall furnish to the COMPANY, if and when called upon to do so, relevant statement of accounts or any other information pertaining to work done under the contract for submitting the same to the Tax authorities, on specific request from them in accordance with provisions under the law. CONTRACTOR shall be responsible for preparing and filing the return of income etc. within the prescribed time limit to the appropriate authority.
- 12.3.5** Prior to start of operations under the contract, the CONTRACTOR shall furnish the COMPANY with the necessary documents, as asked for by the COMPANY and/ or any other information pertaining to the contract, which may be required to be submitted to the Income Tax authorities at the time of obtaining "No Objection Certificate" for releasing payments to the CONTRACTOR.
- 12.3.6** Corporate income tax will be deducted at source from the invoice at the specified rate of income tax as per the provisions of Indian Income Tax Act as may be in force from time to time and COMPANY will issue TDS Certificate to the CONTRACTOR as per the provisions of Income Tax Act.
- 12.3.7** Corporate and personnel taxes on CONTRACTOR shall be the liability of the CONTRACTOR and the COMPANY shall not assume any responsibility on this account.
- 12.3.8** All local taxes, levies and duties, sales tax, octroi, etc. on purchases and sales made by CONTRACTOR shall be borne by the CONTRACTOR.
- 12.3.9** CONTRACTOR shall provide all the necessary compliances/ invoice/documents for enabling OIL to avail Input tax credit benefits in respect of the payments of GST which are payable against the CONTRACT. The CONTRACTOR should provide tax invoice issued under GST legislations for the goods and Services (indicating GST). Payment towards the components of GST shall be released by OIL only against appropriate documents i.e.: Tax Invoice/Bill of entry for availing input tax credit (as applicable).
- 12.3.10** The tax invoices as per above provisions should contain all the particulars as required under the invoicing rules under the GST legislations, including, but not limited to the following:
- i. Name, Address and the GST Registration Number (under the relevant Tax Rules) of the Service Provider (CONTRACTOR)
 - ii. Name and Address and GST Registration Number of the Service Receiver (Address of OIL)
 - iii. Description, Classification and Value of taxable service/goods and the amount of applicable tax (CGST, SGST, IGST, UTGST and cess)
- 12.3.11** In case of imported goods, CONTRACTOR/supplier is required to provide original Bill of Entry or copy of Bill of Entry duly attested by Custom authority.

12.3.12 The CONTRACTOR should mention the Place of supply in the invoice raised under GST Law.

12.3.13 OIL would not accept any invoice without its GSTIN mentioned on the invoice

Note: CONTRACTOR who is under composition levy of the GST legislation would raise Bill of supply instead of Tax invoice, which will have GSTIN of supplier as well as OIL.

12.4 Goods and Services Tax:

12.4.1 "GST" shall mean Goods and Services Tax charged on the supply of material(s) and services. The term "GST" shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as "IGST") or Central Goods and Services Tax (hereinafter referred to as "CGST") or State Goods and Services Tax (hereinafter referred to as "SGST") or Union Territory Goods and Services Tax (hereinafter referred to as "UTGST") depending upon the import/interstate or intrastate supplies, as the case may be. It shall also mean GST compensation Cess, if applicable.

12.4.2 Where the OIL is entitled to avail the input tax credit of GST:

OIL will reimburse the GST to the Supplier of Goods/Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of GST paid. In case of any variation in the executed quantities, the amount on which the GST is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

12.4.3 Where the OIL is not entitled to avail/take the full input tax credit of GST:

OIL will reimburse GST to the Supplier of Goods/Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST subject to the ceiling amount of GST as quoted by the bidder. In case of any variation in the executed quantities (If directed and/or certified by the In-Charge) the ceiling amount on which GST is applicable will be modified on pro-rata basis.

12.4.4 The CONTRACTOR will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the CONTRACTOR shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/ duties by the CONTRACTOR shall be to CONTRACTOR's account.

12.4.5 In case of statutory variation in GST, other than due to change in turnover, payable on the contract value during contract period, the Supplier of Goods/ Services (Service Provider) shall submit a copy of the 'Government Notification' to evidence the rate as applicable on the Bid due date and on the date of revision.

12.4.6 Beyond the contract period, in case OIL is not entitled for input tax credit of GST, then any increase in the rate of GST beyond the contractual delivery period shall be to Service provider's account whereas any decrease in the rate GST shall be passed on to the OIL.

- 12.4.7** Beyond the contract period, in case OIL is entitled for input tax credit of GST, then statutory variation in applicable GST on supply and on incidental services, shall be to OIL's account.
- 12.4.8** Claim for payment of GST/ Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) GST, otherwise claim in respect of above shall not be entertained for payment of arrears.
- 12.4.9** The base date for the purpose of applying statutory variation shall be the Bid Opening Date.
- 12.4.10** The CONTRACTOR will be liable to ensure to have registered with the respective tax authorities, wherever applicable and to submit self- attested copy of such registration certificate(s) and the CONTRACTOR will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/ E-way Bill, if applicable etc.

12.5 Anti-profiteering clause

- 12.5.1** As per Clause 171 of GST Act it is mandatory to pass on the benefit due to reduction in rate of tax or from input tax credit to the consumer by way of commensurate reduction in prices.
- 12.5.2** In case rating of Contractor is negative/black listed after award of work for supply of goods/services, then OIL shall not be obligated or liable to pay or reimburse GST to such vendor/Contractor and shall also be entitled to deduct/recover such GST along with all penalties/interest, if any, incurred by OIL.

13.0 CUSTOMS DUTY, IF APPLICABLE:

- 13.1.1** CONTRACTOR shall be responsible to import the equipment/tools/spares/ consumables etc. required for execution of the contract. The CONTRACTOR shall undertake to complete all the formalities as required under the Customs Act/Foreign Trade Policy (FTP) and indemnify OIL from all the liabilities of Customs in this regard.
- 13.1.2** CONTRACTOR will be solely responsible for payment of all applicable Customs Duty and to comply all Rules and Regulations. Total Contract Price/Value is inclusive of all Customs Duty, if not mentioned otherwise elsewhere in the Contract.
- 13.1.3** Above clause is to be read with Customs Duty Clause in SCC, if any.

14.0 INSURANCE:

- 14.1** The Contractor shall at its own expense arrange secure and maintain insurance with reputed insurance companies to the satisfaction of the Company as follows:
- a) The Contractor shall, at his own expense, arrange appropriate comprehensive insurance (All-risks insurance cover with suitable limit as per International Standard) to cover all risks assumed by the Contractor under this Contract in respect of its equipment, tools including but not limited to well equipment & tools,

any other belongings and personnel during the entire period of this Contract including extensions thereof.

- b) The Contractor shall also carry adequate insurance cover against damage/loss to third party/person/property.
- c) The Contractor at his cost shall arrange, secure and maintain insurance as may be necessary and to its full value for all such amounts to protect the works-in-progress from time to time and the interest of Company against all risks as detailed herein subject to the satisfaction of the Company and irrespective of acceptance of the Work.
- d) The responsibility to maintain adequate insurance coverage at all times during the period of the Contract shall be that of the Contractor alone and OIL will have no liability on this account. The Contractor's failure in this regard shall not relieve him of any of his responsibilities & obligations under the Contract.
- e) All costs on account of insurance liabilities covered under the Contract will be to the Contractor's account.

14.2 Deductible:

The Contractor shall take policy with minimum deductible as per IRDA prescribed for the policy(ies) that portion of any loss not covered by the insurance provided for in this article solely by reason of a deductible provision in such insurance policies that shall be the account of the Contractor.

14.3 The Contractor shall require all of its sub-Contractor to provide such of the foregoing insurance coverage as Contractor is obliged to provide under this Contract and inform the Company about the coverage prior to the commencement of agreements with its sub-Contractors.

14.4 All insurance taken out by Contractor or their sub-contractor shall be endorsed to provide that the underwriters waive their rights of recourse on the Company and to the extent of the liabilities assumed by Contractor under this Contract.

14.5 Waiver of subrogation:

All insurance policies of the Contractor **and its Sub-Contractor** with respect to the operations conducted hereunder as set forth in clauses hereof, shall be endorsed by the underwriter in accordance with the following policy wording:

"The insurers hereby waive their rights of subrogation against Oil India Limited or any of their employees or their affiliates and assignees."

14.6 Loss Payee Clause:

The Insurance Policies should mention the following in Loss Payee Clause:

"In respect of Insurance claims in which OIL's interest is involved, written consent of OIL will be required".

14.7 Additional Assured:

“Oil India Limited” is to be included as Additional Assured in the Insurance Policies (except in case of Workmen’s Compensation/Employer’s Liability insurance).

14.8 Certificate of Insurance:

Before commencing performance of the CONTRACT, CONTRACTOR shall furnish OIL with certificates of insurance indicating:

- a) Kinds and amounts of insurance as required herein
- b) Details of coverage
- c) Insurance corporation or companies carrying the aforesaid coverage
- d) Effective and expiry dates of policies
- e) That OIL shall be given thirty (30) days written advance notice of any material change in the policy
- f) Waiver of subrogation endorsement has been attached to all policies.

Note: An undertaking by the service provider has to be mandatorily provided during the Mobilisation time that they have taken all the Insurance provisions as per the contract and as the Law and Insurance Regulation.

14.9 If any of the above policy expire or/are cancelled during the term of this CONTRACT and CONTRACTOR fails for any reason to renew such policies, OIL in no case shall be liable for any loss/damage occurred during the term when the policy is not effective. Furthermore, a penal interest @ 1% of the Total contract value shall be charged towards not fulfilling of the contractual obligations. Notwithstanding above, should there be a lapse in any insurance required to be taken by the Contractor for any reason whatsoever, loss/damage claims resulting therefrom shall be to the sole account of Contractor.

14.10 The Contractor on demand from the Company shall furnish the Insurance Policy having detail terms and conditions, with respect to any Certificate of Insurance submitted to the Company.

14.11 On account payment to OIL in case of claim

In case any loss or damage happen and where Company’s interest is involved, The Company reserves the right to recover the loss amount from the Contractor prior to final settlement of the claim.

14.12 The CONTRACTOR shall at all time during the currency of the contract provide, pay for and maintain the following insurance amongst others:

- i) **Employees Compensation (EC) Policy or Employer’s Liability Policy insurance** as required by the laws of the country of origin of the employee.

- ii) **Commercial General Liability Insurance:** Commercial General Public Liability Insurance covering liabilities including contractual liability for bodily injury, including death of persons, and liabilities for damage of property. This insurance must cover all operations of CONTRACTOR required to fulfil the provisions under this Contract.
- iii) **Comprehensive General Automotive Liability:** Automobile Public Liability Insurance covering owned, non-owned and hired automobiles used in the performance of the work hereunder, with bodily injury limits and property damage limits shall be governed by Indian Insurance Regulations.
- iv) **Carrier's Legal Liability Insurance:** Carrier's Legal Liability Insurance in respect of **all CONTRACTOR's items** to be transported by the CONTRACTOR to the site of work, for physical loss or destruction of or damage to goods or merchandise, while in transit.
- v) **Public Liability Act Policy:** Public Liability Act Policy, **if applicable**, covering the statutory liability arising out of accidents occurring during the currency of the contract due to handling hazardous substances as provided in the Public Liability Insurance Act 1991 and the Rules framed there under. **In case there is no usage of hazardous substance, the Contractor should provide an undertaking during mobilization as per format enclosed regarding non-inclusion of hazardous substances within the ambit of the contract.**
- vi) **Pradhan Mantri Suraksha Bima Yojana (PMSBY) and Pradhan Mantri Jeevan Jyoti Bima Yojana (PMJJBY):** CONTRACTOR shall, ensure that all his/its personnel deployed under this contract have obtained additional insurance coverage under the Pradhan Mantri Suraksha Bima Yojana (PMSBY) and Pradhan Mantri Jeevan Jyoti Bima Yojana (PMJJBY) through the participating banks and submit the proof of such insurance coverage to the satisfaction of OIL.

Note: This will be applicable for only Indian citizens and within the prescribed age group defined under the scheme for the insurance coverage.

vii) Any other insurance policy set forth in the SCC

15.0 LIABILITY:

15.1 Except as otherwise expressly provided herein, neither COMPANY nor its servants, agents, nominees, CONTRACTORS, or sub- CONTRACTORS shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss of or damage to the property of the CONTRACTOR and/or their CONTRACTORS or sub-CONTRACTORS, irrespective of how such loss or damage is caused and even if caused by the negligence of COMPANY and/or its servants, agent, nominees, assignees, CONTRACTORS and sub-CONTRACTORS.

15.2 The CONTRACTOR shall protect, defend, indemnify and hold harmless COMPANY from and against such loss or damage and any suit, claim or expense resulting there from. Neither COMPANY nor its servants, agents, nominees, assignees, CONTRACTORS, sub-CONTRACTORS shall have any liability or responsibility

whatsoever for injury to, illness, or death of any employee of the CONTRACTOR and/or of its CONTRACTORS or sub-CONTRACTOR irrespective of how such injury, illness or death is caused and even if caused by the negligence of COMPANY and/or its servants, agents nominees, assignees, CONTRACTORS and sub-CONTRACTORS. CONTRACTOR shall protect, defend, indemnify and hold harmless COMPANY from and against such liabilities and any suit, claim or expense resulting there from.

- 15.3** The CONTRACTOR hereby agrees to waive its right of recourse and further agrees to cause its underwriters to waive their right of subrogation against COMPANY and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORS and sub- CONTRACTORS for loss or damage to the equipment of the CONTRACTOR and/or its sub-CONTRACTORS and/or their employees when such loss or damage or liabilities arises out of or in connection with the performance of the contract limited to the CONTRACTOR's liabilities agreed to under this Contract.
- 15.4** The CONTRACTOR hereby further agrees to waive its right of recourse and agrees to cause its underwriters to waive their right of subrogation against COMPANY and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORS and sub-CONTRACTORS for injury to, illness or death of any employee of the CONTRACTOR and of its CONTRACTORS, sub-CONTRACTORS and/or their employees when such injury, illness or death arises out of or in connection with the performance of the contract limited to the CONTRACTOR's liabilities agreed to under this Contract.
- 15.5** Except as otherwise expressly provided herein, neither CONTRACTOR nor its servants, agents, nominees, CONTRACTORS or sub- CONTRACTORS shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss or damage to the property of the COMPANY and/or their CONTRACTORS or sub-CONTRACTORS, irrespective of how such loss or damage is caused and even if caused by the negligence of CONTRACTOR and/or its servants, agents, nominees, assignees, CONTRACTORS and sub- CONTRACTORS. The COMPANY shall protect, defend, indemnify and hold harmless CONTRACTOR from and against such loss or damage and any suit, claim or expense resulting there from.
- 15.6** Except as otherwise expressly provided herein, neither CONTRACTOR nor its servants, agents, nominees, assignees, CONTRACTORS, sub- CONTRACTORS shall have any liability or responsibility whatsoever to whomsoever for injury or illness, or death of any employee of the COMPANY and/or of its CONTRACTORS or sub-CONTRACTORS irrespective of how such injury, illness or death is caused and even if caused by the negligence of CONTRACTOR and/or its servants, agents, nominees, assignees, CONTRACTORS and sub- CONTRACTORS. COMPANY shall protect, defend indemnify and hold harmless CONTRACTOR from and against such liabilities and any suit, claim or expense resulting there from.
- 15.7** The COMPANY agrees to waive its right of recourse and further agrees to cause its underwriters to waive their right of subrogation against CONTRACTOR and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORS and sub-CONTRACTORS for loss or damage to the equipment of COMPANY and/or its CONTRACTORS or sub-CONTRACTORS when such loss or damage or liabilities

arises out of or in connection with the performance of the contract.

15.8 The COMPANY hereby further agrees to waive its right of recourse and agrees to cause it underwriters to waive their right of subrogation against CONTRACTOR and/or its underwriters, servants, agents, nominees, assignees, CONTRACTORS and sub- CONTRACTORS for injury to, illness or death of any employee of the COMPANY and of its CONTRACTORS, sub-CONTRACTORS and/or their employees when such injury, illness or death arises out of or in connection with the performance of the Contract.

16.0 LIMITATION OF LIABILITY:

- a) Notwithstanding any other provisions herein to the contrary, except only in cases of Wilful misconduct and/or criminal acts and/or criminal negligence, neither the CONTRACTOR nor the COMPANY (OIL) shall be liable to the other, whether in Contract, tort, or otherwise, for any consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided however that this exclusion shall not apply to any obligation of the CONTRACTOR to pay Liquidated Damages to the COMPANY and/or COMPANY's right to forfeit the Performance Bank Guarantee(s) in terms of the contract.
- b) Notwithstanding any other provisions incorporated elsewhere in the contract, the aggregate liability of the CONTRACTOR in respect of this contract, whether under Contract, in tort or otherwise, shall not exceed 100% of the Contract Price (if not specified otherwise in SCC), provided however that this limitation shall not apply to the cost of repairing or replacing defective equipment by the CONTRACTOR, or to any obligation of the CONTRACTOR to indemnify the COMPANY with respect to Intellectual Property Rights.
- c) COMPANY shall indemnify and keep indemnified CONTRACTOR harmless from and against any and all claims, costs, losses and liabilities in excess of the aggregate liability amount in terms of clause (b) above.

17.0 LIABILITY OF UNION GOVERNMENT OF INDIA:

It is expressly understood and agreed upon by and between CONTRACTOR and OIL INDIA LIMITED, and that OIL INDIA LIMITED is entering into this agreement solely on its own behalf and not on behalf of any other person or entity. In particular, it is expressly understood and agreed that Union of India is not a party to this agreement and has no liabilities, obligations or rights, whatsoever hereunder. It is expressly understood and agreed that OIL INDIA LIMITED is an independent legal entity with power and authority to enter into contracts solely on its own behalf under the applicable laws of India and general principles of the Contract law. The bidder/ CONTRACTOR expressly agrees, acknowledges and understands that OIL INDIA LIMITED is not an agent, representative or delegate of the Union of India. It is further understood and agreed that Union of India is not and shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the contract. Accordingly, bidder/ CONTRACTOR hereby expressly waives, releases and foregoes any and all actions or claims, including cross claims, impleader claims or counter claims against the Union of India arising out of this contract and covenants not to

sue the Union of India as to any manner, claim, cause of action or thing whatsoever arising of or under this agreement.

18.0 CONSEQUENTIAL DAMAGE:

Except as otherwise expressly provided, neither party shall be liable to the other for special, indirect or consequential damages resulting from or arising out of the contract, including but without limitation, to loss or profit or business interruptions, howsoever caused and regardless of whether such loss or damage was caused by the negligence (either sole or concurrent) of either party, its employees, agents or sub- CONTRACTORS.

19.0 RISK PURCHASE:

In the event, CONTRACTOR's failure to provide the services as per the Contractual scope, terms and conditions, COMPANY (OIL) reserves the right to hire the services from any other source at the CONTRACTOR's risk & cost and the difference in cost shall be borne by the CONTRACTOR. Further, OIL shall retain the right of forfeiture of Performance Bank Guarantee and any other action as deemed fit. In certain operational situations OIL reserves the right to take over the site including the service equipment at the risk and cost of the CONTRACTOR.

20.0 INDEMNITY AGREEMENT:

20.1 Except as provided hereof CONTRACTOR agrees to protect, defend, indemnify and hold COMPANY harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of CONTRACTOR's employees, agents, CONTRACTORS and sub-CONTRACTORS or their employees or in favour of any third party(is) on account of bodily injury or death, or damage to personnel/property as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.

20.2 Except as provided hereof COMPANY agrees to protect, defend, indemnify and hold CONTRACTOR harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of COMPANY's employees, agents, CONTRACTORS and sub-CONTRACTORS or their employees or in favour of any third party(is) on account of bodily injury or death, or damage to personnel/property as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.

21.0 INDEMNITY APPLICATION:

The indemnities given herein above, whether given by COMPANY or CONTRACTOR shall be without regard to fault or to the negligence of either party even though said loss, damage, liability, claim, demand, expense, cost or cause of action may be caused, occasioned by or contributed to by the negligence, either sole or concurrent of either party.

22.0 ROYALTY PATENTS:

Each party shall hold harmless and indemnify the other from and against all claim and proceedings for or on account of any patent rights, design, trade mark or other protected rights arising from any use of materials, equipment, processes, inventions and methods, which have not been imposed on the attending party by the terms of the contract or the specifications forming part thereof.

23.0 WARRANTY AND REMEDY OF DEFECTS:

23.1 CONTRACTOR warrants that they shall perform the work in a first class, workmanlike, and professional manner and in accordance with their highest degree of quality, efficiency and current state of the art technology/industry practices and in conformity with all specifications, standards and drawings set forth or referred to in the Terms of Reference and with instructions and guidance, which COMPANY may, from time to time, furnish to the CONTRACTOR.

23.2 Should COMPANY discover at any time during the tenure of the Contract or till the Unit/equipment/tools are demobilised from site or base camp (if applicable) that the work does not conform to the foregoing warranty, CONTRACTOR shall after receipt of notice from COMPANY, promptly perform any and all corrective work required to make the services conform to the Warranty. Such corrective Work shall be performed entirely at CONTRACTOR's own expenses. If such corrective Work is not performed within a reasonable time, the COMPANY, at its option may have such remedial Work performed by others and charge the cost thereof to CONTRACTOR subject to a maximum of the contract value payable for the defective work which needs corrective action which the CONTRACTOR must pay promptly. In case CONTRACTOR fails to perform remedial work, or pay promptly in respect thereof, the performance security shall be forfeited.

24.0 SUBCONTRACTING/ASSIGNMENT:

24.1 CONTRACTOR shall not subcontract, transfer or assign the contract, or any part under this contract, to any third party(ies). Except for the main services under this contract, CONTRACTOR may sub-contract the petty support services subject to COMPANY's prior written approval. However, CONTRACTOR shall be fully responsible for complete execution and performance of the services under the Contract.

24.2 Consequent upon of placement of contract, if successful bidder(s)(other than Micro/Small Enterprise) is procuring materials/services from their sub-vendor, who is a Micro or Small Enterprise registered with District Industry Centers or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts and Handloom or any other body specified by Ministry of MSME with prior consent in writing of the purchasing authority/Engineer in Charge the details like Name, Registration No., Address, Contact No., details of material and value of procurement made, etc. of such enterprises shall be furnished by the CONTRACTOR at the time of submission of invoice/bill.

25.0 RECORDS, REPORTS AND INSPECTION:

The CONTRACTOR shall, at all times during the currency of the contract, permit the COMPANY and its authorized employees and representatives to inspect all the Work performed and to witness and check all the measurements and tests made in connection with the said work. The CONTRACTOR shall keep an authentic, accurate history and logs including safety records of each service item with major items consumed, which shall be open at all reasonable times for inspection by the COMPANY's designated representatives and its authorized employees. The CONTRACTOR shall provide the COMPANY's designated representatives with a daily written report, on form prescribed by the COMPANY showing details of operations during the preceding 24 hours and any other information related to the said services requested by the COMPANY whenever so requested. The CONTRACTOR shall not, without COMPANY's written consent allow any third person(s) access to the said information or give out to any third person information in connection therewith.

26.0 CONFIDENTIALITY, USE OF CONTRACT DOCUMENTS AND INFORMATION:

26.1 CONTRACTOR shall not, without COMPANY's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing pattern, sample or information furnished by or on behalf of COMPANY in connection therewith, to any person other than a person employed by CONTRACTOR in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only, as may be necessary for purposes of such performance with prior permission from COMPANY. However, nothing hereinabove contained shall deprive the CONTRACTOR of the right to use or disclose any information which is:

- a) possessed by the CONTRACTOR, as evidenced by the CONTRACTOR's written records, before receipt thereof from the COMPANY which however the CONTRACTOR shall immediately inform to COMPANY ; or
- b) required to be disclosed by the CONTRACTOR pursuant to an order of a court of competent jurisdiction or other governmental agency having the power to order such disclosure, provided the CONTRACTOR uses its best efforts to provide timely notice to COMPANY of such order to permit COMPANY an opportunity to contest such order subject to prior permission from COMPANY.

26.2 CONTRACTOR shall not, without COMPANY's prior written consent, make use of any document or information except for purposes of performing the contract.

26.3 Any document supplied to the CONTRACTOR in relation to the contract other than the Contract itself remain the property of COMPANY and shall be returned (in all copies) to COMPANY on completion of CONTRACTOR's performance under the Contract if so required by COMPANY.

26.4 During the currency of the Contract, COMPANY and its employees, agents, other CONTRACTORS, sub-CONTRACTORS (of any tier) and their employees etc. may be exposed to certain confidential information and data of the CONTRACTOR. Such information and data held by the COMPANY, its employees, agents, other

CONTRACTORS, sub-CONTRACTORS (of any tier) and their employees in the strictest Confidence and shall not be disclosed to any other party except on a need to know basis.

However, the above obligation shall not extend to information which:

- i) is, at the time of disclosure, known to the public which CONTRACTOR shall immediately inform COMPANY ;
- ii) is lawfully becomes at a later date known to the public through no fault of CONTRACTOR subject to CONTRACTOR's undertaking that no information has been divulged by them to the public;
- iii) is lawfully possessed by CONTRACTOR before receipt thereof from COMPANY which should be immediately informed to COMPANY;
- iv) is developed by CONTRACTOR independently of the information disclosed by COMPANY which should be shared with the COMPANY;
- v) CONTRACTOR is required to produce before competent authorities or by court order subject to prior permission from COMPANY;

27.0 REMUNERATION AND TERMS OF PAYMENT:

27.1 COMPANY shall pay to the CONTRACTOR during the term of the Contract the amount due from time to time calculated according to the rates of payment set and in accordance with other provisions hereof. No other payments shall be due from COMPANY unless specifically provided for in the Contract. All payments will be made in accordance with the terms hereinafter described.

27.2 Request for payment/part payment to third party i.e. other than the party on whom the contract has been awarded will not be entertained by OIL under any circumstances.

27.3 MANNER OF PAYMENT: All payments due by COMPANY to CONTRACTOR hereunder shall be made at CONTRACTOR's designated bank. Bank charges, if any will be on account of the CONTRACTOR.

27.4 Payment of any invoices shall not prejudice the right of COMPANY to question the validity of any charges therein, provided COMPANY within one year after the date of payment shall make and deliver to CONTRACTOR written notice of objection to any item or items the validity of which COMPANY questions.

27.5 INVOICES: Mobilization charges will be invoiced only upon completion of mobilization as certified by COMPANY representative and CONTRACTOR is ready at site for starting the services/ operation. Payment of mobilization charges shall be made within 45 days following the date of receipt of undisputed invoices by COMPANY.

27.6 CONTRACTOR shall send invoice to COMPANY on the day following the end of each month for all daily or monthly charges due to the CONTRACTOR.

- 27.7** CONTRACTOR will submit 02 (Two) sets of all invoices duly super scribed 'Original' and 'copy' as applicable to the COMPANY for processing payment. Separate invoices for the charges payable under the contract shall be submitted by the CONTRACTOR for foreign currency and Indian currency.
- 27.8** Payment of monthly invoices, if undisputed, shall be made within 30 days following the date of receipt of invoice by COMPANY.
- 27.9** COMPANY shall within 30 days of receipt of the invoice notify the CONTRACTOR of any item under dispute, specifying the reasons thereof, in which event, payment of the disputed amount may be withheld until settlement of the dispute, but payment shall be made of any undisputed portion on or before the due date. This will not prejudice the COMPANY's right to question the validity of the payment at a later date as envisaged in clause no. **27.4** above.
- 27.10** The acceptance by CONTRACTOR of part payment on any billing not paid on or before the due date shall not be deemed a waiver of CONTRACTOR's rights in any other billing, the payment of which may then or thereafter be due.
- 27.11** Payment of Final demobilization charges shall be made if applicable within 45 days on receipt of invoice by COMPANY accompanied by the following documents from the CONTRACTOR:
- a) Audited account up to completion of the Contract.
 - b) Tax audit report for the above period as required under the Indian Tax Laws.
 - c) Documentary evidence regarding the submission of returns and payment to taxes for the expatriate personnel engaged by the CONTRACTOR or by its sub-CONTRACTOR.
 - d) Proof of re-export of all items including the unutilized spares and consumables (excepting consumables consumed during the contract period) and also cancellation of re-export bond if any.
 - e) Any other documents as required by applicable Indian Laws.

In case, no demobilization charges are payable, the documents mentioned above will have to be submitted by the CONTRACTOR before release of the final payment by the COMPANY. A certificate from Chartered Accountant on (a), (b) & (c) above will suffice

- 27.12** CONTRACTOR shall maintain complete and correct records of all information on which CONTRACTOR's invoice are based upto 02 (two) years from the date of last invoice. Such records shall be required for making appropriate adjustments or payments by either party in case of subsequent audit query/objection.
- 28.0** **PAYMENT OF COMMISSION/FEE/REMUNERATION OF INDIAN AGENT/CONSULTANT/REPRESENTATIVE/RETAINER/ASSOCIATE OF FOREIGN PRINCIPAL (APPLICABLE IN ICB TENDERS ONLY):**

The Commission/Fee/remuneration of the Indian agent/consultant/associate/

representative/retainer, if any, will be paid within 30 days of the payment of invoice made to the CONTRACTOR, The amount of commission/fee/remuneration as a percentage of invoice value as per contract provisions will be deducted by COMPANY/OIL from the monthly invoices of the CONTRACTOR and paid to the Indian agent/consultant/representative/retainer/associate.

29.0 DETAILS OF STATUTORY PAYMENTS LIKE EPF AND ESI, ETC:

Wherever applicable, the CONTRACTOR (including those engaging 'International Workers') shall have itself registered under Employees' Provident Fund and Miscellaneous Provisions Act, 1952 and Employees' State Insurance Act, 1948 and follow the relevant statutory provisions including Rules made there-under concerning contractual workers.

The CONTRACTOR shall be required to submit the following documents/details to the Corporation:

- (i) Copy of PF-ECR duly stamped by the designated Bank, alongwith a print of the digitally signed PDF data sheet of the ECR, as proof of payment, each month, details of this PDF data sheet shall be verified by the appropriate authority (i.e. Payment Making Authority) in the COMPANY from the official website of EPFO (<http://www.epfindia.gov.in>).
- (ii) (a) Copy of the online challan endorsed/stamped by the designated bank as proof of receipt of payment towards monthly contribution of ESI contribution.

(b) Copy of Return of contribution in respect of ESI for each contribution period of the six months i.e. for the contribution period ended 30th Sept and the contribution period ended 31st March.
- (iii) As an Annexure to each EPF-ECR and ESI Challan(s), CONTRACTOR shall also furnish the following Certificates:
 - 1) The furnished information is correct to the best of his knowledge.
 - 2) In case any discrepancies or irregularities is /are noticed in this undertaking, then OIL is free to inform the PF/ESIC Authorities.
 - 3) Before the completion of contract, CONTRACTOR shall serve one-month notice to all his contractual workers, informing that their services will be terminated.
 - 4) Within one month on completion/expiry of the contract, CONTRACTOR shall pay all the dues/ terminal dues such as leave with wages, bonus (if applicable), Gratuity (if applicable), to all his contractual workmen, failing which CONTRACTOR's Bank Guarantee/ Security Deposit may be withheld by OIL.

COMPANY may verify the deposit of statutory contribution made by the CONTRACTORs with the EPFO/ESI authorities, where deemed necessary. However, before making payment of the last bill/invoice of the CONTRACTOR, the COMPANY may verify the details/status of the payment towards EPF/ESI made by the CONTRACTOR from the authorities/official website of EPF/ESI (i.e.

<http://www.epfindia.gov.in> and <http://www.esic.in>). In case the information furnished by the CONTRACTOR is found to be incorrect the COMPANY shall take appropriate action against the CONTRACTOR in accordance with law.

The CONTRACTOR agrees and undertakes to indemnify OIL for any liabilities arising out of declarations made by him in future on violation or provisions of the EPF Act 1952 and ESI Act 1948.

30.0 TIMELY MOBILIZATION AND LIQUIDATED DAMAGES:

a) Time is the essence of this Contract. If the CONTRACTOR fails to mobilize and deploy the required manpower/equipment and/or fails to commence the operation within the period specified as specified under mobilization clause under SCC, OIL shall have, without prejudice to any other right or remedy in law or contract including sub clause (b) below, the right to terminate the contract.

b) If the contractor is unable to mobilize/deploy and commence the operation within the period specified in sub clause (a) above, it may request OIL for extension of the time with unconditionally agreeing for levy and recovery of LD. Upon receipt of such a request, OIL may at its discretion, extend the period of mobilization and shall recover from the CONTRACTOR, as an ascertained and agreed Liquidated Damages, a sum equivalent to @ 0.5% of contract value including mobilization cost, per week or part thereof of delay subject to maximum of 7.5% of the Contract Price.

c) The parties agree that the sum specified above is not a penalty but a genuine pre-estimate of the loss/damage which will be suffered by OIL on account of delay on the part of the CONTRACTOR and the said amount will be payable without proof of actual loss or damage caused by such delay.

d) LD will be calculated on the basis of Total Contract value [(if not specified otherwise in SCC] excluding duties and taxes, where such duties/taxes have been shown separately in the contract. However, the applicable GST on the LD shall have to be borne by the CONTRACTOR. Accordingly, the liquidated damages shall be recovered from the CONTRACTOR along with applicable GST.

31.0 FORCE MAJEURE:

In the event of either party being rendered unable by 'Force Majeure' to perform any obligation required to be performed by them under the contract, the relative obligation of the party affected by such 'Force Majeure' will stand suspended as provided herein. The term force majeure as employed herein shall mean Acts of God such as earthquake, hurricane, typhoon, flood, volcanic activity etc.; war (declared /undeclared); riot, revolts, rebellion, terrorism, sabotage by persons other than the CONTRACTOR's Personnel; fires, explosions, ionising radiation or contamination by radio-activity or noxious gas, if not caused by CONTRACTOR's fault; declared epidemic or disaster; acts and regulations of respective Govt. of the two parties, namely the COMPANY and the CONTRACTOR and civil commotions, lockout not attributable to the CONTRACTOR.

Upon occurrence of such cause, the party claiming that it has been rendered unable as aforesaid thereby, shall notify the other party in writing within 72 (Seventy Two) hours of the alleged beginning and ending thereof, giving full particulars and satisfactory evidence in support of its claim.

Should 'force majeure' condition as stated above occurs and should the same be notified within 72 (Seventy two) hours after its occurrence the 'force majeure' rate (if specified in the SCC of the Contract) shall apply for the first 15 (fifteen) days for each such occasion.

Either party shall have the right to terminate the Contract if such 'force majeure' conditions continue beyond successive 60 (Sixty) days [or exclusively mentioned in the SCC of the Contract] with prior written notice of 15 days, provided termination of the Contract does not result into safety hazard to the life and property on account of withdrawal of operations or the operation is at critical stage. COMPANY shall have the absolute right to decide whether any safety hazard exists or operation is at critical position and decision of the COMPANY shall binding upon the CONTRACTOR.

Should either party decide not to terminate the Contract even under such condition, no payment would apply after expiry of fifteen (15) days force majeure period. [or exclusively mentioned in the SCC of the Contract]

Time for performance of the relative obligation suspended by Force Majeure shall then stand extended by the period for which such cause lasts.

If however, relative obligation of the party affected by such 'Force Majeure' is limited to part of the obligation(s), the contract shall not be terminated and the parties shall continue to perform their respective obligations, which are not affected by the 'force majeure' condition, provided the obligations affected by the 'force majeure' do not preclude the parties in performing the obligations not affected by such conditions.

32.0 SET-OFF:

Any sum of money due and payable to the CONTRACTOR (including Performance Security refundable to them) under this or any other Contract, whether in progress or in future, may be appropriated by OIL and set-off against any claim of OIL (or such other person or persons contracting through OIL) for payment of a sum of money arising out of this contract or under any other contract made by the CONTRACTOR with OIL (or such other person or persons contracting through OIL).

33.0 WITHHOLDING:

COMPANY may withhold or nullify the whole or any part of the amount due to CONTRACTOR, after informing the CONTRACTOR of the reasons in writing, on account of subsequently discovered evidence in order to protect COMPANY from loss on account of :

33.1 For non-completion of jobs assigned as per Scope of Work/Terms of Reference.

33.2 Defective work not remedied by CONTRACTOR.

- 33.3** Claims by COMPANY's recognized sub-CONTRACTOR of CONTRACTOR or others filed or on the basis of reasonable evidence indicating probable filing of such claims against CONTRACTOR.
- 33.4** Failure of CONTRACTOR to pay or provide for the payment of salaries/ wages, contributions, taxes or enforced savings with-held from wages etc with respect to personnel engaged by the CONTRACTOR.
- 33.5** Failure of CONTRACTOR to pay the cost of removal of unnecessary debris, materials, tools, or machinery.
- 33.6** Any failure by CONTRACTOR to fully reimburse COMPANY under any of the indemnification provisions of this Contract. If, during the progress of the work CONTRACTOR shall allow any indebtedness to accrue for which CONTRACTOR, under any circumstances in the opinion of COMPANY, may be primarily or contingently liable or ultimately responsible and CONTRACTOR shall, within five days after demand is made by COMPANY, fail to pay and discharge such indebtedness, then COMPANY may during the period for which such indebtedness shall remain unpaid, with-hold from the amounts due to CONTRACTOR, a sum equal to the amount of such unpaid indebtedness.
- 33.7** Withholding will also be effected on account of the following:
- i) Order issued by a Court of Law or statutory authority in India.
 - ii) Income-tax deductible at source according to law prevalent from time to time in the country.
 - iii) Any obligation of CONTRACTOR which by any law prevalent from time to time to be discharged by COMPANY in the event of CONTRACTOR's failure to adhere to such laws.
 - iv) Any payment due from CONTRACTOR in respect of unauthorised imports.

When all the above grounds for withholding payments are removed, payment shall thereafter be made for amounts so with-held.

- 33.8** COMPANY reserves the right to disburse or deposit the amount so withheld to the concerned person(s) or agency or government authority, as the case may be, besides nullifying such amount on account of loss suffered by the COMPANY against **33.2, 33.3, 33.6 & 33.7** above.

34.0 APPLICABLE LAWS:

The Contract shall be deemed to be a Contract made under, governed by and construed in accordance with the laws of India for the time being in force and shall be subject to the sole and exclusive jurisdiction of Courts situated in Dibrugarh (or the Place where the contract is executed) and Principal Bench of Gauhati High Court (or the High Court under whose territorial jurisdiction, the place of execution of contract falls).

This Agreement including all matter connected with this Agreement, shall be

governed by the laws of India (both substantive and procedural) for the time being in force and shall be subject to exclusive jurisdiction of Courts, mentioned hereinabove. Foreign companies, operating in India or entering into Joint ventures in India, shall also be governed by the laws of India and shall be subject to sole and exclusive jurisdiction of above Courts.

The CONTRACTOR shall ensure full compliance of various Indian Laws and Statutory Regulations, as stated below, to the extent applicable, as stated below, but not limited to, in force from time to time and obtain necessary permits/ licenses etc. from appropriate authorities for conducting operations under the Contract:

- a) The Mines Act 1952
- b) The Oil Mines Regulations, 1984
- c) The Employees' Compensation Act, 1923
- d) The Code of Wages, 2019
- e) The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under
- f) The Employees Pension Scheme, 1995
- g) The Interstate Migrant Workmen Act., 1979 (Regulation of employment and conditions of service).
- h) The Employees Provident Fund and Miscellaneous Provisions Act, 1952
- i) Goods and Service Tax Act
- j) Customs & Excise Act & Rules
- k) Factories Act, 1948
- l) Industrial Disputes Act, 1947
- m) Payment of Gratuity Act, 1972
- n) Environmental Protection Act, 1986 & other pollution control Acts.

Note: The above Acts are only indicative and not exhaustive. The Acts shall include the rules and regulations framed thereunder.

35.0 LABOUR LAWS:

- i) CONTRACTOR shall comply with the provisions of various labour related laws, including but not limited to the Code of Wages, 2019, Employee Provident Fund and Miscellaneous Provisions Act 1952, COMPANY's Liability Act 1938, Employees' Compensation Act 1923, Industrial Disputes Act 1947, the Maternity Benefit Act 1961 and Contract Labour (Regulation and Abolition) Act 1970, Employment of Children Act 1938, Employees' State Insurance Act, 1948 or any modifications/amendment thereof or any other law relating thereto and rules made there under from time to time.
- ii) No Labour below the age of eighteen [18] years shall be employed on the work.
- iii) CONTRACTOR shall not pay less than what is provided under law to labourers engaged by him on the work.
- iv) CONTRACTOR shall at his expense comply with all labour laws and keep the COMPANY indemnified in respect thereof.
- v) CONTRACTOR shall pay equal wages for men and women in accordance with

applicable Labour laws.

- vi) If the CONTRACTOR is covered under the Contract Labour (Regulation and Abolition) Act, he shall obtain a license from licensing authority [i.e. office of the Labour Commissioner] by payment of necessary prescribed fee and the deposit, if any, before starting the work under the Contract. Such fee/deposit shall be borne by the CONTRACTOR.
- vii) CONTRACTOR must obtain the PF Code from the concerned PF Authority under Employees Provident Fund and Miscellaneous Provisions Act, 1952. Similarly, CONTRACTOR must obtain ESI Code under Employees State Insurance Act.
- viii) CONTRACTOR being the employer of the labours/personnel to be engaged under the contract shall be liable to pay gratuity to the labours/personnel as per the provision of the Payment of Gratuity Act, 1972 and accordingly, shall keep the COMPANY indemnified in respect thereof. If however, COMPANY requires to pay gratuity to such labour(s) as per the direction of the competent authority under the Act, COMPANY shall recover such amount from the outstanding dues payable to the CONTRACTOR under the contract or any other contract(s).
- ix) CONTRACTOR shall furnish to Engineer in Charge the distribution return of the number & description, by trades of the work people employed on the works. CONTRACTOR shall also submit on the 4th & 19th of every month to Engineer in Charge a true statement showing in respect of the 2nd half of the preceding month & the 1st half of the current month (1) the accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them and (2) the number of female workers who have been allowed Maternity Benefit as provided in the Maternity Benefit Act 1961 on Rules made there under and the amount paid to them.
- x) Engineer in Charge shall on a report having been made by an inspecting officer as defined in Contract Labour (Regulation and Abolition) Act 1970 have the power to deduct from the money due to the CONTRACTOR any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfillment of the conditions of the Contract for the benefit of workers, non-payment of wages or of deductions made from his or their wages which are not justified by the terms of the Contract or non-observance of the said regulations.
- xi) The CONTRACTOR shall indemnify the COMPANY against any payments to be made under and for the observance of the provisions of the aforesaid acts without prejudice to his right to obtain indemnity from his sub-CONTRACTOR.

36.0 STATUTORY REQUIREMENTS:

During the tenure of this CONTRACT nothing shall be done by the CONTRACTOR in contravention of any law, act and/or rules/regulations, thereunder or any amendment

37.0 GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) GUIDELINES:

- 37.1** It will be solely the CONTRACTOR's responsibility to fulfil all the legal formalities

with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-CONTRACTORS hired by CONTRACTOR comply with the same requirement as the CONTRACTOR himself and shall be liable for ensuring compliance all HSE laws.

- 37.2** It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager/Safety Officer/Engineer/Official/ Supervisor/Junior Engineer for safe operation.
- 37.3** Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.
- 37.4** Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- 37.5** When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE Measures Company shall have the right to direct the contractor to cease work until the non-compliance is corrected.

38.0 POLLUTION AND CONTAMINATION:

The CONTRACTOR shall be liable for all surface and sub-surface pollution to the extent caused by CONTRACTOR and resulting from CONTRACTOR's operation/service or spillage or dumping of solvents/additive substances or pollutants, which the CONTRACTOR brings to the Site for use in connection with Work to be performed under this Contract.

Notwithstanding anything to the contrary contained herein, it is agreed that except on the ground of willful misconduct or criminal misconduct, COMPANY shall release, indemnify and hold CONTRACTOR and its sub-CONTRACTORS harmless from any and all claims, judgments, losses, expenses and any costs related thereto (including but not limited to Court costs and "Attorney's fees") for:

- a) Damage to or loss of any reservoir or producing formation; and/ or
- b) Damage to or loss of any well; and/ or
- c) Any other subsurface damage or loss; and/ or
- d) Any property damage or loss or personal injury or death arising out of or in connection with a blowout, fire explosion and loss of well control regardless of cause.

39.0 STATUTORY VARIATION/ NEWLY ENACTED LAW:

- 39.1** All duties, taxes except otherwise specified in the Contract as applicable on the closing date of bid submission as per relevant acts and rules shall be in CONTRACTOR's account. Variation in case of custom duty on CIF value declared by the bidder shall be to COMPANY account.

- 39.2** In the event of introduction of any new legislation or any amendment or enforcement of any Act or Law, rules or regulations of Government of India or State Government(s) or Public Body, which becomes effective after the date of submission of Price Bid or revised price bid, if any, for this CONTRACT and which results in increased/decreased cost of the works under the CONTRACT through increased/decreased liability of taxes and/or duties, required to be paid by the CONTRACTOR, (other than personnel and Corporate taxes), the Parties shall agree to a revision in pricing to reflect such change subject to the production of documentary proof to the satisfaction of the COMPANY/CONTRACTOR as applicable to the extent which directly is attributable to such introduction of new legislation or change or amendment as mentioned above and adjudication by the competent authority (applicable when disputed by COMPANY) & the courts wherever levy of such taxes/duties are disputed by COMPANY/CONTRACTOR.
- 39.3** Any increase in net amount of the duties and taxes (i.e. the amount of taxes/duties payable minus eligible credit of taxes/duties paid on input services/inputs) after the contractual completion/mobilization date during the extended period will be to the CONTRACTOR's account, where delay in completion /mobilization period is attributable to the CONTRACTOR. However, any decrease in net amount of the duties and taxes (i.e. the amount of taxes/duties payable minus eligible credit of taxes/duties paid on input services/inputs) after the contractual completion/mobilization date will be to COMPANY's account.
- 39.4** The Contract Price and other prices given in the Schedule of Prices are based on the applicable tariff as indicated by the CONTRACTOR in the Schedule of Prices. In case this information subsequently proves to be wrong, incorrect or misleading, COMPANY will have no liability to reimburse/pay to the CONTRACTOR the excess duties, taxes, fees, if any finally levied/imposed by the concerned authorities. However, in such an event, COMPANY will have the right to recover the difference in case the rate of duty/tax finally assessed is on the lower side.
- 39.5** Notwithstanding the provision contained in Clause-39.1 to 39.4 above, the COMPANY shall not bear any liability in respect of:
- i. Personal taxes on the personnel deployed by CONTRACTOR, his sub-CONTRACTOR/sub-sub-CONTRACTORS and Agents etc.
 - ii. Corporate taxes and Fringe benefit tax in respect of CONTRACTOR and all of their sub-CONTRACTORS, agents etc.
 - iii. Other taxes & duties including Customs Duty and GST in addition to new taxes etc. in respect of sub-CONTRACTORS, vendors, agents etc. of the CONTRACTOR.
 - iv. Any liability on the CONTRACTOR, which was accrued under the old law or contract, which the CONTRACTOR is obligated to pay either to the COMPANY or to the Government Authority.
- 39.6** In order to ascertain the net impact of the amendment/ revisions/enactment of various provisions of taxes/duties, the CONTRACTOR is liable to provide following

disclosure to COMPANY:

- i. Details of each of the input services used in relation to providing service to COMPANY including estimated monthly value of input service and GST tax amount.
- ii. Details of Inputs (material/consumable) used/required for providing service to COMPANY including estimated monthly value of input and GST paid/payable on purchase of inputs.

39.7 The above provisions would be applicable only in case of variation in rate of taxes and duties on supply of services to OIL and not applicable on taxes and duties on input (goods and services) towards such services.

39.8 Any claim or reduction on account of change in law shall be accompanied with undertaking that the provisions of anti- profiteering clause under GST Act have been complied with.

40.0 SEVERABILITY:

Should any provision of this agreement be found to be invalid, illegal or otherwise not enforceable by any court of law, such finding shall not affect the remaining provisions hereto and they shall remain binding on the parties hereto.

41.0 COMMISSION OF MISCONDUCT/SUBMISSION OF FRAUDULENT DOCUMENT BY THE BIDDER/CONTRACTOR AND BANNING THEREOF:

The information and documents furnished by the bidder/CONTRACTOR in respect of the tender/contract are accepted by COMPANY to be true and genuine. However, if it comes to the notice of the COMPANY anytime either during the pendency of the tender or after award of the contract or after completion the contract that a Bidder/CONTRACTOR furnished fraudulent document/false information in relation to the subject tender/contract or committed any misconduct, appropriate action shall be taken against the Bidder/CONTRACTOR for debarment/banning of the bidder/CONTRACTOR from participating in any future tender of the COMPANY in terms of the COMPANY's Banning Policy, 2017 besides making the CONTRACTOR liable for other penal action including termination of ongoing contract(s) at his/her risk and peril. In such event, the Performance Security in respect of ongoing contract(s) shall be forfeited by the COMPANY.

42.0 SETTLEMENT OF DISPUTES:

42.1 If dispute of any kind whatsoever shall arise between the company and the contractor in connection with or arising out of the contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the facilities, whether during the progress of the facilities or after their completion and whether before or after the termination, abandonment or breach of the contract, the parties shall seek to resolve any such dispute or difference by mutual consultation. If the parties fail to resolve any such dispute or difference by mutual consultation, then the dispute may be settled through Settlement Advisory Committee (SAC). In the event, a dispute remains unsettled then Arbitration/ other remedies available under the applicable laws may be availed by the Contractor.

42.2 Resolution of Dispute through SAC:

- a) OIL has framed the Conciliation Rules 2020 in conformity with Part III of the Arbitration and Conciliation Act 1996 as amended from time to time for speedier, cost effective and amicable settlement of disputes through conciliation.
- b) If the parties fail to resolve such a dispute or difference by mutual consultation as per clause no. 42.1, the dispute, if the parties agree, may be referred to conciliation in accordance with OIL Conciliation Rules 2020 as amended from time to time. A copy of the said Rules has been made available on OIL’s Website i.e. www.oil-india.com
- c) Where the invitation for conciliation has been accepted by the other party, the parties shall attempt to settle such dispute(s) amicably under OIL conciliation Rules 2020.
- d) Parties shall invoke arbitration clauses only after exhausting the option of conciliation as an Alternative Dispute Resolution Mechanism. For the purpose of this clause, the option of conciliation shall be deemed to have been exhausted, even in case of rejection of conciliation by any of the parties.

42.3 Arbitration (Applicable for Suppliers/Contractors other than PSU and MSME):

- 1. Except as otherwise provided elsewhere in the contract, if any dispute, difference, question or disagreement arises between the parties hereto or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the contract or breach thereof which parties are unable to settle mutually through Conciliation/Mediation, the same shall be referred to Arbitration.
- 2. A party wishing to commence arbitration proceeding shall invoke an Arbitration Clause by giving 30 days’ notice to the other party. The notice invoking arbitration shall specify all the points of dispute with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter. If the claim is in foreign currency, the claimant shall indicate its value in Indian Rupee for the purpose of constitution of the arbitral tribunal.
- 3. The number of arbitrators and the appointing authority will be as under: Claim amount (excluding claim for interest and counter claim, if any)

Claim amount. {excluding claim for interest and counter claim, if any}	Number of Arbitrator	Appointing Authority
Up to Rs. 25.00 Lakh	Not applicable	Not applicable
Above Rs. 25.00 Lakh Up to Rs. 5 Crore	Sole Arbitrator from the panel of Arbitrators’ List maintained by OIL	Mutually to be decided by the Parties.

4. The Parties agree that dispute involving claims below Rs. 25 lakhs and above Rs. 5 crores shall not be subject matter of Arbitration but subject to the exclusive jurisdiction of the Court(s) situated at New Delhi.
5. The parties agree that they shall appoint only those persons as arbitrators who accept the conditions of the arbitration clause. No person shall be appointed as Arbitrator or Presiding Arbitrator who does not accept the conditions of the arbitration clause.
6. If any of the Arbitrators so appointed dies, resigns, becomes incapacitated or withdraws for any reason from the proceedings, it shall be lawful for the concerned party/arbitrators to appoint another person in his place in the same manner as aforesaid. Such person shall proceed with the reference from the stage where his predecessor had left if both parties consent for the same; otherwise, he shall proceed de novo.
7. Parties agree and undertake that neither shall be entitled for any pre- reference or pendente-lite interest on its claims. Parties agree that any claim for such interest made by any party shall be void. Parties agree that a claim for any such interest shall not be considered and shall be void. The Arbitrator or Tribunal shall have no right to award pre-reference or pendent-lite interest in the matter.
8. The arbitral tribunal shall complete the proceedings, make and publish the award within time stipulated in the Arbitration and Conciliation Act, 1996(as amended from time to time)
9. If after commencement of the arbitration proceedings, the parties agree to settle the dispute mutually or refer the dispute to conciliation, the arbitrators shall put the proceedings in abeyance until such period as requested by the parties. Where the proceedings are put in abeyance or terminated on account of mutual settlement of dispute by the parties, the fees payable to the arbitrators shall be determined as under:
 - a) 20% of the fees if the claimant has not submitted a statement of claim.
 - b) 40% of the fees if the pleadings are complete.
 - c) 60% of the fees if the hearing has commenced.
 - d) 80% of the fees if the hearing is concluded but the award is yet to be passed.
10. Each party shall be responsible to make arrangements for the travel and stay etc. of the arbitrator appointed by it. Claimant shall also be responsible for making arrangements for travel and stay of the Presiding Arbitrator and the expenses incurred shall be shared equally by the parties. In the case of sole arbitrator, both parties shall equally share all expenditures that may be required to be incurred.
11. The fees and other administrative/secretarial expenses of the arbitrator(s) shall not exceed the model fee as stipulated in the Schedule of the Act and such expenses shall be equally borne by the parties.
12. The seat and venue of the arbitration proceeding shall be New Delhi.

42.4 Arbitration (applicable in case of Contract awarded on Public Sector Enterprise):

1. If the Parties fail to resolve such a dispute or differences by Mutual Consultation/Good Faith Discussions, such disputes or difference shall be taken up by either party for resolution through Administrative Mechanism for Resolution of CPSEs Disputes (AMRCD) as mentioned in DPE Office Memorandum No. 05/0003/2019-FTS-10937 dated 14.12.2022 issued by Department of Public Enterprises, Ministry of Heavy Industries and Public Enterprises, Government of India and its further clarifications, modifications and amendments, issued from time to time.
2. A party wishing to commence arbitration proceedings shall invoke Arbitration Clause and refer the dispute(s) to AMRCD with a copy to the other party. The notice invoking arbitration shall specify all the points of dispute with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter.
3. Upon such reference, the dispute shall be decided by the Competent Authority appointed under the AMRCD, whose decision shall bind the parties finally and conclusively. The parties in the dispute will share equally the cost of the arbitration as intimated by the Arbitrator.

42.5 Arbitration (Applicable to Micro, Small and Medium Enterprise)

In the event of any dispute or difference relating to, arising from, or connected with the Contract, efforts shall be made to resolve the dispute(s) amicably by mutual consultation and in case such dispute(s) cannot be resolved through mutual consultation, then same shall be resolved through the procedure as prescribed in Section-18 of the Micro, Small and Medium Enterprises Development Act, 2006.

42.6 Exclusions

Parties agree that following matters shall not be referred to conciliation or arbitration:

- a) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision to initiate any proceedings for suspension or debarment or banning, or decision to suspend or to ban or to debar business dealings with the bidder/CONTRACTOR and/or with any other person involved or connected or dealing with bid/contract/bidder/CONTRACTOR.
- b) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision under the provisions of Integrity Pact executed between OIL and the Bidder/CONTRACTOR.
- c) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision to comply with any order or directive of any statutory or government authority.

43.0 COMPLETION OF CONTRACT:

Unless otherwise terminated under the provisions of any other relevant Clause or extended through written communication, this Contract shall be deemed to have been completed at the expiry of the Period specified in the contract or period of defect liability, as provided for under the Contract, whichever is later.

44.0 TERMINATION:

- 44.1 Termination on expiry of the contract:** This Agreement shall be deemed to have been automatically terminated on the expiry of the contract period unless OIL has exercised its option to extend this contract in accordance with the provisions, if any, of this contract.
- 44.2 Termination of contract for death:** If the CONTRACTOR is an individual or a proprietary concern and the individual or the proprietor dies or if the CONTRACTOR is a partnership concern and one of the partners dies then unless, the COMPANY is satisfied that the legal heir of the individual or the proprietary concern or the surviving partners are capable of carrying out and completing Contract, the COMPANY is entitled to cancel the Contract for the uncompleted part without being in any way liable for any compensation payment to the estate of the deceased CONTRACTOR and/or to the surviving partners of the CONTRACTOR's firm on account of the cancellation of Contract. The decision of the COMPANY in such assessment shall be final & binding on the parties. In the event of such cancellation, the COMPANY shall not hold the estate of the deceased CONTRACTOR and/or the surviving partners of CONTRACTOR's firm liable for any damages for non-completion of the Contract.
- 44.3 Termination on account of Force Majeure:** Unless the contract provides otherwise, either party shall have the right to terminate this Contract on account of Force Majeure as set forth in Article-31.0 above.
- 44.4 Termination on account of insolvency:** In the event that the CONTRACTOR or its collaborator or its guarantor at any time during the term of the Contract, becomes insolvent or makes a voluntary assignment of its assets for the benefit of creditors or is adjudged bankrupt or under the process of insolvency or liquidation, then the COMPANY shall, by a notice in writing have the right to terminate the Contract and all the CONTRACTOR's rights and privileges hereunder, shall stand terminated forthwith.

However, COMPANY shall be at liberty to give the Receiver or Liquidator or Insolvency Professional Manager, as appointed by the Competent Court/Tribunal, the option of carrying out the Contract subject to its technical & financial competence and his providing a guarantee for due and faithful performance of the Contract.

- 44.5 Termination for Unsatisfactory Performance:** If the COMPANY considers that, the performance of the CONTRACTOR is unsatisfactory, or not as per the provision of the Contract, the COMPANY shall notify the CONTRACTOR in writing and specify in details the cause of dissatisfaction. The COMPANY shall have the option to terminate the Contract by giving 15 days notice in writing to the CONTRACTOR, if CONTRACTOR fails to comply with the requisitions contained in the said written notice issued by the COMPANY. In the event CONTRACTOR rectifies its non-performance to the satisfaction of the COMPANY, the option of termination may not be exercised by the COMPANY. If however CONTRACTOR repeats non-performance subsequently, COMPANY shall exercise the option to terminate contract by giving 07 days notice. Such CONTRACTOR shall be put on holiday as per the Banning Policy of OIL [available at www.oil-india.in].

- 44.6 Termination due to change of ownership and Assignment:** In case the CONTRACTOR's rights and /or obligations under this Contract and/or the CONTRACTOR's rights, title and interest to the equipment/ material, are transferred or assigned without the COMPANY's written consent, the COMPANY may at its option, terminate this Contract. COMPANY shall not be however under any obligation to accord consent to the CONTRACTOR for change of ownership & assignment of the contract.
- 44.7** If at any time during the term of this Contract, breakdown of CONTRACTOR's equipment results in CONTRACTORS being unable to perform their obligations hereunder for a period of 15 successive days, COMPANY at its option, may terminate this Contract in its entirety or partially to the extent non-performance, without any further right or obligation on the part of the COMPANY, except for the payment of money then due. No notice shall be served by the COMPANY under the condition stated above.
- 44.8 Termination for delay in mobilization:** CONTRACTOR is required to mobilize complete equipment alongwith crew for commencement of services at the specified site within the maximum allowed number of days from the date of LOA/Notice for Mobilization as specified in the special conditions of contract. If the CONTRACTOR (successful bidder) fails to complete the mobilization as above, OIL shall have, without prejudice to any other clause of the CONTRACT, the right to terminate the contract.
- 44.9** Notwithstanding any provisions herein to the contrary, the Contract may be terminated at any time by the COMPANY on giving 30 (thirty) days written notice to the CONTRACTOR due to any other reason not covered under the above Article from **44.1 to 44.8** and in the event of such termination the COMPANY shall not be liable to pay any cost or damage to the CONTRACTOR except for payment of services as per the Contract upto the date of termination.
- 44.10 Consequence of Termination:** In all cases of termination herein set forth, the relative obligations of the parties to the Contract shall be limited to the period up to the date of termination. Notwithstanding the termination of this Contract, the parties shall continue to be bound by the provisions of this Contract that reasonably require some action or forbearance after such termination.

Upon termination of this Contract, CONTRACTOR shall return to COMPANY all of COMPANY's properties, which are at the time in CONTRACTOR's possession.

In the event of termination of contract, COMPANY will issue Notice of termination of the contract with date or event after which the contract will be terminated. The contract shall then stand terminated and the CONTRACTOR shall demobilize their personnel & materials.

Demobilization charges shall not be payable by COMPANY in case of Article from **44.4 to 44.7**

45.0 TO DETERMINE THE CONTRACT:

In such an event (i.e. termination under Article No. 44.4 to 44.9 above), the contract

shall stand terminated and shall cease to be in force from the date of such notification by the COMPANY. Thereafter the CONTRACTOR shall stop forthwith any of the work then in progress, except those work which the COMPANY may, in writing, require to be done to safeguard any property or work, or installations from damages, and the COMPANY may take over the remaining unfinished work of the CONTRACTOR and complete the same through a fresh CONTRACTOR or by other means, at the risk and cost of the CONTRACTOR, and any of its sureties if any, shall be liable to the COMPANY for any excess cost occasioned by such work having to be so taken over and completed by the COMPANY over and above the cost at the rate/cost specified in the schedule of quantities and rates/prices.

46.0 WITHOUT DETERMINING THE CONTRACT: In such an event (i.e. termination under Article No. 44.4 to 44.9 above), the COMPANY may take over the work of the CONTRACTOR or any part thereof and complete the same through a fresh CONTRACTOR or by other means, at the risk and cost of the CONTRACTOR. The CONTRACTOR and any of its sureties are liable to the COMPANY for any excess cost over and above the cost at the rates specified in the schedule of quantities and rates/prices, occasioned by such work having been taken over and completed by the COMPANY.

47.0 ERRING/DEFAULTING AGENCIES:

Erring and defaulting agencies like bidder, CONTRACTOR, supplier, vendor, service provider will be dealt as per OIL's Banning Policy dated 6th January, 2017 available in OIL's website: www.oil-india.com. Moreover, OIL reserves the right to take legal or any other action on the basis of merit of the case.

48.0 MISCELLANEOUS PROVISIONS:

CONTRACTOR shall give notices and pay all fees at their own cost required to be given or paid by any National or State Statute, Ordinance, or other Law or any regulation, or bye-law of any local or other duly constituted authority as may be in force from time to time in India, in relation to the performance of the services and by the rules & regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the services.

CONTRACTOR shall conform in all respects with the provisions of any Statute, Ordinance of Law as aforesaid and the regulations or bye-law of any local or other duly constituted authority which may be applicable to the services and with such rules and regulation, public bodies and Companies as aforesaid and shall keep COMPANY indemnified against all penalties and liability of every kind for breach of any such Statute, Ordinance or Law, regulation or bye-law.

During the tenure of the Contract, CONTRACTOR shall keep the site where the services are being performed reasonably free from all unnecessary obstruction and shall store or dispose of any equipment and surplus materials and clear away and remove from the site any wreckage, rubbish or temporary works no longer required. On the completion of the services, CONTRACTOR shall clear away and remove from the site any surplus materials; rubbish or temporary works of every kind and leave the whole of the site clean and in workmanlike condition to the satisfaction of the

COMPANY.

Key personnel cannot be changed during the tenure of the Contract except due to sickness/death/resignation of the personnel or any other justified situation in which case the replaced person should have equal experience and qualification, which will be again subject to prior approval, by the COMPANY.

SPECIAL CONDITIONM OF CONTRACT (SCC)

The Clauses of SCC shall supplement and / or amend the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

DESCRIPTION OF WORK/ SERVICES: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects.

A. SCOPE OF WORK:

I. The job(s) is related to Miscellaneous Piping and related jobs of various dimensions for Fire Protection Systems & New Projects at OIL's various installations in Assam and Arunachal Pradesh. The detailed description of the Line Items are as under:

(a) Line-Item No. 10: (Transportation of pipes of various sizes): Transportation of pipes of various sizes to the locations including loading and unloading without causing any damage to the pipes.

(i) The weights of the pipes are:

For 300 mm dia	65.35 kg/ m
For 250 mm dia	51.03 kg/m
For 200 mm dia	36.61 kg/m
For 150 mm dia	28.22 kg/m
For 100 mm dia	18.63 g/m

(ii) The lengths of the pipes to be transported are as follows:

For 300 mm dia	60 M
For 250 mm dia	120 M
For 200 mm dia	4000 M
For 150 mm dia	3000 M
For 100 mm dia	3000 M

Note: The average distance to be moved is 70 Km.

(b) Line-Item No. 20 (Manual Transportation of 300 mm NB pipes): Manual Transportation of 300 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipeline and swabbing inside, cleaning of 300 mm NB pipes and making them ready for welding, including the valves and fittings.

(c) Line-Item No. 30 (Manual Transportation of 250 mm NB pipes): Transportation of 250 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipeline and swabbing inside, cleaning of 250 mm NB pipes and making them ready for welding, including the valves and fittings.

(d) Line-Item No. 40 (Manual Transportation of 200 mm NB pipes): Transportation of 200 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipeline and swabbing inside, cleaning of 200 mm NB pipes and making them ready for welding, including the valves and fittings.

(e) Line-Item No. 50 (Manual Transportation of 150 mm NB pipes): Transportation of 150 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipeline and swabbing inside, cleaning of 150 mm NB pipes and making them ready for welding, including the valves and fittings.

(f) Line-Item No. 60 (Manual Transportation of 100 mm NB pipes): Transportation of 100 mm NB pipes (screwed or bevel ended), fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipe line and swabbing inside, cleaning of 100 mm NB pipes and making them ready for welding/screwing, including the valves and fittings.

(g) Line-Item No. 70 (Welding of 300 mm NB pipes & Fittings): Welding of 300 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(h) Line-Item No. 80 (Welding of 250 mm NB pipes & Fittings): Welding of 250 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(i) Line-Item No. 90 (Welding of 200 mm NB pipes & Fittings): Welding of 200 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(j) Line-Item No. 100 (Welding of 150 mm NB pipes & Fittings): Welding of 150 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(k) Line-Item No. 110 (Welding of 100 mm NB pipes & Fittings): Welding of 100 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(l) Line-Item No. 120 (Screwing of 100 mm NB pipes): Screwing of already strung 100 mm NB pipes including fittings such as flanges, tees, elbows, bends etc. into a continuous length. Before screwing threads of pipes and couplings must be thoroughly cleaned.

(m) Line-Item No. 130 (Bolting up of 200 mm NB pipes): Bolting up of already strung flanged ends of 200 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.

(n) Line-Item No. 140 (Bolting up of 150 mm NB pipes): Bolting up of already strung flanged ends of 150 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.

(o) Line-Item No. 150 (Bolting up of 100 mm NB pipes): Bolting up of already strung flanged ends of 100 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.

(p) Line-Item No. 160 (Fabrication and installation of pipe trestles): Fabrication and installation of pipe trestles approximately 03(three) feet wide with clamping arrangement to accommodate the 200 mm NB / 150 mm NB/100 mm NB pipeline. The trestles will have to be fabricated out of 100 mm NB pipes and shall have to be firmly grouted on to the ground with concrete pipe supports (1:1 1/2:3 mixture, hand mixed), including supply of all materials for the grouting purpose. The 100 mm NB pipes required for fabrication of pipe trestles shall be supplied by OIL. NB: The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(q) Line-Item No. 170 (Construction of concrete pipe supports): Construction of concrete pipe supports (1:1 1/2 :3 mixture, hand mixed) with clamping arrangement to accommodate the 200 mm NB / 150 mm NB/100 mm NB pipeline, including supply of all masonry materials for the above. Only pipes required for the job shall be supplied by OIL. The job clamping of the 200 mm NB / 150 mm NB/100 mm NB pipelines on the above supports.

(r) Line-Item No. 180 (Fabrication of 200 mm NB miter bends): Fabrication of 200 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(s) Line-Item No. 190 (Fabrication of 150 mm NB miter bends): Fabrication of 150 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(t) Line-Item No. 200 (Fabrication of 100 mm NB miter bends): Fabrication of 100 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/

equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(u) Line-Item No. 210 (Fabrication of 200 mm NB 'S'- bends): Fabrication of 200 mm NB 'S'- bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(v) Line-Item No. 220 (Fabrication of 150 mm NB 'S'- bends): Fabrication of 150 mm NB 'S'- bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(w) Line-Item No. 230 (Fabrication of 100 mm NB 'S'- bends): Fabrication of 100 mm NB 'S'- bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(x) Line-Item No. 240 (Excavation of open trench): Excavation of approx. 1.0 M deep open trench having approx. 0.7 M at the top and 0.5 M at the bottom or as advised by OIL's representative. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain.

(y) Line-Item No. 250 (Crossing of graveled/asphalted roads): Crossing of roads by open trenching through a casing pipe. The job involves cutting across graveled/asphalted road to a depth of 1.6m and road crossing to be done by laying the pipeline through a casing pipe in the trench so dug. The casing pipe will be supplied by OIL. The trench shall be back filled and rammed properly by gravel stones etc.

(z) Line-Item No. 260 (Lowering of 200 MM NB pipes): Lowering of 200 MM NB pipeline to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe, the trench shall be backfilled with previously dug out earth including ramming without watering.

(aa) Line-Item No. 270 (Lowering of 150 MM NB pipes): Lowering of 150 MM NB pipeline to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the

pipe. After lowering the pipe, the trench shall be backfilled with previously dug out earth including ramming without watering.

(bb) Line-Item No. 280 (Lowering of 100 MM NB pipes): Lowering of 100 MM NB pipeline to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe, the trench shall be backfilled with previously dug out earth including ramming without watering.

(cc) Line-Item No. 290 (Taking out of 250 mm NB Tee-points): Taking out of 250 mm NB Tee-points from 250 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.

(dd) Line-Item No. 300 (Taking out of 200 mm NB Tee-points): Taking out of 200 mm NB Tee-points from 250 mm/200 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.

(ee) Line-Item No. 310 (Taking out of 150 mm NB Tee-points): Taking out of 150 mm NB Tee-points from 250 mm/200 mm/150 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.

(ff) Line-Item No. 320 (Taking out of 100 mm NB Tee-points): Taking out of 100 mm NB Tee-points from 250 mm/200 mm/150 mm/100 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.

(gg) Line-Item No. 330 (Installation of 300 mm NB flanged end valves/ NRVs): Installation of 300 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(hh) Line-Item No. 340 (Installation of 250 mm NB flanged end valves/ NRVs): Installation of 250 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(ii) Line-Item No. 350 (Installation of 200 mm NB flanged end valves/ NRVs): Installation of 200 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper

alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(jj) Line-Item No. 360 (Installation of 150 mm NB flanged end valves/ NRVs): Installation of 150 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(kk) Line-Item No. 370 (Installation of 100 mm NB flanged end valves/ NRVs): Installation of 100 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(ll) Line-Item No. 380 (Installation of monitors): Installation of monitors on 200 mm/150 mm/100 mm NB pipes including transportation of the same from OIL's yard / Godown / OIL's Fire Service station to the work site without causing any damage to the item (s). The job involves taking out of 100 mm NB point from 200 mm/150 mm/100 NB main fire water line and then installation of a 100 mm valve and the Monitor assembly as advised by OIL's representative. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(mm) Line-Item No. 390 (Installation of TPC/ Hydrant Points): Installation of TPC/ Hydrant Points on 200 mm/150 mm/ 100 mm NB pipe including transportation of the same from OIL's yard / Godown / OIL's Fire Service station to the work site without causing any damage to the item (s). The job involves taking out of 100 mm NB point from 200 mm/150 mm/100 NB main fire water line and then installation of a 100 mm valve and the Monitor assembly as advised by OIL's representative. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(nn) Line-Item No. 400 (Replacement of Drenching water spray rings of 10668 MM dia crude oil storage tanks):

The job involves:

I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.

II. Dismantling of damaged Drenching water spray rings.

III. Fabrication of 12294 mm dia. drenching water spray rings from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼" NB couplings (if required) at equal spaces as shown in the attached DRG No: FE/PROJ/B'PARA/003.0. The 12294 mm dia rings will have to be fabricated in 10 (ten) equal parts complete with 50 mm (2") NB mating flanges for bolting up the parts as one complete ring. 50 mm (2") NB pipes, fitting and all related materials required for the job shall be supplied by OIL. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

IV. Installation / Placement of the drenching water spray ring fabricated vide item no 40. III. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.

V. Hooking up of the newly installed drenching water spray ring(s) to the existing 100 mm NB drenching water riser lines.

VI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.

VII. Dismantling of the scaffolding erected vide Line Item No: 400 .I. above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.

(oo) Line-Item No. 410 Replacement of Drenching water spray rings of 6550 MM dia crude oil storage tanks:

The job involves:

I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.

II. Dismantling of damaged Drenching water spray rings.

III. Fabrication of 8176 mm dia. drenching water spray rings from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼" NB couplings (if required) at equal spaces as shown in the attached DRG No: FE/PROJ/B'PARA/003.1. The 8176 mm dia rings will have to be fabricated in 08 (eight) equal parts complete with 50 mm (2") NB mating flanges for bolting up the parts as one complete ring. 50 mm (2") NB pipes, fitting and all related materials required for the job shall be supplied by OIL. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

IV. Installation / Placement of the drenching water spray ring fabricated vide Line Item No 410. III. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.

V. Hooking up of the newly installed drenching water spray ring(s) to the existing 100 mm NB drenching water riser lines.

VI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage enough competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.

VII. Dismantling of the scaffolding erected vide Line Item No: 410 I. above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.

(pp) Line-Item No. 420 (Repairing/ De-clogging of Drenching water spray rings of 10668 MM dia crude oil storage tanks):

The job involves:

I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.

II. Dismantling of Drenching water spray rings.

III. Dismantling of all nozzles (if available) from Drenching water spray rings.

IV. Inside swabbing and cleaning of the Drenching water spray rings.

V. De-clogging of all the holes and nozzles (if available) of the Drenching water spray rings.

VI. Replacement of damaged nozzles. (if required)

VII. Fabrication of part of Drenching water spray ring from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼" NB couplings (if required) and replacement of the same as advised by OIL's representative.

VIII. Reassembling of all nozzles (if available) to Drenching water spray rings.

IX. Installation / Placement of the drenching water spray ring dismantled vide Line Item no. 420 II. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.

X. Hooking up of the newly installed drenching water spray ring(s) to the existing 100 mm NB drenching water riser lines.

XI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.

XII. Dismantling of the scaffolding erected vide Line Item No: 420.I above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.

(qq) Line-Item No. 430 (Repairing/ De-clogging of Drenching water spray rings of 6550 MM dia crude oil storage tanks):

The job involves:

I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.

II. Dismantling of Drenching water spray rings.

III. Dismantling of all nozzles (if available) from Drenching water spray rings.

IV. Inside swabbing and cleaning of the Drenching water spray rings.

V. De-clogging of all the holes and nozzles (if available) of the Drenching water spray rings.

VI. Replacement of damaged nozzles. (if required)

VII. Fabrication of part of Drenching water spray ring from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with 1/4" NB couplings (if required) and replacement of the same as advised by OIL's representative.

VIII. Reassembling of all nozzles (if available) to Drenching water spray rings.

IX. Installation / Placement of the drenching water spray ring dismantled vide Line Item No 430. II. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.

X. Hooking up of the newly installed drenching water spray ring(s) to the existing 100 mm NB drenching water riser lines.

XI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.

XII. Dismantling of the scaffolding erected vide Line Item No: 430 I. above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.

(rr) Line-Item No. 440 (Hooking up of the newly laid 200 mm NB line): Hooking up of the newly laid 200 mm NB line with the manifolds. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(ss) Line-Item No. 450 (Hooking up of the newly laid 150 mm NB line): Hooking up of the newly laid 150 mm NB line with the manifolds. The electrodes shall be of suitable gauge and specification of E6010/E7010 and should not be manufactured earlier than six months from the execution of the job and have to be approved by company Engineer. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(tt) Line-Item No. 460 (Hooking up of the newly laid 100 mm NB line): Hooking up of the newly laid 100 mm NB line with the manifolds. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010 and should not be manufactured earlier than six months from the execution of the job and have to be approved by company Engineer. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.

(uu) Line-Item No. 470 (Hydraulic testing): Hydraulic testing of the entire newly laid pipeline at 10.5 kg/sq. cm. of pressure for a period of 24 hours (continuous). The testing of the pipeline will have to be done after complete completion of laying of the pipeline in all aspects. Necessary materials like pressure gauge, pump, recorder and recorder charts etc. will have to be arranged by the contractor. The contractor shall lay the filling lines (100 mm NB). The contractor shall engage sufficient number of competent personnel over the entire pipeline to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole pipeline will have to be retested hydraulically. Only source water and the pipes required for laying the filling lines will be supplied by OIL. The contractor will have to return the pipes after the completion of the testing in good condition.

(vv) Line-Item No. 480 (Painting): Applying of one coat of anti-rust primer and two coats of enamel paint to pipelines and associated pipe fittings to the satisfaction of OIL's representative. The shades of paints to be applied on pipelines and associated pipe fittings shall be specified by HEAD – FE or his representative and will have to be supplied by the contractor along with the necessary tools and tackles. Prior to the application of paints, the same will have to be approved by HEAD – FE or his representative. Nominal Dimensions of Pipes and Pipe fittings: 25 MM NB to 300 MM NB.

II. Following materials and equipment are to be supplied by the Contractor:

(a) Crane (If required), trailer etc. for loading, transportation, unloading of Pipes, Pipe fittings etc.

- (b) Vehicle for transportation of crew, tools and tackles to and fro work site.
- (c) Welding machine, oxy-acetylene cutting set, grinding machine (If required) along with all necessary fuel and consumables.
- (d) Portable lighting arrangement (along with necessary fuel etc.) as and when necessary.
- (e) Vehicle for transportation of Welding machine & oxy-acetylene cutting set to and fro work site.
- (f) Portable pump sets, fuel etc. for hydraulic testing.
- (g) All requisite materials for erection of scaffolding as and when required.
- (h) All masonry materials (including cement) for foundation of pipe supports etc.
- (i) Primer and Paint for painting job as detailed in the contract.
- (j) First- aid box with all necessary items.

III. Standard conditions of work:

(a) The Contractor should deploy sufficient pool of manpower, machinery, tools & tackles and resources for simultaneous execution of the jobs as detailed under this tender in at-least 02 (two) locations on as and when required basis. It is the sole discretion of OIL to engage the services of the contractor either in one (01) location or at two (02) locations simultaneously as per Company's requirement.

(b) The Contractor shall deploy at least one (01) experienced supervisor(s) for supervision of the job(s) at each location. The supervisors deployed should have at least two (02) years of continuous experience in supervision of pipeline laying and fabrication jobs of 4-inch (100 mm) and above in last 07 (seven) years period reckoned from the original bid closing date. Documentary evidence in this regard to be furnished by the Contractor to OIL during mobilization period.

(c) All materials required for the jobs such as pipes, valves, flanges, pipe fittings, bolts & nuts, casing pipes etc. (except Primer and Paint) will be supplied by OIL as free issue items.

(d) The Contractor must work on Sundays and Holidays whenever required with prior permission from Installation Manager/ Engineer - in - Charge.

(e) The Contractor /authorized representative of Contractor shall be informed for job execution by OIL's representative.

(f) Job(s) shall be allocated in writing to the Contractor (upon award of Contract) by OIL's Engineer - in - Charge in the form of "Job Advice Note".

(g) Upon completion of assigned jobs by the Contractor, joint assessment (measurement) shall be made by OIL's representative and the Contractor (or his authorized representative) and the measurement shall be duly recorded. Such joint assessment (measurement) report shall be duly approved by the departmental Engineer - in - Charge upon satisfactory completion of the jobs allocated.

(h) The individual Job Allocation Advice notes issued by departmental Engineer - in - Charge and the records of the joint assessment (measurement) shall have to be furnished along with Bill for further processing of the CoP etc. for payment of dues.

(i) Water for hydraulic testing will be sourced by OIL. However, all other necessary arrangement including pump, etc. is to be made by the Contractor for hydro test.

(j) Any material found defective due to poor workmanship will have to be replaced by the Contractor at his own cost.

(k) Security and responsibility of all company's materials will have to be borne by the Contractor once these are handed over to the Contractor till the same are returned to the company after completion of work(s).

(l) Any non-technical/local problem causing disruption of work arising in the work site shall have to be settled by the Contractor at his own cost.

(m) Pipes and pipe fittings etc. are to be transported by the Contractor at his own cost from Material dept./Field Engineering Yard/Any other yard to different locations and back including loading/unloading without causing any damage to the materials. In case of any damage of materials, the same has to be rectified or replaced by the Contractor at own cost as per instruction of departmental representative.

(n) Any defect during welding shall have to be rectified or replaced at Contractor's own cost. Necessary alignment and end preparation of the pipe swabbing and cleaning etc. shall be done prior to welding. The Contractor shall supply machines, lights. Equipment manpower etc. and consumables like fuel, electrodes, gas for cutting, grinding wheels as necessary for the job. The entire job shall be carried out under strict supervision of the Contractor.

(o) All materials for cutting and beveling of pipes and digging of trench/pit for hooking up job are to be provided by the Contractor. All safety precautions are to be observed. The recovered pipes, if any, are to be made ready for transportation by yard as per instruction of OIL's representative.

(p) All necessary equipment/materials such as pumps, valves, fittings etc. required for hydraulic testing will be arranged by the Contractor.

(q) Suitable trestles shall be required to be fabricated for the above ground portion of the line & manifold and these are to be properly placed & installed and grouted as per instructions of OIL's representative. Necessary pipes for trestles will be provided by OIL.

(r) While cutting across asphalted/gravelled road the pipe should pass the road crossing at the same level through a suitable casing pipe in it. The Contractor has to place the casing pipe properly through which the carrier pipe shall be inserted. The casing pipe of suitable size will be supplied by the Company. The trench should be restored back to the original condition by the Contractor. The Contractor shall have to arrange for emergency traffic diversion, road closer sign, skid etc. The weld joints on the casing as well as conductor pipes and two ties at the end shall be considered as a part of road crossing.

(s) Prior to painting of pipeline, all surfaces are to be cleaned. Exterior surfaces are to be scrapped thoroughly by means of emery tapes, wire brush to the entire satisfaction of OIL's representative. After thorough cleaning, Primer (Red-Oxide) as a 1st coat is to be applied on the surface of the pipeline, valves etc. along with trestles and allow the primer to dry completely. Thereafter, the Contractor shall be required to apply enamel paint on the above pipeline surfaces. The shades of the enamel paint shall be designated by OIL's Departmental - Engineer. All the materials i.e. brushes, emery paper, primer, paint, safety gadgets like safety shoe, hand gloves, goggles etc., including efficient supervisor/manpower will have to be provided by the Contractor.

(t) For any clarification with regard to the above, the Contractor may contact OIL's representative / concerned Engineer / DSO of Field Engineering Department.

B. PAYMENT TERMS:

I. Payment will be made, up to 100% of the value of work done. Payment shall be processed as per actual completion of jobs covered per "Job Advice Note" (as defined under clause no: A. III. (f) & (g) and joint assessment (measurement) made by OIL's representative and the Contractor (or his authorized representative) as defined under clause no: A.III. (h).

Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's authorised representative before any such final payment is made.

Note:

i) All Invoices shall be addressed as below and uploaded through Vendor Invoice Management portal only via <https://vim.oilindia.in/velocious-portal-app/>.

[Head of Department- FE](#)
[Oil India Limited](#)
[P.O. Duliajan-786602](#)
[Dist. Dibrugarh, Assam](#)

II. The total estimated Contract Price as indicated in Schedule of work, quantities & rates - Part II of this Contract is inclusive of all statutory liabilities viz. Corporate Income Tax, Personal Tax, etc. and GST. The Company shall pay the Contractor only for actual work done at the all-inclusive rates set down in Part-II of this Contract.

III. Payment to Work-persons:

(a) Payment to the contractor's personnel will be the responsibility of the contractor. Any dispute regarding payment shall be resolved by the contractor with its workers. OIL will not be a party to any dispute in this matter.

(b) The Contractor must ensure that payments have been made to his / her personnel in time for smooth functioning of the Contract.

(c) Any dispute regarding payment shall be resolved by the Contractor with his / her employees. OIL will not be a party to any dispute of this type at any stage.

Note: The individual Job Allocation Advice notes issued by departmental Engineer - in - Charge and the records of the joint assessment (measurement) shall have to be furnished along with Bill for further processing of the CoP etc. for payment of dues.

C. LABOUR CLEARANCE ADVICE/LABOUR CLEARANCE CERTIFICATE:

The Contractor shall obtain and submit the Labour Clearance Advice (LCA) and/or Labour Clearance Certificate (LCC) within the mobilization period.

Following are the three different categories of labour clearances:

I. In case of engaging 20 or more contract labours per day, Labour License is to be obtained from Regional Labour Commissioner (Central) and finally LCA from HR Relation Department of OIL, Duliajan.

II. In case of engaging maximum 19 or less contract labours per day, LCA is to be obtained from HR Relation Department of OIL, Duliajan.

III. In case 5 or more Inter-state migrant contract labours are engaged per day, ISMW (Inter-state migrant workers) license is to be obtained from Regional Labour Commissioner (Central) and finally LCA from HR Relation Department of OIL, Duliajan.

D. RESPONSIBILITIES OF THE CONTRACTOR REGARDING COMPLIANCE OF STATUTE:

I. The CONTRACTOR shall ensure full compliance of various Indian Laws and Statutory Regulations, as mentioned Under GCC, Clause No. 34.0 & 35.0, to the extent applicable, but not limited to, in force from time to time and obtain necessary permits/ licenses etc. from appropriate authorities for conducting operations under the Contract.

II. The Contractor shall comply with all the relevant provisions under the Labour Laws Rules, 2017 & Contract Labour (R&A) Act, 1970 and its Rules, maintenance of all the relevant records and registers / documents [as per statutory Form (s)], and submission of various reports / returns under the Indian Labour Acts / Rules and other Statutes applicable to the Contractor to the Appropriate Authority within stipulated time frame. In the event of failure of the Contractor to abide by the statutory filing of returns, reports and other formalities required by Law to be executed under any Law, the Contractor shall indemnify OIL for any penalty or fine imposed on account of failure or wilful disregard by the Contractor.

III. The Contractor must pay the prevailing minimum wages rates as per the Minimum Wages Act and as specified by Central Govt. from time to time, in compliance to the Code of wages Act, 2019, through cashless transaction only, to the engaged labourers, and deposit the applicable provident fund (PF) along with associated charges and contribution (like Admin Charge, EDLI etc.), bonus & ESI etc. The contractor should ensure to follow the timeline and other aspects as per the Code of wages Act, 2019. The Contractor shall have to submit the monthly challans for the deposit of the contribution to the ESIC and the monthly challans for the provident fund deposited amount along with the Wage Sheet of his labour / workers in the prescribed format under the Contract labour (R&A) Rules, engaged by him to the **HoD-FE** or his authorized representatives.

Note: If there is any statutory increase in the wages rates including consequent increase in statutory contributions like PF along with associated charges and contribution (like Admin Charge, EDLI etc.), bonus & ESI etc. of the contractual labours engaged, shall be borne solely by the Contractor during the entire period of the contract, including extension if any, without

any cost implication whatsoever upon the Company.

IV. The contractor shall indemnify the Company against any payments to be made under and for the observance of the provisions of the aforesaid acts/statutes. In the event of the contractor committing a default or breach of any of the provisions of the aforesaid acts as amended from time to time, of furnishing any information, submitting, or filling and form / register / slip under the provisions of these acts which is materially incorrect, then the Company shall at its discretion, impose penalty on the Contractor. The decision of the **HoD- FE** or his authorize representative in this respect shall be final and binding.

E. MOBILIZATION PERIOD: Thirty (30) days from the date of issuance of Letter of Award (LOA).

I. Mobilization would be considered as completed only after the completion of the following mobilization activities.

(a) The contractor should furnish the documents/credentials of all the manpower list (as mentioned in SCC Clause Nos. A. III. (a) & (b) above) approved by OIL within the mobilization period.

(b) Labour Clearance certificate must be obtained by the contractor from OIL within the mobilization period.

(c) Initial Medical Examination (IME) record of the Contractor's personnel must be submitted within the mobilization period.

F. DURATION OF CONTRACT: Four (04) years and Thirty (30) days from the date of issuance of LOA. Accordingly, the scheduled contract end date shall remain firm even in case of delayed mobilization. In case mobilization is completed before the scheduled mobilization completion date, then the duration of the contract shall be considered for 04 (Four) years from the date of completion of actual mobilization.

G. AREA OF OPERATION: Assam and Arunachal Pradesh.

H. PERFORMANCE SECURITY: 05% of Contract value (exclusive of GST). The performance security shall be valid for **03 (Three) months** beyond the contract period.

I. FORCE MAJEURE: In the event of Force Majeure, no 'force majeure' rate shall apply.

J. SUB-CONTRACTING: Sub-contracting of Petty Support Services against this contract is not applicable.

K. Financing of trade receivables of Micro and Small Enterprises (MSEs) through Trade Receivables Discounting System (TReDS) platform:

I. Based on the initiatives of Government of India to help MSE vendors get immediate access to liquid fund based on Buyers credit rating by discounting, OIL has registered itself on TReDS platform with M/s RXIL and M/s A TREDS Ltd.

(Invoice Mart). MSE vendors can avail this benefit by registering themselves with any of the exchanges providing e-discounting / electronic factoring services on TReDS platform and following the procedures defined therein, provided OIL is also participating in such TReDS Platform as a Buyer.

II. MSE Vendor should be aware that all costs relating to availing the facility of discounting on TReDS platform including but not limited to Registration charges, Transaction charges for financing, Discounting Charges, Interest on financing, or any other charges known by any name shall be borne by MSE Vendor.

III. MSE Vendor hereby agrees to indemnify, hold harmless and keep OIL and its affiliates, Directors, officers, representatives, agents and employees indemnified, from any and all damages, losses, claims and liabilities (including legal costs) which may arise from Sellers submission, posting or display, participation, in any manner, on the TReDS Platform or from the use of Services or from the Buyer's breach of any of the terms and conditions of the Usage Terms or of this Agreement and any Applicable Law on a full indemnity basis.

IV. OIL shall not be liable for any special, indirect, punitive, incidental, or consequential damages or any damages whatsoever (including but not limited to damages for loss of profits or savings, business interruption, loss of information), whether in contract, tort, equity or otherwise or any other damages resulting from using TReDS platform for discounting their (MSE Vendor's) invoices.

Note:

(i) Buyer means OIL who has placed Purchase Order / Contract on a MSE Vendor (Seller).

(ii) Seller means a MSE vendor, who has been awarded Purchase Order / Contract by OIL (Buyer).

L. HEALTH, SAFETY & ENVIRONMENT (HSE) POINTS: The Contractor shall adhere to the points as mentioned in the **Safety Measures (SM)** of the tender while performing the works under this contract.

M. GOODS AND SERVICES TAX:

I. In view of **GST** Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST/VAT, Service tax, Entry Tax and other indirect taxes and duties have been submerged in **GST**. Accordingly, reference of Excise Duty, Service Tax, VAT, Sales Tax, Entry Tax or any other form of indirect tax except of **GST** mentioned in the bidding document shall be ignored.

Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever **GST** (CGST & SGST/UTGST or IGST) is applicable.

II. "GST" shall mean Goods and Services Tax charged on the supply of material(s) and services. The term "GST" shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as "IGST") or Central Goods and Services Tax (hereinafter referred to as "CGST") or State Goods and Services Tax (hereinafter referred to as "SGST") or Union Territory Goods and Services Tax (hereinafter referred to as "UTGST") depending upon the import / interstate or intrastate supplies, as the

case may be. It shall also mean GST compensation Cess, if applicable.

III. Quoted price/rate(s) should be inclusive of all taxes and duties, except GST (i.e. IGST or CGST and SGST/UTGST applicable in case of interstate supply or intra state supply respectively and cess on GST if applicable) on the final service. However, GST rate (including cess) to be provided in the respective places in the Price Bid .Please note that the responsibility of payment of GST (CGST & SGST or IGST or UTGST) lies with the Supplier of Goods/Services (Service Provider) only. Supplier of Goods/Services (Service Provider) providing taxable service shall issue an Invoice/Bill, as the case may be as per rules/regulation of GST. Further, returns and details required to be filled under GST laws & rules should be timely filed by Supplier of Goods/Services (Service Provider) with requisite details.

IV. Bidder should also mention the Harmonised System of Nomenclature (HSN) and Service Accounting Codes (SAC) at the designated place in SOR.

V. Where the OIL is entitled to avail the input tax credit of GST: OIL will reimburse the GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of GST paid. In case of any variation in the executed quantities, the amount on which the GST is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

VI. The input tax credit of GST quoted shall be considered for evaluation of bids, as per evaluation criteria of tender document.

VII. Where the OIL is not entitled to avail/take the full input tax credit of GST: OIL will reimburse GST to the Supplier of Goods / Services (Service Provider) at actual against submission of Invoices as per format specified in rules/ regulation of GST subject to the ceiling amount of GST as quoted by the bidder. In case of any variation in the executed quantities, (If directed and/or certified by the In-Charge) the ceiling amount on which GST is applicable will be modified on pro-rata basis.

VIII. The bids will be evaluated based on total price including GST.

IX. Payments to Service Provider for claiming GST amount will be made provided the above formalities are fulfilled. Further, OIL may seek copies of challan and certificate from Chartered Accountant for deposit of GST collected from OIL.

X. Contractor/Contractor shall be required to issue tax invoice in accordance with GST Act and/or Rules so that input credit can be availed by OIL. In the event that the contractor / Contractor fails to provide the invoice in the form and manner prescribed under the GST Act read with GST Invoicing Rules there under, OIL shall not be liable to make any payment on account of GST against such invoice.

XI. GST shall be paid against receipt of tax invoice and proof of payment of GST to government. In case of non-receipt of tax invoice or non-payment of GST by the contractor/Contractor, OIL shall withhold the payment of GST.

XII. GST payable under reverse charge mechanism for specified services or goods under GST act or rules, if any, shall not be paid to the contractor/Contractor but will be directly deposited to the government by OIL.

XIII. Where OIL has the obligation to discharge GST liability under reverse charge mechanism and OIL has paid or is /liable to pay GST to the Government on which interest or penalties becomes payable as per GST laws for any reason which is not attributable to OIL or ITC with respect to such payments is not available to OIL for any reason which is not attributable to OIL, then OIL shall be entitled to deduct/setoff/recover such amounts against any amounts paid or payable by OIL to Contractor/Supplier.

XIV. Notwithstanding anything contained anywhere in the Agreement, in the event that the input tax credit of the GST charged by the Contractor / Contractor is denied by the tax authorities to OIL for reasons attributable to Contractor / Contractor, OIL shall be entitled to recover such amount from the Contractor / Contractor by way of adjustment from the next invoice. In addition to the amount of GST, OIL shall also be entitled to recover interest at the rate prescribed under GST Act and penalty, in case any penalty is imposed by the tax authorities on OIL.

XV. TDS under GST, if applicable, shall be deducted from contractors/Contractor's bill at applicable rate and a certificate as per rules for tax so deducted shall be provided to the contractor/Contractor.

XVI. The Contractor will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the Contractor shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/ duties by the contractor shall be to contractor's account.

XVII. It is the responsibility of the bidder to quote the correct GST rate. The classification of goods/services as per GST (Goods & Service Tax) Act should be correctly done by the contractor to ensure that input tax credit on GST (Goods & Service Tax) is not lost to the OIL on account of any error on the part of the contractor.

XVIII. In case, the quoted information related to various taxes, duties & levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference and in case the rate of duty/taxes finally assessed is on the lower side.

XIX. Notwithstanding anything mentioned elsewhere in the Bidding Document the aggregate liability of OIL towards Payment of Taxes & Duties shall be limited to the volume of GST declared by the bidder in its bid & nothing shall be payable extra except for the statutory variation in taxes & duties.

XX. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting/IT system GST compliant in order to ensure availability of

Input Tax Credit (ITC) to Oil India Ltd.

XXI. GST liability, if any on account of supply of free samples against any tender shall be to bidder's account.

XXII. In case of statutory variation in GST, other than due to change in turnover, payable on the contract value during contract period, the Supplier of Goods/ Services (Service Provider) shall submit a copy of the 'Government Notification' to evidence the rate as applicable on the Bid due date and on the date of revision.

XXIII. Beyond the contract period, in case OIL is not entitled for input tax credit of GST, then any increase in the rate of GST beyond the contractual delivery period shall be to Service provider's account whereas any decrease in the rate GST shall be passed on to the OIL.

XXIV. Beyond the contract period, in case OIL is entitled for input tax credit of GST, then statutory variation in applicable GST on supply and on incidental services, shall be to OIL's account.

XXV. Claim for payment of GST/ Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) GST, otherwise claim in respect of above shall not be entertained for payment of arrears.

XXVI. The base date for the purpose of applying statutory variation shall be the Bid Opening Date.

XXVII. The contractor will be liable to ensure to have registered with the respective tax authorities, wherever applicable and to submit self-attested copy of such registration certificate(s) and the Contractor will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/ E-way Bill, if applicable etc.

XXVIII. In case the bidder is covered under Composition Scheme under GST laws, then bidder should quote the price inclusive of the GST (CGST & SGST/UTGST or IGST). Further, such bidder should mention "Cover under composition system" in column for GST (CGST & SGST/UTGST or IGST) of price schedule.

XXIX. OIL will prefer to deal with registered supplier of goods/services under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid. Where OIL is entitled for input credit of GST, the same will be considered for evaluation of bid as per evaluation methodology of tender document.

XXX. Procurement of Specific Goods: Earlier, there is no tax incidence in case of import of specified goods (i.e. the goods covered under List-34 of Customs Notification no. 12/2012-Cus dated. 17.03.2012 as amended). Customs duty is not payable as per the policy. However, under GST regime, IGST Plus GST compensation cess (if applicable) would be leviable on such imports. Bidders should quote GST as inclusive

considering IGST component for the imported Materials portion while quoting their prices on destination basis. However, GST rate to be specified in the price bid format.

XXXI. DOCUMENTATION REQUIREMENT FOR GST:

The Contractor will be under the obligation for invoicing correct tax rate of tax/duties as prescribed under the GST law to OIL, and pass on the benefits, if any, after availing input tax credit.

Any invoice issued shall contain the following particulars:

- a) Name, address and GSTIN of the supplier;
- b) Serial number of the invoice;
- c) Date of issue;
- d) Name, address and GSTIN or UIN, if registered of the recipient;

OIL'S GSTIN DETAILS	
GSTIN	18AAACO2352C1ZW
Legal Name	OIL INDIA LTD
Trade Name, if any	OIL INDIA LIMITED

- e) Name and address of the recipient and the address of the delivery, along with the State and its code,
- f) HSN code of goods or Accounting Code of services[SAC];
- g) Description of goods or services;
- h) Quantity in case of goods and unit or Unique Quantity Code thereof;
- i) Total value of supply of goods or services or both;
- j) Taxable value of supply of goods or services or both taking into discount or abatement if any;
- k) Rate of tax (IGST,CGST, SGST/ UTGST, cess);
- l) Amount of tax charged in respect of taxable goods or services (IGST,CGST, SGST/UTGST, cess);
- m) Place of supply along with the name of State, in case of supply in the course of interstate trade or commerce;
- n) Address of the delivery where the same is different from the place of supply and
- o) Signature or digital signature of the supplier or his authorised representative.

GST invoice shall be prepared in triplicate, in case of supply of goods, in the following manner:

- p) The original copy being marked as ORIGINAL FOR RECIPIENT;
- q) The duplicate copy being marked as DUPLICATE FOR TRANSPORTER and
- r) The triplicate copy being marked as TRIPLICATE FOR SUPPLIER.

In case of any advance given against any supplies contract, the supplier of the goods shall issue Receipt Voucher containing the details of details of advance taken along

with particulars as mentioned in clause no. (a), (b), (c), (d), (g), (k), (l), (m) & (o) above.

XXXII. ANTI-PROFITEERING CLAUSE:

As per Clause 171 of GST Act it is mandatory to pass on the benefit due to reduction in rate of tax or from input tax credit to the consumer by way of commensurate reduction in prices. The Supplier of Goods / Services may note the above and quote their prices accordingly.

XXXIII. In case the GST rating of Contractor on the GST portal / Govt. official website is negative / black listed, then the bids may be rejected by OIL. Further, in case rating of bidder is negative / black listed after award of work for supply of goods / services, then OIL shall not be obligated or liable to pay or reimburse GST to such Contractor and shall also be entitled to deduct / recover such GST along with all penalties / interest, if any, incurred by OIL.

N. NOTICES: Any notice given by one party to other, pursuant to this Contract shall be sent in writing or by telex or Fax and confirmed in writing to the applicable address specified below:

Company

a) For contractual matters

CGM-Contracts (HoD)
OIL INDIA LIMITED
PO DULIAJAN - 786602
ASSAM, INDIA
Phone No. 91-374-2808650
Email: contracts@oilindia.in

b) For technical matters

Head of Department- FE
Oil India Limited,
P.O. Duliajan-786602
Dist. Dibrugarh, Assam.
Email:

Contractor

Phone No.:

A notice shall be effective when delivered or on the notice's effective date, whichever is later.

PROFORMA -A to SCC of Tender No. CDI7922P25

*In reference to Clauses under PQC/BEC-BRC Clause No. 2.1.2 of the tender
(To be issued by the bidder in their letter head)*

I/We M/s _____(Name of Contractor), of
_____ (Address of Contractor) hereby undertake to comply
in toto to the following:

- (i) I/We undertake that I/We am/are capable for simultaneous execution of the jobs as detailed in the Tender in at-least 02 (two) locations as and when required by OIL.
- (ii) In the event of award of Contract, We/I shall deploy sufficient pool of manpower, machinery, tools & tackles and resources for simultaneous execution of the jobs as detailed under this tender in at-least 02 (two) locations on as and when required basis.
- (iii) In the event of award of Contract, We/I shall engage at least one supervisor at each location having the requisite experience (as mentioned in the SCC of the tender) & credentials of the same shall be furnished to OIL by us/me during mobilization period of the Contract.

Signature of the Contractor / Authorized Signatory of the Contractor

Name of the Contractor / Authorized Signatory of the Contractor

Date:

Place:

Seal

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos.	Description of Services	UOM	Estimated Quantity
10	<p>Transportation of pipes of various sizes : Transportation of pipes of various sizes to the locations including loading and unloading without causing any damage to the pipes.</p> <p>The weights of the pipes are: For 300 mm dia: 65.35 kg/ m 250 mm dia: 51.03 kg/m 200 mm dia: 36.61 kg/m 150 mm dia: 28.22 kg/m 100 mm dia: 18.63 kg/m</p> <p>The lengths of the pipes to be transported are as follows: 300 mm dia: 60 M 250 mm dia: 120 M 200 mm dia: 4000 M 150 mm dia: 3000 M 100 mm dia: 3000 M</p>	Ton-Kilometre	21322.42
20	<p>Manual Transportation of 300 mm NB pipes: : Manual Transportation of 300 mm NB pipes, fittings, valves etc. by manual labour from dumps , stringing them along the route of the pipe line and Swabbing inside, cleaning of 300 mm NB pipes and making them ready for welding, including the valves and fittings.</p>	Metre	60
30	<p>Manual Transportation of 250 mm NB pipes: Transportation of 250 mm NB pipes, fittings, valves etc. by manual labour from dumps , stringing them along the route of the pipe line and Swabbing inside, cleaning of 250 mm NB pipes and making them ready for welding, including the valves and fittings.</p>	Metre	120
40	<p>Manual Transportation of 200 mm NB pipes : Transportation of 200 mm NB pipes, fittings, valves etc. by manual labour from dumps , stringing them along the route of the pipe line and Swabbing inside, cleaning of 200 mm NB pipes and making them ready for welding, including the valves and fittings</p>	Metre	4000
50	<p>Manual Transportation of 150 mm NB pipes : Transportation of 150 mm NB pipes, fittings, valves etc. by manual labour from dumps , stringing them along the route of the pipe line and Swabbing inside, cleaning of 150 mm NB pipes and making them ready for welding, including the valves and fittings</p>	Metre	4000
60	<p>Manual Transportation of 100 mm NB pipes : Transportation of 100 mm NB pipes(screwed or bevel ended), fittings, valves etc. by manual labour from dumps , stringing them along the route of the pipe line and Swabbing inside, cleaning of 100 mm NB pipes and making them ready for welding/screwing, including the valves and fittings</p>	Metre	4000
70	<p>Welding of 300 mm NB pipes & Fittings: Welding of 300 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016 .Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Joint	30

E Tender No. CDI7922P25

<u>SCHEDULE OF QUANTITY/SOQ</u>			
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.			
Line Item Nos	Description of Services	UOM	Estimated Quantity
80	Welding of 250 mm NB pipes & Fittings: Welding of 250 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016 .Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Joint	40
90	Welding of 200 mm NB pipes & Fittings: Welding of 200 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016 .Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Joint	1000
100	Welding of 150 mm NB pipes & Fittings: Welding of 150 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016 .Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Joint	1500
110	Welding of 100 mm NB pipes & Fittings: Welding of 100 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016 .Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Joint	2215
120	Screwing of 100 mm NB pipes: Screwing of already strung 100 mm NB pipes including fittings such as flanges, tees, elbows, bends etc. into a continuous length. Before screwing threads of pipes and couplings must be thoroughly cleaned.	Metre	1200
130	Bolting up of 200 mm NB pipes : Bolting up of already strung flanged ends of 200 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.	Joint	350
140	Bolting up of 150 mm NB pipes : Bolting up of already strung flanged ends of 150 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.	Joint	350
150	Bolting up of 100 mm NB pipes : Bolting up of already strung flanged ends of 100 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.	Joint	300

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos	Description of Services	UOM	Estimated Quantity
160	<p>Fabrication and installation of pipe trestles : Fabrication and installation of pipe trestles approximately 03(three) feet wide with clamping arrangement to accommodate the 200 mm NB / 150 mm NB/100 mm NB pipe line. The trestles will have to be fabricated out of 100 mm NB pipes and shall have to be firmly grouted on to the ground with concrete pipe supports (1:1 1/2:3 mixture, hand mixed) , including supply of all materials for the grouting purpose. The 100 mm NB pipes required for fabrication of pipe trestles shall be supplied by OIL. NB: The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Number	800
170	<p>Construction of concrete pipe supports : Construction of concrete pipe supports (1:1 1/2 :3 mixture, hand mixed) with clamping arrangement to accommodate the 200 mm NB / 150 mm NB/100 mm NB pipe line, including supply of all masonry materials for the above. Only pipes required for the job shall be supplied by OIL. The job clamping of the 200 mm NB / 150 mm NB/100 mm NB pipe lines on the above supports.</p>	Number	382
180	<p>Fabrication of 200 mm NB miter bends : Fabrication of 200 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API - 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Number	250
190	<p>Fabrication of 150 mm NB miter bends : Fabrication of 150 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API - 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Number	250
200	<p>Fabrication of 100 mm NB miter bends : Fabrication of 100 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API - 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Number	300
210	<p>Fabrication of 200 mm NB 'S'- bends : Fabrication of 200 mm NB 'S'- bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	NO	100

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos	Description of Services	UOM	Estimated Quantity
220	Fabrication of 150 mm NB 'S'- bends : Fabrication of 150 mm NB 'S'- bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	75
230	Fabrication of 100 mm NB 'S'- bends : Fabrication of 100 mm NB 'S'- bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	50
240	Excavation of open trench : Excavation of approx. 1.0 M deep open trench having approx. 0.7 M at the top and 0.5 M at the bottom or as advised by OIL's Representative. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain.	M3	1000
250	Crossing of graveled/asphalted roads: Crossing of roads by open trenching through a casing pipe. The job involves cutting across graveled/asphalted road to a depth of 1.6m and road crossing to be done by laying the pipeline through a casing pipe in the trench so dug. The casing pipe will be supplied by OIL. The trench shall be back filled and rammed properly by gravel stones etc.	M	1000
260	Lowering of 200 MM NB pipes: Lowering of 200 MM NB pipe line to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe the trench shall be backfilled with previously dug out earth including ramming without watering.	M	200
270	Lowering of 150 MM NB pipes: Lowering of 150 MM NB pipe line to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe the trench shall be backfilled with previously dug out earth including ramming without watering.	M	200
280	Lowering of 100 MM NB pipes: Lowering of 100 MM NB pipe line to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe the trench shall be backfilled with previously dug out earth including ramming without watering.	M	700

E Tender No. CDI7922P25

<u>SCHEDULE OF QUANTITY/SOQ</u>			
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.			
Line Item Nos	Description of Services	UOM	Estimated Quantity
290	Taking out of 250 mm NB Tee-points : Taking out of 250 mm NB Tee-points from 250 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	10
300	Taking out of 200 mm NB Tee-points : Taking out of 200 mm NB Tee-points from 250 mm/200 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	50
310	Taking out of 150 mm NB Tee-points : Taking out of 150 mm NB Tee-points from 250 mm/200 mm/150 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	100
320	Taking out of 100 mm NB Tee-points : Taking out of 100 mm NB Tee-points from 250 mm/200 mm/150 mm/100 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	200
330	Installation of 300 mm NB flanged end valves/ NRVs : Installation of 300 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	5
340	Installation of 250 mm NB flanged end valves/ NRVs : Installation of 250 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	5
350	Installation of 200 mm NB flanged end valves/ NRVs : Installation of 200 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	55

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos	Description of Services	UOM	Estimated Quantity
360	<p>Installation of 150 mm NB flanged end valves/ NRVs : Installation of 150 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	NO	110
370	<p>Installation of 100 mm NB flanged end valves/ NRVs : Installation of 100 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	NO	200
380	<p>Installation of monitors : Installation of monitors on 200 mm/150 mm/100 mm NB pipes including transportation of the same from OIL's yard / Godown / OIL's Fire Service station to the work site without causing any damage to the item (s). The job involves taking out of 100 mm NB point from 200 mm/150 mm/100 NB main fire water line and then installation of a 100 mm valve and the Monitor assembly as advised by OIL's representative. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	NO	71
390	<p>Installation of TPC/ Hydrant Points : Installation of TPC/ Hydrant Points on 200 mm/150 mm/ 100 mm NB pipe including transportation of the same from OIL's yard / Godown / OIL's Fire Service station to the work site without causing any damage to the item (s). The job involves taking out of 100 mm NB point from 200 mm/150 mm/100 NB main fire water line and then installation of a 100 mm valve and the Monitor assembly as advised by OIL's representative. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	NO	71

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos	Description of Services	UOM	Estimated Quantity
400	<p>Replacement of Drenching water spray rings of 10668 MM dia crude oil storage tanks: The job involves:</p> <p>I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.</p> <p>II. Dismantling of damaged Drenching water spray rings.</p> <p>III. Fabrication of 12294 mm dia. drenching water spray rings from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼ " NB couplings (if required) at equal spaces as shown in the attached DRG No: FE/PROJ/B'PARA/003.0. The 12294 mm dia rings will have to be fabricated in 10 (ten) equal parts complete with 50 mm (2") NB mating flanges for bolting up the parts as one complete ring. 50 mm (2") NB pipes, fitting and all related materials required for the job shall be supplied by OIL. Contractor to supply all machines/equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p> <p>IV. Installation / Placement of the drenching water spray ring fabricated vide item no 40. III. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.</p> <p>V. Hooking up of the newly installed drenching water spray ring(s) to he existing 100 mm NB drenching water riser lines.</p> <p>VI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.</p> <p>VII. Dismantling of the scaffolding erected vide item no: 40.I above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.</p>	JOB	25
	<p>Replacement of Drenching water spray rings of 6550 MM dia crude oil storage tanks: The job involves:</p> <p>I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.</p> <p>II. Dismantling of damaged Drenching water spray rings.</p> <p>III. Fabrication of 8176 mm dia. drenching water spray rings from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼ " NB couplings (if required) at equal spaces as shown in the attached DRG No: FE/PROJ/B'PARA/003.1. The 8176 mm dia rings will have to be fabricated in 08 (eight) equal parts complete with 50 mm (2") NB mating flanges for</p>		

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos.	Description of Services	UOM	Estimated Quantity
410	<p>equal parts complete with 50 mm (2") NB flange hangers for bolting up the parts as one complete ring. 50 mm (2") NB pipes, fitting and all related materials required for the job shall be supplied by OIL. Contractor to supply all machines/equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p> <p>IV. Installation / Placement of the drenching water spray ring fabricated vide item no 41. III. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.</p> <p>V. Hooking up of the newly installed drenching water spray ring(s) to the existing 100 mm NB drenching water riser lines.</p> <p>VI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.</p> <p>VII. Dismantling of the scaffolding erected vide item no: 41.I above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.</p>	JOB	20
420	<p>Repairing/ De-clogging of Drenching water spray rings of 10668 MM dia crude oil storage tanks: The job involves:</p> <p>I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.</p> <p>II. Dismantling of Drenching water spray rings.</p> <p>III. Dismantling of all nozzles (if available) from Drenching water spray rings.</p> <p>IV. Inside swabbing and cleaning of the Drenching water spray rings.</p> <p>V. De-clogging of all the holes and nozzles (if available) of the Drenching water spray rings.</p> <p>VI. Replacement of damaged nozzles. (if required)</p> <p>VII. Fabrication of part of Drenching water spray ring from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with 1/4" NB couplings (if required) and replacement of the same as advised by OIL's representative.</p> <p>VIII. Reassembling of all nozzles (if available) to Drenching water spray rings.</p> <p>IX. Installation / Placement of the drenching water spray ring dismantled vide item no 42. II. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.</p> <p>X. Hooking up of the newly installed drenching water spray ring(s) to the existing 100 mm NB drenching water riser lines.</p> <p>XI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor</p>	JOB	50

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos.	Description of Services	UOM	Estimated Quantity
	<p>shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.</p> <p>XII. Dismantling of the scaffolding erected vide item no: 42.I above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.</p>		
430	<p>Repairing/ De-clogging of Drenching water spray rings of 6550 MM dia crude oil storage tanks: The job involves:</p> <p>I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.</p> <p>II. Dismantling of Drenching water spray rings.</p> <p>III. Dismantling of all nozzles (if available) from Drenching water spray rings.</p> <p>IV. Inside swabbing and cleaning of the Drenching water spray rings.</p> <p>V. De-clogging of all the holes and nozzles (if available) of the Drenching water spray rings.</p> <p>VI. Replacement of damages nozzles. (if required)</p> <p>VII. Fabrication of part of Drenching water spray ring from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼ " NB couplings (if required) and replacement of the same as advised by OIL's representative.</p> <p>VIII. Reassembling of all nozzles (if available) to Drenching water spray rings.</p> <p>IX. Installation / Placement of the drenching water spray ring dismantled vide item no 43. II. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.</p> <p>X. Hooking up of the newly installed drenching water spray ring(s) to he existing 100 mm NB drenching water riser lines.</p> <p>XI. Hydraulic testing of the newly installed drenching water spray ring(s) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL</p>	JOB	36

E Tender No. CDI7922P25

SCHEDULE OF QUANTITY/SOQ

Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.

Line Item Nos.	Description of Services	UOM	Estimated Quantity
	shall provide necessary infrastructure for the hydraulic testing. XII. Dismantling of the scaffolding erected vide item no: 43.I above after successful completion of the job and		
440	Hooking up of the newly laid 200 mm NB line : Hooking up of the newly laid 200 mm NB line with the manifolds. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	JOB	30
450	Hooking up of the newly laid 150 mm NB line : Hooking up of the newly laid 150 mm NB line with the manifolds. The electrodes shall be of suitable gauge and specification of E6010/E7010 and should not be manufactured earlier than six months from the execution of the job and have to be approved by company Engineer. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	JOB	50
460	Hooking up of the newly laid 100 mm NB line : Hooking up of the newly laid 100 mm NB line with the manifolds. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010 and should not be manufactured earlier than six months from the execution of the job and have to be approved by company Engineer. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	JOB	42
470	Hydraulic testing : Hydraulic testing of the entire newly laid pipe line at 10.5 kg/sq. cm. of pressure for a period of 24 hours (continuous). The testing of the pipe line will have to be done after complete completion of laying of the pipe line in all aspects. Necessary materials like pressure gauge, pump, recorder and recorder charts etc. will have to be arranged by the contractor. The contractor shall lay the filling lines (100 mm NB). The contractor shall engage sufficient number of competent personnel over the entire pipeline to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole pipe line will have to be retested hydraulically. Only source water and the pipes required for laying the filling lines will be supplied by OIL. The contractor will have to return the pipes after the completion of the testing in good condition.	JOB	33
480	Painting: Applying of one coat of anti rust primer and two coats of enamel paint to pipe lines and associated pipe fittings to the satisfaction of OIL's representative. The shades of paints to be applied on pipe lines and associated pipe fittings shall be specified by HEAD – FE or his representative and will have to be supplied by the contractor along with the necessary tools and tackles. Prior to the application of paints the same will have to be approved by HEAD – FE or his representative. Nominal Dimensions of Pipes and Pipe fittings: 25 MM NB to 300 MM NB.	SME	6876

SAFETY MEASURES (SM)

**To,
CGM-CONTRACTS
OIL INDIA LIMITED
DULIAJAN-786602**

1.0 DESCRIPTION OF WORK/SERVICE: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects.

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.

b) The names of the authorized persons who would be supervising the jobs on day to day basis from our end are the following:

i) _____

ii) _____

iii) _____

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

c) Due notice would be given for any change of personnel under item (b) above.

d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil Mines Regulations, 1984 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the Company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.

e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.

f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.

g) We shall abide by the following HSE (Health, Safety & Environmental) POINTS:

2.0 GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) POINTS:

(I) The Contractor shall adhere to the following points while performing the works under this contract:

(a) It will be solely the Contractor's responsibility to fulfill all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely, the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating.

(b) Every person deployed by the contractor in a mine must use appropriate PPEs (Personal Protective Equipment) to be provided by the contractor. The Contractor shall provide Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and company's PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved or conforming to relevant IS/BIS standards. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. However, it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work.

(c) All the safety gears mentioned above are to be provided to the working personnel before commencement of the work. In absence of appropriate PPEs, the Departmental Engineer - in - Charge has the right to stop the work which will be binding for the Contractor. Moreover, the accountability towards any delay in work/ penalty due non-adherence to PPE shall be binding to the Contractor.

(d) The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the contractor and how it is to be managed.

(e) The contractor shall provide a copy of the SOP to the person designated by the mine owner who shall be supervising the contractor's work.

- (f) Keep an up-to-date SOP and provide a copy of changes to a person designated by the Mine Owner/Agent/Manager.
- (g) Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line.
- (h) All persons deployed by the contractor for working in a mine must undergo Mines Vocational Training, initial medical examination, PME. They should be issued cards stating the name of the contractor and the work and its validity period, indicating status of MVT, IME & PME.
- (i) The contractor shall submit to DGMS monthly returns indicating - Name of his firm, Registration number, Name and address of person heading the firm, Nature of work, type of deployment of work persons, Number of work persons deployed, how many work persons hold MVT Certificate, how many work persons undergone IME and type of medical coverage given to the work persons
- (j) It will be entirely the responsibility of the Contractor/his supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager / Safety Officer / Engineer / Official / Supervisor/Junior Engineer for safe operation.
- (k) Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.
- (l) Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- (m) The contractor shall have to report all incidents including near miss to Installation Manager / departmental representative of the concerned department of OIL.
- (n) The contractor has to keep a register of the persons employed by him/her. The contractor's supervisor shall take and maintain attendance of his men every day for the work, punctually.
- (o) If the company arranges any safety class / training for the working personnel at site (company employee, contractor worker, etc.) the contractor will not have any objection to any such training.

(p) The health checkup of contractor's personnel is to be done by the contractor in OIL empaneled Hospital and the reports and statutory forms as applicable to be vetted from the OIL authorized Medical Officer. The frequency of periodic medical examinations should be every five years for the employees up to 45 years of age and every three years for employees of 45 years of age and above.

(q) To arrange daily toolbox meeting and regular site safety meetings and maintain records.

(r) i) It may be noted that as per DGMS circular & Gazette Notification for maintenance of register as required by the Mines Act 1952 and Mines Rules, 1955, the forms A, B, D and E have been updated and modified. The above-mentioned forms need to be maintained as per the new format.

ii) All other statutory forms to be maintained in respect to Mines Act, 1952, Mines Rules 1955, Oil Mines Regulations 2017 and other applicable laws.

(s) A contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.

(t) A contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.

(u) Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.

(v) In case Contractor is found non-compliant of HSE laws as required, company will have the right for directing the contractor to take action to comply with the requirements, and for further non-compliance, the contractor will be penalized as per prevailing relevant Acts/Rules/Regulations.

(w) When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE measures company will have the right to direct the contractor to cease work until the non-compliance is corrected.

(x) The contractor should prevent the frequent change of his contractual employees as far as practicable.

(y) The contractor should frame a mutually agreed bridging document between OIL & the contractor with roles and responsibilities clearly defined.

(z) For any HSE matters not specified in the contract document, the contractor will abide by the relevant and prevailing Acts/rules/regulations/pertaining to Health, Safety and Environment.

(II) Specific Safety measures for the job:

The Contractor will have to strictly follow the following norms / guidelines-

(a) Necessary cold and hot work permits including excavation clearance, as applicable are to be obtained from the competent person (Installation Manager) through the site engineer before start of the job(s).

(b) While carrying out the welding and cutting work, the contractor should strictly enforce the guidelines as stated in OMR-2017 and OIL's SOP VOL-II (Safe Maintenance Procedure for Floating roof crude oil tanks)

(c) The oxy acetylene cutting sets will have to be fitted with flash back arrestors in the regulator side as well as nozzle side.

(d) Under no circumstances LPG should be used for gas cutting purpose.

(e) The job of pipeline laying will have to be executed as per strict compliance of regulations enforced by State Pollution Control Board.

(f) During transportation of line pipes by road, they should be tied up securely with rope/ chain on trailers, to prevent toppling over of pipes on bumpy roads along with necessary signage. The pipes should be unloaded carefully to prevent damage at the ends/ body of the pipes.

(g) The trenching operation should be just ahead of welding operation. This will avoid deep trenches remaining open for many days, creating safety hazards. In any case all the open trenches dug are to be suitably barricaded and marked.

(h) Before lowering the pipeline in the trench, it should be ensured that no person is present inside the trench. In case the sides cave in, the pipeline should be kept adequately supported before removing loose soil from underneath.

(i) Utmost care is to be observed in deciding the number of the tripods with chain pulley blocks for handling any job. Also, the capacity of the chain pulley blocks must be minimum 1.5 times the weight of the material it is going to lift / lower. Two-point anchoring may be used wherever required as additional safety measure.

- (j) After receipt of the workorder the contractor shall have to submit authorized list of contract personnel, who will be engaged for the jobs including name of the Contractor's competent persons and every contact details.
- (k) Necessary sign board / warning signals like caution, "hot work" in progress, emergency telephone numbers, no entry without permission etc. should be used while working on tanks. The said signals / sign boards shall have to be arranged by the contractor. Barricading of area to be done with reflecting tapes as applicable during work.
- (l) First aid box is to be arranged by the contractor for each gang working at site and same has to be carried by contractor's personnel to the site while carrying out the job. The expiry date of the medicines and other items in the box to be checked on monthly basis.
- (m) The contractor shall clear all the rubbish and surplus materials from the site on completion of the work and shall have to leave the site clean and tidy.
- (n) In addition to the MVT as mentioned in clause vii) of safety guidelines, the contractor's personnel shall undergo safety training to be given by DSO and to ensure that the same personnel are engaged for the job.
- (o) The contractor have to ensure complete safety of the personnel engaged by him, and of all the equipment they will handle and must take full responsibility for their safety.
- (p) The contractor have to ensure the quality and reliability of all the tools, equipment and instruments they use.
- (q) The attendance register to be kept for daily progress as well as attendance of contractor's personnel and it is to be signed by the contractor or his authorized representative and OIL's site engineer.
- (r) The contractor has to provide suitable facility such as Drinking Water, Lighting (approved FLP light in hazardous area).
- (s) The contractor personnel have to take every possible care to keep the environment clean and free from pollution.
- (t) The contractor personnel should understand the implication of the known hazards related to the work undertaken by them and the necessity of having an emergency plan approved by OIL to counter them, if anything goes wrong.

(u) The contractor shall have to report all sorts of near misses, incidents and accidents to Installation Manager / departmental representative of Field Engineering dept.

(v) Toolbox Meeting to be regularly held.

(w) Safety Briefing, Evacuation plan in case of emergency and how to inform (in case of emergency) to be discussed during the toolbox meeting.

(Seal)

Yours Faithfully,

Date _____

M/s. _____
FOR & ON BEHALF OF CONTRACTOR

LIST OF PROFORMAS

Sl. No	PROFORMA NOS	DESCRIPTION
1	PROFORMA I	<u>Bid form</u>
2	PROFORMA-II	<u>Statement of non-compliance (if any)</u>
3	PROFORMA-III	<u>Proforma letter of authorization for attending bid opening</u>
4	PROFORMA-IV	<u>Proforma letter of authority</u>
5	PROFORMA-V	<u>Bid security declaration</u>
6	PROFORMA-VI	<u>To be filled-up/submitted by the vendor on letter head for E-remittance]</u>
7	PROFORMA-VII	<u>Form of performance bank guarantee</u>
8	PROFORMA-VIII	<u>Agreement form</u>
9	PROFORMA-IX	<u>Format of undertaking by bidders towards submission of authentic information/documents (to be typed on the letter head of the bidder)</u>
10	PROFORMA-X	<u>Certificate of compliance to financial criteria</u>
11	PROFORMA XI	<u>Proforma of bank guarantee towards purchase preference local content</u>
12	PROFORMA-XII	<u>Commercial check list</u>
13	PROFORMA-XIII	<u>Undertaking towards submission of performance bank guarantee</u>
14	PROFORMA-XIV	<u>Safety measures</u>
15	PROFORMA-XV	<u>Certificate of annual turnover & net worth</u>
16	PROFORMA-XVI	<u>Undertaking for local content</u>
17	PROFORMA-XVII	<u>Declaration towards purchase preference</u>
18	PROFORMA-XVIII	<u>Integrity Pact</u>
19	PROFORMA-XIX	<u>Proforma of bank guarantee towards purchase preference-local content</u>
20	PROFORMA-XX	<u>Technical evaluation sheet</u>

BID FORM

**To
M/s Oil India Limited,
P.O. Duliajan, Assam, India**

Sub: "Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects."

Gentlemen,

Having examined the General and Special Conditions of Contract and the Terms of Reference including all attachments thereto, the receipt of which is hereby duly acknowledged, we the undersigned offer to perform the work/services in conformity with the said conditions of Contract and Terms of Reference for the sum quoted in the Price Bid Format or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to commence the work as per the terms & conditions set out in the subject tender.

If our Bid is accepted, we will submit the Performance Security Deposit as specified in the tender document for the due performance of the Contract.

We agree to abide by this Bid for a period of 120 days from the date of bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof in your notification of award shall constitute a binding Contract between us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

Dated this _____ day of _____ 2024.

Authorised Person's Signature: _____

Name: _____

Designation: _____

Seal of the Bidder:

STATEMENT OF NON-COMPLIANCE (IF ANY)

(Only exceptions/deviations to be rendered)

1.0 The Bidder shall furnish detailed statement of **exceptions/deviations**, if any, to the IFB stipulations, terms, and conditions in respect of each Section of Bid Document in the following format:

Section No.	Clause No. (Page No.)	Non-Compliance	Remarks

Signature of Bidder: _____

Name: _____

NOTE: OIL INDIA LIMITED expects the bidders to fully accept the terms and conditions of the bid document. However, should the bidders still envisage some exceptions/deviations to the terms and conditions of the bid document, the same should be indicated as per above format and submit along with their bids. If the **“Statement of Non-Compliance”** in the above Proforma is left blank (or not submitted along with the Bid), then it would be constructed that the bidder has not taken any exception/deviation to the IFB requirements.

PROFORMA LETTER OF AUTHORISATION FOR ATTENDING BID OPENING

**TO
CGM-CONTRACTS (HoD)
OIL INDIA LIMITED
P.O. DULIAJAN-786602
Assam, India**

Sir,

SUB: "Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects'."

I/We _____ confirm that Mr. _____ (Name and address) as authorised to represent us during bid opening on our behalf with you against IFB for **"Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects"**

Yours Faithfully,

Authorised Person's Signature: _____

Name: _____

Signature of Bidder: _____

Name: _____

Date: _____

PROFORMA LETTER OF AUTHORITY

**TO
CGM-CONTRACTS (HoD)
Contracts Department
P.O. DULIAJAN PIN-786602
Dist. Dibrugarh, Assam
India**

Dear Sir,

SUB: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects

We _____ of _____
Confirm that Mr. _____
_____ (Name and Address) is authorised to represent us to Bid, negotiate and conclude the agreement on our behalf with you against IFB for **Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects** for any commercial/ legal purpose etc.

We confirm that we shall be bound by all and whatsoever our said representative shall commit.

Authorised Person's Signature: _____

Name: _____

Yours faithfully,

Signature: _____

Name & Designation _____

For & on behalf of _____

NOTE: This letter of authority shall be on printed letter head of the bidder and shall be signed by a person competent and having the power of attorney (Power of attorney shall be annexed) to bind such Bidder.

FORM OF BID SECURITY (BANK GUARANTEE FORMAT)

To
M/s OIL INDIA LIMITED,
CONTRACTS DEPARTMENT,
DULIAJAN, ASSAM, INDIA, PIN-786602

WHEREAS, (Name of Bidder) _____ (hereinafter called "the Bidder") has submitted their offer Dated _____ for the provision of certain services (hereinafter called "the Bid") against OIL INDIA LIMITED, Duliajan, Assam, India (hereinafter called the Company's) Tender No. _____ KNOW ALL MEN BY these presents that we (Name of Bank) _____ of (Name of Country) _____ having our registered office at _____ (hereinafter called "Bank") are bound unto the Company in the sum of (* _____) for which payment well and truly to be made to Company, the Bank binds itself, its successors and assignees by these presents.

SEALED with the said Bank this ___ day of _____ 20_____

THE CONDITIONS of these obligations are:

1. If the Bidder withdraws their Bid within its original/extended validity; or
2. The Bidder modifies/revises their bid suomoto; or
3. The Bidder does not accept the contract; or
4. The Bidder does not furnish Performance Security Deposit within the stipulated time as per tender/contract; or
5. If it is established that the Bidder has submitted fraudulent documents or has indulged into corrupt and fraudulent practice.

We undertake to pay to Company up to the above amount upon receipt of its first written demand (by way of letter/fax/cable), without Company having to substantiate its demand provided that in its demand Company will note that the amount claimed by it is due to it owing to the occurrence of any of the conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including the date (**--/--/--) and any demand in respect thereof should reach the Bank not later than the above date.

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:

BANK FAX NO:

BANK EMAIL ID:

BANK TELEPHONE NO.:

IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS _____

Name of Bank & Address _____

Witness _____

Address _____

(Signature, Name and Address)

Date: _____

Place: _____

- * The Bidder should insert the amount of the guarantee in words and figures.
- ** Date of expiry of Bank Guarantee should be minimum 30 days after the end of the validity period of the Bid/as specified in the Tender.

Note:

The Bank Guarantee issuing bank branch shall ensure the following:

- a. The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:
 - (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
 - (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to ICICI BANK LTD., Duliajan Branch; IFS Code – ICIC0000213; SWIFT Code – ICICINBBXXX; Branch Address: Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602.

- b. Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

**[TO BE FILLED-UP/SUBMITTED BY THE VENDOR ON ITS LETTER HEAD FOR
E-REMITTANCE]**

Name:

FULL Address:

Phone Number:

Mobile Number:

E-mail address:

Fax Number:

Bank Account Number (in which the Bidder wants remittance against invoices):

Bank Name:

Branch:

Address of the Bank:

Bank Code:

IFSC/RTGS Code of the Bank:

NEFT Code of the Bank:

PAN Number:

GST Registration Number:

Signature of Bidder with Official Seal

FORM OF PERFORMANCE BANK GUARANTEE

To:

M/s. Oil India Limited
Contracts Department
Duliajan, Assam - 786602

WHEREAS _____ (Name and address of Contractor) (hereinafter called "Contractor") had undertaken, in pursuance of Contact No. _____ to execute (Name of Contract and Brief Description of the Work) _____ (hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.

AND WHEREAS we (May incorporate the Bank Name) have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) _____ (in words _____), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or arguments, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the _____ day of _____

The details of the Issuing Bank and Controlling Bank are as under:

- A. Issuing Bank:
BANK FAX NO:
BANK EMAIL ID:
BANK TELEPHONE NO:
IFSC CODE OF THE BANK:

- B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contract Person at the Controlling Office with Mobile No. and e-mail address:

Notwithstanding anything contained herein:

- a) Our liability under this Bank Guarantee shall be restricted up to Rs. _____
- b) This guarantee shall be valid till
- c) We are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before(Date of Expiry of BG PLUS one year claim period).
- d) At the end of the claim period that is on or after (Date of expiry of the Bank Guarantee Plus Minimum of 1 year claim period shall be stipulated) all your rights under this Guarantee shall stand extinguished and we shall be discharged from all our liabilities under this Guarantee irrespective of receipt of original Bank Guarantee duly discharged, by Bank.

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS _____
Designation _____
Name of the Bank _____
Address _____

Note:

The Bank Guarantee issuing bank branch shall ensure the following:

- a. The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:
 - (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
 - (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS (indicating the Contract Number) by the BG issuing bank branch to ICICI BANK LTD., Duliajan Branch; IFS Code – ICIC0000213; SWIFT Code – ICICINBBXXX; Branch Address: Kunja Bhavan, Daily Bazaar, Duliajan, Dibrugarh, Assam – 786602.

- b. Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

AGREEMENT FORM

This Agreement is made on ____ day of _____ between Oil India Limited, a Government of India Enterprise, incorporated under the Companies Act 1956, having its registered office at Duliajan in the State of Assam, hereinafter called the "Company" which expression unless repugnant to the context shall include executors, administrators and assignees on the one part, and M/s. _____ (Name and address of Contractor) hereinafter called the "Contractor" which expression unless repugnant to the context shall include executors, administrators and assignees on the other part,

WHEREAS the Company desires that Services _____ (brief description of services) should be provided by the Contractor as detailed hereinafter or as Company may requires;

WHEREAS, Contractor engaged themselves in the business of offering such services represents that they have adequate resources and equipment, material etc. in good working order and fully trained personnel capable of efficiently undertaking the operations and is ready, willing and able to carry out the said services for the Company as per Section-II attached herewith for this purpose and

WHEREAS, Company had issued a firm Letter of Award No. _____ dated _____ based on Offer No. _____ dated _____ submitted by the Contractor against Company's IFB No. _____ and the Contractor accepted the same vide Letter No. _____ dated _____.

WHEREAS, the Contractor has furnished to Company the performance security in the form of DD/BC/BG for Rs. _____ (being 3% of Annualized Contract value) with validity of 90 (Ninety) days beyond the contract period.

All these aforesaid documents shall be deemed to form and be read and construed as part of this agreement/contract. However, should there be any dispute arising out of interpretation of this contract in regard to the terms and conditions with those mentioned in Company's tender document and subsequent letters including the Letter of Intent and Contractor's offer and their subsequent letters, the terms and conditions attached hereto shall prevail. Changes, additions or deletions to the terms of the contract shall be authorized solely by an amendment to the contract executed in the same manner as this contract.

NOW WHEREAS, in consideration of the mutual covenants and agreements hereinafter contained, it is hereby agreed as follows –

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. In addition to documents herein above, the following Sections and Annexures attached herewith shall be deemed to form and be read and construed as part of this agreement viz.:

- (a) PART-I indicating the General Conditions of this Contract;
- (b) PART-II indicating the Schedule of work, unit, quantities & rates;
- (c) PART-III indicating the Special Conditions of Contract;
- (d) PART-V indicating the Safety Measures.

3. In consideration of the payments to be made by the Company to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Company to provide the Services and to remedy defects therein in conformity in all respect with the provisions of this Contract.

4. The Company hereby covenants to pay the Contractor in consideration of the provision of the Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of this Contract at the times and in the manner prescribed by this Contract.

IN WITNESS thereof, each party has executed this contract at Duliajan, Assam as of the date shown above.

Signed, Sealed and Delivered,

For and on behalf of
Company (Oil India Limited)

for and on behalf of Contractor
(M/s. _____)

Name:

Name:

Status:

Status:

In presence of

In presence of

1.

1.

2.

2.

Format of undertaking by Bidders towards submission of authentic information/documents (To be typed on the letter head of the bidder)

Ref. No _____

Date _____

Sub: Undertaking of authenticity of information/documents submitted

**To,
The CGM-Contracts (HoD)
Contracts Department,
OIL, Duliajan**

Sir,

With reference to our quotation against your above-referred tender, we hereby undertake that no fraudulent information/documents have been submitted by us.

We take full responsibility for the submission of authentic information/documents against the above cited bid.

We also agree that, during any stage of the tender/contract agreement, in case any of the information/documents submitted by us are found to be false/forged/fraudulent, OIL has right to reject our bid at any stage including forfeiture of our PBG and/or cancel the award of contract and/or carry out any other penal action on us, as deemed fit.

Yours faithfully,

For (type name of the firm here)

Signature of Authorized Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

**(TO BE EXECUTED BY THE AUTHORIZED SIGNATORY OF THE BIDDER ON
THE OFFICIAL LETTER HEAD OF THE BIDDER)**

CERTIFICATE OF COMPLIANCE TO FINANCIAL CRITERIA

Ref: Note 'b' under Clause 3.0 Financial Criteria of BEC/BRC

I _____ the authorized signatory(s) of _____ (Company or Firm name with address) do hereby solemnly affirm and declare/ undertake as under:

The balance sheet/Financial Statements for the financial year _____ have actually not been audited as on the Original Bid Closing Date.

Yours faithfully,

For (type name of the firm here)

Signature of Authorized Signatory

Name:

Designation:

Phone No.

Place:

Date:

(Affix Seal of the Organization here, if applicable)

Note: This certificate is to be issued only considering the time required for preparation of Financial Statements i.e. if the last date of preceding financial/accounting year falls within the preceding six months within the due date for furnishing of audit report as per Section 139(1) of IT Act, 1961 (read along with latest circulars/notifications issued by CBDT from time to time) reckoned from the Original Bid Closing Date.

COMMERCIAL CHECK LIST**Bidder's Name:** _____

This Questionnaire duly filled in should be returned along with each copy of Un-priced Bid. Clauses confirmed hereunder should not be repeated in the Bid.

Sl. No.	Description	Bidder's Confirmation
1.	Type of Bidding Entity	
2.	Bidder's name and address:	
3.	It is noted that deviations to Terms & Conditions shall lead to rejection of offer, as specified in the Tender.	
4.	Ensure and confirm that prices quoted in 'Schedule of Rates', are for complete scope of work as defined in the tender	
5.	Indicate SAC Code Indicate rate of GST applicable.	SAC Code: GST%
6.	EMD Details: Whether Bid Security of requisite value submitted	
7.	Confirm to Submit PBG as per Tender requirement	
8.	Confirm that the offer shall remain valid for acceptance up to 120 (One Hundred Twenty) days from Date of bid opening.	
9.	Whether Mobilization and Completion period of contract is complied?	
10.	Whether Integrity Pact Submitted (if applicable)?	
11.	Confirm that quoted prices shall remain firm and fixed until completion of the contract, except as otherwise mentioned in the bid document.	
12.	Confirm that percentage of Local Content along with Certificate of	

	Incorporation/registration and other relevant documents required under BEC Clause No. 1.0 has been submitted.	
13.	Confirm whether you want to avail/claim Purchase Preference. If yes, specify under which category: PP-LC or MSE?	
14.	Confirm that you have submitted all documents as mentioned in the Tender/Annexures.	
15.	Confirm acceptance to all terms & conditions of the Tender.	
16.	Confirm that all correspondence must be in English Language only.	
17.	Indicate Name & Contact No. (Telephone/Fax/E-mail) of person signing the bid.	Name: Contact No.: Fax: Email:
18.	Confirm that all Bank charges associated with Bidder's Bank shall be borne by Bidder.	
19.	Please indicate the following: (i) PAN No. (ii) GST Regn. No.	
20.	Confirm that you have duly filled up and submitted the Technical Evaluation Sheet for BEC BRC	

Bidder confirms that in case of conflicting version of various terms & conditions at different places, the confirmation furnished as above shall be considered over-riding and final and any other deviation indicated elsewhere shall be treated as redundant.

Signature _____

Name _____

Designation _____

Office Stamp _____

UNDERTAKING TOWARDS SUBMISSION OF BANK GUARANTEE

To,
Oil India Limited
Contracts Department
Duliajan, Assam - 786602

We, M/s..... are submitting the Performance Security in favour of Oil India Limited, Duliajan in the form of bank guarantee bearing Reference No.for an amount of INR..... valid up to as per terms and conditions of Tender/Contract No.

BG issuing bank details:-

Bank Branch IFS Code	
Contact Details E-mail Addresses	Mobile Telephone Fax
Correspondence Address H No/Street/City	State Country Pin Code

Declaration:

We have arranged to send the confirmation of issuance of the bank guarantee via SFMS portal through our bank using the details mentioned in the tender and hereby confirming the correctness of the details mentioned.

Authorized Signature: _____
Name: _____
Vendor Code: _____
Email ID: _____
Mobile No: _____

Encl: Original bank guarantee

**To,
CGM-CONTRACTS (HoD)
OIL INDIA LIMITED
DULIAJAN-786602**

SUB: SAFETY MEASURES

Description of service: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects.

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.

b) The names of the authorized persons who would be supervising the jobs on day to day basis from our end are the following:

i) _____

ii) _____

iii) _____

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

c) Due notice would be given for any change of personnel under item (b) above.

d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil Mines Regulations, 1984 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the Company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.

e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.

f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.

g) We shall abide by the HSE (Health, Safety & Environmental) POINTS as stipulated in SOW of the contract.

(Seal)

Yours Faithfully

Date_____

M/s_____

FOR & ON BEHALF OF CONTRACTOR

CERTIFICATE OF ANNUAL TURNOVER & NET WORTH

TO BE ISSUED BY PRACTISING **CHARTERED ACCOUNTANTS' FIRM** ON THEIR LETTER HEAD

TO WHOM IT MAY CONCERN

This is to certify that the following financial positions extracted from the audited financial statements of M/s..... (Name of the Bidder) for the last 03 (Three) completed accounting years upto..... **(as the case may be)** are correct.

YEAR	TURN OVER In INR	NET WORTH In INR

Place:

Date:

Seal:

Membership Number:

Signature

Registration No.:

UDIN:

PROFORMA-XVI

**UNDERTAKING FOR LOCAL CONTENT
(To be submitted in the letter head of the bidder)**

We, _____ (Name of the bidder) have submitted Bid No. _____ against Tender No. _____ dated _____ for **Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects.**

We hereby undertake that we meet the mandatory minimum local content requirement as mandated by Public Procurement (Preference to Make in India) Order, 2017 of Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India as revised vide Order No. P-45021/2/2017-PP (BE-II) dated 16th September 2020 (and as amended time to time) with modifications as notified vide MoPNG Order No. FP-20013/2/2017-FP-PNG-Part (4) (E-41432) dated 26th April 2022 (including subsequent amendments thereof, if any). The percentage of Local Content is _____ %.

For and on behalf of _____

Authorized signatory _____

Name _____

Designation _____

Contact No. _____

INTEGRITY PACT

Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(Name of the bidder)..... hereinafter referred to as "The Bidder/ Contractor"

Preamble:

The Principal intends to award, under laid down organizational procedures, contract/s for **Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects** The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organization "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section: 1 -Commitments of the Principal

(1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:

1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.

2. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.

3. The Principal will exclude from the process all known prejudiced persons.

(2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a Page 2 of 6 substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

Section: 2 -Commitments of the Bidder/Contractor

(1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.

i. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.

ii. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

iii. The Bidder/Contractor will not commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

iv. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

v. Bidders to disclose any transgressions with any other company that may impinge on the anti-corruption principle.

vi. The Bidder (s)/ Contractor (s) of foreign origin shall disclose the name and address of the Agents/ representatives in India, if any. Similarly, the Bidder (s)/ Contractor (s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further, all the payments made to the Indian agent/ representative have to be in India Rupees only.

vii. Bidders not to pass any information provided by Principal as part of business relationship to others and not to commit any offence under PC/ IPC Act;

(2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

(3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

Section 3 -Disqualification from tender process and exclusion from future Contracts

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.

2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.

3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.

4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.

5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract **or as mentioned in Section 9- Pact Duration whichever is later.** Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings. Any issue relating to execution of contract, if specifically raised before the IEMs shall be looked into by IEMs.

Section 4 -Compensation for Damages

1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.

(2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal

shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.

3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

Section 5 -Previous transgression

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.

2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section: 6 -Equal treatment of all Bidders/Contractor/Subcontractors

1. The Principal will enter into Pacts on identical terms with all bidders and contractors.

2. The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.

3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section: 7 -Criminal charges against violating Bidders/Contractors/Subcontractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section: 8 -External Independent Monitor/Monitors

1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.

2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality. However, the documents/records/information having National Security implications and those documents which have been classified as Secret/Top Secret are not to be disclosed.
4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.
6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.
7. If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
8. The word 'Monitor' would include both singular and plural.
9. In case of any complaints referred under IP Program, the role of IEMs is advisory and would not be legally binding and it is restricted to resolving the issues raised by an intending bidder regarding any aspect of the tender which allegedly restricts competition or bias towards some bidder.

Section:9 -Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

Section:10 -Other provisions

1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.

2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.

3. If the Contractor / Bidder is a Joint Venture or a partnership concern or a consortium, this agreement must be signed by all partners or consortium members. In case of sub-contracting, the Principal contractor shall take the responsibility of the adoption of IP by the sub-contractor and all sub-contractors shall also sign the IP.

4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

5. Issues like warranty / guarantee, etc. shall be outside the purview of IEMs.

.....
For the Principal

.....
For the Bidder/Contractor

Witness 1:

Witness 2:

Place:
Date:

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Bidder's Name: _____ **PROFORMA-XX**

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
1.	1.0	The bid shall conform to the specifications and terms and conditions given in the Bidding Documents. Bids will be rejected in case material and services offered do not conform to the required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bid to the stipulated specifications, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and will not be considered for evaluation. All the documents related to BEC shall be submitted along with the Technical Bid.			
2.	1.1	The bidder must be incorporated in India and must maintain more than 20% local content (LC) for the offered services to be eligible to bid against this tender. Regarding calculation of local content and submission of documents during bidding & execution of contracts, provision of Purchase preference under Public Procurement (Preference to Make in India) Order, 2017 of Department for Promotion of Industry and Internal Trade (DPIIT), Govt. of India and as amended time to time			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<p>with modifications as notified vide MoPNG Order No. FP-20013/2/2017-FP-PNG-Part (4) (E-41432) dated 26th April 2022 (including subsequent amendments thereof, if any) shall be applicable.</p> <p>If such local content is not maintained during execution of contract, OIL reserves the right to invoke the Performance Securities submitted by the bidding and supporting companies, in addition to resorting to other options as may be deemed appropriate.</p> <p>Whether or not the bidders want to avail PPP-MII benefit against this tender, it is mandatory for them to meet the following at the bidding stage:</p> <p>(a) Without specifying the unit rates and bid amount in the technical bid, the bidder must specify the percentage (%) of local content in their bid as per format prescribed in PROFORMA-XVI (duly signed & sealed by the Power of Attorney holder), without which the bid may be rejected being non-compliant. Such undertaking shall become a part of the contract, if awarded.</p> <p>(b) Along with the technical bid, bidder must submit a copy of their Certificate of Incorporation/Registration or any other valid document(s) which substantially establishes its constitution in India.</p>			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
2.0 TECHNICAL CRITERIA					
3.	2.1.1	<p>2.1.1 Bidder must have experience of successfully executed/ completed 'SIMILAR WORK' over the last previous 07 (seven) years reckoned from the original bid closing date in Central Government / State Government Organization / PSUs / Nationalised Banks/ Public Limited Company of India.</p> <p>i. One similar completed work each costing not less than ₹ 1,85,17,900 (Rupees One Crore Eighty-Five Lakh Seventeen Thousand Nine Hundred only);</p> <p style="text-align: center;">or</p> <p>ii. Two similar completed works each costing not less than ₹ 1,15,73,700 (Rupees One Crore Fifteen Lakh Seventy-Three Thousand Seven Hundred only);</p> <p style="text-align: center;">or</p> <p>iii. Three similar completed works each costing not less than ₹ 92,59,000 (Rupees Ninety-Two Lakh Fifty-Nine Thousand) only.</p>			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
4.	2.1.2	<p>2.1.2 Bidder must submit an Undertaking (enclosed as PROFORMA-A) stating to comply in toto to the following:</p> <p>(i) I/We undertake that I/We am/are capable for simultaneous execution of the jobs as detailed in the Tender in at-least 02 (two) locations as and when required by OIL.</p> <p>(ii) In the event of award of Contract, We/I shall deploy sufficient pool of manpower, machinery, tools & tackles and resources for simultaneous execution of the jobs as detailed under this tender in at-least 02 (two) locations on as and when required basis.</p> <p>(iii) In the event of award of Contract, We/I shall engage at least one (01) supervisor at each location having the requisite experience (as mentioned in the SCC of the tender) & credentials of the same shall be furnished to OIL by us/me during mobilization period of the Contract.</p>			
5.	Notes to Clause 2.1.1 above:	<p>A. ‘SIMILAR WORK’ mentioned above means “Experience in successful completion of carrying out pipeline laying and related jobs for pipe dimensions of 100 MM NB or above.”</p>			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<p>B. Proof of requisite Experience, viz. award and subsequent successful execution/completion of 'SIMILAR WORK' (refer Clause No. 2.1.1 above), must be substantiated by submission of the following documents along with the bid:</p> <p>(a) Contract document/ Letter of Intent (LOI)/Letter of Award (LOA)/ Work Order showing detailed scope of work in line with Clause 2.1.1 above,</p> <p style="text-align: center;">AND</p> <p>(b) Job Completion Certificate showing:</p> <p>(i) Gross value of job/quantity done</p> <p>(ii) Nature of job done and Work Order No. / Contract No.</p> <p>(iii) Contract period and date of completion</p> <p style="text-align: center;">OR</p>			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<p>SES (Service Entry Sheet) / Certificate of Payment (COP) issued by the company indicating the following:</p> <ul style="list-style-type: none"> (i) Work Order No. / Contract No. (ii) Gross value of jobs/quantities done (iii) Period of Service (iv) Nature of Service <p>C. Only Letter of Intent (LOI)/Letter of Award (LOA), or Work Order(s) are not acceptable as evidence.</p> <p>D. In case requisite experience is against OIL's Contract, bidder shall only be required to categorically specify OIL's Contract Number and date.</p> <p>E. Mere award of contract(s) will not be counted towards experience. Successful completion of the awarded contract(s) to the extent of volume & value, as stipulated under Clause No. 2.1.1 will only be treated as</p>			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<p>acceptable experience.</p> <p>F. Following work experience will also be taken into consideration:</p> <p>(a) If the prospective bidder is executing 'SIMILAR WORK' which is still running, and the contract value/quantity executed prior to original bid closing date is equal to or more than the minimum prescribed value in the BEC.</p> <p>(b) In case the start date of the requisite experience is beyond the prescribed 07 (seven) years reckoned from the original bid closing date, but completion is within the prescribed 07 (seven) years reckoned from the original bid closing date.</p> <p>(c) If the prospective bidder has executed a contract in which 'SIMILAR WORK' is a component of the contract.</p> <ul style="list-style-type: none"> In case the document submitted as per Para B above, are not sufficient to establish the value/quantity/period of the 'SIMILAR WORK' against Para F (a), (b) & (c) above the bidder shall also have to submit the breakup of the works executed under such contract(s) clearly indicating the value / quantity / period of 'SIMILAR WORK' which should be certified by the end user or a certificate issued by a practicing Chartered / Cost Accountant 			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<p>Firm (with Membership Number & Firm Registration Number).</p> <p>G. Experience of executing 'SIMILAR WORK' through 'sub-contracting' shall not be considered for evaluation.</p> <p>H. 'SIMILAR WORK' executed by a bidder for its own organization / subsidiary cannot be considered as experience for the purpose of meeting BEC.</p> <p>I. Bids submitted for part of the 'SIMILAR WORK' will be rejected.</p> <p>J. Bid will be rejected if not accompanied with adequate documentary proof in support of Work experience as mentioned in Para 2.1.1.</p> <p>K. Any Bidder, if participated in the tender as Joint Venture, Consortium and through any other arrangement like MOU with another party, such offers shall not be considered for evaluation.</p> <p>L. Only one bid against a party offering individually as well as under Proprietorship/Partnership firms shall be accepted. In case any bidder is found to submit more than one bid including separate bids under proprietorship as well as under any Partnership firm then all the bids submitted by the bidder in his own name or in the name of firm where he/she is a partner/sole proprietor will be rejected</p>			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
2.2 FINANCIAL CRITERIA					
6.	<u>2.2</u>	<p>2.2.1 Annual Financial Turnover of the bidder in any of preceding 03 (three) financial / accounting years, reckoned from the original bid closing date should be at least ₹ 28,93,500.00 (Rupees Twenty-Eight Lakh Ninety-Three Thousand Five Hundred) only.</p> <p>2.2.2 Net worth of bidder must be positive for preceding financial / accounting year. Note:</p> <ul style="list-style-type: none"> Annual Financial Turnover of the bidder from operations shall mean: "Aggregate value of the realisation of amount made from the sale, supply or distribution of goods or on account of services rendered, or both, by the company (bidder) during a financial year" as per the Companies Act, 2013 Section 2 (91). Net worth shall mean: "Share capital + Reserves created out of profits and securities Premium – Aggregate value of accumulated losses (excluding revaluation reserves) – deferred expenditure – Miscellaneous Expenditure to the extent not written off and carried forward Loss - Reserves created out of write back of depreciation and amalgamation" 			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<ul style="list-style-type: none"> The Net worth to be considered against the clause above, should be read in conjunction with the definition of Net worth as mentioned in Section 2 (57) of Companies Act, 2013. 			
7.	Notes to BEC Clause 2.2 above:	<p>A. For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:</p> <p>(i) A certificate* issued by a practicing Chartered / Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in PROFORMA-XV.</p> <p style="text-align: center;">OR</p> <p>(ii) Audited Balance Sheet along with Profit & Loss account.</p> <p>*Note:</p> <ul style="list-style-type: none"> Mention of UDIN (Unique Document Identification Number) is mandatory for all Certificates issued w.e.f. February 1, 2019 by Chartered Accountant in Practice. In case the bidder is a Central Govt. organization / PSU /State Govt. 			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<p>organization / Nationalized Banks/ Semi-State Govt. Organization or any other Central / State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidences for the same.</p> <p>B. Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months / within the due date for furnishing of audit report as per Section 139(1) of IT Act, 1961 (read along with latest circulars/notifications issued by CBDT from time to time) reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an undertaking in support of the same along with their technical bid as per PROFORMA-X.</p> <p>C. In case the bidder is a Central Govt. organization / PSU /State Govt. organization / Semi-State Govt. Organization or any other Central / State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide</p>			

TECHNICAL EVALUATION SHEET FOR BEC/BRC

Sl. No.	Clause No. of BEC/BRC	Description	Compliance		Bidder must indicate Relevant Page No. of their Bid to support the remarks/ compliance
			Yes	No	
		<p>documentary evidence for the same.</p> <p>D. In case the bidder is a Government Department, they are exempted from submission of documents mentioned under Para-A. & Para-B. above.</p> <p>E. Bid will be rejected if not accompanied with adequate documentary proof in support of Annual turnover and Net worth as mentioned in Para 2.2.1 & 2.2.2.</p>			

PRICE BIDDING FORMAT					
OIL INDIA LIMITED (A Government of India Enterprise) Duliajan, Assam					
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.					
NAME OF BIDDER					
Bidder's GSTIN No.					
SAC Code					
Item No.	Description of Services	UOM	Estimated Quantity	Rate (Rs.) to be quoted Excluding GST	Amount (Rs.) Excluding GST
			A	B	C = A * B
10	<p>Transportation of pipes of various sizes : Transportation of pipes of various sizes to the locations including loading and unloading without causing any damage to the pipes.</p> <p>The weights of the pipes are: For 300 mm dia: 65.35 kg/m 250 mm dia: 51.03 kg/m 200 mm dia: 36.61 kg/m 150 mm dia: 28.22 kg/m 100 mm dia: 18.63 kg/m</p> <p>The lengths of the pipes to be transported are as follows: 300 mm dia: 60 M 250 mm dia: 120 M 200 mm dia: 4000 M 150 mm dia: 3000 M 100 mm dia: 3000 M</p> <p>The average distance to be moved is 70 Km.</p>	Ton-Kilometre	21,322.42		₹
20	<p>Manual Transportation of 300 mm NB pipes : Manual Transportation of 300 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipe line and Swabbing inside, cleaning of 300 mm NB pipes and making them ready for welding, including the valves and fittings.</p>	Metre	60		₹
30	<p>Manual Transportation of 250 mm NB pipes: Transportation of 250 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipe line and Swabbing inside, cleaning of 250 mm NB pipes and making them ready for welding, including the valves and fittings.</p>	Metre	120		₹
40	<p>Manual Transportation of 200 mm NB pipes : Transportation of 200 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipe line and Swabbing inside, cleaning of 200 mm NB pipes and making them ready for welding, including the valves and fittings.</p>	Metre	4,000		₹
50	<p>Manual Transportation of 150 mm NB pipes : Transportation of 150 mm NB pipes, fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipe line and Swabbing inside, cleaning of 150 mm NB pipes and making them ready for welding, including the valves and fittings.</p>	Metre	4,000		₹
60	<p>Manual Transportation of 100 mm NB pipes : Transportation of 100 mm NB pipes (screwed or bevel ended), fittings, valves etc. by manual labour from dumps, stringing them along the route of the pipe line and Swabbing inside, cleaning of 100 mm NB pipes and making them ready for welding/screwing, including the valves and fittings.</p>	Metre	4,000		₹
70	<p>Welding of 300 mm NB pipes & Fittings: Welding of 300 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Joint	30		₹
80	<p>Welding of 250 mm NB pipes & Fittings: Welding of 250 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Joint	40		₹
90	<p>Welding of 200 mm NB pipes & Fittings: Welding of 200 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Joint	1,000		₹
100	<p>Welding of 150 mm NB pipes & Fittings: Welding of 150 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Joint	1,500		₹
110	<p>Welding of 100 mm NB pipes & Fittings: Welding of 100 mm NB pipes including bends, flanges and tees using three runs of welding. The welding shall generally conform to API Std. 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p>	Joint	2,215		₹
120	<p>Screwing of 100 mm NB pipes: Screwing of already string 100 mm NB pipes including fittings such as flanges, tees, elbows, bends etc. into a continuous length. Before screwing threads of pipes and couplings must be thoroughly cleaned.</p>	Metre	1,200		₹

PRICE BIDDING FORMAT					
OIL INDIA LIMITED (A Government of India Enterprise) Duliajan, Assam					
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.					
NAME OF BIDDER					
Bidder's GSTIN No.					
SAC Code					
Item No.	Description of Services	UOM	Estimated Quantity	Rate (Rs.) to be quoted Excluding GST	Amount (Rs.) Excluding GST
130	Bolting up of 200 mm NB pipes : Bolting up of already strung flanged ends of 200 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.	Joint	350	₹	-
140	Bolting up of 150 mm NB pipes : Bolting up of already strung flanged ends of 150 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.	Joint	350	₹	-
150	Bolting up of 100 mm NB pipes : Bolting up of already strung flanged ends of 100 mm NB pipes (to which flanges have already been welded) with proper gaskets including fittings such as flanges, tees, elbows, bends etc. into a continuous length.	Joint	300	₹	-
160	Fabrication and installation of pipe trestles : Fabrication and installation of pipe trestles approximately 03(three) feet wide with clamping arrangement to accommodate the 200 mm NB / 150 mm NB/100 mm NB pipe line. The trestles will have to be fabricated out of 100 mm NB pipes and shall have to be firmly grouted on to the ground with concrete pipe supports (1:1, 1/2:3 mixture, hand mixed) including supply of all materials for the grouting purpose. The 100 mm NB pipes required for fabrication of pipe trestles shall be supplied by OIL. NB: The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Number	800	₹	-
170	Construction of concrete pipe supports : Construction of concrete pipe supports (1:1 1/2 :3 mixture, hand mixed) with clamping arrangement to accommodate the 200 mm NB / 150 mm NB/100 mm NB pipe line, including supply of all masonry materials for the above. Only pipes required for the job shall be supplied by OIL. The job clamping of the 200 mm NB / 150 mm NB/100 mm NB pipe lines on the above supports.	Number	382	₹	-
180	Fabrication of 200 mm NB miter bends : Fabrication of 200 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Number	250	₹	-
190	Fabrication of 150 mm NB miter bends : Fabrication of 150 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Number	250	₹	-
200	Fabrication of 100 mm NB miter bends : Fabrication of 100 mm NB miter bends with smooth curvature having at least 05(five) cuts. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	Number	300	₹	-
210	Fabrication of 200 mm NB 'S' bends : Fabrication of 200 mm NB 'S' bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	100	₹	-
220	Fabrication of 150 mm NB 'S' bends : Fabrication of 150 mm NB 'S' bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	75	₹	-
230	Fabrication of 100 mm NB 'S' bends : Fabrication of 100 mm NB 'S' bends with smooth curvature having at least 10 (ten) cuts to suit the contour of the pipeline. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	50	₹	-
240	Excavation of open trench : Excavation of approx. 1.0 M deep open trench having approx. 0.7 M at the top and 0.5 M at the bottom or as advised by OIL's Representative. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain.	M3	1,000.00	₹	-

PRICE BIDDING FORMAT					
OIL INDIA LIMITED (A Government of India Enterprise) Duliajan, Assam					
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.					
NAME OF BIDDER					
Bidder's GSTIN No.					
SAC Code					
Item No.	Description of Services	UOM	Estimated Quantity	Rate (Rs.) to be quoted Excluding GST	Amount (Rs.) Excluding GST
250	Crossing of graveled/asphalted roads: Crossing of roads by open trenching through a casing pipe. The job involves cutting across graveled/asphalted road to a depth of 1.6m and road crossing to be done by laying the pipeline through a casing pipe in the trench so dug. The casing pipe will be supplied by OIL. The trench shall be back filled and rammed properly by gravel stones etc.	M	1,000	₹	-
260	Lowering of 200 MM NB pipes: Lowering of 200 MM NB pipe line to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe the trench shall be backfilled with previously dug out earth including ramming without watering.	M	200	₹	-
270	Lowering of 150 MM NB pipes: Lowering of 150 MM NB pipe line to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe the trench shall be backfilled with previously dug out earth including ramming without watering.	M	200	₹	-
280	Lowering of 100 MM NB pipes: Lowering of 100 MM NB pipe line to the bottom of previously prepared trench without causing damage to the pipe. The bottom and sides of the trench should be smoothly finished to accommodate the welded pipeline (s) without any stress or strain. The trench shall be inspected by company's representative before lowering the pipe. The contractor must arrange water pump to drain out water from the trench before lowering the pipe. After lowering the pipe the trench shall be backfilled with previously dug out earth including ramming without watering.	M	700	₹	-
290	Taking out of 250 mm NB Tee-points : Taking out of 250 mm NB Tee-points from 250 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	10	₹	-
300	Taking out of 200 mm NB Tee-points : Taking out of 200 mm NB Tee-points from 250 mm/200 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	50	₹	-
310	Taking out of 150 mm NB Tee-points : Taking out of 150 mm NB Tee-points from 250 mm/200 mm/150 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	100	₹	-
320	Taking out of 100 mm NB Tee-points : Taking out of 100 mm NB Tee-points from 250 mm/200 mm/150 mm/100 mm NB pipes including fabrication / welding of saddles, stiffener, guide bars etc.	NO	200	₹	-
330	Installation of 300 mm NB flanged end valves/ NRVs : Installation of 300 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	5	₹	-
340	Installation of 250 mm NB flanged end valves/ NRVs : Installation of 250 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	5	₹	-
350	Installation of 200 mm NB flanged end valves/ NRVs : Installation of 200 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	55	₹	-

PRICE BIDDING FORMAT					
OIL INDIA LIMITED (A Government of India Enterprise) Duliajan, Assam					
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.					
NAME OF BIDDER					
Bidder's GSTIN No.					
SAC Code					
Item No.	Description of Services	UOM	Estimated Quantity	Rate (Rs.) to be quoted Excluding GST	Amount (Rs.) Excluding GST
360	Installation of 150 mm NB flanged end valves/ NRVs : Installation of 150 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	110	₹	-
370	Installation of 100 mm NB flanged end valves/ NRVs : Installation of 100 mm NB flanged end valves/ NRVs including transportation of the same from OIL's yard / Godown to the work site without causing any damage to the item (s). The job includes welding of two nos. of companion flanges by proper alignment avoiding any stress either on the valve or on the line and final bolting up of the valves in proper way with the companion flanges with proper gasket. The welding shall generally conform to API -1104. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	200	₹	-
380	Installation of monitors : Installation of monitors on 200 mm/150 mm/100 mm NB pipes including transportation of the same from OIL's yard / Godown / OIL's Fire Service station to the work site without causing any damage to the item (s). The job involves taking out of 100 mm NB point from 200 mm/150 mm/100 mm NB main fire water line and then installation of a 100 mm valve and the Monitor assembly as advised by OIL's representative. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	71	₹	-
390	Installation of TPC/ Hydrant Points : Installation of TPC/ Hydrant Points on 200 mm/150 mm/ 100 mm NB pipe including transportation of the same from OIL's yard / Godown / OIL's Fire Service station to the work site without causing any damage to the item (s). The job involves taking out of 100 mm NB point from 200 mm/150 mm/100 mm NB main fire water line and then installation of a 100 mm valve and the Monitor assembly as advised by OIL's representative. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	NO	71	₹	-
400	Replacement of Drenching water spray rings of 10668 MM dia crude oil storage tanks: The job involves: I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor. II. Dismantling of damaged Drenching water spray rings. III. Fabrications of 12294 mm dia. drenching water spray rings from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with V. NB couplings (if required) at equal spaces as shown in the attached DRG No: FE/PROJ/BPARA/003.0. The 12294 mm dia rings will have to be fabricated in 10 (ten) equal parts complete with 50 mm (2") NB mating flanges for bolting up the parts as one complete ring. 50 mm (2") NB pipes, fitting and all related materials required for the job shall be supplied by OIL. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job. IV. Installation / Placement of the drenching water spray ring fabricated vide item no. 40. III above, to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc. V. Hooking up of the newly installed drenching water spray rings) to be existing 100 mm NB drenching water riser lines. VI. Hydraulic testing of the newly installed drenching water spray rings) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing. VII. Dismantling of the scaffolding erected vide item no. 40.I above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.	JOB	25	₹	-

PRICE BIDDING FORMAT					
OIL INDIA LIMITED (A Government of India Enterprise) Dullajan, Assam					
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.					
NAME OF BIDDER					
Bidder's GSTIN No.					
SAC Code					
Item No.	Description of Services	UOM	Estimated Quantity	Rate (Rs.) to be quoted Excluding GST	Amount (Rs.) Excluding GST
410	<p>Replacement of Drenching water spray rings of 6550 MM dia crude oil storage tanks: The job involves:</p> <p>I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.</p> <p>II. Dismantling of damaged Drenching water spray rings.</p> <p>III. Fabrication of 8176 mm dia. drenching water spray rings from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼" NB couplings (if required) at equal spaces as shown in the attached DRG No: FE/PROJ/B/PARA/003.1. The 8176 mm dia rings will have to be fabricated in 08 (eight) equal parts complete with 50 mm (2") NB mating flanges for bolting up the parts as one complete ring. 50 mm (2") NB pipes, fitting and all related materials required for the job shall be supplied by OIL. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.</p> <p>IV. Installation / Placement of the drenching water spray ring fabricated vide item no 41. III. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.</p> <p>V. Hooking up of the newly installed drenching water spray rings) to be existing 100 mm NB drenching water riser lines.</p> <p>VI. Hydraulic testing of the newly installed drenching water spray rings) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.</p> <p>VII. Dismantling of the scaffolding erected vide item no. 41.I above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.</p>	JOB	20		₹
420	<p>Repairing/ De-clogging of Drenching water spray rings of 10668 MM dia crude oil storage tanks: The job involves:</p> <p>I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.</p> <p>II. Dismantling of Drenching water spray rings.</p> <p>III. Dismantling of all nozzles (if available) from Drenching water spray rings.</p> <p>IV. Inside swabbing and cleaning of the Drenching water spray rings.</p> <p>V. De-clogging of all the holes and nozzles (if available) of the Drenching water spray rings.</p> <p>VI. Replacement of damaged nozzles. (if required)</p> <p>VII. Fabrication of part of Drenching water spray ring from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with ¼" NB couplings (if required) and replacement of the same as advised by OIL's representative.</p> <p>VIII. Reassembling of all nozzles (if available) to Drenching water spray rings.</p> <p>IX. Installation / Placement of the drenching water spray ring dismantled vide item no 42. II. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.</p> <p>X. Hooking up of the newly installed drenching water spray rings) to be existing 100 mm NB drenching water riser lines.</p> <p>XI. Hydraulic testing of the newly installed drenching water spray rings) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.</p> <p>XII. Dismantling of the scaffolding erected vide item no. 42.I above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.</p>	JOB	50		₹

PRICE BIDDING FORMAT					
OIL INDIA LIMITED (A Government of India Enterprise) Dullajan, Assam					
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.					
NAME OF BIDDER					
Bidder's GSTIN No.					
SAC Code					
Item No.	Description of Services	UOM	Estimated Quantity	Rate (Rs.) to be quoted Excluding GST	Amount (Rs.) Excluding GST
430	<p>Repairing/ De-clogging of Drenching water spray rings of 6550 MM dia crude oil storage tanks: The job involves:</p> <p>I. Erection of a scaffolding around the crude oil tank, suitable for dismantling of the damaged Drenching water spray rings. All materials required for erection of the scaffolding including all tools and tackles and manpower to be supplied by the contractor.</p> <p>II. Dismantling of Drenching water spray rings.</p> <p>III. Dismantling of all nozzles (if available) from Drenching water spray rings.</p> <p>IV. In-situ swabbing and cleaning of the Drenching water spray rings.</p> <p>V. De-clogging of all the holes and nozzles (if available) of the Drenching water spray rings.</p> <p>VI. Replacement of damages nozzles (if required)</p> <p>VII. Fabrication of part of Drenching water spray ring from 50 mm (2") NB dia. pipes, which is to be perforated and fitted with 1/2" NB couplings (if required) and replacement of the same as advised by OIL's representative.</p> <p>VIII. Reassembling of all nozzles (if available) to Drenching water spray rings.</p> <p>IX. Installation / Placement of the drenching water spray ring dismantled vide item no 43. II. above; to the water spray ring supports on the shell of the tank and to make one complete ring by bolting up with suitable gaskets etc.</p> <p>X. Hooking up of the newly installed drenching water spray rings) to be existing 100 mm NB drenching water riser lines.</p> <p>XI. Hydraulic testing of the newly installed drenching water spray rings) at a minimum pressure of 10.5 kg/sq. cm of pressure. The contractor shall engage sufficient number of</p>	JOB	36	₹	-

PRICE BIDDING FORMAT					
OIL INDIA LIMITED (A Government of India Enterprise) Duliajan, Assam					
Job Description: Hiring of Services for Miscellaneous Piping and related jobs for Fire Protection Systems & New Projects for a period of 04 (Four) years.					
NAME OF BIDDER					
Bidder's GSTIN No.					
SAC Code					
Item No.	Description of Services	UOM	Estimated Quantity	Rate (Rs.) to be quoted Excluding GST	Amount (Rs.) Excluding GST
	competent personnel over the entire ring to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole ring will have to be retested hydraulically. OIL shall provide necessary infrastructure for the hydraulic testing.				
	XI. Dismantling of the scaffolding erected vide item no: 43.1 above after successful completion of the job and transportation of all the scaffolding material from site by the contractor.				
440	Hooking up of the newly laid 200 mm NB line : Hooking up of the newly laid 200 mm NB line with the manifolds. The electrodes shall be of suitable gauge and specification of E6010/E7010/E6013/E7016. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	JOB	30	₹	-
450	Hooking up of the newly laid 150 mm NB line : Hooking up of the newly laid 150 mm NB line with the manifolds. The electrodes shall be of suitable gauge and specification of E6010/E7010 and should not be manufactured earlier than six months from the execution of the job and have to be approved by company Engineer. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	JOB	50	₹	-
460	Hooking up of the newly laid 100 mm NB line : Hooking up of the newly laid 100 mm NB line with the manifolds. The welding shall generally conform to API - 1104. The electrodes shall be of suitable gauge and specification of E6010/E7010 and should not be manufactured earlier than six months from the execution of the job and have to be approved by company Engineer. Necessary alignment, end preparation, cleaning to be done prior to welding. Contractor to supply all machines/ equipment/manpower etc. and consumables like fuel, electrodes, grinding discs, etc. as required for the job.	JOB	42	₹	-
470	Hydraulic testing : Hydraulic testing of the entire newly laid pipe line at 10.5 kg/sq. cm. of pressure for a period of 24 hours (continuous). The testing of the pipe line will have to be done after complete completion of laying of the pipe line in all aspects. Necessary materials like pressure gauge, pump, recorder and recorder charts etc. will have to be arranged by the contractor. The contractor shall lay the filling lines (100 mm NB). The contractor shall engage sufficient number of competent personnel over the entire pipeline to keep total vigilance during the test. In case of failure, the contractor shall locate it and report it to the OIL's representative at site. Any failure so detected will have to be rectified by the contractor and the whole pipe line will have to be retested hydraulically. Only source water and the pipes required for laying the filling lines will be supplied by OIL. The contractor will have to return the pipes after the completion of the testing in good condition.	JOB	33	₹	-
480	Painting: Applying of one coat of anti rust primer and two coats of enamel paint to pipe lines and associated pipe fittings to the satisfaction of OIL's representative. The shades of paints to be applied on pipe lines and associated pipe fittings shall be specified by HEAD - FE or his representative and will have to be supplied by the contractor along with the necessary tools and tackles. Prior to the application of paints the same will have to be approved by HEAD - FE or his representative. Nominal Dimensions of Pipes and Pipe fittings: 25 MM NB to 300 MM NB.	SME	6,876	₹	-
Total (Rs.) (exclusive of GST)					-
Applicable GST Rate in %		Applicable GST#		Total (Rs.) (inclusive of GST)	-
*Please select from the following list: CGST + SGST / CGST + UTGST / IGST / None					
1. The price/(rate)s quoted by the Bidders will be inclusive of all taxes except GST (i.e. IGST or CGST and SGST/UTGST as applicable in case of interstate supply or intra state supply respectively and Cess on GST, if applicable) on the final services. However, GST rate (including cess) to be provided in the respective places in the Price Bid.					
2. The inter-so-ranking of the techno-commercially qualified bidders will be determined on overall lowest cost basis (L-1 offer) for each option individually i.e. considering the Total quoted price inclusive of all liabilities and GST (CGST & SGST/UTGST or IGST).					
3. OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid.					
4. Price Bid uploaded without giving any of the details of the taxes (including rates and amounts) will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/Contracts will be binding on the bidder.					
5. Input Tax Credit on GST (Goods & Service Tax) for this service is NOT available to OIL & The bids will be evaluated based on total price including GST.					
7.0 Refer to GCC & SCC for detail of GST. Refer to SOQ & SCC for Item detail Description.					
8.0 Bidders are required to quote unit rate against all the items as per Price Bid Format.					
9.0 The quantity mentioned is purely for evaluation purpose only. However, payment shall be made on actuals.					

This value is to be maintained under the 'Total Bid Value' in the E-Tender portal. Bidders to refer Clause 7.0 of Forwarding Letters for details.