



सत्यमेव जयते

File No: SEAC/GJ/IND2/548598/147708/2025

Government of India

Ministry of Environment, Forest and Climate Change

(Issued by the State Environment Impact Assessment Authority (SEIAA),
GUJARAT)



Dated: 05/02/2026



To,

Sanjay Verma
OIL INDIA LTD
Duliajan P. O., Dibrugarh, Assam, Dulaijan, DIBRUGARH, ASSAM, 786602
parivesh_oil@oilindia.in


Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for EC under the provision of the EIA Notification 2006-regarding in respect of project Proposed Onshore Exploration for 13 no.s of exploratory wells within CB-ONHP-2023/1 (Cambay) situated in Ahmedabad and Anand Districts of Gujarat by M/s. Oil India Limited, Rajasthan Fields submitted vide proposal number SIA/GJ/IND2/548598/2025 dated 19/08/2025.

2. The particulars of the proposal are as below:

(i) EC Identification No.	EC25C0302GJ5754553N
(ii) File No.	SEAC/GJ/IND2/548598/147708/2025
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	1(b) Off-shore and onshore oil and gas exploration, development and production Proposed Onshore Exploration for 13 no.s of exploratory wells within CB-ONHP-2023/1 (Cambay) situated in Ahmedabad and Anand Districts of Gujarat by M/s. Oil India Limited, Rajasthan Fields
(vii) Name of Project	
(viii) Name of Company/Organization	OIL INDIA LTD
(ix) Location of Project (District, State)	AHMADABAD, GUJARAT
(x) Issuing Authority	SEIAA
(xi) Applicability of General Conditions	no
(xii) Applicability of Specific Conditions	no



Sub: Environment Clearance to M/s. Oil India Limited - Proposed Project Onshore Exploration for 13 nos. of exploratory wells within CB-ONHP-2023/1 (Cambay) situated in Ahmedabad and Anand Districts of Gujarat - In Category 1(b) of Schedule annexed with EIA Notification dated 14/09/2006.

Dear Sir,

This has reference to your application along with EIA report dated 19-08-2025, seeking Environmental Clearance under Environment Impact Assessment Notification, 2006.

It is a proposed project for Onshore Exploration for 13 nos. of exploratory wells within CB-ONHP-2023/1 (Cambay) situated in Ahmedabad and Anand Districts of Gujarat, which falls in the category - 1(b) of the schedule of the EIA Notification-2006:

Sr. No.	Name of Products	Quantity (Nos.)			End use of Product
		Existing	Proposed	Total	
1.	Exploratory wells	-	13	13	Exploration & appraisal of Petroleum
Total			13	13	

Tentative well locations are as follows:			
Block	Well	Latitude	Longitude
OALP-IX Block: CB-ONHP-2023/1 (CAMBAY)	OCBA_EC	22°35'37.9000"N	72°22'35.8100"E
	OCBB_EC	22°33'22.8000"N	72°24'57.5200"E
	OCBC_EC	22°37'19.2980"N	72°22'4.0996"E
	L1	22°32'52.8977"N	72°25'1.4047"E
	L2_R	22°33'18.85"N	72°26'7.6000"E
	L3	22°35'15.9637"N	72°22'47.4628"E
	L4	22°36'12.7800"N	72°22'32.5000"E
	L5	22°28'19.3900"N	72°19'26.2300"E
	L6	22°22'58.65"N	72°19'30.25"E
	L7_R	22°38'7.5100"N	72°25'18.0600"E
	L11	22°32'9.2100"N	72°25'39.2800"E
	L12	22°32'29.8400"N	72°25'18.4200"E
	L13	22°32'45.440"N	72°26'41.100"E

The project activity is covered in 1(b) and is of 'B2' Category. Since, the proposed project is located in notified industrial area, public consultation is not required as per paragraph 7(i) (III) (i) (e) of the Environment Impact Assessment Notification-2006.

The SEAC, Gujarat vide their MoM dated **23-12-2025** had recommended to the SEIAA, Gujarat, to grant the Environment Clearance for the above-mentioned project based on its **1194th Part-A** meeting held on **11-12-2025**. The proposal was considered by SEIAA, Gujarat in its **424th** meeting held on **30-12-2025** at Gandhinagar. The minutes of the meeting and all the project documents are available on PARIVESH portal, which can be accessed from the PARIVESH portal by scanning the QR Code above.

After detailed discussion & deliberation and accepting SEAC recommendation, the SEIAA hereby accords Environmental Clearance to above project under the provisions of EIA Notification dated 14th September, 2006 and its amendment subject to the compliance of the following conditions.

A.CONDITIONS:**A.1SPECIFIC CONDITION :**

1. **Project proponent (PP) shall obtain separate Environmental Clearance for commercial drilling and exploration as this proposal is for drilling of Exploration activity only as per EIA Notification 2006 and amendment dated 16.01.2020 [Category B2 of activity 1(b)]**
2. Grant of Environmental Clearance by the SEIAA to the project/activity is strictly under the provisions of the EIA Notification 2006 and its subsequent amendments. It does not tantamount/construe to approvals/consent/permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislation, etc., as may be applicable to the project.
3. PP shall obtain requisite permission/membership from hazardous waste common facility and/or to ink an MoU with end user/s having valid permission including but not limited to CC&A, Rule-06/09 under H&OWM Rules to comply with the mode of disposal approved in EC for each category of Hazardous Waste, as applicable. PP shall comply with the provisions of H&OW Management Rules.
4. As per the MoEF&CC Office Memorandum dated 14-06-2024, PP shall upload Half-Yearly EC Compliance report strictly through the dedicated module of Parivesh 2.0.
5. As per the MoEF&CC Office Memorandum dated 24-07-2024, PP shall do plantation of saplings in the earmarked greenbelt area as a part of the tree plantation campaign "Ek Ped Ma Ke Naam" and the details of the same shall be uploaded in the MeriLiFE Portal (<https://merilife.nic.in>).
6. PP shall comply with the provisions of Gujarat Occupational Safety, Health and Working Conditions Rules 2025.
7. Requisite Fire & Safety arrangements shall be place at any cost by PP as per the prevailing norms. Periodic mock-drill shall also be carried out as per the prevailing norms. Competent Authority shall ensure that Fire & Safety arrangements are provided and functional at all the time.
8. PP shall also obtain requisite permission of PESO, as applicable.
9. PP shall provide adequate storage capacity for raw and treated effluent to accommodate Force majeure events.
10. Adequacy of provided EMS may be checked while issuance of CC&A by GPCB.
11. Proponent shall obtain Environmental Safeguards from GPCB as per the MoEF&CC OM dated 14-01-2025, 08-10-2025 and 25-11-2025.
12. No drilling shall be carried out in protected areas.
13. PP shall obtain necessary permission from Govt of Gujarat for the said block.
14. The company shall make all arrangements at the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and treated waste water shall confirm to CPCB/GPCB standards.
15. Drill cuttings separated from drilling fluid shall be adequately washed and disposed according to HWMH rule, 2016. No effluent /drilling mud /drill cutting shall be discharged /disposed off into nearby surface water bodies. The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR. 546 dated 30th August ,2005
16. Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.
17. After completion of drilling activities, in case of non-availability of hydrocarbons the site shall be restored back to its normal condition as per the prevailing Rules/Guidelines/Site restoration policy.

18. PP shall adopt best drilling practices and drilling operations shall be designed in such a way that there is no chance of contamination of ground water aquifer.
19. PP shall take all precautionary measures to avoid any contamination of ground water.
20. The National Ambient Air Quality Emission Standards issued by the Ministry vide G. S. R. No. 826 (E) dated 16th November, 2009 shall be complied with.
21. Unit shall have to adhere to the prevailing area specific policies of GPCB with respect to the discharge of pollutants and shall carry out the project development in accordance & consistence with the same.
22. The project proponent must strictly adhere to the stipulations made by the Gujarat Pollution Control Board, State Government and/or any other statutory authority.
23. The company shall develop a contingency plan for H2S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H2S detectors in locations of high risk of exposure along with self-containing breathing apparatus.
24. Company shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures and measures to be taken for protection. One set of environment manual shall be made available at the drilling site /project site. Awareness shall be created at each level of management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.

Safety & Health:

- a. PP shall obtain PESO permission for the storage and handling of hazardous chemicals, as applicable.
- b. PP shall carry out mock drill within the premises as per the prevailing guidelines of safety and display proper evacuation plan in the manufacturing area in case of any emergency or accident.
- c. PP shall take all the necessary steps for human safety within premises to ensure that no harm is caused to any worker/employee or labor within premises.
- d. The consequence arising out of incidents such as Well Blow Out, Fire, Explosion, Natural Calamities etc. shall be accurately predicted with the help of latest technique available by various Risk Analysis Studies and unit shall submit Disaster Management Plan (DMP) to the concern authority based on such probable scenarios.
- e. Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised.
- f. First Aid Box shall be made readily available in the unit.
- g. Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken on regular basis as per Factories Act & Rules.
- h. The company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed.
- i. Blow out preventer system shall be installed to prevent well blowouts during drilling operations.
- j. Emergency response plan shall be based on the guidance prepared by OISD, DGMs and Govt. of India.
- k. firefighting facilities shall be provided.

A. 2 WATER:

25. Total water requirement for the project shall not exceed 35 KLD per well. Unit shall reuse 7 KLD per well of treated effluent within premises. Hence, fresh water requirement shall not exceed 28 KLD per well and it shall be met through borewell only. Prior permission from concerned authority shall be obtained for procurement of water if necessary.
26. The industrial effluent generation from the project shall not exceed 7 KLD per well.
27. Management of Industrial effluent and domestic effluent shall be as under:
 - ✓ Total 7 KLD per well generated industrial effluent shall be treated in mobile ETP and reused in mud preparation.
28. PP shall obtain necessary prior permission from concerned department for disposal of treated effluent if any.
29. Zero Liquid Discharge [ZLD] status shall be maintained all the time and there shall not be any industrial wastewater dis-charge from the unit.
30. Domestic wastewater generation shall not exceed 4 KL/day per well for proposed project and it shall be treated in STP. Treated sewage shall be utilized for gardening and plantation purpose within premises after achieving on-land discharge norms prescribed by GPCB.
31. During monsoon season when treated sewage may not be required for the plantation / Gardening / Green belt purpose, it shall be stored within premises. There shall be no discharge of waste water outside the premises in any case.
32. Unit shall provide buffer water storage tank of adequate capacity for storage of treated waste water during rainy days.
33. The unit shall provide metering facility at the ETP & STP and maintain records for the same.
34. Proper logbooks of ETP & STP; treated effluent reused in gardening/ plantation; chemical consumption in effluent treatment; quantity & quality of treated effluent; power consumption etc. shall be maintained and shall be furnished to the GPCB from time to time.

A.3 AIR:

35. Unit shall not exceed fuel consumption as mentioned below.

Sr. no.	Location	Source of emission With Capacity	Stack Height (meter)	Type of Fuel	Quantity of Fuel	Type of emissions i.e. Air Pollutants	Air Pollution Control Measures (APCM)
1	Drilling Site	DG for Rig (2 x 1500 KVA)	9.1 m	HSD	4.5 KLD	PM, SO _x , NO _x , CO	Adequate Stack height, Low sulphur fuel
2	Residential Camp sets, PCR, area lighting etc.	DG for Residential Camp sets, PCR, area lighting etc.	2 m	HSD	0.6 KLD	PM, SO _x , NO _x , CO	Adequate Stack height, Low sulphur fuel
3	Flare	DG3	7 m	HSD	0.4 KLD	PM, SO _x , NO _x , CO	Adequate Stack height, Low sulphur fuel

36. PP shall use approved fuels only as fuel in DG Sets.
37. Unit shall provide adequate APCM with flue gas generation sources to achieve the norms prescribed by GPCB.
38. There shall be no process gas emission from manufacturing process and ancillary operations.
39. Regular monitoring of ground level concentration of PM₁₀, PM_{2.5}, SO_x, NO_x, and VOCs shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall

not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.

A.4 SOLID / HAZARDOUS WASTE:

40. All the hazardous/ solid waste management shall be taken care as mentioned below.

Sr. no.	Type/Name of Hazardous waste	Specific Source of generation (Name of the Activity, Product etc.)	Category and Schedule as per HW Rules.	Quantity (MT/Annum)	Management of HW
1	Oily waste used oil & spent Oil	DG set, Drilling activity	5.1	0.01 Tons/well	Used oil will be collected in metal drums kept in secured area and will be disposed through authorized recyclers

NON-HAZARDOUS WASTE MANAGEMENT MATRIX

Sr. no.	Type/Name of non-hazardous waste	Specific Source of generation (Name of the Activity, Product etc.)	Quantity (MT/Annum)	Management of HW
1	Kitchen Waste	Canteen at site	3.6 TPA/Well	Will be stored in compost pits on a daily basis or disposed off nearby municipal disposal site via local vendors
2	Recyclable waste like papers, plastics	Store	1 TPA/ Well	Proper segregation and storage of recyclable waste in designated bins onsite. Recyclables will be periodically sold to local waste recyclers.
3	Packaging wastes	Store	2.3 Ton/well	Proper segregation and storage at designated site. Packaging wastes will be periodically sold to local waste recyclers.
4	Drill cutting generated from Water based Mud, not contaminated with oil.	Drilling activity	410 Ton/well	Drill cuttings which are inert materials of shale, sand, and clay will fall into the lined waste pits. The drilling fluids left over at the end of the particular well will be discharged into the lined waste pits and dried.
5	Waste Drilling Mud	Drilling activity	2000 Ton/well	The mud will be tested for hazardous contaminants and will be disposed as per S No. 72 C.1.a Schedule I Standards for Emission or Discharge of Environmental Pollutants from Oil Drilling and Gas Extraction Industry of CPCB as modified in 2005

41. Authorized end-users shall have permissions from the concerned authorities under the Rule 9 of the

Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.

42. The unit shall submit the list of authorized end users of hazardous wastes along with MoU signed with them at least two months in advance prior to the commencement of production. In the absence of potential buyers of these items, the unit shall restrict the production of the respective items.

A. 5 OTHER:

43. The project proponent shall also comply with any additional conditions that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose of environmental protection and management.
44. Necessary permissions as mandated under Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board.
45. The Project Proponent shall allocate the separate fund of Rs 1 Crore [for Potable drinking water supply, Sanitation facility (Construction of Community Toilets with Septic Tank and Soak pit, Construction of Individual Household Latrines), Financial assistance to the Rural Health Centre for Medical Equipments and providing Mobile Medical Ambulance, Medical camps within surrounding area and Skill development of local people for enhancing their livelihood opportunities, etc. of unskilled villagers] as proposed under CER and it shall be part of the Environment Management Plan (EMP) as per the MoEF&CC's OM no. F. No. 22-65/2017-IA.III dated 30.09.2020. This shall be monitored and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half-yearly compliance report and to the District Collector. The monitoring report shall be posted on the website of the project proponent.
46. All the environmental protection measures and safeguards proposed in the Form-1 & PFR submitted by the project proponent and commitments made in their application shall be strictly adhered to in letter and spirit.

B. GENERAL CONDITIONS:

B.1 CONSTRUCTION PHASE:

47. Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.
48. Project proponent shall ensure that surrounding environment shall not be affected due to construction activity. Construction materials shall be covered during transportation and regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.
49. All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.
50. First Aid Box shall be made readily available in adequate quantity at all the times.
51. The project proponent shall strictly comply with the Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments. Local bye-laws of concern authority shall be complied in letter and spirit.
52. Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase.
53. Use of Diesel Generator (DG) sets during construction phase shall be strictly equipped with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.
54. Safe disposal of waste water and municipal solid wastes generated during the construction phase shall be ensured.
55. All topsoil excavated during construction activity shall be used in horticultural / landscape

development within the project site.

56. Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighboring communities.
57. Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.
58. Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.
59. "Wind - breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. Individual building within the project site shall also be provided with barricades.
60. "No uncovered vehicles carrying construction material and waste shall be permitted."
61. "No loose soil or sand or construction & demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured."
62. Roads leading to or at construction site must be paved and blacktopped (i.e. - metallic roads).
63. No excavation of soil shall be carried out without adequate dust mitigation measures in place.
64. Dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.
65. Grinding and cutting of building materials in open area shall be prohibited.
66. Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.
67. Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site. (If applicable).

B.2 OPERATION PHASE:

B.2.1 WATER:

68. The water meter shall be installed and records of daily and monthly water consumption shall be maintained.
69. All efforts shall be made to optimize water consumption by exploring Best Available Technology (BAT). The unit shall continuously strive to reduce, recycle and reuse the treated effluent.

B.2.2 AIR:

70. Acoustic enclosure shall be provided to the DG sets (If applicable) to mitigate the noise pollution and shall conform to the EPA Rules for air and noise emission standards.
71. Stack/Vents (Whichever is applicable) of adequate height shall be provided as per the prevailing norms for flue gas emission.
72. Flue gas emission (If any) shall conform to the standards prescribed by the GPCB/CPCB/MoEF&CC. At no time, emission level should go beyond the stipulated standards.

B.2.3 HAZARDOUS/SOLID WASTE:

73. The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / treatment / storage / disposal of hazardous wastes.
74. Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.

75. The unit shall obtain necessary permission from the nearby TSDF site and CHWIF. (Whichever is applicable)
76. Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.
77. The design of the Trucks/tankers shall be such that there is no spillage during transportation
78. All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF.
79. Management of fly ash (If any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.

B.2.4 SAFETY:

80. The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963
81. The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-site and Off-site Disaster Management Plans have to be prepared and implemented.
82. Main entry and exit shall be separate and clearly marked in the facility.
83. Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
84. Storage of flammable chemicals shall be sufficiently away from the production area.
85. Sufficient number of fire extinguishers shall be provided near the plant and storage area.
86. All necessary precautionary measures shall be taken to avoid any kind of accident.
87. The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.
88. Only flame proof electrical fittings shall be provided in the plant premises.
89. Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of one single large capacity tank / containers.
90. All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.
91. Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.
92. Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency.
93. Personal Protective Equipment's (PPEs) shall be provided to workers and its usage shall be ensured and supervised.
94. First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.
95. Training shall be imparted to all the workers on safety and health aspects of chemicals handling.
96. Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.
97. Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.
98. The company shall implement all preventive and mitigation measures suggested in the Risk

Assessment Report.

99. Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.

B.2.5 NOISE:

100. The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall conform to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.

B.2.6 CLEANER PRODUCTION AND WASTE MINIMISATION:

101. The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.
102. The company shall undertake various waste minimization measures such as :
103. Metering and control of quantities of active ingredients to minimize waste.
104. Reuse of by-products from the process as raw materials or as raw materials substitutes.
105. Use of automated and close filling to minimize spillages.
106. Use of close feed system into batch reactors.
107. Venting equipment through vapor recovery system.
108. Use of high-pressure hoses for cleaning to reduce wastewater generation.
109. Recycling of washes to subsequent batches.
110. Recycling of steam condensate.
111. Sweeping / mopping of floor instead of floor washing to avoid effluent generation.
112. Regular preventive maintenance for avoiding leakage, spillage etc.

B.2.7 GREEN BELT AND OTHER PLANTATION:

113. There will be no green belt for proposed 13 nos. of exploratory well locations in OALP-IX Block CB-ONHP2023/1 (Cambay) in Ahmedabad and Anand districts of Gujarat. If no Oil & Gas is discovered, then the entire land will be restored back to its original condition before formal relinquishment of the leased land back to the landowners. The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.

B.3 OTHER CONDITION:

114. The projects covered under category 1(b) shall undergo the safety and environment audit regularly as per the standards laid down by the GPCB and CPCB.
115. PP shall carry out the safety audit and Risk Assessment Report as per the prevailing guidelines of safety.
116. EMP should invariably include provisions for environmental Monitoring and measures for noise pollution control measures.
117. In EMP proponent should separately indicate majors of occupational health, fire and safety measures.
118. Wherever waste water or chemical water to be collected by tankers, any diversion and disposal in open drainage (nallah) etc. causing human and environmental damage or loss will make it liable for action under the law.
119. All transport movement by tankers etc. has to be done with maintenance of gate pass and logbook it should be verified by the inspecting authorities.
120. Non-hazardous waste data shall be informed to GPCB time to time so as to make an assessment and tie-up with industry for generating sustainable power from the waste.
121. EMP should include STP and detail cost including maintenance, transportation of waste material etc.

as well as transportation cost or transit cost.

122. In LDAR preventive and predictive maintenance plan.
123. In LDAR leakage component, source of equipment leak, detention method should be given in table form.
124. In storage component should be shown separately in terms whether inflammable, toxic, corrosive, reactive etc.
125. In case of Fly Ash generation its management and disposal should be as per Government of India Notification and 100 % utilization should be ensured.
126. Project proponent shall install all environment management systems as per the CPCB/GPCB directives regarding the effluent discharge and air emission in working condition.
127. Project proponent shall display the copy of Environment Clearance at the site prominently.
128. Project proponent shall prepare and follow regular and preventive maintenance plan.
129. Project Proponent will have to display the safety procedure in working area.
130. The project proponent shall obtain all required permissions for safety, health and fire from competent authorities like PESO/Fire Authority etc.
131. Project Proponent will intimate SEIAA/SEAC/GPCB after obtaining the membership of common facilities like CETP / TSDF / CHWIF / CMEE / Common Spray Dryer as the case may be.
132. Extra care will be taken by PP to avoid any accidental blast in boiler, reactor or any machinery in the plant.
133. Environment monitoring, training and disaster management plan should be undertaken and complied at regular interval.
134. Integrated Regional Office of MoEF&CC, Gandhinagar and GPCB will monitor all environment, safety & health norms as per the prevailing rules.
135. The PP has to maintain the log sheets / registers / manifest / gate pass for discharge through tankers and SCADA system for pipeline discharge for the waste water generation and its disposal data and submit to the GPCB every quarter. GPCB shall verify the same on regular basis and inform SEIAA and take legal action in the cases of non-compliance.
136. Unit shall comply all the applicable standard conditions prescribed in Office Memorandum (OM) published by MoEF&CC vide no. F. No. 22-34/2018-IA.III dated 09/08/2018.
137. The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEF&CC's Office Memorandum No. F.No.22-65/2017-IA.III dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEF & CC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the website of the project proponent.
138. Rain water harvesting of surface as well as rooftop runoff shall be undertaken and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.
139. The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.
140. Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.
141. The area earmarked as green area shall be used only for plantation and shall not be altered for any

other purpose.

142. All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.
143. The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.
144. In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.
145. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.
146. During material transfer there shall be no spillages and gulland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.
147. Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.
148. Leakages from pipes, pumps shall be minimal and if occurs, shall be arrested promptly.
149. No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
150. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
151. The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.
152. The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.
153. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
154. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
155. The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.
156. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.
157. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.
158. The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
159. This environmental clearance is valid for Ten (10) years from the date of issue.
160. Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.

B.4 COMPLIANCE OF ENVIRONMENT CLEARANCE/REPORTING/ADMINISTRATION/APPEAL:

161. The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copy of the Environment Clearance Order is available in PARIVESH Portal. This shall be advertised within seven days from the date of the clearance letter uploaded in PARIVESH Portal, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the MOEF&CC.
162. Project proponent shall submit the copy of Environment Clearance Order to all the concerned authorities including IRO- MOEF&CC – Gandhinagar, District Collector, Gujarat Pollution Control Board etc. and shall also inform to all authorities that the copy of EC order available on PARIVESH Portal in Public Domain.
163. Project proponent shall appoint a key person in the organization who shall be responsible for compliance of above condition fully on behalf of the proponent. It will not mean that appointing a key person will exempt the project proponent from the responsibility of compliance. Any change in key person shall immediately be informed to SEIAA and all concerned authorities.
164. The Nodal Department or any authority or officer authorized by MOEF&CC/SEIAA can inspect the site of the project and all the facilities, for verification of compliances of environment clearance conditions.
165. In case of violation reported upon, the project proponent shall be responsible for all the legal actions as per Environment Protection Act, 1986 including SEIAA may cancel, withdraw or keep in abeyance, the Environment Clearance accorded.
166. Any person including the project proponent affected by this Environment Clearance order may file appeal to Hon'ble National Green Tribunal West Zone branch, Pune, preferably within a period of thirty days from the date of issue of Environment Clearance as prescribe under section 16 of National Green Tribunal Act 2010.
167. All complaints and public grievance or representations may be addressed to SEIAA/SEAC in the email addresses (a) msseiaagj2024@gmail.com & (b) seacgujarat@gmail.com