

संदर्भ सं./Ref. No.: S&E/E/43C-1/624

दिनांक/Date: 29.05.2025

<b>From</b>	:	Executive Director (HSE & ESG)
<b>To</b>	:	Deputy Director General of Forests (Central), Sub Office, Guwahati (under Regional Office, Shillong), 4th Floor, Housefed Building, Rukminigaon, Guwahati-781022. (Email : <a href="mailto:iro.guwahati-mefcc@gov.in">iro.guwahati-mefcc@gov.in</a> , <a href="mailto:iro.moefcc.ghy@gmail.com">iro.moefcc.ghy@gmail.com</a> )
<b>Subject</b>	:	Submission of Half-yearly (October 2024 to March 2025) compliance reports of the conditions stipulated in the Environment Clearance (EC) granted to Oil India Limited.

Sir,

Reference to above subject, please find enclosed herewith the Half-yearly (**October 2024 to March 2025**) compliance reports of the conditions stipulated in the Environment Clearance (EC) granted to Oil India Limited. List of the EC are tabulated below:

S.No	EC Identification No/File No.	Name of the EC proposal
1.	F. No. J-11011/413/2008-IA II (I) dated 24.01.2011	OCS Bhogpara.
2.	F. No. J-11011/1251/2007-IA II (I) dated 01.11.2011	Exploratory Drilling of 01 (One) well at Doomdooma-Pengry Area, District Tinsukia, Assam.
3.	F. No. J-11011/682/2008-IA II (I) dated 17.06.2013	Expansion of Gas field Development in Tengakhat-Naharkatia-Jorajan area and Doomdooma Pengry area, Assam by M/s Oil India Ltd.
4.	F. No. J-11011/116/2018-IA II (I) dated 07.01.2020	Onshore Oil & Gas Exploration & Development Drilling and Production in Ningru Oil & Gas Field in Districts Changlang and Namsai for Ningru PML Block (Arunachal Pradesh)
5.	F. No. J-11011/1260/2007-IA II (I) dated 09.04.2020	Onshore Oil & Gas Development Drilling and Production in Mechaki Area covering Mechaki, Mechaki Extension, Baghjan and Tinsukia Extension PMLs on District Tinsukia (Assam).
6.	F. No. J-11011/150/2016- IA II (I) dated 11.05.2020	Extension Drilling & Testing of Hydrocarbons at 7 (seven) Locations under Dibru-Saikhowa National Park Area, North-West of Baghjan PML, District Tinsukia, Assam.
7.	F. No. J-11011/1253/2007-IA II (I) dated 28.12.2020	Onshore Oil & Gas development drilling and production by M/S Oil India Ltd in Dibrugarh district under Dibrugarh, Chabua, Hugrijan and Tinsukia PMLs. (Dibrugarh- Bhogpara)
8.	F. No. J-11011/375/2016-IA II (I) dated 28.12.2020	Onshore Oil & Gas Development Drilling and Production (179 wells and 9 Production Installations) in North Hapjan – Tinsukia – Dhola area under Tinsukia district, Assam.



**HSE Department**  
Oil India Limited  
Duliajan, Dibrugarh, 786602, Assam  
Phone : 0374-2800542  
Email: [safety@oilindia.in](mailto:safety@oilindia.in)


9.	F. No. J-11011/35/2018-IA II (I) dated 26.02.2021	Onshore Oil & Gas development drilling and production by M/S Oil India Ltd. Located in Khagorijan Oil & Gas Field in Dibrugarh & Tinsukia District under Tinsukia PML, Tinsukia Extension PML and Chabua PML District: Dibrugarh, Assam
10.	F. No. J-11011/186/2016-IA II (I) dated 03.03.2021	Onshore Oil & Gas development drilling and production in Borhat-Titlagarh area, Dibrugarh, Sibsagar and Charaideo Districts under Sapkainth, Borhat, Moran Extension and Doomdooma PMLs.
11.	EC22A002AS110311 F. No. J-11011/156/2017-IA II (I) dated 28.11.2022	Oil & Gas development drilling and production (16 exploratory, 73 developmental drilling wells and 9 Production Installations) in Moran Area under Dibrugarh, Sibsagar and Charaideo districts, Assam.
12.	EC23A002AS125690 F. No. J-11011/1254/2007-IA II (I) dated 13.01.2023	Oil & Gas development drilling and production (68 developmental drilling wells and 9 Production Installations) in Khowang Shalmari Area under Dibrugarh, Sibsagar districts, Assam.
13.	EC23A002AS188131 F.No J-11011/1257/2007- IA II (I) dated 17.04.2023	Onshore Oil & Gas development drilling and production (167 wells and 7 production Installations) in Tengakhat-Kathaloni-Dikom (TKD) under Dibrugarh district, Assam.
14.	EC23A002AS198872 F. No. J-11011/388/2016-IA II (I) dated 31.07.2023	Onshore Oil & Gas development drilling (67 wells) in Jorajan Area under Dibrugarh, Charaideo and Tinsukia districts, Assam.
15.	EC23A002AS146942 F.No. J-11011/546/2017-IA(I) dated 20.09.2023	Onshore Oil & Gas development drilling and production (294 wells and 2 Production Installations) in Naharkatiya-Deohal-Bogapani-Nagajan (NDBN) area under Dibrugarh & Tinsukia districts, Assam.

This is for your kind information please.

Thanking you.

Yours faithfully,  
For Oil India Limited



  
(Mallika Baruah Sarma)  
Executive Director (HSE & ESG)  
Nodal Officer (EC, FC, NBWL)  
**For Resident Chief Executive**

Encl: As above



**HSE Department**

Oil India Limited

Duliajan, Dibrugarh, 786602, Assam

Phone : 0374-2800542

Email: [safety@oilindia.in](mailto:safety@oilindia.in)

**Copy:**

1. Director, Monitoring Cell, MoEF, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi-110003.
2. Zonal Office, Central Pollution Control Board, "TUM-SIR", Lower Motinagar, Near Fire Brigade Headquarter, Shillong-793014.
3. Chairman, Assam Pollution Control Board, Bamunimaidan, Guwahati-781021, Assam.
4. Chairman, Arunachal Pradesh State Pollution Control Board, Office of the Principal Chief and Secretary (E&F) Conservator of Forests, Govt. of Arunachal Pradesh, Itanagar-791111, Arunachal Pradesh.

- **Name of the Project:** Onshore Oil & Gas Development Drilling and Production in Mechaki Area Covering Mechaki, Mechaki Extension, Baghjan and Tinsukia Extension PMLs in District Tinsukia (Assam) by M/s Oil India Limited.
- **Clearance L. No and date:** J-11011/1260/2007-IA-II (I) Dated 09th April, 2020.
- **Period of Compliance Report:** October 2024 to March 2025.

Sl. No.	Specific Condition	Compliance status
1	The environmental clearance is a subject to obtaining prior clearance from the wildlife angle, including clearance from the Standing Committee of the National Board for Wildlife, as applicable. Grant of environmental clearance does not necessarily imply that Wildlife Clearance. Grant of environmental clearance does not necessarily imply that wildlife clearance shall be granted to the project and that their proposals for Wildlife Clearance will be considered by the respective authorities on their merits and decision taken.	<b>Complied</b> No drilling activity is carried out within the deemed ESZ of any National Park/ Wildlife Sanctuary.
2	As committed no drilling shall be carried out in the forest areas.	<b>Complied</b> Stage – II Forest Clearance for the Loc. MKE was obtained on 19.07.2022.
3	No pipelines or its part shall be laid in the Forest Land/National Park without prior permission/approval from the Competent Authority.	<b>Complied.</b> No pipeline is laid in the Forest land/ National Park.
4	Necessary permission as mandated under the water (prevention and Control of pollution), Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board.	<b>Complied</b> Consent To Establish (CTE) and Consent To Operate (CTO) were obtained before commencement of Drilling activity.
5	To control source and fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and /or the NAAQS. The gaseous emission shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	<b>Complied</b> Adequate Stack height was provided in DG sets as per CPCB guidelines. Stack Gas monitoring report of Loc. MKE is enclosed as <b>Annexure 1.</b>
6	Necessary authorization required under the Hazardous and other wastes (Management and trans-Boundary Movement) Rules, 2016, solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	<b>Complied</b> Hazardous Waste Authorization was obtained from Pollution Control Board, Assam vide No. WB/T-311/21-22/329 dated 13.10.2022.
7	Ambient air quality shall be monitored near the closest human settlements as per the National	<b>Complied</b> Ambient Air Quality is being

	Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 <sup>th</sup> November, 2009 for PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , NO <sub>x</sub> , CO, CH <sub>4</sub> , HC, Non-methane HC etc.	monitored as per NAAQS, 2009. Ambient Air Quality monitoring report of Loc. MKE is enclosed as <b>Annexure – 2</b> .
8	During exploration, production, storage and handling, the fugitive emissions of methane, if any, shall be monitored using Infra-red camera/ appropriate technology.	<b>Complied</b> Portable Multi- gas detector & Explosimeter are used to detect fugitive emissions of Methane (if any).
9	The project proponent also to ensure trapping/storing of the CO <sub>2</sub> generated, if any, using the process and handling.	<b>Will be Complied</b> CO <sub>2</sub> generated (if any) will be trapped/stored.
10	Approach road shall be made pucca to minimize generation of suspended dust.	<b>Complied</b> Approach road to the drilling locations and Production Installations are made pucca to minimize generation of suspended dust.
11	The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosures shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines.	<b>Complied</b> Regular maintenance of equipment/ machinery is being carried out to minimize noise generation. DG sets are provided with acoustic enclosures and adequate Stack Height as per CPCB guidelines.
12	Total fresh water requirement shall not exceed 40 cum/day/well proposed to be met through tanks. Mobile ETP shall be installed to treat the waste water and efforts shall be made for gradual reduction in daily intake of water (to reduce fresh water foot print) by suitable mechanism or by putting RO facility in place coupled with onsite mobile ETP. Size of the waste shall be equal to the hole volume+ volume of drill cutting and volume of discarded mud if any. Two feet free board may be left to accommodate rain water. There shall be separate storm water channel and rain water shall not be allowed to mix with waste water. Alternatively, if possible pit less drilling be practiced instead of above.	<b>Complied</b> Total freshwater water consumption is within the permitted limit. Groundwater abstraction by Oil India Ltd for drilling activities are exempted from obtaining NOC from Central Ground Water Authority (CGWA) as per the Public Note dated 01.08.2023. Copy of the same is enclosed as <b>Annexure – E</b> . Mobile ETP coupled with RO is installed to treat effluent generated from drilling location. Storm water is not allowed to mix with wastewater.
13	The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. Separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated	<b>Complied</b> Garland drains are constructed around the drilling location to prevent runoff any oil containing waste into the nearby water bodies. Separate drainage system is created

	and wastewater shall conform to CPCB standards.	for oil contaminated and non- oil contaminated.
14	Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HDPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent/ drilling mud/ drill cutting shall comply with the guidelines for disposal of solid waste; drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546 (E) dated 30 <sup>th</sup> August, 2005.	<b>Complied</b> Drill cuttings separated from drilling fluid are adequately washed and disposed in HDPE lined pit. No effluent/ drilling mud is discharged/disposed off into nearby surface water bodies. Toxicity test report of waste drilling mud is enclosed as <b>Annexure – 3.</b>
15	Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recycles waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.	<b>Complied</b> In case of Oil spillage/ contamination, action will be taken as per the Oil spill contingency plan prepared by OIL. Recyclable waste (oily sludge) and spent oil is being sent to Pollution Control Board, Assam authorized recyclers.
16	The Company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. Possibility of using ground flare shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.	<b>Complied</b> Fixed firefighting system is installed at drilling locations and in case of any oil spillage, necessary remediation actions will be taken as per the Oil Spill Contingency Plan.
17	Blow Out Preventer system shall be installed to prevent well Blowout during drilling operations.	<b>Complied</b> Blow Out Preventer (BOP) system is installed to prevent blowouts during drilling operations.
18	Emergency Response Plan shall be based on the guideline prepared by OSID, DGMS and Govt. of India.	<b>Complied</b> OIL has site specific Emergency plan and contingency plan and Disaster management plan (DMP) based on relevant and realistic emergency scenarios.
19	After completion of drilling process, suitable measures shall be taken for well plugging and secured enclosures, and drilling site shall be restored to the original condition. In case of the hydrocarbon not found economically viable, a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.	<b>Will be Complied</b> On completion of the drilling activity, plugging of abandoned wells will be carried out as per the OIL's Well Abandonment, Site Restoration and Reclamation policy.
20	All the commitments made to the public during public consultation/ hearing shall be satisfactory	<b>Being Complied</b>

	implemented.	
21	At least Rs. 5 crore shall be allocated for corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	<b>Being Complied</b>
22	Occupational health surveillance of the workers shall be carried out as per the prevailing acts and Rules.	<b>Complied</b> Occupational Health Surveillance of workers i.e., PME engaged in drilling operation is being carried out.
23	Company shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures to be taken for protection. One set of environmental manual shall be made available at the drilling site/ project site. Awareness shall be created at each level of the management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.	<b>Complied</b> SOPs for all the operations covering safety and environment related issues are prepared. OIL has prepared Environmental manual which is made available at the drilling location. Copy of the same is enclosed <b>Annexure – B</b> . Also, all the environmental monitoring reports related to ambient air quality, Stack Gas monitoring, ETP effluent, Noise level will be maintained at the drilling location.



# ANNEXURE-1

Mitra S. K. Private Limited



## STACK GAS MONITORING REPORT

Name & Address of the Customer	Report No.	: MSK/2024-25/00633
"M/s OIL INDIA LIMITED"	Report Date	: 02.07.2024
Duliajan, Dibrugarh, Assam-786602	Nature of Sample	: Stack Emission
	Sample Mark	: MKE RIG CH 5(DURING DRILLING)
	Sample Number	: MSKGL/ED/2024-25/06/01535
	Instrument ID	: 135-H-19
Ref. No.: W.O. NO.- 8129283 of Contract No. 6119277		
Date of Sampling	Sample Received Date	Analysis Start Date
30.05.2024	02.06.2024	02.06.2024
		Analysis Complete Date
		09.06.2024

### ANALYSIS RESULT

<b>A.</b>	<b>General information about stack :</b>	<b>: RIG ENGINE-4 (SL NO-IGZ05200)</b>
1.	Stack connected to	: RIG
2.	Emission due to	: HSD
3.	Material of construction of Stack	: MS
4.	Shape of Stack	: Circular
5.	Whether stack is provided with permanent platform & ladder	: Yes
6.	DG capacity	: 1200 KVA
<b>B.</b>	<b>Physical characteristics of stack :</b>	
1.	Height of the stack from ground level	: 8.5344 m
2.	Diameter of the stack at sampling point	: 0.1016 m
3.	Area of Stack	: 0.00810 m2
<b>C.</b>	<b>Analysis/Characteristic of stack:</b>	
	1. Fuel used : HSD	
<b>D.</b>	<b>Result of sampling &amp; analysis of gaseous emission</b>	
		<b>Result Limit as per CPCB Method</b>
1.	Temperature of emission (°C)	187 ... USEPA Part 2, 25.09.1996
2.	Barometric Pressure (mm of Hg)	762 ... USEPA Part 2, 25.09.1996
3.	Velocity of gas (m/sec.)	20.49 ... USEPA Part 2, 25.09.1996
4.	Quantity of Gas Flow (Nm3/hr)	385 ... USEPA Part 2, 25.09.1996
5.	Concentration of Oxygen (%v/v)	13.6 ... IS:13270 :1992 Reaff, 2014
6.	Concentration of Carbon Monoxide (mg/Nm3)	27.6 <b>150</b> IS:13270 :1992 Reaff, 2014
7.	Concentration of Carbon Dioxide (%v/v)	5.6 ... IS:13270 :1992 Reaff, 2014
8.	Concentration of Sulphur Dioxide (mg/Nm3)	29.5 ... USEPA-29, 25/06/1996
9.	Concentration of Nitrogen Oxide (ppmv)	76.3 <b>360</b> USEPA Part-6, 25/09/1996
10.	Concentration of Lead (mg/Nm3)	<0.005 ... USEPA-29, 25/06/1996
11.	Concentration of Particulate matter (mg/Nm3)	45.1 <b>75</b> USEPA Part-17, 16/08/1996
12.	Concentration of Hydrocarbons (ppm)	<0.0003 <b>100</b> USEPA 18 -25.09.1996
<b>E.</b>	<b>Pollution control device :</b>	<b>Remarks: Nil</b>
	Details of pollution control devices attached with the stack : Nil	

Analyzed By:

Prepared By:

Authorized Signatory

Mitra S.K. Private Limited

Signature :

Name :

Designation :

*[Signature]*

Mr. Dipankar Mazumdar

Executive Chemist

Signature :

Name :

Designation :

*[Signature]*

Hiramoni Rajbongshi

Office Assistant

Signature :

Name :

Designation :

*[Signature]*

Mr. Rajib Roy

Branch Manager

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced except in full, without the permission of Mitra S.K. Private Limited.
- Our Lab is Approved by NABL & MOEF, Lab Address : P-48 Udayan Industrial Estate, 3 Pagladanga Road Kol-700015

Head Office: Shrachi Centre (5th floor), 74B, A.J.C. Bose Road, Kolkata - 700 016, West Bengal, India.  
Tel. : 91 33 40143000 / 22650006 / 22650007 Fax : 91 33 22650008  
Email : info@mitrask.com. Website: www.mitrask.com

*[Signature]*

Approved by

Uttam Prodhan

Suptdg. Research Scientist, R&D Dept.,  
Oil India Ltd., Duliajan, Assam



## ANNEXURE-2

Mitra S. K. Private Limited



### Ambient Air Quality Monitoring Report

Name & Address of the Customer :		Report No. : MSK/2024-25/02101			
"M/s OIL INDIA LIMITED", Duliagan, Dibrugarh, Assam-786602		Report Date : 18.12.2024			
		Sample Description : Ambient Air			
		Sample Number : MSKGL/ED/2024-25/12/01577			
		Sampling Location : MKE RIG CH 5 (AFTER DRILLING)			
Ref. No.: W.O. NO.- 8129283 of Contract No. 6119277		Instrument ID : RDS 221-DTJ-2016/ FPS 1120A22			
Date of Sampling	Sample Received Date	Analysis Start Date		Analysis Complete Date	
06.12.2024	09.12.2024	09.12.2024		16.12.2024	
Environmental Conditions During Sampling & Transport Condition : Temperature : 21°C, Rain fall : NO					
<b>Analysis Result</b>					
Sl. No.	Test Parameter	Method	Unit	Results	CPCB Limit
1.	Particulate Matter ( PM <sub>10</sub> )	IS : 5182 (Part-23)-2006	(µg/m <sup>3</sup> )	74.5	100
2.	Particulate Matter ( PM <sub>2.5</sub> )	IS : 5182 (Part-24)	(µg/m <sup>3</sup> )	36.8	60
3.	Sulphur Dioxide ( SO <sub>2</sub> )	IS : 5182 (Part-2)-2001	(µg/m <sup>3</sup> )	8.3	80
4.	Nitrogen Dioxide ( NO <sub>2</sub> )	IS : 5182 (Part-6)-2006	(µg/m <sup>3</sup> )	23.7	80
5.	Carbon Monoxide ( CO )	IS 5182 : (Part-10) :1999	(mg/m <sup>3</sup> )	0.78	2
6.	Ozone ( O <sub>3</sub> )	IS:5182 (Part-IX)-1974 Reaffirmed-2019	(µg/m <sup>3</sup> )	23.1	180
7.	Ammonia ( NH <sub>3</sub> )	IS 5182 (Part 25) : 2018	(µg/m <sup>3</sup> )	11.5	400
8.	Lead ( Pb )	USEPA IO-3.4	(µg/m <sup>3</sup> )	<0.01	1
9.	Nickel ( Ni )	USEPA IO-3.4	(ng/m <sup>3</sup> )	<5.0	20
10.	Arsenic ( As )	USEPA IO-3.4	(ng/m <sup>3</sup> )	<1.0	6
11.	Benzene ( C <sub>6</sub> H <sub>6</sub> )	IS 5182 : (Part 11) :2006	(µg/m <sup>3</sup> )	<4.2	5
12.	Benzo(a)Pyrene ( BaP )	IS 5182 : (Part 12) :2004	(ng/m <sup>3</sup> )	<0.5	1
13.	Mercury ( Hg )	USEPA IO-5.0	(µg/m <sup>3</sup> )	<0.002	...
14.	Methane (Hydrocarbon)	IS 5182 : (Part 17)	ppm	1.95	...
15.	Non-methane (Hydrocarbon)	IS 5182 : (Part 17)	ppm	<0.5	...
16.	Total Hydrocarbon	IS 5182 : (Part 17)	ppm	1.95	...
17.	Volatile Organic Compounds (VOC)	IS 5182 : (PART-11):2006	(µg/m <sup>3</sup> )	<4.2	...
Limit as per CPCB notification, New Delhi, 18th Nov, 2009. for Ambient air quality					

Analyzed By:

Signature :   
Name : Mr. Bhaskarjyoti Dutta  
Designation : Chemist

Prepared By:

Signature :   
Name : Hiramoni Rajbongshi  
Designation : Office Assistant

Authorized Signatory

For Mitra S.K. Private Limited

Signature :   
Name : Mr. Ravi Sanku Roy  
Designation : Branch Manager

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced except in full, without the permission of Mitra S.K. Private Limited.
- Our Lab is Approved by NABL & MOEF, Lab Address : P-48 Udayan Industrial Estate, 3 Pagladanga Road Kol-700015

Head Office: Shreeji Centre (5th floor), 74B, A.J.C. Bose Road, Kolkata - 700 016, West Bengal, India.  
Tel : 91 33 40143000 / 22650006 / 22650007 Fax : 91 33 22650008  
Email : info@mitrask.com. Website: www.mitrask.com

Approved by  
Uttam Prodhon

Suptdg. Research Scientist, R&D Dept.,  
Oil India Ltd., Duliagan, Assam

### Annexure-3



## গ্ৰীনটেক এনভাইৰনমেন্টাল ইঞ্জিনিয়াৰ এণ্ড কন্সালটেন্টছ GREEN TECH ENVIRONMENTAL ENGINEER & CONSULTANTS

House No-11, Champaknagar, Narayan Path, Bhetapara, Guwahati-781028, www.greentecheec.in  
Telefax -0361 3501950 Mobile: 9435046677, 9954089052, E-mail: green\_pranjal@hotmail.com, info@greentecheec.in



TC-14361

### TEST REPORT

GEEC/FM/450A

ULR Number: TC143612400000582F			
Report No:GEEC/FL/23/TOX/2024/10/08		Date:	24/12/2024
Name of the Industry: <b>OIL INDIA Ltd.</b>		Lab ID	GEEC/TT/2024/10/08
Address: Oil India Ltd. Duliajan District: Dibrugarh, State : Assam	Date of Sampling/Collection:	13/10/2024	
	Date of Receipt in Duliajan:	18/10/2024	
	Date of Receipt in Lab:	18/10/2024	
Rig	<b>CH-5</b>	Test Start Date:	25/10/2024
Location:	<b>MKE</b>	Test End Date:	29/10/2024
<b>DRILL FLUID QUALITY FOR TOXICITY</b>			
<b>SAMPLING RESULT</b>			
Depth	5473 m	Mud Weight (MW,pcf)	76
Mud Type	Polymer-mud	MFV sec	56
<b>Dose</b>	<b>Sample Concentration</b>	<b>Mortality (ln%)</b>	<b>Test Method</b>
1	Control sample	0	IS 6582 (Part 2) Bioassay using Zebra Fish
2	5000 mg/L	10	
3	10000 mg/L	10	
4	20000 mg/L	20	
5	30500 mg/L	30	
6	40000 mg/L	50	
7	50000 mg/L	50	
<b>Sample Drawn By : Client</b>			
Remarks: Limit for Toxicity of Drill Fluid 96 Hrs LC 50 > 30000 mg/l by fish toxicity.			
Checked by:  Dr. Belinda Lahon Quality Manager		Reviewed by:  Pranjal Buragohain Authorised Signatory	

\* The results relate only to the item tested.

\* The test report shall not be produced except in full, without written approval of the laboratory.

\* The test report cannot be used as evidence in the court of law without prior written approval of the laboratory.

\*\*\*\*\* End of report \*\*\*\*\*



**Common Environment Management Plan for Onshore Oil & Gas**  
**Drilling Activity**



## Contents

S.No	Content
1.0	<b>INTRODUCTION</b>
2.0	<b>Environmental Management Plan</b>
3.0	<b>IMPACT ASSESSMENT</b>
	<b>4.1 Air Quality</b>
	<b>4.2 Noise Quality</b>
	<b>4.3 Soil Quality</b>
	<b>4.4 Water Quality and Hydrogeology</b>
	<b>4.5 Biological Environment</b>
	<b>4.6 Socio-Economic Environment</b>
	<b>4.7 Impact on Community Health &amp; Safety</b>
4.0	<b>DETAIL ENVIRONMENTAL MANAGEMENT PLAN</b>
	<b>5.1 Air Quality Management Plan</b>
	<b>5.2 Noise Management Plan</b>
	<b>5.3 Soil Quality Management Plan</b>
	<b>5.4 Surface Water Quality Management Plan</b>
	<b>5.5 Ground Water Quality Management Plan</b>
	<b>5.6 Waste Management Plan</b>
	<b>5.7 Wildlife Management Plan</b>
	<b>5.8 Road Safety &amp; Traffic Management Plan</b>
	<b>5.9 Occupation Health &amp; Safety Management Plan</b>
	<b>5.10 Management of Social issues and concerns</b>
	<b>5.11 Emergency Response Plan</b>
5.0	<b>Environment Management Matrix</b>
6.0	<b>Summary and Conclusion</b>

## **1.0 INTRODUCTION:**

OIL INDIA LIMITED (OIL), a Government of India Maharatna Enterprise, is currently engaged in carrying out hydrocarbon exploration and production activities mostly in its operational areas in Upper Assam, Arunachal Pradesh and Mizoram in the North Eastern part of India. OIL is also undertaking hydrocarbon exploration activities in few Indian states and few overseas countries. Oil India Limited was incorporated on 18<sup>th</sup> February 1959 to expand and develop the newly discovered oil fields of Naharkatia and Moran in the Indian North East. In 1961, it became a joint venture company between the Indian Government and Burmah Oil Company Limited, UK. In 1981, OIL became a wholly owned Government of India enterprise. Today, OIL is a premier Indian National Oil Company engaged in the business of exploration, development and production of crude oil and natural gas, transportation of crude oil and production of LPG.

Govt. of India and Assam has awarded Petroleum Mining Leases (PML) to OIL for exploration and development of oil & gas at Dibrugarh, Chabua, Tinsukia, Hugrujan, Naharkatiya Extn, Dholiya and Dumduma areas including the adjoining areas in Dibrugarh, Tinsukia and Sibsagar Districts.

## **2.0 Environmental Management Plan**

This Environmental Management Plan and Monitoring Framework is a site-specific document for the drilling activities that have been developed to ensure that OIL can implement the project in an environmentally conscious manner and where all contractors, understand the potential environmental risks arising out of the proposed project and take appropriate actions to properly manage such risk.

This EMP will be an overview document that will guide environmental management of all aspects of OIL's activities i.e. construction and operation of drilling wells. This EMP will be backed up by more specific Environmental Action Plans, Procedures and Bridging Documents.

The EMP describes the actions to be adopted in terms of:

- National Policies and Regulations;
- Best Practices and guides; and
- Local Environmental and Social Sensitivities.

**The Environment Policy of OIL is presented below.**





### 3.0 IMPACT ASSESSMENT

The potential impacts arising due to the construction and operation of the drilling activities are given below:

**3.1 Air Quality:** The operation of DG/GG sets, movement of vehicles and machineries during construction and drilling at drill sites will result in the generation of air pollutants viz. PM, NO<sub>x</sub> and SO<sub>x</sub> that may affect the ambient air quality temporarily. Air pollutants like particulate matter, hydrocarbons and NO<sub>x</sub> will also be generated during drilling operations.

**3.2 Noise Quality:** Operation of heavy machinery/equipments and vehicular movement during site preparatory and road strengthening/construction activities may result in the generation of increased noise levels. Operational phase noise impacts are anticipated from the running of drilling rig and ancillary equipment viz. shale shakers, mud pumps and diesel generators, gas generators.

**3.3 Soil Quality:** Stripping of top soil will affect the soil fertility of the well sites temporarily. Potential adverse impacts on soil quality may also result from improper storage and handling of fuel, lubricants, drilling mud and drill cuttings.

**3.4 Water Quality and Hydrogeology:** All wastewater discharged from the drilling operations will be treated in the ETP and discharges will conform to CPCB standards. As the volume of water to be discharged is small, it is anticipated to cause minor increase in pollution load for specific parameters in receiving water bodies. Uncontrolled surface runoff from the drill sites may compose of waste fluids or storm water mixed with oil and grease and may pollute the surface water quality. However, the surface runoff will be treated with sedimentation tank and oil water separator at site.

#### **3.5 Biological Environment:**

The existing vegetation at the proposed drill sites, approach roads and RoU of the pipeline will be felled for site development. Noise generated from drilling operations and vehicular movement within the drill sites and approach roads may affect the reptiles, birds and mammals adversely and may result in their moving away from the project area for a temporary period. OIL will obtain Forest Clearance from MoEF&CC for drilling within the forestlands; all the conditions mentioned in the forest clearance would be complied. Surface runoff from the drill sites contaminated with sediment, may reach surface water channels and increase the suspended solids load of the channel water. Increase of suspended solid will increase the turbidity of river water that ultimately will adversely affect the DO level in the water. The turbid water and lower DO may affect the primary productivity of the impacted areas of the rivers. The process effluent will be adequately treated in the ETP to meet the industrial effluent discharge standards. The discharge of treated effluent is not expected to cause perceptible changes in the water quality of the receiving stream.

**3.6 Socio-Economic Environment:** Approximately 3 ha. land would be required for each well. Land will be purchased from local communities however; no physical displacement during land procurement is anticipated. Additionally, land will also be procured for construction of 100-200 m approach road to the drill site from existing roads. Anticipated number of families directly impacted would be limited to 2-5 nos. for each of the drill sites. The dependency of the landowner in case of generation of livelihood is limited as the land is classified as monocropped agricultural land.

OIL/its contractors would endeavour to provide maximum employment to the local people; however, certain percentage of semi-skilled and highly skilled migrant labour would be used by contractors for manning technical activities. It is anticipated that occasional conflicts would arise with the local community over the recruitment of migrant workers. Discomfort due to dust and noise to adjoining communities, influx of people are likely to occur.

The construction phase of the project is likely to generate both direct and indirect opportunities for employment. The estimated direct employment would be approximately 50 un-skilled workers during the peak construction phase that will primarily sourced from nearby areas. Indirect employment would be primarily in the supply chain as vendors, which are anticipated to be set up to support the construction.

**3.7 Impact on Community Health & Safety:**Community health and safety of inhabitants residing close to the proposed well sites stand to get affected from frequent heavy vehicular movements along village access roads and due to noise from drilling rig operations, movement of heavy vehicles during construction etc.

## **4.0 DETAIL ENVIRONMENTAL MANAGEMENT PLAN**

### **4.1 Air Quality Management Plan**

- Vehicles delivering raw materials like fine aggregates will be covered to prevent fugitive emissions.
- Sprinkling of water on earthworks, material haulage and transportation routes on a regular basis during construction and decommissioning phase of the wells.
- Flare stacks of adequate height would be provided.
- DG/GG set stacks would have adequate height, as per statutory requirements, to be able to adequately disperse exhaust gases
- Periodic monitoring of DG/GG set stack emission will be carried out in accordance with the Environmental Monitoring Plan to assess compliance with CPCB DG set exhaust standards.

### **4.2 Noise Management Plan**

- Selection and use of low noise generating equipment with in-built engineering controls viz. mufflers, silencers, etc.
- All DG/GG sets would be provided with acoustic enclosures.
- Appropriate PPEs (e.g. ear plugs) will be used for by workers while working near high noise generating equipment.
- All vehicles utilized in transportation of raw materials and personnel will have valid Pollution under Control Certificates (PUC).
- All high noise generating equipment will be identified and subjected to periodic preventive maintenance.
- No night time operation of vehicles and construction activities will be undertaken.

### **4.3 Soil Quality Management Plan**

- Drip trays to be used during vehicular/equipment maintenance and during re-fuelling operations.
- Spill kits will be made available at all fuel and lubricant storage areas. All spills/leaks contained, reported and cleaned up immediately.
- Dedicated paved storage area will be identified for the drilling chemicals, fuel, lubricants and oils within the drill sites.
- 1.5 mm HDPE lined pits will be considered for the disposal of unusable drilling mud cuttings and drilling wastewater etc.

### **4.4 Surface Water Quality Management Plan**

- Levelling and grading operations will be undertaken with minimal disturbance to the existing site contours thereby maintaining the general slope and topographical profile of the site.
- During site preparation and construction, surface water run-off will be channelized through appropriately designed drainage system.
- Sediment filters and oil-water separators will be installed to intercept run-off and remove sediment before it enters water courses.
- Domestic wastewater generated from drill sites will be treated through septic tank and soak pit system and then discharged.
- Process wastewater would be treated in Effluent Treatment Plant (ETP) at drill sites.

### **4.5 Ground Water Quality Management Plan**

- Water based mud would be used as a drilling fluid for the proposed project.
- Eco-friendly synthetic based mud if required for deeper sections, will be used after providing intimation to the Pollution Control Board;
- The drill cutting along with spent mud will be stored in HDPE lined pit.

### **4.6 Waste Management Plan**

- Use of low toxicity chemicals for the preparation of drilling fluid.
- Management of drill cuttings, waste drilling mud, waste oil and domestic waste, wastewater in accordance with Standards for Emission or Discharge of Environmental Pollutants from Oil Drilling and Gas Extraction Industry of CPCB as modified in 2005.
- The hazardous waste (waste and used oil) will be managed in accordance with Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016.
- The kitchen waste will be disposed in nearest municipal/village dumping site on a daily basis through approved waste handling contractors.
- The sewage generated will be treated through septic tank and soak pit system.
- Used batteries will be recycled through the vendors supplying lead acid batteries as required under the Batteries (Management & Handling) Rules, 2001.
- The drilling cuttings pit will be bunded and kept covered using tarpaulin sheets during monsoon.

#### **4.7 Wildlife Management Plan**

- Movement of heavy vehicles will be restricted at night time, especially if access roads pass through forest areas, as most of the mammals movement occurs during night;
- Noise levels at the drill sites will be controlled through selection of low noise generating equipment and installation of sufficient engineering controls viz. mufflers, silencers etc.
- No temporary electric supply connection line from the grid will be laid for the proposed project activity. All electric requirements will be supplied from the internal DG sets.
- OIL will have to take Forest Clearance from MoEFCC for development of drill sites, access roads and laying of pipeline within forest areas.

#### **4.8 Road Safety & Traffic Management Plan**

- The condition of roads and bridges identified for movement of vehicles and drilling rig will be assessed and if required strengthened by OIL to ensure their safe movement.
- Precautions will be taken by the contractor to avoid damage to the public access routes including highways during vehicular movement.
- Traffic flows will be scheduled wherever practicable during period of increased commuter movement.

#### **4.9 Occupation Health & Safety Management Plan**

- All machines to be used in the construction will conform to the relevant Indian Standards (IS) codes, will be kept in good working order, will be regularly inspected and properly maintained as per IS provisions and to the satisfaction of the site Engineer.
- Hazardous and risky areas, installations, materials, safety measures, emergency exits, etc. shall be appropriately marked.

#### **4.10 Management of Social issues and concerns**

- People from adjoining areas especially given job preference through local contractors according to the skill sets possessed.
- Prior to the commencement of the proposed activity, a consultation program will be conducted by OIL with the target groups and local authorities. The primary objective of such consultation will be to share with the concerned villagers/stakeholders the objective of the proposed project associated impacts and their mitigation.
- OIL will give more emphasis and priority on periphery development, development of health facilities and provision for drinking water facility as per Corporate Social Responsibility (CSR) Plan.
- The drill sites would be fenced and gates would be constructed so that the children are refrained from straying into the site.

#### **4.11 Emergency Response Plan**

- Drilling rig and related equipment to be used for drilling will be conformed to international standards specified for such equipment.
- Blow-out preventers and related well control equipment shall be installed, operated, maintained and tested generally in accordance with internationally recognized standards.
- Appropriate gas and leak detection system will be made available at each of the drill sites.
- Adequate fire-fighting equipment shall be provided at each drilling site.

The environmental mitigation measures and plans are presented in form of a matrix according to the sequential flow of activities in the project life cycle. The matrix focuses on strategies to be adopted for safe guard of the environment from possible impacts resulting out of the project activities. The strategies have further been detailed out as management procedures and programmes in subsequent sections.

The EMP helps establish the linkage between the activities environmental impacts and mitigation measures and presents the monitoring framework i.e. the Environmental Performance Indicator (EPI) No. as well as the Environmental Quality Indicator (EQI).

## 5.0 Environment Management Matrix

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
1.	Physical Presence of drill site, rig and other machinery.	1.1	Change in visual characteristics of the area due to installation of drilling setup	Temporary change in landscape	On completion of works (in phases) all temporary structures, surplus materials and wastes will be completely removed. Only structure required for safety purposes would be retained on the bare drill site.	Site Inspection	Construction &Drilling	OIL/Contractor	Waste Management Plan
		1.2	Increase of illumination at night time due to installation of drilling setup	Temporary disturbance of the nearby villagers	Appropriate shading of lights to prevent scattering	Grievance records/ Consultation with Villagers	Construction &Drilling	OIL/Contractor	Management of social issues & concerns
		1.3	Influx of man power & immigrant labour force to nearby villages	Possibility Cultural and behavioural conflict	Preference used of local labour forces to the extent possible	Grievance records	Construction &Drilling	OIL/Contractor	Management of social issues & concerns
2.	Storage & Handling of Materials & Spoils	2.1	Emission of fugitive dust from loading & unloading operation	Temporary impact on air quality especially SPM	All loading and unloading activities to be carried out as close as possible to the storage facilities.	Site Inspection	Construction &Drilling	OIL/Contractor	Air Quality Management
		2.2	Accidental spillage of oil & chemicals	Potential contamination surface water body resulting impact on aquatic ecosystem	All spills to be reported and contained to prevent entry of spilled chemicals/fuels to any surface water body or drainage channel	Records of spills/Community Grievances	Construction &Drilling	OIL/Contractor	Surface water quality management plan, Wildlife Management Plan
				Potential impact on soil quality	All spills to be reported and remedial measures to be taken for clean-up of the spill.	Records of Spills/Site Inspection	Construction &Drilling	OIL/Contractor	Spill management plan



S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
3.	Transport of Materials, Spoils and Machinery	3.1	Emission of gaseous pollutants from vehicle during transportation of materials, spoils and machinery	Temporary deterioration on air quality along transport route	<p>All diesel-powered equipment will be regularly maintained and idling time reduced to minimise emissions;</p> <p>Vehicle / equipment air emissions will be controlled by good practice procedures (such as turning off equipment when not in use);</p> <p>Vehicle / equipment exhausts observed emitting significant black smoke in their exhausts will be serviced/ replaced</p>	Records and Site Inspection	Construction &Drilling	OIL/Contractor	Air Quality Management plan
		3.2	Noise emission during transport of materials, spoils and machinery	Temporary deterioration in ambient noise along the transportation route	<p>Undertake preventive maintenance of vehicles and machinery to reduce noise levels.</p> <p>Restriction on unnecessary use of horns by trucks and vehicle in settlement area</p>	Site Inspection/Records of repairs	Construction &Drilling	OIL/Contractor	Noise Quality Management Plan
4.	Operation & maintenance of rig and associated machinery.	4.1	Emission of air pollutant from DG/GG sets	Temporary impact on air quality due to increase in concentration of gaseous pollutants e.g. NOx , HC	Preventive maintenance of DG sets to be undertaken as per manufacturers schedule	Site Inspection/Records of repairs	Drilling	OIL/Contractor	Air Quality Management plan
		4.2	Emission of Noise from DG/GG sets	Temporary increase of ambient as well a	All workers working near high noise generating equipment to be provided	Recording of Noise	Drilling	OIL/Contractor	Noise Quality Management Plan and

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
				work place noise level	<p>with Personal Protective equipment</p> <p>Preventive maintenance of machinery to be undertaken as per manufacturers schedule</p> <p>Install sufficient engineering control (mufflers) to reduce noise level at source</p>				Occupational Health & Safety Management Plan
		4.3	Emission of noise from operation of the rig	Temporary increase of ambient as well a work place noise level	<p>All workers working near high noise generating equipment to be provided with Personal Protective equipment</p> <p>Preventive maintenance of machinery to be undertaken as per manufacturers schedule</p>	Site Inspection	Drilling of Wells	OIL/Contractor	Noise Quality Management Plan and Occupational Health & Safety Management Plan
		4.4	Abstraction of ground water for project usage	Depletion of ground water resources	Optimize use of water during drilling operations	Record Keeping and Auditing	Construction &Drilling	OIL/Contractor	None
		4.5	Noise from mud pump during preparation of drilling mud	Temporary increase of ambient & work place noise level	Preventive maintenance of machinery to be undertaken as per manufacturers schedule	Recording of Noise	Drilling of Wells	OIL/Contractor	Noise Quality Management Plan and Occupational Health &Safety Management

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
					All workers working near high noise generating equipment to be provided with Personal Protective equipment				Plan
		4.6	Accidental spillage of chemicals during preparation drill mud	Contamination of soil resulting loss of soil living organism	Manage spills of contaminants on soil	Records of spills	Drilling of Wells	OIL/Contractor	Spill Management plan
		4.7	Accidental spillage of chemicals during preparation drill mud	Potential impact on surface water quality and aquatic ecosystem	All spill to be contained so that it does not reach any surface water body or drainage channels	Records of spills	Drilling of Wells	OIL/Contractor	Surface water quality management plan
5.	Operation & maintenance of Vehicles	5.1	Emission of Noise from vehicles	Temporary increase of noise level in areas abutting transport route	Preventive maintenance of vehicles to be undertaken as and when required	Maintenance Records	Construction &Drilling	OIL/Contractor	Noise quality management plan
		5.2	Emission of gaseous air pollutant from vehicles	Temporary deterioration air quality in areas abutting transport routes	Preventive maintenance of vehicles to be undertaken as and when required	Site Inspection/Records of repairs	Construction &Drilling	OIL/Contractor	Air quality management plan
		5.3	Spillage of fuels & lubricants from vehicles	Contamination of soil resulting loss of soil living organism	Adopt best practices e.g. use pumps and dispensing nozzle for transfer of fuel, use of drip trays. Etc.	Site Inspections/Audits	Construction &Drilling	OIL/Contractor	Spill Management plan
				Impact on surface water quality and	The drainage system on site to be provided with Sedimentation tank and Oil-	Site Inspection/Audits	Drilling	OIL/Contractor	Surface water quality management

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
				aquatic ecosystem	water Separator to prevent contamination especially oil and grease from being carried off by runoff.				plan and Spill Management plan
6.	Casing & cementing of well	6.1	Noise from machinery during preparation of cement slurry	Temporary increase of ambient noise level	Install sufficient engineering control on equipment and machineries (like mufflers in DG sets) to reduce noise and vibration emission levels at source, carry out proper maintenance and subject them to rigid noise and vibration control procedures.	Site Inspection	Drilling of Wells	OIL/Contractor	Noise quality management plan
		6.2	Loss of drilling mud and cement slurry during casing of well	Potential contamination of ground water aquifer	Proper engineering controls during cementing operation to prevent migration of drilling mud and cement slurry into ground water aquifer	Site Inspection	Drilling of Wells	OIL/Contractor	Ground water quality management plan
7.	Temporary storage, handling & disposal of process waste	7.1	Accidental spillage of process waste (unused cement slurry, return mud & drill cuttings) at the temporary storage site	Potential for contamination of soil and ground water	Proper engineering controls for the drilling and cementing operations;	Drilling and Decommissioning Phases	Drilling and Decommissioning Phases	OIL/Contractor	Ground water quality management plan
		7.2	Surface runoff from temporary storage site of drill cuttings & unused mud into surface water bodies	Impact on surface water quality and aquatic ecosystem	All Temporary waste storage area will have proper bunds to prevent any escape of contaminated runoff  Ensure that any runoff from such temporary storage area	Site Inspection and Record keeping	Drilling and Decommissioning Phases	OIL/Contractor	Surface water quality management plan and Spill Management plan

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
					are channelized into ETP				
		7.3	Accidental leakage/spillage of oils and lubricants and fuel from temporary storages	Contamination of soil resulting in loss of soil living organism	Dispose process waste and domestic waste as per regulation/ best practices  Dispose debris and waste in designated areas and as per plan to prevent degradation of land	Site Inspection	Construction &Drilling	OIL/Contractor	Waste Management Plan and Spill Management plan
		7.4	Accidental leakage/spillage of oils and lubricants from temporary storages	Contamination of surface water resulting in deterioration of surface water quality and adverse impact on aquatic ecosystem	All chemical and fuel storage areas will have proper bunds so that contaminated run-off cannot escape into the storm-water drainage system.  The waste pits (waste water and drill cuttings) will be bounded and covered by tarpaulin sheet to prevent mixing of runoff water with waste water and leachate from waste pit and also reduce the volume of waste water.	Site Inspection	Construction &Drilling	OIL/Contractor	Waste Management Plan and Spill Management plan
		7.5	Disposal/spillage of spent oils & lubricants into environmental media	Contamination of soil resulting loss of soil living organism  Contamination of surface water resulting deterioration of surface water quality and aquatic	Ensure recycling of spent oil & lubricant through authorized dealer	Site Inspection	Construction &Drilling	OIL/Contractor	Waste Management Plan and Spill Management plan

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
				ecosystem					
		7.6	Disposal of used battery & spent filters in environmental media	Potential for contamination of soil, ground water and surface water body	Ensure recycling of waste through authorized waste recycler	Site Inspection and Record Keeping	Construction & Drilling	OIL/Contractor	Waste Management Plan and Spill Management plan
		7.7	Offsite disposal of metallic, packing, scrap	Localized visual impacts		Site Inspection and Record Keeping	Construction & Drilling	OIL/Contractor	Waste Management Plan
8.	Testing & Flaring of natural gas	8.1	Emission of air pollutants from flare stack at drill site .	Temporary localized deterioration air quality (NOx, HC)	Proper engineering controls to ensure complete combustion of gas  Location of Flare stack to be chosen considering the sensitive receptors adjoining the site	Engineering Designs /Site inspections	Construction & Drilling	OIL S& E Team and Drilling team	Waste Management Plan
9.	Storage of materials (equipment, chemicals, fuel)	9.1	Accidental spillage during storage and handling of materials	Potential for contamination of soil & ground water	Impervious storage area, especially for fuel & lubricant, chemical, hazardous waste, etc.	Site Inspection	Construction & Drilling	OIL/Contractor	Spill Management plan
				Safety concerns for workers involved in handling of hazardous materials	Personal protective equipment to be provided to workers involving in handling of hazardous materials	Site Inspection	Construction & Drilling	OIL/Contractor	Health and Safety Plan



S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
10.	Technical Emergencies	10.1	Probability of accidental leakage of gas/ liquid hydro-carbons due to failure of safety devices	Potential adverse impact on personnel, environment & assets	<p>Proper engineering controls to prevent leakage of sour gases</p> <p>Obtain an early warning of emergency conditions so as to prevent a negative impact on personnel, the environment, and assets</p> <p>Safeguard personnel to prevent injuries or loss of life by either protecting personnel from the hazard and/or evacuating them from the facilities</p> <p>Minimize the impact of such an event on the environment and the facilities by mitigating the potential for escalation and, where possible, containing the release</p> <p>Develop evacuation procedures to handle emergency situations.</p>	Site Inspection	Drilling	OIL/Contractor	Emergency Response Plan
11.	Dismantling of rig & associated machineries	11.1	Emission of noise during dismantling of rig	Temporary deterioration of ambient noise quality resulting in discomfort	All noise generating activities will be restricted during day time	Site Inspection	Well Decommissioning Phase	OIL/Contractor	Noise quality management plan
		11.2	Generation of waste during dismantling of rig	Temporary visual impacts	Storage of waste in designated areas only recyclable waste should be recycled through authorized	Site Inspection	Well Decommissioning Phase	OIL/Contractor	Waste Management Plan

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
					water recycler				
		11.3	Disposal/spillage of spent oils & lubricants into environmental media	Contamination of soil resulting loss of soil living organism  Contamination of surface water resulting deterioration of surface water quality and aquatic ecosystem	Manage spills of contaminants on soil	Site Inspection and Record keeping	Well Decommissioning Phase	OIL/Contractor	Waste Management Plan
12.	Transportation of drilling facilities	12.1	Emission of gaseous air pollutant during transportation of drilling facilities	Temporary localized deterioration of air quality due to emission gaseous pollutants	Vehicle / equipment air emissions will be controlled by good practice procedures (such as turning off equipment when not in use); and  Vehicle / equipment exhausts observed emitting significant black smoke in their exhausts will be serviced/ replaced	Site Inspection and Record keeping	Well Decommissioning Phase	OIL/Contractor	Air quality management plan
		12.2	Fugitive emissions due to re-entrainment of dust during transport of drilling facilities	Temporary localized deterioration of air quality due to increase in SPM levels	Approach road to be sprinkled daily with water	Site Inspection	Well Decommissioning Phase	OIL/Contractor	Air quality management plan
		12.3	Emission of noise during transport of drilling facilities	Temporary deterioration of noise quality	Restrict all noise generating operations, except drilling, to daytime	Site Inspection	Well Decommissioning Phase	OIL/Contractor	Noise quality management plan

S No	Activity	Ref	Aspect	Impact	Mitigation Measures	Monitoring	Timing/ Frequency	Responsible Party	Related Plans
					Restriction on unnecessary use of horns by trucks and vehicle in settlement area				

## 6.0 Summary and Conclusion

The EMP has been made to assess the potential significant adverse environmental effects due to the proposed construction and drilling activities.

Mitigation measures have been proposed as part of EMP to minimize adverse environmental impacts, if any. Risk assessment includes Jet Fire and Vapour Cloud Explosion for blowout of wells. The existing Emergency Management Plan of OIL will be extended to this project, strengthened as necessary and implemented in the event of any emergency arising due to above mentioned risks.

The present impact assessment study indicates that the overall impact from the proposed project will be short to medium term, reversible, localised and are not expected to contribute significantly to the surrounding environment. Also, with the implementation of the pollution control and strengthen the existing environment management measures, these anticipated impacts due to proposed site preparation and drilling operation and decommissioning activities of the proposed project will be mitigated. Summary of impact significance without mitigation measures and with mitigation measures is presented at the table below.

### Summary of Impact Significance without and with Mitigation Measures

Impact	Impact significance without mitigation measures	Impact significance with mitigation measures
Aesthetic & visual	Moderate	Minor
Land Use	Negligible	-
Soil Quality	Moderate	Minor
Air Quality	Moderate	Minor
Noise Quality	Major	Moderate
Road & Traffic	Moderate	Minor
Surface Water Quality	Moderate	Moderate
Ground water resource	Minor	Minor
Ground Water Quality	Moderate	Minor
Terrestrial Ecology	Negligible	-
	Minor	Minor
	Major	Moderate
Aquatic Ecology	Moderate	Moderate
Livelihood & Income generation	Moderate	Moderate
Conflict with local people	Moderate	Moderate
Benefit to Local Enterprises	Positive	-
Employment Generation	Positive	-
Occupational health & safety	Moderate	Minor
Community health & safety	Moderate	Minor

OIL will also ensure that the environmental performances of all the activities are monitored throughout execution of the project during site preparation, drilling and decommissioning phases. Monitoring will be carried out for ambient air quality, stack emission, noise quality, quality of treated effluents, surface and groundwater qualities, waste generated and disposed etc. and verified that they meet the prescribed standards. OIL will continue to report environmental performance and submit monitoring reports regularly to statutory authorities.

The effective management system coupled with monitoring of environmental components and efforts for continual improvements will result in satisfactory environmental performance of the proposed oil and gas drilling and development project.

**THANKS YOU**

Government of India  
Ministry of Jal Shakti  
Department of Water Resources, River Development & Ganga Rejuvenation  
Central Ground Water Authority

**PUBLIC NOTICE No. 11/2023**New Delhi, Dated 1<sup>st</sup> August, 2023

(In supersession of the Public Notice no. 06/2023 dated 11.05.2023 regarding  
“Exemption to obtain NOC for ground water well drilling used for scientific study by  
Government Organisation/Institute”)

**Sub: Exemption to obtain NOC for ground water well drilling used for scientific study by Government Organisation/Institute – reg.**

Whereas the Central Government constituted the Central Ground Water Authority (hereinafter referred to as the Authority) vide notification Number S.O. 38(E), dated 14th January, 1997, followed by notification number S.O. 1124(E) dated 6th November, 2000 and S.O. 1121 (E) dated 13th May, 2010 of the Government of India in the Ministry of Environment & Forests, for the purposes of regulation and control of ground water development and management in the whole of India and to issue necessary regulatory directions.

And whereas, the Ministry of Jal Shakti has issued ‘Guidelines to control and regulate ground water extraction in India’ vide notification number S.O. 3289(E) dated 24th September, 2020, notified by Department of Water Resources, River Development and Ganga Rejuvenation, Ministry of Jal Shakti.

And whereas an Amendment Notification dated 29.03.2023 has been further issued by Ministry of Jal Shakti, published in the Gazette of India, Extraordinary, Part II, section 3, sub-section (ii), vide Notification number S.O. 1509 (E).

**This is to bring to the notice that:-**

- Government organizations/Institutes dealing in ground water well drilling, such as drilling of Exploratory well, Piezometer, Observation Well, Pilot well etc. for scientific studies and exploration activities, **and such PSUs like ONGC, Oil India Ltd. etc. involved in research and exploration activities requiring site-specific temporary borewells**, shall remain exempted from seeking of No Objection Certificate for Ground Water extraction for the period of scientific studies, from Central Ground Water Authority.
- However, such Government organizations/Institutes shall be required to submit details of the drilling to the concerned Regional Office of CGWB.
- In case, another agency uses the well for ground water extraction, after the completion of scientific studies and exploration activities, the same shall be required to obtain No Objection Certificate from CGWA as per the due process.

Member Secretary  
CGWA