

**OIL INDIA LIMITED**  
**RAJASTHAN FIELD**  
**JODHPUR**

**AMENDMENT No. 3 Dated 07.09.2022**  
**To TENDER No. GEM/2022/B/2344127**

This amendment against Tender No. GEM/2022/B/2344127 is issued as under:

1.0 The following clauses stand amended in the Revised tender document uploaded under Amendment no. 2 dated 2608.2022:

<b>Sl. No.</b>	<b>Clause No.</b>	<b>Existing Clause</b>	<b>Amended Clause</b>
1.	SCC 10.1	Contractor's equipment is stuck in the hole, the Contractor shall not release the cable head weak point without order by Company representative. If the stuck equipment could not be released as per normal procedure and Company decides to fish for the stuck equipment, then company shall assume entire responsibility for such operation. However, Contractor will, if so desired by Company and without any responsibility or liability on Contractor's part render assistance, if required, for the recovery of such equipment and/or instruments. None of Contractor's employees are authorized to do anything other than assist/advise and consult with Company in connection with such "fishing" operations. However, it shall be the responsibility of the Contractor to provide fishing equipment required for the fishing operation. Contractor shall not be liable or responsible for a damage that Company may incur or sustain through its use or by reason of any advice or assistance rendered to Company by Contractor's agents or employees irrespective of cause.	Contractor's equipment is stuck in the hole, the Contractor shall not release the cable head weak point without order by Company representative. If the stuck equipment could not be released as per normal procedure and Company decides to fish for the stuck equipment, then company shall assume entire responsibility for such operation. However, Contractor will, if so desired by Company and without any responsibility or liability on Contractor's part render assistance, if required, for the recovery of such equipment and/or instruments. None of Contractor's employees are authorized to do anything other than assist/advise and consult with Company in connection with such "fishing" operations. However, it shall be the responsibility of the Contractor to provide fishing equipment required for the fishing operation. Contractor shall not be liable or responsible for a damage that Company may incur or sustain through its use or by reason of any advice or assistance rendered to Company by Contractor's agents or employees irrespective of cause.

		NB: In case of Cable guided fishing operation where Contractor's equipment and manpower is also involved in the operation, the Company shall not assume responsibility for failure which is attributable to Contractor's equipment or to Contractor's part of the operation.	
2.	<p>SCC 10.3</p> <p><u>Reimbursement for loss of Sub-Surface equipment:</u></p>	<p>Notwithstanding any provision under this contract to the contrary, Company shall assume liability except in the event of gross negligence or Willful Misconduct on the part of Contractor, for loss or damage to the Contractor's or sub contractor's sub-surface equipment and the downhole property of Contractors or Sub-contractors in the hole below the rotary table, subject to conditions prescribed herein below. Company shall at its option either reimburse the Contractor for the value of lost or damaged equipment/tools as declared in the import invoices at the time of mobilization (or subsequent replacement/addition) of the same equipment/ tools or CIF value as reflected in Price Bid Format hereto whichever is lower (Plus customs duty paid by the contractor for the equipment tool lost/damaged, provided that the said custom duty was not borne by the Company and contractor produces the documentary evidence towards payment of customs duty.) for any such loss or damage, less depreciation @3% per month from the date of commencement of this contract or interim mobilization of the lost equipment/tool whichever is later with a maximum depreciation equivalent to 50% of CIF value as indicated by the Contractor or at its option replace similar equipment/tools to the satisfaction of the Contractor and any transportation expenses incurred in connection herewith. All such costs shall be payable by Company only after Contractor undertakes in prescribed format that the particular equipment/tools</p>	<p>Notwithstanding any provision under this contract to the contrary, Company shall assume liability except in the event of gross negligence or Willful Misconduct on the part of Contractor, for loss or damage to the Contractor's or sub contractor's sub-surface equipment and the downhole property of Contractors or Sub-contractors in the hole below the rotary table, subject to conditions prescribed herein below. Company shall at its option either reimburse the Contractor for the value of lost or damaged equipment/tools as declared in the import invoices at the time of mobilization (or subsequent replacement/addition) of the same equipment/ tools or CIF value as reflected in Price Bid Format hereto whichever is lower (Plus customs duty paid by the contractor for the equipment tool lost/damaged, provided that the said custom duty was not borne by the Company and contractor produces the documentary evidence towards payment of customs duty.) for any such loss or damage, less depreciation @3% per month from the date of commencement of this contract or interim mobilization of the lost equipment/tool whichever is later with a maximum depreciation equivalent to 50% of CIF value as indicated by the Contractor or at its option replace similar equipment/tools to the satisfaction of the Contractor and any transportation expenses incurred in connection herewith. All such costs shall be payable by Company only after Contractor undertakes in prescribed format that the particular equipment/tools</p>

		<p>in question is not covered by Contractor's insurance policies. For any such loss/damage, the contractor must notify the Company in writing within one month from the date of the lost tool and claim thereof must be made within six months of the date of the lost tool or before expiry of the Contract, whichever is earlier [Format for LIH Claim is enclosed as Annexure-F]. The inspection of recovered tools/ equipment, if recovered from downhole, needs to be made by the Company Representative before submission of the invoice by contractor. OIL shall certify the Loss/Damage in Hole immediately upon receiving the intimation from the Contractor, so that replacement and claiming of Loss/Damage can be done within the stipulated time.</p> <p>Note: GST on LIH tools, if applicable, shall be on OIL's account.</p>	<p>in question is not covered by Contractor's insurance policies. For any such loss/damage, the contractor must notify the Company in writing within one month from the date of the lost tool and claim thereof must be made <b>within six months of the date of the lost tool</b> [Format for LIH Claim is enclosed as Annexure-F]. The inspection of recovered tools/ equipment, if recovered from downhole, needs to be made by the Company Representative before submission of the invoice by contractor. OIL shall certify the Loss/Damage in Hole immediately upon receiving the intimation from the Contractor, so that replacement and claiming of Loss/Damage can be done within the stipulated time.</p> <p>Note: GST on LIH tools, if applicable, shall be on OIL's account.</p>
3.	SOW 1.3.1 Table-1 Sr. No 17	<p>Casing gun Perforation.</p> <p>i) Casing gun perforation with deep penetration charges (6spf).</p> <p>ii) Casing gun perforation with Big hole charges(6spf).</p>	<p>Casing gun Perforation.</p> <p>i) Casing gun perforation with deep penetration charges <b>(6/5spf)</b>.</p> <p>ii) Casing gun perforation with Big hole charges(6spf).</p>
4.	SOW 1.3.2 f	<p>The following services must be fully combinable with each other so as to enable combo runs in any desired combination: A-1, A-2, A-3, A-4, A-5, A-8, A-9, S-1 &amp; S-4. If it is found that the contractor is not able to take up combo runs due to restrictions in tool combinability of any of the tool(s) then the Contractor shall have to replace such tool(s) immediately to meet the above tool combinability requirement. Until suitable replacement is provided meeting the above combinability, all the above tools shall be under zero rental.</p>	<p>The following services must be fully combinable with each other so as to enable combo runs in any desired combination: <b>A-1, A-2, A-3, A-4, A-5, A-8, A-9 &amp; S-4</b>. If it is found that the contractor is not able to take up combo runs due to restrictions in tool combinability of any of the tool(s) then the Contractor shall have to replace such tool(s) immediately to meet the above tool combinability requirement. Until suitable replacement is provided meeting the above combinability, all the above tools shall be under zero rental.</p>
5.	SOW 2.8 (i)	<p>The unit must be State of the Art (latest version of Full Maxis 500, LOGIQ, ECLIPS or equivalent) capable of running all the tools and services under the Contract.</p>	<p>The unit must be State of the Art (latest version of Full Maxis 500, LOGIQ, ECLIPS or equivalent) capable of running all the tools and services under the Contract.</p>

		Down-hole tools must be of recent generation. Down hole tools should have down-hole digitization, wherever applicable.	Down-hole tools must be of current/latest technology. Down hole tools should have down-hole digitization, wherever applicable.										
6.	SOW ANNEXURE-B Note (D)	The following services have to be fully combinable with each other so as to enable combo runs in any desired combination: A-1, A-2, A-3, A-4, A-5, A-8,A-9, S-1 & S-4	The following services have to be fully combinable with each other so as to enable combo runs in any desired combination: A-1, A-2, A-3, A-4, A-5, A-8,A-9 & S-4										
7	SOW Annexure-B Service Code: A-5	Remarks: Combinable with all standard tools.	Remarks: Combinable with A-1, A-2, A-3, A-4, A-8, A-9 & S-4										
8.	SOW Annexure-B Service Code: S-12 Casing Gun Perforation Requirement	<p>3 1/8-3 3/8" and 4 1/2-4 5/8" Casing gun system for perforation in 5 1/2", 7" and 9 5/8" casing. Shot density: 6 spf shot density for both gun sizes. Perforator system tested as per API 19B/ API 43, performance normalized to 5000psi target compressive strength.</p> <p>Note: For Casing Gun perforation service (A-13), the Bidders are requested to quote considering 6 spf. For any of the 6 spf gun system mentioned below, if the bidder is capable of providing 5spf only, then 5spf shall be accepted and the operating charges actually payable shall be prorated for 5spf. However, for quoting and evaluation purpose, the prices are to be quoted as per 6 spf only.</p>	<p>3 1/8-3 3/8" and 4 1/2-4 5/8" Casing gun system for perforation in 5 1/2", 7" and 9 5/8" casing. Shot density: 6 spf for 3 1/8-3 3/8" and 6/5 spf for 4 1/2-4 5/8" Casing gun system Perforator system tested as per API 19B/ API 43, performance normalized to 5000psi target compressive strength.</p> <p>Note: For Casing Gun perforation service (A-12), the Bidders are requested to quote considering 6 spf. For any of the 6 spf gun system mentioned below, if the bidder is capable of providing 5spf only, then 5spf shall be accepted and the operating charges actually payable shall be prorated for 5spf. However, for quoting and evaluation purpose, the prices are to be quoted as per the following mentioned spf only:</p> <table><tr><td>Gun size and charge type</td><td>SPF</td></tr><tr><td>3 1/8-3 3/8 Deep penetration</td><td>6</td></tr><tr><td>3 1/8-3 3/8 Big hole</td><td>6</td></tr><tr><td>4 1/2-4 5/8 Deep penetration</td><td>5</td></tr><tr><td>4 1/2-4 5/8 Big hole</td><td>6</td></tr></table>	Gun size and charge type	SPF	3 1/8-3 3/8 Deep penetration	6	3 1/8-3 3/8 Big hole	6	4 1/2-4 5/8 Deep penetration	5	4 1/2-4 5/8 Big hole	6
Gun size and charge type	SPF												
3 1/8-3 3/8 Deep penetration	6												
3 1/8-3 3/8 Big hole	6												
4 1/2-4 5/8 Deep penetration	5												
4 1/2-4 5/8 Big hole	6												
9.	SOW ANNEXURE-B	v) The Plugs, adapter kits & cement are to be provided by the contractor.	v) The Plugs & adapter kits are to be provided by the contractor. Cement will be provided by company.										

	Service Code :S-7 & S-8		
10.	Part 1, Instruction to Bidders, Clause no. 32.0	<p>OIL has appointed the following persons as Independent External Monitors (IEM) for a period of 3 (three) years to oversee implementation of Integrity Pact in OIL. Bidders may contact the Independent External Monitor for any matter relating to the IFB at the following addresses:</p> <p>1. Shri Rudhra Gangadharan, IAS (Retd.), Ex-Secretary, Ministry of Agriculture E-mail: rudhra.gangadharan@gmail.com</p> <p>2. Shri Sutanu Behuria, IAS (Retd.); E-mail: sutanu2911@gmail.com</p> <p>3. Shri Om Prakash Singh, IPS (Retd.); E-mail: ops2020@rediffmail.com</p>	<p>OIL has appointed the following persons as Independent External Monitors (IEM) for a period of 3 (three) years to oversee implementation of Integrity Pact in OIL. Bidders may contact the Independent External Monitor for any matter relating to the IFB at the following addresses:</p> <p>1. Dr. Tejendra Mohan Bhasin, Former Vigilance Commissioner, CVC E-mail: tmbhasin@gmail.com</p> <p>2. Shri Sutanu Behuria, IAS (Retd.); E-mail: sutanu2911@gmail.com</p> <p>3. Shri Om Prakash Singh, IPS (Retd.); E-mail: ops2020@rediffmail.com</p>



Price%20Proforma%  
20B\_Amended.xlsx

2.0 Revised Price bid format is attached herewith in excel format.

3.0 All other terms & Conditions remain unchanged.

\*\*\*\*