



Bid Number: GEM/2022/B/2450977

Dated: 19-08-2022

Bid Document

| Bid Details | | | |
|--|--|--|--|
| | T | | |
| Bid End Date/Time | 14-09-2022 14:00:00 | | |
| Bid Opening Date/Time | 14-09-2022 14:30:00 | | |
| Bid Offer Validity (From End Date) | 60 (Days) | | |
| Ministry/State Name | Ministry Of Petroleum And Natural Gas | | |
| Department Name | Oil India Limited | | |
| Organisation Name | Oil India Limited | | |
| Office Name | Oil India Limited | | |
| Total Quantity | 1 | | |
| Item Category | Non-sparking tools made of Copper Titanium alloy (Q3) | | |
| MSE Exemption for Years of Experience and Turnover | No | | |
| Startup Exemption for Years of Experience and Turnover | No | | |
| Bid to RA enabled | No | | |
| Time allowed for Technical Clarifications during technical evaluation | 5 Days | | |
| Inspection Required (By Empanelled Inspection Authority / Agencies preregistered with GeM) | Yes | | |
| Inspection to be carried out by Buyers own empanelled agency | Yes | | |
| Type Of Inspection | Stage-wise Inspection | | |
| Name of the Empanelled Inspection Agency/ Authority | Board of Officers | | |
| Payment Timelines | Payments shall be made to the Seller within 21 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) | | |
| Evaluation Method | Total value wise evaluation | | |
| 1 | 1 | | |

EMD Detail

| | | ı |
|----------|----|---|
| Required | No | |

ePBG Detail

| Advisory Bank | HDFC Bank |
|-------------------------------------|-----------|
| ePBG Percentage(%) | 3.00 |
| Duration of ePBG required (Months). | 20 |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

GM- MATERIALS (HOD)

Oil India Limited, Duliajan Assam - 786602 Ph: 0374 2808705 (Direct). Details of Beneficiary: OIL INDIA LIMITED Bank Name: HDFC BANK LIMITED, Branch Name: Duliajan, Bank Account No.: 21182320000016, Type of Account: Current Account, IFSC Code: HDFC0002118, MICR Code: 786240302, SWIFT Code: HDFCINBBCAL (G C Sarma)

Splitting

Bid splitting not applied.

MII Purchase Preference

| MII Purchase Preference No | |
|----------------------------|--|
|----------------------------|--|

Details of the Competent Authority for MII

| Name of Competent Authority | Rupak Kalita(Based on Notification no. FP-20013/2/2017-FP-PNG dtd. 17.11.2020 of MoPNG) |
|---|--|
| Designation of Competent Authority | GM(C&P),Corporate Office (Based on Notification no. FP-20013/2/2017-FP-PNG dtd. 17.11.2020 of MoPNG) |
| Office / Department / Division of Competent Authority | OIL, C&P (Based on Notification no. FP-20013/2/2017-FP-PNG dtd. 17.11.2020 of MoPNG) |
| CA Approval Number | OIL 62/C&P/267/2020 (Based on Notification no. FP- 20013/2/2017-FP-PNG dtd. 17.11.2020 of MoPNG) |
| Competent Authority Approval Date | 19-08-2022 |
| Brief Description of the Approval Granted by Competent Authority | Oil India Limited has adopted Purchase Preference policy linked with Local Content issued by MOPNG vide notification no. FP-20013/2/2017-FP-PNG dated 17.11.2020 and the original policy was approved by the Cabinet. This policy is applicable for tender value more than Rs. 1.0 Crore to treat the local supplier as Class I, Class II and Non Local Supplier and to extend the benefit of purchase preference accordingly as per policy. |

Competent Authority Approval for not opting Make In India Preference : View Document

MSE Purchase Preference

| | | ľ |
|-------------------------|-----|---|
| MSE Purchase Preference | Yes | |

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued

by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY.

$2. \ \textbf{Inspection of Stores by Nominated Inspection Authority} \ / \ \textbf{Agency of buyer or their} \\ \textbf{authorized representatives}$

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with predispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer .If so requested and accepted by the seller , initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer . For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

Non-sparking Tools Made Of Copper Titanium Alloy (1 pieces)

| Brand Type Unbranded |
|----------------------|
|----------------------|

Technical Specifications

| Buyer Specification Document | <u>Download</u> |
|------------------------------|-----------------|

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|---------------------------------|--|----------|---------------|
| 1 | Krishna Mohan Kumar | 786602,Oil India Limited, Duliajan, Assam | 1 | 180 |

Buyer added Bid Specific Additional Scope of Work

| S.No. | Document Title | Description | Applicable i.r.o. Items |
|-------|--|---|--|
| 1 | Technical Specification & Bid Rejection Criteria View | Technical Specification & Bid Rejection Criteria | Non-sparking Tools Made Of Copper Titanium Alloy(1) |

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. Click here to view the file

4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

a. Copy of PAN Card.

- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

6. Generic

The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST.

Applicable Concessional rate of GST: 12%

Notification No.and date: 8/2022 dated 13/07/2022

7. Generic

Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

8. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

9. Generic

Whereever Essentiality Certificate is applicable (PEL/ML), successful bidder should provide Proforma Invoice for processeing for EC application and material should be dispatche after receiving of EC rom DGH. In view of the same, an ATC may be incorporated in GeM, viz, "BIDDER/OEM must provide Proforma Invoice for processeing for EC application within 135 days from date of issue of GeM Contract and material should be dispatche after receiving of EC rom DGH."

10. Scope of Supply

Scope of supply (Bid price to include all cost components): Only supply of Goods

11. Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 100% of total value.

12. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

13. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

14. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1.0 **Bank Guarantee Verification**:

OIL has made arrangement for online confirmation of Bank Guarantee through SFMS Platform with HDFC Bank, Duliajan Branch. Therefore, bidders submitting Performance Security in the form of Bank Guarantee must route the BG through SFMS platform as per following details –

- a. The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:
- (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
- (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code - HDFC0002118; SWIFT Code - HDFCINBBCAL.

Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN – 786602.

b. The vendor shall submit to OIL the copy of the SFMS message as sent by the issuing bank branch along with the original bank guarantee.

Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank in India shall not be acceptable.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking

payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.


---Thank You---



Conquering Newer Horizons

MATERIALS DEPARTMENT P.O. Duliajan, Dist. Dibrugarh ASSAM, PIN – 786 602, INDIA

TEL : (+91) 374 2808705





<u>ANNEXURE-I</u>

TECHNICAL SPECIFICATIONS

QUANTITY - 1 NO.

1.0 SCOPE OF WORK

Scope of work includes supply of non-sparking tools made of Copper Titanium alloy (Beryllium free) with toolbox for tightening & loosening of API flange bolts of BOPs, Christmas trees and corresponding wellheads of following specifications.

- a) API 13 %" Flange- 3K, 5K & 10K Rating (BOLT SIZE 1 3/8", 1 5/8" & 1 7/8")
- b) API 11" Flange- 5K & 10K Rating (BOLT SIZE 1 3/4" & 1 7/8")
- c) API 7 1/16" Flange- 5K & 10K Rating (BOLT SIZE 1 3/8" & 1 1/2")
- d) API 3 1/8" Flange 5K Rating (BOLT SIZE 1 1/8")
- e) API 2 1/16" Flange 5K, 10 K Rating (BOLT SIZE 7/8", 3/4")
- f) API 2 9/16" Flange 5K, 10 K Rating (BOLT SIZE 1", 7/8")
- g) API 3 1/16" Flange 10 K Rating (BOLT SIZE 1")
- h) API 1 13/16" Flange 10 K Rating (BOLT SIZE 3/4")

The scope of supply will include sets of non-sparking tool made of Copper Titanium alloy, Beryllium free as per below mentioned Toolbox -1 to Toolbox-7 based on different sizes of API standard flanges & common tool for CMT department. All tools require for heavy-duty operation.

1.1 Toolbox - 1 for heavy duty

This toolbox is for API flange 1.13/16"- 10 K. it must contain following tools.

- 1) Slogging Ring Spanner 1.1/4" (Nut size across flat): 2 No.
- 2) Slogging Open End Spanner 1.1/4"(Nut size across flat): 2 No.
- 3) Combination Spanner 1.1/4"(Nut size across flat): 2 No.
- 4) Sledge Hammer 5 LB: 1 No.
- 5) Wrecking Bar: 1 No.
- 6) Flange Wedge: 1 No.
- 7) Systematically arrange above tools in a non-metallic/fire resistance toolbox with locking facility for keeping & carrying.
- 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department, for API flange 1.13/16"- 10 K ".

1.2 Toolbox - 2 for heavy duty

This toolbox is for API flange 2.1/16-5K & 2.1/16"- 10K. It must contain following tools.

- 1) Slogging Ring Spanner
 - (i) 1.7/16" (Nut size across flat): 2 No.
 - (ii) 1.1/4" (Nut size across flat): 2 No.
- 2) Slogging Open End Spanner
 - (i) 1.7/16" (Nut size across flat): 2 No.
 - (ii) 1.1/4"(Nut size across flat): 2 No.

- 3) Combination Spanner
 - (i) 1.7/16" (Nut size across flat): 2 No.
 - (ii) 1.1/4" (Nut size across flat): 2 No
- 4) Sledge Hammer 5 LB: 1 No.
- 5) Wrecking Bar: 1 No.
- 6) Flange Wedge: 1 No.
- 7) Systematically arranged above tool in a nonmetallic/ fire resistance toolbox with locking facility for keeping & carrying.
- 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department, FOR API flange 2.1/16-5K & 10K.

1.3 Toolbox - 3 for heavy duty

This toolbox is for API flange 2.9/16-5K & 2.9/16"-10K. It must contain following tools.

- 1) Slogging Ring Spanner
 - (i) 1.5/8" (Nut size across flat): 2 No.
 - (ii) 1.7/16" (Nut size across flat): 2 No.
- 2) Slogging Open End Spanner
 - (i) 1.5/8" (Nut size across flat): 2 No.
 - (ii) 1.7/16"(Nut size across flat): 2 No.
- 3) Combination Spanner
 - (i) 1.5/8" (Nut size across flat): 2 No
 - (ii) 1.7/16" (Nut size across flat): 2 No
- 4) Sledge Hammer 5 LB: 1 No.
- 5) Wrecking Bar: 1 No.
- 6) Flange Wedge: 1 No.
- 7) With systematically arranged above tool in a non-metallic / fire resistance toolbox with locking facility for keeping & carrying.
- 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department, for API flange 2.9/16" -5K & 10K.

1.4 Toolbox - 4 for heavy duty

This toolbox is for API flange 3.1/8"-3K, 5K & 3.1/16"- 10K. It must contain following tools.

- 1) Slogging Ring Spanner
 - (i) 1.7/16" (Nut size across flat): 2 No.
 - (ii) 1.13/16" (Nut size across flat): 2 No.
 - (iii) 1.5/8" (Nut size across flat): 2 No.
- 2) Slogging Open End Spanner
 - (i) 1.7/16" (Nut size across flat): 2 No.
 - (ii) 1.13/16" (Nut size across flat): 2 No.
 - (iii) 1.5/8" (Nut size across flat): 2 No.
- 3) Combination Spanner
 - (i) 1.7/16" (Nut size across flat) 2 No
 - (ii) 1.13/16" (Nut size across flat) 2 No
 - (iii) 1.5/8" (Nut size across flat) 2 No
- 4) Sledge Hammer 5 LB: 1 No.
- 5) Wrecking Bar: 1 No.

- 6) Flange Wedge: 1 No.
- 7) With systematically arranged above tool in a nonmetallic/ fire resistance toolbox with locking facility for keeping & carrying.
- 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department, for API flange 3.1/8"-5K & 3.1/16"- 10K.

1.5 <u>Toolbox - 5 for heavy duty</u>

This toolbox is for API flange 7.1/16"-5K & 7.1/16"- 10K. It must contain following tools.

- 1) Slogging Ring Spanner
 - (i) 2.3/16" (Nut size across flat): 2 No.
 - (ii) 2.3/8" (Nut size across flat): 2 No.
- 2) Slogging Open End Spanner
 - (i) 2.3/16" (Nut size across flat): 2 No
 - (ii) 2.3/8"(Nut size across flat): 2 No
- 3) Sledge Hammer 5 LB: 1 No.
- 4) Sledge Hammer 10 LB: 1 No.
- 5) Wrecking Bar: 1 No.
- 6) Flange Wedge: 1 No.
- 7) With systematically arranged above tool in a nonmetallic/ fire resistance toolbox with locking facility for keeping & carrying.
- 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department, for API flange 7.1/16"-5K & 10K.

1.6 Toolbox - 6 for heavy duty

This toolbox is for API flange 11"-5K & 11"- 10K. It must contain following tools.

- 1. Slogging Ring Spanner
 - (i) 2.15/16" (Nut size across flat): 2 No.
 - (ii) 2.3/4" (Nut size across flat): 2 No.
- 2. Slogging Open End Spanner
 - (i) 2.15/16" (Nut size across flat): 2 No.
 - (ii) 2.3/4"(Nut size across flat): 2 No
- 3. Sledge Hammer 5 LB: 1 No.
- 4. Sledge Hammer 10 LB: 1 No.
- 5. Wrecking Bar: 1 No.
- 6. Flange Wedge: 1 No.
- 7. With systematically arranged above tool in a nonmetallic/ fire resistance toolbox with locking facility for keeping & carrying.
- 8. Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department, for API flange 11"-5K & 10K.

1.7 <u>Toolbox - 7 for heavy duty</u>

This toolbox is for API flange 13.5/8"-3K, 5K & 10K. It must contain following tools.

- 1. Slogging Ring Spanner
 - (i) 2.3/16" (Nut size across flat): 2 No.
 - (ii) 2.9/16" (Nut size across flat): 2 No.
 - (iii) 2.15/16" (Nut size across flat): 2 No.

- 2. Slogging Open End Spanner
 - (i) 2.3/16" (Nut size across flat): 2 No.
 - (ii) 2.9/16" (Nut size across flat): 2 No.
 - (iii) 2.15/16"(Nut size across flat): 2 No.
- 3. Sledge Hammer 5 LB: 1 No.
- 4. Sledge Hammer 10 LB: 1 No.
- 5. Wrecking Bar: 1 No.
- 6. Flange Wedge: 1 No.
- 7. With systematically arranged above tool in a nonmetallic/ fire resistance toolbox with locking facility for keeping & carrying.
- 8. Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department, FOR API flange 13.5/8"-3K, 5K & 10K.

1.8 Common tools for heavy duty job

Under this category, following non-sparking tools of required quantity has to be supplied.

- 1. Pipe Wrench
 - (i) 48'' 2 No.
 - (ii) 36" 2 No.
 - (iii) 24" 2 No.
 - (iv) 10'' 2 No.
- 2. Crow Bar 3 No. (dimensions not less than 2.5 cm diameter X 100cm length)
- 3. Crow Bar 3 No. (dimensions not less than 2.75 cm diameter X 120cm length)
- 4. Hex Chisel 2 No. (dimensions not less than 2.75 cm diameter X 30 cm length)
- 5. Flat Files 2 No. (dimensions not less than 30 cm total length, metallic portion length not less than 20 cm)
- 6. Round File 2 No. (dimensions not less than 30 cm total length, metallic portion length not less than 20 cm)
- 7. Half Round File 2 No. (dimensions not less than 30 cm total length, metallic portion length not less than 20cm)
- 8. CRATE OPENER 2 No (dimensions not less than 30cm total length)
- 9. HACKSAW FRAME/ HACKSAW BLADE 2 set (each set, one frame & 12 no blade)
- 10. HOE with handle 1 No (dimensions not less than 135 cm total length)
- 11. SQUARE SHOVEL with handle -1 No (dimensions not less than 135 cm total length)
- 12. SPADE with handle 1 No(dimensions not less than 135 cm total length)
- 13. SHOE HANDLE BRUSH 3 No (dimensions not less than 25 cm total length)
- 14. Adjustable Spanners 24" 3 No
- 15. SCREW DRIVER set i) FLAT one set (3mm -12 mm) ii) PHILIPS one set (3mm 10mm)
- 16. COMBINATION PLIERS 3 No (dimensions not less than 20 cm total length)
- 17. Wire stripping pliers- 3 No (dimensions not less than 18 cm total length)
- 18. ALLEN KEY (MM) 1 set (1.5mm to 41mm)
- 19. ALLEN KEY (IN) 1 set (1/16inch to 7/8inch)
- 20. Common knife 2 No (dimensions not less than 20 cm total length)
- 21. Valve handle 3 No (for opening/closing API 3.1/16 inch ,10K gate valve)
- 22. Marking tool 2 No (dimensions not less than 30 cm total length)
- 23. Reversible ratchet-2 no
- 24. Offset handle 2 no
- 25. Socket operating with above mentioned lever (point no 23 & 24 of 1.8)
 - (i) Socket for 2.15/16" (Nut size across flat)-1 No.
 - (ii) Socket for 2.15/16" (Nut size across flat) 1 No.
 - (iii) Socket for 2.3/4" (Nut size across flat) 1 No.
 - (iv) Socket for 2.3/16" (Nut size across flat) 1 No.
 - (v) Socket for 2.3/8" (Nut size across flat) 1 No.
 - (vi) Socket for 1.5/8" (Nut size across flat) 1 No.
 - (vii) Socket for 1.13/16" (Nut size across flat) -1 No.
 - (viii) Socket for 1.7/16" (Nut size across flat) -1 No.
 - (ix) Socket for 1.1/4" (Nut size across flat) 1 No.

- (x) Socket for 2.9/16" (Nut size across flat) 1 No.
- (xi) Socket for 2.3/16" (Nut size across flat) 1 No.
- (xii) Socket for 1.7/16" (Nut size across flat) 1 No.
- (xiii) Socket for 1.5/8" (Nut size across flat) 1 No.
- (xiv) Socket for 1.1/4" (Nut size across flat) 1 No.
- 26. Sledge Hammer 10 LB 2 No.
- 27. Three (3) no empty non-metallic/ fire resistance toolbox with dimensions not less than L -75cm, B-45 cm, H-30 cm. with lifting handles on all sides with locking facility FOR KEEPING & CARRYING & carrying capacity not less than 25 kilogram for each toolbox.
- 28. Clearly marking with paint on the outside cover of the toolbox "OIL INDIA LIMITED, CMT Department".

2.0 Technical specification of copper titanium alloy based non-sparking hand tools:

- (i) The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy.
 - Chemical composition: Copper 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory.
- (ii) Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory.
- (iii) Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory.
- (iv) Yield strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory.
- (v) Dimensions: Non-Sparking Tools dimensions and tolerances to be designed as per specifications.
- (vi) Magnetic Permeability- The magnetic permeability of manufacturing material shall not exceed 1.001 at 3T magnetic field certified by Government laboratory or Government approved laboratory.
- (vii) The tools shall be tested & certified for non-sparking as per IS 4595-1969 or latest.
- (viii) The tools shall not be provided with any coatings.
- (ix) Tools should be Corrosion resistant suitable for application in corrosive environments. Certificate from OEM that the non-sparking tools are safe for use in hazardous area classification conforming to Zone 0, Gas group IIC hazardous area.
- (x) Tools shall be torque tested as per relevant standard for durability by Government laboratory or Government approved laboratory.
- (xi) Bidder to submit authorization letter from OEM for this Tender & also to submit OEM's authorization/approval letter for manufacturing of Cu-Ti make non-sparking tools from approved/established laboratory/agency/organization along with the bid.
- (xii) The Tools quoted by bidder must conform to IS / BS / DIN standards. In this regard, the bidder must furnish relevant certificates / documentations. The Bidder should indicate the dimensions and weight of the offered tools.
- (xiii) Bidder should confirm that the items shall be brand new, unused & free from any defect. In the event of an order, the items should be guaranteed against any manufacturing defect, workmanship etc. for 12 months from the date of commissioning .The guarantee period for the part that may be altered, repaired or replaced shall be 12 months from the date on which the same is commissioned.
- (xiv) The bidder should submit country of origin certificate and confirm that tools are manufactured in India.
- (xv) Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.

- (xvi) Bidder to sign and submit completely filled up Bid Evaluation Matrix (Technical Specification) for Bid evaluation Matrix (BRC).
- (xvii) Bidder should forward relevant Catalogue, Drawing, and Literature (in printed form, not in computer media such as pen drives or CDs) indicating the quoted items.

3.0 Quality Assurance:

The bidders shall submit QAP (quality assurance plan) adopted by them during manufacturing of these tools.

4.0 <u>Documents to be submitted:</u>

- 1. Chemical composition test report of material to be used in making Non-sparking Tools along with the test report from Government laboratory or Government approved laboratory.
- 2. Hardness, yield strength and tensile strength Test report of non-sparking material certified by Government laboratory or Government approved laboratory.
- 3. Magnetic Permeability Test report of non-sparking material certified by Government laboratory.
- 4. Non Sparking test details as per IS:4595 (latest).
- 5. Certificate from manufacturer that the non-sparking tools are safe for use in hazardous area classification conforming to Zone 0, Gas group IIC hazardous area.
- 6. Bidder to submit authorisation letter from OEM for this Tender & also to submit OEM's authorization/approval letter for manufacturing of Cu-Ti make non sparking tools from approved/established laboratory/agency/organization along with the bid.
- 7. Bidder to submit torque test reports for hand operated wrenches (spanner) and sockets/any other tools, as applicable as per IS 6131(latest) and other relevant IS standards certified by Government approved laboratory.
- 8. Engineering drawing of each non sparking tools with detail dimensions.
- 9. Clearly compiled Annexure IV Bid Evaluation Matrix (BRC) with documentary evidence.

5.0 <u>Documents to be submitted at the time of supply of material:</u>

1. Bidder shall supply following documents (verified by TPI) along with the supply:

- (i) Material test certificates.
- (ii) Hardness, yield strength and tensile strength Test report
- (iii) Dimensional details report
- (iv) Visual check report
- (v) Guarantee Certificate
- (vi) Magnetic Permeability Test report
- (vii) Non Sparking test as per IS:4595 (latest)
- (viii)Bidder to submit torque test reports for all the applicable items as per IS 6131:1980 and other relevant IS standards.
- (ix) Certificate from OEM that the non-sparking tools are safe for use in hazardous area classification conforming to Zone 0, Gas group IIC hazardous area.
- (x) OEM's user manual for NonSparking tools.
- (xi) The bidder has to submit the authorization letter from manufacturer and also has to submit Manufacturer's authorization/approval letter for manufacturing of Cu-Ti make nonsparking tools from approved/established laboratory/agency/organization along with the bid.
- (xii) Warranty: 1 year from the date of delivery.

6.0 MARKING:

- (i) Marking shall be done on the surface of Non Sparking Tools as per IS-4595 latest Standard.
- (ii) Marking shall have following minimum information.

| | a) Manufacturer's Name.b) Size /Capacity |
|-----|---|
| | c) Name, abbreviation or chemical symbol of the alloy used in the manufacturing of the tool. |
| 7.0 | The complete set should be supplied in an easy to carry and durable Toolbox (as mentioned 1.1 to 1.7) and three (3) nos. separate empty toolboxes of specified dimensions have to be supplied as mentioned 1.8. Necessary markings/ writings on the outside cover of the toolbox as mentioned in the scope of work has to |
| | be completed. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

ANNEXURE - II

BID REJECTION CRITERIA (BEC/BRC)

The bids shall broadly conform to the specifications and terms and conditions given in this bid document. Bids shall be rejected in case the items offered do not conform to required parameters stipulated in the technical specifications and to the respective international /national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements will have to be particularly met by the Bidders without which the same will be considered as non-responsive and rejected.

(A.1) <u>TECHNICAL</u>

1.0 BIDDER'S ELIGIBILITY:

1.1 The bidder should be an Original Equipment Manufacturer (OEM) of the tendered item(s)/ equipment.

OR

- 1.2 The bidder should be a sole selling agent/authorised distributor/authorised dealer/authorised supply house of an Original Equipment Manufacturer (OEM) of the tendered item (s).
- 1.3 In case the bidder is quoting as agent /distributor/dealer/supply house, the bidder should submit valid authorisation certificate/letter issued by its Original Equipment Manufacturer (OEM), confirming the Bidders' status as their authorised supplier/dealer/distributor/wholly owned subsidiary (as the case may be) to sell their products with proper warranty and guarantee back up. Such authorisation certificate/letter shall be valid for the entire period of execution of the order.

1.4 NOTES TO BIDDER REGARDING AUTHORISATION:

- 1.4.1 Authorization letter must be issued on the official letter head only of the OEM clearly mentioning the status of Bidder i.e., whether sole selling agent / authorised distributor / authorised dealer / authorised supply house of Original Equipment Manufacturer (OEM), failing which the bid shall not be considered for evaluation and in that case the offer shall be rejected straightway. Such certificates/authority letter issued by a party other than the OEM shall not be considered as valid authorization letter and in such case, the bid shall be rejected without any further reference.
- 1.4.2 Authorization letter issued by the OEM in any other form such as Direct Chanel Partner/Indirect Chanel Partner/Seller/Reseller/Sub Dealer/Sub Distributor/Sister Concern shall not be considered for bid evaluation and the offer shall be rejected.
- 1.4.3 In case the bidder is a wholly owned subsidiary company of the parent company (OEM), in addition to the authorization letter including warranty/guarantee back-up, the bidder shall also upload/submit the documents such as board resolution/certificate of incorporation/any other legal certificate along with their offer that would establish the relation between the parent company with the subsidiary company without which the bid will not be evaluated and will be rejected straightway.
- 1.5 The bidder/OEM must submit an undertaking along with the Technical Bid that their offered equipment is not going to become obsolete during the next 5 (five) years from the date of supply, if order is awarded on them by OIL and must guarantee uninterrupted supply of spares and availability of services for at least for ten (10) years with effect from the supply of the equipment, without which offer will not be considered for evaluation / placement of order. This clause will be applicable only if the tender item has requirement of spares.

2.0 BIDDERS' EXPERIENCE

2.1 <u>IN CASE THE BIDDER IS AN ORIGINAL EQUIPMENT MANUFACTURER (OEM):</u>

The bidder must comply with the following:

2.1.1 The bidder (OEM) should have at least 5 (five) years of manufacturing experience of similar items preceding to the original bid closing date of the tender.

Documentary evidence to substantiate manufacturing experience as above must be submitted in the form of self-certified copy which should be on the letter head and duly signed and sealed by CEO/CFO/any other person who holds the Power of Attorney of the company or by the statutory Auditor. A copy of Power of Attorney shall also be submitted for the same.

'Similar' item means tendered items.

2.1.2 In addition to above, the bidder (OEM) should have supply experience of successfully executing at least 50% of the tendered quantity (rounded off to next higher integer) of each of tendered item/equipment, or similar item, to any E&P companies/Oil & Gas Companies during last 5 (five) years as on original bid closing date of the tender (either by themselves or through their sole selling agent/distributor/dealer/supply house).

'Similar' item means tendered items.

- 2.1.3 Documentary evidences to substantiate manufacturing & supply records must be submitted in the form of copies of relevant Purchase Order(s) & any one or combination of the following documents evidencing satisfactory execution of those Purchase Orders(s) such as:
 - (i) Satisfactory supply /completion/installation report (OR)
 - (ii) Bill of lading, Commercial Invoice/Payment Invoice (OR)
 - (iii) Consignee receipt, delivery receipt (OR)
 - (iv) Central Excise Gate Pass/Tax invoice issued under relevant rules of Central Excise/VAT/GST invoice.
 - (v) Any other documents which shall prove that the bidder has successfully executed such order(s)

2.1.4 NOTES TO BIDDER REGARDING EXPERIENCE CRITERIA

- a) The Purchase Order need not be within 5 (five) years preceding original bid closing date of this tender. However, execution of supply should be within 5 (five) years preceding original bid closing date of this tender.
- b) Satisfactory supply/completion/installation report should be issued on company's letterhead with signature and stamp.
- c) Bidders showing supply experience towards supply to its sister concern/ subsidiaries shall not be considered as experience for the purpose of meeting BRC.

2.2 <u>IN CASE THE BIDDER IS A SOLE SELLING AGENT/AUTHORISED DISTRIBUTOR/AUTHORISED DEALER / AUTHORISED SUPPLY HOUSE OF OEM:</u>

The bidder must fulfil the following requirements:

2.2.1 The bidder's OEM (the Principal) should have at least 5 (five) years of manufacturing experience of similar items preceding to the original bid closing date of the tender.

Documentary evidence to substantiate manufacturing experience as above must be submitted in the form of self-certified copy which should be on the letter head and duly signed and sealed by CEO/CFO/any other person who holds the Power of Attorney of the company or by the statutory Auditor. A copy of Power of Attorney shall also be submitted for the same.

"Similar" item means tendered item.

2.2.2 The bidder's OEM (the Principal) should have supply experience of successfully executing at least 50% of the tendered quantity (rounded off to next higher integer) of each of tendered item/equipment, or similar item, to any E&P companies/Oil & Gas Companies during last 5 (five) years as on original bid closing date of the tender (either by themselves or through their sole selling agent/distributor/dealer/supply house).

"Similar" item means tendered item.

2.2.3 Additionally, the bidder himself/themselves as sole selling agent/distributor/dealer/supply house should have supply experience of successfully executing at least 50% of the tendered quantity (rounded off to next higher integer) of each of tendered item/equipment, of similar item, to any E&P companies/Oil & Gas Companies during last 5 (five) years as on original bid closing date of the tender (either from same OEM (the principal) or from any other OEM).

"Similar" item means tendered items.

- 2.2.4 Documentary evidences to substantiate manufacturing & supply records must be submitted in the form of copies of relevant Purchase Order(s) & any one or combination of the following documents evidencing satisfactory execution of those Purchase Orders(s) such as:
 - (i) Satisfactory supply /completion/installation report (OR)
 - (ii) Bill of lading, Commercial Invoice/Payment Invoice (OR)
 - (iii) Consignee receipt, delivery receipt (OR)
 - (iv) Central Excise Gate Pass/Tax invoice issued under relevant rules of Central Excise/VAT/GST invoice.
 - (v) Any other documents which shall prove that the bidder has successfully executed such order(s)

2.2.5 NOTES TO BIDDER REGARDING EXPERIENCE CRITERIA

- a) The Purchase Order need not be within 5 (five) years preceding original bid closing date of this tender. However, execution of supply should be within 5 (five) years preceding original bid closing date of this tender.
- b) Satisfactory supply/completion/installation report should be issued on company's letterhead with signature and stamp.
- c) Bidders showing supply experience towards supply to its sister concern/ subsidiaries shall not be considered as experience for the purpose of meeting BRC.

3.0 **DELIVERY PERIOD**:

Delivery to be completed within <u>180 days</u> from the date of placement of order by OIL. The date of receipt of materials at site shall be considered as the date of delivery. Bidders must categorically confirm the above in their Technical Bid.

(A.2) BRC - FINANCIAL:

1.0 The bidder must have an annual financial turnover from Operations of minimum INR 30,71,000.00 during any of the preceding 3 (Three) financial/accounting years reckoned from the original bid closing date of the tender Audited Annual Reports.

[Annual Financial Turnover of the bidder from Operations shall mean - "Aggregate value of the realization of amount made from the sale, supply or distribution of goods or on account of services rendered, or both, by the company (bidder) during a financial year" as per the Companies Act, 2013 Section 2 (91).]

2.0 "Net Worth" of the bidder must be positive for the financial/accounting year just preceding to the original Bid Closing Date of the Tender.

[Net worth shall mean: "Share capital + Reserves created out of profits and securities Premium - Aggregate value of accumulated losses (excluding revaluation reserves) - deferred expenditure - Miscellaneous Expenditure to the extent not written off and carried forward loss - Reserves created out of write back of depreciation and amalgamation"]

3.0 Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial/accounting year are not available with the bidder, then the financial turnover of the previous three financial/accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial/accounting year will be considered. However, the bidder has to submit an affidavit/ undertaking (PROFORMA - A) certifying that 'the balance sheet/Financial Statements for the financial year (as applicable) has actually not been audited so far'.

Note:

- a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the technical bid:
 - i) A certificate issued by a practicing Chartered Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual Turnover & Net worth as per format prescribed in (PROFORMA B).

OR

- ii) Audited Balance Sheet alongwith Profit & Loss account. In case of foreign bidders, selfattested/digitally signed printed published accounts are also acceptable.
- b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.
- 4.0 In case the Audited Balance Sheet and Profit & Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.
- 5.0 In case the Bidder is subsidiary company (should be 100% owned subsidiary of the parent/ultimate parent/holding company) who does not meet financial criteria by itself and submits its bid based on the strength of parent/ultimate parent/holding company, then following documents need to be submitted:
 - (i) Turnover of the parent/ultimate parent/holding company should be in line with Para A.2 (1.0) above.
 - (ii) Net Worth of the parent/ultimate parent/holding company should be positive in line with Para A.2 (2.0) above
 - (iii) Corporate Guarantee (PROFORMA C) on parent/ultimate parent/holding company's company letter head signed by an authorized official undertaking that they would financially support their wholly owned subsidiary company for executing the project/job in case the same is awarded to them.
 - (iv) Documents to substantiate that the bidder is as 100% subsidiary of the parent/ultimate parent/holding company.

ANNEXURE – III

GENERAL NOTES TO BIDDERS

- 1.0 Bidders shall submit their offer mentioning pointwise compliance/noncompliance to all the terms & conditions, BRC, Specifications etc. Any deviation(s) from the tender terms & conditions, BRC, Specifications etc. should be clearly highlighted specifying justification in support of deviation.
- 2.0 To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by OIL, failing which the offer will be summarily rejected. However, bidder(s) must note that there should not be any additional financial involvement arising out of such post tender clarifications.
- 3.0 The Bidder to submit following Technical Evaluation Sheet along with technical bid -

Annexure – IV: Bid Evaluation Matrix (Technical Specification) Annexure – V: Bid Evaluation Matrix (BRC)

4.0 **INTEGRITY PACT**:

The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide **PROFORMA - D** of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.

OIL's Independent External Monitors at present are as under:

SHRI RUDHRA GANGADHARAN, IAS (Retd.), Ex-Secretary, Ministry of Agriculture E-Mail ID: rudhra.gangadharan@gmail.com

SHRI SUTANU BEHURIA, IAS (Retd.), E-mail ID: sutanu2911@gmail.com

SHRI OM PRAKASH SINGH, IPS (Retd.) Former DGP, Uttar Pradesh E-mail: Ops2020@rediffmail.com

- 4.1 In case of a joint venture, all the partners of the joint venture should sign the Integrity Pact.
- 4.2 In the event of any dispute between the management and the contractor relating to those contracts where Integrity Pact is applicable, in case, both the parties are agreeable, they may try to settle dispute through mediation before the panel of IEMs in a time bound manner. If required, the organizations may adopt any mediation rules for this purpose. In case, the dispute remains unresolved even after mediation by the panel of IEMs, the organisation may take further action as per the terms and conditions of the contract.

5.0 TAX COLLECTIBLE AT SOURCE (TCS):

Tax Collectible at Source (TCS) applicable under the Income-tax Law and charged by the SUPPLIER shall also be payable by OIL along with consideration for procurement of goods/materials/ equipment. If TCS is collected by the SUPPLIER, a TCS certificate in prescribed Form shall be issued by the SUPPLIER to OIL within the statutory time limit.

Payment towards applicable TCS u/s 206C (IH) of Income Tax Act, 1961 will be made to the supplier provided they are claiming it in their invoice and on submission of following undertaking along with the invoice stating that:

- a. TCS is applicable on supply of goods invoiced to OIL as turnover of the supplier in previous year was more than Rs. 10 Cr. and
- b. Total supply of goods to OIL in FY (As applicable) exceeds Rs. 50 Lakh and
- c. TCS as charged in the invoice has already been deposited (duly indicating the details such as challan No. and date) or would be deposited with Exchequer on or before the due date and
- d. TCS certificate as provided in the Income Tax Act will be issued to OIL in time.

However, Performance Security deposit will be released only after the TCS certificate for the amount of tax collected is provided to OIL. Supplier will extend the performance bank guarantee (PBG), wherever required, till the receipt of TCS certificate or else the same will be forfeited to the extent of amount of TCS, if all other conditions of Purchase order are fulfilled.

The above payment condition is applicable only for release of TCS amount charged by supplier u/s 206C (I H) of Income tax Act, 1961.

6.0 At any time prior to the deadline for submission of bids, the Company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the tender Documents through issuance of Corrigendum(s)/Addendum(s). Bidders are expected to take the Corrigendum(s)/Addendum(s) into account in preparation and submission of their bid. No separate intimation for Corrigendum(s)/Addendum(s) published by OIL shall be sent to the Bidders.

7.0 APPLICABILITY OF BANNING POLICY OF OIL INDIA LIMITED:

Banning Policy dated 6th January, 2017 as uploaded in OIL's website and revised guidelines of banning/debarment vide OM no. F.1/20/2018-PPD dated 02.11.2021 issued by Department of Expenditure, Ministry of Finance, Govt of India will be applicable against the tender (and order in case of award) to deal with any agency (bidder/contractor/supplier/vendor/service provider) who commits deception, default, fraud or indulged in other misconduct of whatsoever nature in the tendering process and/or order execution processes.

The bidders who are on Holiday/Banning/Suspension list of OIL on due date of submission of bid/ during the process of evaluation of the bids, the offers of such bidders shall not be considered for bid opening/evaluation/award. If the bidding documents were issued inadvertently/downloaded from website, the offers submitted by such bidders shall also not be considered for bid opening/evaluation/ Award of Work.

8.0 RESTRICTIONS ON PROCUREMENT FROM A BIDDER OF A COUNTRY SHARING LAND BORDER WITH INDIA:

Ministry of Finance of Govt. of India, Department of Expenditure, Public procurement Division vide office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020(order-Public Procurement no.1) has proclaimed the insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017 w.e.f. 23rd July, 2020 regarding restrictions on procurement from a bidder of a country which shares a land border with India on the grounds of defence of India on matters directly or indirectly related thereto including national security. For clauses on applicability of above restriction please refer the above mentioned Notification. Bidders are requested to take note of the clauses and submit their offers accordingly, wherever applicable. In this regard, bidders must submit duly sealed & signed undertaking as per format provided vide, **PROFORMA – E** along with the technical bid.

"Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services or works, only if the bidder is registered with the competent authority".

9.0 **CONCESSIONAL GST**:

The items covered in this Tender shall be used by Oil India Limited in the PEL/ML areas and hence concessional **GST @12%** will be applicable as per Govt. Policy in vogue.

Note: Successful bidder shall arrange to provide all necessary documents (invoice etc.) to OIL for applying Essentiality Certificate on receipt of request from OIL or at least **45 days** prior to their readiness for despatch, whichever is earlier. Further, successful bidder shall affect dispatch only on receipt of relevant certificates/shipment clearance from OIL, failing which all related liabilities shall be to supplier's account.

10.0 MICRO AND SMALL ENTERPRISES (MSE):

Categorisation and various Criteria applicable to MSE bidders shall be guided by the Gazette Notification No. CG-DL-E-26062020-220191 dated 26.06.2020 and subsequent amendments issued by Ministry of MICRO, SMALL AND MEDIUM ENTERPRISES. The bidder claiming as MSE status (MSE-General, MSE-SCIST, MSE - Woman) against this tender has to submit the following documents for availing the benefits applicable to MSEs:

Udyam Registration Number with Udyam Registration Certificate.

<u>Note</u>: In case bidding MSE is owned by Schedule Caste or Schedule Tribe entrepreneur or Woman Entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ST entrepreneur/ Woman Entrepreneurs should also be enclosed.

10.1 For availing benefits under Public Procurement Policy (Purchase preference), the interested MSE Bidders must ensure that they are the manufacturer/service provider of tendered item(s) and registered with the appropriate authority for the said item(s).

PROFORMA - A

FORMAT FOR CERTIFICATE OF COMPLIANCE OF FINANCIAL CRITERIA (ON THE OFFICIAL PAD OF THE BIDDER TO BE EXECUTED BY THE AUTHORIZED SIGNATORY OF THE BIDDER)

| Tender No.: | | | | |
|--|--|--|--|--|
| I the authorized sign address) do hereby affirm and declare as under:- | atory(s) of(Company or firm name o | | | |
| The balance sheet/Financial Statements for the finance not been audited as on the Original Bid closing Date. | cial year (as the case may be) has actually | | | |
| Place : | | | | |
| Date : | Signature of the authorized signatory | | | |
| | ring the time required for preparation of Financial Statements ccounting year falls within the preceding six months reckoned | | | |

PROFORMA – B

CERTIFICATE OF ANNUAL TURNOVER & NETWORTH

TO BE ISSUED BY PRACTISING CHARTERED ACCOUNTANTS' FIRM ON THEIR LETTER HEAD

Seal:

Date:

Membership No.: Registration Code:

Signature:

NOTE: As per the guidelines of ICAI, every practicing CA is required to mention Unique Document Identification Number (UDIN) against each certification work done by them. Documents certified by CA without UDIN shall not be acceptable.

^{*}Applicable for Global Tenders.

PROFORMA – C

PARENT/ ULTIMATE PARENT/ HOLDING COMPANY'S CORPORATE GUARANTEE TOWARDS FINANCIAL STANDING (Delete whichever not applicable) (TO BE EXECUTED ON COMPANY'S LETTER HEAD)

DEED OF GUARANTEE

| | DEED OF GOARANTEE | |
|--------------------------------|---|--|
| name Regis | DEED OF GUARANTEE executed at this day of by M/s(mention complete e) a company duly organized and existing under the laws of(insert jurisdiction/country), having its tered Office atherein after called "the Guarantor" which expression shall, unless ded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted ins. | |
| for suppo where throu | REAS M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their Tender No | |
| Now, | it is hereby agreed by the Guarantor to give this Guarantee and undertakes as follows: | |
| 1. 2. 3. | The Guarantor confirms that the Bidder is a 100% subsidiary of the Guarantor. The Guarantor agrees and confirms to provide the Audited Annual Reports of any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date. The Guarantor have an annual financial turnover of minimum INR | |
| | during any of the preceding 03(three) financial/ accounting years reckoned from the original bid closing date. | |
| 4. | Net worth of the Guarantor is positive for preceding financial/ accounting year. | |
| 5. | The Guarantor undertakes to provide financial support to the Bidder for executing the project/job, in case the same is awarded to the Bidder. | |
| 6. | The Guarantor represents that: | |
| | (a) this Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including discharge of the warranty obligations) awarded to the Bidder.(b) the liability of the Guarantor, under the Guarantee, is limited to the 100% of the order value between the Bidder and OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee | |
| | furnished by the Bidder.(c) this Guarantee has been issued after due observance of the appropriate laws in force in India.(d) this Guarantee shall be governed and construed in accordance with the laws in force in India and subject to the exclusive jurisdiction of the courts of New Delhi, India. | |
| | (e) this Guarantee has been given without any undue influence or coercion, and that the Guarantor has fully understood the implications of the same. | |
| | (f) the Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws. | |
| | for and on behalf of (Parent/Ultimate Parent/ Holding for and on behalf of (Bidder) | |
| | Company) (Delete whichever not applicable) | |
| | <u>Witness:</u> 1. | |
| | 1. 2. | |
| | | |

PROFORMA - D

INTEGRITY PACT

Between

| Oil India Limited (OIL) hereir | nafter referred to as "The Principal" |
|--------------------------------|--|
| | And |
| (Name of the bidder) | hereinafter referred to as "The Bidder/Contractor" |

Preamble:

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organization "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section: 1 - Commitments of the Principal

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (i) No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
 - (ii) The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
 - (iii) The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officers and in addition can initiate disciplinary actions.

Section: 2 - Commitments of the Bidder/Contractor

- (1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
 - (i) The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which h e/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
 - (ii) The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

- (iii) The Bidder (s) / Contractor (s) will not commit any offence under the relevant Anticorruption Laws of India, further, the Bidder (s) / Contractor (s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- (iv) The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (v) Bidders to disclose any transgressions with any other company that may impinge on the anticorruption principle.
- (vi) The Bidder (s)/ Contractor (s) of foreign origin shall disclose the name and address of the Agents/ representatives in India, if any. Similarly, the Bidder (s)/ Contractor (s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further, all the payments made to the Indian agent/ representative have to be in India Rupees only.
- (vii) Bidders not to pass any information provided by Principal as part of business relationship to others and not to commit any offence under PC/ IPC Act;
- (2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- (3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

Section 3 - Disqualification from tender process and exclusion from future Contracts

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

- 1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.
- 2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
- 3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.
- 4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.
- 5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract or as mentioned in Section 9- Pact Duration whichever is later. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings. Any issue relating to execution of contract, if specifically raised before the IEMs shall be looked into by IEMs.

Section 4 - Compensation for Damages

- (1) If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.
- (2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.
- (3) The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

Section 5 - Previous transgression

- (1) The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section: 6 - Equal treatment of all Bidders/Contractor/Subcontractors

- (1) The Principal will enter into Pacts on identical terms with all bidders and contractors.
- (2) The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.
- (3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section: 7 - Criminal charges against violating Bidders/Contractors/ Subcontractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section: 8 -External Independent Monitor/Monitors

- (1) The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
- The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality. However, the documents/records/information having National Security implications and those documents which have been classified as Secret/Top Secret are not to be disclosed.
- (4) The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.

- As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.
- (6) The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.
- If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
- (8) The word 'Monitor' would include both singular and plural.
- (9) In case of any complaints referred under IP Program, the role of IEMs is advisory and would not be legally binding and it is restricted to resolving the issues raised by an intending bidder regarding any aspect of the tender which allegedly restricts competition or bias towards some bidder.

Section: 9 - Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

Section: 10 - Other provisions

- (1) This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.
- (2) Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
- (3) If the Contractor / Bidder is a Joint Venture or a partnership concern or a consortium, this agreement must be signed by all partners or consortium members. In case of sub-contracting, the Principal contractor shall take the responsibility of the adoption of IP by the sub-contractor and all sub-contractors shall also sign the IP.
- Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- (5) Issues like warranty / guarantee, etc. shall be outside the purview of IEMs.

| M. B. SINGHA | |
|-------------------------------------|---------------------------|
| For the Principal | For the Bidder/Contractor |
| Date: 19.08.2022 Place: Duliajan | Witness 1: |
| | Witness 2: |

PROFORMA - E

Format for Undertaking by Bidders towards compliance of office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020 (Public Procurement no. 1) issued by Department of Expenditure, Ministry of Finance, Govt. of India

(To be typed on the letter head of the bidder) Ref. No_____ Date:_____ Tender No. ______Date:_____ **OIL INDIA LIMITED MATERIALS DEPARTMENT, DULIAJAN, ASSAM, INDIA** Dear Sirs, We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; We certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. We hereby certify that this bidder fulfils all requirements in this regard and is eligible to be considered. [Where evidence of valid registration by the Competent Authority shall be attached.]" We also agree that, during any stage of the tender/contract agreement, in case the above information/documents submitted by us are found to be false, Oil India Limited has the right to immediately reject our bid/terminate contract at any stage and carry out further legal action on us in accordance with law. Yours faithfully, For (type name of the firm here) Signature of Authorised Signatory Name: Designation: Phone No. Place: Date: (Affix Seal of the Organization here, if applicable) Note: This form should be returned along with offer duly signed.

<u>ANNEXURE – IV</u>

BID EVALUATION MATRIX (TECHNICAL SPECIFICATION)


| | BID EVALUATION MATRIX (TECH | INICAL SPECIFICATION) | |
|------------------|--|---|---|
| | (TO BE FILLED IN BY BIDDI | ER DULY SIGNED) | |
| | | | TO BE FILLED BY THE BIDDER |
| Clause Number | DESCRIPTION | BIDDER'S RESPONSE (Complied / Not Complied / Deviation / Not Applicable) | Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence) |
| | TECHNCIAL SPECIFICATION | | |
| 1.0 | SCOPE OF WORK | | |
| 1,1 | Scope of work includes supply of non-sparking tools made of Copper Titanium allow Christmas trees and corresponding wellheads of following specifications. a) API 13 %" Flange- 3K, 5K & 10K Rating (BOLT SIZE 1 3/8", 1 5/8" & 1 7/8") b) API 11" Flange- 5K & 10K Rating (BOLT SIZE 1 3/4" & 1 7/8") c) API 7 1/16" Flange- 5K & 10K Rating (BOLT SIZE 1 3/8" & 1 1/2") d) API 3 1/8" Flange 5K Rating (BOLT SIZE 1 1/8") e) API 2 1/16" Flange 5K, 10 K Rating (BOLT SIZE 7/8", 3/4") f) API 2 9/16" Flange 5K, 10 K Rating (BOLT SIZE 1", 7/8") g) API 3 1/16" Flange 10 K Rating (BOLT SIZE 1") h) API 1 13/16" Flange 10 K Rating (BOLT SIZE 3/4") Toolbox - 1 for heavy duty | | |
| 1.1 | This toolbox is for API flange 1.13/16"- 10 K. it must contain following tools. | | |
| | Slogging Ring Spanner 1.1/4" (Nut size across flat): 2 No. Slogging Open End Spanner 1.1/4"(Nut size across flat): 2 No. Combination Spanner 1.1/4"(Nut size across flat): 2 No. Sledge Hammer 5 LB: 1 No. Wrecking Bar: 1 No. | | |

| | | |
|-----|---|------|
| | 6) Flange Wedge: 1 No. | |
| | 7) Systematically arrange above tools in a non-metallic/fire resistance toolbox with | |
| | locking facility for keeping & carrying. | |
| | 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA | |
| | LIMITED, CMT Department, for API flange 1.13/16"- 10 K ". | |
| 1.2 | Toolbox - 2 for heavy duty | |
| | This toolbox is for API flange 2.1/16-5K & 2.1/16"- 10K. It must contain following tools. | |
| | | |
| | 1) Slogging Ring Spanner | |
| | (i) 1.7/16" (Nut size across flat): 2 No. | |
| | (ii) 1.1/4" (Nut size across flat): 2 No. | |
| | | |
| | 2) Slogging Open End Spanner | |
| | (i) 1.7/16" (Nut size across flat): 2 No. | |
| | (ii) 1.1/4"(Nut size across flat): 2 No. | |
| | | |
| | 3) Combination Spanner | |
| | (i) 1.7/16" (Nut size across flat): 2 No. | |
| | (ii) 1.1/4" (Nut size across flat): 2 No | |
| | | |
| | 4) Sledge Hammer 5 LB: 1 No. | |
| | 5) Wrecking Bar: 1 No. | |
| | 6) Flange Wedge: 1 No. | |
| | 7) Systematically arranged above tool in a nonmetallic/ fire resistance toolbox with | |
| | locking facility for keeping & carrying. | |
| | 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA | |
| | LIMITED, CMT Department, FOR API flange 2.1/16-5K & 10K. | |
| 1.3 | Toolbox - 3 for heavy duty | |
| | This toolbox is for API flange 2.9/16-5K & 2.9/16"- 10K. It must contain following tools. | |
| | | |
| | 1) Slogging Ring Spanner | |
| | | |
| | (i) 1.5/8" (Nut size across flat): 2 No. | |
| | (ii) 1.7/16" (Nut size across flat): 2 No. | |
| | | |
| | 2) Slogging Open End Spanner | |
| | | |
| | (i) 1.5/8" (Nut size across flat): 2 No. | |

| | (ii) 1.7/16"(Nut size across flat): 2 No. |
|-----|--|
| | |
| | 3) Combination Spanner |
| | (i) 1.5/8" (Nut size across flat): 2 No |
| | (ii) 1.7/16" (Nut size across flat): 2 No |
| | 4) Sledge Hammer 5 LB: 1 No. |
| | 5) Wrecking Bar: 1 No. |
| | 6) Flange Wedge: 1 No. |
| | 7) With systematically arranged above tool in a non-metallic / fire resistance |
| | toolbox with locking facility for keeping & carrying. |
| | 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA |
| | LIMITED, CMT Department, for API flange 2.9/16" -5K & 10K. |
| 1.4 | Toolbox - 4 for heavy duty |
| | This toolbox is for API flange 3.1/8"-3K, 5K & 3.1/16"- 10K. It must contain following |
| | tools. |
| | A) Classics Directory |
| | 1) Slogging Ring Spanner |
| | (i) 1.7/16" (Nut size across flat): 2 No. |
| | (ii) 1.13/16" (Nut size across flat): 2 No. |
| | (iii) 1.5/8" (Nut size across flat): 2 No. |
| | (III) 1.3/6 (Nut Size acioss hat). 2 No. |
| | 2) Slogging Open End Spanner |
| | |
| | (i) 1.7/16" (Nut size across flat): 2 No. |
| | (ii) 1.13/16" (Nut size across flat): 2 No. |
| | (iii) 1.5/8" (Nut size across flat): 2 No. |
| | 3) Combination Spanner |
| | (i) 1.7/16" (Nut size across flat) - 2 No |
| | (ii) 1.13/16" (Nut size across flat) - 2 No |
| | (iii) 1.5/8" (Nut size across flat) – 2 No |
| | (, 2, 5 (|
| | 4) Sledge Hammer 5 LB: 1 No. |
| | 5) Wrecking Bar: 1 No. |
| | 6) Flange Wedge: 1 No. |

| | 7) With systematically arranged above tool in a nonmetallic/ fire resistance toolbox | |
|-----|--|--|
| | with locking facility for keeping & carrying. | |
| | 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA | |
| | LIMITED, CMT Department, for API flange 3.1/8"-5K & 3.1/16"- 10K. | |
| 1.5 | Toolbox - 5 for heavy duty | |
| | This toolbox is for API flange 7.1/16"-5K & 7.1/16"- 10K. It must contain following | |
| | tools. | |
| | | |
| | 1) Slogging Ring Spanner | |
| | | |
| | (i) 2.3/16" (Nut size across flat): 2 No. | |
| | (ii) 2.3/8" (Nut size across flat): 2 No. | |
| | 2) 51 : 0 5 15 | |
| | 2) Slogging Open End Spanner | |
| | (i) 2.3/16" (Nut size across flat): 2 No | |
| | (i) 2.3/8"(Nut size across flat): 2 No | |
| | (II) 2.5/8 (Nut Size across flat). 2 No | |
| | 3) Sledge Hammer 5 LB: 1 No. | |
| | 4) Sledge Hammer 10 LB: 1 No. | |
| | 5) Wrecking Bar: 1 No. | |
| | 6) Flange Wedge: 1 No. | |
| | 7) With systematically arranged above tool in a nonmetallic/ fire resistance toolbox | |
| | with locking facility for keeping & carrying. | |
| | 8) Clearly marking with paint on the outside cover of the toolbox "OIL INDIA | |
| | LIMITED, CMT Department, for API flange 7.1/16"-5K & 10K. | |
| 1.6 | Toolbox - 6 for heavy duty | |
| | This toolbox is for API flange 11"-5K & 11"- 10K. It must contain following tools. | |
| | | |
| | 1. Slogging Ring Spanner | |
| | | |
| | (i) 2.15/16" (Nut size across flat): 2 No. | |
| | (ii) 2.3/4" (Nut size across flat): 2 No. | |
| | | |
| | 2. Slogging Open End Spanner | |
| | (i) 2 15/16" (Next size across flat): 2 No | |
| | (i) 2.15/16" (Nut size across flat): 2 No. | |
| | (ii) 2.3/4"(Nut size across flat): 2 No | |

| | 3. Sledge Hammer 5 LB: 1 No. | |
|-----|---|--|
| | 4. Sledge Hammer 10 LB: 1 No. | |
| | 5. Wrecking Bar: 1 No. | |
| | 6. Flange Wedge: 1 No. | |
| | 7. | |
| | 8. With systematically arranged above tool in a nonmetallic/ fire resistance toolbox | |
| | with locking facility for keeping & carrying. | |
| | 9. Clearly marking with paint on the outside cover of the toolbox "OIL INDIA | |
| | LIMITED, CMT Department, for API flange 11"-5K & 10K. | |
| 1.7 | Toolbox - 7 for heavy duty | |
| | This toolbox is for API flange 13.5/8"-3K, 5K & 10K. It must contain following tools. | |
| | 1 Classing Ding Channer | |
| | Slogging Ring Spanner | |
| | (i) 2.3/16" (Nut size across flat): 2 No. | |
| | (ii) 2.9/16" (Nut size across flat): 2 No. | |
| | (iii) 2.15/16" (Nut size across flat): 2 No. | |
| | (III) 2.13/10 (Nut 3/26 across flat). 2 No. | |
| | 2. Slogging Open End Spanner | |
| | (i) 2.3/16" (Nut size across flat): 2 No. | |
| | (ii) 2.9/16" (Nut size across flat): 2 No. | |
| | (iii) 2.15/16"(Nut size across flat): 2 No. | |
| | 3. Sledge Hammer 5 LB: 1 No. | |
| | 4. Sledge Hammer 10 LB: 1 No. | |
| | 5. Wrecking Bar: 1 No. | |
| | 6. Flange Wedge: 1 No. | |
| | 7. With systematically arranged above tool in a nonmetallic/ fire resistance | |
| | toolbox with locking facility for keeping & carrying. | |
| | 8. Clearly marking with paint on the outside cover of the toolbox "OIL INDIA | |
| | LIMITED, CMT Department, FOR API flange 13.5/8"-3K, 5K & 10K. | |
| 1.8 | Common tools for heavy duty job | |
| | Under this category, following non-sparking tools of required quantity has to be | |
| | supplied. | |
| | 1 Ding Wrongh | |
| | 1. Pipe Wrench | |



- 17. Wire stripping pliers- 3 No (dimensions not less than 18 cm total length)
- 18. ALLEN KEY (MM) 1 set (1.5mm to 41mm)
- 19. ALLEN KEY (IN) 1 set (1/16inch to 7/8inch)
- 20. Common knife 2 No (dimensions not less than 20 cm total length)
- 21. Valve handle 3 No (for opening/closing API 3.1/16 inch, 10K gate valve)
- 22. Marking tool 2 No (dimensions not less than 30 cm total length)
- 23. Reversible ratchet-2 no
- 24. Offset handle 2 no

2.

3.

4.

8.

9.

- 25. Socket operating with above mentioned lever (point no 23 & 24 of 1.8)
 - (i) Socket for 2.15/16" (Nut size across flat)-1 No.
 - (ii) Socket for 2.15/16" (Nut size across flat) -1 No.
 - (iii) Socket for 2.3/4" (Nut size across flat) 1 No.

| | (iv) Socket for 2.3/16" (Nut size across flat) – 1 No. | |
|---------------------|---|--|
| | (v) Socket for 2.3/8" (Nut size across flat) – 1 No. | |
| | (vi) Socket for 1.5/8" (Nut size across flat) – 1 No. | |
| | (vii) Socket for 1.13/16" (Nut size across flat) – 1 No. | |
| | (viii)Socket for 1.7/16" (Nut size across flat) – 1 No. | |
| | (ix) Socket for 1.1/4" (Nut size across flat) - 1 No. | |
| | (x) Socket for 2.9/16" (Nut size across flat) - 1 No. | |
| | (xi) Socket for 2.3/16" (Nut size across flat) - 1 No. | |
| | (xii) Socket for 1.7/16" (Nut size across flat) - 1 No. | |
| | (xiii) Socket for 1.5/8" (Nut size across flat) - 1 No. | |
| | (xiv) Socket for 1.1/4" (Nut size across flat) - 1 No. | |
| | | |
| | 26. Sledge Hammer 10 LB – 2 No. | |
| | 27. Three (3) no empty non-metallic/ fire resistance toolbox with dimensions not | |
| | less than L -75cm, B-45 cm, H-30 cm. with lifting handles on all sides with locking | |
| | facility FOR KEEPING & CARRYING & carrying capacity not less than 25 kilogram | |
| | for each toolbox. | |
| | 28. Clearly marking with paint on the outside cover of the toolbox "OIL INDIA | |
| | LIMITED, CMT Department". | |
| 2.0 | Technical specification of copper titanium alloy based non-sparking hand tools: | |
| | reclinical specification of copper trainfall and y based from sparking finite tools. | |
| (i) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper | |
| | | |
| | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper | |
| | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper | |
| | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. | |
| | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper – 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. | |
| | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper – 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or | |
| (i) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper — 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. | |
| (i) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper – 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or | |
| (i) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper — 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. | |
| (i) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper – 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government | |
| (ii) (iii) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper — 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. | |
| (ii) (iii) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper — 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Yield strength should be greater than 70 kgf/mm2 certified by Government laboratory | |
| (i) (ii) (iii) (iv) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper — 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Yield strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. | |
| (i) (ii) (iii) (iv) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper – 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Yield strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Dimensions: Non-Sparking Tools dimensions and tolerances to be designed as per | |
| (ii) (iii) (iv) (v) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper – 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Yield strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Dimensions: Non-Sparking Tools dimensions and tolerances to be designed as per specifications. | |
| (ii) (iii) (iv) (v) | The Non-Sparking / Spark Resistant tools shall be made of Beryllium free, Copper Titanium alloy. Chemical composition: Copper — 3-6%, Titanium 94-97%, Fe content less than 0.01%, Beryllium free certified by Government laboratory or Government approved laboratory. Hardness: should not be less than 260 BHN certified by Government laboratory or Government approved laboratory. Tensile strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Yield strength should be greater than 70 kgf/mm2 certified by Government laboratory or Government approved laboratory. Dimensions: Non-Sparking Tools dimensions and tolerances to be designed as per specifications. Magnetic Permeability- The magnetic permeability of manufacturing material shall not | |

| / | | |
|--------|---|--|
| (viii) | The tools shall not be provided with any coatings. | |
| (ix) | Tools should be Corrosion resistant suitable for application in corrosive environments. | |
| | Certificate from OEM that the non-sparking tools are safe for use in hazardous area | |
| | classification conforming to Zone 0, Gas group IIC hazardous area. | |
| (x) | Tools shall be torque tested as per relevant standard for durability by Government | |
| | laboratory or Government approved laboratory. | |
| (xi) | Bidder to submit authorization letter from OEM for this Tender & also to submit OEM's | |
| | authorization/approval letter for manufacturing of Cu-Ti make non-sparking tools from | |
| | approved/established laboratory/agency/organization along with the bid. | |
| (xii) | The Tools quoted by bidder must conform to IS / BS / DIN standards. In this regard, the | |
| | bidder must furnish relevant certificates / documentations. The Bidder should indicate | |
| | the dimensions and weight of the offered tools. | |
| (xiii) | Bidder should confirm that the items shall be brand new, unused & free from any | |
| | defect. In the event of an order, the items should be guaranteed against any | |
| | manufacturing defect, workmanship etc. for 12 months from the date of | |
| | commissioning .The guarantee period for the part that may be altered, repaired or | |
| | replaced shall be 12 months from the date on which the same is commissioned. | |
| (xiv) | The bidder should submit country of origin certificate and confirm that tools are | |
| | manufactured in India. | |
| (xv) | Any deviation(s) from the tender specification should be clearly highlighted specifying | |
| | justification in support of deviation. | |
| (xvi) | Bidder to sign and submit completely filled up Bid Evaluation Matrix (Technical | |
| | Specification) for Bid evaluation Matrix (BRC) | |
| (xvii) | Bidder should forward relevant Catalogue, Drawing, and Literature (in printed form, | |
| | not in computer media such as pen drives or CDs) indicating the quoted items. | |
| 3.0 | Quality Assurance: | |
| | The bidders shall submit QAP (quality assurance plan) adopted by them during | |
| | manufacturing of these tools. | |
| 4.0 | Documents to be submitted: | |
| 1 | Chemical composition test report of material to be used in making Non-sparking Tools | |
| | along with the test report from Government laboratory or Government approved | |
| | laboratory. | |
| 2 | Hardness, yield strength and tensile strength Test report of non-sparking material | |
| | certified by Government laboratory or Government approved laboratory. | |
| 3 | Magnetic Permeability Test report of non-sparking material certified by Government | |
| | laboratory. | |
| 4 | Non Sparking test details as per IS:4595 (latest). | |
| 5 | Certificate from manufacturer that the non-sparking tools are safe for use in | |

| | hazardous area classification conforming to Zone 0, Gas group IIC hazardous area. | |
|-----|--|--|
| 6 | Bidder to submit authorisation letter from OEM for this Tender & also to submit OEM's | |
| | authorization/approval letter for manufacturing of Cu-Ti make non sparking tools from | |
| | approved/established laboratory/agency/organization along with the bid. | |
| 7 | Bidder to submit torque test reports for hand operated wrenches (spanner) and | |
| | sockets/any other tools, as applicable as per IS 6131(latest) and other relevant IS | |
| | standards certified by Government approved laboratory. | |
| 8 | Engineering drawing of each non sparking tools with detail dimensions. | |
| 9 | Clearly compiled Annexure - IV - Bid Evaluation Matrix (BRC) with documentary | |
| | evidence. | |
| 5.0 | Documents to be submitted at the time of supply of material: | |
| 1 | Bidder shall supply following documents (verified by TPI) along with the supply: | |
| | (i) Material test certificates. | |
| | (ii) Hardness, yield strength and tensile strength Test report | |
| | (iii) Dimensional details report | |
| | (iv) Visual check report | |
| | (v) Guarantee Certificate | |
| | (vi) Magnetic Permeability Test report | |
| | (vii) Non Sparking test as per IS:4595 (latest) | |
| | (viii) Bidder to submit torque test reports for all the applicable items as per IS | |
| | 6131:1980 and other relevant IS standards. | |
| | (ix) Certificate from OEM that the non-sparking tools are safe for use in hazardous | |
| | area classification conforming to Zone 0, Gas group IIC hazardous area. | |
| | (x) OEM's user manual for NonSparking tools. | |
| | (xi) The bidder has to submit the authorization letter from manufacturer and also | |
| | has to submit Manufacturer's authorization/approval letter for manufacturing | |
| | of Cu-Ti make nonsparking tools from approved/established laboratory/agency/ | |
| | organization along with the bid. | |
| 6.0 | (xii) Warranty: 1 year from the date of delivery. MARKING: | |
| 0.0 | | |
| | (i) Marking shall be done on the surface of Non Sparking Tools as per IS-4595 latest Standard. | |
| | (ii) Marking shall have following minimum information. | |
| | (ii) Iviai king shan have following millimidin illiornation. | |
| | a) Manufacturer's Name. | |
| | b) Size /Capacity | |
| | c) Name, abbreviation or chemical symbol of the alloy used in the | |
| | manufacturing of the tool. | |
| | 0 | |

| 7.0 | The complete set should be supplied in an easy to carry and durable Toolbox (as mentioned 1.1 to 1.7) and three (3) nos. separate empty toolboxes of specified dimensions have to be supplied as mentioned 1.8. Necessary markings/ writings on the outside cover of the toolbox as mentioned in the scope of work has to be completed. | |
|------|--|--|
| | CHECKLIST | |
| 1.0 | Whether quoted as manufacturer? | |
| 2.0 | Whether quoted as OEM Dealer/Supply House? | |
| 3.0 | If quoted as OEM Dealer/Supply House - | |
| | a) Whether submitted valid and proper authorization letter from manufacturer confirming that bidder is their authorized Dealer/supply House for the product offered? (b) Whether manufacturer's back-up Warranty/Guarantee certificate submitted? | |
| 4.0 | Whether agreed to the tender warranty clause of the tender? | |
| 5.0 | Whether confirmed Bid validity as per tender requirement? | |
| 6.0 | Whether guoted a firm delivery period as per the tender requirement? | |
| 7.0 | Whether confirmed to submit PBG as asked for in tender? | |
| 8.0 | Whether confirmed Bid Validity as per the tender requirement? | |
| 9.0 | Whether confirmed Payment Terms as per the tender? | |
| 10.0 | Whether guoted as MSE unit? If yes, whether necessary document submitted? | |
| 11.0 | Whether submitted Integrity Pact duly signed and sealed as per PROFORMA – D? | |
| 12.0 | Ministry of Finance of Govt. of India, Department of Expenditure, Public procurement Division vide office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020(order-Public Procurement no.1) has proclaimed the insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017 w.e.f. 23rd July, 2020 regarding restrictions on procurement from a bidder of a country which shares a land border with India on the grounds of defence of India on matters directly or indirectly related thereto including national security. Bidders are requested to take note of the office memorandum and submit their offers accordingly, wherever applicable. | |
| 12.0 | In this regard, bidders must submit duly sealed & signed undertaking as per format provided vide, PROFORMA - E " along with the technical bid. Whether uploaded along with the bid? | |
| 13.0 | Whether indicated the country of origin for the items quoted? Please mention the "Country of origin" under Remarks here. | |

ANNEXURE – V

BID EVALUATION MATRIX (BID REJECTION CRITERIA)

| | BID EVALUATION MATRIX (BID REJECTION CRITERIA) | | |
|---------|--|--|--|
| ltem | (TO BE FILLED IN BY BIDDER DULY SIGI | BIDDER'S RESPONSE (Complied / Not Complied /Deviation/Not Applicable) | TO BE FILLED BY THE BIDDER Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence) |
| Α | BID REJECTION CRITERIA (BRC) | | |
| A.1 | TECHNICAL | | |
| 1.0 | BIDDER'S ELIGIBILITY: | T | |
| 1.1/1.2 | The bidder should be an Original Equipment Manufacturer (OEM) of the tendered item(s)/equipment. | | |
| | OR | | |
| | The bidder should be a sole selling agent/authorised distributor/authorised dealer/authorised supply house of an Original Equipment Manufacturer (OEM) of the tendered item (s). | | |
| 1.3 | In case the bidder is quoting as agent /distributor/dealer/supply house, the bidder should submit valid authorisation certificate/letter issued by its Original Equipment Manufacturer (OEM), confirming the Bidders' status as their authorised supplier/dealer/distributor/wholly owned subsidiary (as the case may be) to sell their products with proper warranty and guarantee back up. Such authorisation certificate/letter shall be valid for the entire period of execution of the order. | | |
| 1.4 | NOTES TO BIDDER REGARDING AUTHORISATION: | | |
| 1.4.1 | Authorization letter must be issued on the official letter head only of the OEM clearly mentioning the status of Bidder i.e., whether sole selling agent / authorised distributor / authorised dealer / authorised supply house of Original Equipment Manufacturer (OEM), failing which the bid shall not be considered for evaluation and in that case the offer shall be rejected straightway. Such certificates/authority letter issued by a party other than the | | |

| | OEM shall not be considered as valid authorization letter and in such case, the bid shall be rejected without any further reference. | |
|-------|--|--|
| 1.4.2 | Authorization letter issued by the OEM in any other form such as Direct Chanel | |
| 1.4.2 | Partner/Indirect Chanel Partner/Chanel Partner/Seller/Reseller/Sub Dealer/Sub | |
| | Distributor/Sister Concern shall not be considered for bid evaluation and the offer shall be | |
| | rejected. | |
| 1.4.3 | In case the bidder is a wholly owned subsidiary company of the parent company (OEM), in | |
| | addition to the authorization letter including warranty/guarantee back-up, the bidder shall | |
| | also upload/submit the documents such as board resolution/certificate of | |
| | incorporation/any other legal certificate along with their offer that would establish the | |
| | relation between the parent company with the subsidiary company without which the bid | |
| | will not be evaluated and will be rejected straightway. | |
| 1.5 | The bidder/OEM must submit an undertaking along with the Technical Bid that their | |
| | offered equipment is not going to become obsolete during the next 5 (five) years from the | |
| | date of supply, if order is awarded on them by OIL and must guarantee uninterrupted | |
| | supply of spares and availability of services for at least for ten (10) years with effect from | |
| | the supply of the equipment, without which offer will not be considered for evaluation / | |
| | placement of order. This clause will be applicable only if the tender item has requirement | |
| | of spares. | |
| 2.0 | BIDDERS' EXPERIENCE | |
| 2.1 | IN CASE THE BIDDER IS AN ORIGINAL EQUIPMENT MANUFACTURER (OEM): | |
| 2.1.1 | The bidder (OEM) should have at least 5 (five) years of manufacturing experience of similar | |
| | items preceding to the original bid closing date of the tender. | |
| | Documentary evidence to substantiate manufacturing experience as above must be | |
| | submitted in the form of self-certified copy which should be on the letter head and duly | |
| | signed and sealed by CEO/CFO/any other person who holds the Power of Attorney of the | |
| | company or by the statutory Auditor. A copy of Power of Attorney shall also be submitted | |
| | for the same. | |
| | 'Similar' item means tendered item. | |
| 2.1.2 | In addition to above, the bidder (OEM) should have supply experience of successfully | |
| | executing at least 50% of the tendered quantity (rounded off to next higher integer) of | |
| | each of tendered item/equipment, or similar item, to any E&P companies/Oil & Gas | |
| | Companies during last 5 (five) years as on original bid closing date of the tender (either by | |
| | themselves or through their sole selling agent/distributor/dealer/supply house). | |
| | | |

| 2.1.3 Documentary evidences to substantiate manufacturing & supply records must be submitted in the form of copies of relevant Purchase Order(s) & any one or combination of the following documents evidencing satisfactory execution of those Purchase Orders(s) such as: | |
|---|--|
| the following documents evidencing satisfactory execution of those Purchase Orders(s) such as: | |
| such as: | |
| | |
| | |
| (i) Satisfactory supply /completion/installation report (OR) | |
| (ii) Bill of lading, Commercial Invoice/Payment Invoice (OR) | |
| (iii) Consignee receipt, delivery receipt (OR) | |
| (iv) Central Excise Gate Pass/Tax invoice issued under relevant rules of Central | |
| Excise/VAT/GST invoice. | |
| (v) Any other documents which shall prove that the bidder has successfully | |
| executed such order(s) | |
| 2.1.4 NOTES TO BIDDER REGARDING EXPERIENCE CRITERIA | |
| a) The Purchase Order need not be within 5 (five) years preceding original bid closing | |
| date of this tender. However, execution of supply should be within 5 (five) years | |
| preceding original bid closing date of this tender. | |
| b) Satisfactory supply/completion/installation report should be issued on company's | |
| letterhead with signature and stamp. | |
| c) Bidders showing supply experience towards supply to its sister concern/ subsidiaries | |
| shall not be considered as experience for the purpose of meeting BRC. | |
| 2.2 IN CASE THE BIDDER IS A SOLE SELLING AGENT/AUTHORISED DISTRIBUTOR/AUTHORISED | |
| DEALER / AUTHORISED SUPPLY HOUSE OF OEM: | |
| 2.2.1 The bidder's OEM (the Principal) should have at least 5 (five) years of manufacturing | |
| experience of similar items preceding to the original bid closing date of the tender. | |
| | |
| Documentary evidence to substantiate manufacturing experience as above must be | |
| submitted in the form of self -certified copy which should be on the letter head and duly | |
| signed and sealed by CEO/CFO/any other person who holds the Power of Attorney of the | |
| company or by the statutory Auditor. A copy of Power of Attorney shall also be submitted | |
| for the same. | |
| | |
| 'Similar' item means tendered item. | |
| 2.2.2 The bidder's OEM (the Principal) should have supply experience of successfully executing | |
| at least 50% of the tendered quantity (rounded off to next higher integer) of each of | |
| tendered item/equipment, or similar item, to any E&P companies/Oil & Gas Companies | |
| during last 5 (five) years as on original bid closing date of the tender (either by themselves | |
| or through their sole selling agent/distributor/dealer/supply house). | |
| | |
| 'Similar' item means tendered item. | |

| 2.2.3 | Additionally, the bidder himself/themselves as sole selling agent/distributor/dealer/supply house should have supply experience of successfully executing at least 50% of the tendered quantity (rounded off to next higher integer) of each of tendered item/equipment, of similar item, to any E&P companies/Oil & Gas Companies during last 5 (five) years as on original bid closing date of the tender (either from same OEM (the principal) or from any other OEM). | |
|-------|---|--|
| | 'Similar' item means tendered item. | |
| 2.2.4 | Documentary evidences to substantiate manufacturing & supply records must be submitted in the form of copies of relevant Purchase Order(s) & any one or combination of the following documents evidencing satisfactory execution of those Purchase Orders(s) such as: | |
| | (i) Satisfactory supply /completion/installation report (OR) (ii) Bill of lading, Commercial Invoice/Payment Invoice (OR) (iii) Consignee receipt, delivery receipt (OR) (iv) Central Excise Gate Pass/Tax invoice issued under relevant rules of Central Excise/VAT/GST invoice. (v) Any other documents which shall prove that the bidder has successfully executed such order(s) | |
| 2.2.5 | NOTES TO BIDDER REGARDING EXPERIENCE CRITERIA | |
| | a) The Purchase Order need not be within 5 (five) years preceding original bid closing date of this tender. However, execution of supply should be within 5 (five) years preceding original bid closing date of this tender. b) Satisfactory supply/completion/installation report should be issued on company's letterhead with signature and stamp. c) Bidders showing supply experience towards supply to its sister concern/ subsidiaries shall not be considered as experience for the purpose of meeting BRC. | |
| 3.0 | DELIVERY PERIOD: | |
| | Delivery to be completed within <u>180 days</u> from the date of placement of order by OIL. The date of receipt of materials at site shall be considered as the date of delivery. Bidders must categorically confirm the above in their Technical Bid. | |
| A.2 | BRC - FINANCIAL: | |
| 1.0 | The bidder must have an annual financial turnover from Operations of minimum INR 30,71,000.00 during any of the preceding 3 (Three) financial/accounting years reckoned from the original bid closing date of the tender Audited Annual Reports. | |
| | [Annual Financial Turnover of the bidder from Operations shall mean - "Aggregate value of | |

| | the realization of amount made from the sale, supply or distribution of goods or on account |
|-----|---|
| | of services rendered, or both, by the company (bidder) during a financial year" as per the |
| | Companies Act, 2013 Section 2 (91).] |
| 2.0 | "Net Worth" of the bidder must be positive for the financial/accounting year just preceding |
| | to the original Bid Closing Date of the Tender. |
| | |
| | [Net worth shall mean: "Share capital + Reserves created out of profits and securities |
| | Premium - Aggregate value of accumulated losses (excluding revaluation reserves) - |
| | deferred expenditure - Miscellaneous Expenditure to the extent not written off and carried |
| | |
| | forward loss - Reserves created out of write back of depreciation and amalgamation"] |
| 3.0 | Considering the time required for preparation of Financial Statements, if the last date of |
| | preceding financial/ accounting year falls within the preceding six months reckoned from |
| | the original bid closing date and the Financial Statements of the preceding |
| | financial/accounting year are not available with the bidder, then the financial turnover of |
| | the previous three financial/accounting years excluding the preceding financial/accounting |
| | year will be considered. In such cases, the Net worth of the previous financial/accounting |
| | year excluding the preceding financial/accounting year will be considered. However, the |
| | bidder has to submit an affidavit/ undertaking (PROFORMA - A) certifying that 'the balance |
| | sheet/Financial Statements for the financial year (as applicable) has actually not been |
| | audited so far'. |
| | |
| | Note: |
| | a) For proof of Annual Turnover & Net worth any one of the following document |
| | must be submitted along with the technical bid:- |
| | |
| | i) A certificate issued by a practicing Chartered Cost Accountant (with |
| | Membership Number and Firm Registration Number), certifying the Annual |
| | Turnover & Net worth as per format prescribed in (PROFORMA – B). |
| | |
| | OR |
| | |
| | ii) Audited Balance Sheet alongwith Profit & Loss account. In case of foreign |
| | bidders, self-attested/digitally signed printed published accounts are also |
| | acceptable. |
| | |
| | b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/ |
| | Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, |
| | |
| | where the auditor is appointed only after the approval of Comptroller and Auditor |

| | General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same. |
|-----|---|
| 4.0 | In case the Audited Balance Sheet and Profit & Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$. |
| 5.0 | In case the Bidder is subsidiary company (should be 100% owned subsidiary of the parent/ultimate parent/holding company) who does not meet financial criteria by itself and submits its bid based on the strength of parent/ultimate parent/holding company, then following documents need to be submitted: |
| | (i) Turnover of the parent/ultimate parent/holding company should be in line with Para A.2 (1.0) above. |
| | (ii) Net Worth of the parent/ultimate parent/holding company should be positive in line with Para A.2 (2.0) above |
| | (iii) Corporate Guarantee (PROFORMA - C) on parent/ultimate parent/holding company's company letter head signed by an authorized official undertaking that they would financially support their wholly owned subsidiary company for executing the project/job in case the same is awarded to them. |
| | (iv) Documents to substantiate that the bidder is as 100% subsidiary of the parent/ultimate parent/holding company. |