

Bid Document

Bid Details	
Bid End Date/Time	18-03-2021 13:00:00
Bid Opening Date/Time	18-03-2021 13:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Petroleum And Natural Gas
Department Name	Oil India Limited
Organisation Name	Oil India Limited
Office Name	Oil India Limited
Total Quantity	10
Item Category	LOW PRESSURE REFERENCE GAUGE
Minimum Average Annual Turnover of the Bidder	6 Lakh (s)
Years of Past Experience required	3 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	50 %
Bid to RA enabled	No
Time allowed for Technical Clarifications during technical evaluation	14 Days
Inspection Required	No
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Advisory Bank	AXIS BANK LTD
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	18

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

CHIEF MANAGER MATERIALS

Oil India Limited, OIL INDIA Limited, OIL INDIA Limited, Ministry of Petroleum and Natural Gas
(Balen Bharali)**Splitting**

Bid splitting not applied.

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

LOW PRESSURE REFERENCE GAUGE (10 pieces)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

1	Kamal Das	851114,Oil India Limited, Barauni, Pump Station 10, PO Barauni Refinery, District Begusarai	2	60
2	Dhiraj Langthasa	733202,Oil India Limited, Pump Station 8, Sonapur, PO Haptiyagach	2	60
3	Tanveer Jalal	781171,Oil India Limited, Pipeline Headquarters, Narangi, P.O. Udayan Vihar, Guwahati	6	60

Bid Specific Additional Terms and Conditions

- 1.Scope of supply (Bid price to include all cost components) : Only supply of Goods
- 2.Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---



PROCUREMENT OF LOW PRESSURE REFERENCE GAUGE FOR CALIBRATION OF
LOW RANGE PRESSURE TRANSMITTERS AND DIFFERENTIAL TRANSMITTERS
INSTALLED AT VARIOUS PUMP STATIONS

TECHNICAL SPECIFICATIONS OF DIGITAL REFERENCE PRESSURE GAUGE:

1. Range of the instrument: -1 to 7 bar.
2. Case and Wetted materials: 300 Series Stainless Steel
3. Display: LCD with backlight
4. Accuracy of the instrument: 0.025% Full Scale.
5. Resolution of the display: 5 full digits or better
6. Power: 3 AA Battery
(Spare Battery set to be supplied along with the item).
7. IP 66 or better.
8. Pressure Port of the instrument – Male/Female.
9. Process Connection- Shall have additional five (5) numbers of adapters of the following type-
 - i) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/2" NPT male.
 - ii) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/4" NPT male.
 - iii) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/2" BSP male.
 - iv) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/4" BSP male.
 - v) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be M20X1.5 male.
10. Operating Temperature: 0 degC to 50 degC.
11. Dial Size : 6 inch
12. Should have Configuration function through Keypad.
13. Should be able to store minimum and maximum values.
14. Pressure Unit Pa, kPa, MPa, psi, bar, mbar – Selectable by front panel push button
15. Enclosure Dimension(Approx.): Ø110mm X 35mm depth X 170mm height
16. Numeral display height: 16.5mm (0.65")
17. Warranty Period 12 months from the date of supply.
18. Certification:
Shall have:
 - i) ATEX / IECEEx or PESO certificate
 - ii) NIST/NABL accredited certificate

Special Note:

VALID (1.3X) HYDRO-TEST CERTIFICATE FOR THE NPT AND BSP ADAPTERS ARE TO BE PROVIDED.

THE BURST PRESSURE SHOULD BE 3X AND VALID CERTIFICATE TO BE PROVIDED

THE BIDDER MUST PROVIDE THE FOLLOWING CHECKLIST ALONG WITH THE BID:

SLNO	TECHNICAL CHECKLIST	BIDDER'S REMARKS
1	Range of the instrument: -1 to 7 bar	YES/NO
2	Case and Wetted materials: 300 Series Stainless Steel	YES/NO
3	Display: LCD with backlight	YES/NO
4	Accuracy of the instrument: 0.025% Full Scale.	YES/NO
5	Resolution of the display: 5 full digits or better	YES/NO
6	Power: 3 AA Battery and optional AC adapter	YES/NO
7	IP 66 or better	YES/NO
8	Pressure Port of the instrument – Male/Female	CONFIRM THE TYPE OF PORT
9	Process Connection- Shall have additional five (5) numbers of adapters of the following type- i) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/2" NPT male. ii) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/4" NPT male. iii) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/2" BSP male. iv) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be 1/4" BSP male. v) One end matching with the Pressure Port of the instrument as per point no.8 and the other end shall be M20X1.5 male.	YES/NO
10	Operating Temperature: 0 degC to 50 degC.	YES/NO
11	Should have Configuration function through Keypad.	YES/NO
12	Should be able to store minimum and	YES/NO

	maximum values	
13	Pressure Unit Pa, kPa, MPa, psi, bar, mbar – Selectable by front panel push button	YES/NO
14	Enclosure Dimension(Approx.): Ø110mm X 35mm depth X 170mm height	YES/NO
15	Numeral display height: 16.5mm (0.65")	YES/NO
16	Warranty Period 12 months from the date of supply.	YES/NO
17	Certification: Shall have: i) ATEX/PESO/IECEX certificate ii) NIST/NABL accredited certificate	YES/NO