

OIL INDIA LIMITED
(A Government of India Enterprise)

P.O. Duliajan, Pin – 786602

Dist-Dibrugarh, Assam

CORRIGENDUM

Amendment No. 2 Dated 06.02.2016
to
Tender No. SDG9160P16/08

This Amendment No. 2 dated 06.02.2016 to **Tender No. SDG9160P16/08 for Procurement of Cement Batch Mixer** is issued to notify few amendments in the Tender Document. The amendments are given in Annexure-A to this page. All other Terms & Conditions of the Tender Document remain unaltered.

(D.Thakur)

Chief Manager (Materials)(FD)

For Head-Materials

ANNEXURE-A

**AMENDMENTS IN TECHNICAL SPECIFICATIONS FOR TENDER NUMBER SDG9160P16/08 OF 04.11.2015 FOR SUPPLY,
INSTALLATION AND COMMISSIONING OF CEMENT BATCH MIXER.**

Clause Number	Clause Description	Proposed Amendments	Justifications
A.7 of Annexure A Technical Specifications	Hinged tank top steel grated cover	Hinged tank top cover.	To make the clause more generic.
B of Annexure A Technical Specifications	The tank should have the following approximate dimension: 1. Height: limited to around 10 ft 10 inch (3.3 meters) 2. Width: 8.1/2 ft (2.6 meters) 3. Length of the skid: 29 ft (9 meters) 4. Weight: Not more than 40000 lbs.	The tank should have the following approximate dimension: 1. Height: limited to around 11 feet clear height (3.35 meters) 2. Width: 8.1/2 ft (2.6 meters) 3. Length of the skid: 29 ft (9 meters) 4. Weight: Not more than 40000 lbs.	For more participation and to make the clause more generic.
E of Annexure A Technical Specifications	The power pack should include a suitable Engine with PTO (clutch) capable to develop sufficient power to drive hydraulic system, centrifugal pump and agitators. The clutch should preferably be manual type for engaging and disengaging the pumps. Power system should be of the following specifications:	The power pack should include a suitable Engine with PTO capable to develop sufficient power to drive hydraulic system, centrifugal pump and agitators. Power system should be of the following specifications:	To simplify the clause and to clarify the requirement.
F of Annexure	Gear Box:	Gear Box:	To make the clause more generic.

A Technical Specifications	1. Make: Funk 2. Three output port (SAE C) 3. Output Ratio - 1:1	1. Make: Funk 2. Minimum two output port (SAE C) 3. Output Ratio - 1:1	
G.5 of Annexure A Technical Specifications	Additional Clause	Make of Hydraulic Pump: Parker / Eaton	The make of Hydraulic Pump is specified in order to make the make uniform for all bidders.
H.1 of Annexure A Technical Specifications	Recirculation / Boost Centrifugal Pump: Make & Model: MAGNUM MISSION: MAGNUM -1	Recirculation / Boost Centrifugal Pump: Make & Model: MAGNUM MISSION: MAGNUM -1 / HARRISBURG / MACH-1 (TENGL).	To make the clause more generic and to give more options to the bidders.
I.2 of Annexure A Technical Specifications	Each tank should be equipped with a hydraulically driven paddle type mixing agitator with gear reducer.	Each tank should be equipped with a hydraulically driven paddle type mixing agitator with a controllable RPM.	To clarify the requirement.
I.4 of Annexure A Technical Specifications	Fibreglass - reinforced grid covered on the top.	Fibreglass / steel grated - reinforced grid covered on the top.	To make the clause more generic.
I.5 of Annexure A Technical Specifications	Removable safety hand rail on top of the tank.	Collapsible safety hand rail on top of the tank.	Collapsible hand rails are safer than removable hand rails.
I.9 of Annexure A	Semi-automatic tank washing system to clean the tanks efficiently after each	Clause to be deleted.	Semi-automatic tank washing system is not available for cement

Technical Specifications	cementing job.		batch mixer.
J.1; J.3 & J.8 of Annexure A Technical Specifications		To be supplied with Fig 206 union connections instead of Fig 100 wherever appearing under clauses J.1; J.3 & J.8	Fig 206 union connections are commonly used.
J.5 of Annexure A Technical Specifications	The load lines for the mixing tank should be 3 inches piping and inlet connection should be 2 inches Fig 1502 union connection and protected by a relief valve to ensure safety against accidental pressurizing of the piping of the unit and other equipment.	The load lines for the mixing tank should be 3 inches piping and inlet connection should be 2 inches Fig 206 union connection and installed with a manual flow control valve.	Fig 1502 was wrongly written. Hence flow control valve is required rather than relief valve.
A of General Notes for Bidders (Scope of work – Second Paragraph)	“In addition a system should also be provided for supplying cement to the batch mixer pneumatically. A removable cement hopper with table and sack cutter is also to be supplied for installation on the top of the Eductor / Hopper manifolds for directly feeding cement into the Eductor / Hopper manifold.”	“A removable cement hopper with table is also to be supplied for installation on the top of the Eductor / Hopper manifolds for directly feeding cement into the Eductor / Hopper manifold.”	To simplify the clause and to clarify the requirement.
B of General Notes for Bidders (Serial Number 3)	All tanks should be hydraulically tested (for leakage if any) by completely filling it with water and keeping it for 3 (three) days before final painting. Test report shall be furnished with the supply. Bidder to confirm the same while quoting.	All tanks should be hydraulically tested (for leakage if any) by completely filling it with water and keeping it for 24 hours before final painting. Test report shall be furnished with the supply. Bidder to confirm the same while quoting.	The clause is being amended to be in line with the standard industry practice.
B of General Notes for Bidders	Bidder shall submit the detailed product catalogue with structural drawing giving all construction details, clearly indicating	Bidder shall submit the detailed product catalogue with structural drawing, clearly indicating dimensions, etc along with the	The clause is being amended to be in line with the standard industry practice.

(Serial Number 6)	dimensions, material of construction etc along with the bid.	bid.	
B of General Notes for Bidders (Serial Number 8)	Bidder shall confirm submission of operational and maintenance manual along with the supply in the technical bid.	Bidder shall confirm submission of operational and maintenance manual (inclusive of overhauling manuals) along with the supply in the technical bid.	The clause is being amended to include the overhauling manuals.
B of General Notes for Bidders (Serial Number 9)	Purchase Order number, 'OIL' logo / mark and the Budget Head provided by Oil shall be weld written on suitable place at the unit. Bidders shall confirm compliance to the same while quoting.	Purchase Order number, 'OIL' logo / mark and the Budget Head provided by OIL shall be either weld written on suitable place at the unit or on a separate plate at the unit. Bidders shall confirm compliance to the same while quoting.	The clause is being amended as agreed in the pre-bid conference.
B of General Notes for Bidders (Serial Number 12 - Additional)		All submitted catalogues, manuals documents etc to be in English language (USA or UK).	The clause has been included to assure that the catalogues, manuals documents etc are submitted in English language only.
B of General Notes for Bidders (Serial Number 13 - Additional)		Bidder must guarantee uninterrupted supply of spares for at least 10 years with effect from delivery of the Item / product for the item / product to be supplied under the Tender / Order, if order is awarded to them by OIL.	The clause has been included to assure uninterrupted supply of spares for at least 10 years.
Technical Check List (Serial number: 2)	Whether all construction details are supplied?	Deleted	The clause is being amended to be in line with the standard industry practice and as agreed in the pre-bid conference.

Technical Check List (Serial number: 6)	Whether a removable cement hopper with table and sack cutter will be additionally supplied for installation on the top of the Eductor manifold for direct feeding of cement?	Whether a removable cement hopper with table will be additionally supplied for installation on the top of the Eductor manifold for direct feeding of cement?	To be in line as per A of General Notes for Bidders.
Technical Check List (Serial number: 7)	Whether the height of the batch mixer will be limited to 10 ft 10 inch?	Whether the height of the batch mixer will be limited to 11 ft?	To be in line as per clause B of Technical Specifications.
Technical Check List (Serial number: 11)	Whether the power pack engine has manual clutch?	Deleted	To be in line as per clause E of Technical Specifications.
Technical Check List (Serial number: 15)	Whether the operational and maintenance manual will be provided along with the supply?	Whether the operational and maintenance manual (inclusive of overhauling manuals) will be provided along with the supply?	To be in line as per B (Serial number: 8) of General Notes for Bidders.
	Our suggestion for inclusion of the clause under the heading liquated damage in special notes.	Liquidated damage if applicable during installation and commissioning shall be deducted from 20% of the material value from the bidder.	The clause to be included for clarifying deduction of liquidated damage during installation and commissioning.

AMENDMENTS IN BID REJECTION CRITERIA FOR TENDER NUMBER SDG9160P16/08 OF 04.11.2015 FOR SUPPLY, INSTALLATION AND COMMISSIONING OF CEMENT BATCH MIXER.

Clause Number	Clause Description	Proposed Amendments	Justifications
1.2	The bidder shall be an authorized dealer of OEM of Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power.	The bidder shall be an authorized dealer / authorized distributor of OEM of Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power.	The clause has been amended to include authorized distributor.
2.1.2	The bidder shall be in the business of manufacturing Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power and shall have the experience of successful execution of supply, installation & commissioning of at least 3 (three) units of specification as described in Para 2.1.1 in the last 7 (seven) years preceding the bid closing date of this tender to any reputed E&P company. The bidder shall submit details of the previous supply of such equipment.	The bidder shall be in the business of manufacturing Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power and shall have the experience of successful execution of supply, installation & commissioning of at least 3 (three) units of specification as described in Para 2.1.1 in the last 7 (seven) years preceding the original bid closing date of this tender to any E&P company / Drilling Contractors / Cementing Service Providers either through themselves or through their authorized dealer / authorized distributor. The bidder shall submit details of the previous supply of such equipment.	The clause has been amended to include supply to drilling contractors and cementing service providers either by the OEM themselves or through their authorized dealer / authorized distributor. The change is necessary as some of the OEMs sell its product through their authorized dealer / authorized distributor.
2.2	In case the Bidder is an authorized dealer	In case the Bidder is an authorized dealer /	The clause has been amended to

	of OEM of Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power, the following criteria shall be met by the Bidder:	authorized distributor of OEM of Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power, the following criteria shall be met by the Bidder:	include authorized distributor.
2.2.3	In addition, the bidder shall have the experience of successful execution of supply, installation & commissioning of at least 1 (one) number of Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power in the last 7 (seven) years preceding the bid closing date of this tender to any reputed E&P company. The bidder shall submit details of the previous supply of such equipment.	In addition, the bidder shall have the experience of successful execution of supply, installation & commissioning of at least 1 (one) number of Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power in the last 7 (seven) years preceding the original bid closing date of this tender to any E&P company / Drilling Contractors / Cementing Service Providers . The bidder shall submit details of the previous supply of such equipment.	The clause has been amended to include supply to Drilling Contractors / Cementing Service Providers as most of the E&P company outsources cementing services.
2.2.3.1	Additional Clause	<p>If the bidder does not have experience of installation and commissioning then the installation and commissioning can be carried out through its sister subsidiary / co-subsidiary company subject to meeting of the following conditions:</p> <p>i. Provided that the sister subsidiary / co-subsidiary company and the bidding company are both 100% subsidiaries of an ultimate parent / holding company either directly or through intermediate 100% subsidiaries of the ultimate parent / holding company or through any other 100% subsidiary company within the ultimate</p>	The clause has been included for more participation.

		<p>parent / holding company. Documentary evidence to this effect to be submitted by the ultimate parent / holding company along with the techno-commercial bid or else the bid will be rejected.</p> <p>ii. Provided that the sister subsidiary / co-subsidiary company on its own meets the technical experience criteria stipulated elsewhere in the BEC for installation and commissioning.</p> <p>With a view to ensure commitment and involvement of the ultimate parent / holding company for successful installation and commissioning of Cement Batch Mixer, the participating bidder shall enclose an agreement (as per format enclosed at Attachment – I, II & III) between them, their ultimate parent / holding company and the sister subsidiary / co-subsidiary company. In case the agreement is not enclosed / upload the bid will be rejected.</p> <p>The sister subsidiary / co-subsidiary company shall have the experience of successful installation & commissioning of at least 1 (one) number of Trailer Mounted / Skid Mounted 100 barrels or higher capacity Cement Batch Mixer with Hydraulic Drive and Captive Power in the last 7 (seven) years preceding the original bid closing date of</p>	
--	--	--	--

		this tender to any E&P company / Drilling Contractors / Cementing Service Providers.	
2.3.1	<p>In support of the experience as noted in Para 2.1.1, 2.1.2, 2.2.1 and 2.2.3 above, the bidder` shall submit the following documents:</p> <p>i) Copies of relevant Purchase Orders showing equipment details, Date of order, Delivery Date etc.</p> <p>ii) Commissioning report / Performance report from the clients in respect of satisfactory execution of each of those Purchase Orders</p>	<p>In support of the experience as noted in Para 2.1.2, 2.2.1, 2.2.3 and 2.2.3.1 above, the bidder shall submit the following documents:</p> <p>i) Copies of relevant Purchase Orders showing equipment details, Date of order, Delivery Date etc.</p> <p>ii) Commissioning report / Performance report from the clients in respect of satisfactory execution of each of those Purchase Orders</p>	The clause has been amended to rectify the errors made while mentioning the clause numbers.

ATTACHMENT 1

FORMAT OF AGREEMENT BETWEEN BIDDER AND THEIR PARENT COMPANY / 100% SUBSIDIARY COMPANY
(As the case may be)

(TO BE EXECUTED ON STAMP PAPER OF REQUISITE VALUE AND NOTORISED)

This agreement made this ____ day of ____ month ____ year by and between M/s. _____ (Fill in the Bidder's full name, constitution and registered office address) hereinafter referred to as bidder on the first part and M/s. _____ (Fill in full name, constitution and registered office address of Parent Company/Subsidiary Company, as the case may be) hereinafter referred to as "Parent Company/Subsidiary Company (Delete whichever not applicable)" of the other part:

WHEREAS

M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their tender No. _____ for _____ and M/s _____ (Bidder) intends to bid against the said tender and desires to have technical support of M/s. _____ [Parent Company/Subsidiary Company-(Delete whichever not applicable)] and whereas Parent Company/Subsidiary Company (Delete whichever not applicable) represents that they have gone

through and understood the requirements of subject tender and are capable and committed to provide the services as required by the bidder for successful execution of the contract, if awarded to the bidder.

Now, it is hereby agreed to by and between the parties as follows:

1. M/s. _____ (Bidder) will submit an offer to OIL for the full scope of work as envisaged in the tender document as a main bidder and liaise with OIL directly for any clarifications etc. in this context.
2. M/s. _____ (Parent Company/ Subsidiary Company (Delete whichever not applicable)) undertakes to provide technical support and expertise, expert manpower and procurement assistance and project management to support the bidder to discharge its obligations as per the Scope of work of the tender / Contract for which offer has been made by the Parent Company/Subsidiary Company (Delete whichever not applicable) and accepted by the bidder.
3. This agreement will remain valid till validity of bidder's offer to OIL including extension if any and till satisfactory performance of the contract in the event the contract is awarded by OIL to the bidder.
4. It is further agreed that for the performance of work during contract period bidder and Parent Company/Subsidiary Company (Delete whichever not applicable) shall be jointly and severely responsible to OIL for satisfactory execution of the contract.
5. However, the bidder shall have the overall responsibility of satisfactory execution of the contract awarded by OIL.

In witness whereof the parties hereto have executed this agreement on the date mentioned above.

For and on behalf of

(Bidder)

For and on behalf of

(Parent Company/Subsidiary
Company (Delete whichever not
applicable)

M/s.

M/s.

Witness:

Witness:

1)

1)

2)

2)

PARENT COMPANY/ SUBSIDIARY COMPANY GUARANTEE

(Delete whichever not applicable)

(TO BE EXECUTED ON STAMP PAPER OF REQUISITE VALUE AND NOTORISED)

DEED OF GUARANTEE

THIS DEED OF GUARANTEE executed at this day of by M/s (mention complete name) a company duly organized and existing under the laws of (insert jurisdiction/country), having its Registered Office at hereinafter called “the Guarantor” which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted assigns.

WHEREAS

M/s Oil India Limited, a company duly registered under the Companies Act 1956, having its Registered Office at Duliajan in the State of Assam, India, hereinafter called “OIL” which expression shall unless excluded by or repugnant to the context thereof, be deemed to include its successor and assigns, invited tender number for on

M/s (mention complete name), a company duly organized and existing under the laws of (insert jurisdiction/country), having its Registered Office at (give complete address) hereinafter called “the Company” which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successor and permitted assigns, have, in response to the above mentioned tender invited by OIL, submitted their bid number to OIL with one of the condition that the Company shall arrange a guarantee from its parent company guaranteeing due and satisfactory performance of the work covered under the said tender including any change therein as may be deemed appropriate by OIL at any stage.

The Guarantor represents that they have gone through and understood the requirement of the above said tender and are capable of and committed to provide technical and such other supports as may be required by the Company for successful execution of the same.

The Company and the Guarantor have entered into an agreement dated as per which the Guarantor shall be providing technical and such other supports as may be necessary for performance of the work relating to the said tender.

Accordingly, at the request of the Company and in consideration of and as a requirement for OIL to enter into agreement(s) with the Company, the Guarantor hereby agrees to give this guarantee and undertakes as follows:

1. The Guarantor (Parent Company / **100% Subsidiary Company (Delete whichever not applicable)**) unconditionally agrees that in case of non-performance by the Company of any of its obligations in any respect,

the Guarantor shall, immediately on receipt of notice of demand by OIL, take up the job without any demur or objection, in continuation and without loss of time and without any cost to OIL and duly perform the obligations of the Company to the satisfaction of OIL.

2. The Guarantor agrees that the Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including discharge of the warranty obligations) awarded to the Company.
3. The Guarantor shall be jointly with the Company as also severally responsible for satisfactory performance of the contract entered between the Company and OIL.
4. The liability of the Guarantor, under the Guarantee, is limited to the 50% of the annualized contract price entered between the Company and OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee furnished by the Company.
5. The Guarantor represents that this Guarantee has been issued after due observance of the appropriate laws in force in India. The Guarantor hereby undertakes that the Guarantor shall obtain and maintain in full force and effect all the governmental and other approvals and consents that are necessary and do all other acts and things necessary or desirable in connection therewith or for the due performance of the Guarantor's obligations hereunder.
6. The Guarantor also agrees that this Guarantee shall be governed and construed in accordance with the laws in force in India and subject to the exclusive jurisdiction of the courts of, India.
7. The Guarantor hereby declares and represents that this Guarantee has been given without any undue influence or coercion, and that the Guarantor has fully understood the implications of the same.

8. The Guarantor represents and confirms that the Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws.

For & on behalf of (Parent Company/Subsidiary Company (Delete
whichever not applicable))

M/s _____

Witness:

1. Signature _____

Full Name _____

Address _____

Signature _____

Name _____

Designation

Common seal of the
Company_____

Witness:

2. Signature _____

Full Name _____

Address _____

INSTRUCTIONS FOR FURNISHING PARENT/SUBSIDIARY COMPANY GUARANTEE

1. Guarantee should be executed on stamp paper of requisite value and notarised.
2. The official(s) executing the guarantee should affix full signature (s) on each page.
3. Resolution passed by Board of Directors of the guarantor company authorizing the signatory(ies) to execute the guarantee, duly certified by the Company Secretary should be furnished along with the Guarantee.
4. Following certificate issued by Company Secretary of the guarantor company should also be enclosed along with the Guarantee.

“Obligation contained in the deed of guarantee No. _____ furnished against tender No. _____ are enforceable against the guarantor company and the same do not, in any way, contravene any law of the country of which the guarantor company is the subject”.

Attachment – III

FORMAT OF AGREEMENT BETWEEN BIDDER THEIR SISTER SUBSIDIARY/CO-SUBSIDIARY COMPANY AND THE ULTIMATE PARENT/HOLDING COMPANY OF BOTH THE BIDDER AND THE SISTER SUBSIDIARY/CO-SUBSIDIARY (Strike out whichever is not applicable between Ultimate Parent and Holding Company. Similarly strike out whichever is not applicable between Sister Subsidiary and Co-subsidiary Company)

(TO BE EXECUTED ON STAMP PAPER OF REQUISITE VALUE AND NOTORISED)

This agreement made this ____ day of ____ month ____ year by and between M/s. _____ (Fill in Bidder's full name, constitution and registered office address) _____ hereinafter referred to as "Bidder" of the first part and

M/s. _____ (Fill in full name, constitution and registered office address of Sister Subsidiary/Co-subsidiary Company of the Bidder) herein after referred to as "Sister Subsidiary/ Co-subsidiary" of the second part and

M/s. _____ (Fill in the full name, constitution and registered office address of the Ultimate Parent/Holding Company's of both the subsidiaries) hereinafter referred to as "Ultimate Parent/ Holding Company" of the third part.

WHEREAS

M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their tender No. _____ for _____ and

M/s. _____(Bidder) intends to bid against the said tender and desires to have a technical support of M/s. _____(Sister Subsidiary/Co-subsidiary Company) and

Sister Subsidiary/Co-subsidiary Company represents that they have gone through and understood the requirements of subject tender and are capable and committed to provide the services as required by the bidder for successful execution of the contract, if awarded to the bidder.

Now, it is hereby agreed to by and between all the three parties as follows:

- 1.0 M/s._____(Bidder) will submit an offer to OIL for the full scope of work as envisaged in the tender document.
- 2.0 M/s. _____(Sister Subsidiary/Co-subsidiary Company) undertakes to provide technical support and expertise and expert manpower, material, if any, to support the bidder to discharge its obligations as per the Scope of work of the tender / Contract for which offer has been made by the bidder.

- 3.0 This agreement will remain valid till validity of bidder's offer to OIL including extension if any and also till satisfactory performance of the contract in the event the bid is accepted and contract is awarded by OIL to the bidder.
- 4.0 Sister Subsidiary/ Co-subsidiary Company unconditionally agrees that in case of award of contract to the Bidder, if the Bidder is unable to execute the contract, they shall, immediately on receipt of notice by OIL, take up the job without any demur or objection, in continuation without loss of time and without any extra cost to OIL and duly perform the obligations of the Bidder/Contractor to the satisfaction of OIL.
- 5.0 The Ultimate Parent/Holding Company also confirms and undertakes that the commitment made by the Sister Subsidiary/ Co-subsidiary company in providing the technical support and technical expertise and expert manpower to support the bidder for execution of the contract are honoured.
- 6.0 The Ultimate Parent/Holding Company also takes full responsibility in getting the contract executed through the Sister subsidiary/ Co-subsidiary company in case the Bidder/Contractor is unable to execute the contract.
- 7.0 In witness whereof the parties hereto have executed this agreement on the date mentioned above.

For and on behalf of

(Bidder)

M/s.

Witness

For and on behalf of

(Sister Subsidiary/ Co-subsidiary)

M/s.

Witness

For and on behalf of

(Ultimate Parent / Holding Company)

M/s.

Witness

- | | | |
|----|----|----|
| 1) | 1) | 1) |
| 2) | 2) | 2) |

Note: In case of contracts involving - (a) manufacture/supply (b) installation and commissioning (c) servicing and maintenance of any equipment, as the bidding company can draw on the experience of their multiple subsidiary sister/Co-subsidary company (ies) specializing in each sphere of activity, i.e. (a) manufacture/supply (b) installation and commissioning (c) servicing and maintenance, therefore, in that case, the above format shall be signed by all the sister/Co-subsidary company(ies) and necessary modifications may be made in the above format to include all sister subsidiaries.

----- X -----