OIL INDIA LIMITED

(A Government of India Enterprise)
P.O. Duliajan, Pin – 786602
Dist-Dibrugarh, Assam

AMENDMENT NO. 2 DATED 28.11.2018 TO TENDER NO. SDG9226P19/07

- **1.0** This Amendment No. 2 dated 28.11.2018 to Tender No. SDG9226P19/07 for Supply, Installation and Commissioning of Sucker Rod Pump (SRP) Units; is issued to amend clauses of Technical Specifications, General & Special Notes (Annexure-A, of the tender document), Bid Evaluation Criteria (BEC) / Bid Rejection Criteria (BRC) (Annexure-B, of the tender document); to be read in place of existing and to extend the Bid Closing date, Technical Bid Opening date and Last date for Tender document sale/Tender Fee Payment as per following details:
- **(A)** Amendment in Technical Specifications, General & Special Notes (Annexure-A, of the tender document) & Bid Evaluation Criteria (BEC) / Bid Rejection Criteria(BRC) (Annexure-B, of the tender document); is enclosed vide **Annexure-1** to this amendment.
- **(B)** Extended Bid Closing date, Technical Bid Opening date and Last date for Tender Fee Payment are as under:

i) Bid Closing Date & Time : 19.12.2018 at 11:00 (IST)

ii) Technical Bid Opening Date & Time : 19.12.2018 at 14:00 (IST)

iii) Last Date & Time for Tender Fee Payment : 12.12.2018 at 15:30 (IST) (Tender document sale end date & time)

- **2.0** Bidders are advised to take a note of this amendment while preparing and submitting their offer.
- **3.0** All other terms and condition of the tender remain unchanged.

Sd/-

(KRISHNA MOHAN KUMAR)
SMM-FD
FOR GM-FP
FOR GM- MATERIALS(HOD)
FOR RESIDENT CHIEF EXECUTIVE

Annexure-1 to Amendment No.2 dated 28.11.2018

(i) Amendment in Technical Specifications, General & Special Notes (Annexure-A):

S1. No.	Current Clause	Amended Clause
	Annexure A/Clause No. 4.0(A) (a), Page 4 of 28	Annexure A/Clause No. 4.0(A) (a), Page 4 of 28
1	Unit should have horse head, which can swing horizontally on one side of walking beam, preferably with the help of gear, to facilitate work over operations.	Unit should have Standard (detachable) horse head.
	Annexure A/Clause No. 4.0(A) (d), Page 4 of 28	Annexure A/Clause No. 4.0(A) (d), Page 4 of 28
2	Horse head and walking beam should be provided with at least two lifting lugs for safe and balanced handling at the site.	Horse head should be provided with at least two lifting hole/cut out and walking beam should be provided with at least two lifting lugs for safe and balanced handling at the site.
3	Annexure A/Clause No. 4.0 (A)(h), Page 4 of 28	Annexure A/Clause No. 4.0 (A)(h), Page 4 of 28
	Carrier bar should be designed and manufactured in three pieces to hold the wire lines and polished rod (1.5") separately to facilitate removal of polished rod independently.	Carrier bar should be comprised of two pieces with locking arrangement to hold polished rod (1.5") and pin arrangement for fixing wire lines to facilitate removal of polished rod independently.
	Annexure A/Clause No. 4.0 (C)(c), Page 4 of 28	Annexure A/Clause No. 4.0 (C)(c), Page 4 of 28
4	Caged ladders should be provided on both sides of Samson post for easy accessibility for repair/maintenance of horse head, Central Bearing etc.	Caged ladders should be provided atleast on one side of Samson post for easy accessibility for repair/maintenance of horse head, Central Bearing etc.
5	Annexure A/Clause No. 4.0 (D)(e), Page 5 of 28	Annexure A/Clause No. 4.0 (D)(e), Page 5 of 28
	The gear reducer housing should be provided with Gear oil filling point, Gear inspection cover and gauge stick (with minimum- maximum marking) for checking gear oil level only.	The gear reducer housing should be provided with Gear oil filling point, Gear inspection cover and gauge stick/glass window/glass indicator (with minimum-maximum marking) for checking gear oil level only.

	Annexure A/Clause No. 4.0 (D)(f), Page 5 of 28	Annexure A/Clause No. 4.0 (D)(f), Page 5 of 28
6	Allen key head type drain plug should be provided in place of normal bolt head type plug on the gear reducer body.	Allen key headtype /square head drain plug should be provided in place of normal bolt head type plug on the gear reducer body.
7	Annexure A/Clause No. 4.0 (E)(c), Page 5 of 28	Annexure A/Clause No. 4.0 (E)(c), Page 5 of 28
	All the Brake linkages from brake unit of gear reducer to the hand locking lever shall be of stainless steel.	All the Brake linkages/ cable from brake unit of gear reducer to the hand locking lever shall be of stainless steel/ zinc coated rods.
	Annexure A/Clause No. 4.0 (G)(a), Page 6 of 28	Annexure A/Clause No. 4.0 (G)(a), Page 6 of 28
8	Units should be painted with synthetic enamel rust preventive paint (one coat primer plus two finish coats) after adequate surface preparation.	Units should be painted with synthetic enamel rust preventive paint (one coat primer plus two finish coats) after adequate surface preparation. Manufacturer shall decide on the paint specifications and supplier suitable for the application.
	Annexure A/Clause No. 4.0 (G)(d), Page 6 of 28	Annexure A/Clause No. 4.0 (G)(d), Page 6 of 28
9	All fastener bolts & nuts of sucker rod pumping unit should be provided with plain and spring washers and lock nuts.	All fastener bolts & nuts of sucker rod pumping unit should be provided with plain and spring washers and lock nuts, as per relevant standards.
	Annexure A/Clause No. 6.3, Page 9 of 28	Annexure A/Clause No. 6.3, Page 9 of 28
10	Bidder must quote for commissioning charges which should include the to and fro charges, food & lodging and daily charges of the personnel. OIL may provide accommodation (on payment basis) subject to availability. However, OIL will provide local transportation to the commissioning personnel.	Bidder must quote for commissioning charges which should include the to and fro charges, food & lodging and daily charges of the personnel. OIL may provide accommodation (on payment basis) subject to availability. However, OIL will provide local transportation to the commissioning personnel.
		The transportation of equipments to site will be under the scope of OIL INDIA LTD.

11	Annexure A/Clause No. 6.4, Page 9 of 28	Annexure A/Clause No. 6.4, Page 9 of 28
	Bidders shall quote Commissioning charges, for bid evaluation purposes. The charges should be shown in Commercial bid only.	Bidders shall quote for Installation & Commissioning charges towards only 03 Sucker Rod Pumps units for bid evaluation. The charges should be shown in the Commercial bid only.
		However, bidders to identify and supply tools & accessories/parts required towards successful Installation & Commissioning of all 06 Sucker Rod Pumps units. Details for such identified items should be submitted in the Technical Bid and Prices thereof to be taken into account in the material cost of Sucker Rod Pumps units in the Commercial bid.
12	Annexure A/Clause No. 6.5, Page 9 of 28	Annexure A/Clause No. 6.5, Page 9 of 28
	The unit shall be <u>deemed to be commissioned</u> after successful completions of 06 wells with supplied Sucker Rod Pump Units.	The supplier shall be responsible for Installation & Commissioning of 03 units of Sucker rod pumps only and the bidder is to quote accordingly. Installation & Commissioning of the remaining 03 units shall be in the scope of Oil India Limited.
		The supplier has to arrange for any tools & accessories /parts required while Installation & Commissioning of 03 sets of Sucker Rod Pumps by them. The supplier shall also provide to OIL such tools & accessories /parts for as required for Installation & Commissioning of the remaining 03 units by OIL.

13 Annexure A/General Notes to Bidders ,Clause No. 24, Page 15 of 28

Payment terms: Payment shall be released as follows:

- (i) 80% of the Sucker Rod Pump units value shall be paid against shipment/dispatch documents.
- (ii) Remaining 20 % of the Sucker Rod Pump units value alongwith commissioning charges shall be paid after successful commissioning and acceptance of the Sucker Rod Pump units at OIL's site.
- (iii) Payment towards training will be released after successful completion of training.

Annexure A/General Notes to Bidders ,Clause No. 24, Page 15 of 28

Payment terms: Payment shall be released as follows:

- (i) 80% supply value of Sucker Rod Pump units shall be paid against shipment/dispatch documents.
- (ii) Remaining 20 % supply value of Sucker Rod Pump units alongwith Commissioning charges shall be paid after successful commissioning of three(3) Sucker Rod Pump units at OIL's site and acceptance of tools & accessories /parts required for Installation & Commissioning of the another three(3) units by OIL.
- (iii)Payment towards training will be released after successful completion of training.

(ii) Amendment in Bid Evaluation Criteria (BEC) / Bid Rejection Criteria (BRC) & Price Bid Format (Annexure-B):

S1. No.	Current Clause	Amended Clause
1	Annexure B/ BRC, A, Technical, Clause No. 1.5, Page 15 of 28	Annexure B/ BRC, A, Technical, Clause No. 1.5,Page 15 of 28
	The bidder shall categorically confirm that there will be no change of the proposed OEM after submission of the bid.	The bidder shall categorically confirm that there will be no change of the proposed OEM after submission of the bid.
		In case more than one OEM is proposed, supporting documents for BRC/BEC and technical specifications should be submitted for all OEM's for individual evaluation. Also, to note that entire tender quantity has to be supplied from single OEM in the event of the placement of order.
2	Annexure B/ BRC, C, Commercial, Clause No. 11 (i)	Annexure B/ BRC, C, Commercial, Clause No. 11 (i) (O) &
	(O) & 11 (ii) (O) Price Bid Format Page 22 & 23 of 28	11 (ii) (O) Price Bid Format Page 22 & 23 of 28
	Total Installation & Commissioning Charges: (i.e for all 6 Nos of SRP Units)	Total Installation & Commissioning Charges: (i.e for only 3 Nos of SRP Units)
