OIL INDIA LIMITED

(A Government of India Enterprise)
P.O. Duliajan, Pin – 786602
Dist-Dibrugarh, Assam

AMENDMENT NO. 6 DATED 31.10.2018 TO TENDER NO. SDG8304P19/07

1.0 This Amendment No. 6 dated 31.10.2018 to Tender No. SDG8304P19/07 is issued to amend Clauses of Technical Specification, General Notes to Bidders (Annexure-I), Bid Rejection Criteria(BRC)/Bid Evaluation Criteria (BEC), extension of Bid Bond Validity (Annexure-II) to be read in place of existing; and extension of Bid Closing date, Technical Bid Opening date and Last date for Tender Fee Payment as per following details:

(A) Amendment in Technical Specification (Annexure-I)

Clause	Current Specification	Amended Specification	
Item No.10 of Annexure	90 TON WORK-OVER SWIVEL:	90 TON WORK-OVER SWIVEL:	
-I	WORK-OVER SWIVEL, 90 US TON (99.18 Tonnes) Capacity, WP 5000 PSI, equivalent to Bowen type WS-2, with Elevator type Bail (suitable for 2.7/8" Elevator) manufactured as per API Spec 8C, PSL-2 with following minimum specifications:	TON (99.18 Tonnes) Capacity, WP 5000 PSI, equivalent to Bowen type WS-2, with Elevator type Bail (suitable for	
	Standard Features:	Standard Features:	
	i) Circulation Passage : 2.1/8" (53.98mm). ii) Stem connection : 2.7/8" (37.025 mm) API IF LH PIN. iii) Goose-neck Connection : 2½" NPT (line pipe) Female thread. iv) Working pressure rating : 351.62 Kg/Sq.cm (5,000 psi).	PIN. iii) Goose-neck Connection: 2½" NPT (line pipe) Female thread.	

	v) Hydrostatic test pressure: 703.24 Kg/Sq.cm (10,000 psi). vi) Heavy duty tapered roller thrust bearings operating in oil bath. vii) One piece stem having 37.025 mm (2.7/8") API IF LH pin connection at bottom. viii) Hard surfaced unitized wash pipe packing assembly.	v) Hydrostatic test pressure: 703.24 Kg/Sq.cm (10,000 psi). vi) Heavy duty tapered roller thrust bearings operating in oil bath. vii) One piece stem having 37.025 mm (2.7/8") API IF LH pin connection at bottom. viii) Hard surfaced unitized wash pipe packing assembly.
	API Dynamic Lifting Load Rating (minimum): 0-10 RPM : 90 TON (99.18 Tonnes). 11-50 RPM : 65 TON (71.63 Tonnes). 51-100 RPM : 50 TON (55.10 Tonnes). 100-150 RPM : 37 TON (40.77 Tonnes).	API Dynamic Lifting Load Rating (minimum): 0-10 RPM : 90 TON (99.18 Tonnes). 11-50 RPM : 65 TON (71.63 Tonnes). 51-100 RPM : 50 TON (55.10 Tonnes). 100-150 RPM : 37 TON (40.77 Tonnes).
Clause No. 3 of Special notes to the bidders Annexure -I	Items shall be manufactured, tested & certified as per API Spec. 8C, PSL-2 (latest edition) and mill inspection certificate thereof should be forwarded along with supply. Bidders to confirm the same while quoting. A copy of valid API Spec 8C certificate (having authorization for manufacturing of Swivel) must be forwarded along with the offer.	tested & certified as per API Spec. 8C, (latest edition) and mill inspection certificate thereof should be forwarded along with supply. Bidders to confirm the same while quoting. A copy of valid API Spec 8C certificate (having authorization for
Clause No. 6 of Special notes to the bidders Annexure -I	In the event of order, items should be embossed (die stamping) with purchase order number & date. Bidders shall confirm compliance to the same while quoting.	Stands deleted.

(B) Bid Rejection Criteria(BRC)/Bid Evaluation Criteria (BEC) (Annexure-II):

Clause	Current Clause	Amended Clause	
No.			
BRC,	The bidder should have an	The bidder should have an	
Technical (A),1.1	experience of minimum 5 (five) years in manufacturing of Swivel under API Spec. 8C, PSL-2 (latest edition) certification as on the original bid closing date of the tender.	experience of minimum 5 (five) years in manufacturing of Swivel under API Spec. 8C, (latest edition) certification as on the original bid closing date of the tender. Copies of API 8C certificates (having authorization for	
	the last 5 (Five) years (i.e. continuous without having any break in between) shall be submitted along with techno commercial bid. Bids without copies of valid 8C certificates or with break in between will be rejected.	continuous without having any break in between) shall be submitted along with techno - commercial bid. Bids without copies of valid 8C certificates or	

(C) Amendment in Bid Bond Validity(Annexure-II)::

Clause No.	Current Clause	Amended Clause
BRC, Commercial (C),6.2		Bank Guarantee towards Bid Security shall remain valid upto 28.06.2019.
(C),0.2	Note: Vide Amendment No. 4 dated 04.09.2018; "Bank Guarantee towards Bid Security should be valid up to 26.04.2019 ".	

(D) Inclusion of Undertaking as per Format towards submission of authentic information/documents (Annexure-I):

Clause No.	Current Clause	New Clause Incorporated
Clause No. BB of		29.0 Along with the technical bid, bidders
General notes to		must submit duly filled undertaking as per
the bidders		format provided vide Annexure-AA as
Annexure-I		undertaking towards submission of
		authentic information/documents.

(E) Extended Bid Closing date, Technical Bid Opening date and Last date for Tender Fee Payment are as under:

i) Bid Closing Date & Time : 28.11.2018 at 11:00 (IST)

ii) Technical Bid Opening Date &Time : 28.11.2018 at 14:00 (IST)

iii) Last Date & Time for Tender Fee Payment : 21.11.2018 at 15:30 (IST)

2.0 Bidders are advised to take note of above Amendment as well as Amendment No. 1 dated 21.07.2018 (to exclude Landing Charges @ 1% for Foreign Bidders in bid evaluation methodology) issued against the tender while preparing and submitting offer.

3.0 All other terms and condition of the tender remain unchanged.

Sd/-

(KRISHNA MOHAN KUMAR)
SMM-FD
FOR GM- MATERIALS
FOR RESIDENT CHIEF EXECUTIVE