

P.O. DULIAJAN-786602, ASSAM, INDIA Phone: 0374-2800491

Fax: 0374-2800533 Email: bhavik_mody@oilindia.in

erp_mm@oilindia.in

TENDER NO. <u>SSG5731P18/01</u>

DATE: 12.09.2017

INVITATION TO e-BID UNDER SINGLE STAGE TWO BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **Casing** through its e-Procurement site under **International Competitive Bidding (ICB) - Single Stage Two Bid System**. The bidding documents and other terms and conditions are available at Booklet No.MM/GLOBAL/E-01/2005-July2012. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed by opening the RFx [Tender no.] under RFx and Auctions page. The details of items tendered can be found under Item tab and details can be found under Technical RFX.

The tender is invited with firm price for the specified quantity. Further details of tender are given in Technical Attachments under Rfx Information tab as **ANNEXURE IA.**

THE TENDER WILL BE GOVERNED BY:

- a) "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders). Special attention to the bidders is drawn to Section – E of the document.
- b) Technical specifications, Quantity and Notes for the Casing as per Annexure IA.
- c) The prescribed Bid Forms for submission of bids are available in the Technical Rfx -> External Area > Tender Documents. Technical Checklist and Commercial Checklist must be filled-up and submitted along with the technical bid.
- d) The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for concessional rate of IGST against Essentiality Certificate. In the event of an order on indigenous bidder, OIL will issue Project Authority Certificate (PAC), where import content is declared by the bidder for availing Custom Duty benefit on the import content. Supplier shall affect dispatch only on receipt of these certificates from OIL, failing which all related liabilities shall be to Supplier's account.

e) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in "Annexure CA Certificate". The same must be submitted along with the bid.

SPECIAL NOTE:

- 1.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and due date to The GM-Materials, Materials Department, Oil India Limited, Duliajan-786602, Assam on or before 13:00 Hrs (IST) on the Bid Closing Date mentioned in the Tender.
 - a) Original Bid Security.
 - b) Detailed Catalogue.
 - c) Any other document required to be submitted in original as per tender requirement.

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

- 2.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
- 3.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. As part of the new system, the intending bidder must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class III [Organization]. The date for implementation of new system is 12th April 2017 and the requirement of the new DSC will be applicable for the tenders floated on 12th April 2017 onwards. All our current and prospective esteemed bidders are therefore requested to acquire Class III DSC [Organization] along with Encryption Certificate issued by any of the Licensed Certifying Authorities (CA) operating under Controller of Certifying Authorities (CCA) of India as per Indian IT Act 2000. Guideline for getting Digital Signature and other related information are available on the e-tender website www.oilindia.com. The bid signed using any other digital certificate or digital certificate without organization name of the bidder, will be liable for rejection.
- 4.0 Encryption certificate is mandatorily required for submission of bid. In case bidder created response using one certificate (using encryption key) and bidder subsequently changes the digital signature certificate then the old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of his response. Once decryption is done, the bidder may use his new DSC certificate for uploading and submission of his offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of DSC certificate, Oil India Limited is not responsible.
- 5.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before 13:00 Hrs (IST) on the bid closing date failing which the offer shall be rejected.

- 6.0 **Two Bid System** shall be followed for this tender and only the price-bids of the bidders whose offers are commercially and technically acceptable shall be opened for further evaluation.
- 7.0 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical Attachments under Rfx Information tab only. The "TECHNO-COMMERCIAL UNPRICED BID" shall contain all technocommercial details except the prices. Please note that no price details should be uploaded in Technical RFx Response.
- 8.0 The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. The prices of the items should be quoted in "Notes and Attachments" tab as per the Price Bid Format uploaded.
- 9.0 Please refer BEC/BRC under Amendment to General Terms and Conditions in "General Terms & Conditions for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders)" applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.
- 10.0 Bidders to take special note of the following conditions:
- 10.1 Against Tender Fee Payment should be made only through online mode and no other instrument (Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.
- 10.2 Against Bid Security/EMD/Performance Bank Guarantee Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.
- 11.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following two documents before uploading their bid. These documents are also uploaded as part of NIT.
 - 11.1 Guidelines to Bidders for participating in OIL.
 - 11.2 Bid submission Help.

Yours faithfully,

OIL INDIA LIMITED

Sd/-

(BHAVIK MODY)
MANAGER MATERIALS (FS)
FOR GM-MATERIALS
FOR RESIDENT CHIEF EXECUTIVE

OIL INDIA LIMITED (A Govt. of India Enterprise) P.O. Duliajan-786602, Assam

Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : SSG5731P18/01 12.09.2017

Tender Fee : INR 30,000.00 OR USD 500.00 Bid Security Amount : INR 964,000.00 OR USD 14,960.00

(or equivalent Amount in any currency)

Bidding Type : Two Bid

Bid Closing On : 01.11.2017 at 11:00 hrs. (IST) Bid Opening On : 01.11.2017 at 14:00 hrs. (IST)

Performance Guarantee : Applicable @10% of order value

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 01012327	CASING, API, SEAMLESS OR ERW, SCREWED & COUPLED, WITH API MONOGRAM, IN RANGE 3 LENGTH BUT MAXIMUM LENGTH OF EACH JOINT SHALL BE RESTRICTED TO 12.19 MTRS. (40 FT.) FITTED WITH PRESSED STEEL OR ELASTOMER-CUM-METTALIC (COMPOSITE) THREAD PROTECTOR. Casing O.D.:508 mm (20") Weight:140.01 Kg./Mtr. (94 PPF) Grade:K-55 A.P.I.Std.:5CT Threads:Buttress Colour Code:Bright Green	4000	М
20 01112334	CASING SHORT NIPPLE/LANDING NIPPLE CASING SHORT NIPPLE FOR 508 MM OD X 140.01 KG./MT(20" OD X 94 PPF) X K-55 BTC THREAD AS PER API STANDARD 5CT. COLOUR CODE: BRIGHT GREEN 7.30 Mtr. (24 Ft.), Tolerance: (+/-) 77 mm	2	NO

Note description for item no./nos.: 10

- 1. The colour coding (to assist weight identification at site) shown above to be applied to each length of casing near the centre of joint in the form of 2" wide band for each colour specified.
- 2. Third Party Inspection is required.
- 3. Elastomer-cum-metallic (composite) protector for pin and box end of casing should be extra strong closed end and of Drilltech make or it's suitable equivalent. The protector should be designed in such a way in order to cover the full length of casing threads as well as casing coupling threads. It should have steel shell and elastomer to reduce impact design, to stop corrosion, to eliminate stripping and to keep thread compound active.

Note description for item no./nos.: 20

GENERAL NOTE FOR ABOVE CASING NIPPLE

1.0 SPECIFICATIONS:

Page: 2/9

Tender No. & Date : SSG5731P18/01 12.09.2017

- 1.1 Casing short nipples/change nipples must be manufactured as per API Spec. 5CT, latest edition and must bear API monogram. A copy of valid API Spec. 5CT certificate from the manufacturer shall be submitted along with the offer.
- 1.2 The casing short nipples/change nipples shall be brand new, unused, and of prime quality.
- 1.3 Casing short nipples/change nipples shall be seamless or ERW threaded and fitted with power tightened couplings as per API Spec. 5CT (Latest Edition).
- 1.4 Couplings: Couplings for casing short nipples shall be as specified in API Spec.5CT (latest edition) and must be manufactured by API approved mills.
- 1.5 Coating: Coating shall be done as per API Spec. 5CT (latest edition) and adequately oiled to withstand sea voyage.
- 1.6 Pipe Ends: Ends must be prepared as per relevant API specifications including clear triangle mark in case of Buttress thread. Suitable pressed steel thread protectors at both ends as specified in API 5CT (latest edition) shall be used to protect the ends.
- 1.7 The offer must contain detailed description of the materials giving details of size, weight/wall thickness, grade, length range, type of end, API Std., end protectors etc. Insufficient description will lead to rejection of the offer.
- 1.8 The offer must be accompanied by a detailed product catalogue specifying the performance properties of the offered product. (These properties should not be less than those stipulated by API, BUL 5C2, latest edition, in any case).

Failure to comply with the above may lead to rejection of the offer.

2.0 MILL INSPECTION, TESTING & CERTIFICATION:

- 2.1 The following tests and inspections shall be carried out as per API Spec. 5CT (latest edition) and results thereof furnished to OIL along with the supply.
- i) Testing of Chemical Composition
- ii) Testing of Mechanical Properties
- iii) Hydrostatic Tests
- iv) Dimensional testing (wall thickness, drift test, length, weight determination and straightness).
- v) Visual Inspection
- vi) Non-Destructive Inspection

The manufacturer shall furnish a certificate of compliance stating that the material has been manufactured, sampled, tested and inspected in accordance with API Spec. 5CT (SR-15), latest edition.

2.2 End threading, gauging, thread inspection and certification shall be carried out as per API Std. 5B (latest edition).

3.0 IDENTIFICATION MARKING:

- 3.1 Marking is to be done on each joint strictly as per Appendix `D' of API Spec. 5CT (Latest Edition).
- 3.2 Additionally, `OIL' logo/mark and the purchase order number shall be die stamped or paint stencilled on each joint. 3.3 Colour Coding: The colour coding shall be done as per API Spec. 5CT (latest edition). The colour band shall be 50.8 mm (2") wide and shall be encircling the pipe at a distance not greater than 2 ft. from the coupling or box with entire paint on the outside surface of coupling.
- 3.4 For Buttress threaded casing short nipples/change nipples, a 1" wide by 24" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the field end; additionally, a 1" wide by 4" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the mill end.

4.0 THIRD PARTY INSPECTION:

- 4.1 Inspection by an independent third party to cover the following shall be required against all casing short nipples/change nipples.

 i) Material Identification
- ii) Stage inspection at random visit basis during manufacturing. iii) Audit and endorsement of all chemical analysis and physical test reports.
- iv) Witness dimensional checks
- v) Witness mechanical tests.
- vi) Witness NDT
- vii) Witness hydrostatic tests.
- viii) Visual inspection for imperfections
- ix) Longitudinal defect identification
- x) Transverse defect identification
- xi) Wall thickness measurement
- xii) Grade comparison

Page: 3/9

Tender No. & Date : SSG5731P18/01 12.09.2017

xiii) End area defect identification

xiv) Thread inspection

xv) Issue of certificate

- 4.2 The third party inspection is to be carried out by an internationally reputed inspection Agency. Bidders must indicate the availability of such a Third Party Inspection Agency in their area furnishing the following information .
- i) Name of the Inspecting Agency (OIL's clearance has to be obtained prior to engagement except in case of M/s. Lloyds,

M/s. Rites, M/s. I.R.S., Tuboscope Vetco, DNV-GL or B.V.

ii) All inclusive charges for Third Party Inspection per metre/per nipple (to be indicated separately).

Note:

Offers without Third Party Inspection charges, as specified above, will be loaded with maximum value towards third party inspection received for the tender for comparison. However,

OIL will reserve the right not to avail the inspection at its discretion

5.0 WARRANTY:

The supplier shall warrant that all tubulars to be supplied in the event of an order, shall be free from all defects and defaults in materials, workmanship and manufacture and shall be in full conformity with the specified API standards. This clause shall be valid for 12 months from the date of relative consignment note. The defective materials rejected by the purchaser shall be replaced by the seller at his expense immediately

Standard Notes: ALL ITEMS TO BE PROCURED FROM SAME SOURCE.

DELIVERY: BIDDER TO QUOTE THEIR BEST DELIVERY PERIOD.

AA. STANDARD NOTES:

- 1) The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" bid through electronic form in the OIL's e- Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The "TECHNO-COMMERCIAL UNPRICED BID" is to be submitted as per Scope of Work & Technical Specification of the tender and "PRICED BID" as per the Price Bid format uploaded under "Notes and Attachments" tab.
- 2) In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC. No price should be given in above Technical bid otherwise the offer will be rejected. Please go through the help documents in details before uploading the document and ensure uploading of technical bid as per the instructions. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. Price bid to be submitted under "Notes and Attachments" tab.
- 3) Bid should be valid for **minimum 120 days** from bid closing date, failing which offer shall be rejected.
- 4) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Technical RFx Response-> User -> Technical Bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012). The bid security shall be valid up to **01.06.2018**. Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.
- 5) Performance Security @10% of order value is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005 July2012).

Page: 4/9

Tender No. & Date: SSG5731P18/01 12.09.2017

- 6) PRICED BIDS OF ONLY THOSE BIDDERS WILL BE OPENED WHOSE OFFERS ARE FOUND TECHNICALLY ACCEPTABLE. THE TECHNICALLY ACCEPTABLE BIDDERS WILL BE INFORMED BEFORE OPENING OF THE "PRICED BID".
- 7) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.
- 8) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 9) General terms and conditions of Global tender (document MM/GLOBAL/E-01/2005 July 2012) is enclosed. Special attention to Bidders is drawn to the Section E of above document.
- 10) The Integrity Pact is applicable against this tender. Therefore, please attach the Integrity Pact document duly signed along with your quotation as per BRC. The name of the OIL's Independent External Monitor at present are as under:
- 1. SHRI RAJIV MATHUR, IPS (Retd.),
- 2. SHRI SATYANANDA MISHRA, IAS(Retd.)
- 3. SHRI JAGMOHAN GARG, Ex-Vigilance Commissioner, CVC The email ids are furnished in OIL's website, www.oil-india.com
- 11) Reverse Auction is not applicable against this tender.
- 12) Indigenous Bidder must indicate handling charge to the nearest Rail Head. If any Indigenous Bidder does not indicate the handling charge to the nearest rail head, their offer will be liable for rejection.
- 13) Tender fee Payment should be made only through online mode and no other instrument(Cash/DD/Cheques/Cashier Cheque, etc.) will be acceptable.

BB. GENERAL NOTES FOR CASING

1.0 SPECIFICATION:

- 1.1 Casings must be manufactured as per API Spec. 5CT, latest edition and must bear API monogram. A copy of valid API Spec. 5CT certificate from the manufacturer shall be submitted along with the offer.
- 1.2 The Casings shall be brand new, unused, and of prime quality.
- 1.3 Casings shall be seamless, threaded and fitted with power tightened couplings as per API Spec. 5CT (latest edition).
- 1.4 Range : All casings shall be supplied in range III length. However, length of each joint should be restricted to 12.19 mtrs (40 ft.) max.
- 1.5 Coupling: Couplings shall be as specified in API Spec. 5CT (latest edition)and must be manufactured by API approved mills.
- 1.6 Coating : Coating shall be done as per API Spec. 5CT (latest edition) and adequately oiled to withstand sea voyage.

Page: 5/9

Tender No. & Date : SSG5731P18/01 12.09.2017

1.7 Pipe ends: Ends must be prepared as per relevant API specifications including clear triangle mark in case of Buttress thread. Suitable pressed steel / Elastomer-cum-metallic (Composite) thread protectors at both ends as specified in API 5CT (latest edition) shall be used to protect the ends.

Note: Elastomer-cum-Metallic (Composite) thread protectors for pin and box end of the casing should be extra strong, closed end & of Drilltech make or it's suitable equivalent. The protector should be designed in such a way that it covers the full length of casing threads as well as casing coupling threads. It should have steel shell and elastomer to reduce impact design, to stop corrosion, to eliminate stripping and to keep thread compound active.

- 1.8 The offer must contain detailed description of the materials giving details of size, weight/wall thickness, grade, length range, type of end, API Std., end protectors etc. Insufficient description will lead to rejection of the offer.
- 1.9 THE OFFER MUST CONTAIN THE VARIOUS PERFORMANCE PROPERTIES OF THE OFFERED PRODUCT VIZ. COLLAPSE RESISTANCE, INTERNAL YIELD PRESSURE, PIPE BODY YIELD STRENGTH & JOINT STRENGTH (THESE PROPERTIES SHOULD NOT BE LESS THAN THOSE STIPULATED BY API, BUL 5C2, LATEST EDITION IN ANY CASE). FAILURE TO COMPLY WITH THE ABOVE MAY LEAD TO REJECTION OF THE OFFER.

2.0 MILL INSPECTION, TESTING & CERTIFICATION:

- 2.1 The following tests and inspections shall be carried out as per API spec. 5CT (latest edition) and results thereof furnished to OIL along with the supply. Mill Test certificates are to be submitted to OIL in Original.
- i) Testing of Chemical Composition.
- ii) Testing of Mechanical Properties.
- iii) Hydrostatic Tests.
- iv) Dimensional testing (wall thickness, drift test, length, weight, determination and straightness).
- v) Visual Inspection.
- vi) Non-Destructive Inspection.

The manufacturer shall furnish a certificate of compliance stating that the material has been manufactured, sampled, tested and inspected in accordance with API Spec. 5CT (SR-15), latest edition. The above certificate should be submitted to OIL in Original.

2.2 End threading, gauging, thread inspection and certification shall be carried out as per API Std. 5B (latest edition).

3.0 IDENTIFICATION MARKING:

- 3.1 Marking is to be done on each joint strictly as per Appendix D of API Spec. 5CT.
- 3.2 Additionally, 'OIL' logo/mark and the purchase order number shall be die stamped or paint stenciled on each joint.
- 3.3 Colour coding: The colour coding shall be done as per API Spec. 5CT (latest edition). The colour band shall be 50.8 mm (2") wide and shall be encircling the pipe at a distance not greater than 2 ft. from the coupling or box with entire paint on the outside surface of coupling.
- 3.4 For Buttress threaded casings a 1" wide by 24" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the field end; additionally, a 1" wide by 4" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the mill end.

4.0 THIRD PARTY INSPECTION:

- 4.1 Inspection by an independent third party to cover the following shall be required against all casings.
- (i) Material Identification.
- (ii) Stage inspection at random visit basis during manufacturing.
- (iii) Audit and endorsement of all chemical analysis and physical test reports.
- (iv) Witness dimensional checks.
- (v) Witness mechanical tests.
- (vi) Witness NDT.
- (vii) Witness hydrostatic tests
- (viii) Visual inspection for imperfections.

Page: 6/9

Tender No. & Date: SSG5731P18/01 12.09.2017

- (ix) Longitudinal defect identification.
- (x) Transverse defect identification.
- (xi) Wall thickness measurement.
- (xii) Grade comparison.
- (xiii) End area defect identification.
- (xiv) Thread inspection.
- (xv) Check and verify length of each joint.
- (xvi) Issue of certificate.

Note: Proper Tally sheet (in Original) indicating length of each joint of Casing with heat number of the joint should be furnished to OIL. The Tally sheet should be duly signed & stamped by the Manufacturing Mill and will be endorsed (certified) by the third party inspection agency.

- 4.2 The third party inspection is to be carried out by an internationally reputed inspection Agency. Bidders must indicate the availability of such a Third Party Inspection Agency in their area furnishing following information.
- (i) Name of the Inspecting Agency (OIL's clearance has to be obtained prior to engagement except M/s. Lloyds, M/s Bureau Veritas, M/s. RITES, M/s. I.R.S., M/s. Tuboscope Vetco and M/s DNV-GL.)
- (ii) All inclusive charges for Third Party Inspection per metre (to be indicated separately).

CC. BID EVALUATION CRITERIA/BID REJECTION CRITERIA (BEC/BRC):

In addition to Bid Rejection Criteria (BRC) mentioned in the General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012) and amendments to General Terms and Conditions for Global Tender, the following Bid Rejection Criteria will be applicable against this tender:

A) FINANCIAL CRITERIA:

- 1.0 Annual Financial Turnover of the bidder during any of preceding three financial/accounting years from the original bid closing date should be at least Rs. 2.40 Cr. or USD 3,73,902.00.
- 1.1 Net worth of bidder must be positive for preceding financial/ accounting year.
- 2.0 Considering the time required for preparation of Financial Statements, if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit/undertaking certifying that the balance sheet/Financial Statements for the financial year### (as the case may be) has actually not been audited so far."

Notes:

- a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-
- i) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in ANNEXURE.

OR

- ii) Audited Balance Sheet along with Profit & Loss account. In case of foreign bidders, self-attested/digitally signed printed published accounts are also acceptable.
- b) In case the bidder is a Central Govt. Organization / PSU / State Govt. Organization / Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.
- 3.0 In case the Audited Balance sheet and Profit Loss Account submitted along with the bid are

Page: 7/9

Tender No. & Date: SSG5731P18/01 12.09.2017

in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA Certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.

B) COMMERCIAL CRITERIA:

- 1.0 The following points are deemed as ""non-negotiable"" and offer shall be rejected straightaway without seeking clarification in case of the following:
- i. Validity of bid shorter than validity indicated in the tender.
- ii. Original Bid Security not received within the stipulated date and time mentioned in the tender.
- iii. Bid security with (a) Validity shorter than the validity indicated in tender and/or (b) Bid security amount lesser than the amount indicated in the tender.
- iv. In case the party refuses to sign the Integrity Pact.
- 2.0 Offers with techno commercial bid-containing prices shall be rejected outright.
- 3.0 Applicable for Reverse auction tenders:
- 3.1 Bidders not confirming to participate in Reverse Auction.
- 3.2 Offers of short listed bidders, who have confirmed acceptance to OIL tender conditions on reverse auction, but do not participate in Reverse Auction, irrespective of their prices quoted in SRM price bid. (In addition to rejection of bid, the bid security will also be invoked in such case). If a bidder does not want to quote any price below the ceiling price during Reverse Auction, their ""Logged In"" during Reverse Auction itself shall be considered as Participation.
- 4.0 Purchase preference policy-linked with Local Content (PP LC) notified vide letter no. O-27011/44/2015-ONG-II/FP dated 25.04.2017 of MoP&NG shall be applicable in this tender. Bidders seeking benefits, under Purchase Preference Policy (linked with Local Content) (PP-LC) shall have to comply with all the provisions of the referred policy and shall have to submit all undertakings / documents applicable for this policy.

Special Notes : AA. Purchase preference policy (linked with Local Content)(PP-LC)

- a) Ministry of Petroleum & Natural Gas, Government of India implemented PP-LC Policy to provide Purchase Preference (linked with local content) by notification no. Ref. O-27011/44/2016-ONG-II/FP dtd. 25.04.2017.
- As per the PP-LC policy, 50% of the tendered quantity would be awarded to the lowest b) techno-commercially qualified LC (Local Content) manufacturer / supplier which are within the price band of 10% of the L1, subject to matching the L1 price. Bidders seeking Purchase preference (linked with Local Content)(PP-LC) shall be required to meet / exceed the target of per Local Content (LC) values furnished vide MOPNG notification as O-27011/44/2015-ONG-II/FP dated 25.04.2017 as on the bid closing date. The remaining quantity will be awarded to L1 (i.e. Non Local Content (NLC) manufacturer / supplier not meeting prescribed LC criteria).
- c) In case a bidder is eligible to seek benefits under PP-LC policy as well as Public Procurement Policy for MSEs-Order 2012, then the bidders should categorically seek benefits against only one of the two policies i.e. either PP-LC or MSE policy. If a bidder seeks free of cost tender document under the MSE policy, then it shall be considered that the bidder has sought benefit against the MSE policy and this option once exercised cannot be modified subsequently.
- d) Price Break-up: The bidder shall provide break up of "Local component" and "Imported

Page: 8/9

Tender No. & Date : SSG5731P18/01 12.09.2017

Component" along with their price bid.

e) Such bidders shall furnish following undertaking from the manufacturer on Manufacturer's letter head along with their techno-commercial bid. The undertaking shall become a part of the contract:
"We (Name of Manufacturer) undertake that we meet the mandatory minimum Local Content (LC) requirement i.e (to be filled as notified at Enclosure I of the policy) for claiming purchase preference linked with Local Contents under the Govt. policy against under tender no"
f) Above undertaking shall be supported by the following certificate from Statutory Auditor engaged by the bidder, on the letter head of such Statutory Auditor (as per the provisions of the aforesaid policy):
"We the statutory auditor of M/s (name of the bidder) hereby certify that M/s (name of manufacturer) meet the mandatory Local Content requirements of the Goods and/or Services i.e (to be filled as notified at Enclosure I of the policy) quoted vide offer No by M/s (Name of the bidder).
g) Failure to submission of documents as mentioned in a), b) & c) above will be treated as "Calculation of LC is not verifiable, the value of LC of the said component shall be treated as NIL" and hence will not be eligible for PP-LC.
h) At the time of bidding, the bidder has to confirm in their bid for submission/complying the following in the event of order:
1) In case of procurement of goods under PP-LC, the LC content may be calculated by the supplier and the verification of the procurement of goods, service shall be carried out by a Statutory Auditor engaged by the bidder.
2) The supplier shall provide the necessary local content documentation to the statutory auditor, which shall review and determine the local content requirements have been met, issue a local content certificate to that effect on behalf of procuring company, stating the percentage of local content in the good or service measured.
3) The local content certificate shall be submitted along with each invoice raised. However, the % of local content may vary with invoice while maintaining the overall % of local content for the total purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
i) A bidder who has been awarded the contract after availing Purchase Preference is found to have violated the LC provision, in the execution of the procurement contract of goods and/or services shall be subject to financial penalty over and above the PBG value prescribed in the contract and shall not be more than an amount equal to 10% of the Contract Price. View this, the supplier shall confirm in their bid for submission of PBG (PBG-PPLC) of 10% of the contract value which shall be valid throughout the execution of the contract(format as provided vide the notification). This PBG-PPLC is in addition to the PBG, which is required to be submitted by the successful bidder as per OIL's general terms & condition. Bidders to provide an undertaking complying to the submission of additional PBG along with their bid, in case of availing PPLC benefit.

j) Bidders should note that PP - LC shall not be available in case of procurement of goods /

Page: 9/9

Tender No. & Date : SSG5731P18/01 12.09.2017

services falling under the list of items reserved for exclusive purchase from Micro and Small Enterprise (MSEs) or Domestically Manufactured Electronic Products (DMEP).

BB. CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:

The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

The bank guarantee issued by the bank must be routed through SFMS platform as per following details:

- a. (i) "MT 760 / MT 760 COV for issuance of bank guarantee
- (ii) "MT 767 / MT 767 COV for amendment of bank guarantee

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code - UTIB0001129.

Branch Address - AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar Duliajan, District - Dibrugarh, Pin - 786602."

b. The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

CERTIFICATE OF ANNUAL TURNOVER & NET WORTH

TO BE ISSUED BY PRAC LETTER HEAD	CTISING CHARTERED ACCOU	J NTANTS' FIRM ON THEIR
	TO WHOM IT MAY CONCER	
audited imalicial states	nat the following financial ponents of M/set (3) completed accounting year.	(Nama of the
YEAR	TURN OVER In INR (Rs.) Crores / US \$ Million)*	NET WORTH In INR (Rs.) Crores / US \$ Million)*
*Rate o	f Conversion (if used any): US	D 1.00 = INR
Place: Date:		
Seal:		
Membership No. : Registration Code:		
Signature		
Signature		

^{*} Applicable only for GLOBAL tenders.