

CONTRACTS DEPARTMENT TEL: (91) 374-2800548

P.O. Duliajan, Dist. Dibrugarh, E-mail: contracts@oilindia.in

Website: www.oil-india.com FAX: (91)374-2803549

FORWARDING LETTER

WI/ S	_	
	_	

Sub: IFB No. CDG0778P17 for Hiring of Services for Drilling of Directional Wells with SDMM + MWD + JAR alongwith Personnel for a Period of 1(one) year in the States of Assam & Arunachal Pradesh.

Dear Sirs,

M/c

- 1.0 OIL INDIA LIMITED (OIL), a "Navaratna" Category, Government of India Enterprise, is a premier oil Company engaged in exploration, production and transportation of crude oil & natural gas with its Headquarters at Duliajan, Assam. Duliajan is well connected by Air with nearest Airport being at Dibrugarh, 45 km away.
- 2.0 In connection with its operations, OIL invites International Competitive Bids (ICB) from competent and experienced Contractors through OIL's e-procurement site for Hiring of Services for Drilling of Directional Wells with SDMM + MWD + JAR alongwith Personnel for a Period of 1(one) year in the States of Assam & Arunachal Pradesh. One complete set of Bid Document covering OIL's IFB for hiring of above services is uploaded in OIL's e-procurement portal. You are invited to submit your most competitive bid on or before the scheduled bid closing date and time through OIL's e-procurement portal. For your ready reference, few salient points of the IFB (covered in detail in the Bid Document) are highlighted below:

CDG0778P17 (i) IFB No.: (ii) Type of IFB: Single Stage-2(two) Bid System INR. 60,000 or US\$ 1000 (iii) Tender Fee: (iv) Period of Sale: 09.04.2016 to 03.05.2016 Bid Closing Date & Time: 10.05.2016 at 11-00 hrs (IST) (v) (vi) Bid Opening Date & Time: 10.05.2016 at 14-00 hrs (IST) Will be intimated to the eligible Priced Bid Opening Date: (vii) & Time bidders nearer the time

> IFB No. CDG0778P17 Page 1 of 122

(viii) Bid Submission Mode: Bid should be uploaded in OIL's E-

Procurement portal

(ix) Bid Opening Place: Office of the DGM-Contracts

Oil India Limited

Duliajan - 786602, Assam, India

(x) Bid Validity: 120 days from date of Closing of bid

(xi) Mobilization Time: As defined in the tender

(xii) Bid Security Amount: Rs. 46,50,000.00 or US\$ 70,000.00

(xiii) Bid Security Validity: 150 days from date of closing of bid.

(xiv) Amount of Performance: 10% of one year contract value

(xv) Validity of Performance Security: Up to 3 months from date of completion of

contract

(xvi) Duration of the Contract: 1(one) year from the date of commencement of

contract with provision for extension by 1(one) year at same rates, terms and conditions at

OIL's option.

(xvii) Quantum of Liquidated Damage: Refer clause No. 17.0 of General

for Default in Timely Mobilisation Conditions of Contract

(xviii) Bids to be addressed to: DGM-CONTRACTS

OIL INDIA LIMITED DULIAJAN - 786 602

ASSAM, INDIA

(xix) Last Date of receipt of: 25.04.2016 upto 15:30 Hrs (IST)

Queries

3.0 <u>Integrity Pact</u>: The Integrity Pact must be uploaded in OIL's E-procurement portal along with the Technical Bid digitally signed by the same signatory who signed the Bid i.e. who is duly authorized to sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit the Integrity Pact, their bid shall be rejected straightway. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who signs the Bid.

4.0 GUIDELINES FOR PARTICIPATING IN OIL'S E-PROCUREMENT:

4.1 To participate in OIL's E-procurement tender, bidders should have a legally valid digital certificate of Class 3 with Organizations Name as per Indian IT Act

from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (http://www.cca.gov.in). **Digital Signature Certificates having "Organization Name" field as "Personal" are not acceptable**.

- 4.2 Bidders must have a valid User ID to access OIL e-Procurement site for submission of bid. Vendors having User ID & password can purchase bid documents **on-line through OIL's electronic Payment Gateway**. New vendor shall obtain User ID & password through online vendor registration system in e-portal and can purchase bid documents subsequently in the similar manner. Alternatively parties can write to DGM-Contracts, OIL INDIA LTD., Duliajan(Assam) in their official letter head giving the detailed address and E-mail letter along with the cost of bid document(non-refundable) for issue of the User ID and password for accessing the E-procurement tender which must reach DGM-Contract's Office on or before the last date of sale. The User ID shall be intimated to the eligible parties through email on receipt of the requisite cost of the bid document.
- 4.3 Parties shall be eligible for accessing the tender in E-portal after OIL enables them in the E-portal after receipt of the requisite cost of the bidding document.

4.4 **EXEMPTION OF TENDER FEE:**

- 4.4.1 If the bidder is a Micro or Small Enterprise under the Micro, Small and Medium Enterprises Development Act, 2006 and is registered with District Industries Centers or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts and Handloom or any other body specified by Ministry of Micro, Small and Medium Enterprises, then they are exempted from payment of tender fees for the items/services for which they are registered. Copy of valid Registration Certificate, must be enclosed along with the application for issuing tender documents and the Registration Certificate should clearly indicate the monetary limit, if any and the items for which bidder are registered with any of the aforesaid agencies.
- 4.4.2 Public Sector Units (PSU) are also exempted from payment of tender fee.
- 4.5 Parties, who do not have a User ID, can click on **Guest** login button in the E-portal to view the available open tenders. **The detailed guidelines are available in OIL's e-procurement site (Help Documentation).** For any clarification in this regard, bidders may contact Mr. A. J. Sarmah, Ch. Manager (ERP-MM) at arupsarmah@oilindia.in, Ph.: 09954486025(M).

5.0 **QUERIES/CLARIFICATIONS ON THE TENDER:**

The prospective bidders shall submit their queries/clarifications against the tender through E-mail / Fax /Courier addressed to DGM-Contracts, Oil India Ltd., Duliajan-786602, Assam and such queries must reach OIL's office at Duliajan latest by **25.04.2016**. OIL shall provide clarifications to only those queries received within this date. Queries/ Clarifications against the tender received beyond 25.04.2016 will not be entertained and replied. OIL will not be responsible for non-receipt or late receipt of any bidder's query in OIL's office.


6.0 **IMPORTANT NOTES:**

Bidders shall take note of the following important points while participating in OIL's e-procurement tender:


- i) The bid along with all supporting documents must be submitted through OIL's E-procurement site only except the following documents which shall be submitted manually by the bidder in two copies in a sealed envelope superscribed with OIL's IFB No., Bid Closing date and marked as "Original Bid Security" and addressed to DGM-Contracts, Contracts Department, Oil India Limited, Duliajan-786602, Assam(India):
 - a) Original Bid Security
 - b) Printed catalogue and Literature, if called for in the tender.
 - c) Power of Attorney for signing the bid.
 - d) Any other document required to be submitted in original as per tender requirement.

The above documents including the Original bid security, must be received at OIL's DGM-Contract's office at Duliajan on or before 12.45 Hrs(IST) on the technical bid closing date failing which the bid shall be rejected. A scanned copy of the Bid Security shall also be uploaded by the bidder along with their Technical Bid in OIL's E-procurement site.

- ii) Bid should be submitted online in OIL's E-procurement site up to 11.00 AM (IST)(Server Time) on the date as mentioned and will be opened on the same day at 2.00 PM(IST) at the office of the DGM-Contracts in presence of the authorized representatives of the bidders.
- iii) If the digital signature used for signing is not of "Class -3" with Organizations name, the bid will be rejected.
- The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The iv) bidders shall submit both the "TECHNICAL" and "PRICED" bids through electronic form in the OIL's e-Procurement portal within the Bid Closing Date and Time stipulated in the e-Tender. The Technical Bid should be submitted as per Scope of Work & Technical Specifications along with all technical documents related to the tender and uploaded "Technical RFx Response" Tab only. Bidders to note that no price details should be uploaded in "Technical RFx Response" Tab Page. Details of prices per as Price Bid format/Priced bid can be uploaded as Attachment just below the "Tendering Text" in the attachment option under "Notes & Attachments" tab. A screen shot in this regard is shown below. Offer not complying with above submission procedure will be rejected as per Bid Evaluation Criteria mentioned in Clause 1.0 of (B) Commercial Evaluation Criteria.)



On "EDIT" Mode- The following screen will appear. Bidders are advised to upload "Technical Bid" and "Priced Bid" in the places as indicated above:



Note:

- * The "Technical Bid" shall contain all techno-commercial details **except the prices**.
- ** The "Priced bid" must contain the price schedule and the bidder's commercial terms and conditions, if any. For uploading Priced Bid, first click on Sign Attachment, a browser window will open, select the file from the PC and click on "Sign" to sign the file. On Signing a new file with extension .SSIG will be created. Close that window. Next click on Add Atachment, a browser window will open, select the .SSIG signed file from the PC and name the file under Description, Assigned to General Data and click on OK to save the File.
- 6.0 OIL now looks forward to your active participation in the IFB.

Thanking you,

Yours faithfully, **OIL INDIA LIMITED**

(G C DEVCHOUDHURY)

DGM-CONTRACTS

For, RESIDENT CHIEF EXECUTIVE

PART - 1 INSTRUCTIONS TO BIDDERS

1.0 Bidder shall bear all costs associated with the preparation and submission of bid. Oil India Limited, hereinafter referred to as Company, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

A. BID DOCUMENTS

- **2.0** The services required, bidding procedures and contract terms are prescribed in the Bid Document. This Bid Document includes the following:
 - (a) A Forwarding Letter highlighting the following points:
 - (i) Company's IFB No. & Type and Tender Fee
 - (ii) Bid closing date and time
 - (iii) Bid opening date and time
 - (iv) Bid submission Mode
 - (v) Bid opening place
 - (vi) Bid validity, Mobilisation time & Duration of contract
 - (vii) The amount of Bid Security with validity
 - (viii) The amount of Performance Guarantee with validity
 - (ix) Quantum of liquidated damages for default in timely mobilization
 - (b) Instructions to Bidders, (Part-1)
 - (c) Bid Evaluation Criteria, (Part-2)
 - (d) General Conditions of Contract, (Part-3, Section-I)
 - (e) Terms of Reference/Technical Specification, (Part-3, Section-II)
 - (f) Special Conditions of Contract, (Part-3, Section-III)
 - (g) Schedule of Rates, (Part-3, Section-IV)
 - (h) Estimated CIF value of items at the time of import, (Proforma-A)
 - (i) Price Schedule Format, (Proforma-B)
 - (j) Bid Form, (Proforma-C)
 - (k) Statement of Non-Compliance, (Proforma-D)
 - (l) Bid Security Form, (Proforma-E)
 - (m) Performance Security Form, (Proforma-F)
 - (n) Agreement Form, (Proforma-G)
 - (o) Proforma of Letter of Authority, (Proforma-H)
 - (p) Authorisation for Attending Bid Opening, (Proforma-I)
 - (q) Integrity Pact, (Annexure-A1)
 - (r) Bid Evaluation Sheet (Proforma-K)
 - (s) Technical Evaluation Sheet (Proforma-L)
- 2.1 The bidder is expected to examine all instructions, forms, terms and specifications in the Bid Documents. Failure to furnish all information required in the Bid Documents or submission of a bid not substantially responsive to the Bid Documents in every respect will be at the Bidder's risk & responsibility and may result in the rejection of its bid.

3.0 TRANSFERABILITY OF BID DOCUMENTS:

3.1 Bid Documents are non-transferable. Bid can be submitted only in the name of the bidder in whose name the Bid Document has been issued.

3.2 Unsolicited bids will not be considered and will be rejected straightway.

4.0 AMENDMENT OF BID DOCUMENTS:

- 4.1 At any time prior to the deadline for submission of bids, the Company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Bid Documents through issuance of an Addendum.
- 4.2 The Addendum will be uploaded in OIL's E-Tender Portal in the "Technical RFx Response" under the tab "Amendments to Tender Documents". The Company may, at its discretion, extend the deadline for bid submission, if the Bidders are expected to require additional time in which to take the Addendum into account in preparation of their bid or for any other reason. Bidders are to check from time to time the E-Tender portal ["Technical RFx Response" under the tab "Amendments to Tender Documents"] for any amendments to the bid documents before submission of their bids. No separate intimation shall be sent to the Bidders.

B. PREPARATION OF BIDS

EANGUAGE OF BIDS: The bid as well as all correspondence and documents relating to the bid exchanged between the Bidder and the Company shall be in English language, except that any printed literature may be in another language provided it is accompanied by an official and notarised English translated version, which shall govern for the purpose of bid interpretation.

5.1 **BIDDER'S/AGENT'S NAME & ADDRESS**:

Bidders should indicate in their bids their detailed postal address including the Fax/Telephone /Cell Phone Nos. and E-mail address. Similar information should also be provided in respect of their authorised Agents in India, if any.

6.0 DOCUMENTS COMPRISING THE BID:

Bids are invited under Single Stage Two Bid System. The bid to be uploaded by the Bidder in OIL's E-Tender portal shall comprise of the following components:

(A) <u>TECHNICAL BID</u>

- (i) Complete technical details of the services and equipment specifications with catalogue, etc.
- (ii) Documentary evidence established in accordance with Clause 10.0.
- (iii) Bid Security (scanned) in accordance with Clause 11.0 hereunder. Original Bid Security should be sent as per Clause No. 11.10 below.
- (iv) Copy of Bid-Form without indicating prices in Proforma-C
- (v) Statement of Non-compliance as per Proforma–D
- (vi) Proforma-A: List of items to be imported without the CIF values.
- (vii) Copy of Priced Bid without indicating prices (Proforma-B)
- (viii) Integrity Pact digitally signed by OIL's competent personnel as Annexure-A1, attached with the bid document to be digitally signed by the bidder.

(B) PRICED BID

Bidder shall quote their prices in the following Proforma available in OIL's E-procurement portal in the "Notes & Attachments" Tab:

- (i) Price-Bid Format as per Proforma-B
- (ii) Bid Form as per Proforma-C
- (iii) Proforma-A showing the items to be imported with the CIF values.

The Priced Bid shall contain the prices along with the currency quoted and any other commercial information pertaining to the service offered.

7.0 BID FORM:

The bidder shall complete the Bid Form and the appropriate Price Schedule furnished in their Bid.

8.0 BID PRICE:

- 8.1 Prices must be quoted by the Bidders online as per the price bid format available in OIL's E- Tender Portal in "Notes & Attachment" Tab. Unit prices must be quoted by the bidders, both in words and in figures.
- 8.2 Prices quoted by the successful bidder must remain firm during its performance of the Contract and is not subject to variation on any account.
- 8.3 All duties (except customs duty which will be borne by the Company) and taxes (excluding Service Tax) including Corporate Income Tax, Personal Tax, Assam Entry Tax etc. and other Cess/levies payable by the successful bidder under the Contract for which this Bid Document is being issued, shall be included in the rates, prices and total Bid Price submitted by the bidder, and the evaluation and comparison of bids shall be made accordingly. For example, personal taxes and/or any corporate taxes arising out of the profits on the contract as per rules of the country shall be borne by the bidder.

9.0 CURRENCIES OF BID AND PAYMENT:

- 9.1 A bidder expecting to incur its expenditures in the performance of the Contract in more than one currency, and wishing to be paid accordingly, shall so indicate in the bid. In such a case, the bid shall be expressed in different currencies and the respective amounts in each currency shall together make up the total price.
- 9.2 Indian bidders too can submit their bids in any currency (including Indian Rupees) and receive payment in such currencies on par with foreign bidders. However, currency once quoted will not be allowed to be changed.

10.0 <u>DOCUMENTS</u> <u>ESTABLISHING</u> <u>BIDDER'S</u> <u>ELIGIBILITY</u> <u>AND</u> <u>QUALIFICATIONS</u>:

10.1 These are listed in **BID EVALUATION CRITERIA (BEC), PART-2** of the Bid document.

11.0 BID SECURITY:

- 11.1 The Bid Security is required to protect the Company against the risk of Bidder's conduct, which would warrant forfeiture of the Bid Security, pursuant to sub-clause 11.9 hereunder.
- 11.2 All the bids must be accompanied by Bid Security in Original for the amount as mentioned in the "Forwarding Letter" or an equivalent amount in other freely convertible currency and shall be in the OIL's prescribed format as Bank Guarantee (BG) enclosed with the NIT vide **Proforma-E** or a Bank Draft/Bankers' cheque in favour of OIL and payable at Duliajan, Assam or an irrevocable Letter of Credit (L/C) from any of the following Banks
 - a) Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of domestic bidder, or
 - b) In case of foreign bidder, the bank guarantee can be accepted from any scheduled bank in India or from International bank who has its branch in India registered with Reserve Bank of India, or
 - c) Any foreign Bank which is not a Scheduled Bank in India, provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in India of any Scheduled Bank incorporated in India or

The Bank Guarantee / LC shall be valid for the time as asked for in the Bid Document. Bank Guarantees issued by Banks in India should be on non-judicial stamp paper of requisite value, as per Indian Stamp Act, purchased in the name of the Banker.

- 11.3 Bidders can submit Bid Security on-line through OIL's electronic Payment Gateway.
- 11.4 Any bid not secured in accordance with **sub-clause 11.2** above shall be rejected by the Company as non-responsive.
- 11.5 The bidders shall extend the validity of the Bid Security suitably, if and when specifically advised by OIL, at the bidder's cost.
- 11.6 Unsuccessful Bidder's Bid Security will be discharged and/or returned within 30 days after finalization of IFB.
- 11.7 Successful Bidder's Bid Security will be discharged and/or returned upon Bidder's furnishing the Performance Security and signing of the contract. Successful bidder will however ensure validity of the Bid Security till such time the Performance Security in conformity with **Clause 29.0** below is furnished.
- 11.8 Bid Security shall not accrue any interest during its period of validity or extended validity.

- 11.9 The Bid Security may be forfeited:
 - i) The bidder withdraws the bid within its original/extended validity.
 - ii) The bidder modifies/revise their bid suo-moto.
 - iii) Bidder does not accept the order/contract.
 - iv) Bidder does not furnish Performance Security Deposit within the stipulated time as per tender/order/contract.
 - v) If it is established that the bidder has submitted fraudulent documents or has indulged into corrupt and fraudulent practice, the bid security shall be forfeited after due process in addition to other action against the bidder
- 11.10 In case any bidder withdraws their bid during the period of bid validity, Bid Security will be forfeited and the party shall be debarred for a period of 2(two) years.
- 11.11 The scanned copy of the original Bid Security in the form of either Bank Guarantee or LC or Banker's Cheque or Bank Draft must be uploaded by bidder along with the Technical bid in the "Technical RFx Response" of OIL's E-portal. The original Bid Security shall be submitted by bidder to the office of DGM-Contracts, Oil India Ltd., Duliajan-786602(Assam), India in a sealed envelope which must reach DGM-Contract's office on or before 12.45 Hrs (IST) on the Bid Closing date.
- 11.12 A bid shall be rejected straightway if Original Bid Security is not received within the stipulated date & time mentioned in the Tender and/or if the Bid Security validity is shorter than the validity indicated in Tender and/or if the Bid Security amount is lesser than the amount indicated in the Tender.

12.0 EXEMPTION FROM SUBMISSION OF BID SECURITY:

- 12.1 Central Govt. offices and Central Public Sector undertakings are exempted from submitting Bid Security.
- 12.2 If the bidder is a Micro or Small Enterprises (MSE) registered with District Industry Centers or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts and Handloom or any other body specified by Ministry of MSME, then they are also exempted from submitting Bid Security. Bidding MSEs shall have to submit a Copy of valid Registration Certificate clearly indicating the monetary limit, if any and the items for which bidder are registered with any of the aforesaid agencies.

In case bidding MSE is owned by Schedule Caste or Schedule Tribe entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ST entrepreneur should also be enclosed.

13.0 PERIOD OF VALIDITY OF BIDS:

13.1 Bids shall remain **valid for 120** days from the date of closing of bid prescribed by the Company. **Bids of shorter validity will be rejected as**

being non-responsive. If nothing is mentioned by the bidder in their bid about the bid validity, it will be presumed that the bid is valid for 120 days from Bid Closing Date.

13.2 In exceptional circumstances, the Company may solicit the Bidder's consent to an extension of the period of validity. The request and the response thereto shall be made in writing through Fax or e-mail. The Bid Security provided under Para 11.0 above shall also be suitably extended. A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request will neither be required nor permitted to modify their Bid.

14.0 SIGNING OF BID:

14.1 Bids are to be submitted online through OIL's E-procurement portal with digital signature. The bid and all attached documents should be digitally signed by the bidder using "Class 3" digital certificates with Organizations Name [e-commerce application (Certificate with personal verification and Organisation Name)] as per Indian IT Act 2000 obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India before bid is uploaded. Digital Signature Certificates having "Organization Name" field other than Bidder's Name are not acceptable. However, aforesaid Digital Signature Certificates having Bidder's Name in the "Organization Name" field are acceptable.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidder holding a Power of Attorney to bind the Bidder to the contract.

If any modifications are made to a document after attaching digital signature, the digital signature shall again be attached to such documents before uploading the same. The Power of Attorney shall be submitted by bidder as mentioned in Para 15.1 below.

The authenticity of above digital signature shall be verified through authorized CA after bid opening and in case the digital signature is not of "Class-3" with organization name, the bid will be rejected.

Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employees.

- 14.2 The original and all copies of the bid shall be typed or written in indelible inks. Since bids are to be submitted ONLINE with digital signature, manual signature is NOT relevant. The letter of authorisation (as per **Proforma-H**) shall be indicated by written Power of Attorney accompanying the Bid.
- 14.3 Any person signing the Bid or any other document in respect of this Bidding Document or other relevant documents on behalf of the Bidder without disclosing his authority to do so shall be deemed to have the authority to bind the Bidder. If it is discovered at any time that the person so signing has no

authority to do so, the Company (OIL) may, without prejudice to any other right or remedy, cancel his Bid or Contract and hold the Bidder liable to the Company (OIL) for all costs and damages arising from the cancellation of the Bid or Contract including any loss which the Company (OIL) may sustain on account thereof.

- 14.4 Any physical documents submitted by bidders shall contain no interlineations, white fluid erasures or overwriting except as necessary to correct errors made by the Bidder, in which case such correction shall be initialled by the person or persons who has/have digitally signed the Bid.
- 14.5 Any Bid, which is incomplete, ambiguous, or not in compliance with the Bidding process will be rejected.

15.0 SUBMISSION OF BIDS

15.1 The tender is processed under single stage - Two bid system. Bidder shall submit the Technical bid and Priced bid along with all the Annexures and Proforma (wherever applicable) and copies of documents in electronic form through OIL's e-procurement portal within the Bid Closing Date & Time stipulated in the e-tender. For submission of Bids online at OIL's E-Tender Portal, detailed instructions is available in "HELP DOCUMENTATION" available in OIL's E-Tender Portal. Guidelines for bid submission are also provided in the "Forwarding Letter". The Technical Bid is to be submitted as per Terms of Reference/Technical Specifications of the bid document and Priced Bid as per the Price Schedule. The Technical Bid should be uploaded in the "Technical RFx Response" under "Techno-Commercial Bid" Tab Page only. Prices to be quoted as per Proforma-B should be uploaded as Attachment just below the "Tendering Text" in the attachment link under "Techno-Commercial Bid" Tab under General Data in the e-portal. No price should be given in the "Technical RFx Response", otherwise bid shall be rejected. The priced bid should not be submitted in physical form and which shall not be considered.

However, the following documents in one set should necessarily be submitted in physical form in sealed envelope superscribing the "IFB No., Brief Description of services and Bid Closing/Opening date & Time along with the bidder's name and should be submitted to DGM-Contracts, Oil India Ltd., Duliajan-786602(Assam) on or before 12.45 Hrs(IST) on the bid closing date indicated in the IFB:

- i) The Original Bid Security along with 1(one) copy
- ii) Power of Attorney for signing of the bid digitally
- iii) Any other document required to be submitted in original as per bid document requirement.
- iv) Printed catalogue and literature if called for in the bid document.

Documents sent through E-mail/Fax/Telephonic method will not be considered.

- 15.2 All the conditions of the contract to be made with the successful bidder are given in various Sections of the Bid Document. Bidders are requested to state their non-compliance to each clause as per Proforma-D of the bid document and the same should be uploaded along with the Technical Bid.
- 15.3 Timely delivery of the documents in physical form as stated in Para 15.1 above is the responsibility of the bidder. Bidders should send the same through Registered Post or by Courier Services or by hand delivery to the Officer in Charge of the particular tender before the Bid Closing Date and Time. Company shall not be responsible for any postal delay/transit loss.
- 15.4 Bids received through the e-procurement portal shall only be accepted. Bids received in any other form shall not be accepted.

16.0 INDIAN AGENT/REPRESENTATIVE/RETAINER/ASSOCIATE:

Foreign bidders shall clearly indicate in their bids whether they have an Agent/Representative/Retainer/Associate in India. In the event the overseas bidder is having an Agent/Representative/Retainer/Associate in India, the furnish the and should name address Agent/Representative/Retainer/Associate in India and clearly indicate nature services provided and extent to be bv such Agent/ Representative/Retainer/Associate in India and also stating in their bids whether the Agent/Representative/Retainer/Associate is authorized to receive any commission. The rate of the commission included in the quoted rates of be bidder should indicated which would be pavable Agent/Representative/Retainer/Associate in non-convertible Indian currency according to Import Trade Regulation of India. Unless otherwise specified, it will be assumed that agency commission is not involved in the particular bid.

Further, overseas bidders shall submit their bids directly and not through their Agent/Representative/Retainer/Associate in India. Bid submitted by Indian Agent/Representative/Retainer/Associate on behalf of their foreign principals will not be considered and will be rejected straightway. Moreover, one Indian Agent/Representative/Retainer/ Associate cannot represent more than one foreign bidder against the IFB.

The Indian Agent/Representative/Retainer/Associate will not be permitted to submit any Bid Security and Performance Security on behalf of their foreign principals and also the Indian Agent/ Representative/Retainer/Associate will not be allowed to execute the contract and receive payment against bid submitted by their foreign principals. Such bids shall be rejected straightway.

17.0 DEADLINE FOR SUBMISSION OF BIDS:

- 17.1 Bids should be submitted online as per the online tender submission deadline. Bidders will not be permitted by System to make any changes in their bid/quote after the bid submission deadline is reached.
- 17.2 No bid can be submitted after the submission dead line is reached. The system time displayed on the e-procurement web page shall decide the submission dead line.

- 17.3 The documents in physical form as stated in Para 15.1 must be received by Company at the address specified in the "Forwarding Letter" on or before 12.45 Hrs(IST) on the Bid Closing Date mentioned in the "Forwarding Letter". Timely delivery of the same at the address mentioned in the Forwarding Letter is the responsibility of the Bidders.
- **18.0 LATE BIDS**: Bidders are advised in their own interest to ensure that their bids are uploaded in system before the closing date and time of the bid. The documents in physical form mainly the Original Bid Security if received by the Company after the deadline for submission prescribed by the Company shall be rejected and shall be returned to the Bidders in unopened condition immediately.

19.0 MODIFICATION AND WITHDRAWAL OF BIDS:

- 19.1 The Bidder after submission of Bid may modify or withdraw its Bid prior to Bid Closing Date & Time.
- 19.2 No Bid can be modified or withdrawn subsequent to the deadline for submission of Bids.
- 19.3 No Bid can be withdrawn in the interval between the deadline for submission of Bids and the expiry of the period of Bid Validity specified by the Bidder on the Bid Form. Withdrawal of a Bid during this interval shall result in the Bidder's forfeiture of its Bid Security and bidder shall also be debarred from participation in future tenders of OIL.

20.0 EXTENSION OF BID SUBMISSION DATE:

Normally no request for extension of Bid Closing Date & Time will be entertained. However, OIL at its discretion, may extend the Bid Closing Date and/or Time due to any reasons.

21.0 BID OPENING AND EVALUATION:

- 21.1 Company will open the Technical Bids, including submission made pursuant to clause 19.0, in presence of Bidder's representatives who choose to attend at the date, time and place mentioned in the Forwarding Letter. However, an authorisation letter (as per **Proforma-I**) from the Bidder must be produced by the Bidder's representative at the time of Bid Opening. Unless this Letter is presented, the representative will not be allowed to attend the Bid Opening. The Bidder's representatives who are allowed to attend the Bid Opening shall sign a register evidencing their attendance. Only one representative against each Bid will be allowed to attend. In technical bid opening, only "Technical RFx Response" will be opened. Bidders therefore should ensure that technical bid is uploaded in the "Technical RFx Response" Tab Page only in the E-portal.
- 21.2 In case of any unscheduled holiday or Bandh on the Bid Opening Date, the Bids will be opened on the next full working day. Accordingly, Bid Closing Date / time will get extended up to the next working day and time.

- 21.3 Bids which have been withdrawn pursuant to clause 19.0 shall not be opened. Company will examine bids to determine whether they are complete, whether requisite Bid Securities have been furnished, whether documents have been digitally signed and whether the bids are generally in order.
- 21.4 At bid opening, Company will announce the Bidder's names, written notifications of bid modifications or withdrawal, if any, the presence of requisite Bid Security, and such other details as the Company may consider appropriate.
- 21.5 Normally no clarifications shall be sought from the Bidders. However, for assisting in the evaluation of the bids especially on the issues where the Bidder confirms compliance in the evaluation and contradiction exists on the same issues due to lack of required supporting documents in the Bid (i.e. document is deficient or missing), or due to some statement at other place of the Bid (i.e. reconfirmation of confirmation) or vise versa, clarifications may be sought by OIL. In all the above situations, the Bidder will not be allowed to change the basic structure of the Bid already submitted by them and no change in the price or substance of the Bid shall be sought, offered or permitted.
- 21.6 Prior to the detailed evaluation, Company will determine the substantial responsiveness of each bid to the requirement of the Bid Documents. For purpose of these paragraphs, a substantially responsive bid is one, which conforms to all the terms and conditions of the Bid Document without material deviations or reservation. A material deviation or reservation is one which affects in any way substantial way the scope, quality, or performance of work, or which limits in any substantial way, in-consistent way with the Bid Documents, the Company's right or the bidder's obligations under the contract, and the rectification of which deviation or reservation would affect unfairly the competitive position of other bidders presenting substantial responsive bids. The Company's determination of Bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.
- 21.7 A Bid determined as not substantially responsive will be rejected by the Company and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
- 21.8 The Company may waive minor informality or nonconformity or irregularity in a Bid, which does not constitute a material deviation, provided such waiver, does not prejudice or affect the relative ranking of any Bidder.

22.0 OPENING OF PRICED BIDS:

22.1 Company will open the Priced Bids of the technically qualified Bidders on a specific date in presence of representatives of the qualified bidders. The technically qualified Bidders will be intimated about the Priced Bid Opening Date & Time in advance. In case of any unscheduled holiday or Bandh on the Priced Bid Opening Date, the Bids will be opened on the next working day.

- 22.2 The Company will examine the Price quoted by Bidders to determine whether they are complete, any computational errors have been made, the documents have been properly signed, and the bids are generally in order.
- 22.3 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price (that is obtained by multiplying the unit price and quantity) the unit price shall prevail and the total price shall be corrected accordingly. If there is a discrepancy between words, and figures, the amount in words will prevail. If any Bidder does not accept the correction of the errors, their Bid will be rejected.

23.0 CONVERSION TO SINGLE CURRENCY:

While evaluating the bids, the closing rate of exchange declared by State Bank of India on the day prior to price bid opening will be taken into account for conversion of foreign currency into Indian Rupees. Where the time lag between the opening of the price bids and final decision exceeds three months, the rate of exchange declared by State Bank of India on the date prior to the date of final decision will be adopted for conversion.

24.0 EVALUATION AND COMPARISON OF BIDS:

The Company will evaluate and compare the bids as per **BID EVALUATION CRITERIA (BEC), PART-2** of the Bid Document.

24.1 **DISCOUNTS / REBATES**:

Unconditional discounts/rebates, if any, given in the bid will be considered for evaluation.

24.2 Post bid or conditional discounts/rebates offered by any bidder shall not be considered for evaluation of bids. However, if the lowest bidder happens to be the final acceptable bidder for award of contract, and if they have offered any discounts/rebates, the contract shall be awarded after taking into account such discounts/rebates.

24.3 LOADING OF FOREIGN EXCHANGE:

There would be no loading of foreign exchange for deciding the inter-seranking of domestic bidders.

24.4 **EXCHANGE RATE RISK**:

Since Indian bidders are now permitted to quote in any currency and also receive payments in that currency, Company will not be compensating for any exchange rate fluctuations in respect of the services.

24.5 **REPATRIATION OF RUPEE COST**:

In respect of foreign parties rupee payments made on the basis of the accepted rupee component of their bid, would not be repatriable by them. A condition to this effect would be incorporated by the Company in the contract.

25.0 CONTACTING THE COMPANY:

- 25.1 Except as otherwise provided in **Clause 21.0** above, no Bidder shall contact Company on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded except as required by Company vide **subclause 21.6**.
- 25.2 An effort by a Bidder to influence the Company in the Company's bid evaluation, bid comparison or Contract award decisions may result in the rejection of their bid.

D. AWARD OF CONTRACT

26.0 AWARD CRITERIA:

The Company will award the Contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined as the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

27.0 COMPANY'S RIGHT TO ACCEPT OR REJECT ANY BID:

Company reserves the right to accept or reject any or all bids and to annul the bidding process and reject all bids, at any time prior to award of contract, without thereby incurring any liability to the affected bidder, or bidders or any obligation to inform the affected bidder of the grounds for Company's action.

28.0 NOTIFICATION OF AWARD:

- 28.1 Prior to the expiry of the period of bid validity or extended validity, Company will notify the successful Bidder in writing by registered letter or by fax or E-mail (to be confirmed in writing by registered / couriered letter) that its Bid has been accepted.
- 28.2 The notification of award will constitute the formation of the Contract.
- 28.3 Upon the successful Bidder's furnishing of Performance Security pursuant to **Clause 29.0** below, the Company will promptly notify each un-successful Bidder and will discharge their Bid Security, pursuant to **Clause 11.0** hereinabove.

29.0 PERFORMANCE SECURITY:

- 29.1 On receipt of notification of award from the Company, the successful Bidder shall furnish to Company the Performance Security for an amount specified in the Forwarding Letter (and Letter of Award (LOA) issued by Company to Contractor awarding the contract) as per **Proforma-F** or in any other format acceptable to the Company and must be in the form of a Demand Draft or Bank Guarantee or irrevocable Letter of Credit (LC) from:
 - a) Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of domestic bidder, or
 - b) In case of foreign bidder, the bank guarantee can be accepted from any

scheduled bank in India or from International bank who has its branch in India registered with Reserve Bank of India.

c) Any foreign Bank which is not a Scheduled Bank in India, provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in India of any Scheduled Bank incorporated in India

Bank Guarantee issued by a Bank, amongst others, must contain the following particulars of such bank:

- a) Full address.
- b) Branch Code.
- c) Code Nos. of the authorized signatory with full name and designation.
- d) Phone Nos., Fax Nos., E-mail address.

The domestic bidders will have to submit the Bank Guarantee from any of the scheduled banks and on non-judicial stamp paper of requisite value as per the Indian Stamp Act, purchased in the name of the issuing banker.

The foreign bidder will submit the Bank Guarantee from Banks of Indian origin situated in their country. In case no such bank of Indian origin is situated in their country, the Bank Guarantee may be submitted from the bankers as specified above.

The Performance Security shall be denominated in the currency of the contract.

- 29.2 The Performance Security specified above must be valid for 3(three) months beyond the contract period. The Performance Security will be discharged by Company not later than 30 days following its expiry. In the event of any extension of the Contract period, Bank Guarantee should be extended by Contractor by the period equivalent to the extended period.
- 29.3 The Performance Security shall be payable to Company as compensation for any loss resulting from Contractor's failure to fulfil its obligations under the Contract.
- 29.4 The Performance Security will not accrue any interest during its period of validity or extended validity.
- 29.5 Failure of the successful Bidder to comply with the requirements of **clause 29.0 and/or 30.0** shall constitute sufficient grounds for annulment of the award and forfeiture of the Bid Security or Performance Security. In such an eventuality, the party shall be debarred for a period of 2(two) years from the date of default.

30.0 SIGNING OF CONTRACT:

30.1 At the same time as the Company notifies the successful Bidder that its Bid has been accepted, the Company will either call the successful Bidder for

signing of the agreement or send the Contract Form provided in the Bid Documents, along with the General & Special Conditions of Contract, Technical Specifications, Schedule of Rates incorporating all agreements agreed between the two parties.

- 30.2 The successful Bidder shall sign and date the contract and return it to the Company after receipt of LOA. Till the contract is signed, the LOA issued to the successful bidder shall remain binding amongst the two parties.
- 30.3 In the event of failure on the part of the successful Bidder to sign the contract, OIL reserves the right to terminate the LOA issued to the successful Bidder and invoke the Bid Security or the Performance Security if submitted by the successful Bidder. The party shall also be debarred for a period of 2(two) years from the date of default.

31.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENTS:

If it is found that a bidder/contractor has furnished fraudulent information / documents, the Bid Security/Performance Security shall be forfeited and the party shall be debarred for a period of 3(three) years from the date of detection of such fraudulent act besides the legal action.

32.0 CREDIT FACILITY:

Bidders should indicate clearly in the Bid about availability of any credit facility inclusive of Government to Government credits indicating the applicable terms and conditions of such credit.

33.0 MOBILISATION ADVANCE PAYMENT:

- 33.1 Request for advance payment shall not be normally considered. However, depending on the merit and at the discretion of the Company, advance against mobilisation charge may be given at an interest rate of 1% above the prevailing Bank rate (CC rate) of SBI from the date of payment of the advance till recovery/refund.
- 33.2 Advance payment agreed to by the Company shall be paid only against submission of an acceptable bank guarantee whose value should be equivalent to the amount of advance plus the amount of interest covering the period of advance. Bank guarantee shall be valid for 2 months beyond completion of mobilisation and the same may be invoked in the event of Contractor's failure to mobilise as per agreement.
- 33.3 In the event of any extension to the mobilisation period, Contractor shall have to enhance the value of the bank guarantee to cover the interest for the extended period and also to extend the validity of bank guarantee accordingly.

34.0 INTEGRITY PACT:

34.1 OIL shall be entering into an Integrity Pact with the Bidders as per format enclosed vide **Annexure-A1** of the Bid Document. The Integrity Pact has been duly signed digitally by OIL's competent signatory and uploaded in the OIL's e-portal. The Integrity Pact shall be returned by the bidder (along with the

technical Bid) duly signed by the same signatory who signed the Bid i.e. who is duly authorized to sign the Bid. Uploading the Integrity Pact in the OIL's E-portal with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who has signed the bid. If any bidder refuses to sign Integrity Pact or declines to submit the Integrity Pact, their bid shall be rejected straightway.

- 34.2 OIL has appointed Shri Rajiv Mathur, IPS(Retd) as Independent Monitors(IEM) for a period of 3(three) years to oversee implementation of Integrity Pact in OIL. Bidders may contact the Independent External Monitor for any matter relating to the IFB at the following addresses:
 - a. Shri Rajiv Mathur, IPS(Retd), Former Director, IB, Govt. of India; E-mail: rajivmathur23@gmail.com

35.0 LOCAL CONDITIONS:

It is imperative for each Bidder to be fully informed themselves of all Indian as well as local conditions, factors and legislation which may have any effect on the execution of the work covered under the Bidding Document. The bidders shall be deemed, prior to submitting their bids to have satisfied themselves of all the aspects covering the nature of the work as stipulated in the Bidding Document and obtain for themselves all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the various obligations under the Contract.

No request will be considered for clarifications from the Company (OIL) regarding such conditions, factors and legislation. It is understood and agreed that such conditions, factors and legislation have been properly investigated and considered by the Bidders while submitting the Bids. Failure to do so shall not relieve the Bidders from responsibility to estimate properly the cost of performing the work within the provided timeframe. Company (OIL) will assume no responsibility for any understandings or representations concerning conditions made by any of their officers prior to award of the Contract. Company (OIL) shall not permit any Changes to the time schedule of the Contract or any financial adjustments arising from the Bidder's lack of knowledge and its effect on the cost of execution of the Contract.

36.0 SPECIFICATIONS:

Before submission of Bids, Bidders are requested to make themselves fully conversant with all Conditions of the Bid Document and other relevant information related to the works/services to be executed under the contract.

END OF PART - 1

<u>PART - 2</u> <u>BID EVALUATION CRITERIA (BEC)</u>

I) <u>BID EVALUATION CRITERIA (BEC)</u>: The bid shall conform generally to the specifications and terms and conditions given in this bid document. Bids shall be rejected in case the services offered do not conform to required parameters stipulated in the technical specifications. Notwithstanding the general conformity of the bids to the stipulated specifications, the following requirements will have to be particularly met by the bidders without which the same will be considered as non-responsive and rejected. Bidders are advised not to take any exception/deviations to the bid document.

A. TECHNICAL EVALUATION CRITERIA:

The following minimum vital criteria should be strictly met by the Bidders failing which their bid/offer will be rejected:

- 1.0 The bidder should have three(3) years experience during the last 7 (seven) years to be reckoned from the original bid closing date in drilling of High-Displacement Directional Wells having a minimum Horizontal displacement of 1000m and a minimum TVD of 2500m using MWD-SDMM-Jar tools and in conjugation should have experience of successfully completing minimum 3(three) such wells during those three(3) years.
- 1.1 The bidders shall quote for full scope of work. Bidder has to provide the following tools/equipment and services as a package:
 - (i) SDMM and Services
 - (ii) MWD and Services
 - (iii) JAR and Services
- 1.2 In case, the bidder does not have all the services of their own, they can have pre tender tie-up for the services mentioned in Clause No. 1.1 under serial No. (iii), provided that the prime bidder has the services mentioned in clause No. 1.1 under serial Nos. (i) & (ii) of their own.
- 1.3 In case of pre-tender tie-up, the bidder should execute a legally enforceable MOU/ Agreement valid for entire duration of the contract including extension, if any. Copies of the pre-tender tie-up for each third party service should be furnished along with the Technical Bid clearly referring to OIL's tender document number & indicating the scope of work for technical partner of the bidder. Notwithstanding the MOU, bidder shall clearly undertake the single point responsibility of completing the project as offered by the bidder.
- 2.0 The Bidder shall have to confirm to provide all of the following services for drilling of 17.1/2", 12.1/4" and 8.1/2" hole sections as per the scope of work i.e. 1(one) set for 17.1/2" hole section, 2 (two) sets for 12.1/4" hole section and 2 (two) sets for 8.1/2" hole section:
 - (i) SDMM with Stabilizers, Accessories and Directional Driller

- (ii) Directional MWD with GR tool, Accessories and MWD Engineer
- (iii) Drilling JAR and Accessories
- (iv) MWD Workstation
- 3.0 <u>Mobilization</u>: Bidder to confirm mobilization of all of the 5(five) sets of tools, equipment and personnel i.e. 1(one) set for 17.1/2" hole section, 2 (two) sets for 12.1/4" hole section and 2 (two) sets for 8.1/2" hole section within 45(forty five) days from issue of LOA. However, OIL reserves the right to mobilize each of the sets in a phased manner and in that case the same will be intimated separately. Offers indicating mobilization time more than 45 days from the date of issuance of LOA for the set of tool(s) will be rejected.
- 4.0 Bidder must submit necessary documentary evidences as noted below in support of the technical experience under the **clauses A.1.0 above**:
- (a) Documentary evidence(s) in the form of relevant pages of the contract(s) executed showing detailed address(es) of client(s), scope of work and work order(s) along with completion certificate(s)/payment certificate(s) issued by the client(s) or any other document(s) which supports the 03 (Three) years experience in drilling of Directional Wells ending on 31/03/2016. The same should also be submitted as per **Annexure-CC.**
- (b) Documentary evidence(s) in the form of work order(s) and end of well report(s)/well completion report(s) along with completion certificate(s)/payment certificate(s) issued by the client(s) or any other document(s) in support of the successful completion of the 2 (two) nos. of High-Displacement Directional Wells shall have to be submitted in support of the Technical experience criteria (A.1.0). The same should also be submitted as per **Annexure-DD**.

NOTE: Oil India Limited (OIL) reserves the right to contact the Client(s) referred by the Bidder for authentication of the documents submitted by the bidder. OIL shall contact the clients/operators under intimation/copy to the respective bidder. OIL will not be responsible for Client(s) not conforming or not replying to OIL's request for information. If OIL does not get an affirmative response within the stipulated time then such Bidder's technical bid will be considered as non responsive. It will be the responsibility of the Bidder to take up the matter with his Client(s) and arrange for the confirmation as desired by OIL.

5.0 A job executed by a bidder for its own organization / subsidiary will not be considered as experience for the purpose of meeting BEC.

6.0 Bids from 100% subsidiary:

Bids of those bidders, who themselves do not meet the experience criteria as stipulated in the tender, can also be considered provided the bidder is a 100% subsidiary company of the parent company which itself meets the experience criteria. In such case, as the subsidiary company is dependent upon the experience of the parent company with a view to ensure commitment and involvement of the parent company for successful execution of the contract, the participating bidder should enclose an agreement (as per format enclosed) between the parent company

and the subsidiary company and Corporate Guarantee (as per format enclosed) from the parent company to OIL for fulfilling the obligation under the contract, alongwith the technical bid.

B. FINANCIAL EVALUATION CRITERIA:

- 1.0 The bidder shall have an annual financial turnover of minimum Rs. 24 Crores (US\$ 3.53 Million) during any of the preceding 03(three) financial years reckoned from the original bid closing date.
- 2.0 "**Net Worth**" of the bidder should be positive for the preceding financial/accounting year.
- 3.0 Documentary evidence in the form of Audited Balance Sheet and Profit & Loss Account for the preceding 03(three) financial/accounting years should be submitted along with the technical bid.
- 3.1 In case the Audited Balance sheet and Profit Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA Certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.
- **C. COMMERCIAL EVALUATION CRITERIA:** The following vital commercial criteria should be strictly complied with failing which the bid will be rejected:
- 1.0 Bids shall be submitted under single stage two-bid system i.e. Technical Bid and Priced Bid separately. Bids shall be rejected outright if the prices are indicated in the technical bids or if not conforming to this two bid system.
- 2.0 Bidder shall offer firm prices. Price quoted by the successful bidder must remain firm during the execution of the contract and not subject to variation on any account.
- 3.0 Bids with shorter validity will be rejected as being non-responsive.
- 4.0 Bid Security in Original shall be furnished as a part of the Technical Bid and shall reach OIL's office at Duliajan before opening of bids. A scanned copy of the bid security shall however be uploaded in OIL's E-Procurement portal along with the Technical Bid. The amount of Bid Security shall be as specified in the Forwarding Letter of the Bid Document. Bid without proper & valid Bid Security will be rejected.
- 5.0 The Integrity Pact must be uploaded in OIL's E-Procurement portal along with the Technical Bid duly signed by the same signatory who signed the Bid i.e. who is duly authorized to sign the Bid. Bids without the Integrity Pact digitally signed by the bidder shall be rejected straightway.
- 6.0 Physical Bids received from the bidders shall be rejected.

- 7.0 Bids submitted after the Bid Closing Date and Time will be rejected.
- 8.0 Any Bid received in the form of Telex/Cable/Fax/e-mail will not be accepted.
- 9.0 The bid documents are not transferable. Bids made by bidders who have not been issued the Bid documents from the Company will be rejected.
- 10.0 Bids shall be typed or written in indelible ink and shall be digitally signed by the bidder or his authorized representative.
- 11.0 Bids shall contain no interlineations, erasures or over writing except as necessary to correct errors made by bidders, in which case such corrections shall be initialed by the person(s) signing the Bid.
- 12.0 Bidders shall bear, within the quoted rates, the personal tax as applicable in respect of their personnel and Sub-Contractor's personnel, arising out of execution of the contract.
- 13.0 Bidders shall bear, within the quoted rate, the corporate tax as applicable on the income from the contract.
- 14.0 Any Bid containing false statement will be rejected.
- 15.0 Bidders must quote clearly and strictly in accordance with the price schedule outlined in "Price Bid Format" of Bid Document; otherwise the Bid will be summarily rejected.
- 16.0 Bidders quote shall directly through and not their Agent/ Representative/Retainer/Associate in India. Bids submitted by Indian Agent/ Representative/Retainer/Associate on behalf of their foreign principals will not be considered and will be rejected straightway. Indian Agent/Representative/Retainer/Associate cannot represent more than one foreign principal.
- 17.0 Bidder must accept and comply with the following clauses as given in the Bid Document in toto failing which bid will be rejected
 - i) Performance Guarantee Clause
 - ii) Force Majeure Clause
 - iii) Tax Liabilities Clause
 - iv) Arbitration Clause
 - v) Acceptance of Jurisdiction and Applicable Law
 - vi) Liquidated damage and penalty clause
 - vii)Safety & Labor Law
 - viii)Termination Clause
 - ix) Integrity Pact

D. PRICE EVALUATION CRITERIA:

The bids conforming to the technical specifications, terms and conditions stipulated in the bidding document and considered to be responsive after subjecting to Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria given below:

- 1.0 If there is any discrepancy between the unit price and the total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.
- 2.0 For conversion of foreign currency into Indian currency for evaluation of Bids, B.C. selling (Market) rate declared by State Bank of India, one day prior to the date of priced bid opening shall be considered. However, if the time lag between the opening of the bids and final decision exceeds 3(three) months, then B.C. Selling(Market) rate of exchange declared by SBI on the date prior to the date of final decision shall be adopted for conversion and evaluation.
- 3.0 The bidders must quote their charges/ rates in the manner as called for vide "Schedule of Rates" under Section-IV and the summarized "Price Bid Format".
- 4.0 The quantities shown against each item in the "Price Bid Format" shall be considered for the purpose of Price Bid Evaluation. It is, however, to be clearly understood that the assumptions made in respect of the number of days/parameters for various operations are only for the purpose of evaluation of the bid and the Contractor will be paid on the basis of the actual number of days/parameter, as the case may be.
- 5.0 Bidders to note the following:
 - Mobilization charges for each section shall not exceed 1% of the total quoted cost for each respective section in the Price Bid format for a period of 1(one) year. However, Mobilization charges if quoted in excess of 1% of the estimated contract cost, the excess amount shall be paid at the end of the contract.
 - ii) De- Mobilization charges for each section should not be less than 1% of the total quoted cost for each respective section in the Price Bid format for a period of 1(one) year. If De-mobilization is quoted in deficit or less than 1% of the estimated contract cost, the deficit amount shall be withheld from the first invoice and the same will be paid at the end of the contract alongwith Demobilization charges.
 - iii) Interim Mobilization charges of each section should not exceed 0.5 % of total quoted cost for each respective section in the Price Bid format.
 - iv) Interim De-mobilization charges of each section should not exceed 0.5 % of total quoted cost for each respective section in the Price Bid format.
 - v) Standby charges of each section should not exceed 50% of total quoted Operating cost for each respective section in the Price Bid format.

6.0 To ascertain the inter-se-ranking, the comparison of the responsive bids will be made subject to loading for any deviation. Commercial Bids shall be evaluated taking into account the rates quoted in the PRICE BID FORMAT as per **Proforma** - **B**.

Total Estimated Contract Cost for 1(one) year including all Taxes & Duties except Service Tax and Customs Duty which shall be extra to OIL's account,

[V] = G + N + U

Where,

V = Total contract cost for 1(one) year

G = Total cost of Tools, Equipment and Personnel for 17.1/2" hole section-1(one) Set

N = Total cost of Tools, Equipment and Personnel for 12.1/4" hole section- 2(two) Sets

U = Total cost of Tools, Equipment and Personnel for 8.1/2" hole section- 2(two) Sets

- (i)The items mentioned in above clause are to be read in conjunction with Schedule of Rates in Section IV.
- (ii) The quantities mentioned against each item in Schedule of Rate / price Bid Format are for evaluation purposes only, **payment will be made at actual consumption**.

E. GENERAL:

- 1.0 In case bidder takes exception to any clause of bid document not covered under BEC, then the Company has the discretion to load or reject the offer on account of such exception if the bidder does not withdraw/modify the deviation when/as advised by company. The loading so done by the Company will be final and binding on the bidders.
- 2.0 To ascertain the substantial responsiveness of the Bid the Company reserves the right to ask the bidder for clarification in respect of clauses covered under BEC also and such clarifications fulfilling the BEC clauses in toto must be received on or before the deadline given by the Company, failing which the offer will be summarily rejected.
- 3.0 If any of the clauses in the BEC contradict with other clauses of the Bid Document elsewhere, then the clauses in the BEC shall prevail.
- 4.0 CUSTOMS DUTY: The Tools and the Services under this Contract shall be carried out in ML/PEL areas of the Company which have been issued or renewed to Company after 01/04/99 and therefore, Customs Duty on the imports under this Contract presently shall be Nil. Bidders should take note of the same while quoting. No customs duty is therefore considered for evaluation.

END OF BEC

IFB No. CDG0778P17 Page 27 of 122

Part-3 SECTION-I GENERAL CONDITIONS OF CONTRACT

1.0 **DEFINITIONS**:

- 1.1 In the contract, the following terms shall be interpreted as indicated:
- (a) "The Contract" means agreement entered into between Company and Contractor, as recorded in the contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein:
- (b) "The Contract Price" means the price payable to Contractor under the contract for the full and proper performance of its contractual obligations;
- (c) "The Work" means each and every activity required for the successful performance of the services described in Section II, the Terms of Reference.
- (d) "Company" or "OIL" means Oil India Limited;
- (e) "Contractor" means the Contractor performing the work under this Contract.
- (f) "Contractor's Personnel" means the personnel to be provided by the Contractor to provide services as per the contract.
- (g) "Company's Personnel" means the personnel to be provided by OIL or OIL's Contractor (other than the Contractor executing the Contract). The Company representatives of OIL are also included in the Company's personnel.
- (h) "Gross Negligence" means any act or failure to act (whether sole, joint or concurrent) by a person or entity which was intended to cause, or which was in reckless disregard of or wanton indifference to, avoidable and harmful consequences such person or entity knew, or should have known, would result from such act or failure to act. Notwithstanding the foregoing, Gross negligence shall not include any action taken in good faith for the safeguard of life or property.
- (i) "Willful Misconduct" means intentional disregard of good and prudent standards of performance or proper conduct under the Contract with knowledge that it is likely to result in any injury to any person or persons or loss or damage of property.
 - 2.0 <u>EFFECTIVE DATE, MOBILISATION TIME/DE-MOBILIZATION TIME,</u>
 <u>DATE OF COMMENCEMENT OF THE CONTRACT AND DURATION OF</u>
 CONTRACT:
 - 2.1 **EFFECTIVE DATE OF CONTRACT**: The contract shall become effective as of the date Company notifies the Contractor in writing that it has been awarded the contract. This date of issuance of Letter of Award(LOA) by the Company will be the Effective Date of Contract.
- 2.2 **MOBILISATION/De- MOBILISATION TIME OF THE CONTRACT:** The mobilization schedule for the contract will be as under:
- i) Mobilization of Tools, Equipment and Personnel against 1(one) set of 17.1/2" section, 2(two) sets of 12.1/4" hole section and 2(two) sets of 8.1/2" hole sections will be done in a phased manner as per the requirement of OIL.

However, if required the contractor may be asked to mobilize all the 05 sets at the same time during the initial mobilization itself as noted below. Mobilization shall be deemed to be completed when Contractor's Tools, Equipment and Personnel are placed at the nominated location(s) in readiness to commence Work as envisaged under the Contract and duly certified by the Company's representative.

- ii) Initial mobilization: Tools, Equipment and Personnel as per the scope of work against the hole section(s) and number of set(s) as indicated by OIL shall have to be mobilized by the Contractor within 45 (forty five) days from the date of issuance of 1st issuance of mobilization notice against a particular Set(s).
- iii) Interim de-mobilization: Tools, Equipment and Personnel as per the scope of work against the hole section(s) and number of set(s) as indicated by OIL shall have to be de-mobilized on interim basis by the Contractor with immediate effect from the date of issuance of interim de-mobilization letter.
- iv) Interim re-mobilization: Tools, Equipment and Personnel as per the scope of work against the hole section(s) and number of set(s) as indicated by OIL shall have to be re-mobilized on interim basis by the Contractor within 7 (seven) days from the date of issuance of interim re-mobilization letter.
- v) Final de-mobilization: Tools, Equipment and Personnel as per the scope of work against the hole section(s) and number of set(s) as indicated by OIL shall have to be de-mobilized by the Contractor within 21(Twenty) days from the date of issuance of final de-mobilization letter for each sets. However, no charges will be payable from the date of issue of the final de-mobilization notice.
- 2.3 **DATE OF COMMENCEMENT OF CONTRACT**: The date on which the mobilization is completed in all respects for 1st mobilization of any set(s) of any hole size as certified by the Company's representative will be treated as date of Commencement of Contract.
 - i) Once the Contractor's Equipments are ready to commence services and have reached the Company's base or the Contractor's base nearest to the Site, Contractor shall issue a Notice of Readiness for Inspection to the Company.
 - ii) Company shall inspect the Contractor's Equipment within 7 (seven) working days' of receipt of the Contractor's Notice of Readiness for Inspection, and confirm completion of mobilization. Company Representatives inspecting the Contractor's Equipment shall notify the Contractor of any deficiency in the set of equipments, and only on removal of such deficiency, mobilization shall be complete.
- 2.4 **DURATION OF CONTRACT**: The contract shall be valid for a period of 01(One) year from the Date of Commencement of the Contract with an option to extend the contract period for another 1(one) year at the discretion of Company at the same rates, terms and conditions. OIL keeps its options

open for negotiation of rates depending upon market scenario. The terms and conditions shall continue until the completion/abandonment of the last well being drilled where the individual tools/sets are being deployed nearer the time of the expiry of the Contract.

- 3.0 **GENERAL OBLIGATIONS OF CONTRACTOR**: Contractor shall, in accordance with and subject to the terms and conditions of this Contract:
- 3.1 Perform the work described in the Terms of Reference (Section-II) in most economic and cost effective way.
- 3.2 Except as otherwise provided in the Terms of Reference and the special Conditions of the contract, provide all labour as required to perform the work.
- 3.3 Perform all other obligations, work and services which are required by the terms of this contract or which reasonably can be implied from such terms as being necessary for the successful and timely completion of the work.
- 3.4 Contractor shall be deemed to have satisfied himself before submitting their bid as to the correctness and sufficiency of its bid for the services required and of the rates and prices quoted, which rates and prices shall, except insofar as otherwise provided, cover all its obligations under the contract.
- 3.5 Contractor shall give or provide all necessary supervision during the performance of the services and as long thereafter within the warranty period as Company may consider necessary for the proper fulfilling of contractor's obligations under the contract.
- 4.0 **GENERAL OBLIGATIONS OF THE COMPANY:** Company shall, in accordance with and subject to the terms and conditions of this contract:
- 4.1 Pay Contractor in accordance with terms and conditions of the contract. The period of time for which each rate shall be applicable shall be computed from and to the nearest an hour. The rates contained in the Contract shall be based on Contractor's operation being conducted on a seven (7) days week and a twenty-four (24) hours work day. Under the Contract, Contractor will be entitled to the applicable rate defined in Section IV. These rates are payable when the required condition has existed for a full 24 hours period. If the required condition existed for less than 24 hours then payments shall be made on pro-rata basis.
- 4.2 Allow Contractor access, subject to normal security and safety procedures, to all areas as required for orderly performance of the work.
- 4.3 Perform all other obligations required of Company by the terms of this contract.

5.0 PERSONNEL TO BE DEPLOYED BY CONTRACTOR

- 5.1 Contractor warrants that it shall provide competent, qualified and sufficiently experienced personnel to perform the work correctly and efficiently.
- 5.2 The Contractor should ensure that their personnel observe applicable company and statutory safety requirement. Upon Company's written request, contractor, entirely at its own expense, shall remove immediately any personnel of the Contractor determined by the Company to be unsuitable and shall promptly replace such personnel with personnel acceptable to the Company. Replacement personnel should be mobilized within 15 days from the date of issuance of notice without affecting the operation of the company.
- 5.3 The Contractor shall be solely responsible throughout the period of the contract for providing all requirements of their personnel including but not limited to, their transportation to & fro from Duliajan/ field site, enroute/ local boarding, lodging & medical attention etc. Company shall have no responsibility or liability in this regard. However, Company shall provide available medical assistance/facilities to Contractor's Personnel in case of emergency at its own establishment on chargeable basis.
- 5.4 Contractor's key personnel shall be fluent in English language (both writing and speaking).

6.0 WARRANTY AND REMEDY OF DEFECTS

- 6.1 Contractor warrants that they shall perform the work in a first class, workmanlike, and professional manner and in accordance with the highest degree of quality, efficiency and current state of the art technology/oil field practices and in conformity with all specifications, standards and drawings set forth or referred to in the Terms of Reference and with instructions and guidance which Company may, from time to time, furnish to the Contractor.
- 6.2 Should Company discover at any time during the tenure of the Contract or till completion of demobilization of tools and personnel after issuance of demobilization notice/expiry of that the Work contract not conform to the foregoing warranty, Contractor shall after receipt Company, promptly perform any and all corrective work required to make the services conform to the Warranty. Such corrective Work shall be performed entirely at Contractor's own expenses. If such corrective Work is not performed within a reasonable time, the Company, at its option may have such remedial Work performed by others and charge the cost thereof to Contractor which the Contractor must pay promptly. In case Contractor fails to perform remedial work, or pay promptly in respect thereof, the performance security shall be forfeited.

7.0 CONFIDENTIALITY, USE OF CONTRACT DOCUMENTS AND INFORMATION:

7.1 Contractor shall not, without Company's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing pattern,

sample or information furnished by or on behalf of Company in connection therewith, to any person other than a person employed by Contractor in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far, as may be necessary for purposes of such performance with prior permission from Company. However, nothing hereinabove contained shall deprive the Contractor of the right to use or disclose any information:

- (a) which is possessed by the Contractor, as evidenced by the Contractor's written records, before receipt thereof from the Company which however the Contractor shall immediately inform to Company; or
- (b) which is required to be disclosed by the Contractor pursuant to an order of a court of competent jurisdiction or other governmental agency having the power to order such disclosure, provided the Contractor uses its best efforts to provide timely notice to Company of such order to permit Company an opportunity to contest such order subject to prior permission from Company.
- 7.2 Contractor shall not, without Company's prior written consent, make use of any document or information except for purposes of performing the contract.
- 7.3 Any document supplied to the Contractor in relation to the contract other than the Contract itself remain the property of Company and shall be returned (in all copies) to Company on completion of Contractor's performance under the Contract if so required by Company.
- 7.4 During this Contract, Company and its employees, agents, other contractors, sub-contractors (of any tier) and their employees etc may be exposed to certain Confidential information and data of the Contractor. Such information and data shall held by the Company, its employees, agents, other contractors, sub-contractors (of any tier) and their employees in the strictest Confidence and shall not be disclosed to any other party except on a need to know basis.
- 7.5 However, the above obligation shall not extend to information which:
 - i) is, at the time of disclosure, known to the public which Contractor shall immediately inform Company;
 - ii) is lawfully becomes at a later date known to the public through no fault of Contractor subject to Contractor's undertaking that no information has been divulged by them to the public;
 - iii) is lawfully possessed by Contractor before receipt thereof from Company which should be immediately informed to Company;
 - iv) is developed by Contractor independently of the information disclosed by Company which should be shared with the Company;
 - v) Contractor is required to produce before competent authorities or by court order subject to prior permission from Company;

8.0 **TAXES**:

- 8.1 Tax levied on Contractor as per the provisions of Indian Income Tax Act and any other enactment/rules on income derived/payments received under the contract will be on Contractor's account.
- 8.2 Contractor shall be responsible for payment of personal taxes, if any, for all the personnel deployed in India by Contractor.
- 8.3 The Contractor shall furnish to the Company, if and when called upon to do so, relevant statement of accounts or any other information pertaining to work done under the contract for submitting the same to the Tax authorities, on specific request from them in accordance with provisions under the law. Contractor shall be responsible for preparing and filing the return of income etc. within the prescribed time limit to the appropriate authority.
- 8.4 Prior to start of operations under the contract, the Contractor shall furnish the Company with the necessary documents, as asked for by the Company and/ or any other information pertaining to the contract, which may be required to be submitted to the Income Tax authorities at the time of obtaining "No Objection Certificate" for releasing payments to the Contractor.
- 8.5 Corporate income tax will be deducted at source from the invoice at the specified rate of income tax as per the provisions of Indian Income Tax Act as may be in force from time to time and Company will issue TDS Certificate to the Contractor as per the provisions of Income Tax Act.
- 8.6 Corporate and personnel taxes on Contractor shall be the liability of the Contractor and the Company shall not assume any responsibility on this account.
- 8.7 All local taxes, levies and duties, sales tax, octroi, etc. on purchases and sales made by Contractor (except customs duty) shall be borne by the Contractor.
- 8.8 <u>Service Tax</u>: The price excludes Services Tax and the service tax as applicable shall be to the Company account. The Service tax amount on the taxable part of the services provided by the Contractor shall be paid by the Company as per provisions of the Service Tax Act.

9.0 **INSURANCE**:

- 9.1 The Contractor shall arrange insurance to cover all risks in respect of their personnel, materials and equipment belonging to the Contractor or its subcontractor during the currency of the contract including the third party items/consumables. For materials/equipment belong to the Contractor or its sub-contractor, Contractor may self-insure the same.
- 9.2 Contractor shall at all time during the currency of the contract provide, pay for and maintain the following insurance amongst others:

- a) Workmen compensation insurance as required by the laws of the country of origin of the employee.
- b) Employer's Liability Insurance as required by law in the country of origin of employee.
- c) General Public Liability Insurance or Comprehensive General Liability insurance covering liabilities including contractual liability for bodily injury, including death of persons, and liabilities for damage of property. This insurance must cover all operations of Contractor required to fulfil the provisions under this contract.
- d) Contractor's equipment used for execution of the work hereunder shall have an insurance cover with a suitable limit (as per international standards).
- e) Automobile Public Liability Insurance covering owned, non-owned and hired automobiles used in the performance of the work hereunder, with bodily injury limits and property damage limits as governed by Indian Insurance regulations.
- f) Public Liability Insurance as required under Public Liability Insurance Act 1991.
- 9.3 Any deductible set forth in any of the above insurance shall be borne by Contractor.
- 9.4 Contractor shall furnish to Company prior to commencement date, certificates of all its insurance policies covering the risks mentioned above.
- 9.5 If any of the above policies expire or are cancelled during the term of this contract and Contractor fails for any reason to renew such policies, then the Company will renew/replace same and charge the cost thereof to Contractor. Should there be a lapse in any insurance required to be carried out by the Contractor for any reason whatsoever, loss/damage claims resulting there from shall be to the sole account of Contractor.
- 9.6 Contractor shall require all of his sub-Contractor to provide such of the foregoing insurance coverage as Contractor is obliged to provide under this Contract and inform the Company about the coverage prior to the commencement of agreements with its sub-Contractors.
- 9.7 All insurance taken out by Contractor or their sub-contractor shall be endorsed to provide that the underwriters waive their rights of recourse on the Company and to the extent of the liabilities assumed by Contractor under this Contract.
- 9.8 Contractor shall obtain additional insurance or revise the limits of existing insurance as per Company's request in which case additional cost shall be to Contractor's account.

10.0 **CHANGES**:

- 10.1 During the performance of the work, Company may make minor change to take care of any supplementary work within the general scope of this Contract including, but not limited to, changes in methodology, and minor additions to or deletions from the work to be performed. Contractor shall perform the work as changed. Changes of this nature will be affected by written order by the Company.
- 10.2 If any change result in an increase in compensation due to Contractor or in a credit due to Company, Contractor shall submit to Company an estimate of the amount of such compensation or credit in a form prescribed by Company. Such estimates shall be based on the rates shown in the Schedule of Rates (Section IV). Upon review of Contractor's estimate, Contractor shall establish and set forth in the Change Order the amount of the compensation or credit for the change or a basis for determining a reasonable compensation or credit for the change. If Contractor disagrees with compensation or credit set forth in the Change Order, Contractor shall nevertheless perform the work as changed, and the parties will resolve the dispute in accordance with Clause 13 hereunder. Contractor's performance of the work as changed will not prejudice Contractor's request for additional compensation for work performed under the Change Order.

11.0 **FORCE MAJEURE**:

- 11.1 In the event of either party being rendered unable by `Force Majeure' to perform any obligation required to be performed by them under the contract, the relative obligation of the party affected by such `Force Majeure' will stand suspended as provided herein. The word `Force Majeure' as employed herein shall mean acts of God, war, revolt, agitation, strikes, riot, fire, flood, sabotage, civil commotion, road barricade (but not due to interference of employment problem of the Contractor) and any other cause, whether of kind herein enumerated or otherwise which are not within the control of the party to the contract and which renders performance of the contract by the said party impossible.
- 11.2 Upon occurrence of such cause and upon its termination, the party alleging that it has been rendered unable as aforesaid thereby, shall notify the other party in writing within 72(Seventy Hours) hours of the alleged beginning and ending thereof, giving full particulars and satisfactory evidence in support of its claim.
- 11.3 Should `force majeure' condition as stated above occurs and should the same be notified within 72 (seventy two) hours after its occurrence the `force majeure' rate shall apply for the first 10(ten) days. Either party will have the right to terminate the Contract if such `force majeure' conditions continue beyond 10 (ten) days with prior written notice. Should either party decide not to terminate the Contract even under such condition, no payment would apply after expiry of ten-(10) days force majeure period unless otherwise agreed to.

- 11.4 Force majeure' rate shall apply only on Standby charges of the tools, even if tools are BRT (Below Rotary Table).
- 12.0 **TERMINATION**:
- 12.1 **TERMINATION ON EXPIRY OF THE TERMS (DURATION**): This contract shall be deemed to have been automatically terminated on the expiry of duration of the contract, thereof.
- 12.2 **TERMINATION ON ACCOUNT OF FORCE MAJEURE**: Either party shall have the right to terminate this Contract on account of Force Majeure as set forth in Article 11.0 above.
- 12.3 **TERMINATION ON ACCOUNT OF INSOLVENCY**: In the event that the Contractor or its collaborator at any time during the term of the Contract, becomes insolvent or makes a voluntary assignment of its assets for the benefit of creditors or is adjudged bankrupt, then the Company shall, by a notice in writing have the right to terminate the Contract and all the Contractor's rights and privileges hereunder, shall stand terminated forthwith.
- 12.4 **TERMINATION FOR UNSATISFACTORY PERFORMANCE**: If the Company considers that, the performance of the Contractor is unsatisfactory, or not upto the expected standard, the Company shall notify the Contractor in writing and specify in details the cause of the dissatisfaction. The Company shall have the option to terminate the Contract by giving 15 days notice in writing to the Contractor, if Contractor fails to comply with the requisitions contained in the said written notice issued by the Company.
- 12.5 **TERMINATION DUE TO CHANGE OF OWNERSHIP & ASSIGNMENT**: In case the Contractor's rights and /or obligations under this Contract and/or the Contractor's rights, title and interest to the equipment/ material, are transferred or assigned without the Company's consent, the Company may at its absolute discretion, terminate this Contract.
- 12.6 If at any time during the term of this Contract, breakdown of Contractor's equipment results in Contractors being unable to perform their obligations hereunder for a period of 15 successive days, Company at its option, may terminate this Contract in its entirely without any further right or obligation on the part of the Company, except for the payment of money then due. No notice shall be served by the Company under the condition stated above.
- 12.7 Notwithstanding any provisions herein to the contrary, the Contract may be terminated at any time by the company on giving 15 (fifteen) days written notice to the Contractor due to any other reason not covered under the above clause from 12.1 to 12.6 and in the event of such termination the Company shall not be liable to pay any cost or damage to the Contractor except for payment of services as per the Contract upto the date of termination.
- 12.8 **CONSEQUENCES OF TERMINATION**: In all cases of termination herein set forth, the relative obligations of the parties to the Contract shall be limited to the period up to the date of termination. Notwithstanding the termination of

this Contract, the parties shall continue to be bound by the provisions of this Contract that reasonably require some action or forbearance after such termination.

- 12.9 Upon termination of this Contract, Contractor shall return to Company all of Company's items, which are at the time in Contractor's possession.
- 12.10 In the event of termination of contract, Company will issue Notice of termination of the contract with date or event after which the contract will be terminated. The contract shall then stand terminated and the Contractor shall demobilize their personnel & materials.

13.0 **SETTLEMENT OF DISPUTES AND ARBITRATION**:

13.1 Arbitration(Applicable for Suppliers/Contractors other than PSU):

Except as otherwise provided elsewhere in the contract, if any dispute, difference, question or disagreement arises between the parties hereto or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the contract or breach thereof which parties are unable to settle mutually, the same shall be referred to Arbitration as provided hereunder:

- 1. A party wishing to commence arbitration proceeding shall invoke Arbitration Clause by giving 30 days notice to the other party. The notice invoking arbitration shall specify all the points of dispute with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter. If the claim is in foreign currency, the claimant shall indicate its value in Indian Rupee for the purpose of constitution of the arbitral tribunal.
- 2. The number of arbitrators and the appointing authority will be as under:

Claim amount (excluding claim for interest and counter claim, if any)	Number of Arbitrator	Appointing Authority
Upto Rs. 5 Crore	Sole Arbitrator	OIL
Above Rs. 5 Crore	3 Arbitrators	One Arbitrator by each party and the 3 rd Arbitrator, who shall be the presiding Arbitrator, by the two Arbitrators.

3. The parties agree that they shall appoint only those persons as arbitrators who accept the conditions of the arbitration clause. No person shall be appointed as Arbitrator or Presiding Arbitrator who does not accept the conditions of the arbitration clause.

- 4. Parties agree that there will be no objection if the Arbitrator appointed holds equity shares of OIL and/or is a retired officer of OIL/any PSU. However, neither party shall appoint its serving employees as arbitrator.
- 5. If any of the Arbitrators so appointed dies, resigns, becomes incapacitated or withdraws for any reason from the proceedings, it shall be lawful for the concerned party/arbitrators to appoint another person in his place in the same manner as aforesaid. Such person shall proceed with the reference from the stage where his predecessor had left if both parties consent for the same; otherwise, he shall proceed de novo.
- 6. Parties agree that neither shall be entitled for any pre-reference or pendente-lite interest on its claims. Parties agree that any claim for such interest made by any party shall be void.

7. The arbitral tribunal shall make and publish the award within time stipulated as under:

	Period for making and publishing of the award(counted from the date of first meeting of the Arbitrators)			
Upto Rs. 5 Crore Above Rs. 5 Crore	Within 8 months Within 12 months			

The above time limit can be extended by Arbitrator, for reasons to be recorded in writing, with the consent of the other parties.

- 8. If after commencement of the arbitration proceedings, the parties agree to settle the dispute mutually or refer the dispute to conciliation, the arbitrators shall put the proceedings in abeyance until such period as requested by the parties.
- 9. Each party shall be responsible to make arrangements for the travel and stay etc. of the arbitrator pointed by it. Claimant shall also be responsible for making arrangements for travel/stay arrangements of the Presiding Arbitrator and the expenses incurred shall be shared equally by the parties.

In case of sole arbitrator, OIL shall make all necessary arrangements for his travel, stay and the expenses incurred shall be shared equally by the parties.

- 10. The Arbitration shall be held at the place from where the contract has been awarded. However, parties to the contract can agree for a different place for the convenience of all concerned.
- 11. The Arbitrator(s) shall give reasoned and speaking award and it shall be final and binding on the parties.

12. Subject to aforesaid, provisions of the Arbitration and Conciliation Act, 1996 and any statutory modifications or re-enactment thereof shall apply to the arbitration proceedings under this clause.

13.2 Arbitration (applicable in case of Contract awarded on Public Sector Enterprise):

In the event of any dispute or difference relating to, arising from or connected with the Contract, such dispute or difference shall be referred by either party to the arbitration of one of the Arbitrators in the Department of Public Enterprises, to be nominated by the Secretary to the Government of India, In-Charge of the Bureau of Public Enterprises. The Arbitration and Conciliation Act 1996 shall not be applicable to the Arbitration under this clause. The award of the Arbitrator shall be binding upon the parties to the dispute, provided however, any party aggrieved by such award may make a further reference for setting aside or revision of the award to the Law Secretary, Deptt. of Legal Affairs, Ministry of Law and Justice, Government of India. Upon such reference, the dispute shall be decided by the Law Secretary or the Special Secretary/Additional Secretary, whose decision shall bind the parties finally and conclusively. The parties in the dispute will share equally the cost of the arbitration as intimated by the Arbitrator.

The venue of all arbitrations under both 13.1 & 13.2 will be Duliajan, Assam. The award made in pursuance thereof shall be binding on the parties.

14.0 **NOTICES**:

14.1 Any notice given by one party to other, pursuant to this Contract shall be sent in writing or by telex or Fax and confirmed in writing to the applicable address specified below:

Company

a) For contractual matters

DGM (Contracts)
OIL INDIA LIMITED
PO DULIAJAN - 786602
ASSAM, INDIA
Fax No. 91-374-2803549
Email: contracts@oilindia.in

b) For technical matters

General Manager [DS)
OIL INDIA LIMITED
PO Duliajan - 786602,
Assam, India
Fax No. 91-374-2804254
Email: drilling@oilindia.in

c) Contractor

Fax No.:

14.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

15.0 **SUBCONTRACTING/ASSIGNMENT**:

15.1 Contractor shall not subcontract, transfer or assign the contract, in full or any part under this contract, to any third party (ies). Except for the main services under this contract, Contractor may sub-contract the petty support services

subject to Company's prior approval. However, Contractor shall be fully responsible for complete execution and performance of the services under the Contract.

16.0 MISCELLANEOUS PROVISIONS:

- 16.1 Contractor shall give notices and pay all fees at their own cost required to be given or paid by any National or State Statute, Ordinance, or other Law or any regulation, or bye-law of any local or other duly constituted authority as may be in force from time to time in India, in relation to the performance of the services and by the rules & regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the services.
- 16.2 Contractor shall conform in all respects with the provisions of any Statute, Ordinance of Law as aforesaid and the regulations or bye-law of any local or other duly constituted authority which may be applicable to the services and with such rules and regulation public bodies and Companies as aforesaid and shall keep Company indemnified against all penalties and liability of every kind for breach of any such Statute, Ordinance or Law, regulation or bye-law.
- 16.3 During the tenure of the Contract, Contractor shall keep the site where the services are being performed reasonably free from all unnecessary obstruction and shall store or dispose of any equipment and surplus materials and clear away and remove from the site any wreckage, rubbish or temporary works no longer required. On the completion of the services, Contractor shall clear away and remove from the site any surplus materials, rubbish or temporary works of every kind and leave the whole of the site clean and in workmanlike condition to the satisfaction of the Company.
- 16.4 Key personnel cannot be changed during the tenure of the Contract except due to sickness/death/resignation of the personnel in which case the replaced person should have equal experience and qualification, which will be again subject to approval, by the Company.

17.0 LIQUIDATED DAMAGES FOR DEFAULT IN TIMELY MOBILISATION:

17.1 Time is the essence of this Contract. In the event of the Contractor's default in timely mobilization for commencement of operations within the stipulated period, the Contractor shall be liable to pay liquidated damages @ 1/2% of contract value including mobilization cost, per week or part thereof of delay subject to maximum of 7.5%. Liquidated Damages will be reckoned from the expiry date of the scheduled mobilisation period as defined in Clause No. 2.2 of Section - I. The rates will be applicable as noted below:

Above LD will be applicable for each section separately

- LD for 17.1/2" tool on the Contract Value for the particular set
- LD for 12.1/4" Hole tools on the Contract Value for the particular set.
- LD for 8.1/2" Hole tools on the Contract Value for the particular set.

Note: For interim mobilization, LD will be applicable @ 1/2% of the Contract

value for the left over contract period (each set).

- 17.2 If the Contractor fails to mobilise within 15 weeks after the stipulated date, then the Company reserves the right to cancel the Contract without any compensation whatsoever.
- 17.3 The parties agree that the sum specified above is not a penalty but a genuine pre-estimate of the loss/damage which will be suffered by OIL on account of delay/breach on the part of the Contractor and the said amount will be payable without proof of actual loss or damage caused by such delay/breach and without any demur and shall not be open for any dispute whatsoever.

18.0	PERFORMA:	NCE SEC	URITY : The Contra	ctor has furnish	ned to C	Company a	Bank
	Guarantee	No.		dated		issued	by
			for	(being 10%	of 1	year estin	mated
	Contract Price	ce) with v	alidity of 3(three) n	nonths beyond t	he cont	ract period	d. The
	performance	security	shall be payable to	Company as co	mpensa	tion for an	y loss
	resulting from	n Contra	ctor's failure to fulf	ill their obligation	ons und	ler the Cor	ıtract.
	In the event	of exte	nsion of the Cont	ract period, th	e validi	ity of the	bank
	guarantee sh	nall be su	uitably extended by	y the Contracto	r. The	bank guai	antee
	will be discha	arged by	Company not later	than 30 days fo	llowing	its expiry.	

- 19.0 **ASSOCIATION OF COMPANY'S PERSONNEL**: Company's engineer/chemist will be associated with the work throughout the operations. The Contractor shall execute the work with professional competence and in an efficient and workman like manner and provide Company with a standard of work customarily provided by reputed IP Survey Contractors to major international oil companies in the petroleum industry.
- 20.0 **LABOUR**: The recruitment of the labour shall be met from the areas of operation and wages will be according to the rates prevalent at the time which can be obtained from the District Authorities of the area. The facilities to be given to the labourers should conform to the provisions of labour laws as per contract Labour (Regulation and Abolition) Act, 1970.

21.0 **LIABILITY**:

- 21.1 Except as otherwise expressly provided, neither Company nor its servants, agents, nominees, Contractors, or sub-contractors shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss of or damage to the property of the Contractor and/or their Contractors or sub-contractors, irrespective of how such loss or damage is caused and even if caused by the negligence of Company and/or its servants, agent, nominees, assignees, contractors and sub-Contractors. The Contractor shall protect, defend, indemnify and hold harmless Company from and against such loss or damage and any suit, claim or expense resulting there from.
- 21.2 Neither Company nor its servants, agents, nominees, assignees, Contractors, sub-contractors shall have any liability or responsibility whatsoever for injury to, illness, or death of any employee of the Contractor and/or of its Contractors

or sub-contractor irrespective of how such injury, illness or death is caused and even if caused by the negligence of Company and/or its servants, agents nominees, assignees, Contractors and sub-contractors. Contractor shall protect, defend, indemnify and hold harmless Company from and against such liabilities and any suit, claim or expense resulting there from.

- 21.3 The Contractor hereby agrees to waive its right of recourse and further agrees to cause its underwriters to waive their right of subrogation against Company and/or its underwriters, servants, agents, nominees, assignees, Contractors and sub-contractors for loss or damage to the equipment of the Contractor and/or its sub-contractors and/or their employees when such loss or damage or liabilities arises out of or in connection with the performance of the contract limited to the Contractor's liabilities agreed to under this Contract.
- 21.4 The Contractor hereby further agrees to waive its right of recourse and agrees to cause its underwriters to waive their right of subrogation against Company and/or its underwriters, servants, agents, nominees, assignees, Contractors and sub-contractors for injury to, illness or death of any employee of the Contractor and of its contractors, sub-contractors and/or their employees when such injury, illness or death arises out of or in connection with the performance of the contract limited to the Contractor's liabilities agreed to under this Contract.
- 21.5 Except as otherwise expressly provided, neither Contractor nor its servants, agents, nominees, Contractors or sub-contractors shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss or damage to the property of the Company and/or their Contractors or sub-contractors, irrespective of how such loss or damage is caused and even if caused by the negligence of Contractor and/or its servants, agents, nominees, assignees, Contractors and sub-contractors. The Company shall protect, defend, indemnify and hold harmless Contractor from and against such loss or damage and any suit, claim or expense resulting there from.
- 21.6 Neither Contractor nor its servants, agents, nominees, assignees, Contractors, sub-contractors shall have any liability or responsibility whatsoever to whomsoever for injury or illness, or death of any employee of the Company and/or of its Contractors or sub-contractors irrespective of how such injury, illness or death is caused and even if caused by the negligence of Contractor and/or its servants, agents, nominees, assignees, Contractors and sub-contractors. Company shall protect, defend indemnify and hold harmless Contractor from and against such liabilities and any suit, claim or expense resulting there from.
- 21.7 The Company agrees to waive its right of recourse and further agrees to cause its underwriters to waive their right of subrogation against Contractor and/or its underwriters, servants, agents, nominees, assignees, Contractors and subcontractors for loss or damage to the equipment of Company and/or its contractors or sub-contractors when such loss or damage or liabilities arises out of or in connection with the performance of the contract.

21.8 The Company hereby further agrees to waive its right of recourse and agrees to cause it underwriters to waive their right of subrogation against Contractor and/or its underwriters, servants, agents, nominees, assignees, Contractors and sub-contractors for injury to, illness or death of any employee of the Company and of its Contractors, sub-contractors and/or their employees when such injury, illness or death arises out of or in connection with the performance of the Contract.

22.0 **INDEMNITY AGREEMENT**:

- 22.1 Except as provided hereof Contractor agrees to protect, defend, indemnify and hold Company harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of Contractor's employees, agents, contractors and sub-contractors or their employees on account of bodily injury or death, or damage to personnel/properly as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.
- 22.2 Except as provided hereof Company agrees to protect, defend, indemnify and hold Contractor harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of Company's employees, agents, contractors and sub-contractors or their employees on account of bodily injury or death, or damage to personnel/properly as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.
- 23.0 **INDEMNITY APPLICATION**: The indemnities given herein above, whether given by Company or Contractor shall be without regard to fault or to the negligence of either party even though said loss, damage, liability, claim, demand, expense, cost or cause of action may be caused, occasioned by or contributed to by the negligence, either sole or concurrent of either party.
- 24.0 **SET-OFF**: Any sum of money due and payable to the Contractor (including Performance Security refundable to them) under this or any other Contract may be appropriated by OIL and set-off against any claim of OIL(or such other person or persons contracting through OIL) for payment of a sum of money arising out of this contract or under any other contract made by the Contractor with OIL(or such other person or persons contracting through OIL).
- 25.0 **<u>WITHHOLDING</u>**: Company may withhold or nullify the whole or any part of the amount due to Contractor, after informing the Contractor of the reasons in writing, on account of subsequently discovered evidence in order to protect Company from loss on account of:
 - a) For non-completion of jobs assigned as per Section-II.
 - b) Contractor's indebtedness arising out of execution of this Contract.
 - c) Defective work not remedied by Contractor.

- d) Claims by sub-Contractor of Contractor or others filed or on the basis of reasonable evidence indicating probable filing of such claims against Contractor.
- e) Failure of Contractor to pay or provide for the payment of salaries/ wages, contributions, unemployment compensation, taxes or enforced savings with-held from wages etc.
- f) Failure of Contractor to pay the cost of removal of unnecessary debris, materials, tools, or machinery.
- g) Damage to another Contractor of Company.
- h) All claims against Contractor for damages and injuries, and/or for non-payment of bills etc.
- i) Any failure by Contractor to fully reimburse Company under any of the indemnification provisions of this Contract. If, during the progress of the work Contractor shall allow any indebtedness to accrue for which Company, under any circumstances in the opinion of Company may be primarily or contingently liable or ultimately responsible and Contractor shall, within five days after demand is made by Company, fail to pay and discharge such indebtedness, then Company may during the period for which such indebtedness shall remain unpaid, with-hold from the amounts due to Contractor, a sum equal to the amount of such unpaid indebtedness.

Withholding will also be effected on account of the following:-

- i) Order issued by a Court of Law in India.
- ii) Income-tax deductible at source according to law prevalent from time to time in the country.
- iii) Any obligation of Contractor which by any law prevalent from time to time to be discharged by Company in the event of Contractor's failure to adhere to such laws.
- iv) Any payment due from Contractor in respect of unauthorised imports.

When all the above grounds for withholding payments shall be removed, payment shall thereafter be made for amounts so with-hold.

Notwithstanding the foregoing, the right of Company to withhold shall be limited to damages, claims and failure on the part of Contractor, which is directly/indirectly related to some negligent act or omission on the part of Contractor.

26.0 APPLICABLE LAW:

- 26.1 The Contract shall be deemed to be a Contract made under, governed by and construed in accordance with the laws of India for the time being in force and shall be subject to the exclusive jurisdiction of Courts situated in Dibrugarh/Guwahati.
- 26.2 The Contractor shall ensure full compliance of various Indian Laws and Statutory Regulations, to the extent applicable, as stated below, but not limited to, in force from time to time and obtain necessary permits/ licenses etc. from appropriate authorities for conducting operations under the Contract:

- a) The Mines Act 1952- as applicable to safety and employment conditions
- b) The Minimum Wages Act, 1948
- c) The Oil Mines Regulations, 1984
- d) The Workmen's Compensation Act, 1923
- e) The Payment of Wages Act, 1963
- f) The Payment of Bonus Act, 1965
- g) The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under
- h) The Employees Pension Scheme, 1995
- i) The Interstate Migrant Workmen Act., 1979 (Regulation of employment and conditions of service)
- j) The Employees Provident Fund and Miscellaneous Provisions Act, 1952
- k) The AGST Act, WB & Bihar Tax Act
- 1) Service Tax Act
- m) Customs & Excise Act & Rules
- n) Assam, West Bengal and Bihar Entry Tax Act
- Permit the Company and its authorised employees and representatives to inspect all the Work performed and to witness and check all the measurements and tests made in connection with the said work. The Contractor shall keep an authentic, accurate history and logs including safety records of each IP survey section with major items consumed, which shall be open at all reasonable times for inspection by the Company designated representatives and its authorised employees and representatives. The Contractor shall provide the Company designated representatives with a daily written report, on form prescribed by the Company showing details of operations during the preceding 24 hours and any other information related to the said IP survey requested by the Company whenever so requested. The Contractor shall not, without Company's written consent allow any third person(s) access to the said survey, or give out to any third person information in connection therewith.
- 28.0 **SUBSEQUENTLY ENACTED LAWS**: Subsequent to the date of bid closing, if there is a change in or enactment of any law or change in application or enforcement or interpretation of existing law by any governmental authority or public body, which results in addition/ reduction in cost to Contractor on account of the operation contemplated under the Contract, the Company/Contractor shall reimburse the Contractor/pay Company for such additional/reduced costs actually incurred/saved by Contractor, subject to the submission of documentary evidence by Contractor/Company.
- 29.0 **ROYALITY AND PATENTS**: Each party shall hold harmless and indemnify the other from and against all claim and proceedings for or on account of any patent rights, design, trade mark or other protected rights arising from any use of materials, equipment, processes, inventions and methods which have not been imposed on the attending party by the terms of the contract or the specifications or drawings forming part thereof.

- 30.0 **WAIVER**: Any delay in exercising and any omission to exercise any right, power or remedy exercisable by the Company under this contract shall not impair such right, power or remedy nor shall any waiver by the Company of any breach by the Contractor of any provision of this contract prevent the subsequent enforcement of that provision by the Company or be deemed a waiver by the Company of any subsequent breach by the Contractor.
- 31.0 **CONSEQUENTIAL DAMAGE**: Except as otherwise expressly provided, neither party shall be liable to the other for special, indirect or consequential damages resulting from or arising out of the contract, including but without limitation, to loss or profit or business interruptions, howsoever caused and regardless of whether such loss or damage was caused by the negligence (either sole or concurrent) of either party, its employees, agents or sub-contractors.

32.0 PAYMENTS, MANNER OF PAYMENT, RATES OF PAYMENT:

- 32.1 Company shall pay to the Contractor during the term of the Contract the amount due from time to time calculated according to the rates of payment set and in accordance with other provisions hereof. No. other payments shall be due from company unless specifically provided for in the Contract. Payment to the third party supplier(s) of the items/consumables shall be made after receipt of goods at site at Duliajan duly certified by authorized personnel of the Company. All payments will be made in accordance with the terms hereinafter described.
- 32.2 **MANNER OF PAYMENT:** All payments due by company to Contractor hereunder shall be made at Contractor's designated bank. Bank charges, if any will be on account of the Contractor.
- 32.3 Payment of any invoices shall not prejudice the right of company to question the validity of any charges therein, provided company within one year after the date of payment shall make and deliver to contractor written notice of objection to any item or items the validity of which Company questions.
- 32.4 **INVOICES:** Mobilization charges will be invoiced only upon completion of mobilization when the entire equipment, chemicals and personnel are ready at site for starting the job as certified by company representative. Payment of mobilization charges shall be made within 45 days following the date of receipt of undisputed invoices by Company.
- 32.5 Contractor shall send invoice to company on the day following the end of each month for all daily or monthly charges due to the contractor.
- 32.6 Contractor will submit 04 (Four) sets of all invoices duly super scribed `Original' and `copy' as applicable to the company for processing payment. Separate invoices for the charges payable under the contract shall be submitted by the Contractor for foreign currency and Indian currency.
- 32.7 Payment of monthly invoices, if undisputed, shall be made within 30 days

following the date of receipt of invoice by Company.

- 32.8 Company shall within 30 days of receipt of the invoice notify the contractor of any item under dispute, specifying the reasons thereof, in which event, payment of the disputed amount may be withheld until settlement of the dispute, but payment shall be made of any undisputed portion on or before the due date. This will not prejudice the company's right to question the validity of the payment at a later date as envisaged in Clause 25.6 above.
- 32.9 The acceptance by Contractor of part payment on any billing not paid on or before the due date shall not be deemed a waiver of Contractor's rights in any other billing, the payment of which may then or thereafter be due.
- 32.10 Payment of Final demobilization charges shall be made if applicable within 45 days on receipt of invoice by Company accompanied by the following documents from the Contractor:
 - a) Audited account up to completion of the Contract.
 - b) Tax audit report for the above period as required under the Indian Tax Laws.
 - c) Documentary evidence regarding the submission of returns and payment to taxes for the expatriate personnel engaged by the Contractor or by its sub-contractor.
 - d) Proof of re-export of all items including the unutilized spares and consumables (excepting consumables consumed during the contract period) and also cancellation of re-export bond if any.
 - e) Any other documents as required by applicable Indian Laws.

In case, no demobilization charges are payable, the documents mentioned above will have to be submitted by the Contractor before release of the final payment by the Company. A certificate from Chartered Accountant on (a), (b) & (c) above will suffice

32.11 Contractor shall maintain complete and correct records of all information on which contractor's invoice are based upto 2 (two) years from the date of last invoice. Such records shall be required for making appropriate adjustments or payments by either party in case of subsequent audit query / objection.

END OF SECTION - I

Part-3

SECTION - II

TERMS OF REFERENCE / TECHNICAL SPECIFICATIONS

1.0 INTRODUCTION:

OIL INDIA LIMITED, (OIL), an integrated National E&P Company has been carrying out oil exploration & development activities since early fifties. Also it is engaged in production & transportation of crude oil & natural gas. OIL has major share of its E&P activities in Assam & Arunachal Pradesh besides activities in rest of India.

In order to boost up production level of crude oil OIL intends to hire:

- One set of SDMM + Directional Gamma tools + Jar for 17. ½" hole section alongwith MWD surface Unit.
- Two sets of SDMM + Directional Gamma tools + Jar for 12. 1/4" hole section alongwith MWD surface Unit
- Two sets of SDMM + Directional Gamma tools + Jar for 8. ½" hole section alongwith MWD surface Unit

All the above services are meant for PEL / ML areas for High-Tech Deviation drilling activity (i.e. Directional Drilling, Side Track well etc.)

2.0 AREA OF OPERATION:

2.1 The area of operation planned is predominantly in OIL's operational states of Assam and Arunachal Pradesh. However, OIL may depute these services to any other States within India as per OIL's requirement.

3.0 **BROAD SCOPE OF WORK:**

The Contractor shall provide the services along with all necessary equipment/tools and personnel and carryout directional drilling operations in accordance with the approved directional well plan. The approved well plan may be amended from time to time by reasonable modification as deemed fit by the company. However, the contractor shall be wholly responsible for rendering the services as per scope of work under this contract.

Under the service, the contractor shall have to provide the following services with their tools & equipments:

- 3.1 MWD tools with Positive Mud Pulse Telemetry system shall be provided under this service. The bidder should categorically confirm to this effect.
- 3.2 SDMM & MWD tools should comply with the followings:
 - a) All down hole tools and equipments must not be more than 5 (five) years old as on bid closing date counted from the year of manufacture. Bidder must submit copies of purchase documents of the tools and equipments in this respect as documentary evidence.

In case, all or some of the supplied tools and equipments are more than 5 years old as on bid closing date, then the tools and equipments should be completely redressed with new parts prior to mobilization and contractor shall guarantee its performance. Bidders must submit maintenance schedule/certificates against such redressed tools and equipments indicating the redressed parts and certified by third party inspection agencies to confirm their vintage.

This will be monitored by OIL and bidder shall replace tools/equipment that fails to meet the above criteria.

Note: Part no /identification no must be mentioned in both the reports as mentioned above.

- b) The bidder should provide the technical literature/catalogue for the offered SDMM + MWD + Jar.
- c) The bidder shall provide Calibration certificate of MWD tool before mobilization showing Inclination, Azimuth, Tool face & Dip angle accuracies as applicable. Calibration certificates for accuracy of Measurement should not be more than 6 months old. Bidder needs to confirm the same.

3.3 Tools and Equipments:

SDMM + MWD with accessories to be provided for drilling directional well using directional and Gamma ray tool in the system as a complete package. System should be capable of building, holding and dropping well angle(DLS not less that 3 deg). System to be complete with one surface unit with necessary computers, monitors printers, plotters, Internet connection for reporting well reports directly from well site etc and other equipments as necessary to execute the job.

- i. One set of tools & equipment shall consists of one surface unit, 1 string of SDMM with Stabilizers & Accessories + Directional MWD with Gamma Ray tool + Drilling Jars for all hole sizes. MWD with other accessories like Drilling jar and other directional tubular required for the Section (i.e. NMDC, UBHO, Float Sub etc.). BIDDER has to bring sufficient number of back up tools for uninterrupted operations. Servicing of tools will be allowed at no workload period.
- ii. Service of SDMM Directional Drillers and MWD Engineers are to be provided for execution of drilling program as per plans of OIL. Minimum two directional drillers and minimum two MWD Engineers are required to be provided always against each set.
- iii. All section hole will be planned and drilled by the Contractor with the help of SDMM in consultation with OIL.

NOTE: Without back up of tools/equipment in working condition, OIL may not

permit to run contractor's tools/ equipment. However, in case of operational urgency of well, OIL may permit to run directional tools/equipment, but under this condition particular tools/equipment without backup shall be paid 1/4th of the quoted operating charges of that particular tools/equipment. Bidders to confirm the same

4.0 **WORK SCHEDULE:**

The Work schedule will consist of the following steps:

Contractor shall confirm to provide the following services for drilling of directional well:

- I) Directional Drilling Service.
- II) SDMM Equipment with Stabilizer & Service.
- III)) MWD Equipment & Service for Directional & Gamma Measurement.
- IV) Drilling Jar with services.
- V) MWD surface unit

NOTE:

- i. The kick-off point will be decided by OIL in consultation with the Contractor. Thereafter, it shall be the responsibility of the Contractor to drill the curve section of hole till target depth is achieved.
- iii. Contractor should have adequate maintenance facility for their tools & equipment .
- iv. Drill String available with "OIL" for Drilling in 17. ½", 12. ¼" & 8. ½". These details are furnished in **Annexure-B.**
- 5.0 The contractor is required to comply with following specified requirements:
 - i) To provide all X-over subs required in between Contractor's drill string to Company's drill string and any other X-over required for MWD assembly is to be identified and furnished by the Contractor.
 - ii) To provide the backup tools/equipment with sufficient spares & consumables to keep the tools in good working condition for smooth operation all the time.
 - iii) To provide detailed specification of equipment/sensors along with catalogue and also all the features available in their MWD system. The Contractor should also indicate the limitations of their tools/sensors such as temperature, pressure and discharge limitations with ability to pump LCM materials in Mud Loss conditions through the tool; the equipment & sensor must perform accordingly.
 - iv) The Contractor shall keep fishing tools including spares required for Contractor's non standard equipment/ tools, if any.

- v) The minimum drift diameter of Hydro-Mechanical Jar for 8.1/2" Hole should be 2.5" 2.75".
- vi) Specialized Tools: All crossover subs required from operator's drill string to Contractor's drill string and any other special crossover etc. including Non magnetic drill collar are to be identified and furnished by the Contractor. Any other specialized tools, required for smooth execution of the Contract shall be responsibility of the Contractor.
- vii) Any bidder not quoting for all the services as per the Scope of work will be considered non responsive.

6.0 DETAILS OF EQUIPMENT & SERVICES REQUIREMENT DETAILS:

The Contractor shall confirm to provide the following services:

(i) Well Planning Services:

OIL will designed the well plan and share the same along with other data. Contractor shall accept the plan prior to start of directional drilling. However, contractor may suggest anticipated Torque & Drag, hydraulics and anti-collision for such plan.

If required, well plan may be re-viewed in consultation with the contractor to sort out any kind of well trajectory issues. In that case, the re-viewed plan must be accepted by the contractor.

(ii) MWD equipment along with Surface Equipment and Services:

The contractor shall confirm to provide one complete set of MWD (Measurement While Drilling) System. MWD tools should be collar specific, i.e. for different collar sizes, outside diameter of sensors are different except of directional sensor. All sensors (except Directional Sensor) of MWD tool should be shrink fitted or part of the collar. The bore must be empty with no probe except for the directional part. Mud must be able to pass through the inserts (i.e. Battery pack, Gamma pack, Electronics, etc.) at respective flow rates. MWD tools with same size of probe fixed mechanically (fixed collar/collar mounted) for different collar sizes are not to be considered as collar based tools. Probe based tools are not acceptable. MWD system should be based on positive pulse, mud telemetry for drilling (17. ½"/12. ¼", 8.1/2") hole as per requirement of OIL provided in the MWD specifications at Annexure # C, along with cross-over subs, Non Magnetic Drill Collars, Float Subs with all sets of electronic packages, surface computers and other accessories along with sufficient spares required for continuous real time monitoring of tool face, inclination, direction (azimuth) and Gamma while drilling (17. ½"/12. ¼", 8.1/2"). The Contractor shall provide the expert operating personnel along with the equipment for actual job execution. Contractor shall maintain enough back up tools to meet contingent situation like Lost in Hole etc. The Contractor shall be required to maintain sufficient number of "Back - up Tool / Equipment" along with spares for (17. ½"/12. ¼", 8.1/2") hole at well site / base office so as to ensure uninterrupted directional drilling activity considering logistic constraints in the Northeast.

NOTE:

- 1) Contractor shall provide MWD (Measurement While Drilling) System, Directional based on mud pulse telemetry, Positive Pulse system, with MTBF (Mean-time Between Failure) exceeding 1000 hrs. However, in case of brand new (Un-used) MWD tool proposed to be deployed by the Contractor against this contract, the MTBF certificate is then not relevant.
- 2) Contractor to provide additional NMDC if required for MWD survey accuracy.
- 3) To this effect, bidder should provide documentary evidence in the technical bid, literature of MWD showing all specifications listed in this TOR (Terms of Reference) and Schematic diagram showing each component.

SURFACE EQUIPMENT:

Surface MWD unit with computers/printers accessories to record and print real time data with necessary transducers and connections to work with rig power supply 220 volts, 50 Hz. AC as per requirement of OIL as stated in **Annexure # A** (Bidder to fill up the Annexure). System should also have following features:

- (a) Record data like angle, azimuth and tool face and transmit it to surface with rig floor display. System should have features for dynamic tool face recording when drilling with motors.
- (b) System should be able to record stand pipe pressure, weight on bit, rotary RPM and Rate of penetration with depth counter facility.
- (iii) **SDMM equipment along with Services :** MWD equipment along with Surface Equipment and Services: -

The Contractor shall provide Steerable Downhole Positive Displacement Mud motors with all accessories e.g. stabilizers etc as per **Annexure-D** for 17.1/2", 12.½" & 8.½" hole sizes. The directional drillers are required to operate the motors and drill the hole as per plans, which would be provided by the Contractor for contract execution. The motors should be with built-in/screwon bearing Stabilizer housing & adjustable bent housing with suitable build up rates & straight drilling in rotary mode. The steerable downhole mud motors should be with mud lubricated bearing assembly. The motors should have API rotary shoulder connections. SDMM should be equipped with rotor catcher feature.

The Contractor shall be required to maintain sufficient number of "Back-up Tool/Equipment" along with spares for 17.1/2", 12.1/4" & 8.1/2" hole at well site/base office so as to ensure un-interrupted directional drilling activity considering logistic constraints of the Northeast.

NOTE:

To this effect, bidder should provide documentary evidence in the technical bid, literature of SDMM showing all specifications listed in this TOR (Terms of Reference) and Schematic diagram showing each component.

SDMMs should be high torque, low to medium speed & stabilized positive displacement steerable multi-lobe mud motor for high angle drilling. Near bit stabilizer (Screw on stab) fitted on motor shall be 1/8" under-gauge for all type of motor size.

Sizes of String stabilizer:

• Stabilizers for 17. ½" Hole section:

1 no of each 17. $\frac{1}{2}$ ", 17. $\frac{1}{4}$ " and 17" string stabilizer with $7\frac{1}{8}$ / $6\frac{1}{8}$ " API Reg box-pin connection, 8° -9. 5/8" OD fishing neck X 2. 13/16"/3" ID

• Stabilizers for 12. 1/4" Hole section (Each Set):

1 no of each 12. ¼", 12" and 11. ¾" string stabilizer with 65%" API Reg boxpin connection, 7. ¾"/8" OD fishing neck X 2. 13/16"/3" ID

• Stabilizers for 8. ½"" Hole section (Each Set):

1 no of each 8. ½", 8" and 7. ¾" string stabilizer with 4" IF box-pin connection, 6. ½"/6. ¾" OD fishing neck X 2. 13/16"/3" ID

iv) Drilling Jars and Services:-

The Contractor shall confirm to provide Hydro-mechanical/Hydraulic Drilling jars to withstand the rugged abuse and demanding application with up/down stroke mechanism, minimum stroke length as per requirement of OIL provided in **Annexure-E**, for (17. ½",12. ¼" and 8.1/2" hole sizes). The Contractor shall be required to maintain sufficient number of "Back - up Tool / Equipment" along with spares for (17. ½", 12. ¼", 8.1/2" hole size) at well site/ base office so as to ensure un-interrupted directional drilling activity.

NOTE: To this effect the bidder should provide documentary evidence in the technical bid, literature of Drilling Jar showing all specifications listed in this TOR and Schematic diagram showing each component

SPECIAL NOTE:

- a) Bidder to provide maintenance certificates/ schedule and third party inspection report of all the tools/equipment including vintage as stated under clause no.3.0.2 of scope of Work above.
- b) Calibration certificates for accuracy of Measurement should not be older than 6 months. Contractor shall provide Calibration certificate of each down-hole tool (MWD, Gamma, Resistivity) showing Inclination, Tool face, Dip angle and accuracies.
- c) SDMM/ MWD/Jar/Resistivity tool provided by the Contractor shall be supported with spares and service during the duration of the

Contract. Bidder would provide relevant test certificates of the drilling jar. All test certificates has to be provided before mobilization.

d) All tools/equipment and consumables deployed by the Contractor should meet OIL's specified requirement.

v) **DIRECTIONAL DRILLER'S EXPERIENCE:**

Bidders to confirm that minimum 02 no. of qualified Directional Drillers having minimum 3 years experience will be deputed per set and will be working independently (12- hour shift) on a suitable ON/OFF day rotation basis at the Rig site. Directional Drillers should be able to execute the job of high angle-high displacement/side track wells (open/cased hole) or any other well from kick off to target on continuous basis. They should have complete knowledge of the job from planning to execution along with associated calculations and decision making so that they can perform the job independently. However, in case of operational problems, OIL's decision will be final.

The Directional Drillers will work in close liaison with OIL Engineers on the Rig/base. They should be fluent in speaking and writing English language. Field Engineers should be conversant with the job assigned and should have complete knowledge of the equipment. OIL reserves the right to modify its requirement of on-site Directional Drillers anytime.

NOTE: Particulars of directional driller must be submitted in the format **ANNEXURE – BB** to OIL for approval prior to deployment at wellsite.

(vi) MWD Engineers Experiences:

Bidders to confirm that qualified and experienced MWD Engineers (Minimum of 3years of experience) for the operation will be deputed. The personnel will be required to work on a suitable ON/OFF-day rotation. The engineers must be fluent in written and spoken English. The MWD Engineer will be responsible including but not limited to the following:

Particulars of MWD engineer must be submitted in the format **ANNEXURE – BB** to OIL for approval prior to deployment at wellsite.

NOTE:

• Company reserves the right to instruct for removal of any Contractor's personnel who in the opinion of Company is technically not competent or not rendering the services faithfully, or due to other reasons. The replacement of such personnel will also be fully at cost of the Contractor and the Contractor shall have to replace this/these personnel within Ten (10) days of such instruction. The replacement personnel must have the requisite qualification and experience as indicated in the contract and their credentials along with recent photographs must be submitted to Company for approval prior to their engagement.

- All charges for personnel are included in Tool Operating & Stand by charges. No. separate charges shall be payable for the personnel deployed.
- The Bidder should submit the Bio-Data of personnel proposed to be deployed for all the services mentioned under scope of work prior to deployment for OIL's approval.
- (vii) **ORGANISATIONAL STRUCTURE**: Contractor shall provide the organizational structure for executing the project. Composition of the team & number of personnel will be reviewed by OIL and modified as per requirement.

Contractor shall depute base coordinator at company's base, for the entire contract period. Base Manager should have good knowledge of equipment or services being offered by the contractor and should visit Company's office regularly. Base coordinator shall be nominated before commencement of contract and subsequent replacement shall be informed in advance. Suitable replacement should be provided if he is absent for more than 3 days. Base coordinator shall be well informed about status of contractor's equipment and any other subject relevant to agreement of the contract. Company may seek for replacement in short notice if any deficiency is observed on his part. Company shall not be responsible for delay in processing invoices on time, if Base coordinator is inefficient or absent for long period. He shall also be responsible for keeping contractor's equipment and tool in good working condition with the help of other office/ repair facilities.

- (viii) Bidder shall submit end of Well Report after completion of the Section/Well in hard as well soft copies(.pdf format).
- (ix) Contractor shall share Torque & Drag, Hydraulics, Anti-collision, proposed BHA for any particular hole section of a directional well during actual drilling with their latest directional software.

7.0 Approved list for Tools / Equipment & Services:

The Contractor should provide Tools / Equipment & Services (mentioned above) from the approved list as shown in the table below:

APPROVED LIST:

A. Mud Motor:

- i) Schlumberger,
- ii) Halliburton,
- iii) Weatherford,
- iv) Baker Hughes,
- v) Bico,
- vi) National Oil Well Varco
- vii) APS Technology Inc.

B. Drilling Jar:

- i) Houston Engineers,
- ii) Weatherford,
- iii) National Oil Well varco(Griffith)

- iv) Bowen,
- v) Bico,
- vi) Schlumberger
- vii) Halliburton Sledgehammer.
- viii) ITS
- ix) APS Technology Inc.

8.0 Geology & Reservoir Information:

Geological and reservoir information of the field where the proposed directional wells shall be drilled is furnished below.

Makum and North-Hapjan Barail 4th+5th Sand

- a) Formation: Barail fluvio-deltaic clastic sediments of Oligocene age(Tertiary)
- b) Lithology: The reservoir is located in the arenaceous section of the Barail Formation which consists predominantly of sandstones with minor laterally impersistant shale interbeds and is overlain by an argillaceous section (about 100m).
- c) Reservoir pressure #
 - i) Initial: 265.5 ksc at 2544.56 m SS (2636 m bd, Datum: 91.445 m asl).
 - ii) Current: 255 ksc at 2544.56 m SS (2636 m bd, Datum: 91.445 m asl)
- d) Bottom hole temperature = 72-102° C
- e) Pore Pressure: In the sedimentary column above the target reservoir is hydrostatic.
- f) Average depth to reservoir = 2546.1 m SS (2637.5 mbd,Datum:91.44 masl)
- g) Original oil-water contact = 2568.6 m SS (2660.0 m bd, Datum: 91.44 masl)
- h) Original gas-oil contact = 2523.6 m SS (2615.0 m bd, Datum:91.44 m asl)
- i) Net thickness of oil zone expected to be encountered: 25m (approx)
- j) Presence of gas cap encountered in the crestal part of the structure.(Not tested)
- k) Weighted average porosity = (Makum -25%, North Hapjan -20%).
- 1) Horizontal section length = 400 m.
- m) Average ground level elevation = 125 m asl.
- n) Marker Bed = Barail Top which is approximately 130 ± 20 m above the target reservoir.
- o) Stratigraphic column encountered in the area: As given below

Horizon Age Lithology Thickness (m)

Alluvium Pleistocene to Recent Medium to coarse grained unconsolidated sands with occasional bands of clay 1825

Girujan

Pliocene

Buff, red and green mottled clay with bands of fine-grained sandstone 150

Tipam Miocene Medium grained sandstone with bands of bluish-gray to bluish shale 550

Barail

Argillaceous Oligocene Mainly mudstone and occasional fine grained argillaceous sandstone with thin bands of carbonaceous shale and coal 120 Barail

Arenaceous Mainly consists of sandstone interbedded with streaks of laterally impersistent shales 650

BAREKURI FIELD

The hydrocarbon prospects of the Barekuri field are confined to Paleocene/Lower Eocene and average depth of the reservoir is around 3740 m below MSL. So far, OIL has drilled nine wells in this structure of which 8 are oil producers and the current rate of production is approximately 1000 m3/day with very negligible water cut. The initial reservoir pressure is 428.5 kg/cm2 and the current reservoir pressure is around 428.0 kg/cm2.

BAGHJAN FIELD

The main multi-stacked hydrocarbon bearing horizons are confined to the Palaeocene / Lower Eocene sandstone reservoirs. So far, drilling has been completed in 12 wells in the Baghjan structure. The reservoir pressure was found to be around 422.6 Ksc which is 50 Ksc above hydrostatic. The depth to Basement in the Baghjan area is around 3910 m below MSL and average depth of the reservoir is around 3700 - 3800 m below MSL. The area has been covered by 3D seismic survey.

DEOHAL-LAHOLI STRUCTURE:

The Deohal -Laholi structures at the Barail level is a composite faulted anticlinal structure which is compartmentalized into three fault blocks viz. Lohali, Deohal and East Deohal by two north-south trending faults and is bounded by a common major EW to ENE-WSW trending fault towards the south.

The Deohal and the East Deohal blocks are the central and eastern fault blocks of the area with an aerial extent of around 19 sq km at Barail Third Sand level. The Barail Third Sand is the primary reservoir within the Barail formation of the area and has been established as NAG reservoir. The average depth of the reservoir is around 2600m below MSL. A total of 7 wells have been drilled in this area but only 2 wells were completed as a gas producer in Barail Third Sand. Currently only one well is producing gas @ 0.1 MMSCMD. The initial reservoir pressure was 250.7 kg/cm² and the current reservoir pressure is aound 240 kg/cm². A horizontal gas well is planned to be drilled in the pay sand to produce gas at higher rates.

Lohali Block is the westernmost fault block of the area with an areal extent of around 6 sq km at Barail Third Sand level. Well Lohali-1 has been completed as a gas producer at Barail Third Sand level and it is producing gas @ 0.18 MMSCMD.

Projection Parameters:

Reference spheroid for local projection = Everest 1830 Pak Projection system: Lambert Tangential.

9.0 PERSONNEL FOR DIFFERENT SERVICES:

Contractor shall confirm to provide the following category personnel for running the well operation on the round the clock basis.

- i) Directional Driller for SDMM.
- ii) MWD Engineer/Operator.
- iii) Base Manager

All the personnel as described above should be employee of the prime Bidder.

10.0 GENERAL CONDITIONS:

Contractor should provide the following:

- i) Drill Pipe Strainer for 5" OD Grade-G/Grade S.
- ii) Quantity & Units and tools as indicated in the scope of work.
- iii) MWD initially mobilized by the Contractor and any replacement thereof, should be accompanied by Calibration sheets, approved by Contractors QA/QC engineers which will be certified by OIL's designated team.

11.0 FIELD VERIFICATION & CALIBRATION TOOL & SERVICES:

- i) Contractor is required to produce documentary evidence of "Calibration of MWD Tool" prior to shipping the same for mobilization before it is deployed in the first well..
- ii) If any other MWD tool is mobilized by the contractor during the contract period, documentary evidence of "Calibration Check" of MWD tool prior to shipping to Duliajan shall be produced by the contractor before the same is deployed in any well.

END OF SECTION - II

Part-3 SECTION-III SPECIAL CONDITIONS OF CONTRACT

1.0 **DEFINITIONS**:

Following terms and expression shall have the meaning hereby assigned to them unless the context requires otherwise. The expressions not defined here shall have the meaning ascribed to them in Section I: General Conditions of Contract.

- (a) "Services" from Contractor means (i) all tools, equipment, consumables from Contractor required for OIL's operation and (ii) all tools, equipment, spares required for servicing / maintenance of Contractor's Tool & Equipment in this bid document.
- [b] "Company item" means the equipment, materials and services which are to be provided by Company at the expense of Company as mentioned in the contract.
- (c) "Operating Area" means those areas in onshore India in which Company or its affiliated Company may from time to time be entitled to conduct drilling operations.
- (d) "Operation Base" means "Duliajan"
- (e) "Site" means the land and other places, on/under/in or through which the works are to be executed by the Contractor and any other land and places provided by the Company for working space or reference and technical specifications.
- (f) "Contractor's item" means the equipment, materials and services which are to be provided by Contractor or Company at the expenses of the Contractor, which are listed under Section -II, "Terms of reference and Technical specifications".

2.0 ASSOCIATION OF COMPANY'S PERSONNEL:

- 2.1 Company may depute one or more than one representative (s) / engineer (s) to act on its behalf for overall co-ordination and operational management at location. Company's representative will be vested with the authority to order any changes in the scope of work to the extent so authorized and notified by the Company in writing. He shall liaise with the Contractor and monitor progress to ensure timely completion of the jobs. He shall also have the authority to oversee the execution of jobs by the Contractor and to ensure compliance of provisions of the contract.
- 2.2 Company's representatives shall have free access to all the equipment of the Contractor during operations as well as idle

time for the purpose of observing / inspecting the operations performed by the Contractor in order to judge whether, in Company's opinion, the Contractor is complying with the provisions of the contract.

3.0 PROVISION OF PERSONNEL AND FACILITIES

- 3.1 The Contractor will provide competent, qualified and adequately experienced personnel for carrying out the requisite operations correctly and efficiently. Personnel provided by the Contractor must observe all safety and statutory norms applicable to the Company. Their performance must be to the satisfaction of the Company and the Contractor must be willing and ready to replace, at their own expenses, any of their personnel who are not found suitable by the Company.
- 3.2 The detailed bio-data of the service engineer/specialist and other operators and the number of additional personnel planned to be deployed must be submitted to Company before engaging them for Company's approval.

Note: Any replacement with equivalent qualification/experience needs OIL's prior approval.

- 3.3 All the personnel deployed should be fluent in English language.
- 3.4 The Contractor shall be responsible for and shall provide for all requirements of his personnel, and of their Sub-Contractor(s), if any. These provisions will include but not be limited to their insurance, housing, medical services, messing, transportation (both air and land transportation), vacation, salaries and all amenities, termination payments, all immigration requirements and taxes, if any, payable in India or outside at no extra charges to the Company. Boarding and local transportation of Contractor's personnel during the entire duration of the contract shall be arranged by Contractor at their cost.
- 3.5 The Contractor's representative shall have the entire power requisite for performance of the work. He shall liaise with the Company's representative for the proper co-ordination and timely completion of the job and on any other matters pertaining to the job.

4.0 INTERIM DEMOBILIZATION AND RE-MOBILIZATION OF PERSONNEL & TEMPORARY PAUSE OF OPERATION:

In case of lean period, contractor's tool including manpower shall have to be temporarily demobilized after completion in a particular well on receiving Company's notification within 24 hours. However, no charges will be payable after interim de-mobilization notice has been issued for the particular set.

Contractor shall re-mobilize tool including manpower for a particular set within 7 days from the date of interim re-mobilization notice. In such situation contractor shall be paid Interim De-mobilization/ Remobilization charges including all relevant costs as per their quote.

5.0 **CONTRACTOR'S OBLIGATIONS:**

Contractor shall perform the work described under scope of work and prepare the 24 hour comprehensive report on Directional Survey data (BHA Sag corrected), MWD Report on Gamma + Resistivity + ROP, Drilling Operation summary + Material Usage, BHA and their Dimensional Data. Contractor is required to submit this daily report to Company Representative based at Duliajan. End of well (section) covering analysis of NPT, all the event and BHA behaviour along with comparative parameters like Plan depth vs days-Actual depth vs days.

6.0 **COMPANY'S OBLIGATIONS:**

- 6.1 Entry Permits: Company shall assist Contractor for arranging necessary entry permits, if required, for personnel belonging to Contractor and their subcontractors engaged with the consent of Company, provided Contractor gives full particulars of such personnel in advance. However the primary obligation in this regard shall be on Contractor and Company shall provide necessary documents only.
- 6.2 Security: Company shall organize all possible help from local government/ administration to Contractor personnel and equipment in case of natural disasters, civil disturbances and epidemics. Camp security personnel (chowkiders) etc. as well as all security (including Contractor's equipment and personnel) will, however, be the responsibility of Contractor.
- 6.3 Crane service/Transport vehicles: OIL will provide crane and transportation (for Inter-location movement) of the Contractor's equipment and also for transfer/h andling of Contractor's material, equipment at well site "free of charge". The loading, unloading and transportation shall be done at Contractor's supervision and risk. OIL shall not be responsible for any damage during handling & transit.
- 6.4 Well-site Accommodation: Company shall not provide bunk house for Contractor's personnel. Contractor has to provide accommodation bunk house(s) for their personnel. All electrical apparatus and accessories including Air Conditioner of all bunk houses to be deployed in the well site/location, must be of FLP type. The electrical apparatus and accessories need to be DGMS approved for placement the same in DGMS classified hazardous area. However OIL may provide 01(one) No. 4(four) bedded accommodation bunk house for contractor's personnel at well site subjected to availability.

- 6.5 Well Site Communication facility: Contractor should arrange their own communication system (Internet facility & telephone) at site for reporting purposes to OIL.
- 6.6 Medical Facilities: Company will extend the medical facilities to the extent available at its hospital at Duliajan on chargeable basis.
- 6.8 WORKSHOP FACILITY: Company will extend the in-house workshop facility for Contractor's Tools & Equipment without hampering Company's own work schedule. The workshop facility will be chargeable depending on quantum of job involving man/material/time. The workshop facility may not be charged to Contractor in case of minor nature of repairing job requiring very nominal time.
- 7.0 **OPERATING & STANBY RATE CHARGES:** The Contractor is required to provide set of tools/ equipment with personnel for 17.1/2", 12.½" & 8.½" hole as per the terms and conditions specified earlier. At any stage of operation, the operating set(s) (either 17.1/2", 12 ½" or 8 ½" hole size) will be paid for the quoted operating charges only. During non operating period, only stand by charges for the set(s) as quoted will be payable when not used by OIL but the set(s) are in functional condition. However, detailed charges payable under different conditions will be guided as described under Section- IV (SOR)
- 8.0 **PERFORMANCE OF WORK:** The Contractor shall submit daily reports to Company detailing progress of different operations as per the scope of the work at 7:00 AM on every day. The Company, at its option may change the periodicity of such reports. Contractor shall submit the complete job report (covering analysis of NPT, all the events and BHA behaviour along with comparative parameters like Plan depth vs days-Actual depth vs days.) within 15 (fifteen) days from the date of completion of each individual job. The manner and the speed of execution and maintenance of the operations are to be conducted in accordance with the Contract. Bidder to submit tangible KPI's in consultation with OIL in the kickoff meeting prior to start of each Job under the contract. Same shall be used for performance benchmarking during execution. Should the rate of progress of the operations or any part of them be at time too slow in the opinion of the Company's representative, (to ensure completion of the operations within schedule) Company's representative may so notify the Contractor in writing. The Contractor shall reply to the written notice giving details of the measures, which he proposes to take to expedite the operations. If no satisfactory reply to Company's notice is received in seven days, Company shall be free to take necessary actions as deemed fit.

9.0 **LABOUR**

The recruitment of the labour, if required, shall be met from the areas of operation and wages will be according to the rates prevalent at the time, which can be obtained from the District Authorities of the area. The facilities to be given to the labourers should conform to the provisions of labour laws as per Contract Labour (Regulation and Abolition) Act, 1970.

10.0 **SAFETY:**

- 10.1 The Contractor shall take all measures necessary to protect the personnel, work and facilities and shall observe safety rules and regulations as per Oil Mines Regulation. No smoking or open flame shall be permitted on the operation site and nearby, except in areas marked by the Contractor and approved in writing by the Company.
- 10.2 The Contractor shall report, as soon as possible, any evidence, which may indicate or is likely to lead to an abnormal or dangerous situation and then immediately take the first emergency control steps conforming to good operation practice and safety regulations.
- 10.3 The Contractor shall have a complete Safety Manual that will be available in the work site at all points of time and readily accessible.

11.0 PROTECTION OF PROPERTY AND EXISTING FACILITIES

The Contractor shall perform each work in such a manner as will prevent damage to the Company's property and conform to and be consistent with, and not to interfere in any way with continuous and safe operational practices for the well

12.0 **CUSTOMS DUTY**

- 12.1 Company shall use the Drilling units with the Services under the Contract in the PEL/ML areas renewed / issued to Company after 1.4.1999 and therefore, in terms of Notification No. 21 dated 01.03.2002, goods specified in List-12 imported in connection with petroleum operations under this Contract would attract zero customs duty. Company will issue Recommendatory Letter to Directorate General of Hydrocarbons(DGH), Ministry of Petroleum & Natural Gas, as per Government guidelines for issuance of Essentiality Certificate (EC) from Directorate General of Hydrocarbons, to enable the Contractor to import goods at concessional (Nil) customs duty so as to provide the services under this Contract provided these goods are specified in the List-12 of the aforesaid Notification.
- 12.2 Bidder should provide the list of items to be imported by them under the Contract in the format specified in **Proforma-A** along with their bid for issuance of Recommendatory Letter to DGH. Contractor shall made written request to Company immediately after shipment of the goods indicated by them in **Proforma-A**, along with the Invoices and all shipping documents (with clear 15 working days

notice) requesting Company for issuance of the Recommendatory Letter. OIL shall issue the Recommendatory Letter provided all the documents submitted by the Contractor are found in order as per contract. It shall be however, Contractor's responsibility to obtain EC from DGH and clear the goods through customs. OIL shall not be liable in whatsoever manner for the rejection of their claims for zero customs duty by any of the authorities including DGH. Contractor shall indemnify OIL from all liabilities of Customs Duty.

- 12.3 All imports and import clearances under the contract shall be done by the contractor and OIL shall not provide any assistance in this regard.
- 12.4 However, in the event customs duty becomes leviable during the course of contract arising out of a change in the policy of the Government, Company shall be liable for payment of the customs duties leviable in India on Contractor's items as provided in **Proforma-A** or the actuals whichever is less, provided Contractor furnishes all necessarv documents indicating the estimated customs duty at least 10 days in advance. Such payment of Customs Duty shall be arranged by Company and made available to the representatives of Contractor at Kolkata within 3 working days after Contractor submits the undisputed and clear necessary documents / duty assessment papers at Company's office at Kolkata. Contractor would be responsible for passing such payment to customs authorities at the port of entry. Company's obligation for Customs Duty payment shall be limited / restricted to the tariff rates as assessed by the Customs on the day of clearance, or as on the last day of the stipulated mobilisation period. In case of clearance thereafter, on the CIF value of items in **Proforma-A** will be frozen and any increase in Customs Duty on account of increase in value on these will be to the Contractor's account. Furthermore, in case the above CIF value is not acceptable to assessing Customs Officer and as a result if any excess Customs Duty becomes payable, it shall be to Contractor's account. Before filing Bill of lading, Bill of entry, the Contractor must consult the Company to avoid payment of excess Customs Duty.
- 12.5. Contractor shall, however, arrange clearance of such items from Customs and port authorities in India and shall pay all requisite demurrages, if any, clearance fees/charges, port fees, clearing and forwarding agent fees/ charges, inland transport charges etc. Company shall provide all assistance by issuance of necessary letter of authority or other relevant documents and necessary help.
- 12.6 Contractor must ensure that the spares and consumables imported by them for providing the services under Contract are properly used in executing their job under the Contract in the PEL/ML areas of Company for which EC has been obtained.

Contractor shall furnish to Company a certificate as and when the spares and consumables are used/consumed certifying that the spares and the consumables imported by them have been consumed in those ML and PEL areas under the contract for which ECs were obtained by them. In order to avoid any misuse of the spares and consumables imported by the Contractor for providing the services under the Contract, Contractor shall furnish an Undertaking similar to that being furnished by Company to Customs of suitable amount before issue of the Recommendatory Letter.

13.0 **DEMOBILISATION & RE-EXPORT:**

- 13.1 The Contractor shall arrange for and execute demobilization of the set of Tools/Equipment/Spare/ Accessories/Manpower etc. upon receipt of notice for demobilization from Company. Demobilisation shall include dismantling of its accessories/equipment, including the manpower. In case of final demobilization, re-export of its accessories/equipment, unutilized spares and consumables at the cost of the contractor. Final demobilization shall be completed by Contractor within 60 days of issue of final demobilization notice by Company. Immediately after re-exporting its accessories, equipment and the unused spares and consumables, Contractor shall submit the detail re-export documents to Company as documentary proof of re-exporting its accessories, equipment and the unused spares and consumables. In case of failure to re-export any of the items as above within the allotted time period of 60 days except under circumstances relating to Force Majeure, Company reserves the right to withhold the estimated amount equivalent to the Customs Duty and/or penalty leviable by customs on such default in re-export from Contractor's final settlement of bills and Performance Security.
- 13.2 In the event all / part of the equipment etc. are transferred by Contractor within the country to an area where nil Customs Duty is not applicable and/or sold to a third party after obtaining permission from Company and other appropriate government clearances in India, then Contractor shall be fully liable for payment of the Customs Duty.
- 13.3 Contractor must furnish an undertaking that "the equipment imported and also spares & accessories which remained unutilized after the expiry of the contract, would be re-exported at their own cost after completion of contractual obligation after observing all the formalities/rules as per Customs Act or any other relevant Act of Govt. of India applicable on the subject". In case of non- observance of formalities of any provisions of the Customs Act or any other Act of Govt. of India, the Contractor shall be held responsible for all the liabilities including the payment of Customs Duty and penalties to the Govt. on each issue. Non-compliance of these provisions will be treated as breach of contract and their Performance Bank Guarantee will be forfeited.

13.4 In the event all / part of the equipment etc. are transferred by Contractor after expiry/termination of the contract within the country to another operator for providing services, and/or sold to a third party, Contractor shall obtain all necessary Govt. of India clearances including the Customs formalities for transferring to another operator and/or sale of the Rig package, its accessories, equipment and the unused spares and consumables to a third party. Company will not be responsible for any non-compliance of these formalities by Contractor. Payment of Customs Duty and penalties(if any) imposed by Govt. of India or Customs authorities for transferring the items in part or in full to an area where Nil Customs Duty is not applicable or sale of the items shall be borne by the Contractor and Contractor indemnifies Company from all such liabilities.

14.0 LOSS OR DAMAGE OF SUB-SURFACE EQUIPMENT:

Notwithstanding any provision under this contract to the contrary, Company shall assume liability except in the event of Wilful Misconduct on the part of the contractor for loss or damage to the contractor's equipment/ tool in hole below rotary table. Company shall at its option either reimburse the contractor for the value of lost equipment/ tool as declared in the import invoices at the time of mobilization or subsequent replacement/ addition of the same equipment/ tool or CIF value whichever is lower for any such loss or damage, less depreciation @ 3% per month from the date of start of the contract up to a maximum depreciation equivalent to 50% of CIF value as indicated by the contractor or at its option to replace similar equipment/ tools and any transportation expenses incurred in connection herewith. All such cost shall be payable by Company only after contractor produces documentary evidence that the particular equipment/ tool is question is not covered by contractor's insurance. For any such loss/damage, the contractor shall notify the Company within one month. The inspection of recovered from downhole need to be made by Company Representative before submission of the invoice by contractor.

NOTE:

The claim on account of Loss /damage should be claimed within six months of the incident or before expiry of the Contract, whichever is earlier.

OIL shall certify the Loss/Damage in Hole immediately upon receiving the intimation from the Contractor, so that replacement and claiming of Loss/Damage can be done within the stipulated time.

15.0 **DOCUMENTATION OF LOSS:**

Whenever any loss, damage or destruction to any of the Contractor's Equipment occurs, the Contractor shall immediately notify the same to OIL describing the loss/ damage. Whenever the Contractor makes any claim pursuant to the provisions under the above Clause, the Contractor shall furnish in support thereof as noted below:

- a) List of the Equipment lost or damaged,
- b) Extent of the damage,
- c) Particulars of import, Customs assessed Bill of entry & invoices,
- d) Vouchers, invoices or any other documents indicating the date of first use of the Equipment in India,
- e) Costs of repairs, if any, supported by evidence of the same.
- 16.0 **DATA INTERPRETATION:** Since all data interpretations are based on inference from electrical or other measurements, Contractor cannot and does not guarantee the accuracy or correctness of any interpretation and Company agrees that Contractor shall not be liable or responsible except for the case of gross negligence on Contractor or his sub-contractors part, for any loss, cost, damage or expense incurred or sustained by Company resulting directly or indirectly from any interpretation made by Contractor or any of its agents, servants, officers or employees. Should any such interpretation or recommendation be relied upon as the sole basis for any drilling, completion, well treatment or production decision or any procedure involving any risk to the safety of any drilling ventures, drilling rig, or its crew or any other individual, Company agrees that under no circumstances shall Contractor be liable for any consequential loss or damages on this account except in case of willful negligence.

17.0 DATA HANDLING AND LIABILITY

Company warrants and represents that it is the owner or licensee of any data that will be provided to Contractor and that it has the right to disclose data to Contractor. Company expressly agrees that Contractor shall only be provided with copies of data and agrees that Company shall retain all originals and/or backup copies of any data provided to Contractor. Contractor shall have no liability whatsoever for any loss or damage to the data.

18.0 **CONFIDENTIALITY:**

a) During this Contract, Company and its employees, agents, other contractors, sub-contractors (of any tier) and their employees etc may be exposed to certain confidential information and data of the Contractor. Such information and data shall held by the Company, its employees, agents, other contractors, sub-contractors (of any tier) and their employees in the strictest Confidence and shall not be disclosed to any other party except on a need to know basis.

- b) However, the above obligation shall not extend to information which:
- 1. Is, at the time of disclosure, known to the public;
- 2. Lawfully becomes at a later date known to the public through no fault of Contractor;
- 3. Is lawfully possessed by Contractor before receipt thereof from Company;
- 4. Is disclosed to Contractor in good faith by a third party who has an independent right to such information;
- 5. Is developed by Contractor independently of the information disclosed by Company; or Contractor is required to produce before competent authorities or by court order.

19.0 **FISHING:**

In the event of any of the Contractor's Equipments is lost / stuck in the well or at Site, then the Company shall, at its expenses, attempt to recover or retrieve the same, irrespective of cause. As and when the Company decides to fish for any of the Contractor's Equipments, then the Company shall have full responsibility and liability for such Operations but the Contractor shall render assistance in an advisory capacity at all times in connection with such fishing operations. It is expressly understood between the Parties that the Contractor's personnel are not authorized or entitled to do anything other than to advise the Company in connection with such fishing operations and about any fishing tools which may be furnished by the Contractor at the Company's request. Furnishing of such fishing tools is solely as accommodation to the Company and the Contractor shall not be responsible or liable for any loss or damage which may result with the use of such tools or by reason of any advice or assistance provided to the Company by the Contractor or its personnel regardless of the cause of such loss.

The contractor would be required to keep ready non-standard retrieving tools/grapple if any at the well site.

20.0 **POLUTION & CONTAMINATION:**

Notwithstanding anything to the contrary contained herein, it is understood and agreed by and between the Contractor and Company that the responsibility for pollution or contamination shall be as follows:

- i) The Contractor shall assume all responsibility for cleaning up and controlling pollution or contamination which originates from Contractor's equipments and facilities above the surface.
- ii) Company shall assume all responsibility for (including control and removal of the pollutant involved) and shall protect, defend and save the Contractor harmless from and

against all claims, demands and causes of action of every kind and character arising from all pollution, contamination, which may occur from any cause, save and except pollution or contamination for which the Contractor assumes liability in terms of Sub-clause (i) above.

iii) In the event, a third party commits an act or omission which results in pollution or contamination for which either the Contractor or Company, for whom such party is performing work, is held to be legally liable the responsibility therefore shall be considered as between the Contractor and Company, to be the same as if the party for whom the work was performed and all of the obligations respecting defiance indemnity, holding harmless and limitations of responsibility and liability, shall be specifically applied.

21.0 LIABILITY FOR THE WELL OR RESERVOIR:

Notwithstanding anything else contained herein to the contrary, the Contractor shall not be liable or responsible for or in respect of

- i) Any sub-surface damage (including but not limited to damages or loss of a well or reservoir or formation, the loss of any oil or gas there from), or any surface loss or damage or injury or death arising out of a sub-surface damage; and/or
- ii) Blowout, fire, explosion or any other uncontrolled well condition; and/or
- iii) Damage to, or loss of oil or gas from any pipelines, vessels or storage or production facilities; and/or
- iv) any loss or damage or injury or death whatsoever, direct or consequential, including liability arising from pollution originating below the surface and any clean up costs, whether caused by their personnel or Equipment or otherwise arising from or in any way connected with such sub-surface Operations or in performing or attempting to perform any such Operations;
- v) third party liabilities arising out of the above irrespective of the cause and the Company agrees that it shall absolve the Contractor and protect, defend, indemnify and hold the Contractor and its sub- contractors, its agents and its parents, subsidiaries and affiliates, its other contractors and/or its and their directors, officers, employees, consultants and invitees harmless from and against all claims, suits, demands and causes of actions, liabilities, expenses, costs and

judgments of every kind and character (including without limitation for the loss or damage of any property, or the injury or death of any person), without limit, in favour of any person, party or entity, resulting from any of the above, including costs incurred by Company in this respect.

22.0 **SAFETY:**

- i) It will be solely the Contractor's responsibility to fulfil all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-contractors hired by him comply with the same requirement as the contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-sub contractors.
- ii) Every person deployed by the contractor in a mine must wear safety gadgets to be provided by the contractor. The Contractor shall provide proper Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. However, it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work.

All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.

- iii) The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the contractor and how it is to be managed.
- iv) The contractor shall provide a copy of the SOP to the person designated by the mine owner who shall be supervising the contractor's work.

- v) Keep an up to date SOP and provide a copy of changes to a person designated by the Mine Owner/Agent/Manager.
- vi) Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line.
- vii) The contractor shall submit to DGMS returns indicating Name of his firm, Registration number, Name and address of person heading the firm, Nature of work, type of deployment of work persons, Number of work persons deployed, how many work persons hold MVT Certificate, how many officers/work persons undergone IME and type of medical coverage given to the officers/work persons.
- viii) The return shall be submitted quarterly (by 10th of April, July, October & January) for contracts of more than one year.
- ix) It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager / Safety Officer / Engineer / Official / Supervisor/Junior Engineer for safe operation.
- ix) Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.
- xi) Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- xii) The contractor shall have to report all incidents including near miss to Installation Manager/departmental representative of the concerned department of OIL.
- xiii) The contractor has to keep a register of the persons employed by him/her. The contractor's supervisor shall take and maintain attendance of his men every day for the work, punctually.
- xiv) If the company arranges any safety class / training for the working personnel at site (company employee, contractor worker, etc) the contractor will not have any objection to any such training.

- xv) The health check up of contractor's personnel is to be done by the contractor in authorized Health Centers as per OIL's requirement & proof of such test(s) is to be submitted to OIL. The frequency of periodic medical examinations should be every five years for the employees below 45 years of age and every three years for employees of 45 years of age and above.
- xvi) To arrange daily tool box meeting and regular site safety meetings and maintain records.
- xvii) Records of daily attendance, accident report etc. are to be maintained in Form B, E, J (as per Mines Rules 1955) by the contractor.
- xviii) A contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.
- xix) A contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.
 - xx) Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.
- xxi) In case Contractor is found non-compliant of HSE laws as required company will have the right for directing the contractor to take action to comply with the requirements, and for further non-compliance, the contractor will be penalized prevailing relevant Acts/Rules/Regulations.
- xxii) When there is a significant risk to health ,environment or safety of a person or place arising because of a non-compliance of HSE measures company will have the right to direct the contractor to cease work until the non- compliance is corrected.
- xxiii) The contractor should frame a mutually agreed bridging document between OIL & the contractor with roles and responsibilities clearly defined.
- xxiv) For any HSE matters not specified in the contract document, the contractor will abide the relevant and prevailing Acts/rules/regulations/ pertaining to Health, Safety and Environment.

23.0 LIMITATION OF LIABILITY:

Notwithstanding any other provisions herein to the contrary, except only in cases of willful misconduct and / or criminal acts,

- (a) Neither the Contractor nor the Company (OIL) shall be liable to the other, whether in Contract, tort, or otherwise, for any consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided however that this exclusion shall not apply to any obligation of the Contractor to pay Liquidated Damages to the Company and
- (b) Notwithstanding any other provisions incorporated elsewhere in the contract, the aggregate liability of the Contractor in respect of this contract, whether under Contract, in tort or otherwise, shall not exceed 50% of the Annualized Contract Price, provided however that this limitation shall not apply to the cost of repairing or replacing defective equipment by the Contractor, or to any obligation of the Contractor to indemnify the Company with respect to Intellectual Property Rights.
- (c) Company shall indemnify and keep indemnified Contractor harmless from and against any and all claims, costs, losses and liabilities in excess of the aggregate liability amount in terms of clause (b) above.

24.0 **INTELLECTUAL PROPERTY:**

While performing the Work for the Company, Contractor may utilize expertise, know-how and other intellectual capital (including intellectual property) and develop additional expertise, know-how and other intellectual capital (including intellectual property) which are Contractor's exclusive property and which Contractor may freely utilize in providing services for its other customers. Except where expressly and specifically indicated in writing, and in exchange for appropriate agreed payment, Contractor does not develop any intellectual property for ownership by Company, Contractor retains sole ownership of any such intellectual capital (including intellectual property) created by Contractor during the course of providing the Services.

25.0 **IP INFRINGEMENT:**

Contractor shall indemnify and hold the Company harmless from any third party claims arising on account of intellectual property infringement with respect to its services or products except where such infringement is caused due to:

- (a) Specific modification or design of Contractor equipments or Services to meet Company's specifications,
- (b) Combination of Contractor's equipments or Services in combination of other equipments and/ or services not recommended by Contractor,

- (c) Out of unauthorized additions or modifications of Contractor's equipments or services by Company, or
- (d) Company's use of Contractor's equipments or Services that does not correspond to Contractor's published standards or specifications; in which case, the Company shall indemnify and hold the Contractor harmless.

26.0 REPORTING:

Contractor shall submit daily reports to Company detailing progress of different operations as per scope of work at 7:00 am on every morning. Contractor shall submit complete job record within 15 days from the date of completion of each individual job.

END OF SECTION - III

<u>Part-3</u> <u>SECTION - IV</u> SCHEDULE OF RATES

1.0 The bidders must quote the rates in their price bids as per the attached Price-Bid Format: The payment shall be made for the actual work done. All Day Rate Charges shall be pro-rated to nearest hour.

(A) MOBILIZATION/ INTERIM-MOBILIZATION CHARGES OF TOOLS / EQUIPMENT:

i) Mobilization charges as lump sum amount against individual set of tool(s)/equipment including manpower will be payable for each hole section when all equipment/tools (free of defects/encumbrances) and OIL approved operating personnel for that particular section are positioned at Company's designated site and duly certified by the Company representative which shall be no later than 7 working days from the date of arrival.

Note: OIL will certify within 7 days for first mobilization. However, for successive re mobilization, certification will not be necessary, but OIL may inspect the tools/equipment for each re mobilization.

- ii) Mobilization charges should cover local and foreign costs to be incurred by the Contractors to mobilize the equipment to the mobilization point as decided by OIL and should include all duties including all local and foreign taxes, port fees/charges including demurrage (if any) and inland transport to the mobilization point as decided by OIL etc. (on the items declared in Proforma- A), except customs duty, which will be to OIL's account, if applicable.
- iii) The Company will provide all necessary documents as required for custom clearance, only on receipt of request from the Contractor and all such requests must be made by the Contractor well in advance, so that the Company can make necessary arrangements for providing the documents in time without causing any delay for the customs/port clearance.
- iv) Mobilization charge will not be released on the basis of arrival of individual tool / equipment although there will be individual mobilization charges (lump sum) for different tool/ equipment. Mobilization will be considered to be completed only after following conditions from (a) to (e) (without any exception) are met with.
 - a) All tools & equipment (surface & sub surface) as per contractual obligation (technical Spec. & quantity wise) arrive at OIL's designated site, unless specified by OIL.

IFB No. CDG0778P17 Page 75 of 122

- b) Tool/Equipment arrive at OIL's designated site as per "General Terms and Conditions of Contract" in Section-I, Clause No. 2.2(i), (ii) & (iv) for commencing directional drilling activity.
- c) All relevant documents (technical specification, drawing, vintage, Make, Model etc.) of each & every tool & equipment are made available (as per contractual obligation) by Contractor for scrutiny by OIL.
- d) All relevant documents are found to be technically acceptable by OIL on scrutiny.
- e) Company issues acceptance / clearance certificate for all tools & equipment in writing. This "acceptance / clearance" certificate will be provisional in nature till performances of tool / equipment are established in operation.

Note:

Mobilization charges for each section shall not exceed 1% of the total quoted cost for each respective section in the Price Bid format for a period of 1(one) year. However, Mobilization charges if quoted in excess of 1% of the estimated contract cost, the excess amount shall be paid at the end of the contract.

Interim Mobilization charges of each section should not exceed 0.5 % of total quoted cost for each respective section in the Price Bid format.

 However each down hole tool / equipment should have sufficient number of back- up tool / equipment/spares/consumables for ensuring un-interrupted directional drilling activity.

(B) DE-MOBILIZATION/INTERIM DE-MOBILIZATION CHARGES OF TOOLS/ EQUIPMENT:

- i) The Contractor shall arrange for and execute demobilization of their Tools/Equipment / Spare/Accessories (one or more) etc. upon receipt of notice from the Company. For de-Mobilization Contractor shall bear all such costs/charges, if any towards the same from drilling location to Contractor's base and the same will be guided by as per "General Terms and Conditions of Contract" in Section-I, Clause No. 2.2(iii) & (v)
- ii) All rates on Tools/Equipment/Spare/Accessories etc. shall cease to exist with effect from the day the Contractor is issued de-mobilization notice by Company. No charges whatsoever will be payable with effect from the date of notice to demobilization.
- iii) Company shall give notice to Contractor to commence demobilization. This shall be applicable with immediate effect. No other charges shall be payable after issuance of de-mobilization letter. However after final IFB No. CDG0778P17

demobilization the contractor will ensure that demobilization is completed and Company's work-site is cleared-off Contractor's property within 03 (three) weeks of notice from the Company, failing which, demobilization charge will be held up.

- iv) All charges connected with demobilization including all fees, duties and taxes in relation thereto, insurance and freight within India or on export/re-export outside India will be to Contractor's account.
- v) Upon completion of duration of the contract, the contractor shall submit their last invoice for payment along with any document(s) as required by the Indian laws and asked for by the Company to enable release of payment
- vi) In case of need for lean period/temporary suspension of Company's activity due to operational reasons, the Company retains the right to De-Mobilize Contractor's Equipment & Tools (any set) and Re-Mobilize the consignment when well operations recommence. Minimum 07(Seven) Days period for Re-Mobilization shall be provided from date of Re-Mobilization Notice of each hole (set) section.
- vii) No other Charges on any account will be payable from the time the De-Mobilization notice is issued till Re-Mobilization is completed under Company's advice.

NOTE:

- De- Mobilization charges for each section should not be less than 1% of the total quoted cost for each respective section in the Price Bid format for a period of 1(one) year. If De-mobilization is quoted in deficit or less than 1% of the estimated contract cost, the deficit amount shall be withheld from the first invoice and the same will be paid at the end of the contract alongwith Demobilization charges.
- Interim De-mobilization charges of each section should not exceed 0.5 % of total quoted cost for each respective section in the Price Bid format.

(C) OPERATIONAL CHARGES OF (TOOLS & EQUIPMENT INCLUDING MANPOWER):

Under the contract, Contractor shall be entitled to a day rate as detailed below. These rates are inclusive of spares and consumables etc. if required (including spares for running repairs and maintenance of SDMM-MWD and JARS) for the successful completion of the work.

i) During tripping in, Operating Charges shall be payable for all tools/equipment including manpower provided the tools are 100m below the rotary table in the well including surface testing as defined below, and will

be pro-rated to the nearest hour.

Surface Testing is defined as function testing of all tools/equipment of BHA to about 100 meter below rotary table.

During tripping out operation, operating charges for all tools/equipment including manpower will be payable only upto 200m below the rotary table.

DURING APPLICABLE OPERATING PERIOD MENTIONED ABOVE, ONLY OPERATING CHARGES SHALL BE PAYABLE AND NO OTHER CHARGES SHALL BE APPLICABLE. DURING NON OPERATING PERIOD ONLY STANBY CHARGES SHALL BE PAYABLE. BIDDER SHOULD TAKE THIS INTO CONSIDERATION AND QUOTE ACCORDINGLY.

- ii) Operating Charges shall also be paid during stuck up / fishing operation for the first 24 hours (per occurrence) beyond which only standby Charges shall be payable. Standby Charges shall cease to be paid from the time OIL decides to call off fishing operations to recover Contractor's tool/equipment from hole and notifies Contractor accordingly.
- iii) Operating Charges shall be payable with Tool in hole for first 24 hours, per occurrence, in case drilling is stopped due to well activity and mud loss conditions and any form of strike, rig repair, electrical and mechanical repair. Standby Charges shall only be payable beyond 24 hours, till normal operation is resumed.
- iv) In the event the Contractor's operating crew is not available for operation at any point of time during the period of contract no payment shall be made for such period.
- v) Operating Charges shall not be payable for any tool/equipment of BHA if it fails to function below R/Table after "Surface Testing".
- vi) Zero Rate will be applicable for entire Bottom Hole Assembly, in case of discontinuation / suspension of normal operation (drilling or round trip) leading to pulling out of drill string due to malfunctioning of any one component (i.e. MWD or SDMM or Jar) of BHA. Operating rate for entire Bottom Hole Assembly will cease to be paid under this circumstance.
- viii) Under above circumstances, Zero rate will continue for entire Bottom Hole Assembly for the period starting with pulling out from particular depth through running in till normal (identical) operation is resumed at the same depth. However, any shut down period (such as crew shortage, machinery failure, rig repairing, local bandh etc.) owing to OIL or other reasons (not attributable to Contractor's fault) during the zero rate period will be appropriately deducted from zero rate period.

ix) Selective Zero rate will be applicable only for those malfunctioning components of BHA, when normal operation (drilling or round-trip) is continued with other functional components of BHA. The Selective Zero rate for non-functional tool will continue from the time of fault detection (down hole) till the drill string is pulled out of hole after completion of normal operation. The functional components of BHA will continue to be paid operating rate under such circumstances

(D) STAND BY CHARGES OF TOOLS / EQUIPMENT INCLUDING MANPOWER:

- i) A) Stand by charges for tools & equipment including manpower will be aplicable for non-operating period of tools & equipment.
 - B) Once the operating day rate is applicable no Stand by charges will be payable for tools/equipment and manpower.
- ii) During Stand by period, the equipments has to be in fully operating condition, save repair and preventive maintenance with prior permission of OIL.
- iii) Stand by charges shall not be payable once the de-mobilization notice is issued by OIL for any tool(s)/equipment.
- iv) Stand by charges shall be applicable for any tool/equipment of BHA including manpower during the period it lies on surface and during surface testing of same to about 100 meter below rotary table.
- v) If the Contractor withdraws the whole or part of the equipment or any manpower resulting in breakdown of operation, zero Rate will be paid.
- vii) Stand by charges for complete consignment of Tools / Equipment will continue to be payable during "Dismantling of Contractor's facility in one location, Inter-Location movement, Re-Installation & Re-Commissioning of Contractor's facility in next location".
- viii) Stand by charges include supply of spares & consumables, replacement/maintenance cost and any other operational requirement if any during the contractual period. The Contractor must maintain minimum stock of any such regularly required items at the drilling site under their possession to ensure uninterrupted service.
- ix) All other necessary equipment, tools and accessories etc. will be provided by the Contractor for due performance of the intended services without any additional rental charges to Company.
- x) Stand by charges will be payable for full day or part thereof on pro-rata

basis up to the nearest hour.

- xi) If, Contractor's tool /equipment fails to perform, for any reason, attributable to the Contractor in the duration of operation, then no Stand by charges for the down hole tools shall become payable until the equipment/tool is put back in to operating condition or evidenced by demonstration of operation in actual tests or use to the satisfaction of OIL.
- xii) If a particular tool / equipment are found to be non functional during operation in first well after initial mobilization thereby causing total shut down of operation, in that case neither operating rate nor Stand by charges will be applicable from the date of receipt of entire consignment of different tool/equipment at OIL designated site. Also, the Contractor shall commit themselves to replace the defective tool / equipment with the same specification (as per contract) within a very short period.
- xiii) Contractor can withdraw their manpower during non-operating period at their own cost, subjected to ensuring their availability once operation starts.

NOTE:

 Standby charges of each section should not exceed 50% of total quoted Operating cost for each respective section in the Price Bid format.

(E) FORCE MAJEURE CHARGES: DAY RATE & RENTAL FOR TOOLS / EQUIPMENT / PERSONNEL DURING FORCE MAJEURE:

- i) Force majeure conditions are defined in Clause 11.0 of Section -I, "General Terms and Conditions" of this Contract.
- ii) All rates shown in Schedule of Rates shown above shall be restricted to 50% of Stand by charges for the service being provided by Contractor at the time of occurrence of force majeure situation. This will be considered as FORCE MAJEURE RATE.
- iii) The Force Majeure Rate shall be payable during the first 10 days period of force majeure situation.. No payment would apply after expiry of ten-(10) days force majeure period unless otherwise agreed to.

2.0 **ZERO RATE:**

Notwithstanding any provision in the contract, no charges (Stand by charges, operating for tools/equipments including personnel) shall be payable for the period, the job or activity assigned to the Contractor is halted due to breakdown of Contractor's tools/equipment, non-availability of key personnel or for any other reason whatsoever attributable to the Contractor.

2.1 Zero rates on tools/equipment & personnel shall be applicable on the bidder for any suspension of work due to non-availability of spare parts/consumables.

GENERAL NOTE:

- i) Bidders should indicate name and address of their Indian agent if any and also should specify the percentage of commission if any involved and it should be included in the quoted rates. In case no Indian agent commission is involved then should be shown as "NIL".
 - ii) Bidder should submit the list of items with CIF value to be imported into India in connection with execution of this contract as per **Proforma-A**.
- iii) From the Proforma, bidder should identify the items of re-exportable in nature (i.e. items which will not be consumed during the execution of the contract and required to be exported outside India after completion of the contract). Total CIF value of such items should be shown in the "PRICE BID FORMAT" as CIF (RE-EX).
- iv) Similarly from the **Proforma A**, bidder should identify the items of consumable in nature (i.e. items which will be consumed during the execution of the contract). Total CIF value of such items should be shown in the "PRICE BID FORMAT" as CIF (CONSUMABLES).
- v) Operating rate for SDMM and accessories shall be applicable only after Below Rotary Table(BRT). No separate charges are applicable for stabilizers.

END OF SECTION – IV

ANNEXURE - A

Details of Measurement While Drilling Surface Unit (Work Station)

Online surface recording system for running MWD services in 17. ½", 12 ½", 8 ½" holes with all accessories like signal pressure transducers, precision depth assembly and MWD logs including TVD logs in real time. MWD work station should be capable of recording stand pipe pressure, WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at shase. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	OIL Requirement	Bidder's Offer	Ref: Page No. by
running MWD services in 17. ½", 12 ½" & 8 ½" holes with all accessories like signal pressure transducers, precision depth assembly and MWD logs including TVD logs in real time. MWD work station should be capable of recording stand pipe pressure, WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	Online surface recording system for		
W" & 8 1/2" holes with all accessories like signal pressure transducers, precision depth assembly and MWD logs including TVD logs in real time. MWD work station should be capable of recording stand pipe pressure, WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
precision depth assembly and MWD logs including TVD logs in real time. MWD work station should be capable of recording stand pipe pressure, WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
logs including TVD logs in real time. MWD work station should be capable of recording stand pipe pressure, WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	like signal pressure transducers,		
MWD work station should be capable of recording stand pipe pressure, WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	precision depth assembly and MWD		
of recording stand pipe pressure, WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	logs including TVD logs in real time.		
WOB, drill string weight, RPM along with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	MWD work station should be capable		
with MWD data for all types of directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	of recording stand pipe pressure,		
directional wells. Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
Data to be recorded in real time as well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	with MWD data for all types of		
well as in memory mode. System should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
should be able to provide raw as well as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	Data to be recorded in real time as		
as processed data. Data to be provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
provided in electronic media (PDF, LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	<u>-</u>		
LASS and standard industry format like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	l •		
like DLIS / CLIS) in CD / DVD. System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	*		
System to have capability to retrieve data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	ı		
data in memory mode at the site. Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
Unit should have provision for data compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
compression feature and security protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
protection as per prevalent Oil Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
Industry standards. System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	1 -		
System should have color / BW printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
printing/ plotting facility at site and color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
color printing / plotting facility at base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending	,		
base. In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
In the event of fault and failure of equipment & software hired from the CONTRACTOR, their personnel should be available for attending			
equipment & software hired from the CONTRACTOR, their personnel should be available for attending	base.		
CONTRACTOR, their personnel should be available for attending	In the event of fault and failure of		
CONTRACTOR, their personnel should be available for attending	equipment & software hired from the		
should be available for attending			
rectification of the problem.			
	rectification of the problem.		

ANNEXURE - B

DRILL STRING AVAILABLE WITH "OIL

DRILL STRING AVAILABLE WITH "OIL						
SL. NO.	ITEM	OD	ID	WEIGHT (PPF)	CONNECTION	
1	Drill Pipe (G- Grade)	5"	3.25"	19.5	4 1/2"IF	
2	Heavy Weight Drill Pipe	5"	3.25"	49.3	4 1/2"IF	
3	Drill Collar	6.5"	2.13/16"	92.5	4"IF	
4	Drill Collar	8.25"	2.13/16"	150.5	6. 5/8" Reg	
5	Drill Collar	9. ½"	3.0"	216.6	7. 5/8" Reg	
6	Stabilizer(6.5 " Mandrel)	8.5	2.13/16"	92	4"IF	
7	Stabilizer(8 " Mandrel)	12. 1/4"	2.13/16"		6. 5/8" Reg	
8	Stabilizer(9.5 " Mandrel)	17.5"	3.0"		7. 5/8" Reg	
9	Cross Over For Above					
		6.5"	2.13/16"		4.1/2" R X 4. ½" IF	
10	Bit Sub	8.0"	2.13/16"		6. 5/8" Reg	
		9. ½"	3.0"		7. 5/8" Reg	

ANNEXURE-C

Details of MWD tool for 17. $\frac{1}{2}$ ", 12. $\frac{1}{4}$ " and 8. $\frac{1}{2}$ " hole section

TOOL FEATURES		OIL Requirement	Bidder's offer	Ref: Page No. by bidder	
Telemetry Type		Positive mud pulse			
Tool OD		4 ³ / ₄ ", 6 ¹ / ₂ " or 6 ³ / ₄ ", 7 ³ / ₄ " or 8" – 9. 5/8"			
DLS (PER 100')		17. ½" Section: 2 ° - 4 ° / 100′ 12. ¼" Section: 2 ° - 6° / 100′	-		
		8. ½" Section: 2.5 ° - 7° / 100′	1		
FLOW RANGE (GPM)	Refer below ***			
MAX OPERATING TH	EMP.	150° C			
MAX OPERATING PI	RESSURE (PSI)	15000 - 20000			
REAL TIME UPDATE	PERIOD	<= 20 Secs			
SURVEY TIME		<= 120 Secs			
DIRECTIONAL MEASUREMENT POINT FROM BIT	WITH GAMMA	Minimum possible			
1471.041777	TOOL FACE	± 1.5°			
MEASUREMENT ACCURACY	AZIMUTH	± 1.5°			
ACCURACI	INCLINATION	± 0.2°			
MEASUREMENT RA	NGE:	0-100 deg or more			
LOST CIRCULATION MATERIAL (MAX SIZE & CONCENTRATION)					
POWER SOURCE (OPERATING TIME, HRS)		Life > 150 Hrs			
DATA TRANSMISSION RATE (BITS/SEC)		3 bits/sec. or more and should be suitable to transmit data of various tools quoted in different segments of the tender			
MANUFACTURER /	MODEL	Model Quoted Should be Latest and Best in Class			

- > The system to complete with pulsar, electronic sensors, power source etc. for transmitting and recording down-hole data in real time.
- *** Min. Flow Rate: 400 GPM or More & Max. Flow Rate: 700 GPM or more for 12 1/4" hole section; Min. Flow Rate: 300 GPM & Max. Flow Rate: 500 GPM or more for 8 1/2" hole section. Additional features/information (if any) is to be provided by the bidder.

ANNEXURE-D

1.0 SPECIFICATION OF 61/2" / 63/4" STEERABLE DOWNHOLE MUD MOTOR

MOTOR FEATURES	OIL'S REQUIREMENT	BIDDER'S OFFER	REF: PAGE NO. BY BIDDER
Flow Range in GPM	Min. Flow Rate: 250 GPM		BIDDER
110 // 1101190 111 011 111	or more.		
	Max. Flow Rate: 500 GPM		
	or more.		
AKO/ABH Range (Min. Achievable)	0° - 2.5° or more		
Bit speed	Not less than 60 RPM to 220 RPM or more.		
Туре	Steerable with Adjustable Kick off sub/Adjustable Bend Housing		
Bearing type	Mud Lube or Oil sealed		
Length (Maximum)	30 – 35 feet		
Type of Connection	4½" API regular Box down and 4½"/4" API IF Box up. Or any other proprietary connection of the bidder		
	for their entire BHA.		
Lifting Sub	4½"/4" API IF		
Operating Differential Pressure (Psi)	900 PSI (Max) or more		
Power Output	173 HP minimum		
Torque Operating	6500 NM minimum		
DLS Maximum Achievable	4° / 100′ or more		
Pass Through DLS:			
Sliding	4° / 100' or more		
Rotary	4° / 100′ or more		
Stabilization	8¾" screwed-on/built-in		
Manufacturer / Model	From the manufacturers as specified in Clause 7 under Section – II.		

- ➤ Match on sub have to be provided by the bidder in case of proprietary connection for fishing and other job along with the lifting sub. In case of non-standard tubular, bidder has to provide overshoot tool for fishing job.
- > In case of proprietary connection, all cross over sub have to be provided by the bidder to match OIL's string.

Additional features/information (if any) is to be provided by the bidder using additional sheet.

2.0 SPECIFICATION OF 7¾" / 8"/8. ¾" STEERABLE DOWNHOLE MUD MOTOR					
MOTOR FEATURES	OIL'S REQUIREMENT	BIDDER'S OFFER	REF: PAGE NO. BY BIDDER		
	Min. Flow Rate: 300 GPM or				
Flow Range in GPM	more.				
Flow Range III of M	Max. Flow Rate: 900 GPM or				
	more.				
AKO/ABH Range (Min. Achievable)	0° - 2° or more				
Bit speed	Not less than 50 to 140 RPM approx or more.				
Туре	Steerable with Adjustable Kick off sub/Adjustable Bend Housing				
Bearing type	Mud Lube or Oil sealed				
Length (Maximum)	25 - 37 feet				

Type of Connection	65%" API Regular Box down and 65%" API Reg. Box Up. Or any other proprietary connection of the bidder for their entire BHA.	
Lifting Sub	65/8" API Reg.	
Operating Differential Pressure (Psi)	600 PSI (max) or more.	
Power Output	212 HP minimum	
Torque Operating	10,000 NM minimum	
DLS Maximum Achievable	4° / 100′ or more	
Pass Through DLS:		
Sliding	4° / 100' or more	
Rotary	4° / 100' or more	
Stabilization	121/8" screwed-on/built-in	
Manufacturer / Model	From the manufacturers as specified in Clause 7 under Section – II.	

- Match on sub have to be provided by the bidder in case of proprietary connection for fishing and other job along with the lifting sub. In case of non-standard tubular, bidder has to provide overshoot tool for fishing job.
- ➤ In case of proprietary connection, all cross over sub have to be provided by the bidder to match OIL's string.

Additional features/information (if any) is to be provided by the bidder using additional sheet.

3.0 SPECIFICATION OF 9. ½" / 95%" STEERABLE DOWNHOLE MUD MOTOR

MOTOR FEATURES	OTOR FEATURES OIL'S REQUIREMENT		REF: PAGE NO. BY BIDDER
Flow Range in GPM	Min. Flow Rate: 600 GPM or more.		
riow Range in Grid	Max. Flow Rate: 1150 GPM or more.		
AKO/ABH Range (Min. Achievable)	0° - 2° or more		
Bit speed	Not less than 50 to140 RPM approx or more.		
Туре	Steerable with Adjustable Kick off sub/Adjustable Bend Housing		
Bearing type	Mud Lube or Oil sealed		
Length (Maximum)	25 - 37 feet		
Type of Connection	75%" API Regular Box down and 75%" API Reg. Box Up. Or any other proprietary connection of the bidder for their entire BHA.		
Lifting Sub	75/8" API Reg.		
Operating Differential Pressure (Psi)	600 PSI (max) or more.		
Power Output	400 HP minimum		
Torque Operating	14000 NM minimum		
DLS Maximum Achievable	4° / 100' or more		
Pass Through DLS:			
Sliding	4° / 100' or more		
Rotary	4° / 100' or more		
Stabilization	17%" screwed-on/built-in		

		Manufacturer / Model	From the manufacturers as specified in Clause 7 under Section		
--	--	----------------------	---	--	--

- > Match on sub have to be provided by the bidder in case of proprietary connection for fishing and other job along with the lifting sub. In case of non-standard tubular, bidder has to provide overshoot tool for fishing job.
- > In case of proprietary connection, all cross over sub have to be provided by the bidder to match OIL's string.

Additional features/information (if any) is to be provided by the bidder.

\$

ANNEXURE - E

SPECIFICATION OF DRILLING JARS (Hydro-mech/Hydraulic)

	JAR FEATURES	OIL'S REQUIREMENT	BIDDER'S OFFER	REF: PAGE NO. BY BIDDER
	Length (Maximum)	30 feet (± 3 feet)		
	ID (Minimum)	2½" / 2.¾" / 3" ID		
	Tool Joint	65/8" API Reg. Box x Pin		
Jar	Torsional Yield	Not less than 95,000 ft-lbs		
Drilling	Jar Up-stroke minimum	260,000 - 300000 pounds		
	Jar Down-stroke minimum	42,000 - 300000 pounds		
., od	Stroke Length (Up & Down)	12" Minimum		
7¾,"/8"	Tensile Yield	10, 00,000 lbs.		
% 4	Max Operating Temp.	150° C or more		
7.	Max Operating Pressure (Psi)	20000 PSI or more		
		From the		
	Manufacturer / Model	manufacturers		
		specified in NIT.		

	JAR FEATURES	OIL'S REQUIREMENT	BIDDER'S OFFER	REF: PAGE NO. BY BIDDER
	Length (Maximum)	30 feet (± 3 feet)		
Jar	ID (Minimum)	2½" / 2.¾" ID		
	Tool Joint	4½" API IF Box x Pin		
	Torsional Yield	Not less than 50,000 ft-lbs		
Drilling	Jar Up-stroke minimum	160,000 - 175000 pounds		
	Jar Down-stroke minimum	37600 - 175000 pounds		
′4" ΟD	Stroke Length (Up & Down)	12" Minimum		
542"/634"	Tensile Yield	730,000 Lbs.		
5.2	Max Operating Temp.	150° C or more		
49	Max Operating Pressure (Psi)	18000 PSI or more		
		From the		
	Manufacturer / Model	manufacturers		
		specified in NIT.		

> All x-over subs required for connection contractor's string to operator's drill string is to be provided and furnished by the CONTRACTOR.

In case	the	contractor	provides	retrievable	RA	sources,	assembly	should	have	the
suitable	e ID t	to retrieve th	ne source	s if any.						

> Additional features/information (if any) is to be provided by the bidder.

ANNEXURE-F

DELIVERABLES FOR TOOLS MENTIONED ABOVE

SI	Equipment/ Description	Real Time Output	Memory Mode Output after each round trip	Processed Output (after completion of a hole section)	Processed Output (after completion of a well)
(I)	Delivery Time	Real-Time while Drilling/Trippin g	Within 24 hrs. of round trip	Within 3 days of completion of Hole Section	Within 3 days of completion of Well
(II)	Deliverables	RT Log Prints in Morning and Evening and whenever required during drilling	Rush Print Memory Mode Log Prints	Memory Recorded Mode Log Prints 2 Copies each	QC'd Recorded Mode Composite Log Prints 2 Copies each LAS/DLIS and PDF format In DVD

<u>NOTE:</u> Bidder should provide their offer (detailed specification) to meet with the above specified requirement by OIL. Make, Model & Additional features/information (if any) is to be provided by the bidder.

&&&&&&&&&&&

OFFSET WELLDATA

GEOSCIENTIFIC INFORMATION OF UPPERASSAMBASIN:

The Upper Assam Basin is truly a Tertiary sub-basin of the Assam-Arakan geological province located in the north-eastern part of Indian subcontinent. The Upper Assam basin had received clastic sediments in varied shallow marine to paralic and non-marine (deltaic, fluviatile) environmental conditions in different geological times during Tertiary period. In the present day configuration of the basin, the basement dips both towards southeast and northwest on the southern and northern flanks of the basement ridge, respectively. The sedimentary thickness, which is less than 4 km along the axis of the basement ridge, increases to more than 7 km towards Naga-Patkai range and the Eastern Himalayan foothills region.

Commercial oil/gas accumulations discovered so far occurs mainly in the fault closures within a depth range of about 2200-3600 metres in Miocene and Oligocene reservoirs and 3400-5400 metres in the Paleocene/ Lower Eocene reservoirs. Presently, substantial amount of the oil is produced by the Company from these Paleocene/ Lower Eocene thin clastic reservoirs. The Paleocene Lower Eocene formations are over pressured while Oligocene and younger formation are nearly hydrostatic.

EXPECTED FORMATION:

		AREAS/DEPTH(M)TVD							
FORMA- TION	BARIKU RI	BAGH- JAN	TENGA- KHAT	CHABUA	HATIALI	NORTH CHANDMAR I	SHALMARI		
GIRUJAN (Clay/Subo rdin Sandstone)	Absent	Absent	1700	20	1820	20	1703		
TIPAM (Sand stone/Shal e)	2003	2144	1780	1720	1850	2080	2326		
BARAIL (Mud stone/Shal e)	2664	2401	2285	2165	2380	2650	3096		
KOPILI (Splintery shale/Sand	3293	3178	2900	2820	2890	3320	3668		

IFB No. CDG0778P17 Page 91 of 122

PRANG (Lime stone /Shale)	3530	3541	3310	3250	3290	3560	4244
NARPUH (Sand stone/Shal e/ Silt stone)	3587	3632	3390	3320	3360	3620	4316
LK+Th (Shale/San d stone/ Whitish Clay)	3720	3720	3460	3400	3440	3740	4386
LANGPAR (Shale/Coal /Sand stone	3878	3847		3520	3550	3910	4526
BASEMENT	3943	3898		3600	3600	3950	4594

Note: Formation depths are tentative and may have difference of about +/_ 100 m in actual or vary well to well.

SPECIAL NOTE ON BAREKURI - BAGHJAN FIELD:

BAREKURI FIELD

The hydrocarbon prospects of the Barekuri field are confined to Paleocene/Lower Eocene and average depth of the reservoir is around 3740 m below MSL. So far, OIL has drilled nine wells in this structure of which 8 are oil producers and the current rate of production is approximately 1000 m3/day with very negligible water cut. Some more wells are planned to be drilled to develop/delineate the pay sands, few of them are horizontal. The initial reservoir pressure is 428.5 kg/cm2 and the current reservoir pressure is around 428.0 kg/cm2.

BAGHJAN FIELD

The main multi-stacked hydrocarbon bearing horizons are confined to the Palaeocene / Lower Eocene sandstone reservoirs. So far, drilling has been completed in 12 wells in the Baghjan structure. The reservoir pressure was found to be around 422.6 Ksc which is 50 Ksc above hydrostatic. The depth to Basement in the Baghjan area is around 3910 m below MSL and average depth of the reservoir is around 3700 - 3800 m below MSL. The area has been covered by 3D seismic survey. Some more wells are planned to be drilled to delineate extremes of the pay sands which include few horizontal and J-bend/ directional wells.

MUD PROGRAM FOR OFFSET WELL

TYPE-I: (Dikom, Kathaloni, Hatiali, Baghjan, Chabua etc.)

DEPTH (M) TVD	HOLE SIZE	MUD WEIGHT & TYPE	MUD PARAMETERS
150	17½"	66-68 lbs/cft water based bentonite mud	M.F Viscosity: 50-55 sec
2000+	121/4"	66-69 lbs/cft fully dispersed water based bentonite mud treated with FCLS, CL, PAC, and CMC, emulsified with oil.	lbs/100 sq.ft. API sand (%):
2000- 4000	81/2"	72-80 lbs/cft semi dispersed water based bentonite mud treated with XC-Polymer, PAC, Resinex, Sulfonated Asphalt emulsified with oil.	ft. Gel (0 Min): 2-6 lbs/100 sq.ft. Gel (15 Min): 16-30 lbs/100 sq.ft. API sand (%):

TYPE-II: Horizontal well (Makum, North Hapjan Area)

DEPTH (M) TVD	HOLE SIZE	MUD WEIGHT & TYPE	MUD PARAMETERS
150	17½	66-68 lbs/cft water based bentonite mud	M.F Viscosity: 50-55 sec

150- 1900	121/4"	66-68 lbs/cft lightly treated water based bentonite mud, treated with CMC (H), CMC (L), CFLS, Geltex-CP etc.	M.F Viscosity: 50-55 sec, App. Viscosity: 18-14 cp, Plastic viscosity: 13-8 lbs/100 sq.ft., YP: 15-10 lbs/100 sq. ft., Gel (0 Min): 10-8 lbs/100 sq.ft., Gel (15 Min): 25-35 lbs/100 sq.ft., API sand (%): 0.1 Solid (%): 10-14 % API Fluid Los: 14-8
			cc. Mud cake: 1-2 mm PH: 8.5-9.5
1900- 3000	8½"	68-72 lbs/cft. Glycol- Amine PHPA mud	M.F viscosity: 50-46 sec App. Viscosity: 30-15 cp Plastic viscosity: 11-7 lbs/100 sq.ft. YP: 30-14 lbs/100 sq. ft. Gel (0 Min): 10-6 lbs/100 sq.ft. Gel (10 Min): 15-6 lbs/100 sq.ft. API sand (%): 0.1 Solid (%): 2-5 % API Fluid Los: 10-6 cc. Mud cake: 1-1.5 mm PH: 8.5-9.0 Lubricity coefficient: 0.29-0.20

MUD HYDRAULICS FOR $8\frac{1}{2}$, $12\frac{1}{4}$ & $17\frac{1}{2}$ HOLE

Type of bit	Size of hole	GPM (US)	Jet Velocity (ft/sec)	Annular Velocity (ft/min) OH vs. DC	Annular Velocity (ft/min) OH vs. DP
TCR	6"	200-230	80-90	110-120	100-110
PDC	81/2"	430-460	320-350	280-350	200-240
TCR	81/2"	310-350	325-440	240-280	155-180
PDC	121/4"	550-700	320-400	190-240	130-160
TCR	121/4"	500-600	290-350	170-205	120-140
TCR	17½"	550-620	200-250	70-80	50-60

BIT DATA FOR 8½", 12¼" & 17½ HOLE

BIT DATA FOR 17.1/2 INCH HOLE:

Depth (M)	Bit size(inch)	Bit details	ROP (M/Hr.)	Average Meterage/bit
200-800	17.1/2	TCR (IADC:1-1-1, 1-2-1)	25-35	600m+

800-1600	17.1/2	TCR (IADC,1-1-1, 1-2-1, 1-2-4)	15-25	400m+
----------	--------	--------------------------------	-------	-------

BIT DATA FOR $8\frac{1}{2}$ " & $12\frac{1}{4}$ " HOLE

Depth (M)	Bit size(inch)	Bit details	ROP (M/Hr.)	Average Meterage/bit
1800- 3800	8½"	PDC (IADC,M-332)	11-12	2000+
1800- 3900	121/4"	TCR (IADC,1-2-7, 1-3-7)	5-7	350+
1800- 3900	121/4"	PDC IADC,M324	6-8	2000+
3900- 4600	8½"	PDC (IADC,M-332)	4-5	2000+
3900- 4600	8½"	TCR (IADC,4-3-7, 1-3-7)	3-4	150+

 $\underline{\text{NOTE}}$: The above Bit-data are tentative/approximate average value and just for guidelines only.

8888

РНОТО

BIO-DATA AND EXPERIENCE OF PERSONNEL Format for CV of MWD Engineer and Directional Driller

Educ	ational Qual	ification:							
Certi	Certifications:								
	Experience in last three / five years								
Yeaı	From Date	To Date	Name of Organization	Client/ Project	No. of days worked	No. of wells drilled	Type of wells drilled	Worked as	
			For	rmat for O	ther person	<u>nnel</u>			
1	CATEGORY	OF JOB	/ POST		:				
2	NAME OF I	NCUMBE	NT		:				
3	PRESENT A	DDRESS			:				
4	HOME ADD			:					
5	NATIONALI'			:					
6	DATE OF BIRTH				:				
7	ACADEMIC	QUALIFI	CATION		:				
8	TECHNICAL	QUALIF	ICATION		:				

SL NO	WORK EXPERIENCE		TYPES OF JOB	NAME OF	PLACE OF WORK
	FROM	TO	CARRIED OUT	COMPANY	

NOTE: TO ATTACH ALL SUPPLEMENTARY and Client's approval DOCUMENTS.

TOTAL EXPERIENCE IN THE RELATED FIELDS

SIGNATURE OF THE BIDDER

JOB EXPERIENCE RESUME

(IN YEARS)

Name:

9

10

888888888888888

DETAILS OF CONTRACTS EXECUTED BY THE BIDDER FOR DRILLING DIRECTIONAL WELLS

Sr. No.	Client Contact Details	Contract No. & Date	Duration of Contract	Scope of work	Documents Provided in Bid (*)

(*) Bidder should submit copy of relevant portion of the Contract containing "Client Name, Contractor Name, Contract No. & date, scope of work etc. along with performance certificates.

Authorised Person's Signature:	
Name:	
Seal of the Bidder:	
	&&&&&&&&&&

$\frac{\text{ANNEXURE - DD}}{\text{Details in support of Bidder's experience in providing MWD - SDMM- combination services}}$

		п			ails		ment			Sup	port D	ocumer	nt Pro	vided i	n Bid	
Well Name	Type of well	ompletic	Location	Client Name	tact Det	End Depth (M)	is-place	Offered		e Drill nning (st Drill		Auth entic ation
Well]	Type	Date of Completion	гооТ	Client	Client Contact Details	End De	Horizontal Dis-placement	Services	Well Plans	Directional Proposal	BHA Analysis	Torque &Drag Analysis	Well Plots	Surveys	BHA diagram	Certificate with Well
1																
2																
3																
4																
5																
6				_				_						_		
7																

Authorised Person's Signature:	
Name:	

Seal of the Bidder:

ANNEXURE-EE

Ref. No In Price Format	Name of Consumable	Quantity	Unit	Rate (USD)	Total (USD)	Freight & Insurance	CIF Value	Landed Cost at Duliajan
						Signat	ure of B	idder

INTEGRITY PACT

Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(Name of the bidder).....hereinafter referred to as "The Bidder/Contractor"

Preamble:

The Principal intends to award, under laid down organizational procedures, contract/s for -------------------. The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organisation "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section 1 - Commitments of the Principal

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:-
 - 1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
 - 2. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
 - 3. The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

Section 2 - Commitments of the Bidder/Contractor

- (1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
 - 1. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
 - 2. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelisation in the bidding process.
 - 3. The Bidder/Contractor will not commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - 4. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section 3 - Disqualification from tender process an exclusion from future Contracts

If the Bidder, before contract award has committed a transgression through a violation of Section-2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award

processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the Company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.

- 2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
- 3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.
- 4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.

Section 4 - Compensation for Damages

- 1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to 3 % of the value of the offer or the amount equivalent to Earnest Money Deposit/Bid Security, whichever is higher.
- 2. If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to 5% of the contract value or the amount equivalent to Security Deposit/Performance Bank Guarantee, whichever is higher.
- 3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

Section 5 - Previous transgression

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.

2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section 6 - Equal treatment of all Bidders/ Contractor/ Subcontractors

- 1. The Bidder/Contractor undertakes to demand form all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.
- 2. The Principal will enter into agreements with identical conditions as this one with all Bidders, Contractors and Subcontractors.
- 3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7 - Criminal charges against violating Bidders/ Contractors/Subcontractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

Section 8 - External Independent Monitor/ Monitors (three in number depending on the size of the contract) (to be decided by the Chairperson of the Principal)

- 1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- 2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
- 3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/ Contractor/Subcontractor with confidentiality.
- 4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the

Contractor. The parties offer to the Monitor the option to participate in such meetings.

- 5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- 6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.
- 7. If the Monitor has reported to the Chairperson of the Board a substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
- 8. The word 'Monitor' would include both singular and plural.

Section 9 - Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

Section 10 - Other provisions

- 1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi.
- 2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
- 3. If the Contractor is a partnership or a consortium, this agreement must be, signed by all partners or consortium members.

For the Principal	For the Bidder/Contractor
Place : Duliajan	Witness1:
Date:	Witness 2:
&a	చిచిచి

4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

105

LIST OF ITEMS (Equipment, Tools, Accessories, Spares & consumable) TO BE IMPORTED IN CONNECTION WITH EXECUTION OF THE CONTRACT SHOWING CIF VALUE

Sr 1#	Item Descrip -tion	Qty /Un it	Rate	Total	Freight & Insuranc e	CIF Valu e	Port & other charg e		Is it re- exportabl e? YES or NO	Yea r of Mfg.	HSN Cod e
A	В	С	D	E = C x D	F	G = F + E	Н	I = G+H	J	K	L

- (1) The items which are not of consumable in nature and required to be re-exported outside India after completion of the Contract should be indicated as "YES" in column "J".
- (2) The items, which are of consumable in nature should be indicated as "NO" in column "J".
- (3) For estimation of applicable customs duty, the bidders are required to indicate customs tariff code (i.e. HSN Code) of each item in column "L".

Authorised Person's Signature:	
Name:	_

Seal of the Bidder:

IFB NO: CDG0778P17

Sub: Charter HIRING OF SERVICES FOR DRILLING OF DIRECTIONAL WELLS WITH SDMM + MWD + JAR ALONGWITH PERSONNEL FOR 1 (ONE) YEAR IN THE STATES OF ASSAM & ARUNACHAL PRADESH

PRICE BID FORMAT

	Name of the Bidder:	Curre	ncy quote	d[]	Proforma-B		
	Hiring of 1 set of 17.1/2" , 2 sets of 12.1/4" and 2 sets of 8.1/2" Dire	ectional Service	for 1 year	with SDMM & I	MWD		
	DESCRIPTION OF ITEMS 17.1/2" HOLE SECTION	UNIT	Qty	Rate	Total		
S. No.	Mobilization charges of tools and equipment including manpower:		•	•			
1	Directional MWD Surface Unit for 17. 1/2" hole section	NO	1		0.00		
2	Drilling Jars for 17. 1/2" hole section	NO	1		0.00		
3	SDMM with Stablisers & Accessories for 17.1/2" hole section	NO	1		0.00		
4	Directional MWD with Gamma Ray tool for 17.1/2" hole section	NO	1		0.00		
	Total Mobilization charges of tools and equipment including manpower: A						
S. No.	De-Mobilization charges of tools and equipment including manpowe	r:		-			
1	Directional MWD Surface Unit for 17. 1/2" hole section	NO	1	-	0.00		
2	Drilling Jars for 17. 1/2" hole section	NO	1	-	0.00		
3	SDMM with Stablisers & Accessories for 17.1/2" hole section	NO	1	-	0.00		
4	Directional MWD with Gamma Ray tool for 17.1/2" hole section	NO	1	-	0.00		
	Total De-Mobilization charges of tools and equipment including man	power : B			0.00		
S. No.	Interim Mobilization charges of tools and equipment including manp	ower:					
1	Directional MWD Surface Unit for 17. 1/2" hole section	NO	1	-	0.00		
2	Drilling Jars for 17. 1/2" hole section	NO	1	-	0.00		
3	SDMM with Stablisers & Accessories for 17.1/2" hole section	NO	1	-	0.00		
4	Directional MWD with Gamma Ray tool for 17.1/2" hole section	NO	1	-	0.00		
	Total Interim Mobilization charges of tools and equipment including	manpower : C			0.00		
S. No.	Interim De-Mobilization charges of tools and equipment including ma	anpower:		-			
1	Directional MWD Surface Unit for 17. 1/2" hole section	NO	1	-	0.00		
2	Drilling Jars for 17. 1/2" hole section	NO	1	-	0.00		
3	SDMM with Stablisers & Accessories for 17.1/2" hole section	NO	1	-	0.00		
4	Directional MWD with Gamma Ray tool for 17.1/2" hole section	NO	1	-	0.00		
	Total Interim De-Mobilization charges of tools and equipment includi	ng manpower: [)		0.00		
S. No.	Operating Charges of Tools and Equipment including manpower			<u> </u>			
1	Directional MWD Surface Unit for 17. 1/2" hole section	DAY	120		0.00		
2	Drilling Jars for 17. 1/2" hole section	DAY	120		0.00		
3	SDMM with Stablisers & Accessories for 17.1/2" hole section	DAY	120		0.00		
4	Directional MWD with Gamma Ray tool for 17.1/2" hole section	DAY	120		0.00		
	Total Operating Charges of Tools and Equipment including manpow	er : E			0.00		
S. No.	Standby Charges of Tools and Equipment including manpower						
1	Directional MWD Surface Unit for 17. 1/2" hole section	DAY	245		0.00		
2	Drilling Jars for 17. 1/2" hole section	DAY	245		0.00		
3	SDMM with Stablisers & Accessories for 17.1/2" hole section	DAY	245		0.00		
4	Directional MWD with Gamma Ray tool for 17.1/2" hole section	DAY	245		0.00		
	Total Standby Charges of Tools and Equipment including manpowe	er: F			0.00		
	Total cost of 17. 1/2" tools and Equipments including manpower:	G=A+B+C+D+	E+F		0.00		

	DESCRIPTION OF ITEMS FOR 12.1/4" HOLE SECTION	UNIT	Qty	Rate	Total					
C No			,							
S. No.	Mobilization charges of tools and equipment including manpower:	NO	2		0.00					
2	Directional MWD Surface Unit for 12.1/4" hole section Drilling Jars for 12.1/4" hole section	NO	2		0.00					
3	SDMM with Stablisers & Accessories for 12.1/4" hole section	NO	2		0.00					
4		NO	2		0.00					
4	Directional MWD with Gamma Ray tool for 12.1/4" hole section		2		0.00					
0.11-	Total Mobilization charges of tools and equipment including manpower: H									
S. No.	De-Mobilization charges of tools and equipment including manpower:	NO	0		0.00					
1	Directional MWD Surface Unit for 12.1/4" hole section	NO	2	-	0.00					
2	Drilling Jars for 12.1/4" hole section	NO	2	-	0.00					
3	SDMM with Stablisers & Accessories for 12.1/4" hole section	NO	2	-	0.00					
4	Directional MWD with Gamma Ray tool for 12.1/4" hole section	NO	2	-	0.00					
	Total De-Mobilization charges of tools and equipment including manpow				0.00					
S. No.	Interim Mobilization charges of tools and equipment including manpowe									
1	Directional MWD Surface Unit for 12.1/4" hole section	NO	4	-	0.00					
2	Drilling Jars for 12.1/4" hole section	NO	4	-	0.00					
3	SDMM with Stablisers & Accessories for 12.1/4" hole section	NO	4	-	0.00					
4	Directional MWD with Gamma Ray tool for 12.1/4" hole section	NO	4		0.00					
	Total Interim Mobilization charges of tools and equipment including man	power: J			0.00					
S. No.	Interim De-Mobilization charges of tools and equipment including manpo	ower:								
1	Directional MWD Surface Unit for 12.1/4" hole section	NO	4	-	0.00					
2	Drilling Jars for 12.1/4" hole section	NO	4	-	0.00					
3	SDMM with Stablisers & Accessories for 12.1/4" hole section	NO	4	-	0.00					
4	Directional MWD with Gamma Ray tool for 12.1/4" hole section	NO	4	-	0.00					
	Total Interim De-Mobilization charges of tools and equipment including r	nanpower: I	〈		0.00					
S. No.	Operating charges of tools and equipment including manpower:			•						
1	Directional MWD Surface Unit for 12.1/4" hole section	DAY	360		0.00					
2	Drilling Jars for 12.1/4" hole section	DAY	360		0.00					
3	SDMM with Stablisers & Accessories for 12.1/4" hole section	DAY	360		0.00					
4	Directional MWD with Gamma Ray tool for 12.1/4" hole section	DAY	360		0.00					
	Total Operating charges of tools and equipment including manpower : I	_	-		0.00					
S. No.	Standby charges of tools and equipment including manpower:			<u>.</u> .						
1	Directional MWD Surface Unit for 12.1/4" hole section	DAY	370		0.00					
2	Drilling Jars for 12.1/4" hole section	DAY	370		0.00					
3	SDMM with Stablisers & Accessories for 12.1/4" hole section	DAY	370		0.00					
4	Directional MWD with Gamma Ray tool for 12.1/4" hole section	DAY	370		0.00					
<u> </u>	Total standby charges of tools and equipment including manpower: M		<u> </u>		0.00					
					0.50					
	Total cost of 12.1/4" tools and equipment including manpower: N=H+I+	J+K+L+M			0.00					
				<u> </u>						

	DESCRIPTION OF ITEMS FOR 8.1/2" HOLE SECTION	UNIT	Qty	Rate	Total
S. No.	Mobilization charges of tools and equipment including manpower:	•		•	
1	Directional MWD Surface Unit for 8.1/2" hole section	NO	2		0.00
2	Drilling Jars for 8.1/2" hole section	NO	2		0.00
3	SDMM with Stablisers & Accessories for 8.1/2" hole section	NO	2		0.00
4	Directional MWD with Gamma Ray tool for 8.1/2" hole section	NO	2		0.00
	Total Mobilization charges of tools and equipment including manpower	: 0			0.00
S. No.	De-Mobilization charges of tools and equipment including manpower:			•	
1	Directional MWD Surface Unit for 8.1/2" hole section	NO	2	-	0.00
2	Drilling Jars for 8.1/2" hole section	NO	2	-	0.00
3	SDMM with Stablisers & Accessories for 8.1/2" hole section	NO	2	-	0.00
4	Directional MWD with Gamma Ray tool for 8.1/2" hole section	NO	2	-	0.00
	Total De-Mobilization charges of tools and equipment including manpov	ver : P			0.00
S. No.	Interim Mobilization charges of tools and equipment including manpowe	er:			
1	Directional MWD Surface Unit for 8.1/2" hole section	NO	4	-	0.00
2	Drilling Jars for 8.1/2" hole section	NO	4	-	0.00
3	SDMM with Stablisers & Accessories for 8.1/2" hole section	NO	4	-	0.00
4	Directional MWD with Gamma Ray tool for 8.1/2" hole section	NO	4	-	0.00
Total Interim Mobilization charges of tools and equipment including manpower: Q				0.00	
S. No.	Interim De-Mobilization charges of tools and equipment including manpe	ower:		<u>-</u>	
1	Directional MWD Surface Unit for 8.1/2" hole section	NO	4	-	0.00
2	Drilling Jars for 8.1/2" hole section	NO	4	-	0.00
3	SDMM with Stablisers & Accessories for 8.1/2" hole section	NO	4	-	0.00
4	Directional MWD with Gamma Ray tool for 8.1/2" hole section	NO	4	-	0.00
				0.00	
S. No.	Operating charges of tools and equipment including manpower:				
1	Directional MWD Surface Unit for 8.1/2" hole section	DAY	380		0.00
2	Drilling Jars for 8.1/2" hole section	DAY	380		0.00
3	SDMM with Stablisers & Accessories for 8.1/2" hole section	DAY	380		0.00
4	Directional MWD with Gamma Ray tool for 8.1/2" hole section	DAY	380		0.00
	Total Operating charges of tools and equipment including manpower:	S			0.00
S. No.	Stand by charges of tools and equipment including manpower:				
1	Directional MWD Surface Unit for 8.1/2" hole section	DAY	350		0.00
2	Drilling Jars for 8.1/2" hole section	DAY	350		0.00
3	SDMM with Stablisers & Accessories for 8.1/2" hole section	DAY	350		0.00
4	Directional MWD with Gamma Ray tool for 8.1/2" hole section	DAY	350		0.00
	Total standby charges of tools and equipment including manpower: T				0.00
	Total cost of 8.1/2" tools and equipment including manpower: U=O+P+	O+R+S+T			0.00
	Total 3000 01 01.112 tools and equipment including manipower. 0-041 4	Q I I I T U T I			0.00

NOTE				
i) Mob/De-mob/Operating/ Standby Charges of Manpower are to be included tools/equipment.	ed in the respective	Mob/De-mob/Op	erating/ Stand	lby Charges of
ii) Quantities shown above against operating and standby charges are for e	valuation purpose on	ly, but to be paid	at actual.	
iii) Total Contract cost (V) for 1 (one) year includes all taxes & duties excep	ot service tax and cust	oms duty which s	hall be extra to	OIL.
iv) Mobilization charges for each section shall not exceed 1% of the total q 1(one) year	uoted cost for each re	spective section i	n the Price Bid	format for a perio
v) De- Mobilization charges for each section should not be less than 1% of t period of 1(one) year	he total quoted cost f	or each respectiv	e section in the	e Price Bid format
vi) Interim Mobilization charges of each section should not exceed 0.5 % of	total quoted cost for	each respective s	ection in the P	rice Bid format
vii) Interim De-mobilization charges of each section should not exceed 0.5 %	•	•		
viii) Standby charges of each section should not exceed 50% of total guoted	d Operating cost for o	ach respective se	rtion in the Dri	ce Rid format

BID FORM

To M/s. Oil India Limited, P.O. Duliajan, Assam, India

Sub: IFB No. CDG0778P17

\sim		1		
Ge	nti	01	no	n
	1 666		ועטו	1 L.

derittement,
Having examined the General and Special Conditions of Contract and the Terms of Reference including all attachments thereto, the receipt of which is hereby duly acknowledged, we the undersigned offer to perform the services in conformity with the said conditions of Contract and Terms of Reference for the sum of (Total Bid Amount in words and figures) or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.
We undertake, if our Bid is accepted, to commence the work within (days calculated from the date of issue of Letter of Award (LOA).
If our Bid is accepted, we will obtain the guarantee of a bank in a sum not exceeding for the due performance of the Contract.
We agree to abide by this Bid for a period of 120 days from the date fixed for Bid closing and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof in your notification of award shall constitute a binding Contract between us.
We understand that you are not bound to accept the lowest or any Bid you may receive.
Dated this day of 2016.
Authorised Person's Signature:
Name:
Designation:
Seal of the Bidder:

STATEMENT OF NON-COMPLIANCE (Only exceptions/deviations to be rendered)

1.0 The Bidder shall furnish detailed statement of **exceptions/deviations**, if any, to the tender stipulations, terms and conditions in respect of each Section of Bid Document in the following format:

Section No.	Clause No. (Page No.)	Non-Compliance	Remarks

2.0 In addition to the above the Bidder shall furnish detailed information pertaining to construction, operational requirements, velocity-pattern, added technical features, if any and limitations etc. of the Inspection Tool proposed to be deployed.

Authorised Person's Signature:		
Name:		
Designation:	_	
Seal of the Bidder:		

NOTE: OIL INDIA LIMITED expects the bidders to fully accept the terms and conditions of the bid document. However, should the bidders still envisage some exceptions/deviations to the terms and conditions of the bid document, the same should be indicated as per above format and submit along with their bids. If the "**Statement of Compliance**" in the above Proforma is left blank (or not submitted along with the technical bid), then it would be construed that the bidder has not taken any exception/deviation to the tender requirements.

FORM OF BID SECURITY (BANK GUARANTEE)

	To: M/s. OIL INDIA LIMITED, For DGM (Contracts) Duliajan, Assam, India, Pin - 786 602
	WHEREAS, (Name of Bidder) (hereinafter called "the Bidder") has submitted their offer Dated for the provision of certain oilfield services (hereinafter called "the Bid") against OIL INDIA LIMITED, Duliajan, Assam, India (hereinafter called the Company)'s IFB No KNOW ALL MEN BY these presents that we (Name of Bank) of (Name of Country) having our registered office at (hereinafter called "Bank") are bound unto the Company in the sum of (*) for which payment well and truly to be made to Company, the Bank binds itself, its successors and assignees by these presents. SEALED with the common seal of the said Bank this day of 2016.
(1)	THE CONDITIONS of these obligations are: If the Bidder withdraws their Bid during the period of Bid validity specified by the Bidder; or
(2)	If the Bidder, having been notified of acceptance of their Bid by the Company during the period of Bid validity:
(a)	Fails or refuses to execute the form of agreement in accordance with the Instructions to Bidders; or
(b)	Fails or refuses to furnish the Performance Security in accordance with the Instructions to Bidders;
	We undertake to pay to Company up to the above amount upon receipt of its first written demand (by way of letter/fax/cable), without Company having to substantiate its demand provided that in its demand Company will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.
	This guarantee will remain in force up to and including the date(**) and any demand in respect thereof should reach the Bank not later than the above date.
	SIGNATURE AND SEAL OF THE GUARANTORS Name of Bank & Address
	Witness Address
	(Signature, Name and Address)
*	Date: Place: The amount of the guarantee in words and figures.
	· · · · · · · · · · · · · · · · · · ·

^{**} Date of expiry of Bank Guarantee should be minimum 30 days after the end of the validity period of the Bid.

FORM OF PERFORMANCE BANK GUARANTEE

To:
M/s. OIL INDIA LIMITED,
(DGM-CONTRACTS)
Duliajan, Assam, India, Pin - 786 602.
WHEREAS (Name and address of Contractor)
(hereinafter called "Contractor") had undertaken, in pursuance of Contract No.
to execute (Name of Contract and Brief Description of the Work)
(hereinafter called "the Contract").
AND WHEREAS it has been stipulated by you in the said Contract that the Contractor
shall furnish you with a Bank Guarantee as security for compliance with Contractor's
obligations in accordance with the Contract.
AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee; NOW
THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up
to a total of (Amount of Guarantee in figures) (in words
), such amount being payable in the types and proportions of
currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the
limits of guarantee sum as aforesaid without your needing to prove or to show grounds
or reasons for your demand for the sum specified therein. We hereby waive the
necessity of your demanding the said debt from the Contractor before presenting us with
the demand.
We further agree that no change or addition to or other modification of the terms of
the Contract or the work to be performed thereunder or of any of the Contract
documents which may be made between you and the Contractor shall in any way cease
us from any liability under this guarantee, and we hereby waive notice of such change,
addition or modification.
This guarantee is valid until the date (calculated at 3 months after Contract
completion date).
SIGNATURE AND SEAL OF THE GUARANTORS
Designation
Name of Bank
Address
Witness
Address
Date
Place

PROFORMA-G

AGREEMENT FORM

This Agreement is made on day of between Oil India Limited, a Government of India Enterprise, incorporated under the Companies Act 1956, having its registered office at Duliajan in the State of Assam, hereinafter called the "Company" which expression unless repugnant to the context shall include executors, administrators and assignees on the one part, and M/s (Name and address of Contractor) hereinafter called the "Contractor" which expression unless repugnant to the context shall include executors, administrators and assignees on the other part,
WHEREAS the Company desires that Services (brief description of services) should be provided by the Contractor as detailed hereinafter or as Company may requires;
WHEREAS, Contractor engaged themselves in the business of offering such services represents that they have adequate resources and equipment, material etc. in good working order and fully trained personnel capable of efficiently undertaking the operations and is ready, willing and able to carry out the said services for the Company as per Section-II attached herewith for this purpose and
WHEREAS, Company had issued a firm Letter of Award No dated based on Offer No dated submitted by the Contractor against Company's IFB No All these aforesaid documents shall be deemed to form and be read and construed as part of this agreement/contract. However, should there be any dispute arising out of interpretation of this contract in regard to the terms and conditions with those mentioned in Company's tender document and subsequent letters including the Letter of Intent and Contractor's offer and their subsequent letters, the terms and conditions attached hereto shall prevail. Changes, additions or deletions to the terms of the contract shall be authorized solely by an amendment to the contract executed in the same manner as this contract.
NOW WHEREAS, in consideration of the mutual covenants and agreements hereinafter contained, it is hereby agreed as follows -
In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
In addition to documents herein above, the following Sections and Annexures attached herewith shall be deemed to form and be read and construed as part of this agreement viz.:
 (a) Section-I indicating the General Conditions of this Contract; (b) Section-II indicating the Terms of Reference; (c) Section-III indicating the Special Terms & Condition;

1.

2.

- (d) Section-IV indicating the Schedule of Rates.
- 3. In consideration of the payments to be made by the Company to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Company to provide the Services and to remedy defects therein in conformity in all respect with the provisions of this Contract.
- 4. The Company hereby covenants to pay the Contractor in consideration of the provision of the Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of this Contract at the times and in the manner prescribed by this Contract.

IN WITNESS thereof, each party has executed this contract at Duliajan, Assam as of the date shown above.

Signed, Sealed and Delivered,

For and on behalf of Company (Oil India Limited)	for and on behalf of Contractor (M/s		
Name:	Name:		
Status:	Status:		
In presence of	In presence of		
1.	1.		
2.	2.		

PROFORMA LETTER OF AUTHORITY

TO

DGM (CONTRACTS)

Seal of the Bidder:

Oil India Ltd., P.O. Duliajan - 786 602 Assam, India Sir, Sub: OIL's IFB No. CDG0778P17 We _____ confirm that Mr. ____ (Name and address) as authorised to represent us to Bid, negotiate and conclude the agreement on our behalf with you against Tender Invitation No. ______ for hiring of services for ______. We confirm that we shall be bound by all and whatsoever our said representative shall commit. Yours Faithfully, Authorised Person's Signature: Name: _____ Designation:

Note: This letter of authority shall be on printed letter head of the Bidder and shall be signed by a person competent and having the power of attorney (power of attorney shall be annexed) to bind such Bidder. If signed by a consortium, it shall be signed by members of the consortium.

AUTHORISATION FOR ATTENDING BID OPENING

TO	Date :
DGM (CONTRACTS)	
Oil India Ltd.,	
P.O. Duliajan - 786 602 Assam, India	
Assam, maia	
Sir,	
Sub: OIL's IFB No. CDG0778P1	7
We authorise Mr. /Mrs	(Name and address) to be present at the
time of opening of the above IFB due on	at Duliajan on our behalf.
	-
Yours Faithfully,	
Authorised Person's Signature:	
•	
Name:	
Designation:	
Seal of the Bidder:	
Note: This letter of authority shall be	on printed letter head of the Bidder and
shall be signed by a person who signs the	-

FORMAT OF AGREEMENT BETWEEN BIDDER AND THEIR PARENT COMPANY / 100% SUBSIDIARY COMPANY (As the case may be)

(TO BE EXECUTED ON STAMP PAPER OF REQUISITE VALUE AND NOTORISED)

_	ment made this day of month year by and between M/s.
address) h in full Company/	(Fill in the Bidder's full name, constitution and registered office ereinafter referred to as bidder on the first part and M/s (Fill name, constitution and registered office address of Parent Subsidiary Company, as the case may be) hereinafter referred to as "Parent Subsidiary Company (Delete whichever not applicable)" of the other part:
WHEREAS	
tender No.	ndia Limited (hereinafter referred to as OIL) has invited offers vide their for and M/s (Bidder) bid against the said tender and desires to have technical support of M/s [Parent Company/ Subsidiary Company-(Delete whichever not
not application requirement] and whereas Parent Company/ Subsidiary Company (Delete whichever cable) represents that they have gone through and understood the nts of subject tender and are capable and committed to provide the services d by the bidder for successful execution of the contract, if awarded to the
Now, it is h	nereby agreed to by and between the parties as follows:
1.	M/s(Bidder) will submit an offer to OIL for the full scope of work as envisaged in the tender document as a main bidder and liaise with OIL directly for any clarifications etc. in this context.
2.	M/s (Parent Company/ Subsidiary Company (Delete whichever not applicable) undertakes to provide technical support and expertise, expert manpower and procurement assistance and project management to support the bidder to discharge its obligations as per the Scope of work of the tender / Contract for which offer has been made by the Parent Company/Subsidiary Company (Delete whichever not applicable) and accepted by the bidder.
3.	This agreement will remain valid till validity of bidder's offer to OIL including extension if any and till satisfactory performance of the contract in the event the contract is awarded by OIL to the bidder.

- 4. It is further agreed that for the performance of work during contract period bidder and Parent Company/Subsidiary Company (Delete whichever not applicable) shall be jointly and severely responsible to OIL for satisfactory execution of the contract.
- 5. However, the bidder shall have the overall responsibility of satisfactory execution of the contract awarded by OIL.

In witness whereof the parties hereto have executed this agreement on the date mentioned above.

For and on behalf of	For and on behalf of			
(Bidder)	(Parent	Company/Subsidiary		
	<u>Company</u>	(Delete	whichever	not
	<u>applicable)</u>			
M/s.	M/s.			
•	,			
Witness:	Witness:			
1)	1)			
2)	2)			

PARENT COMPANY/ SUBSIDIARY COMPANY GUARANTEE (Delete whichever not applicable) (TO BE EXECUTED ON STAMP PAPER OF REQUISITE VALUE AND NOTORISED)

DEED OF GUARANTEE

THIS DEED OF GUARANTEE executed at this day of by M/s

(mention complete name) a company duly organized and existing
under the laws of (insert jurisdiction/country), having its Registered Office at hereinafter called "the Guarantor" which
expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted assigns.
WHEREAS
M/s Oil India Limited, a company duly registered under the Companies Act 1956, having its Registered Office at Duliajan in the State of Assam, India, hereinafter called "OIL" which expression shall unless excluded by or repugnant to the context thereof, be deemed to include its successor and assigns, invited tender number
M/s

The Guarantor represents that they have gone through and understood the requirement of the above said tender and are capable of and committed to provide technical and such other supports as may be required by the Company for successful execution of the same.

The Company and the Guarantor have entered into an agreement dated as per which the Guarantor shall be providing technical and such other supports as may be necessary for performance of the work relating to the said tender.

Accordingly, at the request of the Company and in consideration of and as a requirement for OIL to enter into agreement(s) with the Company, the Guarantor hereby agrees to give this guarantee and undertakes as follows:

- 1. The Guarantor (Parent Company / 100% Subsidiary Company (Delete whichever not applicable) unconditionally agrees that in case of non-performance by the Company of any of its obligations in any respect, the Guarantor shall, immediately on receipt of notice of demand by OIL, take up the job without any demur or objection, in continuation and without loss of time and without any cost to OIL and duly perform the obligations of the Company to the satisfaction of OIL.
- 2. The Guarantor agrees that the Guarantee herein contained shall remain valid and enforceable till the satisfactory execution and completion of the work (including discharge of the warranty obligations) awarded to the Company.
- 3. The Guarantor shall be jointly with the Company as also severally responsible for satisfactory performance of the contract entered between the Company and OIL.
- 4. The liability of the Guarantor, under the Guarantee, is limited to the 50% of the annualized contract price entered between the Company and OIL. This will, however, be in addition to the forfeiture of the Performance Guarantee furnished by the Company.
- 5. The Guarantor represents that this Guarantee has been issued after due observance of the appropriate laws in force in India. The Guarantor hereby undertakes that the Guarantor shall obtain and maintain in full force and effect all the governmental and other approvals and consents that are necessary and do all other acts and things necessary or desirable in connection therewith or for the due performance of the Guarantor's obligations hereunder.
- 7. The Guarantor hereby declares and represents that this Guarantee has been given without any undue influence or coercion, and that the Guarantor has fully understood the implications of the same.

8. The Guarantor represents and confirms that the Guarantor has the legal capacity, power and authority to issue this Guarantee and that giving of this Guarantee and the performance and observations of the obligations hereunder do not contravene any existing laws.

For & on behalf of (Parent Company/Subsidiary Company (Delete whichever not applicable))

	<u>not approusio</u>
	M/s
Witne 1.	ess: Signature Signature
1.	Full Name Designation Address
	Common seal of the Company
Witne	ess:
2.	Signature Full Name
	Address
INOM	DUOMIONO DOD DUDNICIUNO DADENM/CUDCIDIADY COMPANY
<u></u>	RUCTIONS FOR FURNISHING PARENT/SUBSIDIARY COMPANY
GUA	RANTEE
1.	Guarantee should be executed on stamp paper of requisite value and notorised.
2.	The official(s) executing the guarantee should affix full signature (s) or each page.
3.	Resolution passed by Board of Directors of the guarantor company authorizing the signatory (ies) to execute the guarantee, duly certified by
4.	the Company Secretary should be furnished along with the Guarantee.
4.	Following certificate issued by Company Secretary of the guaranto company should also be enclosed along with the Guarantee.
	contained in the deed of guarantee No furnished against tender
	are enforceable against the guarantor company and the same do not,
	, contravene any law of the country of which the guarantor company is the
subject".	