



Oil India Limited
(A Govt. of India Enterprise)
P.O. Duliajan – 786602, Assam

Telephone No. (91-374) 2800491

Fax No: (91-374) 2800533

Email: sunil_sahu@oilindia.in ; erp_mm@oilindia.in

Tender No. & Date : SDG0200P16/07 dtd 09.02.2016

Tender Fee : INR 4,500.00 OR USD 100.00

Bid Security Amount : INR 2,67,000.00 OR USD 4,000.00

Bidding Type : SINGLE STAGE TWO BID SYSTEM

Bid Closing on : 06.04.2016 at 11.00 hrs (IST)

Technical Bid Opening : 06.04.2016 at 14.00 hrs (IST)

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Global Tenders for items detailed below:

Item No. / Mat. Code	Material Description	QTY.	UO M
1	Supply of KILL MANIFOLD as detailed in the following Annexures –	4	Nos.
	a) Detailed specification - Annexure - A b) Bid Rejection Criteria (BRC) and Bid Evaluation Criteria - Annexure-B. c) Commercial & Technical Check list - Annexure-C		

Special Notes:

1.0 The tender will be governed by "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to "General Terms & Conditions" for e-Procurement.

2.0 Commercial Check list is furnished vide Annexure – C. Please ensure that the check list is properly filled up and uploaded along with Technical bid.

3.0 The item qualifies for Nil duty / Deemed Export benefits. For Deemed

Export benefits please refer Addendum to the General terms and conditions for Global tender.

- 4.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with tender no. and due date to **The Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before 13:00 hrs (IST) on the Bid Closing Date mentioned in the Tender.**

a) Original Bid Security along with two duplicate copies of Bid Security.

b) Any other document which have been specified to be submitted in original.

- 5.0 The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The "Techno-commercial Unpriced Bid" shall contain all technical and commercial details except the prices which shall be kept blank. Details of prices as per Bid format / Commercial bid to be uploaded as attachment in the Attachment Tab "Notes and Attachments".

Any offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender.

- 6.0 In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical Rfx Response-> User - > Technical Bid. **No price should be given in above Technical Rfx otherwise the offer will be rejected.** Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical Rfx Response-> User - > Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. The prices of the items should be quoted in "Conditions Tab". Details of prices as per Bid format / Commercial bid can be uploaded as Attachment under the attachment option under "Notes & Attachments".

- 7.0 PRICED BIDS OF ONLY THOSE BIDDERS WILL BE OPENED WHOSE OFFERS ARE FOUND TO BE TECHNO-COMMERCIALY ACCEPTABLE.

- 8.0 All the Bids must be Digitally Signed using "Class 3" digital certificate (*e-commerce application*) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of

India. The bid signed using other than "Class 3" digital certificate, will be liable for rejection.

9.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.

10.0 The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure XII of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. **If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.**

OIL's Independent External Monitor at present is as under:

(I) SHRI RAJIV MATHUR, IPS (Retd.)
Former Director, IB, Govt. of India,
E-Mail ID : rajivmathur23@gmail.com

=====

TECHNICAL SPECIFICATIONS FOR 10000 PSI KILL MANIFOLD

3.1/16 INCHES X 10000 PSI WORKING PRESSURE KILL MANIFOLD - FOUR (04) NUMBER

A) 3.1/16 inches x 10000 psi working pressure kill manifold in accordance with API Specification 6A and 16C with all necessary valves, studs, nuts and ring joint gaskets required for assembly with the following minimum specifications for each unit:

- 1) Product specification level - PSL 3
- 2) Temperature class - U
- 3) Material Class - EE for H2S service. All ring grooves with SS inlay.
- 4) All valves should be of single gate design with forged bodied and bonnets.
- 5) All studs, nuts and ring joint gaskets required for assembly of the kill manifold should be included in the offer.
- 6) Three (03) numbers gate valves, 3.1/16 inches x 10000 PSI WP, manually operated, with BX 154 flanged ends, complete with hand wheels.
- 7) One (01) number gate valve, 2.1/16 inches x 10000 PSI WP, manually operated, with BX 152 flanged ends, complete with hand wheels.
- 8) One (01) number five way studded block with four (4) numbers 3.1/16 inches x 10000 PSI with BX 154 flanged ends and one (1) number 2.1/16 inches x 10000 PSI with BX 152 flanged ends.
- 9) One (01) number four way studded block with four (4) numbers 2.1/16 inches x 10000 PSI with BX 152 flanged ends.
- 10) One (01) number check valve, 3.1/16 inches x 10000 PSI.
- 11) One (01) number pressure gauge 0 - 10000 PSI, with 2.1/16 inches x 10000 PSI BX 152 flanged connection.
- 12) One (01) number adapter Flange, Assembly, 3.1/16 inches x 10000 PSI x 3 inches Fig 1502 male.
- 13) One (01) number Adapter Flange, Assembly, 2.1/16 inches x 10000 PSI x 2 inches Fig 1502 female.
- 14) One (01) number Blind Flange, 3.1/16 inches x 10000 PSI.

15) Two (02) numbers Blind Flange, 2.1/16 inches x 10000 PSI.

16) Heavy Duty Structural Skid

B) One set of Operation, Maintenance and Spare Parts Manuals:

1) Manual Gate Vales

2) Check Valve

C) Documentation

1) Certificate of Origin.

2) Certificate of Warranty.

3) Certificate of Conformity and Compliance.

4) Certificate of Test.

GENERAL NOTE FOR BIDDERS

1. Bidder should forward relevant Catalogue, Drawing, and Literature (in printed form, not in computer media such as floppies or CDs) indicating the quoted items along with the quotation.
2. An indicative diagram of the kill manifold is enclosed. The successful bidder should finalize the kill manifold layout in consultation with OIL prior to manufacturing of the items. The Bidder should categorically confirm in the technical bid compliance of this clause.
3. The offered kill manifold should be designed, manufactured, monogrammed and tested in accordance with the latest API Specification 6A and 16C. A copy of valid API Spec 6A and 16C certificates of the manufacturer should be forwarded along with the quotation.
4. The kill manifolds shall be assembled and tested to 15,000 psi test pressure. All test certificates including hydraulic test reports of the Kill manifolds should be forwarded along with the consignment (To be confirmed by the bidder while quoting).
5. Bidder should forward a list of recommended spares for five (05) years operation for the Kill Manifold indicating part numbers, quantity & unit price separately along with the quotation in the commercial bid and categorically confirm the same in the technical bid (price will not be considered for commercial evaluation). The price should remain valid for at least two (02) years.
6. Bidder should confirm that the items shall be brand new, unused & free from any defect. In the event of an order, the items should be guaranteed against any manufacturing defect, workmanship etc. for a period of **18 months from the date of despatch or 12 months from the date of commissioning whichever is earlier**. In the event any item is found defective, then it should be replaced by the supplier free of cost without any burden on Oil India Limited. Bidders must confirm the same in their quotations.
7. Purchase Order number and 'OIL' logo / mark provided by Oil shall be weld written on suitable place at the items. Bidders shall confirm compliance to the same while quoting.
8. The Bidder should indicate the dimensional details of the offered Kill Manifold, the name of the manufacturer, the country of origin, port of dispatch of the materials and their best delivery schedule.
9. In the event of an order the supply must include two copies of Maintenance, Service and Parts Manual having illustrated drawings of the gate valves and check valves indicating the part numbers. Bidder should categorically confirm while quoting.

10. Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro, Small and Medium Enterprises (MSME) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005). Bidders are requested to take note of the same and to submit their offers accordingly.

11. Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.

12. Technical checklist & Bid Rejection Criteria (Technical) is enclosed.

13. Bidders are to quote for all the items as indicated in the NIT.

=====

BID REJECTION CRITERIA (BRC)/BID EVALUATION CRITERIA (BEC)

(I) BID REJECTION CRITERIA:

The bids shall in general conform to the specifications and terms and conditions given in the tender. Bids shall be rejected in case the goods offered do not conform to the required minimum/maximum parameters stipulated in the technical specifications and to the respective international / national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements will have to be particularly met by the bids, without which the same will be considered as non-responsive and be rejected.

A.1 BRC TECHNICAL:

1. In case, the bidder is an Original Equipment Manufacturer (OEM):

1.1 The bidder should have an experience of minimum 5 (five) years in manufacturing of Kill Manifolds under API Spec. 6A and 16C certification as on the original bid closing date of the tender. Copies of API 6A certificates and API 16C certificates for the last 5 (Five) years (i.e. continuous without having any break in between) shall be submitted along with techno - commercial bid. Bids without copies of valid API 6A / 16C certificates or with break in between will be rejected.

1.2 The bidder should also have the experience of supplying at least 3 (three) numbers of Kill Manifolds of rating 5M or above, to E&P companies / Drilling Contractors / Drilling service providers in the last 5 (five) years as on original bid closing date of the tender (either by them self or through their sole selling agent / distributor / dealer / supply house).

Documentary evidence to substantiate supply record should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as:

- (i) Satisfactory Inspection report (OR)
- (ii) Satisfactory supply completion/ Installation / Commissioning report (OR)
- (iii) Delivery challans received by Consignee (OR)
- (iv) Central Excise Gate Pass/ Tax Invoice issued under relevant rules of Central Excise/ VAT

1.3 The bidder shall confirm that they have the required facilities for testing the quoted equipment / material as per API 6A & 16C at their premises and the equipment / products will be tested and certified as per API 6A & 16C.

1.4 The bidder must keep API licenses along with authorization for API monogram valid till execution of purchase order and must confirm that the offered product will be supplied with API Monogram.

1.5 In case renewal process of API license is in progress at the time of bidding, the manufacturer should furnish a letter from API to this effect that renewal of the license is under examination with API and is authorized to manufacture the items as per API license and to use API monogram till the renewal for license is issued. The bidder shall also submit an undertaking that delay in renewal of API certificate shall not affect the stipulated delivery schedule of the tender / purchase order.

1.6 Bidder quoted as manufacturer must guarantee uninterrupted supply of spares and availability of service for at least 10 years with effect from delivery of the Item / product for the item / product to be supplied under the Tender / Order, if order is awarded to them by OIL.

2. In case the bidder is sole selling agent / distributor / dealer / supply house of any API approved Original Equipment manufacturer (OEM), then bidder must furnish the following documents:

2.1 Authorization certificate cum warranty backup from the manufacturer in original on manufacturer's letter head should be submitted along with the offer. This certificate valid at the time of bidding and should remain valid during the entire execution period of the order. The concerned manufacturer should also guarantee of supplying the items to the bidder in the event of an order on the bidder.

2.2 The bidder must also submit undertaking in original from the manufacturer for back up guarantee, after sale services and uninterrupted supply of spares for at least 10 years with effect from delivery of the Item / product for the item / product to be supplied under the Tender / Order, if order is awarded to them by OIL.

2.3 Copies of valid API Spec 6A and 16C certificates of manufacturer as stated in point 1.1 above.

2.4 The bidder should additionally have the experience of supplying at least 2 (two) numbers of Kill Manifolds of rating 5M or above, in the last 5 (five) years as on original bid closing date of the tender.

Documentary evidence to substantiate supply record should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as:

- (i) Satisfactory Inspection report (OR)
- (ii) Satisfactory supply completion/ Installation / Commissioning report (OR)
- (iii) Delivery challans received by Consignee (OR)

(iv) Central Excise Gate Pass/ Tax Invoice issued under relevant rules of Central Excise/ VAT

2.5 The sole selling agent / distributor / dealer / supply house should quote for the supply of 10000 psi WP Kill Manifold from the manufacturers who meet the experience & other criteria as mentioned at clauses 1.1, 1.2, 1.3, 1.4 & 1.5

(B) COMMERCIAL:

Commercial Bid Rejection Criteria will be as per Section D of General Terms & Conditions of Global Tender (MM/GLOBAL/E-01/2005) with following Special Bid Rejection Criteria.

- 1) Bids are invited under **Single Stage Two Bid System**. Bidders shall quote accordingly under Single Stage Two Bid System. **Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid.** The "Unpriced Bid" shall contain all techno-commercial details except the prices, which shall be kept blank. The "Price Bid" must contain the price schedule and the bidder's commercial terms and conditions.
Bidder not complying with above submission procedure will be rejected.

- 2.0 **Bid security of US \$ 4,000.00 or Rs.2,67,000.00** shall be furnished as a part of the TECHNICAL BID (refer Clause Nos. 9.0 & 12.0 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders)). **Any bid not accompanied by a proper bid security in ORIGINAL will be rejected without any further consideration.** A bid shall be rejected straightway if Original Bid Security is not received within the stipulated date & time mentioned in the Tender and/or if the Bid Security validity is shorter than the validity indicated in Tender and/or if the Bid Security amount is lesser than the amount indicated in the Tender.

- 2.1 For exemption for submission of Bid Security, please refer Clause No. 9.8 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders).

- 2) The Bank Guarantee towards Bid Security shall be valid upto **05.04.2017**.
- 3) Validity of the bid shall be minimum 180 days from the date of Bid Closing Date. Bids with lesser validity will be straightway rejected.

- 4) Bidders must confirm that Goods, materials or plant(s) to be supplied shall be new of recent make and of the best quality and workmanship and shall be guaranteed for a period of **18 months from the date of despatch or 12 months from the date of commissioning whichever is earlier** against any defects arising from faulty materials, workmanship or design. Defective goods/materials or parts rejected by OIL shall be replaced immediately by the supplier at the supplier's expenses at no extra cost to OIL.

- 5) Successful bidder will be required to furnish a Performance Bank Guarantee @10% of the order value. The Performance Bank Guarantee must be valid for **18 months from the date of despatch or 12 months from the date of commissioning whichever is earlier**. Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected

- 6) Bidders are required to submit the summary of the prices in their price bids as per bid format (Summary), given below :
 - (i) Price Bid Format (SUMMARY) for Foreign Bidders :
 - (A) Total Material Value :
 - (B) Packing & FOB Charges :
 - (C) Total FOB Port of Shipment value, (A + B) above :
 - (D) Overseas Freight Charges upto Kolkata, India :
 - (E) Insurance Charges :
 - (F) Total CIF Kolkata value, (C + D + E) :
 - (G) Grand Value in words :
 - (H) Gross Weight :
 - (I) Gross Volume :

 - (ii) Price Bid Format (SUMMARY) for Indigenous Bidders:
 - (A) Total Material Value :
 - (B) Packing and Forwarding Charges:
 - (C) Total Ex-works value, (A + B) above :
 - (D) Sales Tax, (Please indicate applicable rate of Tax)
 - (E) Total FOR Despatching Station price, (C + D) above
 - (F) Road Transportation charges to Duliajan
 - (G) Insurance Charges
 - (H) Assam Entry Tax
 - (I) Total FOR Duliajan value, (E + F + G + H) above
 - (J) Grand Value in words :
 - (K) Gross Weight :
 - (L) Gross Volume :

NOTE:

- (i) Cost of individual items must be quoted separately.

- 7) The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.
- 8) Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.
- 9) Bids containing incorrect statement will be rejected.
- 10) Offers should be submitted with Integrity Pact duly signed by the authorized signatory of the bidder. If any bidder refuses to sign Integrity Pact or declined to submit Integrity Pact with the offer, their bid shall be rejected straightway.

(II) BID EVALUATION CRITERIA (BEC) :

Bids conforming to the specifications, terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria given below:

(A) COMMERCIAL

- 1) The evaluation of bids will be done as per the Commercial Bid Format(summary) detailed vide para (6) of BRC (Commercial).
- 2) If there is any discrepancy between the unit price and total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.
- 3) For conversion of foreign currency into Indian currency, B.C. selling (Market) rate declared by State Bank of India, one day prior to the date of price bid opening shall be considered. However, if the time lag between the opening of the bids and final decision exceed 3(three) months, then B.C. Selling(Market) rate of exchange declared by SBI on the date prior to the date of final decision shall be adopted for conversion and evaluation.
- 4) To ascertain the inter-se-ranking, the comparison of the responsive bids will be made as under, subject to corrections/adjustments given herein.

4.1) When only foreign bidders are involved:

Comparison of bids will be done on the basis of "Grand Total Value" which is estimated as under:

(A) Total Material Cost:

- (B) Packing & FOB Charges :
- (C) Total FOB Port of Shipment value, (A+B) above :
- (D) Overseas Freight Charges upto Kolkata, India :
- (E) Insurance Charges @1% of Total FOB Port of Shipment value vide (C) above
- (F) Banking Charges @ 0.5% of Total FOB Value (C) above in case of payment through Letter of Credit (If confirmed L/C at buyer's account is required, 1.5% of Total FOB Value will be loaded)
- (G) Total CIF Kolkata value, (C+D+E+F) :

NOTE: Banking charges in the country of the foreign bidder shall be borne by the bidder.

4.2) When only domestic bidders are involved or when more than one domestic bidders are in contention in case of mixed response: Comparison of bids will be done on the basis of "Grand Total Value" which is estimated as under:

- (A) Total Material Cost,
- (B) Packing and Forwarding Charges:
- (C) Total Ex-works value, (A+B) above :
- (D) Excise Duty :
- (E) Sales Tax, (Please indicate applicable rate of Tax)
- (F) Total FOR Despatching station price, (C+D+E) above
- (G) Road Transportation charges to Duliajan
- (H) Insurance Charges @0.5% of Total FOR Despatching Station Value (F) above
- (I) Assam Entry Tax
- (J) Total FOR Duliajan value, (F+G+H+I) above

NOTE: Excise Duty in case of the indigenous bidder is EXEMPTED

4.3) When both foreign and domestic bidders are involved:

The Grand Total Value of domestic bidder (inclusive of customs duty on imported raw material and components etc, and applicable terminal excise duty on the finished products and Sales Tax) excluding inland transportation to destination, Assam Entry Tax and Insurance charges worked out as per Para 4.2 above and Grand Total Value of the foreign bidder worked out as per Para 4.1 will be compared. No price preference will be allowed to indigenous bidders except that for capital goods, the domestic manufacturers would be accorded a price preference to offset CST to the extent of 4 % or actuals, which ever is less subject to 30 % local content norms as stipulated for World Bank Funded project to the satisfaction of OIL. When more than one domestic bidders fall within price preference range, inter-se-ranking will be done on Grand Total Value basis.

Note: If the Government of India revises these evaluation criteria the same as applicable on the bid closing date will be adopted for evaluation of the offers.

- 5) Other terms and conditions of the enquiry shall be as per General Terms and Conditions for Global Tender. However, if any of the Clauses of the Bid Rejection Criteria/Bid Evaluation Criteria (BEC/BRC) mentioned here contradict the clauses in the General Terms & Conditions of Global Tender of the tender and/or elsewhere, those mentioned in this BEC/BRC shall prevail.

=====

(A) COMMERCIAL CHECK-LIST

Sl. No.	PARAMETERS/REQUIREMENTS	BIDDER RESPONSE	REMARKS IF ANY
1.	Whether Original Signed quotation submitted?	YES/NO	
2.	Whether quoted as manufacturer?	YES/NO	
3.	Whether quoted as authorized dealer? [To Specify]	YES/NO	
4.	If quoted as authorized dealer,		
5.	(a) Whether submitted valid and proper authorization letter from manufacturer IN ORIGINAL confirming that bidder is their authorized dealer for the product offered?	YES/NO	
6.	(b) Whether manufacturer's back-up Warranty/Guarantee certificate submitted?	YES/NO	
7.	Whether bid submitted under single stage Two-Bid System?	YES/NO	
8.	Whether ORIGINAL Bid Bond (not copy of Bid Bond) enclosed with the offer? If YES, provide details	YES/NO	
	(a) Amount :		
	(b) Name of issuing Bank :		
	(c) Validity of Bid Bond :		
9.	Whether offered firm prices?	YES/NO	
10.	Whether quoted offer validity of 180 days from the date of closing of tender?	YES/NO	
11.	Whether quoted a firm delivery period?	YES/NO	
12.	Whether quoted as per NIT (without any deviations)?	YES/NO	
13.	Whether any deviation is there in the offer?	YES/NO	
14.	Whether deviation separately highlighted?	YES/NO	
15.	Whether agreed to the NIT Warranty clause?	YES/NO	
16.	Whether Price Bid submitted as per Price Schedule?	YES/NO	
17.	Whether indicated the country of origin for the items quoted?	YES/NO	
18.	Whether all the items of tender quoted?	YES/NO	
19.	Whether technical literature/catalogue/drawings enclosed?	YES/NO	
20.	For Foreign Bidders - Whether offered FOB/FCA port of dispatch including sea/air worthy packing & forwarding?	YES/NO	
21.	For Foreign Bidders - Whether port of shipment indicated? [To specify]	YES/NO	
22.	For Foreign Bidders only - Whether indicated ocean freight up to C&F Kolkata port	YES/NO	

	(Excluding marine insurance)?	
23.	Whether Indian Agent applicable?	YES/NO
	If YES, whether following details of Indian Agent provided?	
	(a) Name & address of the agent in India – To indicate	
	(b) Amount of agency commission – To indicate	
	(c) Whether agency commission included in quoted material value?	YES/NO
24.	Whether weight & volume of items offered indicated?	YES/NO
25.	Whether confirmed to submit PBG as asked for in NIT?	YES/NO
26.	Whether agreed to submit PBG within 30 days of placement of order?	YES/NO
27.	For Indian bidders – Whether place of dispatch indicated in the offer? [To specify]	YES/NO
28.	For Indian bidders – Whether road transportation charges up to Duliajan quoted?	YES/NO
29.	For Indian Bidders only - Whether offered Ex-works price including packing/forwarding charges?	YES/NO
30.	For Indian Bidders only - Whether offered Deemed Export prices?	YES/NO
31.	Whether quoted prices are exclusive of Excise duty?	YES/NO
32.	For Indian bidders only – whether import content indicated in the offer?	YES/NO
33.	For Indian Bidders only - whether all Taxes have been indicated categorically?	YES/NO
34.	Whether all BRC/BEC clauses accepted?	YES/NO
35.	Whether confirm to accept all clauses of Integrity Pact?	YES/NO
36.	Whether duly signed Integrity Pact enclosed?	YES/NO

=====

CHECK LIST

(B) TECHNICAL CHECK-LIST

Sl. No.	PARAMETERS/REQUIREMENTS	BIDDER RESPONSE	REMARKS IF ANY
1.	Whether quoted for all necessary valves, studs, nuts and ring joint gaskets required for the Kill Manifold?	YES/NO	
2.	Whether the quoted item is as per Product specification level - PSL 3?	YES/NO	
3.	Whether the material class of the quoted item is EE for H2S service and temperature class is U?	YES/NO	
4.	Whether all the ring grooves are stainless steel lined?		
5.	Whether relevant Catalogue, Drawings, Literatures etc in English language (US or UK) enclosed with the quotation?	YES/NO	
6.	Whether the dimensional details of offered Kill Manifold's are indicated?	YES/NO	
7.	Whether copies of API spec 6A and 16C enclosed for the last five years?	YES/NO	
8.	Whether the list of recommended spares along with unit price for 5 years operation enclosed in the commercial bid and confirmed in the technical bid?	YES/NO	
9.	Whether the name of manufacturer, country of origin and delivery schedule indicated?	YES/NO	
10.	Whether authorisation certificate from manufacturer with warranty support provided if the bidder is not a manufacturer?	YES/NO	
11.	Whether documentary evidence of previous orders & performance report enclosed as desired vide Notes of the NIT	YES/NO	
12.	Whether deviations (if any) from the specification, Features & Notes of the NIT has / have been highlighted?	YES/NO	

=====