



Oil India Limited
(A Govt. of India Enterprise)
P.O. Duliajan – 786602, Assam

Telephone No. (91-374) 2800491

Fax No: (91-374) 2800533

Email: materials@oilindia.in ; erp_mm@oilindia.in

Tender No. : **SDG4719P15/09 OF 28.08.2014**
Tender Fee : INR 4,500.00 OR USD 100.00
Bid Security : Applicable

Bidding Type : **SINGLE STAGE TWO BID SYSTEM**

Bid Closing on : As mentioned in the Basic Data of the tender in OIL's e-portal.

Bid Opening on : As mentioned in the Basic Data of the tender in OIL's e-portal.

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Global Tenders for items detailed below:

Item No. / Mat. Code	Material Description
10	<p>SUPPLY OF DRILL COLLARS (SPIRAL) AND LIFTING PLUGS MANUFACTURED FROM AISI 4145 H MODIFIED ALLOY STEEL AND FULLY HEAT TREATED TO 285-341 BRINELL HARDNESS AS PER THE FOLLOWING ANNEXURES:</p> <p><u>QUANTITY –</u></p> <p>A. DRILL COLLARS (SPIRAL) - 59 Nos. B. LIFTING PLUG - 20 Nos.</p> <p>a) Detailed specification – Annexure - I. b) Bid Rejection Criteria (BRC) and Bid Evaluation Criteria – Annexure - II. c) Technical & Commercial Check list vide Annexure - III</p>

Special Notes :

- 1.0 The tender will be governed by “General Terms & Conditions” for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to “General Terms & Conditions” for e-Procurement.
- 2.0 Technical Check list and Commercial Check list are furnished vide Annexure – III. Please ensure that both the check lists are properly filled up and uploaded along with “Techno-commercial Unpriced Bid”.
- 3.0 The item qualifies for Nil duty / Deemed Export benefits. For Deemed Export benefits, please refer Addendum to the General terms and conditions for Global tender.

4.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with tender no. and due date to The **Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam** on or before the Bid Closing Date and Time mentioned in the Tender.

a) Original Bid Security.

b) Details Catalogue and any other document which have been specified to be submitted in original.

5.0 In case of SINGLE STAGE-TWO BID SYSTEM, bidders shall prepare the "Techno-commercial Unpriced Bid" and "Priced Bid" separately and shall upload through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The "Techno-commercial Unpriced Bid" shall contain all technical and commercial details except the prices which shall be kept blank. Details of prices as per Bid format / Commercial bid to be uploaded as attachment in the Attachment Tab "Notes and Attachments". **A screen shot in this regard is given below.**

Any offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender.

The screenshot displays the 'Display RFx Response' interface. At the top, there are buttons for 'Edit', 'Print Preview', and 'Close'. Below these, a tab labeled 'Technical RFx Response' is highlighted with a red box and an arrow pointing to it. A callout box states: 'Go to this Tab "Technical RFx Response" for Uploading "Techno-commercial Unpriced Bid"'. Below the tabs, there are fields for 'RFx Response Number', 'RFx Number', 'Total Value', and 'Status'. Further down, there are sections for 'Event Parameters' (Currency: Indian Rupee, Detailed Price Information: Price with Conditions, Terms of Payment: 9010) and 'Partners and Delivery Information'. A callout box points to the 'Notes and Attachments' tab, stating: 'Go to this Tab "Notes and Attachments" for Uploading "Priced Bid"'. The bottom section shows a table with columns 'Function', 'Number', 'Name', and 'Valid fr', with a message indicating 'The table does not contain any data'.

On "EDIT" Mode- The following screen will appear. Bidders are advised to Upload "Techno-Commercial Unpriced Bid" and "Priced Bid" in the places as indicated above:

Edit RFX Response:

Submit | Read Only | Print Preview | Check | **Technical RFX Response** | Close | Save

RFX Response Number 60006452 RFX Number TEST2 Status Withdrawn Submission Deadline 13.04.2013 11:00:00 INDIA
 RFX Owner WIPRO_TEST1 Total Value 0.00 INR RFX Response Version Number 2 RFX Version Number 5

RFX Information | Items | **Notes and Attachments** | Conditions

Notes

Add | Clear

Assigned To	Category	Text Preview

Attachments

Sign Attachment | Add Attachment | Edit Description | Versioning | Delete | Create Qual

Assigned To	Category	Description	File Name	Version	Processor	Checked
The table does not contain any data						

Bid on "EDIT" Mode

Area for uploading Techno-Commercial Unpriced Bid*

Area for uploading Priced Bid**

Note :

- * The "Techno-Commercial Unpriced Bid" shall contain all techno-commercial details **except the prices.**
 - ** The "Price bid" must contain the price schedule and the bidder's commercial terms and conditions. For uploading Price Bid, first click on Sign Attachment, a browser window will open, select the file from the PC and click on Sign to sign the Sign. On Signing a new file with extension .SSIG will be created. Close that window. Next click on Add Attachment, a browser window will open, select the .SSIG signed file from the PC and name the file under Description, Assigned to General Data and click on OK to save the File.
- 6.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.
- 7.0 **The Integrity Pact is applicable against this tender.** OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure XII of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Any bid not accompanied by Integrity Pact Proforma duly signed (digitally) by the bidder shall be rejected straightway. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid.

OIL's Independent External Monitors at present are as under:

(I) SHRI N. GOPALASWAMI, I.A.S (Retd) ,
 Former Chief Election Commissioner of India
 E-mail Id: gopalaswamin@gmail.com

(II) SHRI RAMESH CHANDRA AGARWAL, IPS (Retd)
 Former Director General of Police
 E-mail Id: rcagarwal@rediffmail.com

1.0 SCOPE OF SUPPLY :**SPECIFICATIONS FOR 6.1/2 INCH DRILL COLLAR & LIFTING PLUG:**

Drill Collars (Spiral) and lifting plugs manufactured from AISI 4145 H modified alloy steel and fully heat treated to 285-341 Brinell hardness. The mechanical properties should meet API Spec. 7-1 requirements and the physical properties should be guaranteed one inch below the surface at ambient room temperature.

C. DRILL COLLAR - Qnty. - 59 Nos.

Type	: Spiral grooved
Outside Diameter	: 165.10 mm (6.1/2 inch)
Inside Diameter	: 71.44 mm (2.13/16 inch)
Length	: 9.45m (31 feet) +/- 6inch
Thread Connections	: 101.60 mm (4inch) API IF RH (NC-46) box up & pin down
OD of Slip Recess	: 152.40 mm (6 inch)
Length of Slip Recess	: 533.40 mm (21 inch) minimum
Beginning of Slip Recess	: 1066.80 mm (42 inch) from box end
Hardbanding	: 254 mm (10 inch) long wear pad under slip recess & 102 mm (04 inch) long wear pad above slip recess.

Drill collars should have the following feature on their thread connections (box up x pin down):

- a) API stress relief groove on pin end.
- b) API bore back box.
- c) All connections should be phosphatised.
- d) All thread roots should be cold rolled.
- e) All connections should be coated with an API lubricant and provided with pressed steel thread protectors installed at both ends. Bidder(s) should confirm the same while quoting.

D. LIFTING PLUG - Qnty. - 20 Nos.

Lifting Plug for above item having 165.10 mm (6.1/2inch) OD x 71.44 mm (2.13/16 inch) ID, 254.00 mm (10 inch) long neck, 228.60 mm (9 inch) OD lifting plate/face and 101.60 mm (4inch) API IF RH (NC-46) pin connection with pressed steel thread protectors installed.

The lifting Plugs must have 2 (two) numbers of through holes of 1 inch / 25.4 mm (approx) diameter at 180 degree diametrically opposite with centres at 2 inch / 50.80 mm (approx) below the top end of the lifting plug.

2.0 GENERAL NOTES FOR BIDDERS:

1. The drill collars and lifting plugs shall be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with API specification 7-1. This clause shall be valid for 18 months from date of shipment or 12 months from the date of commissioning of the items. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expenses. Bidders must confirm the same in their quotations.
2. Drill collars and lifting plugs shall be Manufactured, Sampled, Tested, Inspected, Marked and Certified as per API Spec. 7-1 and Mill Inspection Certificate thereof should be forwarded along with supply. Bidders are to confirm the same in their quotations. Bidders are to forward a copy of valid API Spec. certificate along with their quotation.
3. All thread connections and other physical properties should conform to API Spec. 7-1 latest edition. Bidder should forward copies of relevant valid API Spec. certificate along with the quotation prior to date of opening of techno-commercial bid.
4. Marking shall be done as per API spec. 7-1 i.e. drill collars shall be die stamped on the OD with manufacturer's name or identification mark, the API monogram, outside diameter, bore & connection designation. Bidders are to confirm the same while quoting.
5. The O.D, I.D. and length of the Drill-collars & Lifting Plugs must be exactly as specified in the Tender specification and tolerance as per API SPEC 7-1.
6. Drill Collars shall be supplied with pressed steel thread protectors installed at both ends and lifting Plugs shall be supplied with pressed steel thread protectors installed at the pin end.
7. The drill collars and lifting plugs shall be supplied with mill coating to protect these from rusting during shipment. Bidders are to confirm the same while quoting.
8. 'OIL' logo/ mark shall be die-stamped or paint stenciled within a distance of 1 (one) metre from the pin end of each drill collar.
9. The purchase order number and length of drill collar in metres must be stenciled on each length of drill collar.
10. The quotation must accompany relevant catalogue, literature, drawing, etc in English language (US or UK) failing which the offer will be liable for rejection.
11. Drill-collars and lifting plugs of respective sizes shall be procured from the same source.
12. Bidder should indicate the name of manufacturer, country of origin, port of dispatch of the materials and their best delivery schedule.
13. Bidder if not manufacturer must provide valid authorization certificate with full warranty backup from the respective manufacturer along with the quotation, failing which offer will not be evaluated.

14. **Third Party Inspection**

14.1 Inspection by an independent third party to cover the following shall be arranged by the bidder against all drill collars:

- (I) Material identification
- (II) Stage Inspection at random visit basis during manufacturing
- (III) Audit and endorsement or verification of certificates of all chemical analysis and physical test reports.
- (IV) Witness dimensional checks
- (V) Witness / verification of certificate of mechanical test
- (VI) Witness / verification of certificate of NDT/ NDE as per API Spec 7-1.
- (VII) Visual inspection for imperfections
- (VIII) Witness / verification of certificate of Longitudinal defect identification
- (IX) Witness / verification of certificate of Transverse defects identification.
- (X) Joint inspection
- (XI) Thread inspection
- (XII) Issue of certificates

14.2 The Third Party Inspection is to be carried out by an internationally reputed inspection agency preferably through M/s RITES, M/s IRS, M/s LLOYDS, M/s BV or M/s DNV. OIL's clearance shall be required for carrying out inspection through Third Party Inspectors other than those mentioned above. Third Party Inspection charges should be included in the quoted price.

3.0 **GENERAL NOTES :**

1. The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/E-01/2005 attached.
2. Other terms and conditions of the tender shall be as per "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) and its amendments. However, if any of the Clauses of the Bid Rejection Criteria (BRC) / Bid Evaluation Criteria (BEC) mentioned here contradict the Clauses in the "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.
3. Bidders are advised to submit details of previous supply record in tabular format as shown below:

SL NO	Client / Customer Name and Address with contact e-mail id	Order No / Contract No.	Date of order	Drill collars specification (Make, Model) & Quantity supplied	Completion date	Reference of supporting document enclosed
-------	-----------------------------------------------------------	-------------------------	---------------	----------------------------------------------------------------	-----------------	-------------------------------------------

BID REJECTION CRITERIA (BRC) / BID EVALUATION CRITERIA (BEC)**(I) BID REJECTION CRITERIA (BRC)**

The bids must conform to the specifications, terms, and conditions given in the NIT. Bids shall be rejected in case the items offered do not conform to the required minimum / maximum parameters stipulated in the technical specifications and to the respective international /national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements shall have to be particularly met by the bidders, without which the offer will be considered as non-responsive and rejected:

(A) TECHNICAL:

1. The technical specification including O.D, I.D. and length of the Drill-collars & Lifting Plugs should be exactly as specified in the Tender specification and tolerance as per API SPEC 7-1.
2. The Drill Collars threads should be with Stress-relief grooves on Pin ends & Bore-back on box ends as indicated in the Enquiry.
3. Threads of all Drill Collars should be cold rolled and phosphatised.
4. The Drill collars should be from API approved mill having valid API Spec 7-1 certificate. The certificate is to be submitted with the quotation.

5. Manufacturer's Experience:

- A) In case the bidder is a manufacturer of the offered equipment / item, he should satisfy the following along with documentary evidences, which should be enclosed along with the techno-commercial bid.
- A.1 Minimum 5 years continuous experience of manufacturing of tendered or higher / smaller diameter drill collars conforming to API spec 7-1. [For this purpose, the period reckoned shall be period prior to the date of opening of the techno-commercial bid].
 - A.2 In support of minimum 5 years of experience of manufacturing of tendered or higher / smaller size drill collars under API 7-1 certification, copy of API 7-1 certificates with validity covering minimum 5 years continuously reckoned prior to the date of opening of the techno-commercial bid must be submitted.
 - A.3 In case renewal process of API license is in progress at the time of bidding, the bidder should furnish a letter from API to this effect that renewal of the license is under examination with API and that the manufacturer is authorized to manufacture the items as per API license and to use API monogram till the renewal for license is issued. The bidder / manufacturer shall also submit an undertaking that delay in renewal of API certificate shall not affect the stipulated delivery schedule of the tender /purchase order.

B) Should have manufactured and supplied minimum 50% of the tendered quantity (minimum 30 nos.) of drill collars of same or higher or smaller diameter under API 7-1 certification to various E & P companies in the last 5 years prior to date of opening of techno-commercial bid.

B.1 Documentary evidence to substantiate supply record should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as:

- (i) Satisfactory Inspection report (OR)
- (ii) Satisfactory supply completion / Installation / Commissioning report (OR)
- (iii) Delivery challans received by Consignee (OR)
- (iv) Central Excise Gate Pass / Tax Invoice issued under relevant rules of Central Excise / VAT (OR)
- (v) Any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above.

Note: Order copy to be enclosed with relevant page no. bearing signature of purchaser or authenticated by purchaser

C) In case the manufacturer has successfully supplied the item to OIL INDIA LTD (OIL) in the past and are not in a position to submit supporting documents required for experience criteria as per 'A' & 'B' above, their offer will be considered provided they indicate in the bid itself the Purchase Order Number & Date, Quantity, Details of drill collars with size supplied to OIL in the past.

6. In case the bidder is not a manufacturer, then the bidder is required to submit documentary evidence in respect of the above 5.(A) & 5.(B) from the concerned manufacturer (having supplied such items either by manufacturer himself or his distributor) along with the techno-commercial bid.

7. In case the bidder is not a manufacturer, then the bidder is also required to submit valid authorization certificate with warranty backup from the manufacturer along with the offer.

(B) COMMERCIAL :

Commercial Bid Rejection Criteria will be as per Section D of General Terms & Conditions of Global Tender (MM/GLOBAL/E-01/2005) with following Special Bid Rejection Criteria.

1.0 Bids are invited under Single Stage Two Bid System. Bidders shall quote accordingly under Single Stage Two Bid System. Any offer not complying with the above will be rejected straightaway.

2.0 Bid security of US \$ 16,360.00 or Rs. 7,36,000.00 shall be furnished as a part of the TECHNICAL BID (refer Clause Nos.9.0 & 12.0 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders). Any bid not accompanied by a proper bid security in ORIGINAL will be rejected without any further consideration. For exemption for submission of Bid Security, please refer Clause No. 9.8 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-

procurement (ICB Tenders). Bank Guarantee towards Bid Security shall remain valid till **05.11.2015**.

- 3.0 Validity of the bid shall be minimum 180 days from Bid closing date. Bids with lesser validity will be rejected.
- 4.0 Bidders must confirm that Goods, materials or plant(s) to be supplied shall be new of recent make and of the best quality and workmanship and shall be guaranteed for a period of eighteen months from the date of shipment/dispatch or twelve months from the date of commissioning whichever is earlier against any defects arising from faulty materials, workmanship or design. Defective goods/materials or parts rejected by OIL shall be replaced immediately by the supplier at the supplier's expenses and no extra cost to OIL.
- 5.0 Successful bidder will be required to furnish a Performance Bank Guarantee @10% of the order value. The Performance Bank Guarantee must be valid for one year from the date of receipt/acceptance of goods or 18 months from the date of shipment whichever is earlier. Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected.
- 6.0 Bidders are required to submit the summary of the prices in their priced bids as per bid format (Summary), given below:

(i) **Price Bid Format (SUMMARY) for Foreign Bidders :**

- (A) Unit Rate of Drill Collar
- (B) Unit rate of Lift Plug
- (C) Total material Value considering total quantity of Drill Collar & Lift Plug
- (D) Packing & FOB Charges
- (E) Total FOB Port of Shipment value
- (F) Sea Freight Charges upto Kolkata, India
- (G) Insurance Charges
- (H) Total CIF Kolkata value
- (I) Total value in words:
- (J) Gross Weight:
- (K) Gross Volume:

(ii) **Price Bid Format (SUMMARY) for Indigenous Bidders :**

- (A) Unit Rate of Drill Collar
- (B) Unit rate of Lift Plug
- (C) Total material Value considering total quantity of Drill Collar & Lift Plug
- (D) Packing and Forwarding Charges
- (E) Total Ex-works value duly packed value
- (F) Excise Duty with Education Cess, (Please indicate applicable rate of Duty)
- (G) Sales Tax, (Please indicate applicable rate of Tax)
- (H) Total FOR Despatching station value
- (I) Road Transportation charges to Duliajan
- (J) Insurance Charges
- (K) Assam Entry Tax
- (L) Total FOR Duliajan value
- (M) Total value in words:
- (N) Gross Weight:
- (O) Gross Volume:

NOTE:

- i) The items covered under this enquiry shall be used by OIL in the PEL/ML areas issued/renewed after 01/04/99 and hence, applicable Customs Duty for import of goods shall be ZERO. Indigenous bidders must quote Deemed Export prices. Excise Duty under Deemed Export exempted.
 - ii) Drill-collars and lifting plugs shall be procured from the same source and evaluation will be done taking the prices of all items together.
- 7.0 The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.
- 8.0 Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.
- 9.0 Bids containing incorrect statement will be rejected.
- 10.0 Offers received without Integrity Pact duly signed by the authorised signatory of the bidder will be rejected.

(II) BID EVALUATION CRITERIA (BEC) :

Bids conforming to the specifications, terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria mentioned in Section D of "General Terms & Conditions" for e- Procurement as per Booklet No. MM/GLOBAL/E-01/2005.

CHECK LIST

THE CHECK LIST MUST BE COMPLETED AND RETURNED WITH YOUR OFFER. PLEASE ENSURE THAT ALL THESE POINTS ARE COVERED IN YOUR OFFER. THESE WILL ENSURE THAT YOUR OFFER IS PROPERLY EVALUATED. PLEASE TICK MARK 'YES' OR 'NO' TO THE FOLLOWING QUESTIONS, IN THE RIGHT HAND COLUMN.

(A) TECHNICAL CHECK LIST

Sl. No.	PARAMETERS / REQUIREMENTS	Compliance
1.	Whether the offered Drill Collars and Lifting Plugs are as per Enquiry specifications & features in all respect?	YES/NO
2.	Whether deviations (if any) from the specification, Features & Notes of the NIT has/ have been highlighted?	YES/NO
3.	Whether the OD and length of the Drill collars & Lifting plugs will be as per NIT specification and tolerance as per API Spec 7-1 ?	YES/NO
4.	Whether the offered Drill collars & Lifting plugs are with Stress- relief groove on Pin and Bore-back box as mentioned in the NIT?	YES/NO
5.	Whether the threads of the Drill collars & Lifting plugs will be cold-rolled and phosphatised?	YES/NO
6.	Whether the offered Drill Collars and Lifting Plugs will be made from AISI 4145 H modified Alloy Steel fully heat treated to 285-341 BHN in accordance with API Spec 7-1?	YES/NO
7.	Whether the Drill collars will have Hardbands as specified?	YES/NO
8.	Whether the offered items will be brand new, unused, free from any kind of defect and of prime quality?	YES/NO
9.	Whether a copy of valid API Spec 7-1 certificate enclosed with the quotation?	YES/NO
10.	Whether name of manufacturer & country of origin indicated?	YES/NO
11.	Whether Authorisation certificate from manufacturer with warranty support provided If the bidder is not a manufacturer?	YES/NO
12.	Whether relevant Catalogue, Drawings, Literatures etc enclosed with the quotation?	YES/NO
13.	Whether documentary evidence of previous orders & performance report enclosed as desired vide Notes of the NIT?	YES/NO

<i>Offer reference</i>	
<i>Date</i>	

(B) COMMERCIAL CHECK LIST

THE CHECK LIST MUST BE COMPLETED AND RETURNED WITH YOUR OFFER. PLEASE ENSURE THAT ALL THESE POINTS ARE COVERED IN YOUR OFFER. THESE WILL ENSURE THAT YOUR OFFER IS PROPERLY EVALUATED. PLEASE SELECT "Yes" OR "No" TO THE FOLLOWING QUESTIONS, IN THE RIGHT HAND COLUMN.

Sl#	REQUIREMENT	Compliance
1.0	Whether bid submitted under Single Stage Two Bid System?	YES/NO
2.0	Whether quoted as manufacturer ?	YES/NO
3.0	Whether ORIGINAL Bid Bond (not copy of Bid Bond) sent separately as per the format vide ANNEXURE – VII (Revised) mentioned in the “General Terms & Conditions” for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement? If YES, provide details	YES/NO
	(a) Amount :	
	(b) Name of issuing Bank :	
	(c) Validity of Bid Bond :	
3.1	Whether offered firm prices?	YES/NO
3.2	Whether quoted offer validity of 6 months (180 days) from the date of closing of tenders?	YES/NO
3.3	Whether quoted a firm delivery period? Deliver in weeks:	YES/NO _____Weeks
3.4	Whether agreed to the NIT Warranty clause?	YES/NO
3.5	Whether confirmed to submit PBG as asked for in NIT?	YES/NO
3.5.1	Whether agreed to submit PBG within 30 days of placement of order?	YES/NO
3.6	Whether quoted as per NIT (without any deviations)?	YES/NO
3.6.1	Whether quoted any deviation?	YES/NO
3.6.2	Whether deviation separately highlighted?	YES/NO
3.7	Whether indicated the country of origin for the items quoted?	YES/NO
3.7.1	Whether technical literature / catalogue enclosed?	YES/NO
3.7.2	Whether weight & volume of items offered indicated?	YES/NO
4.0	For Foreign Bidders - Whether offered FOB / FCA port of despatch including sea / air worthy packing & forwarding ?	YES/NO
4.1	For Foreign Bidders – Whether port of shipment indicated. To specify:	YES/NO
4.2	Whether Indian Agent applicable?	YES/NO
	If YES, whether following details of Indian Agent provided?	YES/NO
	(a) Name & address of the agent in India – To indicate	
	(b) Amount of agency commission – To indicate	
	(c) Whether agency commission included in quoted material value?	
5.0	For Indian bidders – Whether indicated the place from where the goods will be dispatched. To specify :	YES/NO
5.1	For Indian bidders – Whether road transportation charges up to Duliajan quoted?	YES/NO
5.2	For Indian Bidders only - Whether offered Ex-works price including packing/forwarding charges?	YES/NO
5.3	For Indian Bidders only - Whether indicated import content in the offer?	YES/NO
5.4	For Indian Bidders only - Whether offered Deemed Export prices?	YES/NO
5.5	For Indian Bidders only – Whether all applicable Taxes & Duties have been quoted?	
6.0	Whether all BRC/BEC clauses accepted?	YES/NO
7.0	Have you signed and submitted Integrity Pact and submitted along with Technical Bid?	YES/NO
7.1	Whether all the clauses in the Integrity Pact have been accepted?	YES/NO

Offer reference	
Date	