



Oil India Limited
(A Govt. of India Enterprise)
P.O. Duliajan – 786602, Assam

Telephone No. (91-374) 2808724

Fax No: (91-374) 2800533

Email: materials@oilindia.in ; erp_mm@oilindia.in

Tender No. & Date: SDG 9336P16/07

Tender Fee : **INR 4,500.00** OR **USD 100.00**
Bid Security Amount : **INR 205,520.00** OR **USD 3,050.00**

Bidding Type : SINGLE STAGE TWO BID SYSTEM

Bid Closing on : 04.05.2016 (at 11.00 Hrs. IST)

Bid Opening on : 04.05.2016 (at 14.00 Hrs. IST)

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Global Tenders for items detailed below:

Item No.	MATERIAL DESCRIPTION	QTY.	UOM
<u>10</u>	<p>Specification of item: A. 10.3/4 INCHES HYDRAULIC CASING POWER TONG WITH ACCESSORIES - 2 NUMBERS</p> <p>10.3/4 inches casing power tong as per the following minimum specifications for each unit:</p> <p>(a) Range: To operate 4 inches (101.60 mm) to 10.3/4 inches (273.05 mm) API Casings / tubular.</p> <p>(b) Torque: At high gear not less than 4,000 ft-lbs and at low gear not less than 18,000 ft-lbs</p> <p>© RPM range: Not less than 20 (Minimum) and around 125 (Maximum)</p> <p>(d) Weight: 1150 lbs (522 kgs) approx.</p> <p>(e) The power tong should be equipped with flexible steel swivel joints at both hydraulic inlet & outlet together with complete pair of Quick Coupling at each end (Aero quip type having Dust plug and caps).</p> <p>(f) The power tong should be fitted with one (01) set of Hanger assembly & Turn-buckles to compensate up / down movement during makeup or breakout operation and for levelling.</p> <p>(g) The power tong should be supplied with lift cylinder assembly.</p> <p>(h) The power tong should be supplied with two (02) sets of Torque-gauge (ft-lbs scale) & Load cell (one set fitted & one set extra) for monitoring / measuring produced torque.</p>	02	Nos.

	<p>(i) The power tong should have two main controls i.e one for "Clockwise-Neutral-Anticlockwise" rotation and other for "High & Low speed".</p> <p>(j) The tong should be supplied with the following sizes of Jaw assemblies.</p> <p>I. 4.1/2 inches (114.30 mm) OD Casing Jaw-assy. fitted with dies : 2 sets</p> <p>II. 5.1/2 inches (139.70 mm) OD Casing Jaw-assy. fitted with dies : 4 sets</p> <p>III. 7 inches (177.80 mm) OD Casing Jaw-assy. fitted with dies : 2 sets</p> <p>IV. 9.5/8 inches (244.47 mm) OD Casing Jaw-assy. fitted with dies : 4 sets</p> <p>V. 10.3/4 inches (273.05 mm) OD Casing Jaw-assy. fitted with dies: 1 set</p> <p>(k) Hydraulic Requirements: Not More than 65 GPM at 1000 PSI Not More than 30 GPM at 3000 PSI</p> <p>(l) SIZE (Length x Width): Not more than 60 inches x 35 inches (1524mm x 889mm)</p> <p>B). Operation, maintenance, service & instructions manuals having detailed Schematic drawing indicating each & every part with part nos. = Two (02) sets</p>		
20	<p>A. 13.3/8 INCHES HYDRAULIC CASING POWER TONG WITH ACCESSORIES - 1 NUMBER</p> <p>13.3/8 inches casing power tong as per the following minimum specifications:</p> <p>(a) Range: To operate 4 inches (101.60 mm) to 13.3/8 inches (339.725 mm) API Casings / tubular.</p> <p>(b) Torque: At high gear not less than 4,000 ft-lbs and at low gear not less than 25,000 ft-lbs</p> <p>© RPM range: Not less than 20 (Minimum) and around 110 (Maximum)</p> <p>(d) Weight: 1250 lbs (567 kgs) approx.</p> <p>(e) The power tong should be equipped with flexible steel swivel joints at both hydraulic inlet & outlet together with complete pair of Quick Coupling at each end (Aero quip type having Dust plug and caps).</p> <p>(f) The power tong should be fitted with one (01) set of Hanger assembly & Turn-buckles to compensate up / down movement during makeup or breakout operation and for levelling.</p> <p>(g) The power tong should be supplied with lift cylinder assembly.</p> <p>(h) The power tong should be supplied with two (02) sets of Torque-gauge (ft-lbs scale) & Load cell assembly (one set fitted & one set extra) for monitoring / measuring produced torque.</p>	01	No.

	<p>(i) The power tong should have two main controls i.e one for "Clockwise-Neutral-Anticlockwise" rotation and other for "High & Low speed".</p> <p>(j) The tong should be supplied with the following sizes of Jaw assemblies.</p> <p>I. 5.1/2 inches (139.70 mm) OD Casing Jaw-assy. fitted with dies : 2 sets</p> <p>II. 7 inches (177.80 mm) OD Casing Jaw-assy. fitted with dies : 1 set</p> <p>III. 9.5/8 inches (244.47 mm) OD Casing Jaw-assy. fitted with dies : 3 sets</p> <p>IV. 13.3/8 inches (339.725 mm) OD Casing Jaw-assy. fitted with dies : 3 sets</p> <p>(k) Hydraulic Requirements: Not More than 65 GPM at 1000 PSI Not More than 30 GPM at 3000 PSI</p> <p>(l) SIZE (Length x Width): Not more than 60 inches x 35 inches (1524mm x 889mm)</p> <p>B). Operation, maintenance, service & instructions manuals having detailed Schematic drawing indicating each & every part with part nos. = Two (02) sets</p>		
--	--	--	--

(A) GENERAL NOTES FOR E- TENDER:

1.0 The tender will be governed by "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to "General Terms & Conditions" for e-Procurement.

2.0 Technical and Commercial Check list is furnished vide Annexure – B. Please ensure that the check list is properly filled up and uploaded along with Technical bid.

3.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with tender no. and due date to The Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before the Bid Closing Date and Time mentioned in the Tender.

a) Original Bid Security along with duplicate copies of Bid Security.

b) Any other document which have been specified to be submitted in original.

4.0 The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The "Techno-commercial Unpriced Bid" shall contain all technical and commercial details except the prices which shall be kept blank. Details of prices as per Bid format / Commercial bid to be uploaded as attachment in the Attachment Tab "Notes and Attachments".

Any offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender.

5.0 In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID" should contain details as mentioned in the technical

specifications as well as BEC/ BRC and upload the same in the Technical RFx Response-> User - > Technical Bid. **No price should be given in above Technical Rfx otherwise the offer will be rejected.**Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFx Response-> User - > Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. Details of prices as per Bid format / Commercial bid can be uploaded as Attachment under the attachment option under "Notes & Attachments"

6.0 PRICED BIDS OF ONLY THOSE BIDDERS WILL BE OPENED WHOSE OFFERS ARE FOUND TO BE TECHNO-COMMERCIALLY ACCEPTABLE.

7.0 All the Bids must be Digitally Signed using "Class 3" digital certificate (*e-commerce application*) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate, will be liable for rejection.

8.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.

9.0 The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure XII of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid. **If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.**

OIL's Independent External Monitors at present are as under:

1. SHRI RAJIV MATHUR, IPS(Retd.),
e-Mail ID : rajivmathur23@gmail.com

=====

(B)GENERAL NOTE FOR BIDDERS:

1. Bidder should furnish detailed Catalogue, Drawing, and Literature (in printed form, not in computer media such as floppies or CDs) indicating all parts with part numbers along with the quotation in English language (US & UK).
2. Bidder should furnish list of recommended spares for two (02) years operation indicating part numbers, quantity and unit price of each and every spares separately along with the quotation in the commercial bid and categorically confirm the same in the technical bid (price will not be considered for commercial evaluation). The price should remain valid for at least two (02) years.
3. The Bidder should indicate the name of the manufacturer, the country of origin, port of dispatch of the materials and their best delivery schedule.
4. Items in the event of order should be embossed (die stamping) with purchase order number & date. Bidders shall confirm compliance to the same while quoting.
5. Bidder must also provide test certificates of producing at least 25,000 ft-lbs torque for the 13.3/8 inches Casing Power Casing tong and 18,000 ft-lbs torque for the 10.3/4 inches Casing Power Tong with documentary evidence of recording the torque with the supply, which is to be confirmed positively in the offer.
6. Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.
7. Bidders are to quote for all the items as indicated in the NIT.

(C) Special Notes to Bidders :

1. The items shall be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 12 months from date of receipt at site or 18 months from the date of shipment/despatch. The defective materials, if any, rejected by us shall be replaced by the supplier at their own expense on FOR Destination basis. Bidders must confirm the same while quoting.
2. Validity of the offers should be 180 days from the date of bid opening. Bids with lesser validity shall be summarily rejected.
3. The items covered under this enquiry shall be used by OIL in the PEL/ML areas issued/renewed after 01/04/99 and hence, applicable Customs Duty for import of goods shall be ZERO. Indigenous bidders must quote Deemed Export prices. Excise Duty under Deemed Export exempted. Necessary Project Authority Certificate (PAC) shall be issued by OIL towards this. Indian bidders

however to note that Recommendatory Letter to DGH for availing NIL customs duty benefit shall not be issued by OIL.

4. Technical & Commercial Check-List vide **Annexure- B** shall be filled-up and submitted along with the offer.
5. To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by OIL, failing which the offer will be summarily rejected.
6. Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises (MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005). Bidders are requested to take note of the same and to submit their offers accordingly.
7. Other terms and conditions of the tender shall be as per "General Terms & Conditions" for e- Procurement as per Booklet No.MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders). However, if any of the Clauses of the Bid Rejection Criteria (BRC) / Bid Evaluation Criteria (BEC) mentioned here contradict the Clauses in the "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.

=====

I. BID REJECTION CRITERIA(BRC)/BID EVALUATION CRITERIA(BEC)**A. BID REJECTION CRITERIA:**

The bids shall in general conform to the specifications and terms and conditions given in the tender. Bids shall be rejected in case the goods offered do not conform to the required minimum/maximum parameters stipulated in the technical specifications and to the respective international / national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms and conditions, the following requirements will have to be particularly met by the bids, without which the same will be considered as non-responsive and be rejected.

A.1 BRC TECHNICAL:

1. The casing power tongs should be equipped with flexible steel swivel joints at both hydraulic inlet & outlet together with complete pair of Quick Coupling at each end (Aero quip type having Dust plug and caps).

2. In case, the bidder is an Original Equipment Manufacturer (OEM):

2.1 The bidder should have the experience of supplying at least 3 (three) numbers of Casing Power Tongs, of different sizes, in the last 3 (three) years preceding the bid closing date of the tender.

2.2 Documentary evidence to substantiate supply record should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as:

- (i) Satisfactory Inspection report (OR)
- (ii) Satisfactory supply completion/ Installation / Commissioning report (OR)
- (iii) Delivery challans received by Consignee (OR)
- (iv) Central Excise Gate Pass/ Tax Invoice issued under relevant rules of Central Excise/ VAT

2.3 The bidder shall confirm that they have the required facilities for testing the quoted equipment at their premises and test certificates will be provided along with the supply.

2.4 Bidder quoting as manufacturer must guarantee uninterrupted supply of spares and availability of service for at least 10 years with effect from delivery of the Item / product for the item / product to be supplied under the Tender / Order, if order is awarded to them by OIL.

3. In case the bidder is sole selling agent / authorized distributor /authorised dealer /authorised supply house of any API approved Original Equipment manufacturer (OEM), then bidder must furnish the following documents:

3.1 Back-up authority cum warranty letter in original on manufacturer's letter head, valid at the time of bidding which should remain valid during the entire execution period of the order, from the concerned manufacturer guaranteeing supply of the items to the bidder in the event of an order on the bidder and also authorized them to market their products.

3.2 The bidders quoting on behalf of the manufacturers must also submit undertaking in original from the manufacturer for back up guarantee, after sale services and uninterrupted

supply of spares for at least 10 years with effect from delivery of the Item / product for the item / product to be supplied under the Tender / Order, if order is awarded to them by OIL.

3.3 The bidders quoting on behalf of the manufacturers should additionally have the experience of supplying at least 2 (two) numbers of Casing Power Tongs, of different sizes, in the last 3 (three) years preceding the bid closing date of this tender.

Documentary evidence to substantiate supply record should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as:

- (i) Satisfactory Inspection report (OR)
- (ii) Satisfactory supply completion/ Installation / Commissioning report (OR)
- (iii) Delivery challans received by Consignee (OR)
- (iv) Central Excise Gate Pass/ Tax Invoice issued under relevant rules of Central Excise/ VAT

3.4 The sole selling agent / authorized distributor / authorized dealer / authorized supply house should quote for the supply of Casing Power Tong from the manufacturers who meet the experience & other criteria as mentioned at clauses 2.1, 2.2 & 2.3.

(B) COMMERCIAL:

Commercial Bid Rejection Criteria will be as per Section D of General Terms & Conditions of Global Tender (MM/GLOBAL/E-01/2005) with following Special Bid Rejection Criteria.

- 1) Bids are invited under **Single Stage Two Bid System**. Bidders shall quote accordingly under Single Stage Two Bid System. **Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid.** The "Unpriced Bid" shall contain all techno-commercial details except the prices, which shall be kept blank. The "Price Bid" must contain the price schedule and the bidder's commercial terms and conditions.
Bidder not complying with above submission procedure will be rejected.
- 2) **Bid security of US \$ 3,050.00 or Rs. 205,520.00** shall be furnished as a part of the TECHNICAL BID (refer Clause Nos.9.0 & 12.0 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders)). A bid shall be rejected straightway if Original Bid Security is not received within the stipulated date & time mentioned in the Tender and/or if the Bid Security validity is shorter than the validity indicated in Tender and/or if the Bid Security amount is lesser than the amount indicated in the Tender.
 - 2.1) For exemption for submission of Bid Security, please refer Clause No. 9.8 (Section A) of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders).
 - 2.2) The Bank Guarantee towards Bid Security shall be valid upto **03.05.2017**.
- 3) Validity of the bid shall be minimum 180 days from Bid closing date. Bids with lesser validity will be straightway rejected.
- 4) Bidders must confirm that Goods, materials or plant(s) to be supplied shall be new of recent make and of the best quality and workmanship and shall be guaranteed for a period of 18(eighteen) months from the date of despatch/shipment or 12(twelve) months from the date of receipt at site against any defects arising from faulty materials, workmanship or design. Defective goods/materials or parts rejected by OIL shall be replaced immediately by the supplier at the supplier's expenses at no extra cost to OIL.

5) Successful bidder will be required to furnish a Performance Bank Guarantee @10% of the order value. The Performance Bank Guarantee must be valid for 18(eighteen) months from the date of despatch/shipment or 12(twelve) months from the date of receipt at site. Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected

6) Bidders are required to submit the summary of the prices in their price bids as per bid format (Summary), given below :

(I) Price Bid Format (SUMMARY) for Foreign Bidders:

- (A) Total Material Value :
- (B) Packing & FOB Charges :
- (C) Total FOB Port of Shipment value, (A + B) above :
- (D) Overseas Freight Charges upto Kolkata, India :
- (E) Insurance Charges :
- (F) Total CIF Kolkata value, (C + D + E) :
- (G) Total CIF Kolkata Value in words :
- (H) Gross Weight :
- (I) Gross Volume :

(II) Price Bid Format (SUMMARY) for Indigenous Bidders:

- (A) Total Material Value :
- (B) Packing and Forwarding Charges :
- (C) Total Ex-works value, (A + B) above :
- (D) Excise Duty (Please indicate applicable rate of Duty) :
- (E) Sales Tax, (Please indicate applicable rate of Tax) :
- (F) Total FOR Despatching station price, (C + D + E) above :
- (G) Road Transportation charges to Duliajan :
- (H) Insurance Charges :
- (I) Assam Entry Tax :
- (J) Total FOR Duliajan value, (F + G + H + I) above :
- (K) Total FOR Duliajan value in words :
- (L) Gross Weight :
- (M) Gross Volume :

NOTE:

(i) Cost of the individual items must be quoted separately.

(ii) Banking charges in the country of the foreign bidder shall be borne by the bidder

7) The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

8) Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

9) Bids containing incorrect statement will be rejected.

(II) BID EVALUATION CRITERIA (BEC) :

Bids conforming to the specifications, terms and conditions stipulated in the tender and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria mentioned in Section D of "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005.

CHECK LIST**(I) TECHNICAL CHECKLIST****(a) (10.3/4 inches casing power tong)**

1	Whether the range of casing power tong is from 4 inches (101.60 mm) to 10.3/4 inches (273.05 mm)?	Yes/ No
2	Whether the maximum torque is not less than 18,000 ft-lbs?	Yes/ No
3	Whether hydraulic requirement is not more than 65 GPM at 1000 psi and 30 GPM at 3000 psi?	Yes/ No
4	Whether weight is around 1150 lbs (522 kgs)?	Yes/ No
5	Whether size (Length x Width) is not more than 60 inches x 35 inches (1524mm x 889mm)?	Yes/ No
6	Whether the casing power tong is equipped with flexible steel swivel joints at both hydraulic inlet & outlet together with quick coupling?	Yes/ No
7	Whether the casing power tong is fitted with one (01) set of Hanger assembly & Turn-buckles?	Yes/ No
8	Whether the casing power tong will be supplied with lift cylinder assembly?	Yes/ No
9	Whether the casing power tong will be supplied with two (02) sets of Torque-gauge (ft-lbs scale) & Load cell?	Yes/ No
10	Whether the casing power tong have two main controls i.e one for "Clockwise-Neutral-Anticlockwise" rotation and other for "High & Low speed"?	Yes/ No

(b) (13.3/8 inches casing power tong)

1	Whether the range of casing power tong is from 4 inches (101.60 mm) to 13.3/8 inches (339.725 mm)?	Yes/ No
2	Whether the maximum torque is not less than 25,000 ft-lbs?	Yes/ No
3	Whether hydraulic requirement is not more than 65 GPM at 1000 psi and 30 GPM at 3000 psi?	Yes/ No
4	Whether weight is around 1250 lbs (567 kgs)?	Yes/ No
5	Whether size (Length x Width) is not more than 60 inches x 35 inches (1524mm x 889mm)?	Yes/ No
6	Whether the casing power tong is equipped with flexible steel swivel joints at both hydraulic inlet & outlet together with quick coupling?	Yes/ No
7	Whether the casing power tong is fitted with one (01) set of Hanger assembly & Turn-buckles?	Yes/ No
8	Whether the casing power tong will be supplied with lift cylinder assembly?	Yes/ No
9	Whether the casing power tong will be supplied with two (02) sets of Torque-gauge (ft-lbs scale) & Load cell?	Yes/ No
10	Whether the casing power tong have two main controls i.e one for "Clockwise-Neutral-Anticlockwise" rotation and other for "High & Low speed"?	Yes/ No

II) COMMERCIAL CHECK-LIST

Sl. No.	PARAMETERS/REQUIREMENTS	BIDDER RESPONSE	REMARKS IF ANY
1.	Whether Original Signed quotation submitted?	YES/NO	
2.	Whether quoted as manufacturer?	YES/NO	
3.	Whether quoted as authorized dealer? [To Specify]	YES/NO	
4.	If quoted as authorized dealer,		
5.	(a)Whether submitted valid and proper authorization letter from manufacturer IN ORIGINAL confirming that bidder is their authorized dealer for the product offered?	YES/NO	
6.	(b)Whether manufacturer's back-up Warranty/Guarantee certificate submitted?	YES/NO	

7.	Whether bid submitted under single stage Two-Bid System?	YES/NO
8.	Whether ORIGINAL Bid Bond (not copy of Bid Bond) enclosed with the offer? If YES, provide details	YES/NO
	(a) Amount :	
	(b) Name of issuing Bank :	
	(c) Validity of Bid Bond :	
9.	Whether offered firm prices?	YES/NO
10.	Whether quoted offer validity of 180 days from the date of closing of tender?	YES/NO
11.	Whether quoted a firm delivery period?	YES/NO
12.	Whether quoted as per NIT (without any deviations)?	YES/NO
13.	Whether any deviation is there in the offer?	YES/NO
14.	Whether deviation separately highlighted?	YES/NO
15.	Whether agreed to the NIT Warranty clause?	YES/NO
16.	Whether Price Bid submitted as per Price Schedule?	YES/NO
17.	Whether indicated the country of origin for the items quoted?	YES/NO
18.	Whether all the items of tender quoted?	YES/NO
19.	Whether technical literature/catalogue/drawings enclosed?	YES/NO
20.	For Foreign Bidders - Whether offered FOB/FCA port of dispatch including sea/air worthy packing & forwarding?	YES/NO
21.	For Foreign Bidders – Whether port of shipment indicated? [To specify]	YES/NO
22.	For Foreign Bidders only - Whether indicated ocean freight up to C&F Kolkata port (Excluding marine insurance)?	YES/NO
23.	Whether Indian Agent applicable?	YES/NO
	If YES, whether following details of Indian Agent provided?	
	(a) Name & address of the agent in India – To indicate	
	(b) Amount of agency commission – To indicate	
	(c) Whether agency commission included in quoted material value?	YES/NO
24.	Whether weight & volume of items offered indicated?	YES/NO
25.	Whether confirmed to submit PBG as asked for in NIT?	YES/NO
26.	Whether agreed to submit PBG within 30 days of placement of order?	YES/NO
27.	For Indian bidders – Whether place of dispatch indicated in the offer? [To specify]	YES/NO
28.	For Indian bidders – Whether road transportation charges up to Duliajan quoted?	YES/NO
29.	For Indian Bidders only - Whether offered Ex-works price including packing/forwarding charges?	YES/NO
30.	For Indian Bidders only - Whether offered Deemed Export prices?	YES/NO
31.	Whether quoted prices are exclusive of Excise duty?	YES/NO
32.	For Indian bidders only – whether import content indicated in the offer?	YES/NO
33.	For Indian Bidders only - whether all Taxes have been indicated categorically?	YES/NO
34.	Whether all BRC/BEC clauses accepted?	YES/NO
35.	Whether confirm to accept all clauses of Integrity Pact?	YES/NO
36.	Whether duly signed Integrity Pact enclosed?	YES/NO

=====