



TENDER NO. SJG1094P17

DATE: 14.05.2016

INVITATION TO e-BID UNDER OPEN TWO BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **244.475 mm (9.5/8 INCH) N-80 Casing and 339.72 mm(13.3/8 INCH) N-80 Casing** under **INTERNATIONAL COMPETITIVE BIDDING - SINGLE STAGE TWO BID SYSTEM** through its e-Procurement site. The bidding documents and other terms and conditions are available at Booklet No. MM/RP/GLOBAL/E0-1/2005. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed by opening the RFx [Tender no.] under RFx and Auctions page. The details of items tendered can be found under Item tab and details can be found under Technical RFx.

The tender is invited with firm price for the specified quantity. Further details of tender are given in Technical Rfx -> External Area -> Tender Documents as **ANNEXURE- IA**.

The tender will be governed by:

- a) “General Terms & Conditions” for e-Procurement as per Booklet NO. MM/RP/GLOBAL/E-01/2005 for E-procurement (ICB Tenders). Special attention to the bidders is drawn to Section – E of the document.
- b) Technical specifications, Quantity for **Casing** as per Annexure- IA.
- c) The prescribed Bid Forms for submission of bids are available in the Technical Rfx -> External Area -> Tender Documents. Technical Checklist and Commercial Checklist vide **Annexure IV** and Response Entry Sheet must be filled-up and submitted along with the technical bid.
- d) The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Custom Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/RP/GLOBAL/E-01/2005 enclosed.
- e) **Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical RFx Response-> User -> Technical Bid only. The “TECHNO-COMMERCIAL UNPRICED BID” shall contain all techno-commercial details except the prices. Please note that no price details should be uploaded in Technical RFx Response otherwise the offer will be rejected.**

- f) The “PRICE BID” must contain the price schedule and the bidder’s commercial terms and conditions. **The prices of the items should be quoted in “Conditions Tab”.**
- g) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
- h) All corrigenda, addenda, amendments, time extension, clarifications etc. To the tender will be hoisted on OIL’s website (www.oil-india.com) and in the e-portal (<https://etenders.srm.oilindia.in/irj/portal>) only and no separate notification shall be issued in the press. Prospective bidders are requested to regularly visit the website and e-portal to keep themselves updated.

Special Note:

- 1.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with tender no. and due date to **Chief Manager (M&C), Oil India Limited, Rajasthan Project, 2A, Saraswati Nagar, District Shopping Centre, Basni, Jodhpur-342005, India** on or before the Bid Closing Date and Time mentioned in the Tender.
- a) **Original Bid Security**
 - b) **Details Catalogue with API Certificates of the Mill**
 - c) **Any other document required to be submitted in original as per tender requirement.**
- 2.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.
- 3.0 **The Integrity Pact is applicable against this tender.** OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide **Annexure XII** of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL’s competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder’s authorized signatory who sign the Bid.
- 4.0 All the Bids must be Digitally Signed using “Class 3” digital certificate (e-commerce application) with organisation name as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3” digital certificate without organization name, will be liable for rejection.
- 5.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also

submitted at the above mentioned address before the bid closing date and time failing which the offer shall be rejected.

6.0 Two Bid System shall be followed for this tender and only the price-bids of the bidders whose offers are commercially and technically acceptable shall be opened for further evaluation.

7.0 Please do refer the User Manual provided on the portal on the procedure “How to create Response” for submitting offer.

8.0 PURCHASE PREFERENCE : Purchase Preference will be applicable as per latest Govt. Guidelines. Bidders to take note of the same and quote accordingly. It is the bidder’s responsibility to submit necessary documents from the Competent Authority to establish that they are eligible for purchase preference against this tender.

9.0 PRICE PREFERENCE : Price Preference will be applicable as per latest Govt. Guidelines. Bidders to take note of the same and quote accordingly. It is the bidder’s responsibility to submit necessary documents from the Competent Authority to establish that they are eligible for price preference against this tender

NOTE:

Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the terms and conditions of NIT.

Yours Faithfully

Sd-

(KRISHNA MOHAN KUMAR)
DY. MATERIALS MANAGER
FOR CHIEF MANAGER (M&C)
FOR DGM-SERVICES(RP)
FOR EXECUTIVE DIRECTOR (RP)



ANNEXURE – I A

Tender No & Date	: SJG1094P17	DATED: 14.05.2016
Tender Fee	: INR 12,000.00	OR USD 200.00
Bid Security Amount	: INR 3,51,000.00 OR USD 5,200.00 (or equivalent Amount in any currency)	
Bidding Type	: SINGLE STAGE TWO BID SYSTEM	
Bid Closing on	: As mentioned in e-portal	
Technical Bid Opening on	: As mentioned in e-portal	
Bid Validity	: Bid should be valid for 120 days from bid closing date.	
Bid Bond Validity	: Bid Bond should be valid upto 09.03.2017 (Bid bond format has been changed. Please submit bid bond as per revised format failing which offer will be rejected)	
Performance Guarantee	: Applicable @ 10% of Order Value	

OIL INDIA LIMITED (Rajasthan Project, Jodhpur) invites Global tenders for items detailed below:
AA. TECHNICAL SPECIFICATIONS WITH QUANTITY

SLNO	MATERIAL DESCRIPTION & MATERIAL CODE NO.	QUANTITY	UNIT
10 ----- 01011712	CASING, API, SEAMLESS STEEL, SCREWED & COUPLED, WITH API MONOGRAM, IN RANGE 3 LENGTH BUT MAXIMUM LENGTH OF EACH JOINT SHALL BE RESTRICTED TO 12.19 MTRS. (40 FT.) FITTED WITH PRESSED STEEL OR ELASTOMER-CUM-METTALIC (COMPOSITE) THREAD PROTECTOR. Casing OD : 244.475 mm(9.5/8"), Weight : 70 Kg./m(47 PPF), Grade : N-80 Type-1 or N-80 Type-Q, Colour Code : Red for Grade : N-80 Type-1 or Red & Green for Grade : N-80 Type-Q in conformance with API Spec. 5CT, Thread : Buttress	3,500	METER

	<p>Note:</p> <ol style="list-style-type: none"> 1. The colour coding (to assist weight identification at site) shown above to be applied to each length of casing near the centre of joint in the form of 2" wide band for each colour specified. 2. Third party inspection is required. 3. Elastomer-cum-metallic (composite) protector for pin and box and of casing should be extra strong closed end and of Drilltech make or it's suitable equivalent. The protector should be designed in such a way in order to cover the full length of casing threads as well as casing coupling threads. It should have steel shell and elastomer to reduce impact design, to stop corrosion, to eliminate stripping and to keep thread compound active. 		
<p>20 ----- 01012098</p>	<p>CASING, API, SEAMLESS STEEL, SCREWED & COUPLED, WITH API MONOGRAM, IN RANGE 3 LENGTH BUT MAXIMUM LENGTH OF EACH JOINT SHALL BE RESTRICTED TO 12.19 MTRS. (40 FT.) FITTED WITH PRESSED STEEL OR ELASTOMER-CUM-METTALIC (COMPOSITE) THREAD PROTECTOR.</p> <p>Casing, Size : 339.72 mm(13.3/8") Weight : 101.19 Kg./m(68 PPF) Grade : N-80 Type-1 or N-80 Type-Q Thread : Buttress Colour Code: Red for Grade N-80 Type-1 or Red & Green for Grade N-80 Type-Q in conformance with API Spec. 5CT.</p> <p>Note:</p> <ol style="list-style-type: none"> 1. The colour coding (to assist weight identification at site) shown above to be applied to each length of casing near the centre of joint in the form of 2" wide band for each colour specified. 2. Third Party Inspection is required. 3. Elastomer-cum-metallic (composite) protector for pin and box end of casing should be extra strong closed end and of Drilltech make or it's suitable equivalent. The protector should be designed in such a way in order to cover the full length of casing threads as well as casing coupling threads. It should have steel shell and elastomer to reduce impact design, to stop corrosion, to eliminate stripping and to keep thread compound active. 	400	METER

NOTE:

1) **Item Nos. 10 & 20 are to be procured from same source. Therefore bidders are compulsorily required to quote their rate for Item Nos 10 & 20. Evaluation will be made on total value of Item Nos 10 & 20 and lowest evaluated bid will considered for Order Placement.**

2) **BIDDER TO QUOTE THEIR BEST DELIVERY PERIOD.**

BB. STANDARD NOTE :

1) The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidder has to submit both the “TECHNO-COMMERCIAL UNPRICED BID” and “PRICED BID” bid through electronic form in the OIL’s e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The “TECHNO-COMMERCIAL UNPRICED BID” is to be submitted as per Scope of Work & Technical Specification of the tender and “PRICED BID” as per the **Online Price Bid format**.

2) In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that “TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFX Response-> User - > Technical Bid. No price should be given in above Technical Rfx otherwise the offer will be rejected. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFX Response-> User - > Technical Bid only. The “PRICE BID” must contain the price schedule and the bidder’s commercial terms and conditions. The prices of the items should be quoted in “Conditions Tab”.

3) **Bid should be valid for 120 days from bid closing date, failing which offer shall be rejected.**

4) Application showing full address/email address with Tender Fee (Non-refundable) of INR 12,000.00 **OR** USD 200.00 in the form of a Demand Draft/Banker’s Cheque/ Cashier’s Cheque in favour of OIL INDIA LIMITED and payable at Jodhpur is to be submitted to Chief Manager (M&C), Oil India Limited, Rajasthan Project, 2A, District Shopping Centre Saraswati Nagar, Basni, Jodhpur-342005, Rajasthan.

Application shall be accepted only upto one week prior to Bid Closing date (or as amended in e-portal). The envelope containing the application for participation should clearly indicate “REQUEST FOR ISSUE OF USER ID AND PASSWORD FOR E TENDER NO. SJG1094P17” for easy identification and timely issue of user ID and password. On receipt of requisite tender fee, USER_ID and initial PASSWORD will be communicated to the bidder (through e-mail) and will be allowed to participate in the tender through OIL’s e- Procurement portal. No physical tender documents will be provided. Details of NIT can be viewed using “Guest Login” provided in the e-Procurement portal. The link to e-Procurement portal has also been provided through OIL’s web site www.oil-india.com.

NOTE:

a) **Tender Fee may also be paid online upto one week prior to the bid closing date (or as amended in e-portal)**

b) PSUs and SSI units are provided USER_ID and initial PASSWORD Free of Cost (as per govt guidelines), however they have to apply to OIL's designated office to issue USER_ID and initial PASSWORD before the last date of apply.

5) The original bid security (Amount is mentioned above and also in Basic Data of the tender in OIL's e-portal) should reach Chief Manager (M&C), Oil India Limited, Rajasthan Project, 2A, District Shopping Centre Saraswati Nagar, Basni, Jodhpur-342005, Rajasthan before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Collaboration folder as per General Terms and conditions for Global Tender (MM/RP/GLOBAL/E-01/2005). **The bid security shall be valid up to 09.03.2017. Please submit bid bond as per revised format.**

Note : Bid Security may also be paid online.

6) Performance Security @10% of order value is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/RP/GLOBAL/E-01/2005).

7) Commercial bids of only those bidders will be opened whose offers are found technically acceptable. The technically acceptable bidders will be informed before opening of the "**COMMERCIAL BID**".

8) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide General Terms and Conditions for Global Tender (MM/RP/GLOBAL/E-01/2005). Bidders are requested to take note of the same and to submit their offers accordingly.

9) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

10) General terms and conditions of Global tender (MM/RP/GLOBAL/E-01/2005) is enclosed. Special attentions to Bidders are drawn to the Section E of above document.

11) Price should be maintained in the "online price schedule" i.e "**Conditions Tab**" only. The price quoted in the "online price schedule" i.e "**Conditions Tab**" only will be considered. **No price should be given in Technical Rfx, otherwise the offer will be rejected.**

12) The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Custom Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/RP/GLOBAL/E-01/2005 enclosed.

13) **The Integrity Pact is applicable against this tender.** The name of the OIL's Independent External Monitors at present are as under:

(i) SHRI RAJIV MATHUR, IPS (Retd.),

Their email ids are furnished in OIL's website, www.oil-india.com

CC. BID EVALUATION CRITERIA (BEC) / BID REJECTION CRITERIA (BRC)

In addition to BEC/BRC criteria vide section –D of General Terms & Conditions for Global tenders (MM/RP/GLOBAL/E-01/2005), the following clauses will be applicable against the tender failing which offer will be rejected. BIDDERS TO IGNORE THE BEC/BRC MENTIONED VIDE SECTION - E OF GENERAL TERMS AND CONDITIONS & AMENDMENTS TO GENERAL TERMS AND CONDITIONS FOR GLOBAL TENDERS:

1.0 Offers with techno commercial bid-containing prices shall be rejected outright. Technical Rfx Response is meant for Technical bid only. Therefore, no price should be given in Technical Rfx Response, otherwise the offer will be rejected.

2.0 Bidder shall accept and comply with the following clauses as given in the Bid Document, failing which bid shall be liable for rejection:

- i) Firm Price
- ii) Bid Security
- iii) Specifications / Scope of Work
- iv) Price Schedule
- v) Delivery Schedule
- vi) Period of Bid Validity
- vii) Liquidated Damages
- viii) Performance Security
- ix) Guarantee of material
- x) Arbitration / Resolution of Dispute
- xi) Force Majeure
- xii) Applicable Laws
- xiii) Integrity Pact

3.0 A bid shall be rejected straightway if it does not conform to any one of the following clauses:

- (a) Validity of bid shorter than the validity indicated in the Tender.
- (b) Original Bid Security not received within the stipulated date & time mentioned in the Tender.
- (c) Bid Security with (i) validity shorter than the validity indicated in Tender and/or Bid Security amount lesser than the amount indicated in the Tender.
- (d) In case the Party refuses to sign Integrity Pact.
- (e) Anti -Dumping Duty if any, shall be applicable as per the latest Govt. Guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.**

Anti- Dumping Duty will be borne by the bidders as mentioned above. A categorical confirmation in this regard is required from the bidders along with their offer, otherwise their offer will not be considered for further evaluation.

(f) Safe Guard Duty if any, shall be applicable as per the latest Govt. Guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.

Safe Guard Duty will be borne by the bidders as mentioned above. A categorical confirmation in this regard is required from the bidders along with their offer, otherwise their offer will not be considered for further evaluation

Financial Evaluation Criteria:

1. Annual Turnover : The bidder shall have an annual financial turnover of minimum INR 87.58 Lakhs Or USD 1,28,902.00 during any of the preceding 03 (three) financial years reckoned from the original bid closing date.

2. "Net Worth" of the bidder should be positive for the preceding financial/accounting year.

3. Documentary evidence in the form of Audited Balance Sheet and Profit & Loss Account for the preceding 03 (three) financial/accounting years should be submitted along with the technical bid.

4. In case the Audited Balance Sheet and Profit & Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.

Technical Evaluation Criteria:

1.0 MANUFACTURING DETAILS :

1.1 Bidders must specify categorically in their offer if the following jobs in respect of the casing offered by them would be carried out by themselves.

- i) Manufacture of the Green pipe (Unprocessed Plain End Pipe)
- ii) Manufacture of the Mother/Processed pipe
- iii) Manufacture of Coupling Stock/blanks
- iv) Manufacture of Coupling
- v) Threading of item (ii) or (iii) and End finishing jobs.

In case any or all the above jobs would be carried out in their plant, they must forward valid API certificate(s) issued in their name for respective job(s) together with the offer.

1.2 In case some of the above jobs are not carried out in their plant but would be carried out in some other works, the bidders must submit API certificate(s) issued in the vendors' name for respective job(s). These certificates must be furnished along with the offer.

1.3 Bidders doing none of the above jobs would be treated as supply house/traders. As supply house /traders to bid, they however must fulfil the criteria laid down in General terms and conditions (refer para 1.2 of Section A as under) to be eligible for bidding.

Para 1.2 of Section A - However, the bids from sole selling agents / authorised distributors / authorised dealers / authorised supply houses can also be considered, provided such bids are accompanied with back-up authority letter (valid at the time of bidding) from the manufacturer authorising them to market their product. OIL INDIA LIMITED (OIL) reserves the right to reject offers without back up authority letter from manufacturer.

1.3.1 They (Supply Houses/Traders) must forward the following certificates along with the offer failing which the offer will be rejected.

- i) A certificate from the manufacturing mill guaranteeing supply of the tubulars to the bidder in the event of an order on the bidder.
- ii) Valid API certificates from the manufacturer of Threaded and coupled API Casing.

1.3.2 It may be noted that no change in manufacturing mill will be allowed after placement of order. Bidder must confirm the same in their bid.

1.4 Bidders must clearly indicate the country of origin.

1.5 Manufacturer's / Processor's / Threader's Experience: Manufacturer / Processor / Threader of the offered item(s) should satisfy the following clauses along with documentary evidence which should be enclosed along with the techno-commercial bid:

1.5.a Minimum 5 (five) years of experience of manufacturing / processing / threading and ultimately supplying similar material (same or higher grade and same or higher outer diameter) to companies which are in the business of exploration and production of hydrocarbons. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid. Copies of applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) for the last 5 (Five) years (i.e. continuous without having any break in between) shall be submitted along with techno-commercial bid.

1.5.b Should have manufactured / processed / threaded and ultimately supplied similar material (same or higher grade and same or higher outer diameter) at least 50% of tendered quantity of each item to companies which are in the business of exploration and production of hydrocarbons during the last 5 (five) Years. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid.

1.5.c Domestic manufacturer / processor who have satisfactorily executed development orders placed by OIL for similar material (same or higher grade and same or higher outer diameter) would be considered as established sources for supply. Documents for satisfying BRC clause 1.5.a & 1.5.b above are not required to be submitted. However, the domestic manufacturer / processor should indicate the details of OIL's Purchase Order(s) executed by them and submit respective documentary evidence in the form of copies of relevant

Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as - B/L, invoice or any other documentary evidence. Such domestic manufacturers / processors should have valid applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) for last 5 (five) years (i.e. continuous without having any break in between) and should be submitted along with the techno-commercial bid.

1.5.d Documentary evidence in respect of 1.5.a & 1.5.b above should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as - B/L, invoice or any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above along with the techno-commercial bid.

1.5.e In case bidder is a manufacturer then he should have valid applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) for last 5 (five) years (i.e. continuous without having any break in between) for manufacturing Threaded and Coupled API Casings/Tubings/Linepipes and documentary evidence thereof should be submitted along with the techno-commercial bid. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid.

1.5.f In case the bidder is sole selling agent / distributor / dealer / supply house of any API approved manufacturer, then bidder must furnish the following documents. Such bidder can offer the desired product only from API approved manufacturer having all the required authorization to manufacture Threaded and Coupled API Casings/Tubings/Linepipes. (Bids from Sole selling agents / distributors / dealers / supply houses for processor or Threader will not be accepted.):

i) Back-up authority cum Warranty letter in original on manufacturer's letter head, valid at the time of bidding which should remain valid during the entire execution period of the order, from the concerned manufacturer guaranteeing supply of the tubulars to the bidder in the event of an order on the bidder and also authorized them to market their products.

ii) Copies of valid applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) of manufacturer for the last 5 (five) years (i.e. continuous without having any break in between) from the date of opening of the techno-commercial bid.

iii) Bidder should submit a list of companies which are in the business of exploration and production of hydrocarbons to whom their Manufacturer has supplied similar material (same or higher grade and same or higher outer diameter) during the last 5 (five) years along with documentary evidence to satisfy above clause 1.5. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid.

iv) Documentary evidence in respect of (iii) above should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as - B/L, invoice or any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above along with the techno-commercial bid.

1.5.h In case the bidder is API approved Processors / Threaders who intend to purchase plain end pipes and coupling stock from other manufacturers and do heat treatment / threading - end finishing and testing should indicate the sources from where they intend to purchase plain end pipes and coupling stock and should also submit the following documents:

i).a. Copy of valid applicable API certificate (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) in favour of manufacturer of green pipes, coupling blank/ stock must be submitted with the bid.

i).b. Copy of valid applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) in favour of manufacturer of coupling for last 5 (five) years (i.e. continuous without having any break in between) from the date of opening of techno-commercial bid in case the processor/ threader should purchase the coupling from other mills.

ii) Copy of valid applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) in favour of processor / threader to do heat treatment / threading - end finishing and testing of casings for last 5 (five) years (i.e. continuous without having any break in between) from the date of opening of techno-commercial bid.

iii).a. Processors must purchase the green pipes, coupling stock/ blank from API approved mills only and should submit the list of those API approved mills together with their valid applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe).

iii).b. Threaders must purchase processed mother pipes & Coupling stock/ blank from API approved mills only and should submit the list of those API approved mills together with their valid applicable API certificates (API-5CT in case of Tubing & Casing and API-5L in case of Line pipe) for last 5 (five) years (i.e. continuous without having any break in between) along with the techno commercial bid. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid.

iv) Processors / Threaders should submit a list of companies which are in the business of exploration and production of hydrocarbons to whom they have supplied similar material (same or higher grade and same or higher outer diameter) during the last 5 (five) Years along with documentary evidence to satisfy above clause 1.5. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid.

v) Documentary evidence in respect of (iv) above should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as - B/L, invoice or any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above along with the techno-commercial bid.

1.5.i. Documents in any language other than English should be got translated in English and the copy of the original version English translation should be got verified from any one of the following)

i) Official of Indian Embassy / High Commission / Consulate General situated in the country where language has been translated.

ii) Official of Embassy / High Commission / Consulate General of the country where language has been translated, in India.

Note:

1. Manufacturer/ manufacturing mentioned above mean Manufacturer/ manufacturing of Plain end Green Pipe, Coupling Stock through processing and threading to finished Threaded or Coupled Casing.

2. No change in API mill(s) other than those indicated in the techno-commercial bid will be allowed after placement of order.

DD. GENERAL NOTES FOR CASING:

1.0 SPECIFICATION :

1.1 Casings must be manufactured as per API Spec. 5CT, latest edition and must bear API monogram. A copy of valid API Spec. 5CT certificate from the manufacturer shall be submitted along with the offer.

1.2 The Casings shall be brand new, unused, and of prime quality.

1.3 Casings shall be seamless , threaded and fitted with power tightened couplings as per API Spec. 5CT (latest edition).

1.4 Range : All casings shall be supplied in range III length. However, length of each joint should be restricted to 12.19 mtrs (40 ft.) max.

1.5 Coupling : Couplings shall be as specified in API Spec. 5CT (latest edition)and must be manufactured by API approved mills.

1.6 Coating : Coating shall be done as per API Spec. 5CT (latest edition) and adequately oiled to withstand sea voyage.

1.7 Pipe ends : Ends must be prepared as per relevant API specifications including clear triangle mark in case of Buttress thread. Suitable pressed steel / Elastomer-cum-metallic (Composite) thread protectors at both ends as specified in API 5CT (latest edition) shall be used to protect the ends.

Note : Elastomer-cum-Metallic (Composite) thread protectors for pin and box end of the casing should be extra strong, closed end & of Drilltech make or it's suitable equivalent. The protector should be designed in such a way that it covers the full length of casing threads as well as casing coupling threads. It should have steel shell and elastomer to reduce impact design, to stop corrosion, to eliminate stripping and to keep thread compound active.

1.8 The offer must contain detailed description of the materials giving details of size, weight / wall thickness, grade, length range, type of end, API Std., end protectors etc. Insufficient description will lead to rejection of the offer.

1.9 THE OFFER MUST CONTAIN THE VARIOUS PERFORMANCE PROPERTIES OF THE OFFERED PRODUCT VIZ. COLLAPSE RESISTANCE, INTERNAL YIELD PRESSURE, PIPE BODY YIELD STRENGTH & JOINT STRENGTH (THESE PROPERTIES SHOULD NOT BE LESS THAN THOSE STIPULATED BY API, BUL 5C2, LATEST EDITION IN ANY CASE). FAILURE TO COMPLY WITH THE ABOVE MAY LEAD TO REJECTION OF THE OFFER.

2.0 MILL INSPECTION, TESTING & CERTIFICATION:

2.1 The following tests and inspections shall be carried out as per API spec. 5CT (latest edition) and results thereof furnished to OIL along with the supply. Mill Test certificates are to be submitted to OIL in Original.

- i) Testing of Chemical Composition.
- ii) Testing of Mechanical Properties.
- iii) Hydrostatic Tests.
- iv) Dimensional testing (wall thickness, drift test, length, weight, determination and straightness).
- v) Visual Inspection.
- vi) Non-Destructive Inspection.

The manufacturer shall furnish a certificate of compliance stating that the material has been manufactured, sampled, tested and inspected in accordance with API Spec. 5CT (SR-15), latest edition. The above certificate should be submitted to OIL in Original.

2.2 End threading, gauging, thread inspection and certification shall be carried out as per API Std. 5B (latest edition).

3.0 IDENTIFICATION MARKING :

3.1 Marking is to be done on each joint strictly as per Appendix D of API Spec. 5CT.

3.2 Additionally, 'OIL' logo/mark and the purchase order number shall be die stamped or paint stenciled on each joint.

3.3 Colour coding: The colour coding shall be done as per API Spec. 5CT (latest edition). The colour band shall be 50.8 mm (2") wide and shall be encircling the pipe at a distance not greater than 2 ft. from the coupling or box with entire paint on the outside surface of coupling.

3.4 For Buttress threaded casings a 1" wide by 24" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the field end; additionally, a 1" wide by 4" long longitudinal white paint stripe shall be placed adjacent to the triangle mark on the mill end.

4.0 THIRD PARTY INSPECTION :

4.1 Inspection by an independent third party to cover the following shall be required against all casings.

- (i) Material Identification.
- (ii) Stage inspection at random visit basis during manufacturing.
- (iii) Audit and endorsement of all chemical analysis and physical test reports.
- (iv) Witness dimensional checks.
- (v) Witness mechanical tests.
- (vi) Witness NDT.
- (vii) Witness hydrostatic tests
- (viii) Visual inspection for imperfections.
- (ix) Longitudinal defect identification.
- (x) Transverse defect identification.
- (xi) Wall thickness measurement.
- (xii) Grade comparison.
- (xiii) End area defect identification.
- (xiv) Thread inspection.
- (xv) Check and verify length of each joint.
- (xvi) Issue of certificate.

Note : Proper Tally sheet (in Original) indicating length of each joint of Casing with heat number of the joint should be furnished to OIL. The Tally sheet should be duly signed & stamped by the Manufacturing Mill and will be endorsed (certified) by the third party inspection agency.

4.2 The third party inspection is to be carried out by an internationally reputed inspection Agency. Bidders must indicate the availability of such a Third Party Inspection Agency in their area furnishing following information.

- (i) Name of the Inspecting Agency (OIL's clearance has to be obtained prior to engagement except M/s. Lloyds, M/s Bureau Veritas, M/s. RITES, M/s. I.R.S., M/s. Tuboscope Vetco and M/s DNV.)
- (ii) All inclusive charges for Third Party Inspection per metre (to be indicated separately).

5.0 ANTI-DUMPING DUTY :

Anti -Dumping Duty if any, shall be applicable as per the latest Govt. Guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.

Anti- Dumping Duty will be borne by the bidders as mentioned above. A categorical confirmation in this regard is required from the bidders along with their offer, otherwise their offer will not be considered for further evaluation.

6.0 SAFE GUARD DUTY:

Safe Guard Duty if any, shall be applicable as per the latest Govt. Guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.

Safe Guard Duty will be borne by the bidders as mentioned above. A categorical confirmation in this regard is required from the bidders along with their offer, otherwise their offer will not be considered for further evaluation.

EE. SPECIAL NOTES:

- 1.0 Materials to be supplied hereunder shall be new, unused, of recent make, of best quality & workmanship and shall be guaranteed by the seller for a period of 12 months from the date of despatch/shipment against defects arising from faulty materials, workmanship or design. Defective goods / materials or parts notified by OIL to the seller shall be replaced immediately by the supplier at the supplier's expense on F.O.R destination basis at no extra cost to OIL.
- 2.0 Bidders are to quote the Material Value, FOB Charges upto Port of shipment, Total FOB value, Ocean Freight Charges upto Kolkata/Mumbai Sea Port, best possible delivery period, Payment terms (preferably Sight Draft), Port of Shipment, Country of Origin, Indian Agent's Name as well as its Commission, if any, Nett & Gross weight of materials etc. in their quotation.
- 3.0 Bidders have to indicate the minimum FOB charges in case of partial order for reduced quantity/items. In case this is not indicated specifically, the charges quoted would be prorated calculated and the same will be binding on the bidder.
- 4.0 The Port of unloading is Kolkata / Mumbai Sea Port, India (For Foreign Bidders). **Foreign Bidders are therefore required to quote Ocean Freight Charge up to both Mumbai Sea Port and Kolkata Sea Port. OIL will consider bringing the consignments through one of the above sea port which gives cost benefit to OIL.**
- 5.0 Indigenous Party to quote for Unit Material value, Packing/Forwarding Charges, Taxes & Duties as applicable, Transportation charges upto Thaiyat-Hamira which is 25 KM (approx.) from Jaisalmer Town (Rajasthan), Payment Terms, Delivery Period, Net. & Gross Weight etc. in their offer.
- 6.0 To evaluate the inter-se-ranking of the offers, Rajasthan Entry Tax on purchase value will be loaded as per prevailing Govt. of Rajasthan guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their offer.
However, payment of applicable Rajasthan Entry Tax on purchase value shall be to OIL's Account.
- 7.0 Indian agent on behalf of the principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously. In case of Indian agent, if the agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM.
- 8.0 Other terms and conditions of the enquiry shall be as per General Terms and Conditions for Global E-Tender vide MM/RP/GLOBAL/E-01/2005. However, if any of the Clauses of this tender document contradict the Clauses of the booklet MM/RP/GLOBAL/E-01/2005 elsewhere; those in this tender document shall prevail.

----XXXX----