



OIL INDIA LIMITED
(A Government of India Enterprises)
PO : Duliajan – 786602
Assam (India)

TELEPHONE NO. (91-374) 2808793
FAX NO: (91-374) 2800533
Email: bhavik_mody@oilindia.in;erp_mm@oilindia.in

TENDER NO. SSG 2451P17/05

DATE: 11.09.2016

Sub : INVITATION TO e-BID UNDER COMPOSITE BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **3000 Bags of Resineated Lignite** through its e-Procurement site under **International Competitive Bidding (ICB) – COMPOSITE BID SYSTEM**. The bidding documents and other terms and conditions are available at Booklet No. MM/GLOBAL/E-01/2005-July2012. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed at ‘**Rfx parameters**’ under ‘**Rfx Information**’ in Bid invitation screen. The details of items tendered can be found by clicking to ‘**Items tab**’.

The tender will be governed by:

- a) “General Terms & Conditions” for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005-July2012 for E-procurement .
- b) Technical specifications ,Quantity and General Notes for **Resineated Lignite** are as per Annexure – IA in the Technical Rfx.
- c) The prescribed Bid Forms for submission of bids are available in the tender document folder. Technical Checklist and Commercial Checklist vide **Annexure IV** must be filled-up and submitted along with the technical bid.
- d) The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export Benefit are furnished vide Addendum to MM/GLOBAL/E-01/2005-July2012 enclosed.

Special Note:

1.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope superscribed with **Tender no.** and **Due date** to **The Head Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam** on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.

- a) **Tender Sample**
- b) **Original Bid Security.**

2.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.

3.0 All the Bids must be Digitally Signed using "Class 3" digital certificate (e-commerce application) with organisation name only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate without organization name, will be liable for rejection.

4.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before 13:00 Hrs (IST) on the bid closing date failing which the offer shall be rejected.

5.0 To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

Yours Faithfully

Sd-
(BHAVIK MODY)
PURCHASE OFFICER(FS)
FOR DGM-MATERIALS
FOR RESIDENT CHIEF EXECUTIVE

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam
Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : SSG2451P17/05 11.09.2016

Tender Fee : INR 6,000.00 OR USD 100.00
Bid Security Amount : INR 62,700.00 OR USD 935.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 26.10.2016 at 11:00 hrs. (IST)
Bid Opening On : 26.10.2016 at 14:00 hrs. (IST)

Performance Guarantee : Applicable @10% of order value

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 85040106	HIGH TEMPERATURE HIGH PRESSURE FLUID LOSS AND RHEOLOGY CONTROL AGENT. Resinated Lignite 1. Physical State : The material, as received, should be black or brown coloured free flowing powder, free from lumps, dirt and foreign matter. 2. Moisture Content, measured at 105 +/- 2 DegC., % by mass Maximum. : 15.00 3. Solubility in Distilled water at 26 +/- 2 DegC, % by mass minimum : 70.00 4. Apparent Viscosity of 2 % solution in distilled water at 26 +/- 2 DegC, cp, maximum. : 3.00 5. Caking Tendency : Should not display any caking tendency when heated to 50 DegC 6. Chemical Assay % by mass : (i) Element Iron maximum : 1.80 (ii) Elemental Chromium maximum : 0.10 7. Performance Test : A In Fresh Water Mud : (i) Preparation of base mud Prepare a 10% (w/v) bentonite suspension in distilled water using OIL approved bentonite and stir the suspension in a multimixer for 15 minutes so that no lumps are left after the stirring period. Age the suspension for 72 hrs. at 90 +/-2 DegC. After the lapses of the aging period. cool the suspension and adjust the apparent viscosity to 52.5 +/- 2.5 cp by dilution with distilled water, if necessary Divide the mud into two parts. (ii) Untreated mud.	3000	BAG

Tender No. & Date : SSG2451P17/05

11.09.2016

Item No./ Mat. Code	Material Description	Quantity	UOM
	Age first part of base mud at 160 +/-2DegC in rolling condition for 24 hrs. cool the mud and stir in a multimixer for 15 minutes. Determine apparent viscosity at 26 +/- 2 DegC and HPHT fluid loss at 160 DegC and 500 PSI differential pressure . (a) Apparent viscosity, cp : To determine (b) HPHT fluid loss, ml : To determine (iii) Treated mud. Treat second part of base mud with 2.0 % (w/v) of the resinated lignite sample and stir the mud for 30 minutes in a multimixer. Adjust the PH of the mud to 9.5 - 10.0 by addition with 5N NaOH solution, if necessary. Age the treated mud at 160 +/- 2 DegC for 24 hrs. in rolling condition. cool and stir for 15 minutes in multimixer. Determine apparent viscosity at 26 +/- 2 DegC and HPHT fluid loss at 160 DegC and 500 PSI differential pressure which should be as follows. (i) Apparent viscosity, cp, maximum : 40 % of 7A (ii,a) (ii) HPHT fluid loss, ml maximum : 50 % of 7A (ii,b) B In Saline Water Mud : (i) Preparation of base mud Prepare a 10% (w/v) bentonite suspension in distilled water using OIL approved bentonite and stir the suspension in a multimixer for 15 minutes so that no lumps are left after the stirring period. Age the suspension for 72 hrs. at 90 +/-2 DegC. After the lapses of the aging period. cool and stir the suspension for 15 minutes in multimixer and determine apparent viscosity which should be 85 +/- 5 cp To this mud add 4% NaCl (w/v) (LR grade) and stir for 30 minutes in a multimixer. Age the mud 24 hrs. at 26 +/- 2 DegC .After aging, stir the mud again for 15 minutes and determine apparent viscosity at 26 +/- 2 DegC which should be 32.5 +/- 2.5 cp. Divide the mud into two parts. by dilution with distilled water, if necessary Divide the mud into two parts. (ii) Untreated mud. Age the first part of saline mud for 24 hrs. at 160 +/-2DegC in rolling condition cool the mud stir for 15 minutes and measure apparent viscosity 26 +/- 2 DegC and HPHT fluid loss at 160 DegC and 500 PSI differential pressure. for 24 hrs. cool the mud and stir in a multimixer for 15 minutes. Determine apparent viscosity at 26 +/- 2 DegC and HPHT fluid loss at 160 DegC and 500 PSI differential pressure . (a) Apparent viscosity, cp : To determine (b) HPHT fluid loss, ml : To determine (iii) Treated mud. Treat the second part of the saline mud with 2. % resinated lignite sample and stir the mud for 30 minutes in multimixer. Age the treated mud for 24 hrs at 160 +/- 2 DegC in rolling condition. cool the mud and stir in multimixer for 15 minutes. Determine apparent viscosity at 26 +/- 2 DegC and HPHT fluid loss at 160 DegC and 500 PSI differential pressure which should be as under . (i) Apparent viscosity, cp, max. : should not be more than that of 7B (ii,a) (ii) HPHT fluid loss, ml max. : 50 % of mud of 7B (ii,b)		

Tender No. & Date : SSG2451P17/05**11.09.2016**

Item No./ Mat. Code	Material Description	Quantity	UOM
	8. Packing : The material should be packed in good quality moisture proof multiply paper bag strong enough to withstand rigours of transit and storage. Capacity 25 kg net per bag. 9. Marking : Each bag should have clear legible marking as given below . (i) Name of the product. (ii) Name of the supplier/manufacturer (iii) Date/Month/Year of Manufacturer (iv) Supply order No. against which the present supply is made. NB: The apparent viscosity shall be measured by a Fann VG meter and the HPHT fluid loss shall be measured in standard HPHT fluid loss apparatus using nitrogen gas as the pressure source.		

Standard Notes: DELIVERY : BIDDER TO QUOTE THEIR BEST DELIVERY PERIOD.

1) The tender is invited under SINGLE STAGE-COMPOSITE BID SYSTEM. The bidder has to submit both the "TECHNO-COMMERCIAL" and "PRICE" bids through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The Techno-commercial Bid is to be submitted as per Scope of Work & Technical Specification of the tender and price bid as per the Online Price Bid format.

2) The techno-commercial bid should be submitted in "Technical Rfx", while the prices are to be quoted in the online price format under "Conditions" tab.

3) Performance Security @10% of order value, is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012). Successful bidder will be required to furnish a Performance Bank Guarantee @ 10% of the order value which must be valid for one year from the date of shipment/despatch. Bidder must confirm the same in their technical Bid.

4) The original bid security (Amount is mentioned above and also in Basic Data of the tender in OIL's e-portal) should reach us before bid closing date and time of technical bid. Bid without original bid security will be rejected. The bidders who are exempted from submitting of Bid Bond should attach documentary evidence in the Collaboration folder as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012). The bid security shall be valid up to **26.04.2017**. Please submit bid bond as per revised format.

5) The tender sample should reach us before bid closing date and time stipulated in the e-tender.

6) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to

Tender No. & Date : SSG2451P17/05 11.09.2016

submit their offers accordingly.

7) Bid validity shall be **minimum 90 days**. Bids with lesser validity shall be rejected.

8) In addition to BRC criteria vide section -D of General Terms & Conditions for Global tenders (MM/GLOBAL/E-01/2005-JULY 2012), the BEC/BRC vide Annexure-IB will be applicable against the tender failing which offer will be rejected.

9) Reference to BRC clause no. 4 under BEC-BRC vide Annexure-IB, exemption letters issued prior to 01.01.2013 shall not be considered. Bidders who have been issued sample exemption letter after the aforesaid date can submit the copy of the same as per the referred clause.

CC. BID REJECTION CRITERIA (BRC)	Compliance by Bidder	
	Indicate 'Confirmed' / 'Not Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid
In addition to BRC criteria vide section –D of General Terms & Conditions for Global tenders (MM/GLOBAL/E-01/2005 - JULY 2012), the following clauses will be applicable against the tender failing which offer will be rejected.		
1. The bidder shall be either a Manufacturer of the product or an authorised distributor / dealer / supplier of the product of manufacturer. The authorised distributor / dealer / supplier shall produce authority letter from its manufacturer authorizing them to submit the bid along with the offer. Such authority letter should be valid for the entire period of execution of the order.		
2. In case the bidder is not in a position to submit Authority letter from the manufacturer then bidder must submit Quality Assurance certificate mentioning that the offered product will be of same or higher quality / standard of the tender sample submitted along with the bid in the event of bulk supply against order.		
3. Experience Criteria:		
3.2 The bidder must have a supply record of minimum one order of 50% tender quantity of tendered material to various E&P Companies or Service Providers to E&P companies in the last five (05) years. For both these criteria 3.1 (i) & 3.1 (ii), the period reckoned shall be the period prior to the original bid closing date of the tender.		
3.3 In support of above supply experience criteria 3.(i) & 3.(ii), the bidder shall submit copies of purchase orders and any one or combination of the following documents along with the technical bid that confirms the successful execution of each of the purchase orders. OIL reserves the rights to verify the same. -Performance certificate from the clients, -Delivery challan / invoice etc. -Bill of lading, -any other documentary evidence that can substantiate the successful execution of each of the Purchase Order(s)		
3.4 However, bidders whose products have been successfully field tried extensively in OIL's operational area are exempted from meeting criteria 3.(i) & 3.(ii) provided they offer the same brand of product from the same manufacturer. However, the party must submit documentary evidence of having successfully executed supply orders of OIL for this product within the last five years prior to the original bid closing date of the tender.		
3.5 Supply executed by the bidder to its sister concern/ subsidiary or its own services shall not be considered as experience for the purpose of meeting above experience criteria of BRC.		
NOTE: To develop any new source field trial followed by extensive field trial of the product are conducted. In case of field trial, order is placed for a quantity which is sufficient for 2/3 wells use. This gives the idea how this product performs in our field. Once this field trial is over, to assess the quality assurance and supplier's capability another order is placed with larger quantity for 5/6 wells use. Based on timely delivery as well as consistency in quality of the product, the vendor is developed. The second trial for a good number of wells is termed as extensive field trial.		
4. The bidder shall submit tender sample of the product in triplicate (i.e. 3 samples) along with the bid. However, bidders who have been exempted from submission of tender sample need not submit the same so long the supply is made from same source which has been extensively used in OIL's field. For this, the supplier shall have to provide an undertaking stating that the material to be supplied will meet OIL's technical specification in all respect and from the same source whose product has already been field tried successfully. Further, exemption letter issued by OIL must be enclosed along with the bid.		
5. The tender sample should be strictly as per OIL's specification.		
6. FINANCIAL CRITERIA:		
6.1 Annual Financial Turnover of the bidder during any of preceding three financial/accounting years from the original bid closing date should be at least Rs. 15.67 Lakhs or US\$ 23,345.00		
6.1.1 Net worth of bidder must be positive for preceding financial/ accounting year.		
6.2 Considering the time required for preparation of Financial Statements, if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit/undertaking certifying that the balance sheet/Financial Statements for the financial year..... (as the case may be) has actually not been audited so far.		

	Compliance by Bidder	
Notes:		
a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:- i) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in ANNEXURE. OR ii) Audited Balance Sheet along with Profit & Loss account. In case of foreign bidders, self-attested/digitally signed printed published accounts are also acceptable. b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.		
6.3 In case the Audited Balance sheet and Profit Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA Certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.		
7. The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following : i. Validity of bid shorter than validity indicated in the tender. ii. Original Bid Security not received within the stipulated date and time mentioned in the tender. iii. Bid security with (i) Validity shorter than the validity indicated in tender and/or (ii) Bid security amount lesser than the amount indicated in the tender.		
DD. Special Notes		
i) Bidders must submit 3 (three) tender samples of ½ kg each of the offered product in 3 (three) separate air tight sealed containers free of cost for technical evaluation. Further, the bidder shall confirm that bulk supply will be same as the tender sample supplied for along with the tender.		
ii) The tender sample will be evaluated in OIL's laboratory as per OIL's tender specification for acceptance.		
iii) Bidder shall submit a copy of Material Safety Data Sheet of the quoted product along with the bid.		
iv) In case the bidder is not a manufacturer, the bidder shall confirm the name of its manufacturer.		
iv) The material should be supplied in the original packing of the manufacturer with markings as specified in the tender.		

	Compliance by Bidder	
v) Bidder shall confirm shelf life as per NIT requirement, wherever asked for. Any supply without shelf life or shelf life less than the NIT requirement shall be rejected.		
vi) Considering the nature of the items, if the product offered by the lowest acceptable bidder is not field proven in OIL, purchaser at its discretion may place a trial order to the extent of 25% (maximum) only for field trial and vendor development separately at their quoted rates and entire tendered quantity will be procured from other competitive bidders whose product has been field proven in OIL.		

ANNEXURE

CERTIFICATE OF ANNUAL TURNOVER & NET WORTH

TO BE ISSUED BY PRACTISING **CHARTERED ACCOUNTANTS' FIRM** ON THEIR LETTER HEAD

TO WHOM IT MAY CONCERN

This is to certify that the following financial positions extracted from the audited financial statements of M/s..... (Name of the Bidder) for the last three (3) completed accounting years upto(as the case may be) are correct.

YEAR	TURN OVER In INR (Rs.) Crores / US \$ Million)*	NET WORTH In INR (Rs.) Crores / US \$ Million)*

*Rate of Conversion (if used any): USD 1.00 = INR.....

Place:

Date:

Seal:

Membership No. :

Registration Code:

Signature

* Applicable only for GLOBAL tenders.