



ऑयल इंडिया लिमिटेड
(भारत सरकार का उद्यम)
Oil India Limited
(A Government of India Enterprise)

P.O. DULIAJAN-786602,
ASSAM, INDIA
Phone: 0374-2800491
Fax: 0374-2800533
Email: bhavik_mody@oilindia.in
erp_mm@oilindia.in

TENDER NO. SSG3486P17/01

DATE: 05.01.2017

INVITATION TO e-BID UNDER SINGLE STAGE TWO BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **Tubing & Accessories** through its e-Procurement site under **International Competitive Bidding (ICB) - Single Stage TWO BID System**. The bidding documents and other terms and conditions are available at Booklet No.MM/GLOBAL/E-01/2005-July2012. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed by opening the RFx [Tender no.] under RFx and Auctions page. The details of items tendered can be found under Item tab and details can be found under Technical RFx.

The tender is invited with firm price for the specified quantity. Further details of tender are given in Technical Rfx -> External Area - > Tender Documents as **ANNEXURE IA**.

THE TENDER WILL BE GOVERNED BY:

- a) "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders). Special attention to the bidders is drawn to Section – E of the document.
- b) Technical specifications, Quantity and Notes for the **Tubing** as per **Annexure – IA**.
- c) The prescribed Bid Forms for submission of bids are available in the Technical Rfx -> External Area - > Tender Documents. Technical Checklist and Commercial Checklist must be filled-up and submitted along with the technical bid.
- d) The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export Benefit are furnished vide Addendum to MM/GLOBAL/E-01/2005 – July 2012 enclosed.
- e) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth

as per format prescribed in ANNEXURE-A. The same must be submitted along with the bid.

SPECIAL NOTE:

1.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and due date to **The DGM-Materials, Materials Department, Oil India Limited, Duliajan-786602, Assam** on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.

- a) Original Bid Security.
- b) Detailed Catalogue.
- c) Any other document required to be submitted in original as per tender requirement.

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

- 2.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
- 3.0 All the Bids must be Digitally Signed using "Class 3" digital certificate (e-commerce application) with organisation name as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate without organization name, will be liable for rejection.
- 4.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before 13:00 Hrs (IST) on the bid closing date failing which the offer shall be rejected.
- 5.0 **Two Bid System** shall be followed for this tender and only the price-bids of the bidders whose offers are commercially and technically acceptable shall be opened for further evaluation.
- 6.0 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical RFx Response-> User -> Technical Bid only. The "TECHNO-COMMERCIAL UNPRICED BID" shall contain all techno-commercial details except the prices. **Please note that no price details should be uploaded in Technical RFx Response.**
- 7.0 The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. **The prices of the items should be quoted in "Conditions Tab".**

- 8.0 **OIL reserves right to go for Reverse Auction process** or may finalize the tender without Reverse Auction, if required. However, the decision to conduct Reverse Auction or not will be conveyed to short-listed bidders prior to opening of price bid.
- 9.0 **The Integrity Pact is applicable against this tender.** OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide **Annexure XII** of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid.
- 10.0 Please refer Annexure-IB for BEC/BRC applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.
- 11.0 Bidders to take special note of the following conditions:
- 11.1 Against Tender Fee – Payment should be made only through online mode and no other instrument (Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.
- 11.2 Against Bid Security/EMD/Performance Bank Guarantee – Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.

Yours faithfully,

OIL INDIA LIMITED

Sd/-

(BHAVIK MODY)
SR. PURCHASE OFFICER (FS)
FOR DGM-MATERIALS
FOR RESIDENT CHIEF EXECUTIVE

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam
Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : SSG3486P17/01 05.01.2017

Tender Fee : INR 30,000.00 OR USD 500.00
Bid Security Amount : INR 1,161,000.00 OR USD 16,900.00
(or equivalent Amount in any currency)

Bidding Type : Single Stage Two Bid System

Bid Closing On : 08.03.2017 at 11:00 hrs. (IST)
Bid Opening On : 08.03.2017 at 14:00 hrs. (IST)

Performance Guarantee : Applicable @10% of order value

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 02308080	BRAND NEW & UNUSED SEAMLESS TUBING WITH PREMIUM THREADED END CONNECTION OF THREADFORM--ATLAS BRADFORD TC-4S, JFE Fox & JFE Bear, NS-CT, TENARIS HYDRIL 563/3SB & VAM TOP ONLY AND MANUFACTURED AS PER API SPECS-5CT (LATEST EDITION) IN RANGE - 2 TUBING, 73.0 mm (2.875"), PREMIUM CONNECTION Brand new & unused seamless tubing with coupling, manufactured as per API Specs 5CT (latest edition) in Range # 2, non-upset end, threaded & coupled, OD: 73.0 mm (2.875 inch), weight: 9.52-9.67 Kg/m (6.4-6.5 ppf), Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), coupling OD : 81.28-88.9 mm (3.20-3.50 inch), joint length 9.0 meter and above. Tubing shall be threaded to any one of the following premium threadform, and suitable thread protector shall be provided in both ends. a) ATLAS BRADFORD TC-4S b) JFE Fox & JFE Bear c) NS-CT d) TENARIS HYDRIL 563/3SB e) VAM TOP"	15000	M
20 02308085	"X-OVER, 73.0 mm (2.875""), VAMTOP PIN x PREMIUM PIN CROSSOVER, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. END CONNECTION: VAM TOP PIN x PREMIUM PIN as per material code 02308080	5	NO
30 02308088	"X-OVER, 73.0 mm (2.875""), PREMIUM BOX x API PIN CROSSOVER, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm	5	NO

Tender No. & Date : SSG3486P17/01

05.01.2017

Item No./ Mat. Code	Material Description	Quantity	UOM
	(2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. Box End: PREMIUM THREAD as per material code 02308080. Pin End: API, NU		
40 02308089	"X-OVER,73.0 mm (2.875""), API BOX x PREMIUM PIN CROSSOVER, 73.0 mm (2.875") OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), Length: 304.8-457.2 mm (12-18 inch) with suitable thread protector and following end connections only. Pin End: PREMIUM as per material code 02308080. Box End: API, NU	5	NO
50 02308095	"PUP-JOINT,73.0 mm (2.875""), PREMIUM, 609.6 mm (2') PUP JOINT with coupling, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 609.6 mm (2 feet)."	5	NO
60 02308096	"PUP-JOINT,73.0 mm (2.875""), PREMIUM, 914.40 mm (3') PUP JOINT with coupling, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 914.40 mm (3 feet)."	5	NO
70 02308097	"PUP-JOINT,73.0 mm (2.875""), PREMIUM, 1524 mm (5') PUP JOINT with coupling, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 1524 mm (5 feet)."	5	NO
80 02308100	"PUP-JOINT,73.0 mm (2.875""), PREMIUM, 5080 mm (20') PUP JOINT with coupling, 73.0 mm (2.875"" OD, Steel Grade: L-80 13 Cr, ID : 62.0 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), wall thickness: 5.51 mm (0.217 inch), box up & pin down, with premium threadform as per material code 02308080 with suitable thread protector. Length of each joint: 5080 mm (20 feet)."	2	NO

Note description for item no./nos. : 10, 20, 30, 40, 50, 60, 70, 80

1.1 All the above materials shall be procured from tubing manufacturer and same source. Therefore, bidders are

Tender No. & Date : SSG3486P17/01**05.01.2017**

requested to quote all the items, otherwise offer will be rejected.

1.2 Third party inspection is required for both tubing and tubing attachment.

1.3 If Premium threadform is VAM TOP , Item nos. 3 & 4 (Material code to be mentioned once created) are not required.

1.4 Bidder to confirm the name(s) of Premium Thread manufacturing mill(s) having valid license and submit declaration from the mill for manufacture of Premium threads for the bidder. Moreover, valid copies of license for manufacturing the Premium Threads & API Spec 5CT certificate from the manufacturer to be submitted along with the bid.

1.5 Tubing & attachments shall be brand new, unused, and of prime quality.

1.6 Couplings shall be as specified in API Spec. 5CT and must be manufactured by API approved mills.

1.7 Painting/Coating shall be done as per API Spec. 5CT to protect the materials from rusting while in transit/storage

1.8 The offer must contain detailed description of the material with connection datasheet. Moreover, a filled-in CHECKLIST annexed as Checklist-Technical shall be furnished along with the Technical Bid, failing which the offer will not merit evaluation

2.1 MILL INSPECTION/CERTIFICATION : All Tubing shall be manufactured, tested and certified in accordance with the API Spec. 5CT, latest edition.

2.2 "PHYSICAL/CHEMICAL TESTS : The following tests shall be carried out on each heat of steel & test results thereof shall be submitted to OIL.

i) Heat Analysis

ii) Product Analysis

iii) Recheck Analysis

iv) Mill-Control Check Analysis

v) Tensile tests

vi) Yield strength tests

vii) Mill control tests

viii) Dimension and weight tests including drift and straightness."

2.3 While conducting the above tests if any one of them fails, retest of the same shall be carried out as per API Spec. 5CT.

2.4 Hydrostatic Test : Each joint of tubing & attachment shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications.

2.5 Threading, gauging and thread inspection shall be done as per API 5B/relevant standard wherever applicable.

2.6 Non-destructive tests shall be carried out as specified in API Spec 5CT.

2.7 Bidders should give details of mills inspection and QC methods available. OIL may require such details in case of an order.

3.1 IDENTIFICATION MARKING: Marking is to be done on each item as per API Spec 5CT covering manufacturer's mark/name, API monogram, size, weight, grade, class, manufacturing process, heat treatment, test pressure, length, thread identification etc. Marking should be in metric unit.

3.2 Additionally, OIL's Purchase Order Number shall be die stamped or stencilled on each item for permanent bearing.

3.3 The colour coding shall be done as per API Spec. 5CT.

4.1 THIRD PARTY INSPECTION : Inspection by an independent third party to cover the following shall be required against all items.

(i) Material Identification.

(ii) Stage inspection at random visit basis during manufacturing.

(iii) Audit and endorsement of all chemical analysis and physical test reports.

(iv) Witness dimensional checks.

(v) Witness mechanical tests.

(vi) Witness NDT.

(vii) Witness hydrostatic tests

(viii) Visual inspection for imperfections.

(ix) Wall thickness measurement.

(x) Grade comparison.

(xi) End area defect identification.

(xii) Thread inspection.

Tender No. & Date : SSG3486P17/01**05.01.2017**

(xiii) Check and verify length of each joint.

(xiv) Issue of certificate."

4.2 Note : Proper Tally sheet (in Original) indicating length of each joint of tubing with heat number of the joint should be furnished to OIL. The Tally sheet should be duly signed & stamped by the Manufacturing Mill and will be endorsed (certified) by the third party inspection agency.

4.3 A soft copy of above tally sheet is to be sent in EXCEL FORMAT along with the despatch document. Bidder to confirm the same while quoting.

4.4 The third party inspection is to be carried out by an internationally reputed inspection Agency. Bidders must indicate the availability of such a Third Party Inspection Agency in their area furnishing following information.

i. Name of the Inspecting Agency (OIL's clearance has to be obtained prior to engagement except M/s. Lloyds, M/s Bureau Varitas, M/s DNV, M/s. Rites, M/s. I.R.S.).

ii. All inclusive charges for Third Party Inspection per metre (to be indicated separately).

Standard Notes: I) ALL ITEMS TO BE PROCURED FROM SAME SOURCE.
II) BIDDER TO QUOTE THEIR BEST DELIVERY PERIOD.

AA. STANDARD NOTES:

1) The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" bid through electronic form in the OIL's e- Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The "TECHNO-COMMERCIAL UNPRICED BID" is to be submitted as per Scope of Work & Technical Specification of the tender and "PRICED BID" as per the Online Price Bid format.

2) In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID" should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical Rfx Response-> User -> Technical Bid. **No price should be given in above Technical Rfx otherwise the offer will be rejected.** Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical Rfx Response-> User -> Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. The prices of the items should be quoted in "Conditions Tab".

3) Bid should be valid for **minimum 120 days** from bid closing date, failing which offer shall be rejected.

4) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Technical Rfx Response-> User -> Technical Bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012). The bid security shall be valid up to **08.10.2017**. Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.

5) Performance Security @10% of order value is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005 - July2012).

6) PRICED BIDS OF ONLY THOSE BIDDERS WILL BE OPENED WHOSE OFFERS ARE FOUND TECHNICALLY ACCEPTABLE. THE TECHNICALLY ACCEPTABLE BIDDERS WILL BE INFORMED BEFORE OPENING OF THE "PRICED BID".

Tender No. & Date : SSG3486P17/01

05.01.2017

7) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.

8) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

9) General terms and conditions of Global tender (document MM/GLOBAL/E-01/2005 - July 2012) is enclosed. Special attention to Bidders is drawn to the Section E of above document.

10) The Integrity Pact is applicable against this tender. Therefore, please attach the Integrity Pact document duly signed along with your quotation as per BRC. The name of the OIL's Independent External Monitor at present are as under:

1. SHRI RAJIV MATHUR, IPS (Retd.),
2. SHRI SATYANANDA MISHRA, IAS(Retd.)

The email ids are furnished in OIL's website, www.oil-india.com

11) OIL reserves right to go for Reverse Auction process or may finalize the tender without Reverse Auction, if required. However, the decision to conduct Reverse Auction or not will be conveyed to short-listed bidders prior to opening of price bid.

Special Terms & Conditions and salient features for Reverse Auction are furnished in Addendum- B. The Business Rules for Reverse Auction and Process Compliance Form are given in Addendum- B. Bidders are required to sign the Business Rules for Reverse Auction and Process Compliance Form and attach this document along with the technical bid.

In case Anti-Dumping Duty is applicable, Reverse Auction shall be conducted without loading Anti-Dumping duty (if applicable). However, after completion of the Reverse Auction, in case of Foreign bidders who have quoted goods originating from China and on whom the Anti-Dumping Duty is applicable as on date of Reverse Auction, Anti-Dumping duty so calculated as per the Notification shall be loaded on the final CIF Landed value quoted by those Foreign bidders (with Customs Duty as applicable on the Bid Closing Date of the Tender) in the Reverse Auction. The final evaluation of the offers will be done after loading Anti-Dumping duty on the prices obtained through Reverse Auction.

12) Price should be maintained in the "online price schedule" only. The price quoted in the "online price schedule" will only be considered.

13) Indigenous Bidder must indicate handling charge to the nearest Rail Head. If any Indigenous Bidder does not indicate the handling charge to the nearest rail head, their offer will be liable for rejection.

14) Tender fee Payment should be made only through online mode and no other instrument(Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.

BB. ANTI-DUMPING DUTY

Tender No. & Date : SSG3486P17/01

05.01.2017

The Clause No. 3.0 in Section-'E' (Special Terms & Conditions for Tubulars) of General Terms & Conditions for Global Tender (MM-GLOBAL/E-01-2005-July 2012) on Anti-Dumping Duty stands deleted. In its place the following clauses on "Anti-Dumping Duty" shall be applicable-

1. The Anti-Dumping Duty, if any, shall be applicable as per the latest Govt. guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.
2. Anti-Dumping Duty shall be borne by the bidder as mentioned above. A categorical confirmation in this regard is required from the bidders along with their offer, otherwise their offer will not be considered for further evaluation.
3. All bidders must categorically mention the country of origin of the products offered by them in their offers. In the event categorical mention of country of origin of their offered products is not made in their offer, the offer will be summarily rejected.
4. In case of the indigenous bidders, they should note that OIL will not be liable to reimburse any amount on account of Anti-Dumping duty for the materials imported by them from People's Republic of China for execution of the contract and any Anti-Dumping Duty payable against import by them from People's Republic of China shall be to their account. Indigenous bidders are required to categorically confirm acceptance of the same in their Technical bids failing which offers will be liable for rejection.

CC. BID REJECTION CRITERIA (BRC)	Compliance by Bidder	
	Indicate 'Confirmed' / 'Not Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid
In addition to BRC criteria vide section –D of General Terms & Conditions for Global tenders (MM/GLOBAL/E-01/2005 - JULY 2012), the following clauses will be applicable against the tender failing which offer will be rejected.		
1.0 MANUFACTURING DETAILS :		
1.1 Bidders must specify categorically in their offer if the following jobs in respect of the Casing / Tubing / Tubular offered by them would be carried out by themselves. i) Manufacture of the Green pipe (Unprocessed Plain End Pipe) ii) Manufacture of the Mother/Processed pipe iii) Manufacture of Coupling Stock/blanks iv) Manufacture of Coupling v) Threading of item (ii) or (iii) and End finishing jobs. In case any or all the above jobs would be carried out in their plant, they must forward valid API certificate(s) issued in their name for respective job(s) together with the offer.		
1.2 In case some of the above jobs are not carried out in their plant but would be carried out in some other works, the bidders must submit API certificate(s) issued in the vendors' name for respective job(s). These certificates must be furnished along with the offer.		
1.3 Bidders doing none of the above jobs would be treated as supply house/traders. As supply house /traders to bid, they however must fulfil the criteria laid down in General terms and conditions (refer para 1.2 of Section A of General Terms and Conditions) to be eligible for bidding. 1.3.1 They (Supply Houses/Traders) must forward the following certificates along with the offer failing which the offer will be rejected. i) A certificate from the manufacturing mill guaranteeing supply of the tubulars to the bidder in the event of an order on the bidder. ii) Valid API certificates from the manufacturer of Threaded and coupled API Casing / Tubing / Tubular. 1.3.2 It may be noted that no change in manufacturing mill will be allowed after placement of order. Bidders must confirm the same in their bid.		
1.4 Bidders must clearly indicate the country of origin.		
1.5 Manufacturer's / Processor's / Threader's Experience: Manufacturer / Processor / Threader of the offered item(s) should satisfy the following clauses along with documentary evidence which should be enclosed along with the techno-commercial bid: 1.5.a Minimum 5 (five) years of experience of manufacturing / processing / threading and ultimately supplying similar material (same or higher grade and same or higher outer diameter) to companies which are in the business of exploration and production of hydrocarbons. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid. Copies of API-5CT for the last 5 (Five) years (i.e. continuous without having any break in between) shall be submitted along with technocommercial bid.		
1.5.b Should have manufactured / processed / threaded and ultimately supplied similar material (same or higher grade and same or higher outer diameter) at least 50% of tendered quantity of each item to companies which are in the business of exploration and production of hydrocarbons during the last 5 (five) Years. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid.		
1.5.c Domestic manufacturer / processor who have satisfactorily executed development orders placed by OIL for similar material (same or higher grade and same or higher outer diameter) would be considered as established sources for supply. Documents for satisfying BRC clause 1.5.a & 1.5.b above are not required to be submitted. However, the domestic manufacturer / processor should indicate the details of OIL's Purchase Order(s) executed by them and submit respective documentary evidence in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as – B/L, invoice or any other documentary evidence. Such domestic manufacturers / processors should have valid API-5CT certificate for last 5 (five) years (i.e. continuous without having any break in between) and should be submitted along with the techno-commercial bid.		
1.5.d Documentary evidence in respect of 1.5.a & 1.5.b above should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as – B/L, invoice or any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above along with the technocommercial bid.		

	Compliance by Bidder	
1.5.e In case bidder is a manufacturer then he should have valid API-5CT certificate for last 5 (five) years (i.e. continuous without having any break in between) for manufacturing Threaded and Coupled API Casing / Tubing / Tubular and documentary evidence thereof should be submitted along with the techno-commercial bid. For this purpose the period reckoned shall be the period prior to the date of opening of the technocommercial bid.		
1.5.f In case the bidder is sole selling agent / distributor / dealer / supply house of any API approved manufacturer, then bidder must furnish the following documents. Such bidder can offer the desired product only from API approved manufacturer having all the required authorization to manufacture Threaded and Coupled API Casing / Tubing / Tubular. (Bids from Sole selling agents / distributors / dealers / supply houses for processor or Threader will not be accepted.): i) Back-up authority cum Warranty letter in original on manufacturer's letter head, valid at the time of bidding which should remain valid during the entire execution period of the order, from the concerned manufacturer guaranteeing supply of the tubulars to the bidder in the event of an order on the bidder and also authorized them to market their products. ii) Copies of valid API-5CT certificate of manufacturer for the last 5 (five) years (i.e. continuous without having any break in between) from the date of opening of the techno-commercial bid. iii) Bidder should submit a list of companies which are in the business of exploration and production of hydrocarbons to whom their Manufacturer has supplied similar material (same or higher grade and same or higher outer diameter) during the last 5 (five) years along with documentary evidence to satisfy above clause 1.5. For this purpose the period reckoned shall be the period prior to the date of opening of the technocommercial bid.		
<u>FINANCIAL CRITERIA:</u>		
Annual Financial Turnover of the bidder during any of preceding three financial/accounting years from the original bid closing date should be at least Rs. 3.03 Cr. or USD 4,39,510.00. 1.1 Net worth of bidder must be positive for preceding financial/ accounting year. 2.0 Considering the time required for preparation of Financial Statements, if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit/undertaking certifying that the balance sheet/Financial Statements for the financial year..... (as the case may be) has actually not been audited so far.		
Notes: a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:- i) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in ANNEXURE OR ii) Audited Balance Sheet along with Profit & Loss account. In case of foreign bidders, self-attested/digitally signed printed published accounts are also acceptable. b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same. 3.0 In case the Audited Balance sheet and Profit Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA Certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.		
<u>COMMERCIAL CRITERIA:</u>		
1.0 The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following : i. Validity of bid shorter than validity indicated in the tender. ii. Original Bid Security not received within the stipulated date and time mentioned in the tender. iii. Bid security with (i) Validity shorter than the validity indicated in tender and/or (ii) Bid security amount lesser than the amount indicated in the tender. iv. In case the party refuses to sign the Integrity Pact.		
2.0 Offers with techno commercial bid-containing prices shall be rejected outright.		

	Compliance by Bidder	
3.0 Applicable for Reverse auction tenders: 3.1 Bidders not confirming to participate in Reverse Auction. 3.2 Offers of short listed bidders, who have confirmed acceptance to OIL tender conditions on reverse auction, but do not participate in Reverse Auction, irrespective of their prices quoted in SRM price bid. (In addition to rejection of bid, the bid security will also be invoked in such case.). If a bidder does not want to quote any price below the ceiling price during Reverse Auction, their "Logged In" during Reverse Auction itself shall be considered as Participation.		
4.0 Technical Rfx Response is meant for Technical bid only. Therefore, no price should be given in Technical Rfx Response, otherwise the offer will be rejected.		

ANNEXURE

CERTIFICATE OF ANNUAL TURNOVER & NET WORTH

TO BE ISSUED BY PRACTISING **CHARTERED ACCOUNTANTS' FIRM** ON THEIR LETTER HEAD

TO WHOM IT MAY CONCERN

This is to certify that the following financial positions extracted from the audited financial statements of M/s..... (Name of the Bidder) for the last three (3) completed accounting years upto(as the case may be) are correct.

YEAR	TURN OVER In INR (Rs.) Crores / US \$ Million)*	NET WORTH In INR (Rs.) Crores / US \$ Million)*

*Rate of Conversion (if used any): USD 1.00 = INR.....

Place:

Date:

Seal:

Membership No. :

Registration Code:

Signature

* Applicable only for GLOBAL tenders.