



OIL INDIA LIMITED
(A Government of India Enterprises)
PO : Duliajan – 786602
Assam (India)

TELEPHONE NO. (91-374) 2808614

FAX NO: (91-374) 2800533

Email: matmmfsa@oilindia.in ; erp_mm@oilindia.in

TENDER NO. SSG4754P18/02

DATE: 18.05.2017

INVITATION TO e-BID UNDER COMPOSITE BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **29.00 MM WIRE ROPE/LINE** through **E-Procurement**. The details of the tender are as under:

1. Details of items with specification, quantity and special notes are given in Technical Rfx → External area-→ Tender documents as Annexure - I
2. General terms and Conditions of the tender are as per attached document No.MM/GLOBAL/E-01/2005-July2012.
3. The prescribed Bid Forms for submission of bids are available in the tender document folder. Technical Checklist and Commercial Checklist vide Annexure IV must be filled-up and submitted along with the technical bid.
4. Type of Tender : International Competitive Bidding
5. Type of Bidding : **SINGLE STAGE COMPOSITE BID SYSTEM**
6. Tender Fee : INR 6,000.00 OR USD 100.00
7. Bid Security Amount : **INR 27,500.00 OR USD 430.00**
(Or equivalent amount in any currency)
8. Performance Security : **Applicable @10% of Order Value.**
9. Bid Closing /Opening Date : 27.09.2017
10. Tender document Sale date : 20.09.2017
11. Bid Validity : Bid should be valid for 90 days from bid closing date.
12. Bid Bond Validity : Bid Bond should be valid upto 26.03.2018
(Bid bond format has been changed. Please submit bid bond as per revised format failing which offer will be rejected)
13. Integrity Pact : Not Applicable

Special Note :

1.0 The tender will be governed by “General Terms & Conditions” for e-Procurement as per Booklet NO. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders) including Amendment and Addendum. Special attention to the bidders is drawn to Section – E of the document.

2.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and Due date to **The DGM Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam** on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.

a) **Original Bid Security .**

b) **Detailed Catalogue.**

c) **Any other document required to be submitted in original as per tender requirement.**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

3.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.

4.0 The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Custom Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/01/2005 enclosed.

5.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.

6.0 Please refer to the **"New Vendor Manual (effective 12.04.2017)"** available in the login Page of the OIL's E-tender Portal.

7.0 Bidders to take special note of the following conditions:

7.1 Against Tender Fee – Payment should be made only through online mode and no other instrument (Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.

7.2 Against Bid Security/EMD/Performance Bank Guarantee – Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.

8.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following two documents before uploading their bid. These documents are also uploaded as part of NIT.

8.1 Guidelines to Bidders for participating in OIL.

8.2 Instruction to bidder for submission.

- 9.0 To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 10.0 Bidders to quote accordingly after going through Document- "SPECIAL INSTRUCTION" and upload the price bid as per the clause no.10 of SPECIAL INSTRUCTION.

Yours Faithfully

Sd-
(A. D. SINGH)
PURCHASE OFFICER (FS)
FOR DGM-MATERIALS

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam
Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : SSG4754P18/02 18.05.2017

Tender Fee : INR 6,000.00 OR USD 100.00
Bid Security Amount : INR 27,500.00 OR USD 430.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 27.09.2017 at 13:00 hrs. (IST)

Bid Opening On : 27.09.2017 at 13:00 hrs. (IST)

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 84402316	<p><u>WIRE ROPES / LINES</u> For detailed technical information regarding the various types of wire ropes manufactured and their selection, application and handling reference should be made to : (a) A.P.I. Standard 9A and RP9B (Latest Edition) (b) B.S.S. 302/621 of 1957; IS:2266-1970; B.S.S. 330 of 1957 and IS:1856:1970. Wires used in manufacture of wire ropes listed in this section shall be made from acid or basic open-hearth steel. - basic oxygen steel. - electric furnace steel. Fibre cores shall be hard-twisted, best quality, manila, sisal, polypropylene or equivalent. The cores shall be of uniform diameter & Hardness, effectively supporting the strands. Manila & sisal cores shall be thoroughly impregnated with a suitable lubricating compound free from acid. Jute cores should not be used. ROPE, WIRE, IMPROVED PLOW STEEL, 175/190 KILOS/SQ.MM TENSILE, PREFORMED, (9,9,1 CONSTRUCTION), ROUND STRAND, BRIGHT (UNCOATED) OR DRAWN - GALVANIZED, CONFORMING TO API SPECIFICATION 9A. Dia. 29 mm (1.1/8"), Construction 6 x 19, Classification 6 x 19, Strand construction - Seale, Main Core - I.W.R., Lay - Right Regular, Nominal Strength - 51.3 MT (113,000 lbs. or 503 KN), Length per Reel - 1,100 Mtrs.(for use as Oil Well Casing Line). Packing - Steel Reel having following dimensions : Maximum O.D. of steel reel/spool : 1397 mm (55"), Maximum outer width (flange to flange) of steel reel/spool : 990 mm (39"), Flange thickness : 76.2 mm (3"), Central bore dia. of steel reel/spool : 130 mm (+ 1.00 mm, - 0.00 mm)</p>	4	RL

Note description for item no./nos. : 10

Tender No. & Date : SSG4754P18/02**18.05.2017****NOTE :**

(For G.I. Nos. 84402054, 84402167, 2065,2076,2305,2316,2327,2338 &2351).

The wire ropes should be properly reeled in steel or wooden(as indicated in above specification)frame of adequate strength to prevent damage of wire rope during transportation & handling. Wire ropes should be properly lubricated during manufacturing process as well as during reeling on to steel or wooden (as indicated in above specification) spool in order to withstand all types of climates. Name of Manufacturer, Reel no., API or IS license number including monogram & date of manufacture, Length of rope, Diameter of rope, Type of construction, Lay, Grade, Type of core, Purchase Order No., Net weight and Gross weight shall be paint stenciled on the body of the Reel

Standard Notes: AA . STANDARD NOTE :

1) The tender is invited under SINGLE STAGE-COMPOSITE BID SYSTEM. The bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFx Response-> User -> Technical Bid. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFx Response-> User -> Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. The prices bid of the items should be uploaded as an attachment under Notes & Attachments tab.

2)All the Bids must be Digitally Signed using "Class 3" digital certificate (e-commerce application) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate, will be liable for rejection.

3) Bid should be valid for minimum 90 days from bid closing date, failing which offer shall be rejected. Therefore, please ignore the minimum validity mentioned in the General Terms and Condition of Global Tender (MM/GLOBAL/E-01/2005-July 2012).

4) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Technical RFx Response-> User -> Technical Bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005- July 2012). The bid security shall be valid up to 26.03.2018.

5) Bidders have to indicate the minimum FOB/FCA charges in case of partial order for reduced quantity/items. In case this is not indicated specifically, the charges quoted would be prorated calculated and the same will be binding on the bidder.

6) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

7)Bidder's response to all NIT stipulations shall clearly be defined. Bidder shall furnish specific details/specifications of all major components, systems with Make & Model, etc. Generalised response like - 'As per NIT Specifications/Technical Leaflet', 'Noted', 'Accepted' or in any similar fashion is not acceptable.

8) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with

Tender No. & Date : SSG4754P18/02 18.05.2017

effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.

9) In addition to BRC criteria vide section -D of General Terms & Conditions for Global tenders (MM/GLOBAL/E-01/2005-JULY 2012), the BEC/BRC vide Annexure-CCC will be applicable against the tender failing which offer will be rejected.

10) The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following:

- i. Validity of bid shorter than validity indicated in the tender.
- ii. Original Bid Security not received within the stipulated date and time mentioned in the tender.
- iii. Bid security with (a) Validity shorter than the validity indicated in tender and/or (b) Bid security amount lesser than the amount indicated in the tender.

Special Notes : 1) CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:

The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

The bank guarantee issued by the bank must be routed through SFMS platform as per following details:

- a. (i) "MT 760 / MT 760 COV for issuance of bank guarantee
- (ii) "MT 767 / MT 767 COV for amendment of bank guarantee

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code - UTIB0001129.

Branch Address - AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar Duliajan, District - Dibrugarh, Pin - 786602."

- b. The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.