
MATERIALS DEPARTMENT P.O. Duliajan, Dist. Dibrugarh ASSAM, PIN – 786 602, INDIA





### FORWARDING LETTER

Subject: <u>Tender No. SDG6888P22/07 dated 29.04.2021 for procurement of TRUCK MOUNTED DOUBLE ENGINE - DOUBLE PUMP FLUID PUMPING UNIT. QTY = 1 No.</u>

Dear Sir/Madam,

- OIL INDIA LIMITED (OIL) is a premier National Oil Company engaged in the business of Exploration, Production and Transportation of Crude Oil and Natural gas. A Navratna Company under the Ministry of Petroleum and Natural gas, Government of India (GOI), with its Headquarters at Duliajan, Assam. Duliajan is connected by Air with nearest Airport at Dibrugarh, 45 km away.
- In connection to its operations, OIL invites INTERNATIONAL COMPETITIVE BIDS from competent and experienced bidders through OIL's e-procurement site for the items mentioned below. One complete set of Bid Document for above is uploaded in OIL's e-procurement portal. You are invited to submit your most competitive bid on or before the scheduled bid closing date and time through OIL's e-procurement portal. For your ready reference, few salient points of the Tender are highlighted below:

E-Tender No.	:	SDG6888P22/07 dated 29.04.2021
Type of Bidding	:	SINGLE STAGE TWO BID SYSTEM
Bid Closing Date &	:	As mentioned in OIL's E- procurement
Time		portal at 11:00 HRS.
Technical Bid	:	As mentioned in OIL's E- procurement
Opening Date &		portal at 14:00 HRS.
Time		
Price Bid Opening	:	To be decided later and shall be
Date & Time		intimated separately to the technically
		qualified bidders only.
Bid Security Amount	:	Not applicable (Bid Security Declaration to be
		submitted)
Bid Security Validity	:	Not applicable
Bid Submission Mode	:	Bids must be uploaded online in OIL's E-
		procurement portal
Bid Opening Place	:	Office of GM-Materials, Materials
		Department, Oil India Limited, Duliajan -
		786602, Assam, India.
Bid Validity	:	Bid should be valid for 120 days from actual
		bid closing date.
Performance	:	Applicable @ 3% of Order value

	Γ _	-	PART - A
	Guarantee		
	Integrity Pact		: Applicable
	MSE Purchase		: Applicable
	Preference		
	PPLC Purchase		: Applicable
	Preference		
	Preference to		: Not Applicable
	domestically		
manufactured Iron and Steel product		ו	
	(DMI&SP Policy)		
	Document		: Applicable (Detailed in clause 47 of under CC:
	Verification		General Notes to Bidders of Annexure – A)
	Restrictions on		: Applicable
	procurement from	а	
	bidder of a countr		
	which shares a lar		
	border with India		
	Contact Details		: Tuhin Roy
	oomaat Batana		Chief Manager Materials (FD)
			E-MAIL: tuhin_roy@oilindia.in
			PHN: 0374-2808614
	E-Tender technical : TEL: 0374- 2804903, 28 Support E-MAIL: erp_mm@oiling Bids to be addressed : GM-Materials,		: TEL: 0374- 2804903, 2807171, 2807192,
			Materials Department,
			Oil India Limited, Duliajan -786602,
			Assam, India.
LIST	OF ANNEXURES &	ν PR	
2.01	Annexure - A		AA: Item Details and Quantities of Item
	Allinexare A		BB: Deleted
			Deleted
	Annexure - B	. Δ	AA: Technical Specifications
	ATTRIONGIO D		BB: Special Notes to Bidders
	Annexure - C		Bid Rejection Criteria/Bid Evaluation Criteria
▼ .	Annexure - D	_	Commercial Check List
<u>'</u>	Annexure - E		Bid Evaluation Matrix (Technical)
PART		_	· · · · · · · · · · · · · · · · · · ·
ΡA	Annexure - F		` ,
	Appoyume C(!)		riteria)
	Annexure – G(i)		Price Bid Format/Price Schedule – For
			Domestic Bidders (Attached in 'Notes &
	Appoyuma (**)	_	Attachments')
	Annexure – G(ii)		Price Bid Format/Price Schedule – For
	Δ		Foreign Bidders
	Annexure - H	AA: General Notes to Bidders	
PART B	A		BB: Additional Notes to Bidders
Ϋ́	Appendix - A1		Purchase Preference (linked with local
		CC	content) policy

PART -
Policy for providing preference to Domestically Manufactured Iron & Steel Products (DMI & SP)
Amendment to DMI&SP vide Gazette notification No. S-13026/1/2020- IDD dated 31.12.2020, Ministry of Steel for certain amendment to DMI&SP policy
Restrictions on procurement from a bidder of a country which shares a land border with India.
: General Terms & Conditions" for e- Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders).
: Format for Bid Security Declaration
: Format for Integrity Pact
: Format for Performance Security
: Format for undertaking towards submission of authentic information/ documents
: Format for undertaking towards compliance of restriction on procurement from a bidder of a country which shares a land border with India
Form 10F
: Format for No Business Connection or Permanent Establishment Certificate
: Format for undertaking towards compliance of Financial Criteria
: Format for Annual Turn Over and Networth Certificate
: Format for Corporate Guarantee towards Financial Standing

3.0 OIL looks forward to your active participation in the Tender.

Thanking You Yours Faithfully, OIL INDIA LIMITED

(Tuhin Roy)
Chief Manager Materials (FD)
For GM-Materials (HoD)
For Resident Chief Executive

# PART - A

Annexure - A	:	AA: Item Details and Quantities of Item BB: Deleted
Annexure - B	:	AA: Technical Specifications
		BB: Special Notes to Bidders
Annexure - C	:	Bid Rejection Criteria/Bid Evaluation Criteria
Annexure - D	:	Commercial Check List
Annexure - E	• •	Bid Evaluation Matrix (Technical)
Annexure - F		Bid Evaluation Matrix (Bid Rejection Criteria)
Annexure -		Price Bid Format/Price Schedule - For Domestic
G(i)		Bidders (Attached in 'Notes & Attachments')
Annexure -		Price Bid Format/Price Schedule - For Foreign
G(ii)		Bidders

## ANNEXURE - A

# AA: <u>ITEM DETAILS & QUANTITY OF ITEMS</u>

SL NO.	ITEM DESCRIPTION	QUANTIT Y
10	TRUCK MOUNTED DOUBLE ENGINE - DOUBLE	1 No.
	PUMP FLUID PUMPING UNIT.	

# BB: PRE-BID CONFERENCE:

a) A Pre-Bid Conference is scheduled to be held at Oil India Limited, Duliajan, Assam-786602 tentatively on 18.05.2021 & 19.05.2021 to explain the requirements of OIL in details to the interested prospective Bidders and to understand bidders' perspective including exchange of views/clarifications, if any, on the Scope of Work, Bid Rejection/Bid Evaluation Criteria and other terms & conditions of the Tender.

Pre-bid conference shall be conducted through video conference. Bidders interested to attend the pre-bid conference as above must send their confirmation to: Mr. Tuhin Roy, Chief Manager Materials (FD), Oil India Limited, P.O. Duliajan–786602, ASSAM, E-mail: tuhin\_roy@oilindia.in at least 2 (Two) days prior to the date of pre-bid conference.

The link to video conference shall be shared with those bidders only who send their confirmation for participation at least 2 (Two) days prior to the date of pre-bid conference

- the tender conditions any, through e-mail to the above-mentioned e-mail id at least 2 (Two) days prior to the date of pre-bid conference. OIL expects that the Bidders should comply to the tender conditions in toto. However, clarifications/exceptions/deviations, if required any, should be brought out by the bidders prior to or during the Pre-Bid Conference only. After processing these suggestions, as a sequel to the pre-bid conference, Company shall communicate the changes/modifications in this regard, if agreed any, through an addendum to tender document in e-portal and thereafter Company shall be at liberty to reject all such non-compliant Bids.
- c) Maximum three (3) representatives from each prospective bidder (authorized to participate in the tender), shall be allowed to participate in the pre-bid conference. All costs associated to attend the pre-bid conference by Bidders representatives shall be borne by the interested Bidders.

# d) Details:

Pre Bid Queries/	To submit through e-mail addressed to
Clarifications on the	tuhin_roy@oilindia.in.
Tender	
Date of Pre-bid	18.05.2021 & 19.05.2021
Conference	
Venue	Oil India Ltd, Duliajan, Assam-786602
Last date for receipt of	16.05.2021.
Pre-bid participation	
confirmation:	
Mode of Pre-bid	Online
Conference	
Joining link	Shall be provided by email on the Date
	of Pre-bid Conference.

# AA: <u>Item No. 10 - TRUCK MOUNTED DOUBLE ENGINE - DOUBLE PUMP FLUID PUMPING UNIT. QTY = 1 No.</u>

### **TECHNICAL SPECIFICATIONS**

SCOPE OF SUPPLY: SUPPLY, INSTALLATION & COMMISSIOINING OF TRUCK MOUNTED FLUID PUMPING UNIT WITH DOUBLE ENGINE AND DOUBLE PUMP

QUANTITY: 1 No.

A. <u>APPLICATION</u>: The Unit shall be used in oil/gas/injection wells and surface lines for carrying out of the following well servicing jobs: Pumping of water/Salt Solution/High Viscosity fluid through Coiled Tubing, Acid Stimulation, Well Killing Operation, etc.

The unit shall have provision for two pumps operated by two separate engines capable of being operated independent of each other and connected to a common discharge manifold such that one pump-engine set may be kept running in operation while the other is on standby and ready for operation in case of any exigency of the running pump-engine set.

<u>Fluids to be handled</u>: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud etc. The unit shall have a tank of capacity 6,000 litres including all fittings and the tank shall be constructed suitably to handle the aforementioned fluids.

CI	NIT OLDER	Distance Office
SI.	NIT Clause	Bidder's Offer
No.		(offered
		specification/
		Make, Model
		/submitted/not
		submitted/
		complied/not
		complied etc.
		as applicable)
		[(To be filled by
		the bidder and
		to be submitted
		along with the
		bid)
		(Additionally,
		reference of

PART - A

		document name / serial number / page number of bid
		for documentary evidence, if any)]
В	EQUIPMENT DETAILS:	
1.0	DIMENSIONS OF COMPLETE UNIT:	
a.	Overall Width - Not more than <b>2.6 meter</b> .  The bidder shall mention the overall width of the complete unit in the technical bid.	
b.	Overall Height: Not more than 4.0 meter from ground	
	level. The bidder shall mention the overall height of the complete unit in the technical bid.	
C.	Overall Length: Not more than <b>12.0 meter</b> . The bidder shall mention the overall length of the complete unit in the technical bid.	
d.	Ground Clearance - Ground clearance shall be as per OEM of the offered Truck. For operational convenience, the add-on equipment i.e. subsequently mounted components on the original chassis should be mounted at height preferably not less than 45.0 cm from ground level. It shall be bidder's endeavour to mount subsequently fitted undercarriage components (i.e. other than originally mounted components) at maximum possible height to avoid hitting/fouling while moving on uneven roads.	
1.1	TRUCK CHASSIS AND PLATFORM:	
а.	One (1) number Brand New Truck chassis manufactured not prior to six months from the date of issuance of Purchase Order.	
b.	The truck chassis must be of Make: Ashok Leyland/ Tata / Mahindra / Eicher / Bharat Benz / Volvo / Scania / Kenworth / International / Peterbilt / Mercedes-Benz/ MOL CY NV / MAN and shall be suitable for operation in rough terrain, typical oil field roads and desert environment. The platform where the fluid Pumping Unit equipment shall be mounted should be robust in design and capable of withstanding and transmitting static as well as dynamic loads uniformly to the chassis. The bidder shall take special care in selecting and designing the platform considering the unit's application in rough terrain and typical oilfield roads and	

PART - A

	the mounting of the fluid Dumning Unit items on the	
	the mounting of the fluid Pumping Unit items on the Truck chassis shall be the responsibility of the bidder. The offered model shall be latest and conforming to international quality standard norms, having	
	specifications, fittings, accessories etc. etc. as mentioned in the tender.	
C.	The bidder shall mention the Make & Model of the offered truck chassis in the technical bid.	
d.	The bidder shall submit the technical leaflet of the offered truck chassis along with the technical bid.	
1.2	TRUCK ENGINE:	
a.	One (01) number of water-cooled diesel engine of adequate power (approximately 300 HP at rated RPM) shall be provided for road drive of the unit. The engine shall be of Make: Ashok Leyland/ Tata / Mahindra / Eicher / Bharat Benz / Volvo / Scania / Caterpillar / Cummins / International / Mercedes-Benz/ MAN.	
b.	The bidder shall mention the Make & Model of the offered Engine in the technical bid.	
C.	The bidder shall mention the maximum output power of the offered Engine in the technical bid.	
d.	The bidder shall submit the technical leaflet of the offered Engine along with the technical bid.	
e.	The Truck engine shall be used for road drive of the unit only. The Truck engine shall not be utilized to run any operation for fluid pumping etc. The unit shall be designed in such a way that the entire operation of the fluid pumping etc. shall be done through deck engines including lighting system (except the road drive lightings), air supply system, hydraulic system etc. wherever/whichever required.	
1.3	EMISSION NORMS:	
a.	The offered Truck chassis shall have to comply with the emission norms <b>BS-VI</b> ( <b>Bharat Stage-VI</b> ) / <b>EURO-VI</b> . The Truck chassis shall be equipped with On-Board Diagnostic system conforming to relevant OBD norms, as applicable.	
b.	The bidder shall mention the emission norms of the offered Truck chassis in the technical bid.	
1.4	TRUCK TRANSMISSION:	

a.	Suitable transmission having minimum 5 forward gears, neutral & minimum 1 reverse gear(s) shall be provided as per the manufacturer of the offered Truck. The offered Transmission shall be compatible with the engine. All items as per design / requirement shall be provided.	
b.	The bidder shall mention the type of offered transmission in the technical bid.	
C.	The bidder shall mention the make and model of the offered transmission in technical bid.	
d.	The bidder shall submit the technical leaflet the offered transmission along with technical bid.	
e.	The bidder to submit the mechanical power flow block diagram from Engine indicating all major components along with the technical bid.	
1.5	DRIVE & AXLES:	
a.	Drive: 6X4 [Total 03 Nos. of axles (including front & rear) with 02 Nos. of drive axles at Rear] or 8x4 drive [Total 04 Nos. of axles (including front & rear) with 02 Nos. of drive axles at Rear].	
b.	The bidder shall mention the drive of the offered Truck chassis in the technical bid.	
C.	The bidder shall mention the total number of front axle(s) in the offered Truck chassis in the technical bid.	
d.	The bidder shall mention the total number of rear axles in the offered Truck chassis in the technical bid.	
e.	Rear drive axles shall have differential lock facility with alarm/indicator.	
f.	Bidder shall mention the make & model of the offered rear axles in the technical bid.	
g.	Bidder shall mention the total rear axle capacity in the technical bid.	
h.	Bidder shall mention the total front axle capacity in the technical bid.	
i.	Loading on axle shall be within the axle capacity of the respective axle.	
j.	Bidder shall submit the technical leaflet of the offered rear axles.	
1.6	STEERING: Right Hand Driven (i.e. Steering wheel shall be on the right hand side inside the Driver's cabin when viewed from the rear of the Truck) Hydraulic Power Assisted Steering shall be provided.  Truck with Left hand driven steering system will not be	

	acceptable. Minimum Turning Circle Radius not more than 18 meters (approx.).	
1.7	SUSPENSION:	
a.	<b>Front Suspension:</b> Heavy duty multi-leaf spring suspension of suitable design. Air / Hydraulic suspension at front is not acceptable.	
b.	<b>Rear Suspension</b> : Preferably rocker beam (walking beam) suspension with auxiliary leaf springs or air cushion support / Bogie suspension system of suitable design as per design load. Hydraulic suspension will not be accepted.	
C.	The bidder shall mention the Make & Model of the offered rear suspension in the technical bid.	
d.	The bidder shall submit the technical leaflet of the offered rear suspension along with the technical bid.	
1.8	TOTAL WEIGHT (MASS) & GROSS VEHICLE WEIGHT:	
a.	The total weight (mass) of the complete unit shall preferably be within 35000 Kg. Total weight (mass) is the weight of the complete unit i.e. total of weight of the Truck with Driver's cabin etc., weight of all equipment, items, tools, accessories, materials, spare wheels, hydraulic oil, all oil, handling fluid with tank, Diesel etc. that are permanently mounted on the unit and are generally being carried & kept in the unit.	
b.	The bidder shall mention the total weight (mass) of the complete unit in the technical bid.	
C.	Total weight (mass) of the complete unit must be within the Truck manufacturer's declared Gross Vehicle Weight (GVW) of the offered Truck. The Truck manufacturer's declared gross vehicle weight (GVW) of the offered Truck shall not exceed 40000 Kg.	
d.	The bidder shall mention the Truck manufacturer's declared gross vehicle weight (GVW) of the offered Truck in the technical bid.	
1.9	WHEELS:	
a.	Suitable wheels with Tube & Tyre of adequate ply rating shall be provided. It shall be bidder's endeavour to offer front and rear wheels of same size & type. Single giant tyre (s) are not acceptable.	

b.	Bidder shall mention the tyre size of front wheels in technical bid.	
C.	Bidder shall mention total number of wheels in all the front axle(s) in the technical bid.	
d.	Bidder shall mention the tyre size of rear wheels in technical bid.	
e.	Bidder shall mention total number of wheels in all the rear axles in the technical bid.	
f.	Two (02) Nos. of complete spare wheel assembly (even in case of identical front & rear wheels) are to be supplied against each Truck chassis along with the supply.	
g.	Suitable lifting and mounting arrangement facility for the spare wheel shall be provided in the unit.	
1.10	BRAKE:	
a.	Service Brake: Multiple Circuit Pneumatic brake acting on all wheels with ABS shall be provided.	
b.	Parking Brake: Parking brake operating through hand operated shifter valve shall be provided. It shall automatically get engaged in the event of low/ no air pressure.	
C.	Preferably buzzer warning for low air pressure to be provided.	
1.11	FUEL TANK:	
a.	Minimum one (01) number of fuel tank of approximately 100 US gallon (380 Litres) capacity to be provided for the Truck Engine. Suitable strainer at the opening of the tank to prevent entry of foreign materials & locking arrangement shall be provided in the fuel tank.	
b.	Bidder shall mention the capacity of the fuel tank in the technical bid.	
1.12	DRIVER'S CABIN:	
a.	Factory built (original built & supplied with chassis by the chassis manufacturer) ergonomically designed steel / aluminium driver's cabin complete with all standard fittings and accessories shall be provided. The driver's cabin shall have seating capacity minimum 02 (two) Nos. including the driver. The driver's seat & co-driver's seat should be comfortable and ergonomically designed with	
b.	adjustable mechanism and seat belts.  The bidder shall mention the seating capacity including	

4 4 6	OTHER SITTINGS & ASSESSED IN A SUIT	
1.13	<b>OTHER FITTINGS &amp; ACCESSORIES</b> : Following fittings and accessories are to be fitted / provided in each Truck:	
a.	The truck shall be driven on roads in India having traffic rules for Right Hand Drive vehicles only. Accordingly, headlamps (photometry of the headlamps to suit "keepleft" traffic), tail lamp, parking lamp, fog lamp, hazard warning lights, sufficient side marker lights, top marker lights, rear & side reflectors, rear view mirrors at both sides, windscreen wiper, air horn in additional to electric horn etc. shall be provided for safe movement of the unit on road.	
b.	02 (two) Nos. searchlight mounted on rear top of driver's cabin are to be fitted in the unit(s) for illuminating the rear equipment.	
C.	All lights shall be covered to the extent possible, with suitable guard to prevent damage.	
d.	Gauges & meters including Engine Tachometer & Hour meter shall be provided inside driver's cabin as per manufacturer's standard.	
е.	The vehicle shall have Speedometer indicating the speed in Kilometres per hour and the Odometer shall be with Kilometres calibration system.	
f.	It shall be bidder's endeavour to provide the Engine Oil Pressure & Temperature meters, Air pressure meter, Transmission oil pressure & Temperature meters (if any) with high low warning buzzers.	
g.	Suitable Reversing Audio Alarm with Blinker lights shall be provided.	
h.	Well covered & non conducting material wrapped vertical exhaust located behind and projected above the top of the driver's cabin shall be provided.	
i.	Suitable heavy duty Towing Hook at front & rear, capable of pulling / towing the unit from bogged down situation in slushy areas in oilfields from front as well as rear shall be provided.	
j.	Well covered Battery Box, suitable electrical Master Switch to disengage all electrical circuits from battery shall be provided.	
k.	Standard tool kit in a portable box for general maintenance of the Truck as per the manufacturer shall be provided.	
	Bidder shall submit the list of tools that shall be supplied as standard tool kit for general maintenance of each Truck along with the technical bid.	

		PARI - A
n.	Wheel Wrench for both front and rear wheels & Handle; 02 (two) Nos. minimum 30 MT capacity hydraulic jack with handle & lever; 02 (two) Nos. metallic stopper blocks for rear wheels shall be supplied along with each Truck. In case, the wheel nuts at front and rear are of different size, then separate Wheel Wrench for both front & rear shall be supplied along with each unit.  Fire Extinguisher & First Aid Box inside the driver's cabin	
	shall be provided.	
n.	Suitable spark arrestor for engine exhaust for operation in oilfield area shall be provided. The Spark Arrestor may be additional attachment to be fitted with the exhaust or an internal mechanism that prevent discharge of open flame and sparks in the exhaust. In case of "internal mechanism", the bidder shall submit supporting document from the manufacturer.	
0.	The electrical connections, other than those comes along with the Truck chassis, shall be suitable to operate in oilfield area. The lightings shall comply road vehicle lighting regulations. Screw-in bulbs shall not be used as far as possible. The electrical wirings shall be fixed and protected as to minimize accidental damage or undue wear. The wirings shall be insulated and the electrical circuits shall be protected against overloading by fuses or automatic cut-outs. Adequate steps shall be taken to ensure electrical continuity and wherever necessary, components shall be bonded by copper straps. The junction boxes shall be sealed.	
p.	The Truck is to be fitted with Speed Limiting Device (SLD) & its accessories. The maximum road speed of the Truck with Speed Limiting Device shall preferably be 50 Km/hour without affecting the other performance parameters of the Truck in any manner. The speed limitation function shall not actuate the Truck's service braking system. The Speed Limiting Device shall be fail safe and so designed to act on road drive only. The set speed shall be indicated on a plate in a conspicuous position in the Driver's compartment of the vehicle. Necessary certification / documentation from appropriate authority regarding the speed limitation function or the SLD is to be accompanied along with the supply.	
q.	Vehicle(s) shall be fitted with Vehicle Tracking System (VTS). Necessary certification/documentation from appropriate authority regarding the Vehicle Tracking System (VTS) is to be accompanied along with the supply.	

		PART - A
r.	Wherever feasible, Side / Lateral Underrun Protective Device (SUPD)s, Front Underrun Protective Device (FUPD), Rear Underrun Protective Device (RUPD) shall be fitted in the unit.	
	Note: FUPD/SUPD/RUPD are structures that prevent smaller vehicles from getting underneath etc. during collision as per AIS 069, IS: 14812, IS: 14682.	
S.	To fix retro reflective tape (3m make, 50 mm width or equivalent make) on the front, rear and both side of the cabin as per the colour code- Front: White, Rear: Red and Sides: Yellow.	
1.14	The bidder shall submit GA (General Arrangement) drawing of the offered complete unit (i.e Truck with driver's cabin and all other items of the pumping unit etc.) with major dimensions of the complete unit and indicating the position of all major components & their mounting on the vehicle along with the technical bid.	
1.15		
1.16	All the lightings/controls etc. as required for road drive of the unit are to be operated from the Driver's cabin of the Truck through electrical/pneumatic system of the Truck engine only.	
2.0	POWER SYSTEM	
2.1	DECK ENGINE  Mounted on the unit should be Two (2) No. identical diesel engines and each engine should be of the following specifications:	
I.	The deck engine should be water cooled, turbo- charged/naturally aspirated diesel fuel engine of make Caterpillar /Cummins developing adequate power (net BHP) at rated RPM to run the triplex plunger pump smoothly along with all accessories detailed elsewhere.	
11.	The offered engine shall comply with BS-VI/EURO-VI/TIER IV Final/equivalent or higher emission standard as applicable in the state of Assam in India at the time of delivery of the unit. The engine should be vibration isolated from the trailer by means of suitable anti-vibration mounting. Also, the bidder should confirm that sufficient space is available for maintenance of engine on the unit.	

	T DO 5514.4.4007	
III.	The rating should be in accordance with BS 5514-1:1987	
	or ISO 3046/1-1986 and duty should be suitable for	
	triplex plunger pump operation under the following	
	climatic conditions:	
	Altitude: 150 meter above sea level (asl)	
	Temperature range: 2°C - 45°C	
	Average Rainfall: 350 cms	
13.7	Relative humidity: 95% at 35° C.	
IV.	The offered prime mover should be suitable for the	
	following fuel characteristics: High Speed Diesel fuel	
	conforming to IS: 1593 –2018	
V.	In case of engine with Electronic Controller System,	
	Engine Fault Diagnostic & Repair Tool (both Software and	
	complete Hardware including laptop) shall be supplied	
	along with the unit.	
VI.	The Engine exhaust is to be designed properly with	
-1.	manifold, suitable muffler, spark arrester, rain cap and	
	flexible exhaust connection as per norms of Oil Field	
	Operation. The exhaust pipe shall be suitably wrapped by	
1/11	insulated material for safety of operators.	
VII.	Suitable arrangement for keeping engine starting battery	
	under locking arrangement and with safety cover from	
	rain.	
VIII.	The engine safety system should be equipped with the	
	followings:	
	a. Emergency shut off	
	b. Automatic tripping of the engine with alarm for the	
	following conditions: low lube oil pressure, high water	
	temperature, over speed and high lube oil	
	temperature.	
IX.	All engine operation like start/ Stop, Throttle control,	
	emergency stop etc. shall be performed from control panel.	
	Also alternative arrangement should be made to perform	
	the above operation from engine control panel.	
Χ.	The deck engine should be suitable to run the entire	
<b>^</b> .		
	operation of the triplex plunger pump smoothly along with	
	all accessories as detailed above including lighting system	
	of control panel area and deck, and air supply wherever	
	required.	
XI.	All the engine performance parameters like lube oil	
1	pressure and temperature, water temperature, engine rpm	
	1.	
	etc. should be displayed in the control panel of the unit	
	1.	
	etc. should be displayed in the control panel of the unit	

XII.	Other engine accessories to be provided are:	
	1. Alternator	
	2. Engine starter	
	3. Air cleaners & Air dryer assembly	
	4. Fuel filtration system	
	5. Lube oil pump and distribution system	
	<ol> <li>Lube oil filters and oil pan sight gauge</li> <li>Fuel filters</li> </ol>	
	Any other engine accessory not mentioned herein but	
	required should be listed by bidder.	
XIII.	For any pneumatic operation required, air compressor	
	should be driven from the deck engine, while in operation.	
XIV.	The bidder has to furnish along with the offer the engine's	
AIV.	performance curve, data sheet and other technical leaflet	
	in order to show detailed load calculation and technically	
	justify the selection of the offered engine for power	
	requirement of the FPU, considering adequate	
	transmission loss/mechanical efficiency.	
	Detailed load calculations should show the gross power	
	developed by the Engine, power required to run the	
	pumps with accessories & parasitic load of the engine and	
	also the net power developed by the engine.	
2.2	TRANSMISSION	
	Mounted on the rear of each engine should be a automatic	
	transmission, Make: Allison, for power transfer unto	
	triplex pump and hydraulic system. Transmission oil	
	cooling system should be provided.	
2.3	DRIVE LINE	
	The unit should be equipped with a heavy duty driveline	
	,	
	, , , ,	
2.4		
	Hand pump should be provided for filling of diesel tank	
	from drum.	
2.4	The unit should be equipped with a heavy duty driveline assembly with universal joints connecting the transmission to the triplex pump. The driveline should be equipped with a removable guard assembly with accessible greasing points.  FUEL TANK FOR DECK ENGINE  Suitable diesel tank with adequate capacity for 10 hours of continuous operation at peak load to be installed for the deck engines to provide sufficient suction to the engine fuel pump along with suitable strainer at the opening of the tank to prevent entry of any foreign material. Cleaning facility & locking arrangement for the tank should be provided. Fuel level in the tank should be displayed in the instrument panel of the control cabin along with dip gauge facility.  Hand pump should be provided for filling of diesel tank	

	Note for 2.0:	PARI - A
i.	Maintenance manual and parts list of the offered engine, gear box (if any) and transmission should be supplied.	
ii.	Detailed Block diagram showing the power flow of the pumping unit should be provided.	
3.0	PUMPING SYSTEM	
3.1	TRIPLEX PUMP The unit shall be provided with Two (2) No. identical pumps driven by the deck mounted engines. Specification of each pump should be as follows:	
I.	The pump shall be horizontal, triplex, single acting reciprocating type plunger pump with replaceable plungers, valves and stuffing box packing with max Working Pressure of 10,000 psi.	
11.	Make & Model of Pump: Note: The pump shall be any one of following make: 1) Gardner Denver 2) National Oilwell Varco 3) SPM	
III.	Plunger size: The pump should be fitted with proper size of plungers to meet the following requirement: Maximum discharge = 337 GPM (1275 LPM) at 2745 psi (193 kg/cm2) pressure Minimum discharge = 75 GPM (284 LPM) at 10000 psi (703 kg/cm2)	
IV.	Maximum working pressure of pump:	
V.	Maximum delivery (at discharge pressure):	
VI.	Minimum delivery (at discharge pressure):	
VII.	Working temperature of pump:	
VIII.	Pump speed: The maximum operating speed will be limited to 450 RPM.	
IX.	*Duty type: "Intermittent Service"	
X.	The pump will be operated at different speeds (through the Allison Transmission) to have a wide range of discharge volume against various pressure rating. The pump should be equipped with internal reduction gear or chain drive arrangement with proper reduction ratio to those discharge condition.	
XI.	During pumping jobs using Coiled Tubing Unit, pumping rates required are sometimes <b>as low as 20 GPM</b> . Proper arrangement (for e.g., bypass provision for excess fluid) should be made in the pumping system to achieve the same. The bidder must provide details of such	

AVII.  Fluids to be handled: Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  Suction strainer Sight level glass Filling port Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1 The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection shall consist of the following:			PARI - A
XII. Fluids to be handled: Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  Suction strainer  Sight level glass  Filling port  Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		arrangement in the offer.	
Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		3	
Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, stem relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
Heavy duty pump suitable for the following service: Crude oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	XII.	Fluids to be handled:	
oil, HSD, Plain Water, Saline Water, Mineral oils, High Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	7		
Viscosity fluid, mud, acid etc.  XIII. Pump Lubrication  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There  3.2  3.1  3.2 has a provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
a.  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  Suction strainer  Sight level glass  Filling port  Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
a.  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  Suction strainer  Sight level glass  Filling port  Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		Viscosity fluid, mud, acid etc.	
a.  For lubrication of plunger & packing, suitable lubricating system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  Suction strainer  Sight level glass Filling port Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	XIII		
a. system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	71111	Tamp Eachtation	
a. system either of slow speed drip lubrication type (e.g. air over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		For Jubrication of plunger & packing, suitable Jubricating	
over oil design) or provision for regular greasing along with required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  Suction strainer  Sight level glass  Filling port  Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
required accessories.  Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	a.		
Power end should be pressure lubricated either by crank shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		required accessories.	
shaft driven lube pump or by hydraulically driven lube oil pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		Power end should be pressure lubricated either by crank	
pump to ensure proper lubrication at slow speed of the pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		i e e e e e e e e e e e e e e e e e e e	
pump. The power end lubrication system should include a lube oil pump, oil cooler, oil filter, oil temperature gauge, system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
b. system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
b. system relief valve and lube oil reservoir with the following accessories:  • Suction strainer • Sight level glass • Filling port • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		pump. The power end lubrication system should include a	
b. system relief valve and lube oil reservoir with the following accessories:  • Suction strainer  • Sight level glass  • Filling port  • Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		lube oil pump, oil cooler, oil filter, oil temperature gauge,	
accessories: Suction strainer Sight level glass Filling port Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1 The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	h		
Suction strainer Sight level glass Filling port Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1 The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	<b>D</b> .		
Sight level glass Filling port Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
Filling port Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		Sight level glass	
Breather  If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
c. If a chain drive system is used, proper lubrication system has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		0 1	
has to be installed for the chain drive and the chain with the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
the sprockets should be enclosed in leak-proof metal enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		has to be installed for the chain drive and the chain with	
enclosure with provision for periodic inspection.  Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	C.	the sprockets should be enclosed in leak-proof metal	
Note for 3.1  The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		·	
The bidder has to furnish the performance curve of the pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There  shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
pump with selected plunger along with data sheet & technical leaflet of the offered pump along with the bid.  SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		The bidder has to furnish the performance curve of the	
suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		•	
SUCTION MANIFOLD FOR TRIPLEX PUMP  The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
The suction manifold for both triplex pumps from the tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
tank/tanks will be extended to the edge of the chassis and fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		· · ·	
fitted with 4" connection with a 4" Butterfly valve. There shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		tank/tanks will be extended to the edge of the chassis and	
<ul> <li>3.2 shall be provision for suction directly from the tank/tanks and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.</li> <li>DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection</li> </ul>			
and via Booster Pump for the triplex pumps. Additionally, the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	2 2		
the pump suction shall have a 4" provision to take suction from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection	3.2	•	
from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
from an external source. An Isolating valve of butterfly type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		the pump suction shall have a 4" provision to take suction	
type needs to be provided in the external source line.  DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
DISCHARGE MANIFOLD  Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		· · · · · · · · · · · · · · · · · · ·	
3.3 Both the pumps shall be connected to a common discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
3.3 discharge manifold designed suitably for individual operation of both the pumps. The manifold connection			
3.3 discharge manifold designed suitably for individual operation of both the pumps. The manifold connection		Both the pumps shall be connected to a common	
operation of both the pumps. The manifold connection	3.3		
SHAIL COUSING OF THE TOHOWING.			
		SHAIL COUSISE OF THE TOHOWING:	

		PARI - A
a.	2" X 15,000 Psi Plug valves.	
b.	2" X 15,000 Psi Non Return Valve at the outlet of each	
D.	pump	
c.	All treating iron, nipple & unions:	
	These shall be of make FMC/SPM/MSI.	
	SRV	
d.	Full flow, spring loaded reset relief valve of 15000 psi set at 6500 Psi (Make: OTECO/BAIRD / CAMERON /SPM)	
	with 1502 standard quick union.	
	Heavy duty industrial type Liquid filled discharge pressure	
	gauge for each pump having a range up to 10000 psi, with	
e.	built in dampening mechanism to minimize fluctuations	
G.	for accurate response to pressure changes mounted	
	directly at the pump discharge manifold.	
4.0	(Make: OTECO/ CAMERON / MARTIN DECKER/NOV)  FLUID HANDLING SYSTEM	
4.0	FLUID HANDLING SYSTEM	
4.1	FLUID TANK(S)	
	The capacity of the suction tank shall be 6000 litres (38	
	BBL). The tank must be located suitably at a safe distance	
	away from the deck engines. The material of construction	
	of tank should be stainless/carbon steel and the tank	
	shall have a coat of corrosion resistance paint on the inner surface to protect against corrosive material. The	
	tank should be equipped with the following:	
i	Suitable indicator for fluid measurement in Kilo-litres and	
	barrels scale shall be provided on the tank.	
ii	Sight level glass for fluid level indication.	
Ш.	Sloped bottom tank for ease of cleaning.	
IV.	Coarse suction strainer or rock guards	
V	Drain valves	
vi	Cover atop tank to prevent debris/rain from entering the	
	tank. The cover should be removable or should have a	
	manhole for tank cleaning and inspection.	
vii	Provision of SRV bleed line	
viii	2" Circulation line from triplex pump discharge manifold	
	with manually operated valve for flow control	

		PARI - A
4.2	BOOSTER PUMP / FEED PUMP:	
	One hydraulic motor driven centrifugal pump shall be	
	provided to pressurize the suction manifold of either or	
	both triplex pumps. This pump should ensure the	
	required flow and pressure at the inlet of Triplex Pumps	
	so that no starvation is developed at any speed of the	
	Triplex pump. The booster/feed pump should have double	
	suction arrangement, one from suction tank and other	
	from external sources.	
	The pump shall be any one of the following make:	
4.2	Viking/Parker/Bowie/Rotodel.	
4.3	LOADING PUMP:	
	One suitable hydraulic motor driven centrifugal/gear type	
	pump of adequate capacity and head shall be installed in	
	the unit for loading the fluid tank(s) from external source.	
	The pump shall be any one of the following make: Viking/Parker/Bowie/Rotodel.	
5.0	HYDRAULIC SYSTEM	
5.0	Each engine should power a pressure compensated type	
	hydraulic pump(s) stack. Both pump systems should be	
	plumbed to a common stack valve assembly to power and	
	control the functioning of the following:	
	Hydraulic motor for booster/feed pump	
	Hydraulic motor for loading pump	
	Hydraulic motor for cooler fan	
	Any other functions/accessories as per OEM's design of	
	the FPU	
I.	Each pump shall be installed such that either pump can	
	be used to power the hydraulic system. Therefore, each	
	system should provide enough power to operate	
	individually.	
11.	Hydraulic pump(s)	
a.	Number of hydraulic pumps in the unit	
b.	Make, model, type (vane, gear, piston etc.) and function of	
	Hydraulic Pump 1	
c.	Make, model, type (vane, gear, piston etc.) and function of	
	Hydraulic Pump 2	
	(Add rows if necessary)	
Ш.	Hydraulic motors	
a.	Number of hydraulic motors in the unit	
b.	Make, model, type (vane, gear, piston etc.) and function of	
	Hydraulic Motor 1	
C.	Make, model, type (vane, gear, piston etc.) and function of	
	Hydraulic Motor 2	
	(Add rows if necessary)	

1		PARI - A
IV.	The hydraulic system should include the following:	
a.	<ul> <li>Hydraulic reservoir common to all systems including:</li> <li>Sight level glass</li> <li>Manway for tank cleaning and inspection</li> <li>Breather cap</li> <li>Suction strainers</li> <li>Baffle plates</li> <li>Drainage slope</li> </ul>	
b.	Hydraulic cooler  Maximum design temperature for hydraulic oil cooler	
C.	Details of hydraulic oil temperature sensing device	
d.	Filtration system – both pressure and return line filters	
e.	All necessary relief and check valves to prevent over pressurizing and flow reversals in the circuit.	
f.	Hydraulic hoses. The make of the hydraulic hoses shall be of Parker/Gates/Eaton/Power Grip only and having SAE / DIN standard. Moreover, any hydraulic hose and its end connections should be of the same make. Bidder to confirm Make of hydraulic hoses.	
V.	The bidder should provide the typical hydraulic circuit/ wet kit schematic for the entire unit along with the offer for evaluation.  Note: The hydraulic circuit diagram shall be inclusive of all components with standard symbol, legend, marking/numbering & bill of material as per ISO standard symbol.	
VI.	Power flow block diagram from deck engine for Fluid Pumping operation indicating all major components like Transmission, hydraulic pump drive, triplex pump, load pump, booster pump etc. etc.	
VII.	Technical literature with detailed specifications and hydraulic circuit drawing illustrating pumps, control valves and actuators of hydraulic pumps, hydraulic motors.	
VIII.	Technical literature for booster/feed pump and loading/unloading pump	
IX.	Confirm compliance to the following points regarding the hydraulic system:	
a.	All hydraulic pumps and motors shall be of hydraulic displacement control type (Electrical displacement control system is NOT acceptable).	
b.	Make of the hydraulic pumps and motors shall be of Saur Danfoss / Sun Strand / Parker / Denison / Rexroth / Linde only.	

		PART - A
C.	All hydraulic direction control valve shall have mechanical actuation system. In case of Pilot operated direction control valve, pilot signal shall be either pneumatic or hydraulic.	
d.	All the hydraulic pumps and motors/cylinders shall be easily accessible for maintenance and replacement.	
e.	The bidder should provide the hydraulic circuit or wet kit schematic for the entire unit along with the offer for evaluation.	
f.	All hose assemblies will have swivel ends.	
g.	All hoses will be protected by well secured rubber sleeves to prevent rubbing by frame, etc. tagged for easy identification.	
h.	All hoses will be well supported with support type clamps.	
i.	<ul> <li>In the event of an order, bidder shall provide a list of:</li> <li>All hydraulic hoses used in the unit stating size, length and SAE specification.</li> <li>All hydraulic filters and strainers stating their part nos. and the replacement frequency for each.</li> <li>All hydraulic valves with their part nos., ratings and detailed specifications.</li> </ul>	
6.0	CONTROL SYSTEM AND INSTRUMENTATION	
6.1	CONTROL PANEL:	
I.	The control panel shall be installed on platform suitably located for a clear view of the fluid tanks, the pumps and the surrounding area. The platform shall be made of suitable safety grating and shall have suitable access ladder with fail safe gate and protective railings. The control panel shall be made of stainless steel plates and should have provision of front opening with suitable hinges. Panel shall be weather proof (IP-65) and shall have provision of front opening with proper side hinge. The necessary hinge, screw, nuts& bolts used in the panel should be SS. There shall be proper illumination inside the panel. Necessary power supply for the panel DC/AC, inverter/converter shall be mounted inside the panel or a suitable location near the panel on the truck body with proper enclosure. Provision for adequate electrical power back up must be provided to enable operation of the control panel during switching between the two deck	

1		PAKI-A
II.	The gauges installed in the control panel shall be liquid	
	filled type to dampen vibration when the unit is in	
	operation. The control panel shall be installed with	
	suitable anti vibration pads. The gauges to be provided	
	shall be dual scale, English / Metric where ever possible.	
III.	All important parameters of the unit shall be indicated in	
	the control panel. The parameters/controls that are	
	required to be installed in this local gauge cabinet will be	
	as follows:	
1	Engine coolant temperature gauge (for each engine)	
2	Engine lube oil pressure gauge (for each engine)	
3	Engine rpm (for each engine)	
4	Hydraulic oil pressure gauge (for each pump)	
5	Hydraulic Temperature gauge (for each pump)	
,	Transmission oil temperature gauge (for each	
6	transmission)	
7	Triplex pump Lube oil temperature gauge (for each pump)	
	Triplex pump power end lube oil pressure gauge along	
8	with one (01) no. additional pressure gauge for direct	
	power end lube oil pressure (for each pump)	
9	Triplex pump rate (litres) and totalizer (for each pump)	
10	Triplex pump pressure (for each pump)	
11	Boost Pressure gauge (for each pump)	
12	Boost control valve (for each pump)	
13	Low-Flow Safety Switch	
14	Emergency shut down	
15	Normal shut down	
16	Lights on / off	
17	Transmission shifter	
18	Throttle control	
19	Safety alarms for safe operation and protection of main	
	equipment of the unit.	
6.2	DATA ACQUISITION SYSTEM	
a.	The unit should be equipped with a real time data	
	acquisition and diagnostic system to monitor engine as	
	well as pump performance.	

b.	1	. 1	PARI - A
D.	The system must have provision for measuring and		
	displaying pumping parameters such as Fluid Pun	nping	
	rate, Pumping Pressure and Total flow data		
C.	Provision for feeding the signal to standard data	45500	
	acquisition systems such as NOV CTES Orion or N		
	DAS etc. mounted on an allied unit such as Coilec	llubing	
d.	Unit.	connect	
a.	The length of cables shall be 30 m and suitable to data acquisition systems of an allied unit such as		
	Tubing Unit.	Coned	
e.	The system should include appropriate software,		
	hardware and any other accessories needed.		
f.	HMI (Touch Screen Display)		
g.			
9.	Laptop for Programming HMI or DAS.		
6.3	ILLUMINATION:		
	The unit should have an inbuilt electrical system t		
	provide sufficient illumination to enable emergency		
	operation during night hour operations. At least for	ur flood	
	lights shall be provided in the unit for all round		
7.0	illumination.  TREATING IRON / DISCHARGE MANIFOLD:		
7.0	TREATING IRON / DISCHARGE MANIFOLD:		
	The following items are to be supplied with the un		
	with easily accessible and convenient iron racks m	ounted	
	on the unit body:	OTV.	
	DESCRIPTION	QTY	
a.	2" x 3m long straight joint with 1502 union ends	Ten(10)	
b.	2" v 1 Em long straight joint with 1502 union	Four(4)	
D.	2" x 1.5m long straight joint with 1502 union ends	Four(4)	
C.	2" style 10 type swivels with 1502 union ends	Six (6)	
d.	2" style 50 type swivels with 1502 union ends	Six (6)	
e.	2" dart style check valve with 1502 union ends	Two (2)	
f.	2" plug valve with 1502 union ends	Two (2)	
	The above treating irons shall be 15,000 psi rated	working	
	pressure. All high pressure iron shall be of make F		
	SPM.		
8.0	TOOLS:		
	One set of relevant tools for operation and mainte		
	the unit for all equipment, engines, pumps, as		
	hydraulic system, Allison transmissions, PTO, et		
	supplied. Apart from the Tools mentioned in para		
	the following additional tools shall be supplied ale	Jing With	Page <b>25</b> of <b>44</b>

	the unit.		
1	Pipe Wrench (size 12", 18", 24", 36")	3 nos.	
		(Each)	
2	Combination Spanners	3 sets	
3	Combination Pliers	3 nos.	
4	Allen Key Set	3 nos.	
5	Screw Drivers (plain, Size 6" X 10")	3 nos.	
6	Screw Drivers (Philips Size 6" X 10")	3 nos.	
7	DCP Fire Extinguisher (Cap. 10 kg) with	1 no.	
	mounting bracket		
8	Special tools/wrenches for Pump servicing	2 set	
9	Aluminium ladder	2 no.	
10	Impact hexagonal wrench for pump	1 no.	
11	Slide hammer tool for pump	1 no.	
12	Packing wrench for pump	1 no.	
13	Valve spring depressor for pump	1 no.	
14	Non-Sparking tool set comprising of two	01 Set	
	hammers, two 12" pipe wrenches, two 18" pipe		
	wrenches, two 24" Pipe wrench, two 36" Pipe wrench, two combination wrench set, two pliers,		
	two plain screw-drivers of 6", two plain screw-		
	drivers of 10", two philips screw-drivers of 6" &		
	two philips screw-drivers of 10".		
9.0	SPARES		
9.1	COMMISSIONING SPARES		
	The Supplier has to supply all the spare parts included in the spare parts included in the spare parts in the spare part parts in the spare parts		
	hydraulic & fuel filters required for initial commiss		
	of the unit. All the consumables such as, lube oil, hydraulic oil etc. required for commissioning shou	•	
	be supplied.	iu aisu	
9.2	OPERATIONAL CRITICAL SPARES		
	Supplier shall supply the operational critical spare		
	in table 1, along with the supply of the Unit. Bidde		
	include the price of these spares in the cost of the		
	Pumping Unit and, therefore, bidders need not que		
	separately the price of these spares. Please confirm all spares as given in the <b>Table 1</b> below will be sup		
	an spares as given in the Table T below will be Sul	philea	

	with the unit.	
	NOTE to 9.2	
a.	All spares in specified quantity as indicated above shall supplied along with the unit.	be
b.	Bidder shall also quote separately for any additional spa with similar details as felt necessary for 2 (two) years trou free operation and maintenance but not covered in this list future reference/ procurement. However, these additio spares, as suggested by the bidder will not be considered Bid Evaluation purpose.	ible for <u>nal</u>

Tender No.: SDG6888P22/07 dated 29.04.2021 PART - A

### 9.3 RECOMMENDED SPARES

The bidder shall furnish a list of spares & components that will be required for regular operation and maintenance, overhauling etc. throughout the life of the equipment complete with price (in price bid only) of each item. Annual consumption of each spare should be furnished. The bidder should also provide detailed spare list of all the items including bought out items in the operation and maintenance manuals. The list should include a spare parts list along with OEM part numbers, make & model of the equipment and contact postal address of OEM for all items of the whole unit.

THE PRICE QUOTED FOR RECOMMENDED SPARES WILL NOT BE TAKEN IN TO ACCOUNT FOR BID EVALUTION AND THE PRICES MUST BE MENTIONED ONLY IN THE PRICE BID.

The bidder has to submit a complete spare parts list for the whole unit sub grouping major component in the following format as shown with example:

Name of the component/ Sub com.	Description of the item	Part no./ID no. of item	Frequency of replacement (in Hours/Day)	Make
Triplex	Plunger	Xx	10000	GD
	Sleeve	Xxx	7000	GD
	Cold end repair kit	Xxx	5000	GD
	Pump Head	Xxxx	5000	GD
Booster Pump	Bearing	Υ	10000	SKF
	Bellow seal kit	Yy	10000	
	Hydraulic pump	Yyy	20000	REXROTH
	Gasket etc.	Yyyy	10000	

9.4 The bidders must submit a written undertaking (along with the bid) that they would be able to supply all the requisite spares and consumables (including bought out items) for a minimum period of 10 (ten) years from the Certified date of completion/successful field commissioning of the unit.

РΔ		_	Δ
ГЛ	NΙ	-	л

10.0	UNITIZATION AND COMPLETION:	
	The above unit shall be fully assembled, unitized and completed	
	with best industrial practice. This shall include the following	
i.	items: Installation of all electrical systems.	
	S S S S S S S S S S S S S S S S S S S	
ii.	Installation of all pneumatic systems.	
iii.	Installation of all hydraulic systems.	
iv.	All operating oils, coolants and other operating fluids will be	
V.	drained prior to shipment.  All fixtures to ship complete with the unit.	
vi.	Steel tool box with locking arrangement fitted in a convenient	
	position (easy to reach, preferably on the sides).	
vii.	Surface lines/treating irons to be placed on rack(s) near the	
	base of the chassis (easy to reach).	
viii.	Noise level for the complete unit in running condition.	
	(Noise level, in running condition, above 90.0 db is not	
	acceptable.)	
ix.	All tanks (Fuel, Hydraulic oil etc.) shall be fitted with suitable	
	filter and locking arrangement.	
Χ.	All labour to complete unit.	
xi.	Workmanship should be of good quality and appearance.	
	Following is a partial list of examples:	
	a) Flame cut edges shall be ground smooth. Sharp corners and	
	edges to which operators and mechanics are vulnerable shall be	
	ground smooth.	
	b) Bolt holes shall be drilled (not torch cut).	
	c) Welds shall be of good quality and of sufficient strength.	
	d) Use self-locking nuts.	
	e) All hoses will be well supported with support type clamps.	
	f) All hose assemblies will have swivel ends.	
	g) All hoses will be protected by well secured rubber sleeves to	
	prevent rubbing by frame, etc. and should be tagged for easy	
	identification.	
	h) All reservoirs should be constructed of steel plate with level	
	gauge, cleanouts, vent fill cap, etc.	
11.0	STANDARDS:	
	The complete pumping unit shall be built under the quality	
	standards of ASME standards (where applicable).	

12.0	Technical Manual and catalogues For Operation and Maintenance of the Unit:  The following Manuals & Catalogues per unit in printed form (in English language) shall be supplied along with the unit addition to the supply of the same in Compact Disk (CD). Supply of the manuals/ catalogues only in Compact Disk is not acceptable. Manuals/ Part Catalogues provided shall be Custom Illustrated Manuals/Catalogues for the particular UNIT only, not a general Composite Manual/Catalogue.  Bidder to confirm that the following will be provided along with supply:	
A	04 (Four) sets of printed Spare Parts Catalogue and Workshop & Service Manual (in English language) for all components/systems of Truck Chassis like Engine, Transmission, Front Axle, Rear Axles, Differentials, Drivelines, Brake System, ABS, Front Suspension, Rear Suspension, Steering, Electrical & Pneumatic Systems etc. with complete schematics of electrical & pneumatic circuits. Supply of the manuals/catalogues only in compact disc (CD) format is not acceptable. Similarly, all the manuals & catalogues shall contain only those components/systems that have been used in the unit i.e. the same must be CUSTOM ILLUSTRATED MANUALS/ CATALOGUES ONLY – not the generalized ones.	
В	02 (two) sets of Operator's manual for vehicle.	
C	The bidder has to supply 4 (Four) sets of operating, maintenance and spare parts manual detailing maintenance schedule for daily maintenance, preventive maintenance, major overhauling and frequency of spares replacement for all the components of the unit. The operation and maintenance manual should also contain details of all sub-assemblies, instrument sensors, wiring diagram, hydraulic schematics with color code and entire requisite spare parts with part no (Preferably OEM part no. with detail contact address). All schematics must be of sufficient size and legible in both the hard copies and soft copies for ease of identification of minute schematic details.	
D	Technical manual of Deck engine with spares catalogue.	
E	Technical manual of Triplex pump with spares catalogue.	
F	Technical literature for booster/feed pump and loading/unloading pump	
G	4 (Four) copies of all relevant test and quality control certificates of the manufacturing and testing of all unit functions and parameters shall be supplied.	
Н	4 (Four) sets of all relevant test and calibration certificate for each instrument shall be supplied along with the unit.	

l	All necessary licensed software in original packages along with user software backups are also to be supplied.	
	Note: COMMISSIONING OF THE UNIT SHALL NOT BE CONSIDERED AS COMPLETE UNTIL & UNLESS ALL ABOVE PRINTED MANUALS / CATALOGUES ARE SUPPLIED.	
13.0	INSPECTION CUM ACCEPTANCE	
1	Third Party inspection of the unit is to be carried out for all the component of the unit by OIL approved TPI agency (viz M/s Lloyds, M/s Bureu Veritas, M/s TuboscopeVetco, M/s IRS, M/s Rites or M/s DNV only).	
	Scope of 3rd party inspection: Witness the manufacturing and assembly Witness the functional and performance tests Any other requirement of the inspection agency as per applicable standards. Review of tests and documents related to all pressure holding equipment	
2	Pre-shipment inspection shall be carried out by OIL's representative at manufacturing site. The supplier shall inform OIL at least 2 (Two) months ahead for such inspection to enable OIL to send its inspectors. The supplier has to arrange for inspection of the unit by a team of 5 (five) OIL's representative. OIL will bear the expenses towards traveling and accommodation etc. of the OIL's inspection team. The Inspection cum Acceptance process would include the following minimum steps/tasks but not limited to:	
a.	Physical verification/inspection of all the items/fittings/accessories including all Parts Catalogue, Maintenance & Service Manuals, Final Chassis Built Up/Vehicle Content Record documents, etc. The supplier shall arrange driver/operator, weighing facility and any other infrastructure during the process of inspection as and when required.	
b.	Operational testing of the carrier.	
C.	Supplier shall have to take note of any minor modification/s for operational requirement suggested by the inspector and comply with the same at no extra cost to OIL.	
d.	The inspection report would be prepared at the end of the inspection and jointly signed by both the parties.	
e.	Supplier shall confirm in writing compliance of all the points raised in the inspection report as well as any other subsequent additions/changes, following deliberation with the inspector after arrival at Duliajan.	

f.	Supplier will affect despatch of the unit only on receipt of OIL's despatch advice.	
14.0	TRAINING TO OIL PERSONNEL ON FLUID PUMPING UNIT	
	SYSTEM:	
	The supplier shall have to provide training to OIL personnel in two phases:	
14.1	During the pre-despatch inspection visit of OIL's engineers, the supplier shall arrange comprehensive training at their manufacturing plant/works for a period of minimum 2 (two) weeks on Operation & Maintenance, Troubleshooting and Working Principle of followings system/items used in the unit amongst other relevant subjects:  1. Engine and its Electronic Controller System.  2. Transmission and their control systems.  3. Repairing and Maintenance of Triplex Pumps, Booster pump etc.  4. Truck Engine, Transmission, Front & Rear Suspension, Front & Rear Axles, Differentials, Brake, ABS, Steering, Electrical System, Pneumatic System etc. of the offered Truck.  5. Pneumatic system for brake, transmission including different valves.  6. Hydraulic system  7. Control panel  8. Maintenance and Operation of Pumping System	
14.2	During installation and commissioning of the unit, the commissioning engineer shall have to provide field training as well as class room training for a period of 1(one) week to OIL Engineers and technicians on maintenance, troubleshooting, working Principle and repair/replacement of different equipment.  Bidders should quote their training charges separately for evaluation purposes.	
15.0	COMMISSIONING:	
	Bidder to confirm compliance to the following:	
15.1	The commissioning engineer should be available at site within 15 days of the intimation given by OIL for commissioning the	
15.0	unit.	
15.2	The unit shall be commissioned at Duliajan, Assam, India with 3 (three) successful field jobs at different wells.	
15.3	The commissioning of the unit should be completed within a period of <b>maximum 04 months</b> from the reporting (as per clause 15.1) of commissioning personnel at OIL's site, failing which, LD will be applicable at the rate of 0.5% of PO value per week of delay subject to a maximum of 7.5 %. For any delay in installation & commissioning for reasons not attributable to the supplier, the timeline for installation & commissioning may be	

1		PARI - A
	extended at the discretion of OIL.	
15.4	The successful bidder must quote for commissioning charges	
15.4		
	which should include the to and fro charges, food & lodging and	
	daily charges of the personnel. OIL will provide accommodation	
	(on payment basis) subject to availability. OIL will provide local	
	transportation to the commissioning personnel.	
15.5	Bidders should quote commissioning charges separately for	
	evaluation purpose.	
16.0	GUARANTEE / WARRANTY:	
	Bidder to confirm compliance to the following:	
16.1	The offered items/complete unit, in the event of an order, must	
10.1		
	be under guarantee/warranty by the bidder for a minimum of	
	not less than 12 months from the date of successful	
	commissioning of the complete unit at site. Defective	
	goods/materials or parts notified by oil to the seller shall be	
	replaced immediately by the seller on F.O.R destination basis	
	including payment of all taxes and duties at Seller's expense.	
	This guarantee shall survive and hold good not-withstanding	
	inspection, payment for and receipt of the goods. The bidder	
	shall offer a period of at least one (01) year warranty for the	
	entire equipment supplied from the date of successful field	
	commissioning of the entire equipment.	
16.2	OIL reserves the right to inspect, test and if necessary reject	
1012	any part / parts after delivery at site (including incomplete	
	manuals, catalogues, etc.) in case of any fault on the part of the	
	supplier. It shall in no way be waived by the reason that the	
	unit / item was previously inspected and passed by OIL as per	
	Inspection Clause detailed elsewhere in the NIT.	
1/ 2		
16.3	To keep the unit fully operational, in case of failure of any item	
	during the warranty period, it shall be the supplier's	
	responsibility to arrange replacement / repairing at site at their	
	cost including customs, freight, etc. within a period of	
	maximum three (03) weeks from the date of notification of such	
	failure and warranty for such items shall be extended	
	accordingly.	
17.0	DEVIATIONS FROM THE SPECIFICATIONS:	
	The bidder shall enclose comprehensive list of intended	
	deviations from the technical specifications, if any, clearly	
	highlighting the reasons thereof, along with the bid. If no	
	deviations from the Technical specifications are intended, the	
	same shall be confirmed in the offer. But OIL reserves the right	
	for acceptance or rejection of the deviation.	
18.0	Following documents are to be submitted along with supply	
10.0		
	/ unit(s):	

a.	Invoice, Sale Letter (certificate), Pollution & Roadworthy Certificate (in similar format of Form 21, 22 & 22A of Motor Vehicle Act, 1988 & Central Motor Vehicle Rules, 1989 of India - sample copies enclosed), Emission Norms Certificate, Temporary Registration Certificate (as per Motor Vehicle Act, 1988 & Central Motor Vehicle Rules 1989 of India) etc. in original in the name of Oil India Limited, Duliajan, Assam-786602 as required under Motor Vehicle Act/Rule of India for registration of the unit(s) in the name of Oil India Limited, Duliajan, Assam-786602 with government transport authority in Assam in India shall be submitted for each unit.	PAKI - A
b.	Type Approval Certification of the vehicle as per Motor Vehicle Act, 1988 & Central Motor Vehicle Rules, 1989 of India or Type Approval Certificate/COP of the vehicle as per Chapter-87 of ITC (HS), 2012, Schedule-1- Import Policy, Section: XVII of India as the case may be.	
	Bidder to note that, in case of imported vehicle, Type Approval Certificate/COP for the complete vehicle shall be required for custom clearance of the units as per prevailing Indian import policy conditions/guidelines. In this regard, the bidder is requested to note the conditions given in Chapter-87 of ITC (HS), 2012, Schedule-1- Import Policy, Section: XVII of India. This Type Approval Certificate/COP should be obtained from international accredited agencies approved by Directorate General of Foreign Trade (DGFT), Ministry of Commerce & Industry, New Delhi. The list of international accredited agencies approved for issuance of Type Approval Certificate/COP is available on DGFT website, under Policy Circular No. 26 (RE-2003)/2002-2007 dated 9.2.2004 pertaining "Type Approval Certificate issuing agencies under Policy Condition Number 7 and 9 of Chapter 87 of ITC (HS), 2012, which further amended vide Policy Circular No. 12 (RE-2013)/2009-2014 dated 15th January, 2014 issued by Ministry of Commerce & Industry, Department of Commerce, Director General of Foreign Trade, New Delhi. Bidders shall ensure adherence to any subsequent revisions to the above referred Policy Circulars that may be issued in future by DGFT.	
C.	Final Chassis Built Up/Vehicle Content Record documents from chassis manufacturer.	
d.	Specification Sheet of the unit indicating all details viz Make & Model of chassis, engine, transmission etc. GVWR, Axle Capacity, Axle Loading, Wheelbase, etc., number of Axles, wheels & tyres, etc., overall dimensions, turning radius etc.	

e.	Certificate of Origin for the Truck chassis in original from	
	chassis manufacturer. Amongst others, the certificate shall	
	contain following information:	
	i. Make & Model of Chassis.	
	ii. Vehicle Identification Number (VIN) i.e. Chassis Number.	
	iii. Month & Year of Manufacture of the chassis.	
f.	Pencil print of Vehicle Identification Number (VIN) i.e. Chassis	
	Number.	
g.	Notwithstanding any clause mentioned elsewhere in the NIT,	
	the invoice for the complete unit shall be submitted in two (02)	
	parts separately as under:	
	i) Invoice for truck chassis - It shall include the cost of the	
	truck chassis with driver's cabin only.	
	ii) Invoice for Fluid Pumping items/equipment - It shall include	
	cost of all equipment of pumping unit, tools, accessories, etc.	
	subsequently fitted in the original truck chassis as well as	
	supplied separately along of the unit.	
19.0	HIGH SECURITY REGISTRATION PLATE (HSRP):	
	On receipt of the vehicle as per the purchase order and	
	documents required for permanent registration, Oil India	
	Limited shall apply for permanent registration of the vehicle at	
	the office of the local District Transport Office (DTO). The	
	supplier shall supply the High Security Registration Plate	
	(HSRP) promptly for the vehicle enabling the District Transport	
	Office (DTO) to issue the permanent Registration Certificate.	
	The vehicle(s) supplied shall be considered complete on receipt	
	of High Security Registration Plate (HSRP).	
19.1	The bidder/supplier shall ensure that, the vehicle manufacturer	
	shall enter the vehicle details in the portal "VAHAN" of Ministry	
	of Road Transport & Highways (MoRTH), Government of India	
	in accordance with Form-20, Form-22, Form-22(A) etc. of Motor	
	Vehicle Act, 1988 & Central Motors Vehicles Rules, 1989 of	
	India prior to delivery of the vehicle. Bidder/supplier shall also	
	ensure adherence to any subsequent revisions to the referred	
	requirements that may be issued in future by Ministry of Road	
	Transport & Highways (MoRTH), Government of India.The	
	bidder shall categorically confirm compliance of the same in the	
	technical bid.	

## 20.0 BID SUBMISSION & DOCUMENTATIONS:

Bidders should submit their bids in the above tabular form mentioning their offered specification, Make, Model, necessary data, submitted/not submitted/ complied/not complied etc. as applicable to all the NIT terms and conditions including submitting the documents, leaflets as specified. Other details, if any, the bidder may mention the same by adding additional row(s)/separate sheet as the case may be.

Bidder's response to all NIT stipulations should clearly be defined maintaining the same sequence as in the NIT. Bidder shall furnish specific details/ specifications of all major components, systems with Make & Model etc. Submission of technical leaflet/catalogue alone is not sufficient.

General Response like- 'As per NIT Specifications / Technical Leaflet', 'Noted' etc. or in any similar fashion is not encouraged. Quoting only the NIT stipulation without any confirmation of acceptance of the same and/or without any confirmation of offering the same is also not acceptable.

The bids and the accompanied technical documentation must be in English language only. The bids with other than English language must have an English version.

### 21.0 PAYMENT TERMS:

70% payment will be made against supply of materials and balance 30% after satisfactory commissioning at site along with the installation & commissioning charges after adjusting liquidated damages, if any.

Payment towards training will be released after successful completion of training.

Offers not complying with the payment terms indicated in the tender shall be loaded with one percent above the prevailing Bank rate (CC rate) of State Bank of India for duration of commissioning time indicated in the tender plus transit time (3 months) for evaluation purpose.

# Table 1: Operational Critical Spares as per Clause 9.2 above

SI. No.	Item Description	Qty.
i)	AUTOMOBILE SPARE PARTS LIST:	
A.	ENGINE (TRUCK)	
1	Fuel Filter	05 Nos.
2	Engine Oil Filter	05 Nos.
3	Air Filter Element	05 Nos.
4	Fan Belt	04 Nos.
5	Radiator Hose Set (Each set shall comprise of all upper & lower hoses)	02 Sets.
6	Engine Mounting Set [Each set shall comprise of all the mountings (one each)]	01 Set.
B.	TRANSMISSION (TRUCK)	
1	Transmission Filter (if any)	04 Nos.
2	Transmission Mounting Set [Each set shall comprise of all the mountings (one each)]	01 Set.
C.	FRONT AXLE:	
1	Wheel Stud with Nuts (Right Side) (Each set shall comprise of all the studs & nuts for one wheel)	01 Set.
2	Wheel Stud with Nuts (Left Side) (Each set shall comprise of all the studs & nuts for one wheel)	01 Set.
3	Wheel Bearing (Left Side)	02 Nos.
4	Wheel Bearing (Right Side)	02 Nos.
D.	REAR AXLE:	
1	Wheel Stud with Nuts (Right Side) (Each set shall comprise of all the studs & nuts for one wheel)	01Set
2	Axle Stud with Nuts (Right Side) (Each set shall comprise of all the studs & nuts for one wheel)	01 Set.
3	Wheel Stud with Nuts (Left Side) (Each set shall comprise of all the studs & nuts for one wheel)	01 Set.
4	Axle Stud with Nuts (Left Side) (Each set shall comprise of all the studs & nuts for one wheel)	01 Set.
5	Wheel Hub Oil Seal (Left Side)	04 Nos.
6	Wheel Hub Oil Seal (Right Side)	04 Nos.
7	Wheel Hub Bearing (Left Side)	04 Nos.

8	Wheel Hub Bearing (Right Side)	04 Nos.
9	Differential Oil Seal Set	02 Sets.
	[Each Set shall comprise of all seals (one each) of different	
10	differentials] Differential Filter (if any)	02 Nos.
E.	DRIVELINE (PROPELLER SHAFT):	02.100.
1	UJ Cross Assembly Set	02 Sets.
	(Each set shall comprise all the different UJ crosses in complete required for the drivelines)	02 3013.
2	Centre Bearing with Rubber Cushion Assembly (if any)	01 No.
F.	STEERING	
1	Steering Oil Filter (if any)	02 Nos.
2	Power Steering Hoses Set (Set shall comprise of all hoses one each)	01 Set
G.	BRAKE	0111-
1	Foot Brake Valve- Assembly	01No.
2	Brake Servo Assembly-Front Wheel	04 Nos.
3	Brake Servo Assembly-Rear Wheel	04 Nos.
H.	ELECTRICAL (TRUCK):	
1	Engine Self Starter Assembly	01 No.
2	Alternator Assembly	01 No.
3	Wiper Motor Assembly	01 No.
4	Wiper Blade with Arm (Left)	01 Set
5	Wiper Blade with Arm (Right)	01 Set
6	Head Lamp Assembly (Left)	01 No.
7	Head Lamp Assembly (Right)	01 No.
1.	SUSPENSION:	
1	Rear Air Suspension Bellow	08 Nos.
	(If any, in case of Air Suspension)	
ii)	POWER SYSTEM SPARE PARTS LIST	
A	DECK ENGINE (Qty. per engine)	
1	Fuel Filter Element	10 no.s
2	Water Separator Filter Element	10 no.s
3	Engine Oil Filter Element	10 no.s
4	Air Filter Element	10 no.s
5	Water/Corrosion Filter Element	05 no.s
6	Fan Belt	04 Nos.

		PARI - A
7	Alternator Belt	04 Nos.
8	Water Pump Repair Kit	02 Nos.
9	Hoses	04 Nos.
10	Universal joint of engine driveline	02 Nos.
В	TRANSMISSION (Qty. per transmission)	
1	Transmission Filter Element	04 Nos.
2	Transmission Mounting	02 Nos.
3	Gear Shifter	01 No.s
4	Gear Shifter Repair Kit	01 No.s
5	Gear Shifter Hoses	02 Nos.
iii)	HYDRAULIC SYSTEM SPARES	
1	Hydraulic strainers and filters (A set should consist of all hydraulic strainers, pressure line filters and return line filters fitted on unit during operation.)	5 set
2	Repair kit (shaft seal etc.) for hydraulic motors	2 set (per motor)
3	Repair kit (shaft seal etc.) for hydraulic pumps	2 set (per pump)
4	Repair kit (shaft seal etc.) for hydraulic cylinders	2 set (per cylinder)
iv)	FLUID PUMPING UNIT SPARES	
1	Valve repair kit for all sizes of valve used in the piping:	1 each
2	Booster/feed pump repair kit containing all consumables such as gasket, packing & seals:	4 set
3	Load pump repair kit containing all consumables such as gasket, packing & seals	1 set
4	Repair kit (seals, O-rings etc.) tank level gauge	4 set
5	Joystick to control Feed pump/Load Pump speed	1 no. each
6	Joystick to control Triplex speed	1 no.
7	Booster/Feed Pump	1 no.
8	Pilot operated relief valve for boost pump control	1 no
9	Drive couplings for pumps	1set
v)	Triplex Pump Spares	
1	Triplex pump repair kit containing the following:	
a.	Bearing oil seal	1 no. each for DE &

		NDE
b.	Suction valve cover gasket	6 nos.
C.	Discharge valve cover gasket	6 nos.
d.	Packing, oil stop head	6 sets
e.	Seal, suction to fluid cylinder	6 sets
2	Plunger	3 nos.
3	Stuffing Box Seal	12 nos.
4	Complete Fluid Valve assy. including valve seat, spring etc.	
a.	Suction valve assy.	3 nos.
b.	Discharge valve assy	3 nos.
5	Fluid Valve with inserts as applicable,	
a.	Suction	3 nos.
b.	Discharge	3 nos.
6	Complete packing assembly	6 nos.
7	Complete Packing rings set	6 set
8	Valve spring, suction and discharge	3 nos. each
9	Packing Nut	4 Nos.
10	Header Ring	3 Nos.
11	Pressure Ring	6 Nos.
12	Pump lube/gear oil filter (for both plunger & power end)	4 Nos.
	Note: The repair kits against point (ii), (iii), (iv) & (v) above should	
	contain all rubber and metallic components required for redressing of the equipment/components. Kindly confirm.	
vi)	Instrumentation & Control System Spares	
1	Pump discharge pressure gauge	1 No
2	All Panel Pressure Gauges	1 Set
3	All Temperature Gauges	1 Set
4	Air Valve/Air Regulator	1 No
5	Fuses	1 Set
6	Flow meter to measure pump discharge	1 No
7	Temperature Sensors	1 set
8	Pressure Sensors	1 set
9	Switches	1 set
10	SMPS/DC-DC converter	1 Nos
11	All solenoid valves	1 set

# Tender No.: SDG6888P22/07 dated 29.04.2021

# PART - A

12	Shifter Relays	6 Nos.	
13	DAS Mother board (as per used model) -	01 Set.	

# Ref. Clause No.18.0(a) Sample copy of Form- 21, 22 & 22-A (as referred above)

A. Following is a sample copy of **FORM 21 of Indian Motor Vehicle Act** only. The certificate shall contain following minimum information –

# FORM 21 [See Rules 47 (a) and (d)] SALE CERTIFICATE

(TO	be issued by manufactur					•	•	
	military auctioned vehicl	les) fo	r prese	entatio	n along	with the a	application for	•
	reg	istrat	ion of a	a moto	or vehicl	e).		
Cert	ified that					(Brand na	ame of the veh	nicle)
has	been delivered	by	us	to	OIL	INDIA	LIMITED	on
	(date)							
Nam	ne of the buyer OIL IN	IDIA	LIMITE	<u>ED</u>				
Son	/wife / daughter							
Addr	ress (Permanent)							
	(Temporary)							
The	vehicle is held under a	green	nent of	f hire-	purchas	se/lease/h	ypothecation	with
The	details of the vehicle are	given	below:					
1.	Class of Vehicle							
2.	Maker's name							
3.	Chassis No.							
4.	Engine No.							
5.	Horse power and cubic	capa	city					
6.	Fuel used							
7.	<i>3</i>							
8.	Month and year of man							
9.	Seating capacity (includ	ding d	driver)					
10.	Unladen Weight							
11.	Maximum axle weight &							
	description of tyres (in	case	of tran	sport	vehicle)			
(a)	Front axle							
(b)	Rear axle							
(c)	Any other axle							
	(d) Tandem axle							
12.	Colour							
13.	Gross vehicle weight							
14.	Type of body							
15.	Wheel Base							

Tender No.: SDG6888P22/07 dated 29.04.2021 PART - A

Signature of the Manufacturer /

Dealer or Officer of defence Department

**B.** Following is a sample copy similar to **FORM 22 & 22-A** of Indian Motor Vehicle Act only. The certificate to be issued by supplier shall contain following minimum information. –

# FORM-22 [See rules 47(1) (g)] ROAD-WORTHINESS CERTIFICATE FOR

# COMPLIANCE TO EMISSION AND NOISE STANDARDS (To be issued by the manufacturer along with the vehicle)

It is certified that the following vehicle complies with the provisions of the Motor Vehicles Act, 1988 and rules made thereunder:

1.	Model/Commercial Name of the vehicle:
2.	Chassis Number:
Exan	nple: Vehicle Identification Number (VIN) or ATIN or PIN)
3.	Engine Number:
4.	Applicable Emission Norms:
<u>5</u> .	Emission, Sound Level for Horn and Pass by noise values of the above
/ehicl	e model, obtained during Type Approval Testing as per Central Motor
<b>V</b> ehic	les Rules, 1989 are given below:
	i. Type Approval Certificate No.:
	ii. Type of Fuel:

iii. Emission values for vehicle:

TABLE
Positive Ignition Engine or Compression Ignition Engine Vehicle

Sr.	Pollutant (as applicable)	Units (as applicable)	Value (upto 3
No.			decimal
			places)
(1)	(2)	(3)	(4)
1	Carbon Monoxide (CO)	mg/km or mg/kWh	
2	Hydrocarbon (THC/HC(	mg/km or mg/kWh	
3	Non-Methane Hydrocarbon	mg/km or mg/kWh	
	(NMHC)		
4	Oxides of Nitrogen (NOx)	mg/km or mg/kWh	
4a	HC+NOx	mg/km or mg/kWh	
4b	THC+NOx	mg/km or mg/kWh	
5	Methane (CH <sub>4</sub> )	mg/kWh	
6	Ammonia (NH <sub>3</sub> )	PPM	

	7	Mass of Particulate Matter (PM)	mg/km or mg/kWh	
Γ	8	Number of Particles (PN)	Numbers/km or	
			Numbers/kWh	

- iv. Noise level (as applicable):
- b. Pass by or Bystander's position: : . . . . . . . . . . . . dB(A)

(Facsimile Signature of Manufacturer)

Note 1: This Form shall be issued with signature of the manufacturer duly printed in the Form itself by affixing facsimile signature in ink under the hand and seal, as applicable.

Note 2: In case of multiple combinations, values pertaining to any one test result in the test report to be provided. For V2, V3 cases- average value of the test result in the test report to be provided.

Note 3: While printing Form 22, the relevant pollutants in the table as applicable for the subject vehicles may only be listed.

Note 4: In case there is amendment /revision in the tail pipe emission and noise level norms, same can be reflected in Sr. No.4 above given in this form as well as by adding additional parameters if any in the TABLE provided at Sr. No. 5(iii).

Form-22 as above is a draft format as per notification issued by Ministry of Road Transport and Highways, Government of India. The supplier shall have to submit the Form-22 including supporting documents (if required) as per the final format notified by the Ministry of Road Transport and Highways, Government of India as applicable on the date of supply.

Tender No.: SDG6888P22/07 dated 29.04.2021 PART - A

# SAMPLE COPY OF FORM 22(A)

Brand name of the vehicle

Chassis number

Following is a sample copy of **FORM 22(A) of Indian Motor Vehicle Act** only. The certificate shall contain following minimum information. –

#### **FORM 22-A**

[See Rules 47 (g), 115, 124(2), 126-A and 127(1), 127(2)]
INITIAL CERTIFICATE OF COMPLIANCE WITH POLLUTION
STANDARDS, SAFETY STANDARDS OF COMPONENTS AND ROAD
WORTHINESS (FOR VEHICLES WHERE BODY IS FABRICATED SEPARATELY)

# PART – I (TO BE ISSUED BY THE MANUFACTURER)

Certified that the following vehicle complies with the provisions of the Motor Vehicles Act, 1988 and the rules made there under, including the following mass emission norms:

Ondoors named	
Engine number/Motor number	
(In case of battery operated vehic	<del>·les</del> )
Emission norms :	
	Signature of Chassis Manufacturer
Form 22-A, Part I shall be issu	ued with the signature of the manufacturer duly
printed in the Form itself by affix	king facsimile signature in ink under the hand and
seal of the manufacturer.	
	PART – II
(TO BE ISSU	JED BY THE BODY BUILDER)
Certified that body of the vehicl	e(brand name of the
vehicle) bearing Chassis number	er and
Engine Number	has been fabricated by us and
	isions of Motor Vehicles Act, 1988 and Rules made

Form 22-A, Part II shall be issued with the signature of the body builder duly printed in the Form itself by affixing facsimile signature in ink under the hand and seal of the body builder.

\*\*\*\*\*\*

Signature of body builder

### BID EVALUATION CRITERIA (BEC)/BID REJECTION CRITERIA (BRC)

The bids shall conform to the specifications and terms & conditions given in the Tender. Bids shall be rejected in case the items offered do not conform to the required parameters stipulated in the technical specifications and to the relevant international/national standards wherever stipulated. Notwithstanding the general conformity of the bids to the stipulated specifications and terms & conditions, the following requirements must be particularly met by the bidders, without which the offer shall be considered as non-responsive and rejected:

### **BID REJECTION CRITERIA (BRC):**

# A.1 TECHNICAL:

#### 1.0 BIDDER'S QUALIFICATION CRITERIA:

1.1 The bidder shall be an Original Equipment Manufacturer (OEM) of Fluid pumping unit.

OR

1.2 The bidder shall be a Sole Selling Agent/Dealer/Distributor/Supply House of OEM of Fluid pumping unit.

#### Note:

- a) Bidders other than OEMs must submit a valid Authorization letter and back-up warranty from the manufacturer as per format enclosed herein vide **APPENDIX-B1**. The Authorization letter must be duly sealed & signed by the Manufacturer on their official letter head and the status of the Bidder (whether Sole Selling Agent/Dealer/Distributor/Supply House) should be identified.
- b) The Sole Selling Agent/Dealer/Distributor/Supply House shall categorically confirm in their technical bid that there will be no change of the proposed OEM after submission of the bid.

#### 2.0 BIDDERS' EXPERIENCE:

2.1 In case the Bidder is an **Original Equipment Manufacturer (OEM)** of Fluid pumping unit, the bidder shall have the experience of successful execution (supply, installation and commissioning) of order(s) for 50% of tender item quantity rounded off to next higher integer (i.e. 01 no) of tender item (i.e. Fluid pumping unit) in last five (05) years preceding the bid closing date of this tender to any E&P company or service provider to an E&P company. Documentary evidences in this regard must be submitted along with the Technical Bid as per Para 2.3.

PART - A

2.2 In case the Bidder is a **Sole Selling Agent/Dealer/Distributor/Supply House of the Original Equipment Manufacturer (OEM)** of Fluid pumping unit, the following criteria shall be met by the Bidder and the OEM:

- i) The Bidder as a Sole Selling Agent/Dealer/Distributor/Supply House shall have the experience of successful execution (supply, installation and commissioning) of order(s) for 50% of tender item quantity rounded off to next higher integer (i.e. 01 no) of tender item (i.e. Fluid pumping unit.) (manufactured by either the proposed OEM or any other OEM) in last five (05) years preceding the bid closing date of this tender to any E&P company or service provider to an E&P company. Documentary evidences in this regard must be submitted along with the Technical Bid as per Para 2.3.
- ii) Their **Original Equipment Manufacturer (OEM)** must meet the experience criteria set out in para 2.1 above and documentary evidences in this regard must be submitted along with the Technical Bid as per para 2.3.

### 2.3 NOTES TO BIDDER REGARDING EXPERIENCE CRITERIA

- 2.3.1 The following documentary evidences to substantiate above experience records (2.1 and 2.2, as applicable) of the Bidder must be submitted alongwith the technical bid, failing which the Bid shall be treated as incomplete and rejected:
  - (a) Copy of Purchase order(s)/contract(s) awarded by Client(s)
  - (b) Any one or combination of the following documents that confirms the successful execution of each of the purchase order(s) / contract(s) -

True copies of Original Signed and sealed Completion report/performance certificate from the clients (on Client's/User's official letter head with signature & stamp) duly notarized by Government Notary.

OR

Copy of Bill of Lading

OR

Copy of Consignee delivery receipts/challans

ΩR

Copy of Tax Invoice/Excise Gate Pass issued under relevant Act/rules

OR

Copy of Commercial Invoice/Payment Certificate

- 2.3.2 The date of purchase order(s)/contract(s) need not be within five (5) years preceding the original bid closing date of the Tender, but execution/ supply of required quantity must be within five (5) years preceding the original bid closing date of this tender.
- 2.3.3 The service provider to an E&P company shall mean company who has bought the tender item (Fluid pumping unit.) and has provided service to an E&P company utilising the tender item (Fluid pumping Unit).
- 2.3.4 In case experience credentials is submitted for past supply to a service provider, the submitted documents (as per para 2.3.1) should clearly indicate name of the E&P Company for which the tender item has been utilized. On the contrary, a

declaration from the service provider (on their official letter head with signature & stamp) is required to be submitted stating the name of the E&P company for which the tender item has been utilized for providing service.

- 2.3.5 In case of extension to the scheduled Bid Closing date of this tender, if any, the Original scheduled Bid closing Date shall be considered for evaluation of Bids.
- 2.3.6 Against all supporting documents submitted by the bidder alongwith the technical bid, originals must be kept ready and to be produced for verification of OIL, if called for.

# 3.0 DELIVERY PERIOD:

INDIAN BIDDER: Materials must be despatched within (08) months from the date of placement of order by OIL. The date of clear LR or C/Note shall be considered as the date of delivery.

FOREIGN BIDDER: Materials must delivered on FOB, Port of Shipment basis within (08) months from the date of opening of Letter of Credit by OIL. The date of unambiguous Bill of Lading (B/L) shall be considered as the date of delivery.

Bids submitted by Bidders quoting delivery period more than the abovementioned duration shall not be accepted. Bidders must categorically confirm the delivery period in their Technical Bid.

#### A.2 BRC - FINANCIAL:

- 1.0 The bidder shall have an annual financial turnover of **minimum INR 712.22 Lakhs or USD 944,500.00** during any of the preceding 3 (Three) financial/accounting years reckoned from the original bid closing date of the tender.
- 2.0 "Net Worth" of the bidder must be positive for the financial/accounting year just preceding to the original Bid Closing Date of the Tender.
- 3.0 Considering the time required for preparation of Financial Statements, if the last date of preceding financial/accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial/accounting year are not available with the bidder, then the financial turnover of the previous three financial/accounting years excluding the preceding financial/accounting year will be considered. In such cases, the Net worth of the previous financial/accounting year excluding the preceding financial/accounting year will be considered. However, the bidder has to submit an affidavit/ undertaking (PROFORMA 8) certifying that 'the balance sheet/Financial Statements for the financial year (as applicable) has actually not been audited so far'.

Note:

a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the technical bid:-

PART - A

i) A certificate issued by a practicing Chartered Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual Turnover & Net worth as per format prescribed in (PROFORMA – 9)

OR

- ii) Audited Balance Sheet alongwith Profit & Loss account. In case of foreign bidders, self-attested/digitally signed printed published accounts are also acceptable.
- b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/ State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.
- 4.0 In case the Audited Balance Sheet and Profit & Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.
- 5.0 In case the Bidder is subsidiary company (should be 100% owned subsidiary of the parent/ultimate parent/holding company) who does not meet financial criteria by itself and submits its bid based on the strength of parent/ultimate parent/holding company, then following documents need to be submitted:
- (i) Turnover of the parent/ultimate parent/holding company should be in line with Para A.2 (1.0) above.
- (ii) Net Worth of the parent/ultimate parent/holding company should be positive in line with Para A.2 (2.0) above
- (iii) Corporate Guarantee (PROFORMA 10) on parent/ultimate parent/holding company's company letter head signed by an authorized official undertaking that they would financially support their wholly owned subsidiary company for executing the project/job in case the same is awarded to them.
- (iv) Documents to substantiate that the bidder is as 100% subsidiary of the parent/ultimate parent/holding company.

# (A.3) BRC - COMMERCIAL:

Commercial Bid Rejection Criteria will be as per Section D of General Terms & Conditions of Global Tender (MM/GLOBAL/E-01/2005) with following Special Bid Rejection Criteria.

1.0 Bids are invited online under SINGLE STAGE TWO BID SYSTEM. Bidders must prepare the Techno-Commercial Bid (Unpriced) as well as the Priced Bid separately and upload both these bids in OIL's e-procurement portal at the designated fields

separately assigned. Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid. The "Unpriced Bid" shall contain all technocommercial details except the prices/costs. The rate and amount columns in the unpriced technical bid must be kept blank. The "Price Bid" must contain the price schedule and the bidder's commercial terms and conditions. Bidder not complying with above submission procedure will be rejected.

- 2.0 The prices/rates offered against the tender must remain firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price condition shall be treated as non-responsive and rejected. No discount whatsoever should be quoted separately. Rates/prices quoted must be net of all discount.
- 3.0 Bids received in physical form against online invitation shall be rejected (except the documents specifically called for in hard copies, if any). Also, modifications to bids received after the bid closing date & time shall not be entertained.
- 4.0 Bids containing incorrect/false/misleading statement(s) shall be rejected.
- 5.0 Validity of the bid shall be minimum 120 days from the date of actual Bid Closing Date. Bids with lesser validity shall be straightway rejected.
- 6.0 Successful bidder will be required to furnish a Performance Bank Guarantee @3% of the order value. The Performance Security specified above must be valid for 3(three) months beyond the Warranty period indicated in the Purchase Order/contract agreement [Please refer "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to "General Terms & Conditions" for e-Procurement)]. Bidder must confirm the same in their Technical Bid. Offers not complying with this clause will be rejected.
- 7.0 Online Bid must be uploaded together with the Integrity Pact and the same must be duly signed digitally. If any bidder refuses to sign Integrity Pact or declined to submit Integrity Pact with the offer, their bid shall be rejected straightway.
- 8.0 Bidders are to quote for all the items in full quantity as indicated in the NIT.
- 9.0 Bidders shall accept and comply with the following clauses as given in the Bid Document, failing which bid shall be liable for rejection:
- i) Liquidated Damages
- ii) Warranty/Guarantee of material
- iii) Arbitration / Resolution of Dispute
- iv) Force Majeure
- v) Applicable Laws
- 10.0 A bid shall be rejected straightway if it does not conform to any one of the following clauses:
  - a) Validity of bid shorter than the validity indicated in the Tender.

b) Incase the party refuses to sign Integrity Pact.

#### 11.0 PRICE SCHEDULE:

Bidder shall submit the Price Break up as per Price Bid Format (ANNEXURE - G). Bidders should fill up the annexure(s), sign and upload under "Notes & Attachments" > "Attachments" only.

#### **BB: BID EVALUATION CRITERIA:**

- 1.0 Items will be evaluated separately. Bidders must submit prices as indicated in the Price Bid Format (Annexure G). In case, any charges (except basic material value) are not indicated item wise specifically, the charges quoted would be pro-rata calculated and the same will be binding on the bidder. Hence, bidders are requested to quote accordingly.
- 2.0 The bids conforming to the specifications, terms and conditions stipulated in the enquiry and considered to be responsive after subjecting to the Bid Rejection Criteria will be considered for further evaluation as per the Bid Evaluation Criteria given below:
  - (i) Price Bid Format (SUMMARY) for Foreign Bidders:
  - (1) Basic Material Value including TPI, if any (to indicate HSN code):
  - (2) Pre-despatch Inspection Charges, if any
  - (3) Packing & FOB charges
  - (4) FOB Value (1+2+3)
  - (5) Ocean Freight Charges upto Kolkata, India
  - (6) Insurance, @0.5% of Total FOB Value (4)
  - (7) Banking Charges @1 % of Total FOB Value (4) above in case of payment through Letter of Credit. If confirmed L/C at buyer's account is required, 1.5% of Total FOB Value(4) will be loaded)
  - (8) CIF Landed Value (4+5+6+7)
  - (9) Basic Custom Duty (including cess, if any) on (8)
  - (10) CIF Landed Value + CD (8+9)
  - (11) IGST (including cess, if any) on (10)
  - (12) Compensatory Cess on (11), if any:
  - (13) CIF+CD+GST Landed Value, (10+11+12)
  - (14) Training Charges, if any:
  - (15) GST on Training Charges (14):
  - (16) Installation & Commissioning Charges, if any:
  - (17) GST on Installation & Commissioning Charges (16):
  - (18) AMC Charges, if any
  - (19) GST on AMC Charges (18)
  - (20) Total Value (13+14+15+16+17+18+19)
  - (i) Price Bid Format (SUMMARY) for Indigenous Bidders:
  - (1) Basic Material Value including TPI, if any (to indicate HSN code)
  - (2) Pre-despatch Inspection Charges, if any inclusive of GST
  - (3) Packing & Forwarding charges, if any
  - (4) Total Ex-Works Value (1+2+3)
  - (5) GST on Ex-Works Value (4)

PART - A

- (6) Compensatory Cess, if any
- (7) Total FOR Despatching Station Value (4+5+6)
- (8) Inland Freight Charges upto Duliajan, Assam
- (9) GST on Inland Freight (8)
- Transit Insurance Charges, if any including GST (10)
- (11)Training Charges, if any
- GST on Training Charges (11) (12)
- (13)Installation & Commissioning Charges, if any
- (14)GST on Installation & Commissioning Charges (13)
- (15)AMC Charges, if any
- (16)GST on AMC Charges (15)
- Total (7+8+9+10+11+12+13+14+15+16) (17)
- 3.0 To ascertain the inter-se-ranking, the comparison of the responsive bids will be made as under, subject to corrections/adjustments given herein.
  - (1) When only foreign bidders are involved: Comparison will be done on Total value vide SI. no 20.
  - (II)When both foreign & Domestic bidders are involved: Comparison will be done on total value vide SI no 20 of foreign bidder and total value vide SI. no 17(excluding SI no 8, 9, 10) of domestic bidder.
  - When only domestic bidders are involved: (III)Comparison will be done on Total value vide SI no 17 of Domestic bidder.

#### Note:

- (a) Domestic bidders must quote inland freight charges upto Duliajan. In case bidder fails to quote inland freight charges, highest freight quoted by domestic bidder (considering pro-rata distance) against this tender or OIL's estimated freight, whichever is higher, shall be loaded to their offer for comparison purpose.
- (b) For enquiries with duty exemption benefit The items covered under this enquiry shall be used by OIL in the PEL/ML areas issued/renewed after 01/04/99 and hence, applicable Customs Duty for import of goods shall be ZERO. However, IGST@ 5%shall be applicable. IGST@ 5% shall be applicable for Indigenous bidders also under deemed export benefit.

#### 4.0 Purchase Preferences (As quoted by bidder):

As per Gazette notification no. CG-DL-E-26062020-220191 dated 26.06.2020 a) issued by Ministry of Micro, Small and Medium Enterprises, MSE bidders whose quote price is within price band of L1+15%, such MSE shall be considered for award of contract by bringing down their price to L1 price in a situation where L1 price is from someone other than a MSE. In case of more than one such MSE qualifying for 15% purchase preference, the order shall be awarded to lowest eligible MSE amongst the MSEs qualifying for 15% purchase preference.

Or

- b) As per Purchase Preference Policy (linked with local content) as issued by Ministry of Petroleum & Natural Gas, Government of India vide notification no. FP-20013/2/2017-FP-PNG dated 17.11.2020, Class-I local bidder with local content equal to or more than 50% (or as amended by competent authority from time to time) shall be eligible for purchase preference of 20%. Offer evaluation and award of order shall be based on the provisions of aforesaid policy.
- 5.0 If there is any discrepancy between the unit price and the total price, the unit price will prevail and the total price shall be corrected. Similarly, if there is any discrepancy between words and figure, the amounts in words shall prevail and will be adopted for evaluation.
- 6.0 For conversion of foreign currency into Indian currency, B.C. selling (Market) rate declared by State Bank of India, one day prior to the date of price bid opening shall be considered. However, if the time lag between the opening of the bids and final decision exceed 3(three) months, then B.C. Selling(Market) rate of exchange declared by SBI on the date prior to the date of final decision shall be adopted for conversion and evaluation.
- 7.0 Other terms and conditions of the enquiry shall be as per General Terms and Conditions for Indigenous Tender. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (BEC / BRC) mentioned here contradict the Clauses in the General Terms & Conditions of Indigenous Tender of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.

\*\*\*\*\*\* END OF ANNEXURE - C \*\*\*\*\*\*\*

# **APPENDIX -B1**

# Format of Authorization & Backup Warranty by Manufacturers to Sole Selling Agent/Dealer/Distributor/Supply House (To be typed on the letter head of the Manufacturers)

Ref. No	Date
Sub: Authorization & Backup Warra	<u>nty</u>
Ref: Your tender No Da	ated
To, The HOD-Materials Materials Deptt, OIL, Duliajan	
Sir,	
M/s (Name Tender No floated by C which will be manufactured by us. As process, we authorize M/s.	me & address of the Manufacturer) hereby authorize & address of the Bidder) to submit their Bid against DIL INDIA LIMITED (OIL) for supply tendered goods, we do not participate directly against such tendering (name of the Bidder) to participate as our only Sole oply House (strike out whichever is not applicable)
event of placement of purchase orde	ugh M/s (name of the Bidder) in the r by OIL and shall provide all back-up supports as ality & workmanship of supplied materials.
	rantee/guaranty shall remain valid throughout the (Name of the Bidder) including the defect liability on them.
Yours faithfully, For (Name of the manufacture)	
Name & Signature of Authorized signa	itory:
Designation:	
Phone No.	
Place:	
Date :	
Seal of the Manufacturer:	
	*********

# ANNEXURE - D

# **TECHNICAL CHECKLIST**

Not applicable.

# COMMERCIAL CHECK LIST

**A.** The Commercial Check List must be completed and returned with your offer. Please ensure that all these points are covered in your offer. These will ensure that your offer is properly evaluated. Please select "yes" or "no" to the following questions, in the right hand column.

SI. No.	REQUIREMENT	COMPLI ANCE Yes/No/ Not Applicab le
1.0	Whether bid submitted under Single Stage Two Bid System?	
2.0	Whether quoted as manufacturer?	
2.1	Whether quoted as OEM Dealer/Supply House.	
2.2	If quoted as OEM Dealer/Supply House	
	(a) Whether submitted valid and proper authorization letter from manufacturer confirming that bidder is their authorized Dealer/supply House for the product offered?	
	(b) Whether manufacturer's back-up Warranty/Guarantee certificate submitted?	
3.0	Whether Purchase Preference claimed? If so, whether under -	
	(i) PPLC (Whether relevant documents uploaded?)	
	(ii) MSE (Whether relevant documents uploaded?)	
	(iii) DMS&IP (Whether relevant documents uploaded?)	
4.0	Whether offered firm prices?	
4.1	Whether quoted offer validity of 120 days from the bid closing date of tender?	
4.2	Whether quoted a firm delivery period?	
4.3	Whether agreed to the NIT Warranty clause?	
4.4	Whether confirmed acceptance of tender Payment Terms as per Tender?	
5.0	Whether confirmed to submit PBG as asked for in NIT?	
5.1	Whether agreed to submit PBG within 30 days of placement of order?	
6.0	Whether Price submitted as per Price Schedule?	
6.1	Whether cost of Recommended Spares for 2 years of operations quoted (if applicable)?	
7.0	Whether quoted as per NIT (without any deviations)?	

PART - A

7.0 Whether quoted any deviation?	
7.1 Whether deviation separately highlighted?	
8.0 Whether indicated the country of origin for the items quoted?	
8.1 Whether technical literature / catalogue enclosed?	
8.2 Whether weight & volume of items offered indicated?	
9.0 For Foreign Bidders - Whether offered FOB/FCA port of	
despatch including sea/air worthy packing & forwarding?	
9.1 For Foreign Bidders – Whether port of shipment indicated? To	
specify:	
For Foreign Bidders only - Whether indicated ocean freight up	
to Kolkata port (Excluding marine insurance)?	
9.3 Whether Indian Agent applicable?	
If YES, whether following details of Indian Agent provided?	
(a) Name & address of the agent in India – To indicate	
(b) Amount of agency commission – To indicate	
(c) Whether agency commission included in quoted material	
value?	
10.0 For Indian Bidders – Whether indicated the place from where	
the goods will be dispatched.	
To specify:	
10.1 For Indian Bidders – Whether road transportation charges up	
to Duliajan quoted?	
10.2 For Indian Bidders only - Whether offered Ex-works price is	
including packing/forwarding charges?	
10.3 For Indian Bidders only - Whether indicated import content in	
the offer?	
10.4 For Indian Bidders only - Whether offered Deemed Export	
prices?	
10.5 For Indian Bidders only – Whether all applicable Taxes &	
Duties have been quoted?	
11.0 Whether all BRC/BEC clauses accepted?	
12.0 Whether Integrity Pact with digital signature uploaded?	
12.1 Whether all the clauses in the Integrity Pact have been	
accepted?	
13.0 Whether indicated 'Local Content' required as per PPLC	
Policy?	
14.0 Whether indicated the import content in Price Bid?	

# B. <u>ADDITIONAL INFORMATION</u> (To be filled up by bidder and submit along with Technical Bid):

SI N o	Requirement	Bidder's Reply
1	Offer reference & Date	
2	Name, Address, Phone No & E-mail of Bidder	
3	Bank details of Bidder	
4	Name of Manufacturer	
5	Bid validity	
6	Payment Terms	
7	Guarantee/Warranty Terms	
8	Delivery Period	
9	Country of Origin	
10	Port of Despatch/Despatching Station	
11	Confirm submission Integrity pact, if required as per NIT	
12	Confirm acceptance of PBG clause, if required as per NIT	
13	Compliance to: Liquidated Damage Warranty/Guarantee Arbitration/Resolution of Dispute Force Majeure Applicable laws	
14	Confirm submission of the balance sheet/Financial Statements for the financial year (as applicable). If not, whether declaration as per BRC submitted (PROFORMA - 8).	
15	Confirm submission of undertaking towards authenticity of submitted documents.	
16	Exception/Deviations quoted, if any, to be given in details or refer to respective page of the bid documents. ANNEXURE III of General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) submitted in this regard?	
17	Whether submitted all the applicable Annexures as per document General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders).	

C. <u>ADDITIONAL INFORMATION ON EXPERIENCE CRITERIA CLAUSE OF BRC-TECHNICAL</u>. (To be filled up by bidder and submit along with Technical Bid):

SI N o	Requirement	Bidder's Reply
	Whether all documents have been submitted as required for fulfilling Experience criteria clause of BRC-Technical.	
	Name and details of the E&P company or Service provider to E&P company to whom the bidder has successfully executed orders / contracts for atleast 50% of the tendered quantity as per Experience criteria clause of BRC-Technical.	
	Whether submitted the profile and other documents of the E&P company or Service provider to E&P company for verification (viz. Annual reports, Memorandum of Association, Article of Association etc.)	

\*\*\*\*\*

# ANNEXURE - E

BID EVALUATION MATRIX (TECHNICAL)
(TO BE FILLED IN BY BIDDER DULY SIGNED)
TECHNICAL SPECIFICATIONS
Not applicable.

\*\*\*\*\*

# ANNEXURE - F

	BID EVALUATION MATRIX (BID REJECTION CRITERIA) (TO BE FILLED IN BY BIDDER DULY SIGNED)			
	BID EVALUATION CRITERIA			
	DESCRIPTION	BIDDER'S RESPONS E (Complied / Not Complied /Deviatio n/Not Applicable )	TO BE FILLED BY THE BIDDER  Relevant Location of their Bid to support the remarks / complianc e  (Reference of Document name / Serial number / Page number of bid for document ary evidence)	
A.1	TECHNICAL:			
<b>1.0</b>	BIDDER'S QUALIFICATION CRITERIA:  The bidder shall be an Original Equipment Manufacturer			
' ' '	(OEM) of Fluid pumping unit.			
	OR			
1.2	The bidder shall be a Sole Selling Agent/Dealer/Distributor/Supply House of OEM of Fluid pumping unit.			
	<u>Note</u> :			
	a) Bidders other than OEMs must submit a valid Authorization letter and back-up warranty from the manufacturer as per format enclosed herein vide			

**APPENDIX-B1**. The Authorization letter must be duly sealed & signed by the Manufacturer on their official letter head and the status of the Bidder (whether Sole Selling Agent/Dealer/Distributor/Supply House) should be identified.

b) The Sole Selling Agent/Dealer/Distributor/Supply House shall categorically confirm in their technical bid that there will be no change of the proposed OEM after submission of the bid.

# 2.0 BIDDERS' EXPERIENCE:

- 2.1 In case the Bidder is an **Original Equipment Manufacturer (OEM)** of Fluid pumping unit, the bidder shall have the experience of successful execution (supply, installation and commissioning) of order(s) for 50% of tender item quantity rounded off to next higher integer (i.e. 01 no) of tender item (i.e. Fluid pumping unit) in last five (05) years preceding the bid closing date of this tender to any E&P company or service provider to an E&P company. Documentary evidences in this regard must be submitted along with the Technical Bid as per Para 2.3.
- 2.2 In case the Bidder is a **Sole Selling**Agent/Dealer/Distributor/Supply House of the
  Original Equipment Manufacturer (OEM) of Fluid
  pumping unit, the following criteria shall be met by the
  Bidder and the OEM:
  - i) The Bidder as Sole Sellina Agent/Dealer/Distributor/Supply House shall have the experience of successful execution (supply, installation and commissioning) of order(s) for 50% of tender item quantity rounded off to next higher integer (i.e. 01 no) of tender item (i.e. Fluid pumping unit.) (manufactured by either the proposed OEM or any other OEM) in last five (05) years preceding the bid closing date of this tender to any E&P company or service provider to an E&P company. Documentary evidences in this regard must be submitted along with the Technical Bid as per Para 2.3.
  - ii) Their **Original Equipment Manufacturer (OEM)** must meet the experience criteria set out in para 2.1 above and documentary evidences in this regard must be submitted along with the Technical Bid as per para 2.3.

# 2.3 NOTES TO BIDDER REGARDING EXPERIENCE CRITERIA

- 2.3.1 The following documentary evidences to substantiate above experience records (2.1 and 2.2, as applicable) of the Bidder must be submitted alongwith the technical bid, failing which the Bid shall be treated as incomplete and rejected:
  - (a) Copy of Purchase order(s)/contract(s) awarded by Client(s)
  - (b) Any one or combination of the following documents that confirms the successful execution of each of the purchase order(s) / contract(s) -

True copies of Original Signed and sealed Completion report/performance certificate from the clients (on Client's/User's official letter head with signature & stamp) duly notarized by Government Notary.

OR

Copy of Bill of Lading

OR

Copy of Consignee delivery receipts/challans

OR

Copy of Tax Invoice/Excise Gate Pass issued under relevant Act/rules

OR

Copy of Commercial Invoice/Payment Certificate

- 2.3.2 The date of purchase order(s)/contract(s) need not be within five (5) years preceding the original bid closing date of the Tender, but execution/ supply of required quantity must be within five (5) years preceding the original bid closing date of this tender.
- 2.3.3 The service provider to an E&P company shall mean company who has bought the tender item (Fluid pumping unit.) and has provided service to an E&P company utilising the tender item (Fluid pumping Unit).
- 2.3.4 In case experience credentials is submitted for past supply to a service provider, the submitted documents (as per para 2.3.1) should clearly indicate name of the E&P Company for which the tender item has been utilized. On the contrary, a declaration from the service provider (on their official letter head with signature & stamp) is required to be submitted stating the name of the E&P company for which the tender item has been utilized for providing service.
- 2.3.5 In case of extension to the scheduled Bid Closing date of this tender, if any, the Original scheduled Bid closing Date shall be considered for evaluation of Bids.
- 2.3.6 Against all supporting documents submitted by the bidder alongwith the technical bid, originals must be

PART - A kept ready and to be produced for verification of OIL, if called for. 3.0 **DELIVERY PERIOD:** INDIAN BIDDER: Materials must be despatched within (08) months from the date of placement of order by OIL. The date of clear LR or C/Note shall be considered as the date of delivery. FOREIGN BIDDER: Materials must delivered on FOB, Port of Shipment basis within (08) months from the date of opening of Letter of Credit by OIL. The date of unambiguous Bill of Lading (B/L) shall be considered as the date of delivery. Bids submitted by Bidders quoting delivery period more than the abovementioned duration shall not be accepted. Bidders must categorically confirm the delivery period in

\*\*\*\*\*

their Technical Bid.

# ANNEXURE - G(i) & ANNEXURE G(ii)

# PRICE BID FORMAT

(Uploaded as attachment in the Attachment Tab "Notes and Attachments" in e-portal)

# PART - B

# TENDER NO. SDG6888P22/07 dated 29.04.2021

Annexure - H		AA: General Notes to Bidders
		BB: Additional Notes to Bidders
Appendix - A1		Purchase Preference (linked with local content) policy
Appendix - A2		Policy for providing preference to Domestically Manufactured Iron & Steel Products (DMI & SP)
Appendix - A3		Amendment to DMI&SP vide Gazette notification No. S-13026/1/2020- IDD dated 31.12.2020, Ministry of Steel for certain amendment to DMI&SP policy
Appendix - A4		Restrictions on procurement from a bidder of a country which shares a land border with India.
General Terms &	:	General Terms & Conditions" for e-Procurement as per Booklet
Conditions		No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders).
Proforma - 1	:	Format for Bid Security Declaration
Proforma - 2	:	Format for Integrity Pact
Proforma - 3	:	Format for Performance Security
Proforma - 4	:	Format for undertaking towards submission of authentic information/ documents
Proforma - 5		Format for undertaking towards compliance of restriction on procurement from a bidder of a country which shares a land border with India
Proforma - 6		Form 10F
Proforma - 7	:	Format for No Business Connection or Permanent Establishment Certificate
Proforma - 8	:	Format for undertaking towards compliance of Financial Criteria
Proforma - 9	:	Format for Annual Turn Over and Networth Certificate
Proforma - 10	:	Format for Corporate Guarantee towards Financial Standing

# **ANNEXURE – H**

### AA: GENERAL NOTES TO BIDDERS:

- 1.0 Bidders without having E-tender Login ID and Password should complete their online registration at least 7 (seven) days prior to the scheduled bid closing date and time of the tender. For online registration, Bidder may visit the OIL's E-tender sitehttps://etender.srm.oilindia.in/irj/portal
- 1.1 Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.
- 2.0 The tender will be governed by "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to "General Terms & Conditions" for e-Procurement. However, if any of the clauses of the Bid Rejection Criteria (BRC) / Bid Evaluation Criteria (BEC) mentioned here contradict the clauses in the "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) of the tender and/or elsewhere, those mentioned in this BEC / BRC shall prevail.
- 3.0 Bid must be submitted online through OIL's e-procurement portal. Bid submitted in any other form will be rejected.
- 4.0 Bidders are requested to go through the 'Vendor User Manual', 'Guidelines to Bidders for participating in OIL e-tenders', 'New Instruction to bidders for submission of bid' and 'Vendor User Manual for e-tendering' available in the e-portal home page before submitting offer in the e-portal.
- Bids are invited online under **SINGLE STAGE TWO BID SYSTEM**. Bidders must prepare the **TECHNO-COMMERCIAL BID (UNPRICED)** as well as the **PRICED BID** separately and upload both these bids in OlL's e-procurement portal at the designated fields separately assigned. Please note that no price details should be furnished in the Technical (i.e. Unpriced) bid. The "Unpriced Bid" shall contain all techno-commercial details except the prices/costs. The "Price Bid" must contain the price schedule and the bidder's commercial terms and conditions. Bidder not complying with above submission procedure will be rejected. Please do refer the User Manual provided on the portal on the procedure "How to create Response for submitting offer."
- 5.1 The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. Details of prices as per Price Bid format (Price Schedule) to be uploaded as attachment in the Attachment Tab "Notes and Attachments". Any offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria mentioned in the tender.

**Notes and Attachments** 

→ Only price details should be uploaded

**Technical attachments** 

→ All technical bid documents except price details

Bidders are requested to go through the 'New Vendor Manual', 'Guidelines to Bidders for participating in OIL e-tenders', 'New Instruction to bidders for submission of bid' and 'Vendor User Manual for e-tendering' available in the e-portal home page before submitting offer in system.

Oil India Limited e-Procurement	
User ID * Password * Guest User Log on Logon Problems? Get Support	
Supplier Enlistment for E-Tender Important Note for New Portal Users: Click here to View Compatability Settings General Guidelines to bidders Click for User Manuals	
2012 Oil India Limited. All rights reserved.  Click for Terms of use, Privacy Policy, Refund Policy Docs	

- In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFx Response-> User > Technical Bid. No price should be given in above Technical Rfx otherwise the offer will be rejected. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFx Response-> User > Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. Details of prices as per Price Schedule can be uploaded as Attachment under the attachment option under "Notes & Attachments".
- 6.0 For the convenience of the qualified Bidders and to improve transparency, the rates/costs quoted by bidders against OIL's e-tenders shall be available for online viewing by such Bidders whose price bids are opened by Company. A Bidder can view item-wise rates/costs of all other such peer bidders against the tender immediately after price bid opening, if the e-tender is floated by Company with PRICE CONDITION. In case the Price Bid is invited by Company through attachment form under "Notes & Attachments" (i.e., NO PRICE CONDITION), Bidder must upload their detailed Price-Bid as per the prescribed format under "Notes & Attachment", in addition to filling up the "Total Bid Value" Tab taking into account the cost of all individual line items and other applicable charges like freight, tax, duties, levies etc.. Under NO PRICE Condition (i.e. Price Bid in attachment form), the "Total Bid Value" as calculated & quoted by the Bidder shall only be shared amongst the eligible bidders and Company will not assume any responsibility whatsoever towards calculation errors/omissions therein, if any. Notwithstanding to sharing the "Total Bid Value" or the same is whether filled up by the Bidder or not. Company will evaluate the cost details to ascertain the inter-se-ranking of bidders strictly as per the unloaded attachment and Bid Evaluation Criteria only. Online view of pries as above shall be available to the Bidders only upto seven days from the date of Price-Bid opening of the e-tender.
- 7.0 In case of SINGLE STAGE TWO BID SYSTEM, priced bids of only those bidders will be opened whose offers are found to be techno-commercially & financially acceptable.
- 8.0 The prices must be strictly submitted as per the price bid format only uploaded under tab "Notes & Attachment". The prices/rates offered against the tender must remain firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price condition shall be treated as non-responsive and rejected. No discount whatsoever should be quoted separately. Rates/prices quoted must be net of all discount.
- 9.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidder's risk and may result in rejection of its offer without seeking any clarifications.

- No Bid Security /Earnest Money Deposit (EMD) shall be applicable till 31.12.2021. Instead of EMD /Bid Security, all the bidders shall be required to sign a "Bid Security Declaration" accepting that if they withdraw or modify their Bids during the period of validity, or if they are awarded the contract and they fail to sign the contract, or to submit a performance security before the deadline defined in the NIT/ Purchase order, they shall be suspended for the period of 2 (two) years. This suspension of two years shall be automatic without conducting any enquiry. Bidders shall submit "Bid Securing Declaration" as per enclosed **PROFORMA 1** along with their Technical bids.
- 11.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribing tender no. and due date to GM Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam on or before 13:00 hrs (IST) on the Bid Closing Date mentioned in the Tender.
  - a) Deleted
  - b) Any other documents which have been particularly asked for in this tender for submission.
- 11.1 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above-mentioned address before the bid closing date and time, failing which the offer shall be rejected.

#### 12.0 **AMENDMENT OF TENDER DOCUMENTS:**

At any time prior to the deadline for submission of bids, the Company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the tender Documents through issuance of Corrigendum(s)/Addendum(s).

- 12.1 The Corrigendum(s)/ Addendum(s) will be uploaded in OIL's E-Tender Portal in the Tab "Technical Rfx" and under External Area "Amendments" folder. The Company may, at its discretion, extend the deadline for bid submission. Bidders are expected to take the Corrigendum(s)/ Addendum(s) into account in preparation and submission of their bid. Bidders are to check from time to time the e-tender portal ["Technical RFx" Tab and under the folder "Amendments"] for any amendments to the bid documents before submission of their bids. No separate intimation shall be sent to the Bidders.
- 13.0 Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation.
- Original Bid Closing Date shall be considered by OIL for evaluation of BRC Criteria in case of any extension of the original bid closing date.
- 15.0 Prior to the detailed evaluation, OIL will determine the substantial responsiveness of each bid to the requirement of the Bidding Documents. For purpose of these paragraphs, a substantially responsive bid is one, which conforms to all the terms and conditions of the Bidding Document without material deviations or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality, or performance of work, or which limits in any substantial way, in-consistent way with the bidding documents, the Company's right or the bidder's obligations under the contract, and the rectification of which deviation or reservation would affect unfairly the competitive position of other bidders presenting substantial responsive bids. OIL's determination of bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.
- To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by OIL, failing which the offer will be summarily rejected. However, bidder(s) must note that there should not be any additional financial involvement arising out of such post tender clarifications.
- To assist in the examination, evaluation and comparison of bids, normally no clarifications shall be sought from the Bidders. However, for assisting in the evaluation of the bids especially on the issues where the Bidder confirms compliance in the evaluation and contradiction exists on the same issues due to lack of required supporting documents in the Bid (i.e. document is deficient or missing), or due to

- some statement at other place of the Bid (i.e. reconfirmation of confirmation) or vice versa, clarifications may be sought by OIL at its discretion. The request for clarification and the response shall be in writing and no change in the price or substance of the bid shall be sought, offered or permitted.
- 16.0 A job executed by a bidder for its own organization/subsidiary cannot be considered as experience for the purpose of meeting BRC/BEC.
- 17.0 Indian Bidders shall indicate the following in their offer:
  - (i) Ex-Works unit and total price as per price bid format including packing, forwarding and insurance; all costs as well as duties and taxes paid or payable on components and raw materials incorporated or to be incorporated in the goods, inspection, testing and loading on transport carrier etc.
  - (ii) The quoted price shall be deemed to be inclusive of all taxes and duties except "Goods and Services Tax" (hereinafter called GST) (i.e. IGST or CGST and SGST/UTGST applicable in case of interstate supply or intra state supply respectively and GST compensation Cess (if applicable).
  - (iii) Built in CIF value of import for raw material and components incorporated or to be incorporated in the goods and included in quoted price. The bidder shall provide description of such material, quantity, rate, value etc.
  - (iv) Inland transportation charges from dispatch point to designated Project Site/dump area/dump yard including loading and unloading of materials at site. The prices should be inclusive of all taxes, duties, levies etc.
- 18.0 Foreign Bidders shall indicate the following in their offer:
  - (i) Bidders shall submit their unit & total prices on FOB International Port of Shipment, and C&F Port of entry, India basis as detailed out in the Price Schedule. The request for different price basis is merely to facilitate the comparison of bids and will not in any way limit the OIL's right to contract on different terms.
  - (ii) Bidder shall also quote for Ocean Freight charges (including stowage charges) upto the port of entry, India, in the price schedule. The request for separate FOB Price and Ocean Freight is merely to facilitate the comparison of bids.
- 19.0 All shipments of material and containerised cargo shall be made by suitable vessels certified for seaworthiness and complying with National/International safety regulations.
- 19.1 Seller shall inform the shipping details (Vessel details, Estimated Time of Arrival etc.) immediately on receipt of Bill of Lading. Detention & Demurrages, if any, due to early arrival of vessel, shall be to bidder's account.
- 20.0 In case of placement of order, OIL reserves the right to convert the order from FOB Port of export to C&F Kolkata term considering the ocean freight quoted by the bidder in their offer. In case the order is converted to C&F Kolkata Port, the performance security amount shall also be enhanced considering the quoted ocean freight charges.
- 20.1 Bidder should confirm in their quotation that in case of C&F order, their nominated freight forwarder should provide Delivery Order under Single Window facility having office of local agent in India at Kolkata and offer 14 days free detention time of containers at discharging port.
- 21.0 In case a Foreign Bidder's offer is based on certain component sourced within India, additional terms & condition specified elsewhere in the bid document shall be applicable in respect to such components.
- 22.0 In case any payment receipt of the foreign bidder against the order is subject to tax deduction at source in India, the Bidder shall quote their prices gross of Indian income tax. i.e., inclusive of Indian Income Tax at the applicable prevailing rate as per Indian Income Tax rules. OIL shall deduct at source the tax as applicable while making payments against each invoice for the services in India. Certificate for Tax Deducted at Source (TDS) shall be provided to the Seller.

- 23.0 Both Indian bidder and Foreign bidder must note that no trans-shipment en route is permitted. However, under exceptional circumstances, trans-shipment maybe allowed with prior consent of OIL. No charges shall be payable for such transshipment and consequent handling/storage of the goods.
- 24.0 Indian bidders are required to indicate both Ex-works as well as FOR Destination price by road. OIL reserves the right to place order on FOR (despatching station) or FOR (destination) terms. Offered rates should be kept firm through delivery/despatch.
- 25.0 Currency once quoted will not be allowed to be changed. OIL shall not be compensating for any exchange rate fluctuation.

#### 26.0 **ROAD DESPATCH**

- a) In the event of an order other than FOR Destination terms, the material will be required to despatch through OIL's approved transporters (which will be specified in the order) on "Door Delivery" basis. [Note: Sundry Consignment with weight lesser than 03(three) Tons shall be delivered at OIL's approved transporters godown.]
- b) For orders placed on FOR Destination basis, the material will be required to despatch through reputed Bank approved transporters only on Door Delivery basis. In case OIL is required to collect the material from transporters Godown, extra expenditure incurred thereof will be recovered from the Bidder/seller.
- c) The Seller shall ensure with Transport Company the delivery of materials within a reasonable transit period. Seller shall also obtain from transporter, particulars of Lorry Number, Transporter's Challan Number, destination of lorry (if transhipment is involved), Transporter's Agent at destination, if any, etc. and intimate same to OIL.
- 27.0 Net. Weight, Gross Weight & Volume, Indian Agent's Name and its Commission, Payment Terms, Ocean Freight/Air Freight Charges, Port of Loading, Delivery period, Country of origin with manufacturer's name, etc. should be clearly mentioned in the bid.

#### 28.0 **SHORT SHIPMENTS**

Seller should thoroughly check all items in the packing before effecting shipment. If any item(s) are found short packed in sound boxes on examination at project site, Seller shall be responsible to supply short packed items free of charge on receipt of advice from Purchaser.

#### 29.0 **IMPORTANT NOTES**:

Bidders shall take note of the following important points while participating in OIL's e-procurement tender:

- a) Bid should be submitted online in OIL's E-procurement site up to 11.00 Hrs. (IST) (Server Time) on the date as mentioned and will be opened on the same day at 14.00 Hrs. (IST) at the office of the GM-Materials in presence of the authorized representatives of the bidders.
- b) Bidders are advised in their own interest to ensure that their bids are uploaded in system before the closing date and time of the bid. The documents in physical form (if any, required as per tender), if received by the Company after the deadline for submission prescribed by the Company shall be rejected and shall be returned to the Bidders in unopened condition.
- OIL shall be entering into an Integrity Pact, **if applicable** with the bidders as per format enclosed vide **PROFORMA 2** of the tender document. This Integrity Pact proforma has been duly signed digitally by OIL's competent signatory. The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact have been signed by the bidder's authorized signatory who sign the Bid. If any bidder refuses to sign Integrity Pact or declines to submit Integrity Pact with the offer, their bid shall be rejected straightway.

OIL's Independent External Monitors at present are as under:

Shri Sutanu Behuria, IAS (Retd.), e-mail ID : sutanu2911@gmail.com

Shri Om Prakash Singh, IPS (Retd.), Former DGP, Uttar Pradesh e-mail: Ops2020@rediffmail.com

Shri Rudhra Gangadharan, IAS (Retd.), Ex-Secretary, Ministry of Agriculture e-mail id : rudhra.gangadharan@gmail.com

- 31.0 To participate in OIL's E-procurement tender, bidders should have a legally valid digital certificate of Class 3 with Organizations Name and Encryption certificate as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (http://www.cca.gov.in). Digital Signature Certificates having "Organization Name" field as "Personal" are not acceptable.
- 31.1 Digital Signature Certificate comes in a pair of Signing/verification and Encryption/decryption certificate. Bidder should have both the Signing/verification and Encryption/Decryption certificate for Signing and encryption, decryption purpose respectively. The driver needs to be installed once, without which the DSC will not be recognized. While participating on e-Tendering the DSC token should be connected to your system.
- 31.2 Encryption certificate is mandatorily required for submission of bid. In case bidder created response with one certificate (using encryption key) and bidder change his Digital Signature Certificate then old certificate [Used for encryption] is required in order to decrypt his encrypted response for getting the EDIT mode of the response. Once decryption is done, bidder may use new DSC certificate for uploading and submission of their offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of the certificate, OIL INDIA LIMITED is not responsible.

#### 32.0 **PERFORMANCE SECURITY**

Unless otherwise specified, the Seller shall furnish Performance Security to Purchaser in the form of a Bank Guarantee/Letter of Credit/ Demand Draft within 30 days of notification of purchase order/contract for the value and validity as per terms of Purchase order/contract. Performance Security shall be strictly as per the format prescribed vide **PROFORMA-3** to this document.

- 32.1 Performance Security shall be issued from any scheduled Indian Bank or any branch of an International Bank situated in India and registered with the Reserve Bank of India as scheduled foreign Bank in case of domestic suppliers.
- In case of overseas suppliers, the Performance Security can be accepted from any scheduled bank in India or from an International Bank having its branch in India registered with the Reserve Bank of India.
- 32.3 Performance Security issued by any foreign Bank which is not a scheduled Bank in India can also be accepted, provided the same is counter-guaranteed by any Branch situated in India of any scheduled Bank incorporated in India.
- 32.4 Bank Guarantee issued by a scheduled Bank in India at the request of some other non-scheduled Bank in India shall not be accepted.
- Purchaser reserves the right to cancel the order and forfeit the corresponding Bid Security, in case of failure on the part of Seller to submit Performance Security as above.
- 32.6 The amount of Performance Security and the date of expiry of the Performance Security shall be as specified in the LOA/Purchase Order. Unless specified otherwise, the amount of Performance Security in case of Procurement of Goods shall be 3% of order value (excluding taxes & duties).

- 32.7 The Performance Security shall be in the denomination of the currency of Purchase Order or in equivalent US Dollars converted at the B.C. Selling Rate of State Bank of India, Kolkata main branch on the date of Purchase Order.
- Bank Guarantees issued by a Bank in India should be on non-judicial Stamp Paper/Franking receipt of requisite value, as per Indian Stamp Act, purchased in the name of the Banker or the Seller.
- 32.9 Bank Guarantee/Letter of Credit with condition other than those mentioned in OIL's prescribed format shall not be accepted.
- 32.10 The Bank Guarantee issued by a Bank amongst others shall contain the complete address of the Bank including Phone Nos., Fax Nos., E-mail address, Code Nos. of the authorized signatory with full name and designation and Branch Code.
- 32.11 The Performance Security shall be payable to Purchaser as compensation for any breach or loss resulting from Supplier's failure to fulfil its obligations under the Purchase Order/Contract. In the event of such default on the part of Seller, the Performance Security shall be encashed unconditionally and the proceeds thereof shall be forfeited without any further reference to the Seller. In such an eventuality, the Seller shall be liable to face penal actions including debarment as per OIL's Banning Policy, 2017.
- 32.12 The Performance Security specified above must be valid for three (3) months beyond the Warranty Period (if any) indicated in the Purchase Order/Contract agreement. The Performance Security shall be discharged by Purchaser not later than 30 days following its expiry after completion of obligations under the order/contract. In the event of any extension to the contractual validity or delay in supply/ execution or extension of Warranty Period of the Purchase Order/Contract, validity of the Performance Security shall be extended by the Seller/Contractor by the equivalent period.
- 32.13 The Performance Security shall not accrue any interest during its period of validity or extended validity. OIL shall not be liable to pay any bank charges, commission or interest on the amount of Performance Security.
- 32.14 Failure of the successful Bidder to comply with the requirements of above clauses shall constitute sufficient grounds for annulment of the award and forfeiture of their Bid Security or Performance Security. The defaulting party shall also be debarred from business as per OIL's Banning Policy, 2017
- 32.15 In case, the Performance Security in the form of a Bank Guarantee/ Letter of Credit is found to be not genuine or issued by a fake banker or issued under the fake signatures, the LOI/Purchase Order issued/placed on the bidder shall be treated as cancelled forthwith and the bidder shall be banned from participating in future tenders in accordance with the provisions of Company's Banning Policy, 2017. Further, the Bid Security submitted by such bidder shall be invoked without any further reference, besides other penal action, as the Company may think appropriate.
- 32.16 In case of Bank Guarantee, the Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:
  - (i) MT 760 / MT 760 COV for issuance of Bank Guarantee
  - (ii) MT 760 / MT 767 COV for amendment of Bank Guarantee

The above message / intimation shall be sent through SFMS by the BG issuing Bank branch to HDFC Bank, Duliajan Branch, IFS Code – HDFC0002118; SWIFT Code - HDFCINBBCAL. Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN – 786602. The vendor shall submit to OIL the copy of the SFMS message as sent by the issuing bank branch along with the original bank guarantee.

32.17 In case of online payment, refund will be made in [INR] using the exchange rate prevailing as on the date of actual receipt of Performance Bank Guarantee amount. The refund amount shall not (in any case) exceed the amount actually received.

- 32.18 In case Annual Maintenance Contract (AMC) is required and OIL intends to enter into a separate contract with the successful bidder for AMC, the Successful bidder must undertake to submit separate Performance Security against the AMC at the applicable rate & validity to be stipulated in the contract. (3% of annualized contract value valid for three months beyond entire execution period).
- 33.0 Bidder upload completely filled up Commercial Check List (Annexure D) and Bid Evaluation matrix (Technical) (Annexure E) and Bid Evaluation Matrix (BRC) (Annexure F) failing which their offer may be liable for rejection.

#### 34.0 **PAYMENT TERMS**

Refer to "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including Amendments & Addendum to "General Terms & Conditions" for e- Procurement.

# 35.0 **EFFECTIVE DATE OF CONTRACT/ORDER**:

Unless otherwise specified in the contrary, the date of LOA will be the start of the Contract/Order for all practical purposes.

The items covered in this Tender shall be used by Oil India Limited in the PEL/ML areas and hence Nil rate of Customs Duty towards import (for foreign bidders) and concessional GST @5% (for foreign & indigenous bidder) will be applicable as per Govt. Policy in vogue.

Overseas Bidders are not required to include Customs Duty and IGST components in their quoted cost, since all applicable taxes & Duties in India shall be to the account of Oil India Limited.

In the event of an order on indigenous bidder, OIL will issue Project Authority Certificate (PAC) under Deemed Export Benefit Scheme, where import content is declared by the bidder for availing Custom Duty benefit on the import content.

Supplier shall arrange to provide all necessary documents (invoice etc.) to OIL for applying Essentiality Certificate on receipt of request from OIL, if any. Further, Suppliers shall affect dispatch only on receipt of relevant certificates/shipment clearance from OIL, failing which all related liabilities shall be to Supplier's account.

In the event of the order, the successful bidder shall submit proforma/commercial invoice on or <u>before</u> <u>45 days</u> of Delivery/Dispatch date stipulated in the order for processing Essentiality Certificate (EC) application.

37.0 Quantity of Individual item may be increased or decrease at the time of final placement of order. The minimum FOB/FCA charges in case of partial order for reduced quantity/enhanced quantity shall have to be indicated by the bidder. In case, this is not indicated specifically, the charges quoted would be prorata calculated and the same will be binding on the bidder.

#### 38.0 FURNISHING FRAUDULENT INFORMATION/ DOCUMENT:

If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/ Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. In this regard, bidders are requested to submit an Undertaking as per **PROFORMA - 4** along with their offer failing which their offer shall be liable for rejection.

#### 39.0 **COUNTRY OF ORIGIN**

Shall mean the place where the goods/products is/are manufactured or supplied from or the services are rendered.

- 39.1 Bidders shall indicate Country of Origin item-wise. In case of mixed country of origin, percentage distribution of contents with respect to each country of origin must be stated.
- 39.2 In case of imported items, the successful bidder shall submit "Certificate of Origin" issued only by

"Chambers of Commerce" along with the shipping document.

### 40.0 **GOODS & SERVICES TAX(GST)**

- 1. For the purposes of levy and imposition of GST, the expressions shall have the following meanings:
  - (a) GST means any tax imposed on the supply of goods and/or services under GST Law.
  - (b) Cess means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act,2017.
  - (c) GST Law means IGST Act 2017, CGST Act 2017, UTGST Act, 2017 and SGST Act, 2017and all related ancillary Rules and Notifications issued in this regard from time to time.
- 2. The rates quoted by the bidders shall be inclusive of all taxes, duties and levies. However, bidders are required to provide separately the rate and amount of all types of taxes, duties and levies. In case, the quoted information related to various taxes, duties & levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/ tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference in case the rate of duty/ taxes finally assessed is on the lower side. Further, bidders have to clearly show the amount of GST separately in the Tax Invoices. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.
- 3. Offers without giving any of the details of the taxes (Including rates and amounts) as specified above will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ Contracts will be binding on the bidder.
- 4. Bidders are required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profiteering Measure vide Section 171 of the CGST Act, 2017. Accordingly, for supplies made under GST, the bidders should confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the bidders to ensure that the intended benefits of GST have been passed on to OIL.
- Oil India Ltd. shall declare the value of free issue of materials and services, if any, involved in the execution of the contract. The Contractor should consider the same while working out the GST liability, if any. Further in cases where GST is leviable on any facilities provided by OIL and used by bidders and the consideration for which is recovered by OIL in the form of reduction in the invoice raised by bidders then OIL will raise GST invoices on such transactions and the same will be reimbursed bybidders.

#### 6. When Input tax credit is available for Set Off

Evaluation of L-1 prices shall be done based on Quoted price after deduction of Input Tax Credit (ITC) of GST, if available to OIL.OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders.

#### When Input tax credit is NOT available for Set Off

Evaluation of L-1 prices shall be done based on Quoted price only. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders.

7. Bidders agree to do all things not limited to providing GST compliant Tax Invoices or other documentation as per GST law relating to the supply of goods and/or services covered in the

instant contract like raising of and /or acceptance or rejection of credit notes / debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and enable OIL to claim input tax credit in relation to any GST payable under this Contract or in respect of any supply under thisContract.

- 8. In case Input Tax Credit of GST is denied or demand is recovered from OIL by the Central / State Authorities on account of any non-compliance by bidders, including non-payment of GST charged and recovered, the Vendor/Supplier/Contractor shall indemnify OIL in respect of all claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such disputed amount from the pending payments of the bidders.
- In case there is a requirement to obtain registration by the bidder under the Indian laws (including but not limited to GST) for carrying out the transaction proposed under the tender/contract, bidder shall be the sole responsible person for obtaining such registration. Further, any cost associated with obtaining any such registration or complying with Indian laws (including but not limited to GST) shall be borne by the bidder solely. Any additional tax burden (including interest and penalty etc.) arising out of non-compliance of this requirement by the bidder will be to the bidder's account.
- 40.2 In no case OIL shall bear any additional liability for the arrangement between bidder and its suppliers/sub-vendors for complying with 'local content'.
- PUBLIC PROCUREMENT POLICY AND PURCHASE PREFERENCE TO MICRO AND SMALL ENTERPRISES:
  Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED)
  Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect
  of procurement of goods and services, produced and provided by micro and small enterprises, by its
  Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and
  Small Enterprises. Clause on applicability of Public Procurement Policy for procurement of goods from
  Micro and Small Enterprises (MSE) in the tender is furnished in "General Terms & Conditions" for eProcurement as per Booklet No. MM/GLOBAL/E-01/2005 for E-procurement (ICB Tenders) including
  Amendments & Addendum to "General Terms & Conditions" for e-Procurement. Bidders are requested
  to take note of the same and to submit their offers accordingly.
- 41.1 Categorisation and various criteria applicable to MSE bidders shall be guided by the Gazette notification no. CG-DL-E-26062020-220191 dated 26.06.2020 issued by Ministry of Micro, Small and Medium Enterprises.

The bidder claiming as MSE status (MSE-General, MSE-SC/ST, MSE -Woman) against this tender has to submit following documents for availing the benefits applicable to MSEs:

i. Udyam Registration No. with Udyam Registration certificate

<u>Note</u>: In case bidding MSE is owned by Schedule Caste or Schedule Tribe entrepreneur, valid documentary evidence issued by the agency who has registered the bidder as MSE owned by SC/ ST entrepreneur/ Woman Entrepreneurs should also be enclosed.

41.2 For availing benefits of Purchase Preference under Public Procurement Policy, the interested MSE Bidders must ensure that they are the manufacturer of tendered item(s) and registered with the appropriate authority for the said item(s). The technical offer of such MSE Bidders must include a valid copy of relevant MSE Certificate issued by appropriate authority specifying the item as per tender. Purchase Preference of 15% (fifteen percent) shall be extended to the eligible MSE Bidder (i.e. Manufacturer of tendered goods for procurement) over non-MSE L1 Bidder and PO shall be awarded for full tender quantity on such MSE bidder, subject to matching their quoted rates/costs with non-MSE L1 Bidder.

# 42.0 POLICY TO PROVIDE PURCHASE PREFERENCE (LINKED WITH LOCAL CONTENT) (PPLC):

Bidders to note that Ministry of Petroleum & Natural Gas, Government of India implemented PPLC Policy to provide Purchase Preference (linked with local content) by notification no. Ref. FP-20013/2/2017-FP-PNG dtd. 17.11.2020 and its amendment issued from time to time. Clause on applicability of Purchase Preference (linked with local content) policy in the tender is furnished as **APPENDIX – A1** of the tender document. PP-LC Policy (including its latest modifications/amendments) as may be prevailing on the date of Price Bid Opening shall be applicable against this tender. Bidders are requested to go through the policy and take note of the following while submitting their offer.

#### 1. Certification and Verification

Class I/Class II Local suppliers are eligible to bid only if they meet the local content norms, therefore whether or not they want to avail PP-LC benefit, it will still be mandatory for them to give adequate documentation as follows to establish their status as class-I or class-II local supplier:

# (i) At bidding stage:

- a) Price Break-up:
  - The bidder shall provide the percentage of local content in the bid.

b)

- The bidder shall submit an undertaking from the authorised signatory of bidder having the power of Attorney alongwith the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.
- In cases of procurement for a value in excess of Rs 10 crores, the undertaking submitted by the bidder shall be supported by a certificate from the statutory auditor or cost auditor of the company (in case of companies) or from a practicing cost accountant or practising chartered accountant (in respect of other than companies) giving the percentage of local content.
- However, in case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/ subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practising cost accountant or practising chartered accountant giving the percentage of local content is also acceptable.

#### (ii) After Contract Award

- The bidder shall submit an undertaking from the authorised signatory of bidder having the power of Attorney alongwith the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.
- In cases of procurement for a value in excess of Rs 10 crores, the undertaking submitted
  by the bidder shall be supported by a certificate from the statutory auditor or cost
  auditor of the company (in case of companies) or from a practicing cost accountant or
  practising chartered accountant (in respect of other than companies) giving the
  percentage of local content.
- However, in case of foreign bidder, certificate from the statutory auditor or cost auditor
  of their own office or subsidiary in India giving the percentage of local content is also
  acceptable. In case office or subsidiary in India does not exist or Indian office/ subsidiary
  is not required to appoint statutory auditor or cost auditor, certificate from practising
  cost accountant or practising chartered accountant giving the percentage of local
  content is also acceptable.
- Each supplier shall provide the necessary local-content documentation to the statutory auditor, which shall review and determine that local content requirements have been met, and issue a local content certificate to that effect on behalf of procuring company, stating the percentage of local content in the good or service measured. The Auditor shall keep all necessary information obtained

from suppliers for measurement of Local Content confidential.

- 3. The Local Content certificate shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- 4. As regards cases where currency quoted by the bidder is other than Indian Rupee, exchange rate prevailing on the date of notice inviting tender (NIT) shall be considered for the calculation of Local Content.
- 5. The Procuring Company shall also have the authority to audit as well as witness production processes to certify the achievement of the requisite local content.

# 43.0 <u>POLICY FOR PROVIDING PREFERENCE TO DOMESTICALLY MANUFACTURED IRON & STEEL PRODUCTS</u> (DMI&SP):

Policy for providing preference to domestically manufactured Iron and Steel products in govt. procurement, notified vide Gazette of India No 324 dated 29.05.2019 read with clarifications, if any issued by MoS on the policy **shall be applicable for this tender**. Bidders are required to confirm acceptance to the conditions of this policy.

Bidders who comply with all the provisions specified in **APPENDIX - A2** attached to this Tender Document and submit all the undertakings and documents applicable under the revised policy shall only be accepted.

Vide Gazette notification No. S-13026/1 /2020- IDD dated 31.12.2020, Ministry of Steel has issued certain amendment to the aforesaid policy. A copy of the said Gazette notification is also enclosed as **APPENDIX - A3**. Bidders are requested to take note of the same and to submit their offers accordingly, wherever applicable.

# 44.0 APPLICABILITY OF BANNING POLICY OF OIL INDIA LIMITED:

Banning Policy dated 6th January, 2017as uploaded in OIL's website will be applicable against the tender (and order in case of award) to deal with any agency (bidder/contractor/supplier/ vendor/service provider) who commits deception, default, fraud or indulged in other misconduct of whatsoever nature in the tendering process and/or order execution processes. Applicability of the policy shall include but not limited to the following in addition to other actions like invoking bid security/performance security/cancellation of order etc. as deemed fit and as mentioned elsewhere in the tender:

- a) Backing out by bidder within bid validity.
- b) Backing out by successful bidder after issue of LOA/Order/Contract
- c) Non/poor performance and order/contract execution default.

The bidders who are on Holiday/Banning/Suspension list of OIL on due date of submission of bid/ during the process of evaluation of the bids, the offers of such bidders shall not be considered for bid opening/evaluation/award. If the bidding documents were issued inadvertently/downloaded from website, the offers submitted by such bidders shall also not be considered for bid opening/evaluation/ Award of Work.

# 45.0 **OPPORTUNITY TO STARTUP AND MICRO & SMALL ENTERPRISES:**

In case a Startup (defined as per Ministry of Commerce and Industry (Department of Industrial Policy and Promotion, DIPP) latest notification]/ MSE is interested in supplying the tendered item but does not meet the Pre-Qualifying Criteria (PQC)/ Proven Track Record (PTR) indicated in the tender document, the Startup/MSE is requested to write a detailed proposal separately, and not against the present tender requirement, to the tender issuing authority about its product. Such proposals shall be accompanied by relevant documents in support of MSE (where applicable) or in case of Startup, following documents shall be given:

- Certificate of Recognition issued by the Department of Industrial Policy and Promotion, Ministry of Commerce and Industry, Government of India.
- 2. Certificate of incorporation.
- 3. Audited Profit & Loss (P&L) Statement of all the Financial Years since incorporation. In case where the Balance sheet has not been prepared, bidder shall submit a certificate in original from its CEO/CFO stating the turnover of the bidding entity separately for each Financial Years since incorporation along with a declaration stating the reason for not furnishing the audited P&L Statement. This certificate shall be endorsed by a Chartered Accountant/Statutory Auditor.

The Proposal shall be examined by OIL and OIL may consider inviting a detailed offer from the Startup/MSE with the intent to place a TRIAL or TEST Order, provided the Startup/MSE meets the Quality and Technical Specifications.

In case the Startup/MSE is successful in the Trial Order, the vendor shall be considered for PQC exemption/relaxation (as the case may be) for the next tender for such item till the time it remains a Startup/MSE.

## 46.0 TAX COLLECTIBLE AT SOURCE (TCS):

Tax Collectible at Source (TCS) applicable under the Income-tax Law and charged by the SUPPLIER shall also be payable by OIL along with consideration for procurement of goods/materials/ equipment. If TCS is collected by the SUPPLIER, a TCS certificate in prescribed Form shall be issued by the SUPPLIER to OIL within the statutory time limit.

Payment towards applicable TCS u/s 206C (IH) of Income Tax Act, 1961 will be made to the supplier provided they are claiming it in their invoice and on submission of following undertaking along with the invoice stating that:

- a. TCS is applicable on supply of goods invoiced to OIL as turnover of the supplier in previous year was more than Rs. 10 Cr. and
- b. Total supply of goods to OIL in FY ...... (As applicable) exceeds Rs. 50 Lakh and
- TCS as charged in the invoice has already been deposited (duly indicating the details such as challan
   No. and date) or would be deposited with Exchequer on or before the due date and
- d. TCS certificate as provided in the Income Tax Act will be issued to OIL in time.

However, Performance Security deposit will be released only after the TCS certificate for the amount of tax collected is provided to OIL. Supplier will extend the performance bank guarantee (PBG), wherever required, till the receipt of TCS certificate or else the same will be forfeited to the extent of amount of TCS, if all other conditions of Purchase order are fulfilled.

The above payment condition is applicable only for release of TCS amount charged by supplier u/s 206C (I H) of Income tax Act, 1961.

#### 47.0 **DOCUMENT VERIFICATION**:

Oil India Limited (OIL) has engaged the following 09 (Nine) Independent Inspection Agencies for a period of 04 (four) years with effect from 06.05.2020 to verify and certify of various documents required against BEC/BRC of the tender:

SI. No.	Name of Independent Inspection Agency	Contact E-mail ID
i.	M/s. RINA India Pvt. Ltd.	<ul><li>a. <u>ssd@rina.org</u></li><li>b. <u>Andrea.Vattuone@rina.org</u></li></ul>
ii.	M/s. Dr. Amin Controllers Pvt. Ltd.	<ul><li>a. rkjain@rcaindia.net</li><li>b. info@rcaindia.net</li></ul>
iii.	M/s. GermanischerLlyod Industrial Services GmbH (DNV GL- Oil & Gas)	a. mangesh.gaonkar@dnvgl.com

iv.	M/s. TÜV SÜD South Asia Pvt. Ltd.	a. Jaimin.Bhatt@tuv-sud.in b. sanjaykumar.singh@tuv-sud.in c. Pankaj.Narkhede@tuv-sud.in d. Ajit.Yadav@tuv-sud.in	
v.	M/s. IRCLASS Systems and Solutions Private Limited	a. abhishek.singh@irclass.org b. pradeep.bansal@irclass.org c. Asim.Hajwani@irclass.org d. Amit.Ketkar@irclass.org e. industrial_services@irclass.org	
vi.	M/s. Gulf Llyods Industrial Services (India) Pvt. Ltd.	a. contact@gulflloyds.com b. bbhavsar@gulfllyods.com c. inspection@gulflloyds.com d. gulflloyds.india@gmail.com	
vii.	M/s. TUV India Private Limited	<ul><li>a. salim@tuv-nord.com</li><li>b. delhi@tuv_nord.com</li></ul>	
viii.	M/s. TÜV Rheinland (India) Pvt. Ltd.	a. Shailesh.Deotale@ind.tuv.com b. ravi.kumar@ind.tuv.com c. rupeshkumar.singh@ind.tuv.com d. Neeraj.Chaturvedi@ind.tuv.com	
ix.	M/s. Bureau Veritas (India) Private Limited	a. udit.chopra@bureauveritas.com b. vishal.sapale@bureauveritas.com c. dinesh.sukhramani@bureauveritas.com d. p.sridhar@bureauveritas.com e. hariprasad.jhawar@bureauveritas.com f. amit.shaw@bureauveritas.com g. business.support@bureauveritas.com h. labhanshu.sharma@bureauveritas.com i. pramodkumar.yadav@bureauveritas.com j. sonal.lad@bureauveritas.com k. bvindia.corporate@in.bureauveritas.com	

- 47.1 The Bidders have to get the various documents required against BEC/BRC of the tender verified and certified by anyone of the above Independent Inspection Agencies and submit the duly certified documents alongwith the Inspection Certificate issued by the Inspection Agencies as part of their Technical Bids. It may be noted that the scope of inspection is primarily to verify the authenticity of the documents being submitted as part of the bid. All Charges of the Third-party Independent Inspection Agencies towards verification of bidder's documents and certification thereof shall be borne by the respective bidders and Payments on account of above inspection, verification and certification shall be made directly by the Bidder to the Inspection Agency(s). OIL will not be responsible for any payment dispute between Bidders and Third Party Inspection Agencies.
- As mentioned above, Bidder(s) have to submit the verified documents and the duly certified Inspection Certificate by the Inspection Agencies along with the Technical Bids. Bid submitted with un-verified supporting documents shall not be normally considered. However, in case a bidder submits its bid alongwith all relevant supporting documents against BEC/BRC without getting all/some of them verified by the designated Independent Inspection agency, such bid can be provisionally considered provided it is accompanied by an Undertaking by the Bidder on their official letterhead to submit the duly verified copies/verification certificate within seven (7) days of actual bid opening. Company will neither send any reminder nor seek any clarification in this regard from such bidders, and the bid will be rejected outright if the bidder fails to submit the verified copies/verification certificate within seven (7) days of actual bid opening at its own risk and responsibility. If a bidder does not submit the undertaking towards submission of third party certification within 7 days from date of Bid Closing date, but certified document reaches us within the cut-off date of above seven (7) days, then such bids shall be considered.

- 47.3 The methodology of inspection/ verification of documents followed by the agencies is broadly as under but not limited to:
  - a) It is obligatory on the part of the interested Bidders, who choose to participate against the tender, to understand the tender requirements in entirety and the requisite documents sought for in support of the Bid Rejection & Bid Evaluation Criteria (BEC/BRC) mentioned in the tender in particular. The Bidder must produce all the appropriate documents before any of the OIL's empanelled third party certifying agencies for verification/certification. Neither OIL nor the third party certifying agency shall be held accountable in any manner regarding the choice of documents by the bidder for verification. Therefore, getting the appropriate documents inspected/verified by the agency in support of BEC/BRC clauses is the sole responsibility of the Bidder.
  - b) The prospective bidder shall contact any of the empanelled inspection agencies. The agency shall go through the Tender Document, especially the requirements of BEC/BRC and list the documents to be verified. They shall depute their qualified/competent inspector to the Bidder's premises to check the original documents and certify the copies which the bidder shall submit along with their bids. OIL will reserve the right to ask the inspection agencies to verify the documents with source, if required at no extra cost to OIL. Verification of documents by OIL's empanelled third party agency shall not automatically make the bidder eligible for award of contract.
  - c) Verification of documents are normally categorised as under:

# **>** General Requirement:

- Check Bidder's PAN Card
- Check Bidder's GST Certificate
- Check ITR of company last three years (minimum)
- Check Bidder's Certificate of Incorporation Domestic Bidder.

# > Additional Documents: (If applicable against the tender)

- Joint Ventures Agreements To Double-check with JV Partners
- Consortium Agreements To Double-check with Consortium Partners
- Holding/ Parent/Subsidiary Company To check the notarized Share Holding pattern

# > Technical Criteria

- To check Experience Proof –
- To Check the Completion Certificates Letter of Appreciations of proper Execution
- Reference contact verification and true copy verification
- To check Original Work Order/Contract Copy
- To check any other document(s), if called for vide BEC/BRC of the Tender.

#### > Financial Criteria

- Check and verify Audited Balance Sheet/CA certificate Turnover & Net Worth.
- Check Notarization validity, if any
- To check the Line of Credit, if incorporated in the tender.

# 48.0 RESTRICTIONS ON PROCUREMENT FROM A BIDDER OF A COUNTRY SHARING LAND BORDER WITH INDIA:

Ministry of Finance of Govt. of India, Department of Expenditure, Public procurement Division vide office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020(order-Public Procurement no.1) has proclaimed the insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017 w.e.f. 23rd July, 2020 regarding restrictions on procurement from a bidder of a country which shares a land border with India on the grounds of defence of India on matters directly or indirectly related thereto including national security. Clause on applicability of above restriction is furnished as **APPENDIX – A4** of the tender document. Bidders are requested to take note of the clauses and submit their offers accordingly, wherever applicable.

"Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services or works, only if the bidder is registered with the competent authority"

Bidders must submit duly sealed & signed undertaking as per format provided vide, "PROFORMA 5" along with the technical bid.

#### 49.0 TAX RESIDENCY CERTIFICATE CLAUSE:

- In accordance with Income Tax Act, 1961 Foreign bidders shall undertake in their Technical bid that
  in the event of placement of order on them, they shall submit below documents within 15 days
  from the date of issue of Purchase order. The documents are required to be furnished by OIL to
  Income Tax Department for complying with the requirements for making remittances to nonresidents as per Income Tax Act, 1961 (as amended from time to time):
  - (a) Tax Residency Certificate (TRC)
  - (b) Form No. 10 F (PROFORMA 6)
  - (c) No Business Connection or Permanent Establishment Certificate (**PROFORMA 7**)
- 2. Payment to Foreign supplier shall be released only after receipt of the above documents. Any delay in submission of Tax Residency Certificate (TRC), Form No. 10 F and/or PE certificate within specified time may lead to the Income Tax Department directing OIL to deduct tax at a higher rate than at which it may otherwise have directed. Such increased tax liability shall be recovered from the Foreign Supplier.
- 3. In addition to above particulars, the Foreign supplier should also provide any other information as may be required later for determining the taxability of the amount to be remitted to the non-resident. Further, the foreign supplier shall be liable to intimate the subsequent changes (if any) to the information submitted against any of the above particulars, along with full details.

#### 50.0 **ANTI-DUMPING DUTY:**

The Clause No. 3.0 in Section-'E' (Special Terms & Conditions for Tubulars) of General Terms & Conditions for Global Tender (MM-GLOBAL/E-01-2005- July 2012) on Anti-Dumping Duty stands deleted. The following guidelines are to be noted and considered by the bidder for submission of bid.

 Government of India vide Notification No. 18/2016-Customs(ADD) dated 17.05.2016 has imposed, Anti-Dumping Duty and in respect of Seamless Pipes & Tubes, of an external diameter not exceeding 355.6 mm or 14" OD originating in, or exported from the People's Republic of China and imported into India. In case the product offered is exported by from any of the parties from People's Republic of China or originating from People's Republic of China and imported into India, the Anti-Dumping Duty shall be applicable.

The Anti-Dumping Duty on shall be at a rate which is equivalent to difference between the landed value of the subject goods and the amount mentioned in the corresponding entry in column (9) of the table furnished vide aforementioned Notification provided the landed value is less than the value specified in column (9) and in the currency and as per unit of measurement as specified in the above Notification.

The Anti-Dumping Duty so calculated as per the above Notification shall be loaded on the CIF Landed value of such Foreign bidders (with Customs Duty as applicable on the Bid Closing Date of the Tender) excluding inland transportation to destination, on whom the Anti-Dumping Duty is applicable. The evaluation of the offers will be done after loading the offers as above. Foreign bidders are required to indicate the ·gross/nett weight of the goods offered by them originating in, or exported from the People's Republic of China and imported into India, in MT in their Technical Bids for the purpose of calculation of the Anti-Dumping Duty amount.

In case of the indigenous bidders, they should note that OIL will not be liable to reimburse any amount on account of Anti-Dumping duty for the materials imported by them from People's Republic of China for execution of the contract and any Anti-Dumping Duty payable against import by them from People's Republic of China shall be to their account. Indigenous bidders are required to categorically confirm acceptance of the same in their Technical bids failing which offers will be liable for rejection.

- 2. All bidders must categorically mention the country of origin of the products offered by them' in their offers. In the event categorical mention of country of origin of their offered products is not made in their offer, the offer will be summarily rejected.
- 50.1 Bidders to refer to Ministry of Finance, Govt of India's Notification, No. 18/2016-Customs (ADD) dated 17.05.2016 and subsequent amendment vide Notification No. No. 7/2017-Customs (ADD) dated 17.02.2017 (including its latest modifications/amendments, if any) for detailed guidelines in this regard.

In case of Items where Third Party Inspection clause is present:

After placement of Purchase order the successful bidder shall submit Soft copy of Third Party Inspection certificate and other certificates stipulated in the PO to the following in advance after completion of Third Party Inspection:

### GM- Materials, OIL INDIA LIMITED, Duliajan, Assam, Pin – 786602

After successful verification of the documents by OIL, despatch clearance shall be provided and payment shall be made by OIL.

\*\*\*\*\*\*

## **BB: ADDITIONAL NOTES TO THE BIDDER**

#### 1.0 BIDDER TO ADHERE:

The bidder shall be deemed to have examined the complete Bid Document including technical specifications, terms & conditions, all attachments & annexure thereto and taken due cognizance of the contents to their full satisfaction prior to submitting Bid. Any lack of information shall not relieve the Seller in any way of its responsibility to fulfil obligations under the purchase order/contract in entirety.

#### 2.0 EFFECTIVE DATE OF CONTRACT/ ORDER:

Unless otherwise specified in the contrary, the date of LOA will be the start of the Contract/Order for all practical purposes.

## 3.0 CONFIDENTIAL INFORMATION:

The Seller/Bidder shall treat all designs, drawings, specifications, data or information supplied by OIL (whether written or verbal) as confidential and shall use its best endeavours to ensure that such design, drawings, data or information is not divulged to any third party, except with the consent of OIL, where necessary for the purpose of performance of its obligation and subject to similar undertakings being obtained from such third parties to treat such design, drawings, data or information in like confidence other than designs, drawings, data or information which at the time of proposed disclosure are within the public knowledge or in the Seller's possession.

## 4.0 PATENT AND OTHER RIGHTS:

- 4.1. The Seller shall fully indemnify OIL against any action, claim or demand, costs and expenses arising from or incurred by reason of any infringement or alleged infringement of any letter, patent, design, trademark or name, copy right or other legally protected rights in respect of any plant, work, materials to be supplied or any arrangement, system or method of using, fixing or working to be employed by the Seller.
- 4.2. In the event of any claim or demand being made or action brought against OIL in respect of any of the aforesaid matters, OIL shall notify the Seller thereof as soon as possible and Seller shall conduct with the assistance of OIL if necessary, but at his own expense, all negotiation for the settlement of such matter and any legal proceeding, litigation/arbitration involved or which may arise there from. Notwithstanding above, OIL reserves the right to initiate action against the seller.

### 5.0 ASSIGNMENT:

- 5.1. The Seller shall not transfer or assign the consequent Contract or any part thereof without the prior consent in writing from OIL. Any permitted transfer/assignment or subletting shall not relieve the Seller of any of his obligations, which might have arisen before such permission was given.
- 5.2. The Seller shall not sublet the consequent Contract or any part thereof without the prior consent in writing from OIL. Any permitted subletting shall not relieve the Seller of any of his obligations under the contract/purchase order and shall be wholly responsible for compliance of the terms of the Contract/Purchase Order.

#### 6.0 TAXES, DUTIES & LEVIES:

#### 6.1. DOMESTIC SUPPLIER:

- (a) Domestic Seller shall be responsible for all taxes/duties/ licence fee etc. incurred until the delivery of goods to the Purchaser. However, GST (Goods & Service Tax) as applicable on the finished product shall be reimbursed by the Purchaser.
- (b) GST at applicable rate (s) shall be payable for the supplies to be made against this purchase order/ contract. However, supplier is required to take note of the Anti-Profiteering clause provisioned in GST and raise/submit supply invoice(s) incorporating the following details:
  - (i) OIL-Provisional GSTIN:
  - (ii) GST Registration Details of Supplier:
  - (iii) Item-wise HSN Code:
  - (iv) Applicable Rate of GST:

(v) Total amount of benefit passed on to OIL due to reduction in rate of Tax (if so) or from Input Tax Credit by way of commensurate reduction in Prices under Anti Profiteering clause:

In addition to above, the Supplier must submit an undertaking to OIL certifying that the benefit accrued to them on account of reduction in tax rate(s) or from Input Tax Credit has been entirely passed on to OIL under anti-profiteering provision of GST Act, 2017

- (c) For the purposes of levy and imposition of GST, the expressions shall have the following meanings:
  - (i) "GST" means any tax imposed on the supply of goods and/or services under GST Law.
  - (ii) "Cess" means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act, 2017.
  - (iii) "GST Law" means IGST Act 2017, CGST Act 2017, UTGST Act, 2017and SGST Act, 2017and all related ancillary Rules and Notifications issued in this regard from time to time.
- (d) Vendor/Supplier/Contractor is required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profiteering Measure vide Section 171 of the CGST Act, 2017. Accordingly, for supplies made under GST, the Vendor/Supplier/Contractor must confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and must also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the Vendor/Supplier/Contractor to ensure that the intended benefits of GST have been passed on to OII
- (e) Vendor/Supplier/Contractor agrees to do all things but not limited to providing GST compliant Tax Invoices or other documentation as per GST law relating to the supply of goods and/or services covered in the instant contract like raising of and/or acceptance or rejection of credit notes/ debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and also for claiming input tax credit in relation to any GST payable under this Contract or in respect of any supply under this Contract.
- (f) In case Input Tax Credit of GST is denied to OIL or demand is recovered from OIL by the Central State Authorities on account of any non-compliance by Vendor/Supplier/Contractor, including non-payment of GST charged and recovered, the Vendor/Supplier/Contractor shall indemnify OIL in respect of all such claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such an amount demanded and recovered by the authorities/ state authorities from the pending payments of the Vendor/Supplier/Contractor.
- (g) In case of ICB tender, wherever OIL issues Project Authority Certificate to domestic Seller for availing duty-free import of raw material and component, any variation in the custom duty within the contractual completion period of the purchase order/contract shall be to Purchaser's account on CIF value of import declared by the Seller in its Bid.
- (h) All taxes, stamp duties and other levies for the services including installation/commissioning, Training etc. shall be to the Seller's account.
- (i) Income Tax on the value of the Services rendered by the Seller in connection with installation/commissioning, training etc. shall be deducted at source from the invoices at the appropriate rate under the I.T. Act & Rules from time to time.
- (j) Tax deduction certificate shall be issued by Purchaser for the Tax deducted at source as per provision of Act.

(k) GST TDS shall be applicable for as per the provisions of the CGST Act 2017

# 13.2 FOREIGN SUPPLIER:

- a) All taxes, duties and levies imposed outside India shall be the responsibility of the Seller and charges thereof are included in the item rates and shall be to the Seller's account.
- b) All taxes, duties and levies imposed inside India on the ordered materials/goods shall be borne by the Purchaser. However, taxes, levies as may be payable in India on services, if included any in the order/contract, including the installation & Commissioning, training etc. shall be to Seller's account.
- c) Income Tax on the value of the Services rendered by the Seller in connection with installation, commissioning, training etc. shall be deducted at source from the invoices at the appropriate rate under the I.T. Act & Rules from time to time.
- d) Tax deduction certificate shall be issued by Purchaser for the Tax deducted at source as per provisions of Act.
- e) As per Income Tax Act, 1961 Foreign bidders should submit (along with their technical bid) following particulars, which are required to be furnished by OIL to Income Tax Department for complying with the requirements for making remittances to non-residents as per Income Tax Act, 1961 (as amended from time to time):
  - (i) Whether the non-resident has a Fixed Place Permanent Establishment (PE) or a Dependent Agency PE in India, in terms of the Double Taxation Avoidance Agreement (DTAA) between India and his country of tax residence through which the non-resident carries on business activities in relation to its engagement by OIL and if, yes, address of the Fixed Place PE or name & address of the Dependent Agent?
  - (ii) Whether by carrying on activities in relation to its engagement by OIL, the non-resident constitutes an Installation/Construction PE or a Service PE in India in terms of the DTAA between India and his country of tax residence?
  - (iii) If the non-resident has PE in India, whether the remittances to be made to him under his engagement by OIL are attributable to such PE?
  - (iv) If the remittances to be made to the non-resident under his engagement by OIL are attributable to a PE which it has in India, what quantum of the profits resulting to the non-resident from his engagement by OIL, can be said to be attributable to the role played by the PE, and the basis of arriving at such quantum?
  - (v) If no part of the remittances to be made to the non-resident under his engagement by OIL is attributable to a PE which it has in India, what are the reasons for the same?
  - (vi) Non-resident's complete address (not necessarily in India), e-mail address. phone number with International Dialling code.
  - (vii) If the non-resident has an Indian Income Tax Permanent Account Number (PAN), what is that PAN?
  - (viii) Country of tax residence of the non-resident supported by a TRC issued by the Government of country or specified territory to the effect that the person named therein is a resident of that country or specified territory.
  - (ix) In accordance with Rule 21AB of the Income-tax Rules, 1962, along with the TRC, the non-resident shall also furnish the requisite information in the prescribed "Form 10F".

- (x) A declaration as to the country which can be regarded as the non-resident's principal place of business. This could be the same as his country of tax residence or different depending on facts.
- (xi) Whether the non-resident is constituted as a company, a partnership firm, or any other form of business organization.
- f) In view of above and in accordance with Income Tax Act, 1961 Foreign bidders shall undertake in their Technical bid that in the event of placement of order on them, they shall submit below documents within 15 days from the date of issue of Purchase order. The documents are required to be furnished by OIL to Income Tax Department for complying with the requirements for making remittances to non-residents as per Income Tax Act, 1961 (as amended from time to time):
  - Tax Residency Certificate (TRC)
  - Form No. 10F
  - No Business Connection or Permanent Establishment Certificate
- g) Payment to Foreign supplier shall be released only after receipt of the above documents. Any delay in submission of Tax Residency Certificate (TRC), Form No. 10F and/or PE within the specified time may lead to the Income Tax Department directing OIL to deduct tax at a higher rate than at which it would otherwise have been deducted. Such increased tax liability shall be recovered from the Foreign Supplier.
- h) In addition to above particulars, the Foreign supplier should also provide any other information as may be required later for determining the taxability of the amount to be remitted to the non-resident. Further, the Foreign supplier shall be liable to intimate the subsequent changes (if any) to the information submitted against any of the above particulars, along with full details.

# 7.0 CHANGE IN LAW:

- 7.1. In the event of introduction of any new legislation or any change or amendment or enforcement of any Act or Law, rules or regulations of Government of India or State Government(s) or Public Body which becomes effective after the tender closing date and which results in increase in rate of taxes and duties on the supply of goods/services to PURCHASER under the PURCHASE ORDER (other than personnel and Corporate taxes), the SUPPLIER shall be indemnified for any such increased taxes and duties by the PURCHASER subject to the production of documentary proof to the satisfaction of the PURCHASER to the extent which directly is attributable to such introduction of new legislation or change or amendment as mentioned above and adjudication by the competent authority & the courts wherever levy of such taxes / duties are disputed by PURCHASER.
- 7.2. Similarly, in the event of introduction of new legislation or any change or amendment or enforcement of any Act or Law, rules or regulations of Government of India or State Government(s) or Public Body which becomes effective after the tender closing date and which results in any decrease in the rate of taxes and duties on the supply of goods/services to PURCHASER, (other than personnel and Corporate taxes), the SUPPLIER shall pass on the benefits of such reduced cost, taxes or duties to the PURCHASER, to the extent which is directly attributable to such introduction of new legislation or change or amendment as mentioned above.
- 7.3. All taxes & duties (except where otherwise expressly provided in the Purchase Order) as may be levied/ imposed in consequences of execution of the Services or in relation thereto or in connection therewith as per the Acts, Laws, Rules, Regulations in force on the tender closing date, shall be to SUPPLIER's account. Any increase/decrease in the rate of such duties, taxes after the tender closing date, but within the contractual completion/mobilization date as stipulated in the PURCHASE ORDER will be to the account of PURCHASER.
- 7.4. Any increase in the rate of taxes & duties after the delivery completion/ mobilization date or during the extended period will be to the SUPPLIER's account, where delay in completion /mobilization period is attributable to the SUPPLIER. However, any decrease in the rate of taxes and duties after the delivery completion/ mobilization date will be to PURCHASER's account.

- 7.5. The prices given in the Price Bid are based on the applicable tariff as indicated by the SUPPLIER. In case this information subsequently proves to be wrong, incorrect or misleading, PURCHASER will have no liability to reimburse/pay to the SUPPLIER the excess duties, taxes, fees, if any finally levied / imposed by the concerned authorities. However, in such an event, PURCHASER will have the right to recover the difference in case the rate of duty/tax finally assessed is on the lower side.
- 7.6. Notwithstanding the provision contained in clause 7.1 to 7.4 above, the Purchaser shall not bear any liability in respect of:
  - (i) Personal taxes on the personnel deployed by Purchaser, his sub-contractor, Agents etc.
  - (ii) Corporate taxes and Fringe benefit tax in respect of Supplier and all of their sub- contractors, agents etc.
  - (iii) Other taxes & duties including Customs Duty, and GST in addition to new taxes etc. in respect of sub-contractors, vendors, agents etc of the Supplier.
  - (iv) Any liability on the Seller, which was accrued under the old law or contract, which the Contractor is obligated to pay either to the PURSHASER or to the Government Authority.
- 7.7. The above provisions would be applicable only in case of variation in rate of taxes and duties on supply of goods/services to PURCHASER and not applicable on taxes and duties on input (goods and services).
- 7.8. Any claim or reduction on account of change in law shall be accompanied with undertaking that the provisions of anti-profiteering clause under GST Act have been complied with.

#### 8.0 TRANSFER OF TITLE AND RISK OF LOSS:

#### 8.1. For Indigenous Material(s):

The transfer of property and risk in Indigenous Material(s) shall be deemed to take place as follows:

- a) For despatch on FOB Despatch Station basis: On handing over the Material(s) to the carrier against receipt of clean Railway Receipt/Truck or Lorry Receipt and such receipt having been handed over to OIL.
- b) For delivery on DDP Destination basis: On receipt of the Material(s) by OIL at the destination station.

#### 8.2. For Imported Material(s):

The transfer of property and risks in Imported Material(s) shall be deemed to take place as follows:

- a) For FOB/FCA deliveries: On handing over the Material(s) to the carrier and issue of clean Bill of Lading/Airway Bill (except for freight to pay) and its transmission to OIL.
- b) For CIF/C&F deliveries: Transfer of title and risk of loss passes to OIL when delivered on board the ship by vendor who pays the transportation cost upto the destination port or to the designated destination airport (as per INCOTERMS).

#### 9.0 LIMITATION OF LIABILITY:

Notwithstanding any other provisions except only in cases of wilful misconduct and/or criminal acts;

- a) Notwithstanding any other provisions herein to the contrary, except only in cases of willful misconduct and/or criminal acts and/or criminal negligence, neither the SELLER nor the PURCHASER shall be liable to the other, whether in Contract, tort, or otherwise, for any consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided however that this exclusion shall not apply to any obligation of the SELLER to pay Liquidated Damages to the COMPANY and/or COMPANY's right to forfeit the Performance Bank Guarantee(s) in terms of the contract.
- b) Notwithstanding any other provisions incorporated elsewhere in the purchase order/contract, the aggregate liability of the Seller in respect of this contract, whether under Contract, in tort or otherwise, shall not exceed 100% of the Contract price, provided however that this limitation

shall not apply to the cost of repairing or replacing defective equipment by the Seller, or to any obligation of the Seller to indemnify the Purchaser with respect to Intellectual Property Rights or liquidated damage or Performance Bank Guarantee.

- c) Purchaser shall indemnify and keep indemnified Seller harmless from and against any and all claims, costs, losses and liabilities in excess of the aggregate liability amount in terms of clause (b) above.
- d) The consideration or object of the purchase order/contract/agreement must remain lawful all the time till completion of successful execution. Consideration or object of the purchase order/contract/agreement is lawful unless -
  - it is forbidden by law; or
  - is of such nature that, if permitted, it would defeat the provisions of any law; or
  - is fraudulent; or involves or implies, injury to the person or property of another; or
  - the Court regards it as immoral, or opposed to public policy;

In each of these cases, the consideration or object is said to be unlawful and such purchase order/contract/agreement of which the consideration or object is unlawful is void and cannot be enforced.

#### 10.0 INDEMNITY AGREEMENT:

- 10.1. Except as provided hereof, Seller agrees to protect, defend, indemnify and hold Purchaser harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of Seller's employees, agents, sellers and sub-sellers or their employees on account of bodily injury or death, or damage to personnel/properly as a result of the operations contemplated hereby, regardless of whether or not the said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.
- 10.2. Except as provided hereof, Purchaser agrees to protect, defend, indemnify and hold Seller harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of Purchaser's employees, agents, sellers and sub-sellers or their employees on account of bodily injury or death, or damage to personnel/properly as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.

## 11.0 TRANSIT INSURANCE:

- 11.1. All goods supplied under the consequent purchase order shall be fully insured in the freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery.
- 11.2. The Seller shall ensure that in effecting despatch of materials, the primary responsibility of the shipper/carriers/transporter for safe movement is always retained so that the Purchaser's interests are fully safeguarded and are in no way jeopardized. The Seller shall furnish the cost of materials against each shipment/consignment.
- 11.3. Against Purchase Orders placed on overseas/foreign Supplier, where shipment is on FOB/FCA or CFR basis, marine insurance shall be the responsibility of the Purchaser. The Supplier/Seller shall send OIL information of the proposed shipment/consignment well in advance by e-mail/courier to enable OIL to take necessary action for the marine/air/transit insurance of the shipment/consignment. Any failure by the Vendor to do so shall place the consignment at the Vendor's risk. However, in case the delivery is on CIF/CIP terms, the marine insurance is to be arranged and paid for by the Seller naming the Purchaser as beneficiary.
- 11.4. Against Purchase Orders placed on domestic/indigenous Suppliers, where delivery is on FOB Despatch Station basis, the transit insurance from FOB point onwards shall be arranged and borne by the Purchaser. The Supplier/Seller shall send OIL information of the proposed shipment/consignment in OIL's

web site www.oil-india.com (Under Vendor Category > Transit Declaration. Any failure by the Vendor to do so shall place the consignment at the Vendor's risk. However, in case of delivery on DDP Destination basis, transit insurance shall be arranged and paid by the Seller naming the Purchaser as the beneficiary.

- 11.5. Purchase orders against which the transit/marine insurance is to be arranged by OIL, the Seller/Supplier must comply the following, failing which the entire risk & responsibility pertaining to the shipment/consignment shall be to Seller's account:
  - (a) Overseas/Foreign Supplier: The Seller shall notify OIL's Shipping Office at Kolkata, India in advance per e-mail/courier all information on the proposed shipment/consignment for Purchaser to take necessary action for the marine/air/transit insurance.
  - (b) Shipment must be made under deck In the event of Seller's inability to ship the material under deck, Purchasers prior concurrence must be obtained for shipping consignment over deck and all details must be faxed to Purchaser and the port consignee for arranging insurance accordingly.
  - (c) Domestic/Indigenous Supplier: Seller shall notify the despatch details to Purchaser immediately and update the consignment details in OIL's website www.oil-india.com (Under for Vendor -> Transit Declaration).
- 11.6. Seller must notify the shipment/despatch details to Purchaser immediately.

# 12.0 PROGRESS REPORT:

- 12.1. In consistent with the agreed terms, upon demand from Purchaser, upon receipt of purchase order, the Seller shall submit a time schedule for all key events during the execution of the order, so as to monitor the progress.
- 12.2. Based on the above time schedule the Seller shall furnish a monthly report on the progress of the order to the Purchaser. Without assuming any obligations, Purchaser may review the progress from time to time and advise the seller to take necessary corrective action to improve and to have a catch-up programme any time, if found not satisfactory.
- 12.3. Notwithstanding the above, if Seller fails to catch up and does not make satisfactory progress, Purchaser can notify the Seller in writing for take necessary action to make it good. If the Seller does not comply with the notice, the Purchaser shall be at liberty to take over the job and get it done by alternative source at the risk and cost of Seller.

## 13.0 LANGUAGE:

All related documents as well as subsequent correspondences between the Seller and the Purchaser shall be in English language only.

### 14.0 REPEAT ORDER:

Purchaser reserves the right to place repeat order or extend the ordered quantity against any/all items within the currency of the purchase order up to 50% of the original ordered quantity on same terms & conditions and rate(s) not exceeding the original ordered rate(s).

#### 15.0 SUB-CONTRACTS / ASSIGNMENT:

- 15.1. Subcontracting/assigning to third parties shall not take place either in whole or in part without the prior written consent of the Purchaser, which the Purchaser may grant or deny as per its discretion and violation of same shall entitle the Purchaser to cancel the order in whole or in part and claim damages.
- 15.2. Purchase Order shall be issued in the name of bidder only and no request for issuance of the Purchase Order to a third party shall be entertained.

# 16.0 TIME IS THE ESSENCE OF PURCHASE ORDER/CONTRACT:

The time and the date of delivery/completion as stipulated in the contract/purchase order shall be deemed to be the essence of the contract/purchase order.

#### 17.0 DELIVERY:

### 17.1. For Foreign Bidders only:

In case of Imported Material, the foreign Supplier shall make shipment only after prior approval of the OIL's Shipping Office at Kolkata, email: oilcalsh@oilindia.in. Demurrage, if any, on account of not obtaining approval from OIL, prior to shipment, will be seller accounts.

Prior to shipment, Supplier is required to furnish Commercial Invoice for OIL to complete import formalities. Also, the supplier shall arrange to obtain shipment clearance prior to shipment of materials from Head-Kolkata Branch, Oil India Limited, 15A, Hemanta Basu Sarani, Kolkata-700001, E-Mail: oilcalsh@oilindia.in. The supplier shall affect shipment only on receipt of shipment clearance from OIL, failing which all related liabilities shall be to supplier's account.

- 17.1.1. Delivery shall be deemed to have been made in case of FOB/FCA purchase order/contract, when the goods have been loaded on board of the designated vessel or aircraft at the designated port or place of shipment, securely packed and unless otherwise determined, shall be deemed to be the date of the relative Bill of Lading or Airway Bill. The date of Bill of Lading (excluding the freight forwarder nomination time) shall be considered as the date of delivery for overseas/foreign Sellers.
- 17.1.2. However, in case of CFR/CIF/CIP purchase order/contract, the date of IGM (Import General Manifesto) shall be considered as the date of delivery for overseas/foreign Sellers.

# 17.2. For Indian Bidders only:

Requisite Certificate for claiming concessional GST, wherever applicable shall be obtained by OIL from competent authority after receipt of supplier's invoice. Suppliers are requested not to dispatch ordered materials without receiving such Certificates from OIL, failing which liabilities, if any, shall be to supplier's account.

In case of indigenous purchase order on domestic Supplier, delivery shall be deemed to have been completed based on the order terms as under:

- (a) <u>FOB Despatching Station basis</u>: The date of LR/ GR/ RR/ Airway Bill/Courier Dockets (as applicable) shall be considered as the date of delivery.
- (b) <u>DDP Destination basis</u>: The date of receipt of goods at designated site/destination by the Purchaser or its authorised Consultant/Representative shall be considered as the date of delivery.
- (c) All FOC (Free of Cost) items or Warranty replacement items must be supplied on DDP (Delivery Duty Paid) up to Destination basis without any cost to OIL.


#### 18.0 INGREDIENTS DISCLOSURE:

- (a) If any of the items ordered constitute or contain "hazardous or toxic chemicals" or "hazardous substances" or flammable or hazardous "petroleum products" or "dangerous goods" as defined by International Air Transport Association (IATA) or State or local law, rule or regulation, Seller shall provide at the time of delivery all required notices and information and approval from OIL before shipment. Seller agrees to maintain such information current and shall provide Buyer with any amended, altered or revised information on a timely basis. Seller warrants that the goods supplied under this Agreement do not contain any substance whose use is prohibited under International Air Transport Association (IATA) or State or local law, rule or regulation.
- (b) Prior to and with the shipment of the goods purchased, Seller agrees to furnish to Buyer sufficient warning and notice in writing (including appropriate placarding and labels on goods, containers, packing and vehicles used for shipment) of any "hazardous substance" which is an ingredient or a part of any of the goods, together with such special handling instructions as may be necessary to advise Buyer and third parties, including transportation carriers and Buyer's employees, as to the degree of care and precaution that will best prevent bodily injury or property damage in the handling, transportation, processing, use, recycling or disposal of the goods.

## 19.0 PACKING & MARKING OF GOODS/EQUIPMENT:

- 19.1. Packing of goods must be sufficiently robust to withstand multiple handling during transit for delivery to their final destination so that contents do not get damaged. Protection of the plant and equipment against corrosion or deterioration must be given special attention. In case of overseas Suppliers, the packing should be sea-worthy/air-worthy.
- 19.2. Machined steel and iron parts are to be heavily greased/varnished as prevention against rust.
- 19.3. In the case of internal combustion engines, compressors and similar equipment, internal parts are to be sprayed with an inhibitor or water splitting preservative and all openings should be suitably covered with tape/cap to prevent ingress of water.
- 19.4. Boxes/ Packing cases containing electrical/ electronic equipment are to be waterproof lined.
- 19.5. All items must have their respective identification marks painted/ embossed on them.
- 19.6. Crates or boxes should have a list of items contained therein secured to the exterior by means of an enveloping piece of tin sheet nailed to the wood. A duplicate list should also be included inside the crate with the contents.
- 19.7. Items prone for pilfering should be packed in boxes and not in bags.
- 19.8. The Seller shall be responsible for damage of goods either in full or in part and for corrosion and/or deterioration of the plant and equipment during transit due to inadequate/insufficient packing or due to noncompliance with the above Para Nos. 19.1 to 19.4 depending upon the nature of items and as such shall be obligated to repair or replace the damaged goods or plant or equipment in full or in parts thereof, at free of cost to OIL within a reasonable period of time.
- 19.9. Items that can be packed in bundles must be secured with strong wires or bands near each end and at regular intervals along the length to prevent splaying and ensure rigidity. Bundles must be suitably tagged using labels which are securely fastened by the ties clearly stencilled with mark, number and port mark.
- 19.10. Bundles or pieces must be adequately painted and marked as per item specifications.
- 19.11. In case of tubular, the weight of each bundle should not exceed 2 MT.
- 19.12. All spares are to be labelled with purchaser's order number and item number in addition to seller's part number, if any.
- 19.13. Electrical equipment must be suitable for use in humid and tropical climate and be specially treated / finished to prevent deterioration / corrosion. Insulation is to be non-hygroscopic and preferably vacuum dried and pressure impregnated.
- 19.14. Each box/crate/pallet/piece should be clearly marked on atleast two sides with OIL's Purchase order number, consignee name and address, consignment note number, package number and total number of packages.
- 19.15. Shipping Mark in case of foreign order to be despatched by sea/air:

Please put the following shipping mark clearly on each package / piece:



In addition to the shipping mark as shown above, packages must be marked on two sides with net and gross weights in kilograms and measurements in centimetres and country of origin. For pieces over 1 MT these dimensions must be marked on all sides to facilitate identification in case of shipping marks becoming obliterated.

All packages, wherever possible, should have a label placed inside bearing a clear impression of the external, mark, number and port mark.

# 19.16. <u>Shipment confirmation by overseas/foreign Suppliers:</u>

The foreign Seller shall advise the Purchaser by email or fax immediately after the shipment is affected with details of name of shipping line and vessel/airline and flight number, date of shipment, port of shipment, number and date of Bill of Lading/AWB, terms of delivery, number of packages, weight and volume of consignment and brief description of goods.

## 19.17. Road Despatch by domestic Suppliers:

- 19.17.1. In the event of an order other than DDP Destination terms on indigenous Seller, the materials shall be despatched through OIL's approved transporter/carrier (which will be specified in the order) on "Door Delivery" basis.
- 19.17.2. For orders placed on DDP Destination basis on indigenous Seller, the materials shall be despatched through reputed Bank approved transporters/carriers only on Door Delivery basis. In case OIL is required to collect the material from transporters godown, extra expenditure incurred thereof will be recovered from the Seller.

#### 19.18. Rail Despatch by domestic Suppliers:

In case of Rail despatch, the indigenous Seller shall be fully responsible for arranging the required railway wagons/rake. Tubular consignment will be despatched preferably in open type wagons. In case of despatch by other wagons, prior approval of OIL is to be taken. Height of the wagons should not exceed 4.6 metres.

# 19.19. Weight and Size Limitation of Packages:

Category	Length (Mtrs.)	Width (Mtrs.)	Height (Mtrs.)	Capacity (MT)
Truck	5.185	1.98	1.98	9
Normal Trailer	10.98	2.44	2.44	18
Semi Low Bed Trailer	10.98	3.05	3.05	20
Low Bed Trailer	6.71	3.05	3.81	18

Above dimensional restrictions must not be violated without prior approval from the Purchaser. The finished packing should be in the form of a box under the limited dimensions.

#### 20.0 TRANSPORTATION:

# 20.1. OVERSEAS/FOREIGN SUPPLIER:

- a) Where the Seller is required to undertake delivery of goods on FOB terms, documentation, handling &inland transportation upto putting the ordered goods on the board at port of loading shall be arranged and paid by the Seller. The total order value includes all such costs/FOB charges etc. For the orders issued on FOB/FCA terms, OIL reserves the right to convert the order from FOB/FCA Port of export to C&F Kolkata term considering the ocean/air freight quoted by Seller in their offer. In such case, seller shall submit enhanced performance security amount considering the quoted ocean freight charges as notified by OIL.
- b) Where the Seller is required to undertake the delivery of goods on CFR or CIF basis, documentation, handling & transportation of goods upto the port of discharge in the country of destination, as specified in the purchase order, shall be arranged and paid by the Seller. The total order value includes all such associated costs upto the port of discharge in the country of destination.

- In case of air-shipment of sundry consignments (gross weight upto 100Kg), OIL may nominate its Air-cargo Consolidation Service Provider to receive such duly packed consignments at their warehouse nearer to the gateway airport from various Sellers for arranging onward air-shipment upto the destination airport in India on consolidation basis. Seller, in consultation with the nominated air-cargo consolidation Service Provider, shall arrange for and bear all costs associated with preparation of documents, handling & inland transportation of such consignments upto the warehouse/gateway airport against purchase orders placed on FOB/FCA (by air) terms.
- d) All shipments of material and containerised cargo shall be made by suitable vessels certified for seaworthiness and complying with National/ International safety regulations and age (vintage) of the vessel being less than 25 years.

## 20.2. DOMESTIC/INDIGENOUS SUPPLIER:

- a) Where the Seller is required to undertake delivery of goods on FOB despatch station basis, the cost of handling & loading of goods on the carrier of Purchaser's nominated transporter/rail shall be arranged and paid by the Seller. The total order value includes all such associated costs.
- b) Where the Seller is required to undertake delivery of goods on DDP destination basis, handling & transportation of goods upto the designated site of the Purchaser, as specified in the purchase order, shall be arranged and paid by the Seller. The total order value includes all such associated costs.
- 20.3. Both Indian bidder and Foreign bidder must note that no trans-shipment en route is permitted. However, under exceptional circumstances, trans-shipment maybe allowed with prior consent of OIL. No charges shall be payable for such transhipment and consequent handling/storage of the goods.

### 21.0 DOCUMENTATION (FOR OVERSEAS/ FOREIGN SUPPLIERS):

21.1. This is a very important requirement. Seller is required to strictly follow this requirement and shall forward the document, as mentioned below, by air mail / courier immediately after the shipment is made:

	<u>Addressee</u>	<u>List of Documents</u>	No. of copies
(A)	To Purchaser's Banker through whom the L/C is established:	<ul> <li>i) Clear negotiable Bill of Lading (Complete set)/         AWB duly signed and without any overwriting</li> <li>ii) Negotiable Copy of Invoice</li> <li>iii) Certificate of Origin copy</li> <li>iv) Declaration of Third-Party Inspection (TPI) Agency as per Proforma C in original, whenever involved</li> </ul>	-1 -1 -1 -1 -1
(B)	To Head (Kolkata Office) Oil India Limited 15A, Hemanta Basu Sarani Kolkata-700 001 Fax No. (91) 33- 22101390/ 22202596	<ul> <li>i) Copy of non-negotiable Bill of Lading/ AWB</li> <li>ii) Copy of non-negotiable invoice signed as in original in all pages</li> <li>iii) Certificate of Origin</li> <li>iv) Packing List</li> <li>v) Catalogues/ Literature, wherever applicable</li> <li>vi) Safety data sheet sets         <ul> <li>(in case of chemicals)</li> </ul> </li> <li>vii) Tax Residency Certificate</li> <li>viii) Form No 10F (PROFORMA - D).</li> <li>ix) No Business Connection or Permanent         <ul> <li>Establishment Certificate (PROFORMA - E).</li> </ul> </li> </ul>	-3 -5 -3 -2 -1 -2 -1 -1

(C)	To concerned	i)	Copy of non-negotiable Bill of Lading / AWB	-1
	purchase official, Oil	ii)	Copy of non-negotiable invoice	-1
	India Limited	iii)	Test / Inspection / TPI Certificate, If any	-2
	(To be incorporated		( <b>Original</b> +Copy)	
	sphere wise)	iv)	Literature / Catalogue, if applicable	-1
		v)	Packing List	-1
(D)	To concerned finance	i)	Copy of non-negotiable invoice	-1
` ′	official, Oil India	ii)	Bill of Lading/AWB/ House AWB	-1
	Limited	,	· ·	
	(To be incorporated			
	sphere wise)			

Note: Literature/ catalogue is not required in case of spares (unless otherwise stated in the main order)

21.2. The Seller shall be responsible for making available the shipping documents as mentioned above to the Purchaser's bankers and to Purchaser's Kolkata office within seven (7) days (3 days in case of shipment from ports nearby Kolkata port like Singapore) prior to the listed arrival of the vessel at Kolkata port. For air consignments, documents should be received within seven (7) days from date of dispatch. If the documents are not made available as requested, it will not be possible for Purchaser to clear the consignments through Customs at the discharging port in time and the same will accrue demurrage. Such demurrage and other expenses incurred by Purchaser due to late submission of documents (both negotiable and non-negotiable) or submission of incorrect documents by the Seller will be recoverable fully from the Seller/their Indian agent.

# 22.0 DOCUMENTATION (FOR DOMESTIC/INDIGENOUS SUPPLIERS):

- 22.1. Preparation and submission of proper documents by Seller is one of the very important requirements. The Seller must strictly follow the instructions.
- 22.2. Seller shall ensure that all the documents have clear reference of OIL's Purchase Order number.
- 22.3. Seller shall forward the documents, as mentioned below, by courier service immediately after the dispatch is made:

## (I) WHERE PAYMENT AGAINST DIRECT SUBMISSION OF DESPATCH DOCUMENTS TO COMPANY:

A)	To concerned	i)	Bill in original + one copy	
	finance official	ii)	Copy of the C-Note/RR	
	Oil India Limited	iii)	Copy of Mill Inspection Certificate, if any	
		iv)	Copy of Third-Party Inspection Certificate, if any.	
		v)	Copy of Delivery Challan	
		vi)	TPI Declaration as per Proforma C enclosed. (Original)	
		vii)	Copy of Tax Invoice	
		viii)	Copy of packing list.	
		ix)	Documentary evidence of payment of Customs Duty,	
			if any	
B)	To concerned	i)	Clear Consignee copy of RR/C-Note-Original+1 copy	
	receiving official	ii)	Copy of Tax Invoice	
	Oil India Limited	iii)	Delivery Challan (Original)	
		iv)	Packing list (Original)	
		v)	Mill inspection certificate, if any (Original)	
		vi)	Third Party Inspection certificate, if any (Original)	
		vii)	TPI Declaration as per Proforma C Enclosed-One Copy	
		viii)	Warranty Certificate (Original)	
C)	To concerned		One set consisting copies of all the documents as	
	purchase official		mentioned in (B) above	
	Oil India Limited			

Note: Where payment term is after receipt and acceptance of materials, the complete set of

documents meant for Chief General Manager (A/P) as indicated in para 22.3 (I) (A)

should be submitted to Dy. General Manager Materials (Receiving).

# (II) WHEREVER DOCUMENTS TO BE NEGOTIATED THROUGH BANK:

(A)	To purchaser's Bankers (SBI/UBI/UCO /CANARA/ALLAHABAD BANK): One complete set of documents comprising of following + One extra set  Above documents should be sent to Banker with clear instructions to them that the extra set of copies of above documents must be sent to Chief General Manager (A/P), OIL along with the intimation from Bank.	i) ii) iv) v) vi) vii) viii) ix)	Clear Consignee copy of C-Note/RR-Original Bill – Original Mill Inspection Certificate, if any – 1 copy Third Party Inspection certificate, if any – 1 copy Declaration by Third Party Inspector – 1 copy Delivery Challan – 1 copy Tax Invoice-Original Packing List – 1 copy Warranty Certificate – 1 copy Documentary evidence of payment of Customs Duty, if any
(B)	To concerned finance official Oil India Limited	i) ii) iii) iv) v) vi) vii) viii) ix) x)	Bill (Original + One Copy) Copy of the C-Note/RR Copy of Mill inspection certificate, if any Copy of Third-Party inspection certificate, if any Copy of delivery Challan Declaration by Third Party Inspector as per Proforma C enclosed. (Original) Copy of Tax Invoice Copy of packing list. Copy of warranty certificate Documentary evidence of payment of customs duty, if any
C)	To concerned receiving official Oil India Limited	i) ii) iii) iv) v) vi) vii)	Clear Consignee copy of RR / C-Note-Original +1 copy Copy of Tax Invoice Delivery Challan (Original) Packing list (Original) Mill inspection certificate, if any (Original) Third Party Inspection certificate, if any (Original) Copy of declaration by third party inspector as per Proforma C enclosed Warranty Certificate (Original)
D)	To concerned purchase official Oil India Limited		One set consisting of copies of the documents as mentioned in (B) above

# 23.0 INSPECTION AND TEST:

- 23.1. The Purchaser reserves the right to inspect and/or to test the goods/ equipment through its inspector to confirm that goods being supplied are in conformity to the order specifications.
- 23.2. The required inspection/test and place where such inspection/test is to be conducted shall be as specifically mentioned under the Technical Specifications/Special Conditions of Purchase Order/ Contract.
- 23.3. The Seller shall notify the Purchaser giving the date for inspection of the materials after its readiness so that purchaser may depute its inspector. The Purchaser shall communicate to the Seller the detail of inspector being deputed. In case of third-party inspection, the Seller shall notify the third-party inspection agency as provided in the purchase order/contract and shall also simultaneously inform the Purchaser

- and co-ordinate the inspection/testing of materials through the designated third-party inspection agency. In all such cases, the Seller shall give sufficient notice period as mentioned in the purchase order so as to mobilize the inspector.
- 23.4. The inspection/test may be conducted at Seller's works or at the final destination. When the inspection is carried out at Seller's, all facilities for inspection/testing including man-power, equipment etc. shall be provided by the Seller without any extra cost to the Purchaser.
- 23.5. Should any goods after inspection fails to conform to the specification, the Purchaser can reject such materials and the Seller shall have to replace such rejected materials/components complying with the required specifications without any extra cost to Purchaser.
- 23.6. Purchaser having inspected goods at Seller's works and cleared for despatch does not waive the right of the Seller/Purchaser to inspect the materials at final destination after arriving at Purchaser's site.
- 23.7. As may be necessary or specified in the purchase order, pre-despatch inspection may also be carried out by a team of officials from the relevant discipline of OIL.
- 23.8. Any and all expenses incurred in connection with test, preparation of report and analysis made by qualified laboratories, necessary technical documents, testing documents and drawings shall be at Seller's expense.
- 23.9. Arrangement for any inspection/ Certification required by Indian statutory authority shall be to Seller's account.
- 23.10. Nothing mentioned at sub-clauses under 23.0, shall in any way relieve the Seller from any warranty or other obligations under the purchase order/contract.

#### 24.0 PRICE REDUCTION SCHEDULE FOR DELAY IN DELIVERY:

24.1. Subject to Force Majeure clause, if the Seller fails to deliver any or all ordered goods or to perform the service within the time period as specified in the purchase order, the Purchaser shall, without prejudice to other remedial measures under the purchase order, deduct from the purchase order price, a sum calculated (Liquidated damage) on the basis of the purchase order price, including subsequent modifications.

# 24.2. <u>Deductions shall apply as per following formula:</u>

In case of delay attributable to seller in delivery of ordered goods or delay in completion as per order terms, price reduction @ 0.5% per week of delay or part thereof of the value of the goods in respect of which default in delivery takes place, subject to a maximum of 7.5 % of the total supply order value (excluding site work). GST and other charges on account of deduction will be required to be paid by supplier/seller.

- 24.3. In case of package items (ordered as a complete system), the price adjustment shall be applicable on the entire order value of that package and not on the value of the undelivered portions (even though a billing breakup has been approved).
- 24.4. In case of purchase of bulk items where tolerance limit is specified (e.g. pipes, cables etc.), price adjustment clause shall be applicable on the actual quantity supplied, within the tolerance limit, instead of Purchase Order quantity.
- 24.5. In case of delay in delivery on the part of Seller, the invoice / document value shall be reduced as above and payment shall be released accordingly by the Purchaser.
- 24.6. In the event the invoice value is not reduced appropriately for the delay by the Seller, the Purchaser reserves the right to deduct the amount so calculated, from any amount falling due to the Seller or by recovery against the performance guarantee.
- 24.7. Both Seller and Purchaser agree that the above percentages of price reduction are genuine pre-estimates of the loss/damage which the Purchaser would have suffered on account of delay/ breach on the part of

the Seller and the said amount will be payable on demand without there being any proof of the actual loss or damage caused by such breach/delay. Decision of the Purchaser in the matter of applicability of price reduction shall be final and binding.

#### 25.0 FORCE MAJEURE:

- 25.1. In the event of either party being rendered unable by Force Majeure to perform any obligations required to be performed by them under the purchase order the relative obligations of the party affected by such force majeure shall upon notification to the other party be suspended for the period during which force majeure event lasts. The cost and loss sustained by the either party shall be borne by the respective parties.
- 25.2. The term force majeure as employed herein shall mean Acts of God such as earthquake, hurricane, typhoon, flood, volcanic activity etc.; war (declared /undeclared); riot, revolts, rebellion, terrorism, sabotage by persons other than the SELLER's Personnel; fires, explosions, ionizing radiation or contamination by radio-activity or noxious gas, if not caused by SELLER's fault; declared epidemic/pandemic or disaster; acts and regulations of respective Govt. of the two parties, namely the PURCHASER and the SELLER and civil commotions, lockout not attributable to the SELLER
- 25.3. Upon occurrence of such cause(s) and upon its termination, the party alleging that it has been rendered unable as aforesaid thereby, shall notify the other party by a registered letter duly certified by the statutory authorities immediately but not later than 7(seven) days of the alleged beginning and ending thereof giving full particulars and satisfactory evidence in support of its claim.
- 25.4. Time for performance of the relative obligations suspended by the force majeure shall then be extended by the period for which such cause lasts. The extension of time shall be the sole remedy of the Seller for any delay under this clause and the Seller shall not be entitled in addition to or in lieu of such extension to claim any damages or compensation on any account whatsoever whether under the law governing contracts or any other law in force, and the Seller hereby waives and disclaims any and all contrary rights.
- 25.5. If the force majeure conditions persist for a period exceeding two (2) months, the Purchaser reserves the right to cancel the purchase order in full or in part.

#### 26.0 TERMINATION OF PURCHASE ORDER:

- 26.1. <u>Termination for Non-performance:</u>
- 26.1.1. The Purchaser without prejudice to any other remedy for breach of purchase order, by giving a written notice for non-performance to the Seller, may terminate the purchase order in whole or in part for following reasons:
  - i. In case a specified delivery schedule is not adhered to or the progress of the manufacturer or supply of the item is not satisfactory and is not in accordance with the progress schedule, or
  - ii. In case Seller fails to deliver any or all part of the goods within the time period specified in the purchase order, or
  - iii. If the Seller fails to perform any other obligation under the purchase order, and
  - iv. If the Seller, in the either of the above condition, does not cure his failure within a stipulated period of 30 days (or such a longer period may authorize by the Purchaser in writing) after receipt of notice of non-performance from the Purchaser.
  - v. In case Seller fails to deliver any or all part of the goods as per specifications, stipulated in the Purchase Order.
- 26.1.2. In the event the Purchaser terminates the purchase order in whole or in part, pursuant to clause 26.1.1, the Purchaser may procure, in the manner as deemed fit, goods similar to those undelivered and the Seller shall be liable to the Purchaser for any excess costs for such similar goods. However, the Seller shall continue performance of the purchase order to the extent not terminated. In such situation, Purchaser at its option shall forfeit the performance security without further any notice to the Seller.
- 26.1.3. In case of termination of the purchase order, due to reason mentioned at para 26.1.1, the vendor shall be put on holiday as per the provision of Banning Policy, 2017 of the Purchaser.

## 26.2. Termination on account of Death:

If the Seller is an individual or a proprietary concern and the individual or the proprietor dies or if the Seller is a partnership concern and one of the partner dies then unless, the Purchaser is satisfied that the legal representative of the individual or the proprietary concern or the surviving partners are capable of carrying out and completing purchase order, the Purchaser is entitled to cancel the purchase order for the uncompleted part without being in any way liable for any compensation payment to the estate of the deceased Seller and/or to the surviving partners of the Seller's firm on account of the cancellation of purchase order. The decision of the Purchaser in such assessment shall be final & binding on the parties. In the event of such cancellation, the Purchaser shall not hold the estate of the deceased Seller and/or the surviving partners of Seller's firm liable for any damages for non-completion of the purchase order.

#### 26.3. Termination in case of Liquidation/Bankruptcy/Insolvency:

- 26.3.1. In the event that the Seller, at any time during the term of the purchase order, becomes insolvent or makes a voluntary assignment of its assets for the benefit of creditors or is adjudged bankrupt, then the Purchaser shall, by a notice in writing have the right to terminate the purchase order and all the rights &privileges of the Seller hereunder shall stand terminated forthwith.
- 26.3.2. However, Purchaser shall be at liberty to give the Receiver or Liquidator or other person, the option of carrying out the purchase order subject to his providing a guarantee upto an amount to be agreed upon by Purchaser for due and faithful performance of the purchase order.

#### 26.4. Termination for Convenience:

- 26.4.1. The Purchaser may, by written notice sent to the Seller, terminate the purchase order, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of work under the purchase order is terminated and the date upon which such termination becomes effective.
- 26.4.2. The goods that are complete and ready for shipment within 30 days after the Seller's receipt of notice of termination shall be purchased by the Purchaser at the purchase order terms and prices. For the remaining goods the Purchaser may opt:
  - (a) to have any portion completed and delivered at the purchase order terms and prices, and/or
  - (b) to cancel the remainder and pay to the Seller an agreed amount for partially completed goods and for materials and parts previously procured by the Seller.

#### 26.5. Termination due to change of ownership and Assignment:

In case the SUPPLIER's rights and /or obligations under the Purchase Order and/or the SELLER's rights, title and interest to the equipment/ material, are transferred or assigned without the PURCHASER's written consent, the PURCHASER may at its option, terminate this Purchase Order. PURCHASER shall not be however under any obligation to accord consent to the SUPPLIER for change of ownership & assignment of the contract.

- 26.6. Notwithstanding any provisions herein to the contrary, the Purchase Order may be terminated at any time by the SELLER on giving 07(Seven) days written notice to the SELLER due to any other reason not covered under the above Article from 26.1 to 26.5 and in the event of such termination the PURCHASER shall not be liable to pay any cost or damage to the SELLER except for payment for the goods, already delivered as per the Purchase Order upto the date of termination.
- 26.7. On termination of the Purchase Order, without prejudice to any other right or remedy available to OIL under the Purchase Order, in the event of OIL suffering any loss on account of delayed delivery or non-delivery or inferior quality of the material, OIL reserves the right to claim and recover damages from the Vendor in respect thereof.

# 26.8. Termination for submission of fraudulent documents:

If any information given by a bidder is found to be incorrect in any particular considered by OIL to be relevant for the evaluation of the bid/ tender, or is found by OIL to misrepresent or conceal facts, or if any of the documents submitted by the bidder in support of or relevant to the bid/ tender is found by OIL to be forged, false or fabricated, OIL shall reject the bid, and without prejudice to any other right(s) of

action or remedy available to OIL, OIL shall forfeit the Earnest Money given by the bidder list as per the provision of Banning Policy, 2017 of OIL. If prior to the discovery of the incorrect information, misrepresentation or forged, false or fabricated document (s), the bid has resulted in a Purchase Order/Contract, the Purchase Order/Contract shall be liable to be terminated by OIL. In such situation the performance security / EMD shall be forfeited.

# 27.0 GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) GUIDELINES:

(Applicable in case of the Tenders/Purchase Orders involving Fabrication, Installation and Commissioning at Purchaser's site)

- 27.1. It will be solely the SELLER's responsibility to fulfill and to comply all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.)
- 27.2. It will be entirely the responsibility of the Supplier/ his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OlL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager/ Safety Officer/ Engineer/ Official/ Supervisor/ Junior Engineer for safe operation.
- 27.3. Any compensation arising out of the job carried out by the SELLER whether related to pollution, Safety or Health will be paid by the Seller only.
- 27.4. Any compensation arising due to accident of the Seller's personnel while carrying out the job, will be payable by the Seller.
- 27.5. When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE Measures Purchaser shall have the right to direct the Seller to cease work until the non-compliance is corrected.

#### 28.0 APPLICABLE LAW AND JURISDICTION OF COURT:

- 28.1. The consequent Contract/Purchase Order shall be deemed to be a Contract made under, governed by and construed in accordance with the laws of India for the time being in force and shall be subject to the sole and exclusive jurisdiction of the Commercial Courts situated in Dibrugarh(or the Place where the contract is executed) and Principal Bench of Gauhati High Court (or the High Court under whose territorial jurisdiction, the place falls, where the contract is executed).
- 28.2. The consequent Contract/Purchase Order including all matter connected with the Contract/Purchase Order, shall be governed by the laws of India (both substantive and procedural) for the time being in force and shall be subject to exclusive jurisdiction of Courts, mentioned hereinabove. Foreign companies, operating in India or entering into Joint ventures in India, shall also be governed by the laws of India and shall be subject to sole and exclusive jurisdiction of above Courts.

# 29.0 SETTLEMENT OF DISPUTES AND ARBITRATION:

- 29.1. <u>ARBITRATION (APPLICABLE FOR SUPPLIER/CONTRACTOR OTHER THAN PSU/GOVT. DEPARTMENTS AND MSMEs):</u>
- 29.1.1. Except as otherwise provided elsewhere in the purchase order, if any dispute, difference, question or disagreement arises between the parties or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the consequent purchase order/contract or breach thereof which parties are unable to settle mutually or through mutually appointed Outside Expert Committee (OEC), the same shall be referred to Arbitration as provided hereunder:
- 29.1.2. A party wishing to commence arbitration proceeding shall invoke Arbitration Clause by giving 30 days' notice to the other party. The notice invoking arbitration shall specify all the points of dispute with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter. If the claim is in foreign currency, the claimant shall indicate its value in Indian Rupee for the purpose of constitution of the arbitral tribunal.

29.1.3. The number of arbitrators and the appointing authority shall be as under:

Claim Amount (excluding claim for interest and counter claim, if any)	Number of Arbitrator	Appointing Authority
Upto Rs.5.00 Crore	Not Applicable	Not Applicable
Above Rs.5.00 Crore and Upto Rs. 25 Crore	Sole Arbitrator	OIL
Above Rs. 25 Crore	Three Arbitrators	One Arbitrator by each party and the 3 <sup>rd</sup> Arbitrator, who shall be the Presiding Arbitrator, by the two Arbitrators.

- 29.1.4. The parties agree that they shall appoint only those persons as arbitrators who accept the conditions of the arbitration clause. No person shall be appointed as Arbitrator or Presiding Arbitrator who does not accept the conditions of the arbitration clause.
- 29.1.5. If any of the Arbitrators so appointed dies, resigns, becomes incapacitated or withdraws for any reason from the proceedings, it shall be lawful for the concerned party/arbitrators to appoint another person in his place in the same manner as aforesaid. Such person shall proceed with the reference from the stage where his predecessor had left if both parties consent for the same; otherwise, he shall precede de novo.
- 29.1.6. Parties agree that neither shall be entitled for any pre-reference or pendente-lite interest on its claims. Parties agree that any claim for such interest made by any party shall be void.
- 29.1.7. If after commencement of the arbitration proceedings, the parties agree to settle the dispute mutually or refer the dispute to conciliation, the arbitrators shall put the proceedings in abeyance until such period as requested by the parties.
- 29.1.8. Each party shall be responsible to decide for the travel and stay etc. of the arbitrator pointed by it. Claimant shall also be responsible for planning for travel/ stay arrangements of the Presiding Arbitrator and the expenses incurred shall be shared equally by the parties.
- 29.1.9. In case of sole arbitrator, OIL shall make all necessary arrangements for his travel, stay and the expenses incurred shall be shared equally by the parties.
- 29.1.10. The Arbitration shall be held at the place from where the contract /purchase order has been awarded. However, parties to the contract / purchase order can agree for Venue of Arbitration, different from the place of arbitration within India for the convenience of all concerned.
- 29.1.11. The fees to arbitrator(s) shall be governed by the Fourth Schedule of the Arbitration and Conciliation Act, 1996. The fees to the arbitrator(s) and secretarial expenses shall be paid in following manner:
  - (i) 20% of the fees on submission of Statement of Claim and Counter Claim by the Claimant and Respondent respectively
  - (ii) 20% of the fees on completion of pleadings
  - (iii) 20% of the fees on commencement of the hearing
  - (iv) 40% of the Fees on conclusion of hearing and before passing of final award.

However, subject to agreement by the Parties, the arbitrator(s) may determine a lump sum amount to be paid towards arbitrator's fees and secretarial expenses by the parties on commencement of the proceedings, which is to be adjusted against first instalment of payment, as prescribed in sl.(ii) above.

- 29.1.12. The Arbitrator(s) shall give reasoned and speaking award and it shall be final and binding on the parties.
- 29.1.13. Subject to aforesaid, provisions of the Arbitration and Conciliation Act, 1996 and any statutory modifications or re-enactment thereof shall apply to the arbitration proceedings under this clause.

29.1.14. It is agreed and undertaken by the Parties that irrespective of country of origin of the SELLER, the arbitration proceedings shall be governed by the Arbitration and Conciliation Act, 1996 and under no circumstances, the proceedings shall be construed as International Arbitration.

# 29.2. <u>ARBITRATION (APPLICABLE IN CASE OF PURCHASE ORDER AWARDED ON CPSE AND GOVT.</u> DEPARTMENTS/ORGANIZATIONS):

In the event of any dispute or difference relating to the interpretation and application of the provisions of commercial contract(s) between Central Public Sector Enterprises (CPSEs)/ Port Trusts inter se and also between CPSEs and Government Departments/Organizations (excluding disputes concerning Railways, Income Tax, Customs & Excise Departments), such dispute or difference shall be taken up by either party for resolution through AMRCD as mentioned in DPE OM No. 4(1)/2013-DPE(GM)/FTS-1835 dated 22-05-2018.

The Committee of Secretaries at the First level (tier) shall finalise its decision within 3(three) months after having received the reference/notice in writing regarding the dispute from the concerned aggrieved party.

Any party aggrieved with the decision of the Committee at the First level (tier) may prefer an appeal before the Cabinet Secretary at the Second level (tier) within 15 days from the date of receipt of decision of the Committee at First level, through its administrative Ministry/Department, whose decision will be final and binding on all concerned.

The Arbitration and Conciliation Act 1996 shall not be applicable to the Arbitration under this clause.

## 29.3. ARBITRATION (APPLICABLE TO MICRO, SMALL AND MEDIUM ENTERPRISE)

In the event of any dispute or difference relating to, arising from or connected with the Purchase Order, efforts shall be made to resolve the dispute(s) amicably by mutual consultation and in case such dispute(s) cannot be resolved through mutual consultation, then same shall be resolved through the procedure as prescribed in Section-18 of the Micro, Small and Medium Enterprises Development Act, 2006

# 30.0 RESOLUTION OF DISPUTES THROUGH CONCILIATION BY OUTSIDE EXPERT COMMITTEE (OEC): (Not applicable in cases valuing less than Rs 25 lakhs)

- 30.1. If any dispute, difference, question or disagreement arises between the parties hereto or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the purchase order/contract or breach thereof which parties are unable to settle mutually, subject to consent of the Seller, the Purchaser at its discretion may first refer to conciliation through Outside Expert Committee (OEC) to be constituted by CMD, OIL as provided hereunder.
- 30.2. The party desirous of resorting to conciliation shall send a notice of 30 (thirty) days to the other party of its intention of referring the dispute for resolution through OEC. The notice invoking conciliation shall specify all the points of disputes with details of the amount claimed to be referred to OEC and the party concerned shall not raise any new issue thereafter.
- 30.3. CMD, OIL shall nominate three outside Experts, one each from Financial/commercial, Technical and Legal fields from the Panel of Outside Experts maintained by OIL who shall together be referred to as OEC (Outside Experts Committee).
- 30.4. Parties shall not claim any interest on claims/counterclaims from the date of notice invoking conciliation till execution of settlement agreement, if so arrived at. In case, parties are unable to reach a settlement, no interest shall be claimed by either party for the period from the date of notice invoking conciliation till the date of OEC recommendations in any further proceeding.
- 30.5. The Proceedings of the OEC shall be broadly governed by Part III of the Arbitration and Conciliation Act, 1996 including any modifications thereof.
- 30.6. The parties shall be represented by their in-house employees/executives. No party shall bring any advocate or outside consultant/advisor/agent. Ex-officers of OIL who have handled the matter in any capacity directly or indirectly shall not be allowed to attend and present the case before OEC on behalf of Contractor. However, ex- employees of parties may represent their respective organizations.

- 30.7. OEC shall hear both the parties and recommend possible terms of settlement between the parties. The recommendations of OEC shall be non-binding and the parties may decide to accept or not to accept the same or may accept part of the recommendation. Parties shall be at liberty to accept the OEC recommendation with any modification they may deem fit.
- 30.8. Where recommendations are acceptable to both the parties, a settlement agreement will be drawn up in terms of the OEC recommendations or with such modifications as may be agreed upon by the parties. The settlement agreement shall be signed by both the parties. This settlement agreement shall have the same legal status and effect as that of an arbitration award on agreed terms on the substance of the dispute rendered by an arbitral tribunal under Section 30 of the Arbitration and Conciliation Act, 1996.
- 30.9. OIL will share all other guidelines regarding reconciliation through OEC with the supplier when it resorts to settlement through OEC. Both parties agree to adhere to these guidelines.
- 30.10. All the expenditure incurred in the OEC proceedings shall be shared by the parties in equal proportion. The parties shall maintain account of expenditure and present to the other for the purpose of sharing on conclusion of the OEC proceedings.

If the parties are not able to resolve the dispute through OEC or do not opt for conciliation through OEC, the party may invoke arbitration clause as provided in the contract / purchase order.

It is expected to conclude a case by OEC within 8-10 weeks. The place of conciliation shall be Guwahati for all purchase orders issued from the Field HQ, Duliajan and Pipeline HQ, Guwahati, whereas, New Delhi shall be the Place of Conciliation for all other Purchase Orders issued by other spheres of OIL.

Solicitation or any attempt to bring influence of any kind on either OEC Members or PURCHASER is completely prohibited in conciliation proceedings and PURCHASER reserves the absolute right to close the conciliation proceedings at its sole discretion if it apprehends any kind of such attempt made by the SELLER or its representatives.

# 31.0 EXCLUSIONS

Parties agree that following matters shall not be referred to conciliation or arbitration or OEC:

- i) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision to initiate any proceedings for suspension or debarment or banning, or decision to suspend or to ban or to debar business dealings with the Bidder / Seller and/or with any other person involved or connected or dealing with bid / contract / bidder / Supplier.
- ii) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision under the provisions of Integrity Pact executed between OIL and the Bidder / Supplier.
- iii) Any claim, difference or dispute relating to, connected with or arising out of OIL's decision to comply with any order or directive of any statutory or government authority.

# 32.0 SET-OFF:

Any sum of money due and payable to the Seller (including Security Deposit refundable to them) under the consequent order or any other purchase order may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of the purchase order or under any other purchase order made by the Seller with Oil India Limited (or such other person or persons contracting through Oil India Limited).

## 33.0 DISPOSAL OF REJECTED MATERIALS AT PURCHASER'S SITE:

In case any material is rejected by the Purchaser after receipt at site, the Seller shall be informed about the same including the reasons for rejection. Seller shall also be advised about the location where the rejected materials are lying at risk and cost of the Seller. The Seller shall also be advised to remove or dispose of the materials within 4(four) weeks from the date of notice, failing which the Purchaser will be entitled to dispose-off the materials at risk and cost of the Seller.

#### 34.0 ERRING / DEFAULTING AGENCIES:

Erring and defaulting agencies like bidder, Seller, supplier, vendor, service provider will be dealt as per OIL's Banning Policy dated 6th January, 2017 available in OIL's website: www.oil-india.com. Moreover, OIL reserves the right to take legal or any other action on the basis of merit of the case.

## 35.0 LIABILITY OF UNION GOVERNMENT OF INDIA:

It is expressly understood and agreed upon by and between SUPPLIER and PURCHASER that PURCHASER is entering into this agreement solely on its own behalf and not on behalf of any other person or entity. In particular, it is expressly understood and agreed that Union of India is not a party to this agreement and has no liabilities, obligations or rights, whatsoever hereunder. It is expressly understood and agreed that PURCHASER is an independent legal entity with power and authority to enter into contracts solely on its own behalf under the applicable laws of India and general principles of the Contract law. The bidder/Supplier expressly agrees, acknowledges and understands that Purchaser is not an agent, representative or delegate of the Union of India. It is further understood and agreed that Union of India is not and shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the contract. Accordingly, bidder/ SUPPLIER hereby expressly waives, releases and foregoes any and all actions or claims, including cross claims, impleader claims or counter claims against the Union of India arising out of the Purchase Order and covenants not to sue the Union of India as to any manner, claim, cause of action or thing whatsoever arising of or under the Purchase Order.

#### 36.0 WAIVERS:

It is fully understood and agreed that none of the terms and conditions of this agreement shall be deemed waived by either party unless such waiver is executed in writing only by the duly authorized representatives of both the parties. The failure of either party to execute any right shall not act as a waiver of such right by such party.

## 37.0 SEVERABILITY:

Should any provision of this agreement be found to be invalid, illegal or otherwise not enforceable by any court of law, such finding shall not affect the remaining provisions hereto and they shall remain binding on the parties hereto.

\*\*\*\*\*

## APPENDIX - A1

# POLICY TO PROVIDE PURCHASE PREFERENCE (LINKED WITH LOCAL CONTENT) (PP -LC) IN ALL PUBLIC SECTOR UNDERTAKINGS UNDER MINISTRY OF PETROLEUM AND NATURAL GAS- AMENDED

#### 1. Preamble

- 1.1. In tune with Make in India (MII) campaign in oil and gas sector, the Government has decided to incentivise the growth in local content in goods and services while implementing oil and gas projects in India, and
- 1.2. Whereas the Public procurement policy rests upon the core principles of competitiveness, adhering to sound procurement practices and execution of orders for supply of goods or services in accordance with a system which is fair, equitable, transparent, competitive and cost effective, and
- 1.3. Whereas, the local content can be increased through partnerships, cooperation with local companies, establishing production units in India or Joint Ventures (JV) with Indian suppliers, increasing the participation of local employees in services and training them etc.
- 1.4. Whereas incentivising enhanced local content in the procurement of goods and/or services in oil and gas business activities would lead to increased local industry content;
- 1.5. Therefore, the Ministry of Petroleum and Natural Gas (MoPNG) has decided to stipulate the following policy for providing Purchase Preference to the manufacturers/service providers having the capability of meeting/exceeding the local content targets in oil and gas business activities;
- 1.6. This policy considers the Local Content (LC) as the added value brought to India through the activities of the oil and gas industry. This may be measured (by project, affiliate, and/or country aggregate) and undertaken through Workforce development and investments in supplier development through developing and procuring supplies and services locally.

#### 2. Definitions

- 2.1. **Oil and Gas Business Activity** shall comprise of Upstream, Midstream and Downstream business activities.
- 2.2. **Domestic products** shall be goods and/or service (including design and engineering), produced by companies, investing and producing in India.
- 2.3. Local Content hereinafter abbreviated to LC means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.
- 2.4. **Domestic Manufacturer** shall be business entity or individual having business activity established under Indian law and producing products domestically.
- 2.5. **Supplier of goods and/or provider of service** shall be a business entity having capability of providing goods and/or service in accordance with the business line and qualification thereof and classified as under:
  - 'Class-I local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50% as defined under this Policy.
  - **'Class-II local supplier'** means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Policy.
  - **'Non-local supplier'** means a supplier or service provider, whose goods, services or works offered for procurement, has local content less than or equal to 20%, as defined under this Policy.

- 2.6. **Steering Committee** means the committee to be constituted by MoPNG to provide effective guidance and to oversee the implementation of the Policy on a regular and continuing basis.
- 2.7. Verification shall be an activity to verify the accomplishment of LC by domestic manufacturers and/or suppliers of goods and/or providers of service with the data obtained or collected from respective business activities.
- 2.8. **Purchase preference**: Where the quoted price is within the margin of purchase preference of the lowest price, other things being equal, purchase preference may be granted to the bidder concerned, at the lowest valid price bid.
- 2.9. **Local Content (LC)** in Goods shall be the use of raw materials, design and engineering towards manufacturing, fabrication and finishing of work carried out within the country.
- 2.10. Local Content (LC) in Services shall be the use of services up to the final delivery by utilizing manpower (including specialist), working appliance (including software) and supporting facilities carried out within in the country.
- 2.11. Local Content (LC) in EPC contracts shall be the use of materials, design and engineering comprising of manufacturing, fabrication, assembly and finishing as well as the use of services by utilizing manpower (including specialist), working appliance (including software) and supporting facility up to the final delivery, carried out within the country.
- 2.12. Factory overhead cost shall be indirect costs of manpower, machine/working appliance/facility and the whole other fabrication costs needed to produce a unit of product with the cost not chargeable directly to specified product.
- 2.13. **Company overhead cost** shall be costs related to the marketing, administration and general affairs cost of the company.
- 2.14. **Indian Company** means a company formed and registered under the Companies Act, 2013.
- 2.15. **Foreign company** means any company or body corporate incorporated outside India which- (a) has a place of business in India whether by itself or through an agent, physically or through electronic mode; and (b) conducts any business activity in India in any other manner.

#### 3. Scope

- 3.1. The regulation shall be intended to:
- 3.1.1. Support and boost the growth of domestic manufacturing sector so as to be able to support oil and natural gas business activities and contribute added value to economy, absorb manpower as well as have national, regional and international competitiveness;
- 3.1.2. Support and boost the growth of innovation/technology of domestic manufacturing sector.
- 3.2. This policy shall apply to all the Public Sector Undertakings and their wholly owned subsidiaries under the Ministry of Petroleum and Natural Gas; Joint Ventures that have 51 % or more equity by one or more Public Sector Undertakings under the Ministry of Petroleum and Natural Gas; attached and subordinate offices of MoPNG.
- 3.3. This policy shall not include goods/services falling under Micro Small and Medium Enterprises (MSME) or Domestically Manufactured Electronic Products (DMEP), as those products/ services are already covered under specific policy. However, an option would be given in the tender for the bidder to declare preference for seeking benefit under PP-LC/MSME or DMEP.
- 3.4. The policy is not applicable for HP-HT operations for the time being. The Charter Hiring of offshore vessels shall continue to be governed by DG, Shipping Guidelines. Indian Flag Vessels shall be considered as having 100% LC.

3.5. The prescribed local content in the Policy shall be applicable on the date of Notice inviting Tender.

#### 4. Procurement

- 4.1. The procuring companies shall follow their own procurement procedures. Aggregation of annual requirements and such other procurement practices, which facilitate the implementation of this policy, may be adopted by procuring companies.
- 4.2. In respect of Global Tender Enquiry (GTE) the guidelines as issued by Government of India from time to time shall be applicable on the procuring entities.
- 4.3. **Margin of Purchase preference**: The margin of purchase preference shall be 20%.
- 4.4. (a) In respect of all goods, services or works in respect of which the Nodal Ministry/ Department under DPIIT's Public Procurement (Preference to Make in India) Order, 2017 has communicated that there is sufficient local capacity and local competition, only Class-I local supplier shall be eligible to bid irrespective of purchase value.
  - (b) For all other local tenders, Class-I local supplier and Class-II local supplier shall be eligible to bid irrespective of purchase value, but preference to be given as per PP-LC to the Class-I local supplier.
  - (c) Only Class-I local supplier and Class-I I local supplier, as defined under the Order, shall be eligible to bid in procurements undertaken by procuring entities, except when Global tender enquiry has been issued. In global tender enquiries, Non-local suppliers shall also be eligible to bid along with Class-I local suppliers and Class-II local suppliers.
  - (d) Class-II local supplier will not get purchase preference in any procurement, undertaken by procuring entities.
- 4.5. In National Competitive Bid procurements of all items not covered by para 4.4 (a) and where the estimated value to be procured i.e. total value of enquiry/ tender, is less than Rs. 1 Crore shall be exempt from this Policy. In case of International Competitive Bids, the policy shall be applicable irrespective of the tender estimate. However, it shall be ensured by procuring entities that procurement is not split for the purpose of avoiding the provisions of this Policy.
- 4.6. The producers of goods and/or providers of services shall be obliged to fulfil the requirements of quality and delivery time in accordance with the provisions of the respective contracts of goods and services.
- 4.7. If the Ministry is satisfied that Indian suppliers of an item are not allowed to participate and/or compete in procurement by any foreign government, it may, if it deems appropriate, restrict or exclude bidders from that country from eligibility for procurement of that item and/or other items relating to the Ministry.
- 4.8. For the purpose of para 4.7 above, a supplier or bidder shall be considered to be from a country if (i) the entity is incorporated in that country, or (ii) a majority of its shareholding or effective control of the entity is exercised from that country, or (iii) more that 50% of the value of the item being supplied has been added in that country. Indian suppliers shall mean those entities which meets any of these tests with respect to India.

#### 5. Purchase Preference- Linked with Local Content (LC)

- 5.1. In procurement of all items not covered by para 4.4 (a), the following provisions may be considered for LC linked Purchase Preference:
- 5.1.1. The manufacturers/service providers having the capability of meeting/ exceeding the local content targets shall be eligible for purchase preference under the policy, i.e. LC manufacturers/ LC service providers respectively as described below.
- 5.1.2. Wherever the goods/services are procured under this policy, eligible (techno commercially qualified) Class I Local supplier may be granted a purchase preference where the quoted price is within the margin of

- purchase preference of the lowest price, other things being equal, purchase preference may be granted to the eligible (techno-commercially qualified) Class I Local supplier concerned, at the lowest valid price bid.
- 5.1.3. **Goods:** The tender for procuring goods would specify that the contract for 50% of the procured quantity would be awarded to the lowest techno-commercially qualified Class I Local supplier, subject to matching with L1, if such bidders are available. The remaining will be awarded to L1.
- 5.1.3.1. However, if L1 bidder happens to be a Class-I Local supplier, the entire procurement value shall be awarded to such bidder;
- 5.1.3.2. If in the opinion of the procuring company, the tenders (procured quantity) cannot be divided in the prescribed ratio of 50:50, then they shall have the right to award contract to the eligible Class-I Local supplier for quantity not less than 50%, as may be divisible.
- 5.1.3.3. In continuation to 5.1.3.2 above, if the tendered item is non divisible, (to be included in the tender document by procuring company) the contract can be awarded to the eligible Class-I Local supplier for the entire quantity.
- 5.1.4. Services/ EPC Contracts: The tender for oil and gas services/ EPC contracts shall not normally be split. For such procurement the tender would specify that the entire contract would be awarded to the lowest techno-commercially qualified Class I Local supplier, subject to matching with L1, if such bidders are available. However, tender for certain oil & gas services can normally be split, in such cases, splitting shall be allowed and specified in tender document. Such services shall follow the procedure outlined for goods as described in para 5.1.3. The procuring company should clearly specify in the tender document whether the tender shall be split or not.
- 5.1.5. For para 5.1.3 and 5.1.4 above, only those LC manufacturers/ service providers whose bids are within the margin of purchase preference would be allowed an opportunity to match L1 bid.
- 5.1.6. The tender conditions would ensure that local content in oil & gas products is encouraged. However, the procuring company may incorporate such stipulations as may be considered necessary to satisfy themselves of the production capability and product quality of the manufacturer.
- 5.1.7. The procedure for award under the policy is at **Enclosure I.**

## 6. Determination of LC

#### 6.1. LC of goods

- 6.1.1. LC of goods shall be computed on the basis of the cost of domestic components in goods, compared to the whole cost of product.
- 6.1.2. The criteria for determination of the local content cost in the goods shall be as follows:
  - a) in the case of direct component (material), based on country of origin;
  - b) in the case of manpower, based on INR component.
- 6.1.3. The calculation of LC of the combination of several kinds of goods shall be based on the ratio of the sum of the multiplication of LC of each of the goods with the acquisition price of each goods to the acquisition price of the combination of goods.

## 6.2. LC of service

- 6.2.1. LC of Service shall be calculated on the basis of the ratio of service cost of domestic component in service to the total cost of service.
- 6.2.2. The total cost of service shall be constituted of the cost spent for rendering of service, covering:
  - a) cost of component (material) which is used;
  - b) manpower and consultant cost; cost of working equipment/ facility; and

- c) general service cost.
- 6.2.3. The criteria for determination of cost of local content in the service shall be as follows:
  - (a) in the case of material being used to help the provision of service, based on country of origin;
  - (b) in the case of manpower and consultant based on INR component of the services contract;
  - (c) in the case of working equipment/facility, based on country of origin; and
  - (d) in the case of general service cost, based on the criteria as mentioned in clauses a, b, and c above.
  - (e) Indian flag vessels in operation as on date.

#### 6.3. LC of the EPC Contracts:

- 6.3.1. LC of EPC contracts shall be the ratio of the whole cost of domestic components in the combination of goods and services to the whole combined cost of goods and services.
- 6.3.2. The whole combined cost of goods and services shall be the cost spent to produce the combination of goods and services, which is incurred on work site. LC of the combination of goods and services shall be counted in every activity of the combination work of goods and services.
- 6.3.3. The spent cost as mentioned in paragraph 6.3.2 shall include production cost in the calculation of LC of goods as mentioned in clause 6.1.1 and service cost in the calculation of LC of services as mentioned in clause 6.2.2.

#### 6.4. Calculation of LC and Reporting

LC shall be calculated on the basis of verifiable data. In the case of data used in the calculation of LC being not verifiable, the value of LC of the said component shall be treated as nil.

#### 7. Certification and Verification

7.1. Class I/Class II Local suppliers are eligible to bid only if they meet the local content norms, therefore whether or not they want to avail PP-LC benefit, it will still be mandatory for them to give adequate documentation as follows to establish their status as class-I or class-II local supplier:

#### 7.1.2. At bidding stage:

- (a) Price Break-up:
  - The bidder shall provide the percentage of local content in the bid.

(b)

- The bidder shall submit an undertaking from the authorised signatory of bidder having the power of Attorney alongwith the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.
- In cases of procurement for a value in excess of Rs 10 crores, the undertaking submitted by the bidder shall be supported by a certificate from the statutory auditor or cost auditor of the company (in case of companies) or from a practicing cost accountant or practising chartered accountant (in respect of other than companies) giving the percentage of local content.
- However, in case of foreign bidder, certificate from the statutory auditor or cost auditor of their
  own office or subsidiary in India giving the percentage of local content is also acceptable. In case
  office or subsidiary in India does not exist or Indian office/ subsidiary is not required to appoint
  statutory auditor or cost auditor, certificate from practising cost accountant or practising
  chartered accountant giving the percentage of local content is also acceptable.

#### 7.1.3. After Contract Award:

 The bidder shall submit an undertaking from the authorised signatory of bidder having the power of Attorney alongwith the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

- In cases of procurement for a value in excess of Rs 10 crores, the undertaking submitted by the bidder shall be supported by a certificate from the statutory auditor or cost auditor of the company (in case of companies) or from a practicing cost accountant or practising chartered accountant (in respect of other than companies) giving the percentage of local content.
- However, in case of foreign bidder, certificate from the statutory auditor or cost auditor of their own
  office or subsidiary in India giving the percentage of local content is also acceptable. In case office or
  subsidiary in India does not exist or Indian office/ subsidiary is not required to appoint statutory
  auditor or cost auditor, certificate from practising cost accountant or practising chartered accountant
  giving the percentage of local content is also acceptable.
- 7.2. Each supplier shall provide the necessary local-content documentation to the statutory auditor, which shall review and determine that local content requirements have been met, and issue a local content certificate to that effect on behalf of procuring company, stating the percentage of local content in the good or service measured. The Auditor shall keep all necessary information obtained from suppliers for measurement of Local Content confidential.
- 7.3. The Local Content certificate shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- 7.4. As regards cases where currency quoted by the bidder is other than Indian Rupee, exchange rate prevailing on the date of notice inviting tender (NIT) shall be considered for the calculation of Local Content.
- 7.5. The Procuring Company shall also have the authority to audit as well as witness production processes to certify the achievement of the requisite local content.

#### 8. Governance and Supervision

- 8.1. A Steering Committee will be constituted by MoPNG to provide effective guidance and to oversee the effective implementation of the Policy including review and amendments required therein. The Steering Committee may consider representations on target Local Content in goods, services and EPC and modify the policy accordingly.
- 8.2. The Steering Committee shall annually conduct a review of the policy implementation which shall specifically cover the issue of whether there has been adequate competition, and whether the policy has resulted in any reduction in competition/ exclusion of non-local bidders or any cost increase to the purchasing PSU, particularly in respect of services & works contracts.

#### 9. Sanctions

- 9.1. The Procuring companies shall impose sanction on manufacturers/ service providers not fulfilling LC of goods/ services in accordance with the value mentioned in certificate of LC.
- 9.2. The sanctions may be in the form of written warning, financial penalty and blacklisting.
- 9.3. In the event that a manufacturer or supplier of goods and/or provider of services does not fulfil his obligation after the expiration of the period specified in such warning, the procuring company can initiate action for blacklisting such manufacturer/supplier/service provider.
- 9.4. A manufacturer and/or supplier of goods and/or provider of services who has been awarded the contract after availing Purchase Preference is found to have violated the LC provision, in the execution of the procurement contract of goods and/or services shall be subject to financial penalty specified in clause 9.4.1.
- 9.4.1. The financial penalty shall be over and above the PBG value prescribed in the contract and shall not be more than an amount equal to 10% of the Contract Price.

- 10. <u>Clarification on Goods/Services</u>: Any issue regarding the coverage of a particular good/ service under the proposed policy would be referred to the Steering Committee for clarification.
- 11. **Powers to grant exemption and to reduce mmimum local content**: Wherever proper justification exists, Ministry of Petroleum and Natural Gas may by written order, for reasons to be recorded in writing,
  - a) Reduce the minimum local content below the prescribed level; or
  - b) Reduce the margin of purchase preference below 20%; or
  - c) Exempt any particular item or supplying entities from the operation of this Order or any part of the Order.
- 12. <u>Time Period</u>: The Policy shall be applicable for 5 years. Except for 2017-18, the Policy shall not be continued unless, the Steering Committee by September 30th of each year, concludes a review as per para 8.2 of the Policy and recommends continuation of the Purchase Preference.

#### Enclosure - I

#### PROCEDURE FOR AWARD OF CONTRACTS

#### Procedure for award of contracts under this policy shall be as follows:

- 1.1 In procurement of all items which are divisible in nature, the 'Class I local supplier' shall get purchase preference over 'Class II local supplier' as well as 'Non Local Supplier' as per following procedure:
  - i. Among all qualified bids, the lowest bid will be termed as L1. If L1 is 'Class I local supplier', the contract for full quantity will be awarded to L1.
  - ii. If L1 bid is not a 'Class I local supplier', 50% of the order quantity shall be awarded to L1. Thereafter, lowest bidder among the 'Class I Local supplier' will be invited to match the L1 price for the remaining 50% quantity subject to the Class I local supplier's quoted price falling within the margin of purchase preference, and contract for that quantity shall be awarded to such 'Class I local supplier' subject to matching the L1 price. In case such lowest eligible 'Class I local supplier' fails to match the L1 price or accepts less than the offered quantity, the next higher 'Class I local supplier' within the margin of purchase preference shall be invited to match the L1 price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on Class I local suppliers, then such balance quantity may also be ordered on the L1 bidder.
- 1.2 In the procurement of all items which are not divisible in nature, and in procurement of services where the bid is evaluated on price alone, the 'Class-I local supplier' shall get purchase preference over 'Class-II local supplier' as well as 'Non-local supplier', as per following procedure:
  - i. Among all qualified bids, the lowest bid will be termed as L1. If L 1 is 'Class-I local supplier', the contract will be awarded to L1.
  - ii. If L1 is not 'Class-I local supplier', the lowest bidder among the 'Class-I local supplier', will be invited to match the L1 price subject to Class-I local supplier's quoted price falling within the margin of purchase preference, and the contract shall be awarded to such 'Class-I local supplier' subject to matching the L1 price.
  - iii. In case such lowest eligible 'Class-I local supplier' fails to match the L1 price, the 'Class-I local supplier' with the next higher bid within the margin of purchase preference shall be invited to match the L1 price and so on and contract shall be awarded accordingly. In case none of the 'Class-I local supplier' within the margin of purchase preference matches the L1 price, the contract may be awarded to the L1 bidder.

\*\*\*\*\*

#### **APPENDIX – A2**

#### POLICY FOR PROVIDING PREFERENCE TO DOMESTICALLY MANUFACTURED IRON & STEEL PRODUCTS

(The detailed Steel Policy notified vide Notification No. 324 dated 29-05-2019 and as amended from time to time by Ministry of Steel, GOI is applicable for this tender and may be referred from Ministry's website-also attached herewith.)

#### 1.0 Background

1.1 This policy provides preference to Domestically Manufactured Iron and Steel Products (DMI&SP).

#### 2.0 Definitions

- 2.1 **Bidder** may be a domestic/ foreign manufacturer of iron & steel or their selling agents/ authorized distributors/ authorized dealers/ authorized supply houses or any other company engaged in the bidding of projects funded by Government agencies.
- 2.2 Domestically Manufactured Iron & Steel Products (DMI&SP) are those iron and steel products which are manufactured by entities that are registered and established in India, including in Special Economic Zones (SEZs). In addition, such products shall meet the criteria of domestic minimum value-addition as per Appendix-A of revised steel policy.
- 2.3 **Domestic Manufacturer is a manufacturer of iron & steel products** conforming to guidelines in section 7 and confirming to the definition of 'manufacturer' as per Central Excise Act.
- 2.4 **Government** for the purpose of the Policy means Government of India.
- 2.5 **Government agencies** include Government PSUs, Societies, Trusts and Statutory bodies set up by the Government.
- 2.6 **MoS** shall mean Ministry of Steel, Government of India.
- 2.7 **Net Selling Price** shall be the invoiced price excluding net domestic taxes and duties.
- 2.8 **Semi-Finished Steel** shall mean Ingots, billet, blooms and slabs, which can be subsequently processed to finished steel.
- 2.9 **Finished Steel** shall mean Flat and Long products, which can be subsequently processed into manufactured items.
- 2.10 **Iron & Steel Product(s)** shall mean such iron and steel product(s) which are mentioned in Appendix A of revised Steel Policy.
- 2.11 Domestic value addition shall be the net selling price (invoiced price excluding net domestic taxes and duties) minus the landed cost of imported input materials at the manufacturing plant in India (including all customs duties) as a proportion of the net selling price, in percent. The 'domestic value addition' definition shall be in line with the DPIIT (formerly DIPP) guidelines, and shall be suitably amended in case of any changes by DPIIT in the future. For the purpose of this policy document, domestic value addition and local content have been used interchangeably.
- 3.1 The policy is applicable to iron & steel products as provided in Appendix A of revised Steel Policy.
- 3.2 Appendix A of revised Steel Policy contains list of iron & steel products which are to be exclusively domestically manufactured and cannot be imported without the approval of the Ministry of Steel
- 3.3 The policy is applicable to purchase of iron & steel products by private agencies for fulfilling an EPC contract and/or any other requirement of Ministry or Department of Government or their PSUs.
- 4.0 For iron and steel products in Appendix A of revised Steel Policy, the procurement process is open only to the manufacturers / suppliers having the capability of meeting / exceeding the domestic value addition

- targets. Manufacturers / suppliers not meeting the domestic value addition targets are not eligible to participate in the bidding.
- 4.1 The bidders who are selling agents/ authorized distributors/ authorized dealers/ authorized supply houses of the domestic manufacturers of iron & steel products are eligible to bid on behalf of the domestic manufacturers under the policy. However, this shall be subject to the following conditions:
- 4.1.1 The bidder shall furnish the authorization certificate issued by the domestic manufacturer for selling domestically manufactured iron & steel products.
- 4.1.2 The bidder shall furnish the Affidavit of self-certification issued by the domestic manufacturer to the procuring agency declaring that the iron & steel products is domestically manufactured in terms of the domestic value addition prescribed.
- 4.1.3 It shall be the responsibility of the bidder to furnish other requisite documents required to be issued by the domestic manufacturer to the procuring agency as per the policy.

#### 5.0 Domestic value addition requirement

- 5.1 Minimum domestic value addition requirement to qualify the product as a domestically manufactured iron & steel product mentioned in Appendix A of revised Steel Policy.
- 5.2 Domestic value addition shall be the net selling price (invoiced price excluding net domestic taxes and duties) minus the landed cost of imported input materials at the manufacturing plant in India (including all customs duties) as a proportion of the net selling price, in per cent.
- 5.2.1 In case the iron & steel products are made using domestic input steel (semi-inished/finished steel), invoices of purchases from the actual domestic producers along with quantities purchased and the other related documents must be furnished to OIL.
- 5.2.2 In case the iron & steel products have imported input steel, the invoices of purchases from the actual producers along with quantities purchased and the other related documents must be furnished separately. To derive the extent of domestic value addition, the weighted average of both (imported & domestic) input steel shall be considered to ensure that the minimum stipulated domestic value addition requirement of the policy is complied with.
- 5.3 It is recommended that each bidder participating in the tender process should calculate the domestic value addition using the formula below so as to ensure the domestic value addition claimed is consistent with the minimum stipulated domestic value addition requirement of the policy.
  - Domestic value addition (%) = (Net selling price of Final Product–Landed cost of imported input steel at plant) \* 100/ (Net Selling Price of Final Product)

#### 6.0 Certification and audit

- 6.1 For products in Appendix A of revised Steel Policy, each domestic manufacturer shall furnish the Affidavit of self-certification to OIL declaring that the iron & steel products are domestically manufactured in terms of the domestic value addition prescribed. The bidders who are sole selling agents / authorized distributors / authorized dealers / authorized supply houses of the domestic manufacturers of iron & steel products are eligible to bid on behalf of domestic manufacturers under the policy. The bidder shall furnish the Affidavits of self-certification issued by the domestic manufacturers and the certifications issued by the statutory auditors, to OIL declaring that the iron & steel products are domestically manufactured in terms of the domestic value addition prescribed. The Affidavit of self-certification shall be furnished in Form 1 attached.
- 6.2 It shall be the responsibility of the domestic manufacturer to ensure that the products so claimed are domestically manufactured in terms of the domestic value addition prescribed for the product. The bidder shall also be required to provide a domestic value addition certificate on half-yearly basis (Sep 30 and Mar 31), duly certified by the Statutory Auditors of the domestic manufacturer, that the claims of domestic value addition made for the product during the preceding 6 months are in accordance with the Policy. Such certificate shall be filed within 60 days of commencement of each half year, to OIL and shall continue to be filed till the completion of supply of the said products.

- 6.3 OIL shall accept the Affidavit of self-certification regarding domestic value addition in a steel product submitted by a bidder. It shall not normally be the responsibility of OIL to verify the correctness of the claim. The onus of demonstrating the correctness of the same shall be on the bidder when asked to do so.
- 6.4 In case a complaint is received by OIL against the claim of a bidder regarding domestic value addition in iron & steel products, OIL shall have full rights to inspect and examine all the related documents and take a decision. In case any clarification is needed, matter may be referred to MoS with a request for technical assistance.
- 6.5 Any complaint referred to OIL shall be disposed off within 4 weeks of the reference along with submission of all necessary documents. The bidder shall be required to furnish the necessary documentation in support of the domestic value addition claimed in iron & steel products to OIL within 2 weeks of filing the complaint.
- 6.6 In case, the matter is referred to the Ministry of Steel, the grievance redressal committee setup under the MoS shall dispose of the complaint within 4 weeks of its reference and receipt of all documents from the bidder after taking in consideration, the view of the OIL. The bidder shall be required to furnish the necessary documentation in support of domestic value addition claimed in iron & steel products to the grievance redressal committee under MoS within 2 weeks of the reference of the matter. If no information is furnished by the bidder, the grievance redressal committee may take further necessary action, in consultation with OIL to establish bonafides of claim.
- 6.7 The cost of assessing the prescribed extent of domestic value addition shall be borne by OIL if the domestic value addition is found to be correct as per the certificate. However, if it is found that the domestic value addition as claimed is incorrect, the cost of assessment will be payable by the bidder who has furnished an incorrect certificate.

#### 7.0 Sanctions

7.1 In case of wrong declaration by the bidder of the prescribed domestic value addition it will lead to rejection of their bid or cancellation of PO and Forfeiture of EMD/SD as the case may be and blacklisting of such manufacturer/ service provider.

#### FORM-1

# Format for Affidavit of Self Certification regarding Domestic Value Addition in Iron & Steel Products/capital goods to be provided on Rs.100/- Stamp Paper Date:

I		S/o,	D/o,	W/o,		Resident	of
				hereby solem	ınly affirm and declare as ı	under:	
	•	o abide by t		d conditions o	f the policy of Governmen	nt of India issued vide Notifi	ication
	ce relevant					lge and belief and I undertoof assessing the domestic	
					onstitute the said iron & st ns made therein.	eel products has been verif	fied by
meetion of ass	ng the pres essing the	cribed value domestic va	e-addition cri alue-addition	teria, based o	n the assessment of procu qualified from any Goveri	n is found to be incorrect a uring agency (ies) for the pu nment tender for a period	urpose
domes hereb	stically mar y authorize	nufactured i d to forfeit	iron & steel	products in ( /SD. I also und	Government procurement	wherein preference is provided and that the nent cost and pay all penal	OIL is
			wing informa ny statutory a		mpany's record for a peri	od of 8 years and shall mal	ke this
v. vi vi ix x. xi	Date on Iron & Si Procurin Percenta value ad Name ar Net Selli Freight, List and List and Please a For impo	which this conteel Producting agency to age of dome dition prescund contact during Price of tinsurance autotal cost vatotal cost of ttach domesorted input	ertificate is is a s for which the whom the constitution of the co	ssued the certificate is fur ddition claime unit of the ma tel products ill plant steel (importe which are dom dition certifica d cost at Indi	is produced rnished (OIL) ed and whether it meets nufacturer (s) d) used to manufacture the destically sourced. tes from suppliers, if the ir	•	mestic
Autho < <b>Inser</b>	rized signat t Name, De	tory (To be o	nd Contact N	ed by the Boar	rd of Directors)		
Notes							

1.0 For iron and steel products in Appendix A, the procurement process is open only to the manufacturers / suppliers having the capability of meeting / exceeding the domestic value addition targets. Manufacturers / suppliers not meeting the domestic value addition targets are not eligible to participate in the bidding.

2.0 Each domestic manufacturer shall furnish the Affidavit of self-certification to OIL declaring that the iron & steel products are domestically manufactured in terms of the domestic value addition prescribed.

#### 3.0 Domestic value addition requirement

- 3.1 Minimum domestic value addition requirement to qualify the product as a domestically manufactured iron & steel product mentioned in Appendix A of revised Steel Policy.
- 3.2 Domestic value addition shall be the net selling price (invoiced price excluding net domestic taxes and duties) minus the landed cost of imported input materials at the manufacturing plant in India (including all customs duties) as a proportion of the net selling price, in per cent.
- 3.2.1 In case the iron & steel products are made using domestic input steel (semi-finished/ finished steel), invoices of purchases from the actual domestic producers along with quantities purchased and the other related documents must be furnished to OIL.
- 3.2.2 In case the iron & steel products have imported input steel, the invoices of purchases from the actual producers along with quantities purchased and the other related documents must be furnished separately. To derive the extent of domestic value addition, the weighted average of both (imported & domestic) input steel shall be considered to ensure that the minimum stipulated domestic value addition requirement of the policy is complied with. It shall be the responsibility of the bidder to furnish other requisite documents required to be issued by the domestic manufacturer to the procuring agency as per the policy.
- 4.0 It shall be the responsibility of the domestic manufacturer to ensure that the products so claimed are domestically manufactured in terms of the domestic value addition prescribed for the product. The bidder shall also be required to provide a domestic value addition certificate on half-yearly basis (Sep 30 and Mar 31), duly certified by the Statutory Auditors of the domestic manufacturer, that the claims of domestic value addition made for the product during the preceding 6 months are in accordance with the Policy. Such certificate shall be filed within 60 days of commencement of each half year, to OIL and shall continue to be filed till the completion of supply of the said products.

\*\*\*\*\*\*\*

#### **APPENDIX - A4**

# RESTRICTIONS ON PROCUREMENT FROM A BIDDER OF A COUNTRY WHICH SHARES A LAND BORDER WITH INDIA

1.0 Ministry of Finance of Govt. of India, Department of Expenditure, Public procurement Division vide office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020(order-Public Procurement no.1) has proclaimed the insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017 w.e.f. 23rd July, 2020 regarding restrictions on procurement from a bidder of a country which shares a land border with India on the grounds of defence of India on matters directly or indirectly related thereto including national security. Bidders are requested to take note of the following clauses and submit their offers accordingly wherever applicable.

Bidders must submit duly sealed & signed undertaking as per format provided vide, "PROFORMA - 5" along with the technical bid.

I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.

#### Validity of Registration:

In respect of tenders, registration should be valid at the time of submission of bids and at the time of acceptance of bids. In respect of supply otherwise than by tender, registration should be valid at the time of placement of order. If the bidder was validly registered at the time of acceptance/placement of order, registration shall not be a relevant consideration during contract execution.

- II. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder from a county which shares a land border with India "for the purpose of this Order means:
  - (a) An entity incorporated, established or registered in such a country; or
  - (b) A subsidiary of an entity incorporated, established or registered in such a country; or
  - (c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - (d) An entity whose beneficial owner is situated in such a country; or
  - (e) An Indian (or other) agent of such an entity; or
  - (f) A natural person who is a citizen of such a country; or
  - (g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.
- IV. The beneficial owner for the purpose of (III) above will be as under:
  - 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation -

a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company;

- b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- 2. In case of a partnership firm, the beneficial owner is the natural person (s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership.
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- 5. In case of trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- 6. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- 7. The successful bidder shall not be allowed to sub-contract any job related to the procurement (e.g. installation and commissioning, Annual Maintenance Contract etc.) to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

\*\*\*\*\*

# **BID SECURITY DECLARATION**

To,			
M/s. Oi	l India Li	imited	
		•	
Dear Sir			
we N	/l/s	g/reviewing provisions of above referred tender docu (Name of Bide	uments (including all corrigendum/ Addenda), der) have submitted our offer/bid
		(Name of Bidder) hereby understand that, according to Bid Security.	cording to your conditions, we are submitting
		that we will be put on watch list/holiday/banning list h of our obligation(s) as per following:	t (as per policies of OIL INDIA in this regard), if
(a)	(a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or		
(b)	having validity	been notified of the acceptance of our Bid by the	OIL INDIALIMITED during the period of bid
	(i) (ii)	fail or refuse to execute the Contract, if required, of fail or refuse to furnish the Contract Performance	
	(iii)	document.  Fail or refuse to accept 'arithmetical corrections' as	per provision of tender document.
(c)	having	indulged in corrupt/fraudulent/collusive/coercive pra	actice as per procedure.
Place: Bidder]			[Signature of Authorized Signatory of
Date:			Name: Designation: Seal:

#### PROFORMA – 2

#### **INTEGRITY PACT**

#### Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(Name of the bidder).....hereinafter referred to as "The Bidder/Contractor"

#### Preamble:

The Principal intends to award, under laid down organizational procedures, contract/s for **Tender No.**......The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organization "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

#### Section: 1 -Commitments of the Principal

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:
  - 1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
  - 2. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
  - 3. The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a Page 2 of 6 substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

#### Section: 2 -Commitments of the Bidder/Contractor

- (1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
  - 1. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
  - 2. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

- 3. The Bidder/Contractor will not commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- 4. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- (3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

#### Section 3 -Disqualification from tender process and exclusion from future Contracts

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or risibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

- 1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.
- 2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
- 3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.
- 4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.
- 5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract **or as mentioned in Section 9- Pact Duration whichever is later**. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings

#### **Section 4 - Compensation for Damages**

- 1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.
- (2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.
- 3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount

or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

#### Section 5 - Previous transgression

- 1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
- 2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

#### Section: 6 -Equal treatment of all Bidders/Contractor/Subcontractors

- 1. The Principal will enter into Pacts on identical terms with all bidders and contractors.
- 2. The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.
- 3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

#### Section: 7 - Criminal charges against violating Bidders/Contractors/ Subcontractors

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

#### Section: 8 - External Independent Monitor/Monitors

- 1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- 2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.
- 3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality.
- 4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- 5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.
- 6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.

- 7. If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.
- 8. The word 'Monitor' would include both singular and plural.

#### **Section:9 -Pact Duration**

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

#### Section: 10 -Other provisions

- 1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.
- 2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.
- 3. If the Contractor is a partnership or a consortium, this agreement must be, signed by all partners or consortium members.
- 4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

For the Principal	For the Bidder/Contractor		
	Witness 1: Witness 2:		
Place: Duliajan	Withess Z.		
Date:			

# PROFROMA – 3

### **PERFORMANCE SECURITY FORM**

To: M/s. OIL INDIA LIMITED, MATERIALS DEPARTMENT
WHEREAS (Name and address of Contractor) (hereinafter called "Contractor") had undertaken, in pursuance of Contract No to execute (Name of Contract and Brief Description of the Work) (hereinafter called "the Contract").
AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.
AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) (in words), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.
We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.
This guarantee is valid until theday of
The details of the Issuing Bank and Controlling Bank are as under:
A. Issuing Bank:
BANK FAX NO: BANK EMAIL ID: BANK TELEPHONE NO.: IFSC CODE OF THE BANK:
B. Controlling Office:
Address of the Controlling Office of the BG issuing Bank: Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:
SIGNATURE AND SEAL OF THE GUARANTORS Designation:
Name of Bank:
Address: Witness: Address:
Date: Place:

#### Note:

The Bank Guarantee issuing bank branch must ensure the following:

- (a) The Bank Guarantee issued by the bank must be routed through SFMS platform as per the following details:
  - i) "MT 760 / MT 760 COV for issuance of bank guarantee.
  - ii) "MT 760 / MT 767 COV for amendment of bank guarantee.

The above message/intimation indicating the Purchase Order No......shall be sent through SFMS by the BG issuing bank branch to STATE BANK OF INDIA, Duliajan Branch, IFS Code – SBIN0002053, Branch address – STATE BANK OF INDIA, Duliajan Branch, Duliajan, District Dibrugarh, PIN – 786602. MICR Code 786002302; SWIFT Code SBININBB479

(b) Bank Guarantee issued by a Scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.

# FORMAT OF UNDERTAKING BY BIDDERS TOWARDS SUBMISSION OF AUTHENTIC INFORMATION/DOCUMENTS

(To be typed on the letter head of the bidder)

Ref. No	Date
То,	
General Manager (Materials) Materials Department Oil India Limited, Duliajan	
Sub: Undertaking of authenticity of information/docu Ref: Your tender No Dated	ments submitted
Sir,	
With reference to our quotation nohereby undertake that no fraudulent information/docu	dated against your above-referred tender, we uments have been submitted by us.
We take full responsibility for the submission of auther	ntic information/documents against the above cited bid.
submitted by us are found to be false/forged/fraudu	ntract agreement, in case any of the information/documents illent, OIL has right to reject our bid at any stage including ward of contract and/or carry out any other penal action on
Yours faithfully, For (type name of the firm here)	
Signature of Authorised Signatory	
Name : Designation : Phone No. Place : Date :	
(Affix Seal of the Organization here, if applicable)	

Format for Undertaking by Bidders towards compliance of office memorandum F. No. 6/18/2019-PPD dated 23rd July, 2020 (Public Procurement no. 1) issued by Department of Expenditure, Ministry of Finance, Govt. of India

(To be typed on the letter head of the bidder)	
Ref. No Date:	
Tender NoDate:	
OIL INDIA LIMITED MATERIALS DEPARTMENT, DULIAJAN, ASSAM, INDIA	
Dear Sirs,	
We have read the clause regarding restrictions on procurement from a bidder of a country which shares a laborder with India; We certify that this bidder is not from such a country or, if from such a country, has be registered with the Competent Authority. We hereby certify that this bidder fulfils all requirements in this regard is eligible to be considered. [Where evidence of valid registration by the Competent Authority shall attached.]"	eer gard
We also agree that, during any stage of the tender/contract agreement, in case the above information/docume submitted by us are found to be false, Oil India Limited has the right to immediately reject our bid/termin contract at any stage and carry out further legal action on us in accordance with law.	
Yours faithfully, For (type name of the firm here)	
Signature of Authorised Signatory Name: Designation: Phone No. Place: Date: (Affix Seal of the Organization here, if applicable) Note: This form should be returned along with offer duly signed.	

#### FORM NO. 10F

[See sub-rule (1) of rule 21AB]

#### Information to be provided under sub-section (5) of section 90 or sub-section (5) of section 90A of the Income-tax Act, 1961

of previou	*son/daughter of Shri		
300110			
SI. No.	Nature of information	:	Details #
(i)	Status (individual, company, firm etc.) of the assessee	:	
(ii)	Permanent Account Number or Aadhaar Number of the assessee if allotted	:	
(iii)	Nationality (in the case of an individual) or Country or specified territory of incorporation or registration (in the case of others)	:	
(iv)	Assessee's tax identification number in the country or specified territory of residence and if there is no such number, then, a unique number on the basis of which the person is identified by the Government of the country or the specified territory of which the assessee claims to be a resident	:	
(v)	Period for which the residential status as mentioned in the certificate referred to in sub-section (4) of section 90 or sub-section (4) of section 90A is applicable	:	
(vi)	Address of the assessee in the country or territory outside India during the period for which the certificate, mentioned in $(v)$ above, is applicable	:	
	we obtained a certificate referred to in sub-section (4) of section 90 or sub-section (4) or section 90 or sub-section 9		section 90A
Signature:			
	<u>Verification</u>		
	do hereby declare that to the best of my knowledge and belief what is complete and is truly stated.	state	ed above is
Verified	d today theday ofday of		
	Signature of the person providing		nformation
Notes:	loto whichover is not applicable		

- 1. \*Delete whichever is not applicable.
- 2. #Write N.A. if the relevant information forms part of the certificate referred to in sub-section (4) of section 90 or sub-section (4) of section 90A.

## (On the official Letter Head of the Bidder)

## NO BUSINESS CONNECTION OR PERMANENT ESTABLISHMENT CERTIFICATE

To Date:
Oil India Limited Duliajan, Assam India - 786602
Sir,
Sub: No Business Connection or Permanent Establishment declaration for FY
This is to certify that
We hereby certify that we will notify OIL in case of any change in the status as certified above.
We also affirm that we shall hold you indemnified, if in future, anything is found contrary to the above and your company faces any issues or demand under Indian Income Tax Act due to any wrong or misstatement by us.
For
Authorised Signatory
(Note – Please refer definition of the Business Connection and Permanent Establishment in the relevant DTAA)

#### **Definition of Business Connection**

"Business connection" as defined in Section 9 of the Income Tax Act shall include any business activity carried out through a person who, acting on behalf of the non-resident,—

- (a) Has and habitually exercises in India, an authority to conclude contracts on behalf of the non-resident, unless his activities are limited to the purchase of goods or merchandise for the non-resident; or
- (b) Has no such authority, but habitually maintains in India a stock of goods or merchandise from which he regularly delivers goods or merchandise on behalf of the non-resident; or
- (c) Habitually secures orders in India, mainly or wholly for the non-resident or for that non-resident and other non-residents controlling, controlled by, or subject to the same common control, as that non-resident:

Provided that such business connection shall not include any business activity carried out through a broker, general commission agent or any other agent having an independent status, if such broker, general commission agent or any other agent having an independent status is acting in the ordinary course of his business:

Provided further that where such broker, general commission agent or any other agent works mainly or wholly on behalf of a non-resident(hereafter in this proviso referred to as the principal non -resident) or on behalf of such non-resident and other non-residents which are controlled by the principal non- resident or have a controlling interest in the principal non-resident or are subject to the same common control as the principal non-resident, he shall not be deemed to be a broker, general commission agent or an agent of an independent status.

# FORMAT FOR CERTIFICATE OF COMPLIANCE OF FINANCIAL CRITERIA (ON THE OFFICIAL PAD OF THE BIDDER TO BE EXECUTED BY THE AUTHORIZED SIGNATORY OF THE BIDDER)

	lause No. A.2 (3.0) - Financial Criteria of the BEC r No.:	
	the authorized signatory(s) of of address) do hereby affirm and declare as under:-	(Company or firm
	lance sheet/Financial Statements for the financial year y not been audited as on the Original Bid closing Date.	(as the case may be) has
	 ory	Signature of the authorized
<u>Note</u> :	This certificate are to be issued only considering the time Statements i.e. if the last date of preceding financial / accosix months reckoned from the original bid closing date.	

#### **CERTIFICATE OF ANNUAL TURNOVER & NETWORTH**

# TO BE ISSUED BY PRACTISING CHARTERED ACCOUNTANTS' FIRM ON THEIR LETTER HEAD **TO WHOM IT MAY CONCERN** This is to certify that the following financial positions extracted from audited financial statements of M/s...... (Name of the bidder) for the last 3 (three) completed accounting years upto.....(as the case may be) are correct. TURNOVER **NET WORTH YEAR** In INR (Rs.) Crores/ In INR (Rs.) Crores / **USD Million\* USD Million\*** \*Rate of conversion (if used any): USD 1.00 = INR ..... Place: Date: Seal: Membership No.: Registration Code: Signature:

NOTE: As per the guidelines of ICAI, every practicing CA is required to mention Unique Document Identification Number (UDIN) against each certification work done by them. Documents certified by CA without UDIN shall not be acceptable.

<sup>\*</sup>Applicable for Global Tenders.

# PARENT/ ULTIMATE PARENT/ HOLDING COMPANY'S CORPORATE GUARANTEE TOWARDS FINANCIAL STANDING (Delete whichever not applicable) (TO BE EXECUTED ON COMPANY'S LETTER HEAD)

#### **DEED OF GUARANTEE**

THIS DEED OF GUARANTEE executed at this day of by M/s(mention complete name) a company duly organized and existing under the laws of(insert jurisdiction/country), having its Registered Office atherein after called "the Guarantor" which expression shall, unless excluded by or repugnant to the subject or context thereof, be deemed to include its successors and permitted assigns.			
WHEREAS M/s. Oil India Limited (hereinafter referred to as OIL) has invited offers vide their Tender No			
Now, it is hereby agreed by the Guarantor to give this Guarantee and undertakes as follows:			
<ol> <li>The Guarantor confirms that the Bidder is a 100% subsidiary of the Guarantor.</li> <li>The Guarantor agrees and confirms to provide the Audited Annual Reports of any of the preceding 03(three) financial/accounting years reckoned from the original bid closing date.</li> <li>The Guarantor have an annual financial turnover of minimum INR</li></ol>			
for and on behalf of (Parent/Ultimate Parent/ for and on behalf of (Bidder) Holding Company) (Delete whichever not applicable)			
Witness:   1.   2.   2.			