



OIL INDIA LIMITED
(A Government of India Enterprises)
PO: Duliajan – 786602
Assam (India)

TELEPHONE NO: (91-374) 2808793
Email: Adarsh.Padhy@oilindia.in; erp_mm@oilindia.in

TENDER NO. SSG2927P20/03

DATE: 26.10.2019

INVITATION TO e-BID UNDER SINGLE STAGE TWO BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **GLM, Conventional, 2.7/8" OD**. The details of the tender are as under:

1. Details of items with specification, quantity and special notes are given in Technical Rfx → External area → Tender documents as Annexure – IA.
2. General terms and Conditions of the tender are as per attached document No.MM/GLOBAL/E-01/2005-July2012.
3. The prescribed Bid Forms for submission of bids are available in the tender document folder. Technical Checklist and Commercial Checklist vide Annexure IV must be filled-up and submitted along with the technical bid. BEC/BRC as per Annexure CCC must be complied and submitted with the technical bid.
4. Type of Tender : International Competitive Bidding
5. Type of Bidding : **SINGLE STAGE TWO BID SYSTEM**
6. Tender Fee : NA
7. Bid Security Amount : **INR 100,630.00 OR USD 1440.00**
(Or equivalent amount in any currency)
8. Performance Security : **Applicable @10% of Order Value.**
9. Bid Closing /Opening Date : 18.12.2019
10. Bid Validity : Bid should be valid for 120 days from bid opening date.
11. Bid Bond Validity : Bid Bond should be valid upto 15.07.2020
(Bid bond format has been changed. Please submit bid bond as per revised format failing which offer will be rejected)
12. Integrity Pact : Applicable

Special Note:

- 1.0 The tender will be governed by “General Terms & Conditions” for e-Procurement as per Booklet NO. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders) including Amendment and Addendum.
- 2.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and Due date to **The GM Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam** on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.
 - a) **Original Bid Security.**
 - b) **Detailed Catalogue.**
 - c) **Any other document required to be submitted in original as per tender requirement.**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

- 3.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.
- 4.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. As part of the new system, the intending bidder must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class III [Organization]. The date for implementation of new system is 12th April 2017 and the requirement of the new DSC will be applicable for the tenders floated on 12th April 2017 onwards. All our current and prospective esteemed bidders are therefore requested to acquire Class III DSC [Organization] along with Encryption Certificate issued by any of the Licensed Certifying Authorities (CA) operating under Controller of Certifying Authorities (CCA) of India as per Indian IT Act 2000. Guideline for getting Digital Signature and other related information are available on the e-tender website www.oilindia.com. The bid signed using any other digital certificate or digital certificate without organization name of the bidder, will be liable for rejection.
- 5.0 Encryption certificate is mandatorily required for submission of bid. In case bidder created response using one certificate (using encryption key) and bidder subsequently changes the digital signature certificate then the old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of his response. Once decryption is done, the bidder may use his new DSC certificate for uploading and submission of his offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of DSC certificate, Oil India Limited is not responsible.
- 6.0 The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/ renewed after 01/04/99 and hence Nil Custom Duty during import will be applicable. Indigenous bidder shall be eligible for concessional rate of GST against Essentiality Certificate wherever applicable, as per Notification No.3/2017 – Integrated/ Central Tax (Rate) dated 28th June, 2017/Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/01/2005 enclosed.

7.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.

8.0 Please refer to the **"New Vendor Manual (effective 12.04.2017)"** available in the login Page of the OIL's E-tender Portal.

9.0 Bidders to take special note of the following conditions:

- a) **Bidders without having E-tender Login ID and Password should complete their online registration at least seven (7) days prior to the scheduled bid closing date and time of the tender. For online registration, Bidder may visit the OIL's E-tender site <https://etender.srm.oilindia.in/irj/portal>.**
- b) **Necessary Login ID & Password will be issued by OIL only after submitting the complete online registration by the Bidder. In the event of late registration/incomplete registration by Bidder, OIL INDIA LIMITED shall not be responsible for late allotment of User ID & Password and request for bid closing date extension on that plea shall not be entertained by Company.**
- c) **MSEs Units (manufacturers/Service Providers only and not their dealers/distributors) who are already registered with District Industry Centres or Khadi & Village Industries Commission or Khadi & Village Industries Board or Coir Board or National Small Industries Corporation or Directorate of Handicrafts & Handloom or any other body specified by Ministry of MSME are exempted from payment of Bid Security (EMD) irrespective of monetary limit mentioned in their registration, provided they are registered for the item they intend to quote/participate.**
- d) **For availing benefits under Public Procurement Policy (Purchase preference & EMD exemption), the interested MSE Bidders must ensure that they are the manufacturer/ service provider of tendered item(s) and registered with the appropriate authority for the said item(s). Bids without EMD shall be rejected, if the technical offer does not include a valid copy of relevant MSE Certificate issued by appropriate authority specifying the item as per tender. Therefore, it is in the interest of such MSE Vendors to furnish a copy of complete certificate to the concerned tender handling officer of OIL at least seven (7) days prior to the scheduled Bid Closing Date of the tender; seeking clarification/confirmation as to whether their registered item is eligible for EMD exemption or not. Late communications in this regard and request for bid closing date extension on that plea shall not be entertained by Company.**
- e) **Against Bid Security/EMD/Performance Bank Guarantee – Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.**

10.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following two documents before uploading their bid. These documents are also uploaded as part of NIT.

10.1 Guidelines to Bidders for participating in OIL.

10.2 Instruction to bidder for submission.

11.0 Please refer **Annexure-CCC** for BEC/BRC applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.

- 12.0 To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 13.0 The prices of the items should be quoted as per **Annexure -P** (uploaded under the tab “Notes & Attachment”) and uploaded separately under the tab “Notes & Attachment”.
- 14.0 In view of implementation of GST w.e.f. 01.07.2017, Bidders to note of **ANNEXURE- GST** and to submit their offers complying with the same.
- 15.0 Bidders to note that Ministry of Petroleum & Natural Gas, Government of India implemented PPLC Policy to provide Purchase Preference (linked with local content) by notification no. Ref. O-27011/44/2016-ONG-II/FP dtd.25.04.2017. A new Clause on applicability of Purchase Preference (linked with local content) policy in the tender is furnished vide **Annexure- PPLC**. Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable.
- 16.0 **FURNISHING FRAUDULENT INFORMATION/ DOCUMENT:** If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. **In this regard, bidders are requested to submit an Undertaking as per ANNEXURE-K along with their offer failing which their offer shall be liable for rejection.**
- 17.0 **ONLINE VIEWING OF PRICE BY BIDDERS:** For convenience of the qualified Bidders and to improve transparency, the rates/costs quoted by bidders against OIL’s e-tenders shall be available for online viewing by such Bidders whose price bids are opened by Company. A Bidder can view item-wise rates/costs of all other such peer bidders against the tender immediately after price bid opening, if the e-tender is floated by Company with PRICE CONDITION. In case the Price-Bid is invited by Company through attachment form under “Notes & Attachment” (i.e., NO PRICE Condition), Bidders must upload their detailed Price-Bid as per the prescribed format under “Notes & Attachment”, in addition to filling up the “Total Bid Value” Tab taking into account the cost of all individual line items and other applicable charges like freight, tax, duties, levies etc. Under NO PRICE Condition (i.e., Price Bid in attachment form), the “Total Bid Value” as calculated & quoted by the Bidder shall only be shared amongst the eligible bidders and Company will not assume any responsibility whatsoever towards calculation errors/omissions therein, if any. Notwithstanding to sharing the “Total Bid Value” or the same is whether filled up by the Bidder or not, Company will evaluate the cost details to ascertain the inter-se-ranking of bidders strictly as per the uploaded attachment and Bid Evaluation Criteria only. Online view of prices as above shall be available to the Bidders only upto seven days from the date of Price-Bid opening of the e-tender.

Yours Faithfully
Sd-
(A.R. PADHY)
SR.PURCHASE OFFICER (FS)
FOR GM-MATERIALS

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam
E-mail: Adarsh.Padhy@oilindia.in

Tender No. & Date : SSG2927P20/03 26.10.2019

Tender Fee : INR 0.00 OR USD 0.00
Bid Security Amount : INR 100,630.00 OR USD 1,440.00
(or equivalent Amount in any currency)

Bidding Type : Two Bid

Bid Closing On : 18.12.2019 at 11:00 hrs. (IST)
Bid Opening On : 18.12.2019 at 14:00 hrs. (IST)

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 02315050	CONVENTIONAL GAS LIFT MANDRELS Gas Lift Mandrel, Conventional, 2.7/8" OD, 6.5 PPF, N-80 GR	200	NO
20 02315051	Conventional Gas Lift Mandrels, 2.7/8" OD, 6.5PPF, Steel GR. L-80 (Type 1)	250	NO

Note description for item no./nos. : 10

Conventional Gas Lift Mandrel-for outside mounting valves, size 73 mm (2.7/8") OD EUE and 62 mm (2.441") ID x 1.22 meter (4ft) long N-80.Grade with ends 73 mm (2.7/8") OD EUE 8RD API tubing threaded box up and pin down having an exterior ported lug suitable for mounting 25.4 mm (1") OD gas lift valves and check valve assemblies with 12.7 mm (1/2")NPT socket connection similar to Camco type B series conventional gas lift mandrel. Mandrel similar to Camco type B deflector lug and BR deflector lug will not be acceptable.

SPECIAL TERMS AND CONDITIONS APPLICABLE TO L-80, N-80 & PREMIUM THREADED MANDRELS:

1.0 SPECIAL TERMS AND CONDITIONS

The vendor shall provide a certificate confirming the following along with the offer:

- 1.1 The mandrels shall be brand new, unused, of prime quality and free from any kind of manufacturing defect.
- 1.2 The guarantee on the mandrels shall be valid for 18 months from the date of shipment or 12 months from the date of acceptance by OIL, whichever is earlier.
- 1.3 Conventional Gas Lift Mandrels shall be manufactured conforming to API Spec. 5CT, latest edition. Mandrels shall be seamless, threaded and fitted with couplings as per API Spec. 5CT.
- 1.4 Couplings shall be manufactured conforming to API Spec. 5CT and shall be API monogrammed. The internal threads of the couplings shall be gauged as per API 5B.
- 1.5 Pipe Ends shall be prepared as per relevant API specifications. Suitable end protectors shall be used to protect the ends.
- 1.6 Painting/Coating shall be done conforming to API Spec. 5CT to protect the materials from rusting while in transit/storage.
- 1.7 In case the Plain End Upset Tubing for manufacturing the gas lift mandrels are sourced from API approved mills, following shall be provided along with technical offer:
 - 1.7.1 Name of the Mother Pipe/Coupling Stock/Coupling manufacturing mill with copy of valid API certificate and an authorization letter / certificate guaranteeing supply of the Plain End Upset Tubing to the vendor.
 - 1.7.2 Name and copy of valid API certificates (API 5CT) of the mills doing the following (if different from above in para 1.7.1):

Tender No. & Date : SSG2927P20/03**26.10.2019**

- a) Manufacture of the Green Pipe
- b) Manufacture of Mother Pipe
- b) Manufacture of Coupling Stock/Blank/Coupling
- c) Threading of item (a) and (b) and End finishing jobs

1.8 There shall be no change in manufacturing mill after placement of order. In the event of doing so, OIL may reject the whole quantity supplied against the order

2.0 PHYSICAL/CHEMICAL TESTS:

Following tests shall be carried out on each heat of steel from which the mandrels are manufactured conforming to API spec. 5CT and test results thereof shall be submitted to OIL.

- a) Heat Analysis.
- b) Product Analysis.
- c) Recheck Analysis.
- d) Mill-Control Check Analysis.
- e) Tensile tests.
- f) Yield strength tests.
- g) Mill control tests.
- h) Dimension and weight tests including drift and straightness.

2.1 If any material fails while conducting the above tests, re-test of the same shall be carried out as per API Spec. 5CT.

2.2 Hydrostatic Test: Each gas lift mandrel shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications and report shall be submitted to OIL.

2.3 Non-Destructive Tests: Non-destructive tests shall be carried out as specified in API Spec 5CT.

2.4 End threading, gauging and thread inspection: Threading, gauging and thread inspection shall be done as per API Spec. 5B by using an API Working Gauge.

3.0 INSPECTION:

3.1 The testing of materials shall be witnessed by any of OIL's approved TPI agencies and all materials shall be inspected by the TPI agency for fulfilling the following requirements.

- a) Raw material identification/verification.
- b) Audit and endorsement of all chemical analysis and physical test reports.
- c) Witness dimensional checks.
- d) Witness hydrostatic tests.
- e) Visual inspection for imperfections.
- f) Wall thickness measurement.
- g) End area defect identification.
- h) Thread inspection and gauging using API Working Gauge as per API 5B.
- i) Any other test(s), if desired by the TPI agency, which has not been stated above.
- j) Issue of inspection certificate for above and material release note.

3.2 OIL reserves the right to witness/inspect the material at various stages starting from raw materials to the finished product jointly with the TPI agency and supplier has to organize for the same. Accordingly, the supplier shall intimate OIL for the above joint inspection minimum 01 week ahead of scheduled date of inspection. However, witnessing/inspecting of the above will be at OIL's discretion.

3.3 OIL reserves the right to reject the supplied material, if found to have imperfection or anomaly of any kind.

4.0 IDENTIFICATION MARKING:

4.1 Each gas lift mandrel shall bear the markings for manufacturer's logo/name, size, length, weight, grade, heat no., test pressure, thread identification.

4.2 Additionally, Oil's Purchase Order number shall be marked suitably on each mandrel for permanent retention.

4.3 Colour coding: The colour coding shall be done as per API Spec. 5CT. The colour band shall be 50.8 mm (2") wide.

Note description for item no./nos. : 20

Conventional Gas Lift Mandrel-for outside mounting valves, size 73 mm (2.7/8") OD EUE and 62 mm (2.441") ID x 1.22 meter (4ft) long Grade L-80(Type-1)with ends 73 mm (2.7/8") OD EUE 8RD API tubing threaded box up and pin down having an exterior ported lug suitable for mounting 25.4 mm (1") OD gas lift valves and check valve

Tender No. & Date : SSG2927P20/03 26.10.2019

assemblies with 12.7 mm (1/2")NPT socket connection similar to Camco type B series conventional gas lift mandrel. Mandrel similar to Camco type B deflector lug and BR deflector lug will not be acceptable.

SPECIAL TERMS AND CONDITIONS APPLICABLE TO L-80, N-80 & PREMIUM THREADED MANDRELS:

1.0 SPECIAL TERMS AND CONDITIONS

The vendor shall provide a certificate confirming the following along with the offer:

- 1.1 The mandrels shall be brand new, unused, of prime quality and free from any kind of manufacturing defect.
- 1.2 The guarantee on the mandrels shall be valid for 18 months from the date of shipment or 12 months from the date of acceptance by OIL, whichever is earlier.
- 1.3 Conventional Gas Lift Mandrels shall be manufactured conforming to API Spec. 5CT, latest edition. Mandrels shall be seamless, threaded and fitted with couplings as per API Spec. 5CT.
- 1.4 Couplings shall be manufactured conforming to API Spec. 5CT and shall be API monogrammed. The internal threads of the couplings shall be gauged as per API 5B.
- 1.5 Pipe Ends shall be prepared as per relevant API specifications. Suitable end protectors shall be used to protect the ends.
- 1.6 Painting/Coating shall be done conforming to API Spec. 5CT to protect the materials from rusting while in transit/storage.
- 1.7 In case the Plain End Upset Tubing for manufacturing the gas lift mandrels are sourced from API approved mills, following shall be provided along with technical offer:
 - 1.7.1 Name of the Mother Pipe/Coupling Stock/Coupling manufacturing mill with copy of valid API certificate and an authorization letter / certificate guaranteeing supply of the Plain End Upset Tubing to the vendor.
 - 1.7.2 Name and copy of valid API certificates (API 5CT) of the mills doing the following (if different from above in para 1.7.1):
 - a)Manufacture of the Green Pipe
 - b)Manufacture of Mother Pipe
 - b)Manufacture of Coupling Stock/Blank/Coupling
 - c)Threading of item (a) and (b) and End finishing jobs
- 1.8 There shall be no change in manufacturing mill after placement of order. In the event of doing so, OIL may reject the whole quantity supplied against the order

2.0 PHYSICAL/CHEMICAL TESTS:

Following tests shall be carried out on each heat of steel from which the mandrels are manufactured conforming to API spec. 5CT and test results thereof shall be submitted to OIL.

- a) Heat Analysis.
- b) Product Analysis.
- c) Recheck Analysis.
- d) Mill-Control Check Analysis.
- e) Tensile tests.
- f) Yield strength tests.
- g) Mill control tests.
- h) Dimension and weight tests including drift and straightness.
- 2.1 If any material fails while conducting the above tests, re-test of the same shall be carried out as per API Spec. 5CT.
- 2.2 Hydrostatic Test: Each gas lift mandrel shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications and report shall be submitted to OIL.
- 2.3 Non-Destructive Tests: Non-destructive tests shall be carried out as specified in API Spec 5CT.
- 2.4 End threading, gauging and thread inspection: Threading, gauging and thread inspection shall be done as per API Spec. 5B by using an API Working Gauge.

3.0 INSPECTION:

- 3.1 The testing of materials shall be witnessed by any of OIL's approved TPI agencies and all materials shall be inspected by the TPI agency for fulfilling the following requirements.
 - a) Raw material identification/verification.
 - b) Audit and endorsement of all chemical analysis and physical test reports.
 - c) Witness dimensional checks.

Tender No. & Date : SSG2927P20/03**26.10.2019**

- d) Witness hydrostatic tests.
- e) Visual inspection for imperfections.
- f) Wall thickness measurement.
- g) End area defect identification.
- h) Thread inspection and gauging using API Working Gauge as per API 5B.
- i) Any other test(s), if desired by the TPI agency, which has not been stated above.
- j) Issue of inspection certificate for above and material release note.

3.2 OIL reserves the right to witness/inspect the material at various stages starting from raw materials to the finished product jointly with the TPI agency and supplier has to organize for the same. Accordingly, the supplier shall intimate OIL for the above joint inspection minimum 01 week ahead of scheduled date of inspection. However, witnessing/inspecting of the above will be at OIL's discretion.

3.3 OIL reserves the right to reject the supplied material, if found to have imperfection or anomaly of any kind.

4.0 IDENTIFICATION MARKING:

4.1 Each gas lift mandrel shall bear the markings for manufacturer's logo/name, size, length, weight, grade, heat no., test pressure, thread identification.

4.2 Additionally, Oil's Purchase Order number shall be marked suitably on each mandrel for permanent retention.

4.3 Colour coding: The colour coding shall be done as per API Spec. 5CT. The colour band shall be 50.8 mm (2") wide.

Standard Notes: 1) The tender is invited under SINGLE STAGE TWO BID SYSTEM. In Technical Bid opening, only Technical Rfx will be opened. The bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID" should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFX Response-> User -> Technical Bid. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFX Response-> User -> Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. **The prices bid of the items should be uploaded as an attachment under Notes & Attachments tab as per ANNEXURE-P. No price should be given in above Technical Rfx otherwise the offer will be rejected.**

2) All the Bids must be Digitally Signed using "Class 3" digital certificate with "Organisation name" (e-commerce application) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate, will be liable for rejection.

3) **Bid should be valid for minimum 120 days from bid closing date, failing which offer shall be rejected.** Therefore, please ignore the minimum validity mentioned in the General Terms and Condition of Global Tender (MM/GLOBAL/E-01/2005-July 2012).

4) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Technical RFX Response-> User -> Technical Bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005- July 2012). **The bid security shall be valid up to 15.07.2020.**

5) Performance Security @10% of order value is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012).

6) Bidders have to indicate the minimum FOB/FCA charges in case of partial order for reduced quantity/items. In case this is not indicated specifically, the charges quoted would be prorating calculated and the same will be binding on the bidder.

Tender No. & Date : SSG2927P20/03

26.10.2019

7) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in Toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

8) Price Bids of only those bidders will be opened whose offers are found techno-commercially acceptable. The techno- commercially acceptable bidders will be informed before the opening of the "price bid".

9) Bidder's response to all NIT stipulations shall clearly be defined. Bidder shall furnish specific details/specifications of all major components, systems with Make & Model, etc. Generalised response like - 'As per NIT Specifications/Technical Leaflet', 'Noted', 'and Accepted' or in any similar fashion is not acceptable.

10) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises (MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.

11) In addition to BRC criteria vide section -D of General Terms & Conditions for Global tenders (MM/GLOBAL/E-01/2005-JULY 2012), the BEC/BRC vide Annexure-CCC will be applicable against the tender failing which offer will be rejected.

12) The Integrity Pact is applicable against this tender. OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide Annexure XII of the tender document. This Integrity Pact pro forma has been duly signed by OIL's competent signatory. The pro forma has to be uploaded by the bidder (along with the technical bid) duly signed by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. The names of the OIL's Independent External Monitors at present are as under:

- i) Shri Rajiv Mathur, IPS (Retd.)
Former Director (IB) Govt. of India
E-Mail Id: rajivmathur23@gmail.com
- ii) SHRI JAGMOHAN GARG,
Ex-Vigilance Commissioner, CVC
E-Mail id: jagmohan.garg@gmail.com

13) The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following:

- i. Validity of bid shorter than validity indicated in the tender.
- ii. Original Bid Security not received within the stipulated date and time mentioned in the tender.
- iii. Bid security with (a) Validity shorter than the validity indicated in tender and/or (b) Bid security amount lesser than the amount indicated in the tender.
- iv. In case the party refuses to sign the Integrity Pact.

14) **CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:** The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

The bank guarantee issued by the bank must be routed through SFMS platform as per following

Tender No. & Date : SSG2927P20/03

26.10.2019

details:

- a. (i) "MT 760 / MT 760 COV for issuance of bank guarantee
- (ii) MT 767 / MT 767 COV for amendment of bank guarantee

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to HDFC Bank, Duliajan Branch, IFS Code - HDFC0002118; SWIFT Code - HDFCINBBAL. Branch Address: HDFC Bank Limited, Duliajan Branch, Utopia Complex, BOC Gate, Jayanagar, Duliajan, Dibrugarh, PIN - 786602."

15) FURNISHING FRAUDULENT INFORMATION/ DOCUMENT: If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced. **In this regard, bidders are requested to submit an Undertaking as per ANNEXURE-K along with their offer failing which their offer shall be liable for rejection.**

16) Revision, clarification, addendum, corrigendum, time extension etc to the tender will be hosted on OIL website only. No separate notification shall be issued. Bidders are requested to visit OIL website regularly to keep them updated.

Special Notes : NA.