



TENDER NO. SSG7237P18/01

DATE: 23.02.2018

INVITATION TO e-BID UNDER SINGLE STAGE TWO BID SYSTEM

Dear Sirs,

OIL invites Bids for the supply of **2.7/8" Premium Tubing** through its e-Procurement site under **International Competitive Bidding (ICB) - Single Stage Two Bid System**. The bidding documents and other terms and conditions are available at Booklet No.MM/GLOBAL/E-01/2005-July2012. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed by opening the RFx [Tender no.] under RFx and Auctions page. The details of items tendered can be found under Item tab and details can be found under Technical RFx.

The tender is invited with firm price for the specified quantity. Further details of tender are given in Technical Rfx -> External Area -> Tender Documents as **ANNEXURE IA**.

THE TENDER WILL BE GOVERNED BY:

- a) "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005-July2012 is applicable for E-procurement (ICB Tenders). Special attention to the bidders is drawn to Section – E of the document. Clauses in para 1.0 to 1.4 and 7.0 of Section-E of Special Terms & Condition for Global Tender (MM/GLOBAL/E-01/2005-July2012) as well as amendment to Section-E mentioned in General terms and condition for Global Tender have been amended and is now applicable as per uploaded **Annexure- IB –BEC/BRC**. **Bidders to quote as per Annexure- IB- BEC/BRC**.
- b) Technical specifications, Quantity and Notes for the **Premium Tubing** as per **Annexure – IA**.
- c) The prescribed Bid Forms for submission of bids are available in the Technical Rfx -> External Area -> Tender Documents. Technical Checklist and Commercial Checklist must be filled-up and submitted along with the technical bid.
- d) The items covered under this enquiry shall be used by OIL in the PEL/ML areas issued/renewed after 01/04/99 and hence, applicable customs duty for import of

goods shall be zero. However, IGST @5% shall be applicable. IGST @5% shall be applicable for Indigenous bidders also under deemed export benefit.

- e) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in ANNEXURE-A. The same must be submitted along with the bid.

SPECIAL NOTE:

- 1.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and due date to **The DGM-Materials, Materials Department, Oil India Limited, Duliajan-786602, Assam** on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.

- a) Original Bid Security.
- b) Detailed Catalogue.
- c) Any other document required to be submitted in original as per tender requirement.

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

- 2.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
- 3.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. As part of the new system, the intending bidder must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class III [Organization]. The date for implementation of new system is 12th April 2017 and the requirement of the new DSC will be applicable for the tenders floated on 12th April 2017 onwards. All our current and prospective esteemed bidders are therefore requested to acquire Class III DSC [Organization] along with Encryption Certificate issued by any of the Licensed Certifying Authorities (CA) operating under Controller of Certifying Authorities (CCA) of India as per Indian IT Act 2000. Guideline for getting Digital Signature and other related information are available on the e-tender website www.oil-india.com. The bid signed using any other digital certificate or digital certificate without organization name of the bidder, will be liable for rejection.
- 4.0 All the Bids must be Digitally Signed using "Class 3" digital certificate (e-commerce application) with organisation name as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate without organization name, will be liable for rejection.
- 5.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned

address before 13:00 Hrs (IST) on the bid closing date failing which the offer shall be rejected.

- 6.0 **Two Bid System** shall be followed for this tender and only the price-bids of the bidders whose offers are commercially and technically acceptable shall be opened for further evaluation.
- 7.0 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical RFx Response-> User - > Technical Bid only. The "TECHNO-COMMERCIAL UNPRICED BID" shall contain all techno-commercial details except the prices. **Please note that no price details should be uploaded in Technical RFx Response.**
- 8.0 **OIL reserves right to go for Reverse Auction process** or may finalize the tender without Reverse Auction, if required. However, the decision to conduct Reverse Auction or not will be conveyed to short-listed bidders prior to opening of price bid
- 9.0 The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. **The prices of the items should be quoted as per Annexure P and uploaded separately under the tab "Notes & Attachment".**
- 10.0 Please refer Annexure-IB for BEC/BRC applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.
- 11.0 Bidders to take special note of the following conditions:
- 11.1 Against Tender Fee – Payment should be made only through online mode and no other instrument (Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.
- 11.2 Against Bid Security/EMD/Performance Bank Guarantee – Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.
- 12.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following two documents before uploading their bid. These documents are also uploaded as part of NIT.
- 12.1 Guidelines to Bidders for participating in OIL.
- 12.2 Instruction to bidder for submission.

Yours faithfully,

OIL INDIA LIMITED

Sd/-

(KUMAR ABHIMANYU)
SR. PURCHASE OFFICER (FS)
FOR GM-MATERIALS
FOR RESIDENT CHIEF EXECUTIVE

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam

Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : SSG7237P18/01 23.02.2018

Tender Fee : INR 30,000.00 OR USD 500.00
Bid Security Amount : INR 713,990.00 OR USD 11,000.00

Bidding Type : TWO BID

Bid Closing On : 28.03.2018 at 11:00 hrs. (IST)

Bid Opening On : 28.03.2018 at 14:00 hrs. (IST)

Performance Guarantee : Applicable @ 10% of order value

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 02308161	<p>73.025 MM (2.875") OD NUE PREMIUM CONNECTION TUBINGS 73.025 MM (2.875") OD NUE PREMIUM CONNECTION TUBINGS Brand new & unused seamless tubing with coupling, manufactured, tested and certified as per API Specs 5CT (latest edition) in Range - 2, 95% of tubing with length 9.0 meter and above, non-upset end,</p> <p>OD: 73.025 mm (2.875 inch), Weight: 9.54 - 9.68 Kg /m (6.4 - 6.5 lbs/ft), ID (Min) : 62.00 mm (2.441 inch), Drift Diameter (min): 59.61 mm (2.347 inch), Coupling OD (Max): 88.9 mm (3.5 inch), Steel Grade: P-110,</p> <p>Tubing shall be threaded to any one of the following premium thread type, and suitable thread protector shall be provided in both ends.</p> <p>a) ATLAS BRADFORD TC-II b) Hunting Seal lock- HT c) NS-CT d) TENARIS HYDRIL 3SB e) VAM TOP f) JFE FOX g)JFE BEAR h) BGT 2</p>	30000	M
20 02308163	<p>NIPPLE, 2.7/8", VAM TOP NIPPLE, End connections: VAM TOP PIN X VAM TOP PIN, 73.025 mm (2.875 inch) OD, ID: 62 mm (2.441 inch), Weight: 9.54 Kg/m (6.40 lbs/ft), Steel Grade: P-110, 8 TPI, Wall Thickness: 5.52 mm (0.217 inch), Length: 609.6 mm (24 inch).</p>	10	NO
30	<p>X-OVER, 2.7/8", VAMTOP BOX X PREMIUM PIN CROSSOVER, 73.025 mm (2.875 inch) OD, Steel Grade: P-110,</p>	15	NO

Tender No. & Date : SSG7237P18/01

23.02.2018

Item No./ Mat. Code	Material Description	Quantity	UOM
02308165	ID: 62 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), Length: 609.6 mm (24 inch) with following thread connections only. Box End: VAM TOP, BOX; 73.025 mm (2.875 inch) OD, Weight: 9.54 Kg/m (6.40 lbs/ft), Steel Grade: P-110, 8 TPI, Wall Thickness: 5.52 mm (0.217 inch), ID: 62 mm (2.441 inch). Pin End: PREMIUM THREAD, PIN; as per description mentioned in material code 02308161		
<u>40</u> 02308167	X-OVER, 2.7/8", PREMIUM BOX X VAMTOP PIN CROSSOVER, 73.025 mm (2.875 inch) OD, Steel Grade: P-110, ID: 62 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), Length: 609.6 mm (24 inch) with following thread connections only. Box End: PREMIUM THREAD, BOX; as per description mentioned in material code 02308161 Pin End: VAM TOP, PIN; 73.025 mm (2.875 inch) OD, Weight: 9.54 Kg/m (6.40 lbs/ft), Steel Grade: P-110, 8 TPI, Wall Thickness: 5.52 mm (0.217 inch), ID: 62 mm (2.441 inch).	15	NO
<u>50</u> 02308169	X-OVER, 2.7/8", PREMIUM BOX X API EUE PIN CROSSOVER, 73.025 mm (2.875 inch) OD, Steel Grade: P-110, ID: 62 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), Length: 609.6 mm (24 inch) with following thread connections only. Box End: PREMIUM THREAD, BOX; as per description mentioned in material code 02308161 Pin End: EUE API TUBING, PIN; 73.025 mm (2.875 inch) OD, Weight: 9.68 Kg/m (6.5 lbs/ft), Steel Grade: P-110, 8 TPI, Wall Thickness: 5.52 mm (0.217 inch), 62 mm (2.441 inch) ID.	25	NO
<u>60</u> 02308171	X-OVER, VAM TOP PIN, 3.1/2" X 2.7/8" CROSS OVER, 88.9 mm (3.1/2 inch) OD, VAM TOP PIN X 73.025 mm (2.875 inch) OD, VAM TOP PIN. Steel Grade: P-110, 8 TPI, Weight : 13.7 Kg/m (9.2 lbs/ft), Length: 609.6 mm (24 inch).	10	NO
<u>70</u> 02308173	PUP-JOINT, 2.7/8", PREMIUM, 3' PUP JOINT with coupling, OD: 73.025 mm (2.875 inch), ID: 62 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), box up & pin down, premium thread connection as per description in material code 02308161. Length of each joint: 0.91 Mtr. (3 feet).	20	NO
<u>80</u> 02308175	PUP-JOINT, 2.7/8", PREMIUM, 10' PUP JOINT with coupling, OD: 73.025 mm (2.875 inch), ID (min): 62 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), box up & pin down, premium thread connection as per description in material code 02308161. Length of each joint: 3.05 Mtr. (10 feet).	20	NO
<u>90</u> 02308177	PUP-JOINT, 2.7/8", PREMIUM, 12' PUP JOINT with coupling, OD: 73.025 mm (2.875 inch), ID: 62 mm (2.441 inch), Drift Diameter: 59.61 mm (2.347 inch), box up & pin down, premium thread connection as per description in material code	20	NO

Tender No. & Date : SSG7237P18/01**23.02.2018**

Item No./ Mat. Code	Material Description	Quantity	UOM
	02308161. Length of each joint: 3.66 Mtr. (12 feet).		

Standard Notes: AA. STANDARD NOTES:

1) The tender is invited under SINGLE STAGE-TWO BID SYSTEM. The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" bid through electronic form in the OIL's e- Tender portal within the Bid Closing Date and Time stipulated in the e-Tender. The "TECHNO-COMMERCIAL UNPRICED BID" is to be submitted as per Scope of Work & Technical Specification of the tender and "PRICED BID" as per the Online Price Bid format.

2) In Technical Bid opening, only Technical Rfx will be opened. Therefore, the bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID" should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFX Response-> User -> Technical Bid. No price should be given in above Technical Rfx otherwise the offer will be rejected. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFX Response-> User -> Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. The prices of the items should be quoted in "Conditions Tab".

3) Bid should be valid for minimum 120 days from bid closing date, failing which offer shall be rejected.

4) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Technical RFX Response-> User -> Technical Bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012). The bid security shall be valid up to 31.10.2018. Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.

5) Performance Security @10% of order value is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005 - July2012).

6) PRICED BIDS OF ONLY THOSE BIDDERS WILL BE OPENED WHOSE OFFERS ARE FOUND TECHNICALLY ACCEPTABLE. THE TECHNICALLY ACCEPTABLE BIDDERS WILL BE INFORMED BEFORE OPENING OF THE "PRICED BID".

7) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.

Tender No. & Date : SSG7237P18/01**23.02.2018**

8) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

9) General terms and conditions of Global tender (document MM/GLOBAL/E-01/2005 - July 2012) is enclosed. Special attention to Bidders is drawn to the Section E of above document.

10) The Integrity Pact is applicable against this tender. Therefore, please attach the Integrity Pact document duly signed along with your quotation as per BRC. The name of the OIL's Independent External Monitor at present are as under:

1. SHRI RAJIV MATHUR, IPS (Retd.),
 2. SHRI SATYANANDA MISHRA, IAS(Retd.)
 3. SHRI JAGMOHAN GARG, Ex-Vigilance Commissioner, CVC
- The email ids are furnished in OIL's website, www.oil-india.com

11) OIL reserves right to go for Reverse Auction process or may finalize the tender without Reverse Auction, if required. However, the decision to conduct Reverse Auction or not will be conveyed to short-listed bidders prior to opening of price bid.

Special Terms & Conditions and salient features for Reverse Auction are furnished in Addendum-B. The Business Rules for Reverse Auction and Process Compliance Form are given in Addendum- B. Bidders are required to sign the Business Rules for Reverse Auction and Process Compliance Form and attach this document along with the technical bid.

12) Price should be maintained as per the Annexure P and uploaded separately in the "Notes & Attachments tab" only. The price quoted in the "Notes & Attachment" will only be considered.

13) Indigenous Bidder must indicate handling charge to the nearest Rail Head. If any Indigenous Bidder does not indicate the handling charge to the nearest rail head, their offer will be liable for rejection.

14) Tender fee Payment should be made only through online mode and no other instrument(Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.

15) Bidder must indicate Country of Origin in thier technical bid.

BB. CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:

The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

The bank guarantee issued by the bank must be routed through SFMS platform as per following details:

- a. (i) "MT 760 / MT 760 COV for issuance of bank guarantee
- (ii) "MT 767 / MT 767 COV for amendment of bank guarantee

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code - UTIB0001129.

Branch Address - AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar Duliajan, District - Dibrugarh, Pin - 786602."

b. The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

Tender No. & Date : SSG7237P18/01

23.02.2018

Special Notes : SPECIAL TERMS AND CONDITION FOR PREMIUM CONNECTION TUBING:

- 1) All the items i.e. Material codes 02308163, 02308165, 02308167, 02308169, 02308171, 02308173, 02308175, 02308177 are to be procured from same source. Therefore, bidders are requested to quote all the items, otherwise offer will be rejected.
- 2) Bidders offering VAM TOP connection need not to quote materials with Material code. 02308165 & 02308167.
- 3) Tubing & attachments shall be brand new, unused, and of prime quality.
- 4) Tubing & Couplings shall be manufactured, except threading, at plants having valid API 5CT License. Bidder to confirm the name(s) of the manufacturing plant for tubing & coupling, except threading.
- 5) Bidder to submit copy of valid API Spec 5CT certificate of manufacturing plant for tubing & coupling, except threading,.
- 6) Threading of Tubing & Couplings shall be carried out at threading plant having valid license for premium connection. Bidder to confirm the name(s) of the threader.
- 7) Bidder to submit declaration from the threader for premium connection to carry out the threading for the bidder, if it is different from the bidder.
- 8) Bidder to submit copy of valid license of the threading plant for Premium connection.
- 9) Painting/Coating shall be done as per API Spec. 5CT to protect the materials from rusting while in transit/storage
- 10) The offer must contain detailed description of the material with connection datasheet.
- 11) MILL INSPECTION/CERTIFICATION : All Tubing shall be manufactured, tested and certified in accordance with the API Spec. 5CT, latest edition.
- 12) "PHYSICAL/CHEMICAL TESTS :The following tests shall be carried out on each heat of steel from which the tubing are manufactured as per API spec.5CT & test results thereof shall be submitted to OIL.
 - i) Heat Analysis
 - ii) Product Analysis
 - iii) Recheck Analysis
 - iv) Mill-Control Check Analysis
 - v) Tensile tests
 - vi) Yield strength tests
 - vii) Mill control tests
 - viii) Dimension and weight tests including drift and straightness."
- 13) While conducting the above tests if any one of them fails, retest of the same shall be carried out as per API Spec. 5CT.
- 14) Hydrostatic Test : Each joint of tubing & attachment shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications.
- 15) Threading, gauging and thread inspection shall be done as per Premium Thread Connection

Tender No. & Date : SSG7237P18/01

23.02.2018

specification.

16) Non-destructive tests shall be carried out as specified in API Spec 5CT.

17) Bidders should give details of mills inspection and QC methods available. OIL may require such details in case of an order.

18) IDENTIFICATION MARKING: Marking is to be done on each item as per API Spec 5CT covering manufacturer's mark/name, API monogram, size, weight, grade, class, manufacturing process, heat treatment, test pressure, length, thread identification etc. Marking should be in metric unit.

19) Additionally, OIL's logo and Purchase Order Number shall be die stamped or paint stencilled on each item for permanent bearing.

20) The colour coding shall be done as per API Spec. 5CT. The colour band shall be 50.8 mm (2") wide.

21) THIRD PARTY INSPECTION : Inspection by an independent third party to cover the following shall be required against all items.

- (i) Material Identification.
- (ii) Audit and endorsement of all chemical analysis and physical test reports.
- (iii) Witness dimensional checks.
- (iv) Witness mechanical tests.
- (v) Witness NDT.
- (vi) Witness hydrostatic tests
- (vii) Visual inspection for imperfections.
- (viii) Wall thickness measurement.
- (ix) Grade comparison.
- (x) Longitudinal Defect identification
- (xi) Transverse Defect identification
- (xii) End area defect identification.
- (xiii) Thread inspection.
- (xiv) Check and verify length of each joint.
- (xv) Issue of certificate.

22) The third party inspection is to be carried out by an internationally reputed inspection Agency. Bidders must indicate the availability of such a Third Party Inspection Agency in their area furnishing following information.

Name of the Inspecting Agency (OIL's approval has to be obtained prior to engagement, except M/s. Lloyds, M/s Bureau Varitas, M/s DNV, M/s. Rites, M/s. I.R.S.).

All inclusive charges for Third Party Inspection per metre (to be indicated separately).

23) Proper Tally sheet (in Original) indicating length of each joint of tubing with heat number of the joint should be furnished to OIL. The Tally sheet should be duly signed & stamped by the Manufacturing Mill and will be endorsed (certified) by the third party inspection agency.

24) A soft copy of above tally sheet is to be sent in EXCEL FORMAT along with the despatch document. Bidder to confirm the same while quoting.