

P.O. DULIAJAN-786602, ASSAM, INDIA Phone: 0374-2800491 Fax: 0374-2800533

DATE: 30.03.2018

Email:

kumar\_abhimanyu@oilindia.in erp\_mm@oilindia.in

TENDER NO. <u>SSG7579P18/01</u>

# <u>INVITATION TO e-BID UNDER SINGLE STAGE COMPOSITE BID SYSTEM</u>

Dear Sirs.

OIL invites Bids for the supply of **Line Pipe** through its e-Procurement site under **International Competitive Bidding (ICB) - Single Stage Composite Bid System**. The bidding documents and other terms and conditions are available at Booklet No.MM/GLOBAL/E-01/2005-July2012. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed by opening the RFx [Tender no.] under RFx and Auctions page. The details of items tendered can be found under Item tab and details can be found under Technical RFX.

The tender is invited with firm price for the specified quantity. Further details of tender are given in Technical Attachments under Rfx Information tab as **ANNEXURE IA**.

## **THE TENDER WILL BE GOVERNED BY:**

- a) "General Terms & Conditions" for e-Procurement as per Booklet No. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders). Special attention to the bidders is drawn to Section E of the document.
- b) Technical specifications, Quantity and Notes for the Line Pipe as per Annexure IA.
- c) The prescribed Bid Forms for submission of bids are available in the Technical Rfx -> External Area > Tender Documents. Technical Checklist and Commercial Checklist must be filled-up and submitted along with the technical bid.
- d) The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for concessional rate of IGST against Essentiality Certificate. In the event of an order on indigenous bidder, OIL will issue Project Authority Certificate (PAC), where import content is declared by the bidder for availing Custom Duty benefit on the import content. Supplier shall affect dispatch only on receipt of these certificates from OIL, failing which all related liabilities shall be to Supplier's account.

e) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in "Annexure CA Certificate". The same must be submitted along with the bid.

## **SPECIAL NOTE:**

- 1.0 Please note that all tender forms and supporting documents are to be submitted through OIL's e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and due date to The GM-Materials, Materials Department, Oil India Limited, Duliajan-786602, Assam on or before 13:00 Hrs (IST) on the Bid Closing Date mentioned in the Tender.
  - a) Original Bid Security.
  - b) Detailed Catalogue.
  - c) Any other document required to be submitted in original as per tender requirement.

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

- 2.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in rejection of its offer without seeking any clarifications.
- 3.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. As part of the new system, the intending bidder must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class III [Organization]. The date for implementation of new system is 12th April 2017 and the requirement of the new DSC will be applicable for the tenders floated on 12th April 2017 onwards. All our current and prospective esteemed bidders are therefore requested to acquire Class III DSC [Organization] along with Encryption Certificate issued by any of the Licensed Certifying Authorities (CA) operating under Controller of Certifying Authorities (CCA) of India as per Indian IT Act 2000. Guideline for getting Digital Signature and other related information are available on the e-tender website www.oilindia.com. The bid signed using any other digital certificate or digital certificate without organization name of the bidder, will be liable for rejection.
- 4.0 Encryption certificate is mandatorily required for submission of bid. In case bidder created response using one certificate (using encryption key) and bidder subsequently changes the digital signature certificate then the old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of his response. Once decryption is done, the bidder may use his new DSC certificate for uploading and submission of his offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of DSC certificate, Oil India Limited is not responsible.
- 5.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before 13:00 Hrs (IST) on the bid closing date failing which the offer shall be rejected.

- 6.0 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical Attachments under Rfx Information tab only. The "TECHNO-COMMERCIAL UNPRICED BID" shall contain all technocommercial details except the prices. Please note that no price details should be uploaded in Technical RFx Response.
- 7.0 The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. The prices of the items should be quoted in "Notes and Attachments" tab as per the Price Bid Format uploaded.
- 8.0 Please refer Annexure-IB for BEC/BRC applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.
- 9.0 Bidders to take special note of the following conditions:
- 9.1 Against Tender Fee Payment should be made only through online mode and no other instrument (Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.
- 9.2 Against Bid Security/EMD/Performance Bank Guarantee Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.
- 10.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following two documents before uploading their bid. These documents are also uploaded as part of NIT.
  - 10.1 E-Tender User Manual.
- 11.0 FURNISHING FRAUDULENT INFORMATION/ DOCUMENT If it is found that a Bidder has furnished fraudulent document/information, the Bid Security/Performance Security shall be forfeited and the party will be debarred for a period of 3(three) years from date of detection of such fraudulent act, besides the legal action. In case of major and serious fraud, period of debarment may be enhanced.

Yours faithfully, OIL INDIA LIMITED Sd/-

(KUMAR ABHIMANYU)
SPO (FS)
FOR GM-MATERIALS
FOR RESIDENT CHIEF EXECUTIVE

# OIL INDIA LIMITED (A Govt. of India Enterprise) P.O. Duliajan-786602, Assam

Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date: SSG7579P18/01 30.03.2018

Tender Fee : INR 6,000.00 OR USD 100.00 Bid Security Amount : INR 99,850.00 OR USD 1,550.00

(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 18.07.2018 at 11:00 hrs. (IST) Bid Opening On : 18.07.2018 at 14:00 hrs. (IST)

Performance Guarantee : Applicable @10% of order value

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<b>10</b> 09018478	SEAMLESS STEEL LINE PIPE Steel Line Pipe, Seamless, extra strong, Nom. size: 50 mm (2"), O.D.: 60.3 mm (2.3/8") wall thickness: 7.14 mm (0.281") plain end weight: 9.31 Kg./m (6.281 lb/ft.), API 5L Grade - B, screwed & coupled, length of each joint in 9/10 metres, Mill test pressure (Hydraulic) under screwed & coupled condition with coupling power tight - 172 Kg/Cm.sq. (2500 PSI)	3000	М
<b>20</b> 09018478	Steel Line Pipe, Seamless, extra strong, Nom. size: 50 mm (2"), O.D.: 60.3 mm (2.3/8") wall thickness: 7.14 mm (0.281") plain end weight: 9.31 Kg./m (6.281 lb/ft.), API 5L Grade - B, screwed & coupled, length of each joint in 9/10 metres, Mill test pressure (Hydraulic) under screwed & coupled condition with coupling power tight - 172 Kg/Cm.sq. (2500 PSI)	3000	М
3 <u>0</u> 09018478	Steel Line Pipe, Seamless, extra strong, Nom. size: 50 mm (2"), O.D.: 60.3 mm (2.3/8") wall thickness: 7.14 mm (0.281") plain end weight: 9.31 Kg./m (6.281 lb/ft.), API 5L Grade - B, screwed & coupled, length of each joint in 9/10 metres, Mill test pressure (Hydraulic) under screwed & coupled condition with coupling power tight - 172 Kg/Cm.sq. (2500 PSI)	1000	М

Note description for item no./nos.: 10, 20, 30

### **NOTE TO BIDDERS:**

Third Party Inspection will be carried out on percentage basis by the OIL's approved third party inspection agencies for line pipes.

Page: 2/6

Tender No. & Date: SSG7579P18/01 30.03.2018

### THIRD PARTY INSPECTION:

- **a)** Raw Material Inspection for Chemical Composition & Mechanical Properties: 10% of number of heats of raw materials 10% of number of plates will be tested at random by the third party. The minimum number of test for raw materials either from heats or plates is 5(five). The raw materials will be tested for chemical composition and mechanical properties as per relevant codes.
- b) Finished Tube Inspection:
- i) Checking dimensions, wall thickness, end bevelling, threading/gauging, surface imperfections etc. 5% of the tubes at random will be checked/tested by Thrd.Party.
- ii) Checking chemical composition and mechanical properties 5% of the tubes will be tested by the third party.
- c) Witnessing NDT through ultrasonic testing/magnetic particles method/other methods.
- i) Longitudinal Defects: 5% of the tubes at random will be tested by third party.
- ii) Transverse Defects: 1% of the tubes at random will be tested.
- **d)** Hydraulic Testing: 10% of the tubes at random will be tested by third party. The above test procedure is for offering to third party, whereas manufacturer will do 100% internal testing before offering to third party. The manufacturer will forward the various test certificates of their internal testing after checked/varified/certified by the third party.

### Identification Mark:

- a) 'OIL' need to be die stamped/paint stencilled on both sides of each length of pipe within a distance of 1(one) meter from the end.
- b) Manufacturers name/trade mark is to be die stamped/paint stencilled on each length of pipe
- c) Length of each pipe in metres and centimetres must be paint stencilled on the pipes.
- d) OIL's Order No. is to be paint stencilled on each pipe.
- e) API/BIS Monogram is to be die stamped/paint stencilled on each length of pipe (API or BIS to be typed as per requirement).

Mill test pressure: Each joint of pipe shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications

Standard Notes: ALL ITEMS ARE TO BE PROCURED FROM SAME SOURCE.

DIFFERENT LINE ITEMS FOR INTERNAL DISTRIBUTION ONLY. BIDDER TO QUOTE THEIR BEST DELIVERY PERIOD.

### AA. STANDARD NOTES:

- 1) The tender is invited under SINGLE STAGE-COMPOSITE BID SYSTEM. The bidder has to submit both the "TECHNO-COMMERCIAL UNPRICED BID" and "PRICED BID" bid through electronic form in the OIL's e- Tender portal within the Bid Closing Date and Time stipulated in the e-Tender.
- 2) Bid should be valid for minimum 90 days from bid closing date, failing which offer shall be rejected.
- 3) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in their Techno-commercial bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012). The bid security shall be valid up to 31.01.2019. Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. No DD/Cheques/Cashier Cheque or any other mode will be acceptable.
- 4) Performance Security @10% of order value is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005 July2012).

Page: 3/6

## Tender No. & Date: SSG7579P18/01 30.03.2018

- 5) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.
- 6) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 7) General terms and conditions of Global tender (document MM/GLOBAL/E-01/2005 July 2012) is enclosed. Special attention to Bidders is drawn to the Section E of above document.
- 8) Reverse Auction is not applicable against this tender.
- 9) Anti-Dumping duty is applicable against this tender.
- 10) Price should be maintained in the "Price Bid Format" only. The price bid must be uploaded in "Notes & Attacment" tab.

### GENERAL NOTES FOR LINE PIPE (SEAMLESS)

#### 1.0 SPECIFICATION:

- 1.1 Line Pipe must be manufactured as per API specification
- 5L, latest edition and must bear API monogram. A valid API

specification 5L certificate from the manufacturer shall be submitted along with materials.

- 1.2 Pipe shall be brand new, un-used and prime quality and in double random length without any jointers.
- 1.3 Coating shall be done as per API specification 5L and
- adequately oiled to withstand sea voyage/road transit.
- 1.4 Pipe ends must be prepared as per relevant API specifications. Suitable end protectors as specified shall be used to protect the ends.

### 2.0 MILL INSPECTION/CERTIFICATION:

All Line Pipe shall be manufactured, tested and certified in accordance with API Specication 5L, latest edition.

### 3.0 PHYSICAL/MECHANICAL TEST:

The following tests shall be carried out on its heat of steel from which the pipes are manufactured, as per API specification 5L and test results thereof shall be submitted to OIL.

- i) Chemical Analysis,
- ii) Heat Analysis,
- iii) Product Analysis,
- iv) Recheck Analysis,
- v) Mill-Control check analysis,
- vi) Tensile tests.
- vii) Yield strength tests,
- viii) Mill-control tensile tests,
- ix) Flattening tests,

Page: 4/6

## Tender No. & Date: SSG7579P18/01 30.03.2018

- x) Tensile elongation tests,
- xi) Weld ductility tests,
- xii) Dimension and weight tests including drift and straightness.
- 3.1 While conducting the above test if any of the pipe fails re-test shall be carried out as per API specification 5L.

#### 3.2 HYDROSTATIC TEST:

Each joint of Line Pipe shall be tested Hydrostatically to the recommended pressure at the mill in accordance with relevant API Specification.

3.3 NON-DESTRUCTIVE TEST: Non-destructive test shall be carried out as specified in API specification 5L, latest edition.

#### 4.0 IDENTIFICATION MARKING:

- 4.1 Marking is to be done on each joint as per API specification 5L covering manufacturer's mark/name, API monogram, size, weight, grade, manufacturing process, heat treatment, test pressure and length. Marking should be in matric unit.
- 4.2 Additionally OIL logo/mark and purchase order number shall be die stamped or paint stencilled on each joint.

### 5.0 THIRD PARTY INSPECTION:

- 5.1 Inspection by an independent OIL approved third party viz. M/s. Lloyds/RITES/IRS/Tuboscope Vetco/DNV-GL & Bereau Veritas will cover the following :
- i) Materials identification.
- ii) Stage inspection at random visit basis during manufacturing.
- iii) Audit and endorsement of all chemical analysis and physical test reports.
- iv) Witness dimensional checks.
- v) Witness mechanical test. (10% or 10 Nos. whichever
- is maximum)
- vi) Witness NDT.
- vii) Witness hydrostatic test.
- viii) Visual inspection for imperfection.
- ix) Longitudinal defect identification.
- x) Transverse defect identification.
- xi) Wall thickness measurement.
- xii) Joint inspection and grade confirmation.
- xiii) End area defect inspection.
- xiv) Inspection of end beveling.
- xv) Check and verify each joint.
- xvi) Issue of certificates
- 5.2 Third party inspection should be cover the following:

Manufacturer will carry out physical / chemical / mechanical / hydrostatic / NDT test etc. For raw materials and finished pipe as per relevant API specification (latest edition) for all the pipes i.e. 100%. Third party will check and verify manufacturer's test data records, reports etc. of raw materials and finished tubes in respect of all pipes i.e. 100%. Over and and above checking and verification of records and reports, third party will carry out inspection for the followings on percentage basis given below in his presence:

a) Raw materials inspection for Chemical composition and

Mechanical properties. 10% of numbers of heats and plates of raw materials will be tested at random the the third party. If the percentage of no. of heats/plates for manufacturer of a particular item is 5 (five) of less than all the raw materials will be tested for chemical composition and mechanical properties as per relevant codes. b) Finished Tube Inspection:

i) Checking dimension, wall thickness, quality, end bevelling etc. 5% of the tube at random will be checked/tested by third party.

Page: 5/6

## Tender No. & Date: SSG7579P18/01 30.03.2018

- ii) Checking chemical compositions and mechanical properties 5% of tube will be tested by the third party.
- c) Witnessing NDT through ultrasonic testing/magnetic particle method/other methods.
- i) Longitudinal defects 5% of tubes at random will be tested by third party.
- ii) Transverse defects 1% of the tubes at random will be tested.
- d) Hydraulic testing: 10% of the tube at random will be tested by the third party.

#### 6.0 WARRANTY:

The supplier shall warrant their all tubulars to be supplied against the order shall be free from all defects and faults in materials, workmanship and manufacture shall be in full conformity with specified API standard. This clause shall be valid for 12 months from the date of despatch. The defective materials rejected by the purchaser shall be replaced by the seller at his won expense immediately.

### Special Notes: AA. CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:

The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

The bank guarantee issued by the bank must be routed through SFMS platform as per following details:

- a. (i) "MT 760 / MT 760 COV for issuance of bank guarantee
- (ii) "MT 767 / MT 767 COV for amendment of bank guarantee

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code - UTIB0001129.

Branch Address - AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar Duliajan, District - Dibrugarh, Pin - 786602."

b. The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

#### **BB. ANTI-DUMPING DUTY**

The Clause No. 3.0 in Section-'E' (Special Terms & Conditions for Tubulars) of General Terms & Conditions for Global Tender (MM-GLOBAL/E-01-2005-July 2012) on Anti-Dumping Duty stands deleted. In its place the following clauses on "Anti-Dumping Duty" shall be applicable-

- 1. The Anti-Dumping Duty, if any, shall be applicable as per the latest Govt. guideline and will be payable by the bidder. Bidders are requested to note the same and quote accordingly.
- 2. Anti-Dumping Duty shall be borne by the bidder as mentioned above. A categorical confirmation in this regard is required from the bidders along with their offer, otherwise their offer will not be considered for further evaluation.
- 3. All bidders must categorically mention the country of origin of the products offered by them in their offers. In the event categorical mention of country of origin of their offered products is not made in their offer, the offer will be summarily rejected.
- 4. In case of the indigenous bidders, they should note that OIL will not be liable to reimburse any amount on account of Anti-Dumping duty for the materials imported by them from People's Republic of China for execution of the contract and any Anti-Dumping Duty payable against

Page: 6/6

# Tender No. & Date: SSG7579P18/01 30.03.2018

import by them from People's Republic of China shall be to their account. Indigenous bidders are required to categorically confirm acceptance of the same in their Technical bids failing which offers will be liable for rejection.

SSG7579P18/01 ANNEXURE-IB

	Compliance	e by Bidder
OO DID DE LECTION ODITEDI: (22.2)	Indicate 'Confirmed' / 'Not	
CC. BID REJECTION CRITERIA (BRC)	Confirmed' / Not applicable	Indicate Corresponding page ref. of unpriced bid
The bids shall conform to the specifications, terms and conditions given in the tender. Bids shall be	принами	page ron or ampricon and
rejected in case the item(s) offered do not conform to technical specifications and to the respective international / national standards wherever stipulated.		
miernational / national standards wherever supulated.		
Notwithstanding the general conformity of the bids to the stipulated specifications, and terms &		
conditions, the following requirements shall have to be particularly met by the bidders, without which the offer will be considered as non-responsive and rejected. All the documents related to BEC / BRC		
must be submitted along with the technical bid		
In addition to BRC criteria vide section –D of General Terms & Conditions for Global tenders		
(MM/GLOBAL/E-01/2005 - JULY 2012), the following clauses will be applicable against the tender failing which offer will be rejected.		
1.0 MANUFACTURING DETAILS :		
1.1 Bidders must specify categorically in their offer if the following jobs in respect of the Casing /		
Tubing / Tubular offered by them would be carried out by themselves. i) Manufacture of the Green pipe (Unprocessed Plain End Pipe)		
ii) Manufacture of the Mother/Processed pipe iii)		
Manufacture of Coupling Stock/blanks iv) Manufacture of		
Coupling v) Threading of item (ii) or (iii) and End finishing jobs.		
In case any or all the above jobs would be carried out in their plant, they must forward valid API		
certificate(s) issued in their name for respective job(s) together with the offer.		
1.2 In case some of the above jobs are not carried out in their plant but would be carried out in some		
other works, the bidders must submit API certificate(s) issued in the vendors' name for respective job(s).  These certificates must be furnished along with the offer.		
ŭ		
1.3 Bidders doing none of the above jobs would be treated as supply house/traders. As supply house /traders to bid, they however must fulfil the criteria laid down in General terms and conditions (refer para		
1.2 of Section A of General Terms and Conditions) to be eligible for bidding.		
1.3.1 They (Supply Houses/Traders) must forward the following certificates along with the offer failing		
which the offer will be rejected.  i) A certificate from the manufacturing mill guaranteeing supply of the tubulars to the bidder in the		
event of an order on the bidder.		
ii) Valid API certificates from the manufacturer of Threaded and coupled API Casing / Tubing /		
Tubular.  1.3.2 It may be noted that no change in manufacturing mill will be allowed after placement of order.		
Bidder must confirm the same in their bid.		
1.4 Bidders must clearly indicate the country of origin.		
4.5 Mary factors of a December 1. Through the English of the Conference of the Confe		
1.5 Manufacturer's / Processor's / Threader's Experience: Manufacturer / Processor / Threader of the offered item(s) should satisfy the following clauses along with documentary evidence which should be		
enclosed along with the techno-commercial bid:		
1.5.a Minimum 5 (five) years of experience of manufacturing / processing / threading and ultimately supplying similar material (same or higher grade and same or higher outer diameter) to companies which	1	
are in the business of exploration and production of hydrocarbons. For this purpose the period reckoned	1	
shall be the period prior to the date of opening of the techno-commercial bid. Copies of API-5L for the last		
5 (Five) years (i.e. continuous without having any break in between) shall be submitted along with technocommercial bid.		
commoduli sid.		
1.5.b Should have manufactured / processed / threaded and ultimately supplied similar material (same or		
higher grade and same or higher outer diameter) at least 50% of tendered quantity of each item to companies which are in the business of exploration and production of hydrocarbons during the last 5		
(five) Years. For this purpose the period reckoned shall be the period prior to the date of opening of the		
techno-commercial bid.		
1.5.c Domestic manufacturer / processor who have satisfactorily executed development orders placed by		
OIL for similar material (same or higher grade and same or higher outer diameter) would be considered as established sources for supply. Documents for satisfying BRC clause 1.5.a & 1.5.b above are not		
required to be submitted. However, the domestic manufacturer / processor should indicate the details of		
OIL's Purchase Order(s) executed by them and submit respective documentary evidence in the form of		
copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as – B/L, invoice or any other documentary evidence.		
Such domestic manufacturers / processors should have valid API-5L certificate for last 5 (five) years (i.e.		
continuous without having any break in between) and should be submitted along with the techno-		
commercial bid.		
1.5.d Documentary evidence in respect of 1.5.a & 1.5.b above should be submitted in the form of copies		
of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory		
execution of each of those Purchase Orders, such as – B/L, invoice or any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above along with the		
technocommercial bid.		
A Final and hidden in a construction of the should be a selected to the selection of the se		
1.5.e In case bidder is a manufacturer then he should have valid API-5L certificate for last 5 (five) years (i.e. continuous without having any break in between) for manufacturing Threaded and Coupled API		
Casing / Tubing / Tubing and documentary evidence thereof should be submitted along with the techno-		
commercial bid. For this purpose the period reckoned shall be the period prior to the date of opening of		
the technocommercial bid.		
	L	

	Compliance	by Bidder
1.5.f In case the bidder is sole selling agent / distributor / dealer / supply house of any API approved manufacturer, then bidder must furnish the following documents. Such bidder can offer the desired product only from API approved manufacturer having all the required authorization to manufacture Threaded and Coupled API Casing / Tubing / Tubular. (Bids from Sole selling agents / distributors / dealers / supply houses for processor or Threader will not be accepted.):  i) Back-up authority cum Warranty letter in original on manufacturer's letter head, valid at the time of bidding which should remain valid during the entire execution period of the order, from the concerned manufacturer guaranteeing supply of the tubulars to the bidder in the event of an order on the bidder and also authorized them to market their products.  ii) Copies of valid API-SL certificate of manufacturer for the last 5 (five) years (i.e. continuous without having any break in between) from the date of opening of the techno-commercial bid.  iii) Bidder should submit a list of companies which are in the business of exploration and production of hydrocarbons to whom their Manufacturer has supplied similar material (same or higher grade and same or higher outer diameter) during the last 5 (five) years along with documentary evidence to satisfy above clause 1.5. For this purpose the period reckoned shall be the period prior to the date of opening of the technocommercial bid. iv) Documentary evidence in respect of (iii) above should be submitted in the form of copies of relevant Purchase Orders along with copies of any of the documents in respect of satisfactory execution of each of those Purchase Orders, such as – B/L, invoice or any other documentary evidence that can substantiate the satisfactory execution of each of the purchase orders cited above along with the techno-commercial bid.		
1.5.h In case the bidder is API approved Processors / Threaders who intend to purchase plain end pipes and coupling stock from other manufacturers and do heat treatment / threading - end finishing and testing should indicate the sources from where they intend to purchase plain end pipes and coupling stock and should also submit the following documents: i).a Copy of valid API-5L certificate in favour of manufacturer of green pipes, coupling blank/ stock must be submitted with the bid. i).b Copy of valid API-5L certificate in favour of manufacturer of coupling for last 5 (five) years (i.e. continuous without having any break in between) from the date of opening of techno-commercial bid in case the processor/ threader should purchase the coupling from other mills. ii) Copy of valid API-5L certificate in favour of processor / threader to do heat treatment / threading – end finishing and testing of Casing / Tubiar of processor / threader to do heat treatment / threading – end finishing and testing of Casing / Tubiar of processor / threader to do heat treatment / threading – end finishing and testing of Casing / Tubiar for last 5 (five) years (i.e. continuous without having any break in between) from the date of opening of techno-commercial bid. iii) a. Processors must purchase the green pipes, coupling stock/ blank from API approved mills only and should submit the list of those API approved mills together with their valid API-5L certificates. iii) b. Threaders must purchase processed mother pipes & Coupling stock/ blank from API approved mills only and should submit the list of those API approved mills together with their valid API-5L certificates for last 5 (five) years (i.e. continuous without having any break in between) along with the techno-commercial bid. iv) Processors / Threaders should submit a list of companies which are in the business of exploration and production of hydrocarbons to whom they have supplied similar material (same or higher grade and same or higher outer diameter) during the last 5 (five)		
1.5.i Documents in any language other than English should be got translated in English and the copy of the original version English translation should be got verified from any one of the following) i) Official of Indian Embassy / High Commission / Consulate General situated in the country where language has been translated.  ii) Official of Embassy / High Commission / Consulate General of the country where language has been translated, in India.  1.6 Bidder should confirm to submit API 5CT certificate, as specified elsewhere in the tender, in subsequent Price bid(s). Price bid of those bidders who fails to submit valid API 5CT certificate or whose API 5CT certificate is suspended will not be opened.		
Note –  1. Manufacturer/ manufacturing mentioned above mean Manufacturer/ manufacturing of Plain end Green Pipe, Coupling Stock through processing and threading to finished Threaded or Coupled Casing / Tubing / Tubular.  2. No change in API mill(s) other than those indicated in the techno-commercial bid will be allowed after placement of order.		
FINANCIAL CRITERIA:		

	Compliance by Bidder
Annual Financial Turnover of the bidder during any of preceding three financial/accounting years from the original bid closing date should be at least Rs. 24.95 Lakhs. or USD 37800.00	
1.1 Net worth of bidder must be positive for preceding financial/ accounting year.	
2.0 Considering the time required for preparation of Financial Statements, if the last date of preceding financial / accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting years excluding the preceding financial / accounting year excluding the preceding financial / accounting year will be considered. However, the bidder has to submit an affidavit/undertaking certifying that the balance sheet/Financial Statements for the financial year 2017-18 has actually not been audited so far.	
Notes:	
a) For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid:-	
i) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in ANNEXURE.	
OR	
ii) Audited Balance Sheet along with Profit & Loss account. In case of foreign bidders, self-attested/digitally signed printed published accounts are also acceptable.	
b) In case the bidder is a Central Govt. Organization/PSU/State Govt. Organization/Semi-State Govt. Organization or any other Central/State Govt. Undertaking, where the auditor is appointed only after the approval of Comptroller and Auditor General of India and the Central Government, their certificates may be accepted even though FRN is not available. However, bidder to provide documentary evidence for the same.	
3.0 In case the Audited Balance sheet and Profit Loss Account submitted along with the bid are in currencies other than INR or US\$, the bidder shall have to convert the figures in equivalent INR or US\$ considering the prevailing conversion rate on the date on which the Audited Balance Sheet and Profit & Loss Account is signed. A CA Certificate is to be submitted by the bidder regarding converted figures in equivalent INR or US\$.	
COMMERCIAL CRITERIA:	
1.0 The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following: i. Validity of bid shorter than validity indicated in the tender. ii. Original Bid Security not received within the stipulated date and time mentioned in the tender. iii. Bid security with (i) Validity shorter than the validity indicated in tender and/or (ii) Bid	
security amount lesser than the amount indicated in the tender. iv. In case the party refuses to sign the Integrity Pact.	
2.0 Offers with techno commercial bid-containing prices shall be rejected outright.	