



**OIL INDIA LIMITED**  
(A Government of India Enterprises)  
PO : Duliajan – 786602  
Assam (India)

TELEPHONE NO. (91-374) 2808614

FAX NO: (91-374) 2800533

Email: [matmmfsa@oilindia.in](mailto:matmmfsa@oilindia.in) ; [erp\\_mm@oilindia.in](mailto:erp_mm@oilindia.in)

**TENDER NO. SSG7955P19/01**

DATE: 11.05.2018

**INVITATION TO e-BID UNDER COMPOSITE BID SYSTEM**

Dear Sirs,

OIL invites Bids for the supply of **3000 M of ERW LINE PIPE** through **E-Procurement**. The details of the tender are as under:

1. Details of items with specification, quantity and special notes are given in Technical Rfx → External area-→ Tender documents as Annexure - IA
2. General terms and Conditions of the tender are as per attached document No.MM/GLOBAL/E-01/2005-July2012.
3. The prescribed Bid Forms for submission of bids are available in the tender document folder. Technical Checklist and Commercial Checklist vide Annexure IV must be filled-up and submitted along with the technical bid. BEC/BRC as per Annexure CCC must be complied and submitted with the technical bid.
4. Type of Tender : International Competitive Bidding
5. Type of Bidding : **SINGLE STAGE COMPOSITE BID SYSTEM**
6. Tender Fee : INR 6,000.00 OR USD 100.00
7. Bid Security Amount : **INR 80,700.00 OR USD 1,232.00**  
(Or equivalent amount in any currency)
8. Performance Security : **Applicable @10% of Order Value.**
9. Bid Closing /Opening Date : 27.06.2018
10. Tender document Sale date : 20.06.2018
11. Bid Validity : Bid should be valid for 90 days from bid closing date.
12. Bid Bond Validity : Bid Bond should be valid upto 24.12.2018  
(Bid bond format has been changed. Please submit bid bond as per revised format failing which offer will be rejected)
13. Integrity Pact : Not Applicable

**Special Note :**

- 1.0 The tender will be governed by “General Terms & Conditions” for e-Procurement as per Booklet NO. MM/GLOBAL/E-01/2005-July2012 for E-procurement (ICB Tenders) including Amendment and Addendum. Special attention to the bidders is drawn to Section – E of the document.
- 2.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and Due date to **The GM Materials, Materials Department, Oil India Limited, Duliajan- 786602, Assam** on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.
- a) **Original Bid Security .**  
b) **Detailed Catalogue.**  
c) **Any other document required to be submitted in original as per tender requirement.**

All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.

- 3.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications.
- 4.0 The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Custom Duty during import will be applicable. Indigenous bidder shall be eligible for concessional rate of GST against Essentiality Certificate wherever applicable, as per Notification No.3/2017 – Integrated/ Central Tax (Rate) dated 28th June, 2017/Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/01/2005 enclosed.
- 5.0 Bid must be submitted electronically only through OIL's e-procurement portal. Bid submitted in any other form will be rejected.
- 6.0 Please refer to the **"New Vendor Manual (effective 12.04.2017)"** available in the login Page of the OIL's E-tender Portal.
- 7.0 Bidders to take special note of the following conditions:
- 7.1 Against Tender Fee – Payment should be made only through online mode and **no other instrument (Cash/DD/Cheques/Cashier Cheque, etc) will be acceptable.**
- 7.2 Against Bid Security/EMD/Performance Bank Guarantee – Only payments through online mode or Submission of Bank Guarantee/LC will be acceptable. **No DD/Cheques/Cashier Cheque or any other mode will be acceptable.**
- 8.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following two documents before uploading their bid. These documents are also uploaded as part of NIT.

- 8.1 Guidelines to Bidders for participating in OIL.
- 8.2 Instruction to bidder for submission.

- 9.0 Please refer **Annexure-CCC** for BEC/BRC applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.
- 10.0 To ascertain the substantial responsiveness of the bid, OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 11.0 The prices of the items should be quoted as per **Annexure -P** and uploaded separately under the tab “Notes & Attachment”.
- 12.0 In view of implementation of GST w.e.f. 01.07.2017 and PPLC Policy to provide Purchase Preference (linked with local content) by notification no. Ref.O-27011/44/2016-ONG-II/FP dtd.25.04.2017 Bidders to note of **ANNEXURE-GST&PPLC** and to submit their offers complying with the same.

Yours Faithfully

Sd-  
(A. D. SINGH)  
SR.PURCHASE OFFICER (FS)  
FOR GM-MATERIALS

OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
P.O. Duliajan-786602, Assam  
Fax No. 91-374-2800533, E-mail:material@oilindia.in

**Tender No. & Date : SSG7955P19/01 11.05.2018**

Tender Fee : INR 6,000.00 OR USD 100.00  
Bid Security Amount : INR 80,700.00 OR USD 1,232.00  
(or equivalent Amount in any currency)

**Bidding Type : Single Bid (Composite Bid)**

Bid Closing On : 27.06.2018 at 11:00 hrs.(IST)  
Bid Opening On : 27.06.2018 at 14:00 hrs.(IST)

Performance Guarantee : Applicable

OIL INDIA LIMITED invites Global tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<b>10</b> 09026146	LINE PIPE, BEVEL END ELECTRIC RESISTANCE WELDED (ERW) Steel line pipe, ERW, Nom. size : 150 mm (6"), O.D. 168.3 mm (6.5/8"), wall thickness - 7.11 mm (0.280"), Weight : 28.22 kg/m (18.97 lbs/ft), API Std. 5L, Grade A, Bevel end in double random length, Mill Test Pressure (Hydraulic) : 105 kg./ cm.sq. (1520 PSI)	1000	M
<b>20</b> 09026146	Steel line pipe, ERW, Nom. size : 150 mm (6"), O.D. 168.3 mm (6.5/8"), wall thickness - 7.11 mm (0.280"), Weight : 28.22 kg/m (18.97 lbs/ft), API Std. 5L, Grade A, Bevel end in double random length, Mill Test Pressure (Hydraulic) : 105 kg./ cm.sq. (1520 PSI)	2000	M

**Note description for item no./nos. : 10, 20**

**NOTE TO BIDDERS :**

Third Party Inspection will be carried out on percentage basis by the OIL's approved third party inspection agencies for line pipes.

**THIRD PARTY INSPECTION:**

**a)** Raw Material Inspection for Chemical Composition & Mechanical Properties : 10% of number of heats of raw materials 10% of number of plates will be tested at random by the third party. The minimum number of test for raw materials either from heats or plates is 5(five). The raw materials will be tested for chemical composition and mechanical properties as per relevant codes.

**b)** Finished Tube Inspection :

i) Checking dimensions, wall thickness, end bevelling, threading/gauging, surface imperfections etc. - 5% of the tubes at random will be checked/tested by Thrd.Party.

ii) Checking chemical composition and mechanical properties - 5% of the tubes will be tested by the third party.

**c)** Witnessing NDT through ultrasonic testing/magnetic particles method/other methods.

i) Longitudinal Defects : 5% of the tubes at random will be tested by third party.

ii) Transverse Defects : 1% of the tubes at random will be tested.

**d)** Hydraulic Testing : 10% of the tubes at random will be tested by third party. The above test procedure is for offering to third party, whereas manufacturer will do 100% internal testing before offering to third party. The manufacturer will forward the various test certificates of their internal testing after checked/varified/certified by the third party.

**Tender No. & Date : SSG7955P19/01**

**11.05.2018**

Identification Mark :

- a) 'OIL' need to be die stamped/paint stencilled on both sides of each length of pipe within a distance of 1(one) meter from the end.
- b) Manufacturers name/trade mark is to be die stamped/paint stencilled on each length of pipe
- c) Length of each pipe in metres and centimetres must be paint stencilled on the pipes.
- d) OIL's Order No. is to be paint stencilled on each pipe.
- e) API/BIS Monogram is to be die stamped/paint stencilled on each length of pipe (API or BIS to be typed as per requirement).

Mill test pressure : Each joint of pipe shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications

**Standard Notes : AA) STANDARD NOTE :**

1)ALL ITEMS ARE TO BE PROCURED FROM SAME SOURCE. DIFFERENT LINE ITEMS FOR INTERNAL DISTRIBUTION ONLY

**2)DELIVERY :**

**a) BIDDER TO QUOTE THEIR BEST DELIVERY PERIOD.**

**b)DELIVERY OF ITEM NO 20 (2000 M) TO BE MADE AT FOLLOWING ADDRESS:** -Office of Manager Materials, Hamira Stores, Oil India Limited, Jaisalmer, Rajasthan , Pin 345033. Bidders are requested to take a note of it and quote accordingly.

3) The tender is invited under SINGLE STAGE-COMPOSITE BID SYSTEM. The bidder should ensure that "TECHNO-COMMERCIAL UNPRICED BID should contain details as mentioned in the technical specifications as well as BEC/ BRC and upload the same in the Technical RFx Response-> User -> Technical Bid. Please go through the help document in details before uploading the document and ensure uploading of technical bid in the Technical RFx Response-> User -> Technical Bid only. The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. The prices bid of the items should be uploaded as an attachment under Notes & Attachments tab.

4)All the Bids must be Digitally Signed using "Class 3" digital certificate (e-commerce application) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than "Class 3" digital certificate, will be liable for rejection.

5) Bid should be valid for **minimum 90 days** from bid closing date, failing which offer shall be rejected. Therefore, please ignore the minimum validity mentioned in the General Terms and Condition of Global Tender ( MM/GLOBAL/E-01/2005-July 2012).

6) The original bid security (Amount is mentioned above and also in Rfx Parameters of the tender in OIL's e-portal) should reach us before bid closing date and time of the technical bid. Bid without original Bid Security will be rejected. The bidders who are exempted from submitting the Bid Bond should attach documentary evidence in the Technical RFx Response-> User -> Technical Bid as per clause 9.8 of Section A General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005- July 2012). **The bid security shall be valid up to 24.12.2018.**

7) Bidders have to indicate the minimum FOB/FCA charges in case of partial order for reduced quantity/items. In case this is not indicated specifically, the charges quoted would be prorated calculated and the same will be binding on the bidder.

8) Performance Security @10% of order value, is applicable against this tender. Please refer clause 10.0 of Section A of General Terms and conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012).

**Tender No. & Date : SSG7955P19/01**

**11.05.2018**

9) To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.

10) Bidder's response to all NIT stipulations shall clearly be defined. Bidder shall furnish specific details/specifications of all major components, systems with Make & Model, etc. Generalised response like - 'As per NIT Specifications/Technical Leaflet', 'Noted', 'Accepted' or in any similar fashion is not acceptable.

11) Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises (MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-JULY2012). Bidders are requested to take note of the same and to submit their offers accordingly.

12) General terms and conditions of Global tender (document MM/GLOBAL/E-01/2005 - July 2012) is enclosed. Special attention to Bidders is drawn to the Section E of above document. In addition to this the BEC/BRC vide Annexure-CCC will be applicable against the tender failing which offer will be rejected.

13) The following points are deemed as "non-negotiable" and offer shall be rejected straightaway without seeking clarification in case of the following:

- i. Validity of bid shorter than validity indicated in the tender.
- ii. Original Bid Security not received within the stipulated date and time mentioned in the tender.
- iii. Bid security with (a) Validity shorter than the validity indicated in tender and/or (b) Bid security amount lesser than the amount indicated in the tender.

#### 14) CONFIRMATION OF BID SECURITY / PERFORMANCE SECURITY:

The following clause is applicable for bid security / performance security submitted in the form of bid bond/LC. Bidders are requested to strictly comply to this clause:

The bank guarantee issued by the bank must be routed through SFMS platform as per following details:

- a. (i) "MT 760 / MT 760 COV for issuance of bank guarantee
- (ii) "MT 767 / MT 767 COV for amendment of bank guarantee

The above message / intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code - UTIB0001129.  
Branch Address - AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar Duliajan, District - Dibrugarh, Pin - 786602."

- b. The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee.

Tender No. &amp; Date : SSG7955P19/01

11.05.2018

**Special Notes : BB)GENERAL NOTES FOR LINE PIPE (ERW):****1.0 SPECIFICATION :**

1.1 Line Pipe must be manufactured as per API specification 5L, latest edition and must bear API monogram. A valid API specification 5L certificate from the manufacturer shall be submitted along with materials.

1.2 Pipe shall be brand new, un-used and prime quality and in double random length without any jointers.

1.3 Coating shall be done as per API specification 5L and adequately oiled to withstand sea voyage/road transit.

1.4 Pipe ends must be prepared as per relevant API specifications. Suitable end protectors as specified shall be used to protect the ends.

**2.0 MILL INSPECTION/CERTIFICATION :**

All Line Pipe shall be manufactured, tested and certified in accordance with API Specification 5L, latest edition.

**3.0 PHYSICAL/MECHANICAL TEST :**

The following tests shall be carried out on its heat of steel from which the pipes are manufactured, as per API specification 5L and test results thereof shall be submitted to OIL.

- i) Chemical Analysis,
- ii) Heat Analysis,
- iii) Product Analysis,
- iv) Recheck Analysis,
- v) Mill-Control check analysis,
- vi) Tensile tests,
- vii) Yield strength tests,
- viii) Mill-control tensile tests,
- ix) Flattening tests,
- x) Tensile elongation tests,
- xi) Weld ductility tests,
- xii) Dimension and weight tests including drift and straightness.

3.1 While conducting the above test if any of the pipe fails re-test shall be carried out as per API specification 5L.

**3.2 HYDROSTATIC TEST :**

Each joint of Line Pipe shall be tested Hydrostatically to the recommended pressure at the mill in accordance with relevant API Specification.

**3.3 NON-DESTRUCTIVE TEST :**

Non-destructive test shall be carried out as specified in API specification 5L, latest edition.

**4.0 IDENTIFICATION MARKING :**

4.1 Marking is to be done on each joint as per API specification 5L covering manufacturer's mark/name, API monogram, size, weight, grade, manufacturing process, heat treatment, test pressure and length. Marking should be in metric unit.

4.2 Additionally OIL logo/mark and purchase order number shall be die stamped or paint stencilled on each joint.

**5.0 THIRD PARTY INSPECTION**

a) Raw Material Inspection for Chemical Composition & Mechanical Properties : 10% of number of heats of raw materials 10% of number of plates will be tested at random by the third party. The minimum number of test for raw materials either from heats or plates is 5(five). The raw materials will be tested for chemical composition and mechanical properties as per relevant codes.

b) Finished Tube Inspection :

**Tender No. & Date : SSG7955P19/01**

**11.05.2018**

- i) Checking dimensions, wall thickness, end bevelling, threading/gauging, surface imperfections etc. - 5% of the tubes at random will be checked/tested by Thrd.Party.
- ii) Checking chemical composition and mechanical properties - 5% of the tubes will be tested by the third party.
- c) Witnessing NDT through ultrasonic testing/magnetic particles method/other methods.
- i) Longitudinal Defects : 5% of the tubes at random will be tested by third party.
- ii) Transverse Defects : 1% of the tubes at random will be tested.
- d) Hydraulic Testing : 10% of the tubes at random will be tested by third party. The above test procedure is for offering to third party, whereas manufacturer will do 100% internal testing before offering to third party. The manufacturer will forward the various test certificates of their internal testing after checked/varified/certified by the third party.

Identification Mark :

- a) 'OIL' need to be die stamped/paint stencilled on both sides of each length of pipe within a distance of 1(one) meter from the end.
- b) Manufacturers name/trade mark is to be die stamped/paint stencilled on each length of pipe.
- c) Length of each pipe in metres and centimetres must be paint stencilled on the pipes.
- d) OIL's Order No. is to be paint stencilled on each pipe.
- e) API/BIS Monogram is to be die stamped/paint stencilled on each length of pipe (API or BIS to be typed as per requirement).

Mill test pressure : Each joint of pipe shall be tested hydrostatically to the recommended pressure at the mill in accordance with the relevant API specifications

1) Name of the Inspecting Agency (OIL's clearance has to be obtained prior to engagement except M/s. Lloyds, M/s Bureau Veritas, M/s. RITES, M/s. I.R.S., M/s. Tuboscope Vetco and M/s DNV-GL.)

2) All inclusive charges for Third Party Inspection per metre (to be indicated separately).

#### **6.0 WARRANTY :**

The supplier shall warrant their all tubulars to be supplied against the order shall be free from all defects and faults in materials, workmanship and manufacture shall be in full conformity with specified API standard. This clause shall be valid for 12 months from the date of despatch. The defective materials rejected by the purchaser shall be replaced by the seller at his won expense immediately.