OIL INDIA LIMITED

(A Government of India Enterprise) P.O. Duliajan, Pin – 786602 Dist-Dibrugarh, Assam

AMENDMENT NO. 07 DATED 26.05.2020 TO TENDER NO. SDG3875L20/08

This **Amendment No.07** dated **26.05.2020** to **Tender No. SDG3875L20/08** is issued to extend the Bid Closing/Opening dates as well as to amend some of the existing technical specifications as under:

A) Extension of Bid Closing/Opening dates:

Description	Existing Date & Time	Extended upto
Bid Closing Date &	27.05.2020	10.06.2020
Time	(at 11.00 Hrs. IST)	(at 11.00 Hrs. IST)
Technical Bid	27.05.2020	10.06.2020
Opening Date &	(at 14.00 Hrs. IST)	(at 14.00 Hrs. IST)
Time		

B) Amendment to Technical Specifications/Clause:

Clause No.	Existing clause	Amended clause
Annexure-	Since the truck(s) will be driven	The truck(s) will be driven on roads in India
Α	on roads in India having traffic	having traffic rules for Right Hand Drive
No. 1.13	rules for Right Hand Drive	vehicles only. Accordingly, headlamps
(a)	vehicles only, headlamps	(photometry of the headlamps to suit
	(photometry of the headlamps	"keep-left" traffic), sufficient and suitable
	to suit "keep-left" traffic),	side, repeater & top marker lights, hazard
	sufficient and suitable side,	warning lights, direction indicator lights,
	repeater & top marker lights,	stop lamps, parking lamps, rear and side
	hazard warning lights, direction	reflectors, rear view mirrors at both sides
	indicator lights, stop lamps,	etc. as well as Air Horn in addition to
	parking lamps, rear and side	Electric Horn shall be provided for safe road
	reflectors, rear view mirrors at	movement of the units. All lights shall be
	both sides etc. as well as Air	covered to the extent possible with suitable
	Horn in addition to Electric	guard to prevent damage. If feasible,
	Horn shall be provided for safe road movement of the units.	lateral/side under run protection device (SUPD)s, front under run protection device
	All lights shall be covered to	(FUPD), rear under run protection device
	the extent possible with	(RUPD) shall be fitted in the units.
	suitable guard to prevent	(NOT b) shall be need in the diffes.
	damage, all electrical fittings,	Note:
	components & connections	i) FUPD/SUPD/RUPD are
	shall be suitable to operate in	structures that prevent smaller
	hazardous oilfield area. If	vehicles from getting underneath
	feasible, lateral/side under run	during collision as per AIS 069,
	protection device (SUPD)s,	IS: 14812, IS: 14682 or similar.

Clause No.	Existing clause	Amended clause	
	front under run protection device (FUPD), rear under run protection device (RUPD) shall be fitted in the units. Note: The Logging Truck is to be atleast ZONE 2 compliant.	 ii) The lightings & electrical connections, other than those come along with the Truck chassis, shall be suitable to operate in hazardous oilfield area. iii) Amongst other safety systems as per manufacturer's standard, the logging unit(s) shall be fitted with Emergency Engine Shut-off System for hazardous condition. 	
Annexure- A No. 1.13 (d)	Well-covered and non-conducting material wrapped vertical exhaust located behind and projected above the top of the driver's cabin with Spark Arrestor suitable to operate in hazardous oilfield area are to be provided.	Well-covered and non-conducting material wrapped vertical exhaust located behind and projected above the top of the driver's cabin with Spark Arrestor. Note: The Spark Arrestor may be additional attachment to be fitted with the exhaust or an internal mechanism to prevent discharge of open flame and sparks in the exhaust.	
Annexure- B4 4.19	New Clause	Gas detection with warning system (preferably buzzer) shall be provided inside the logging cabin/operators compartment.	
Annexure- B4 4.20	New Clause	Non-sparking electrical switches shall be provided inside the logging cabin/operators compartment.	

(Note: Amendment of Clause No. 1.13 (a) vide Amendment No.6 dated 18.05.2020 stands cancelled.)

All other Terms & Conditions of the Bid Document remain unaltered.

sd/Tushar Ranjan Dutta
Manager Materials (FD)
For GM-Materials
For Resident Chief Executive