

**OIL INDIA LIMITED**

(A Govt. of India Enterprise)  
P.O. Duliajan-786602, Assam.

Fax No. 91-374-2800533, E-mail:material@oilindia.in

**Tender No. & Date : DFD4081L15/06 08.07.2014**

Bid Security Amount : INR 0.00 OR USD 0.00  
(or equivalent Amount in any currency)

**Bidding Type : Single Bid (Composite Bid)**

Bid Closing On : 15.10.2014 at 13:00 hrs. (IST)  
Bid Opening On : 15.10.2014 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED have issued Limited tenders to following parties for items detailed below. For General Terms & Conditions, please refer to Document No. MM/GLOBAL/01/2005 available in OIL's web site:

Item No./ Mat. Code	Material Description	Quantity	UOM
<b>10</b> OC000289	<b><u>IMPRESSION BLOCK WITH SOFT LEAD INSERT</u></b>  107.95 mm (4.1/4 inch) OD Impression Block with Soft Lead insert to work inside 139.70 mm (5.1/2 inch) OD, 25.29 Kg/m / 29.76 Kg/m (17 ppf / 20 ppf) casing - 2 (two) numbers.  Minimum Thickness of Lead Insert : 25.40 mm (1 inch) Circulation Port diameter : 12.70 mm (1/2 inch) Tool Joint Connection : 2.7/8 inch API Regular, Pin Up.	2	NO
<b>20</b> OC000289	139.70 mm (5.1/2 inch) OD Impression Block with Soft Lead insert to work inside 177.80 mm (7 inch) OD, 43.16 Kg/m (29 ppf) casing - 2 (two) numbers.  Minimum Thickness of Lead Insert : 25.40 mm (1 inch) Circulation Port diameter : 19.05 mm (3/4 inch) Tool Joint Connection : 3.1/2 inch API Regular, Pin Up.	2	NO
<b>30</b> OC000289	203.20 mm (8 inch) OD Impression Block with Soft Lead insert to work inside 215.90 mm (8.1/2 inch) OD hole - 2 (two) numbers.  Minimum Thickness of Lead Insert : 50.80 mm (2 inch) Circulation Port diameter : 19.05 mm (3/4 inch) Tool Joint Connection : 4.1/2 inch API Regular, Pin Up.	2	NO

**Special Notes :** 1. Items should be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with API specification 7-1. This clause shall be valid for 18 months from date of shipment/despatch or 12 months from the date of receipt/commissioning of the items at site whichever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expenses in F.O.R. destination basis. Bidder must confirm the same in their quotation.

2. The minimum FOB/FCA charges in case of partial order for reduced quantity/ items shall have to be indicated by the bidder. In case this is not indicated specifically, the charges quoted would be prorata calculated and the same will be binding on the bidder.
3. Impression blocks shall be Manufactured, Tested, Inspected, Marked and Certified as per API Specification 7-1. Bidders are to confirm the same in their quotations. Bidders are to forward a copy of valid API Specification certificate along with their quotation.
4. The Impression Block shall be provided with Circulation port.
5. Marking shall be done as per API Specification 7-1, i.e. the impression blocks shall be die-stamped on the OD with the manufacturer's name or mark, the API monogram and the size & style on connection. Bidders are to confirm the same while quoting.
6. In the event of an order, 'OIL' logo / mark and purchase order number shall be die stamped or paint stencilled on the bushing. Bidders shall confirm compliance to the same while quoting.
7. Thread Protectors should be installed on the Impression Block.
8. The quotation must accompany relevant catalogue, literature, drawing, etc in English language (US or UK).
9. Bidder should indicate the name of manufacturer, country of origin, port of dispatch of the materials and their best delivery schedule.
10. Bidder should have an experience of minimum 5 (five) years in manufacturing the quoted items under API Specification 7-1 certification. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid. Copies of API 7-1 certificates for the last 5 (Five) years (i.e. continuous without having any break in between) must be submitted along with techno-commercial bid. Bids without copies of valid API 7-1 certificates or with a break in between will be rejected.
11. Bidders other than OEM (Original Equipment Manufacturer) must submit proper valid authorisation certificate alongwith the warranty back-up from OEM failing which offer shall be liable for rejection.
  - i) Back-up authority cum warranty letter in original on manufacturer's letter head, valid at the time of bidding which should remain valid during the entire execution period of the order, from the concerned manufacturer guaranteeing supply of the items to the bidder in the event of an order on the bidder and also authorize them to market their products. Copies of valid API Specification 7K certificate of manufacturer as stated above.
11. Validity of the offers should be 120 days from the date of bid opening. Bids with lesser validity shall be rejected.
12. Quotation must be submitted in triplicate.
13. The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/01/2005 enclosed.

**Tender No.** : DFD4081L15/06  
**Tender Date** : 08.07.2014  
**Bid Closing On** : 15.10.2014 at 13:00 hrs.(IST)  
**Bid Opening On** : 15.10.2014 at 13:00 hrs.(IST)

**Tender issued to following parties only:**

S/no	V_Code	Vendor Name	City/Country
1	100068	SMITH INTERNATIONAL INC	TEXAS - 77032
2	100091	NATIONAL OILWELL DOWNHOLE TOOLS	TEXAS
3	100452	BAKER OIL TOOLS	HOUSTON, TEXAS 77011
4	100809	SCHLUMBERGER RESERVOIR PRODUCTS FZE	DUBAI
5	100887	WEATHERFORD U. S., L.P.	PEARLAND
6	101104	ABSOLUTE INTERNATIONAL HOLDINGS LTD	CANADA
7	200062	WEATHERFORD OIL TOOL M.E. LTD.	MUMBAI
8	206901	BAKER HUGHES	Navi Mumbai