OIL INDIA LIMITED

(A Govt. of India Enterprise) P.O. Duliajan-786602, Assam.

Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : DFD4591L15/06 12.08.2014

Bid Security Amount : INR 0.00 OR USD 0.00

(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 05.11.2014 at 13:00 hrs. (IST) Bid Opening On : 05.11.2014 at 13:00 hrs. (IST)

Performance Guarantee: Not Applicable

OIL INDIA LIMITED have issued Limited tenders to following parties for items detailed below. For General Terms & Conditions, please refer to Document No. MM/GLOBAL/01/2005 available in OIL's web site:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 0C000478	Upper Kelly Cock, one piece construction with metal to metal seal, manufactured from AISI 4145 H modified alloy steel and heat treated to 285-341 Brinell Hardness with impact strength of minimum 42 joules. The inside of the body should be chrome plated and connections phosphatised. The Kelly cock should conform to API spec. 7-1 latest edition and should be complete with operating wrench, disassembling tools, grease pin and thread protectors on both ends. The spherical plug should be chrome plated stainless steel. Working pressure (Minimum): 5,000 psi (352.11 kg/cm2) Outside Diameter: 6.1/8" (155.575 mm), Minimum Inside Diameter: 2.1/4" (57.15 mm), Minimum Length between Shoulders (Minimum): 16" (406.40 mm) Connections: 4.1/2" (114.3 mm) API REG LH Box up x 4.1/2" (114.3 mm) API REG LH Pin down	2	NO
2 <u>0</u> 0C000478	Lower Kelly Cock, one piece construction with metal to metal seal, manufactured from AISI 4145H modified alloy steel and heat treated to 285-341 Brinell Hardness with impact strength of minimum 42 joules. The inside of the body should be chrome plated and connections phosphatised. The Kelly cock should conform to API spec. 7-1 latest edition and should be complete with operating wrench, disassembling tools, grease pin and thread protectors on both ends. The spherical plug should be chrome plated stainless steel. Working pressure (Minimum): 5000 psi (352.11 kg/cm2) Outside Diameter: 6.1/8" (155.575 mm), Minimum Inside Diameter: 2.13/16" (71.438 mm) Length between Shoulders (Minimum): 16" (406.40 mm) Connections: 4 inch IF (NC 46) RH Box-Up x 4 inch IF (NC 46) RH Pin-Down	4	NO

Page: 2/3

- Special Notes: 1. Item should be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specification. This clause shall be valid for 18 months from date of despatch/shipment or 12 months from the date of receipt/commissioning of the items at site which ever is earlier. The defective materials, if any, rejected by OIL shall be replaced by the supplier at their own expenses. Bidder must confirm the same in their quotation.
 - 2. The minimum FOB/FCA charges in case of partial order for reduced quantity/ items shall have to be indicated by the bidder. In case this is not indicated specifically, the charges quoted would be prorata calculated and the same will be binding on the bidder.
 - 3. Items should be manufactured, tested & certified as per API Spec. 7-1 and mill inspection certificate thereof should be forwarded along with supply. Bidders to confirm the same while quoting. A copy of valid API specification 7-1 certificate must be forwarded along with the offer.
 - 4. Items should be hydrostatically pressure tested to at least 1.5 times the rated working pressure. Pressure testing graph / charts should be forwarded along with supply. Bidders to confirm the same while quoting.
 - Markings (including API monogram) shall be done as per API Spec 7-1. Additionally, purchase order number should be die stamped on the product along with the name / mark of manufacturer. Bidder should confirm while quoting.
 - The quotation must accompany relevant catalogue, literature, drawing illustrating all components with part name & part number etc.
 - 7. Bidder must forward a list of recommended spares indicating the item, part no., quantity & price for two years successful operation. Price of these spares will not be considered for bid evaluation purpose. However, procurement of these spares/accessories shall be at OIL's discretion.
 - 8. Bidder should indicate the name of manufacturer & country of origin and their best delivery schedule.
 - 9. In case the bidder is sole selling agent/distributor/dealer/ supply house of any API approved manufacturer, then bidder must furnish the following documents:
 - Back-up authority cum warranty letter in original on manufacturer's letter head, valid at the time of bidding which should remain valid during the entire execution period of the order, from the concerned manufacturer guaranteeing supply of the items to the bidder in the event of an order on the bidder and also authorize them to market their products.

Copies of valid API Spec 7-1 certificate of manufacturer as stated in point 4 above.

- 10. Validity of the offers should be 120 days from the date of bid opening. Bids with lesser validity shall be rejected.
- 11. Quotation must be submitted in triplicate.
- 12. The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/01/2005 enclosed.

13. BID REJECTION CRITERIA (BRC):

i. Bidder should have an experience of minimum 5 (five) years in manufacturing the quoted items

under API Spec. 7-1 certification. For this purpose the period reckoned shall be the period prior to the date of opening of the techno-commercial bid. Copies of API 7-1 certificates for the last 5 (Five) years (i.e. continuous without having any break in between) must be submitted along with techno- commercial bid. Bids without copies of valid API 7-1 certificates or with a break in between will be rejected.

Tender No. : DFD4591L15/06 Tender Date : 12.08.2014

Bid Closing On : 05.11.2014 at 13:00 hrs.(IST) Bid Opening On : 05.11.2014 at 13:00 hrs.(IST)

Tender issued to following parties only:

Slno	V_Code	Vendor Name	City/Country	
1	100117	NATIONAL OILWEL VARCO	CANADA - T6E5P4	
2	100142	PACKARD INTERNATIONAL INC.	TEXAS	
3	100707	HYDRIL COMPANY	HOUSTON	
4	100923	HYDRIL PTE LTD	SINGAPORE	
5	102058	NATIONAL OILWELL VARCO		
6	102106	VAM DRILLING FRANCE S.A.S	CEDEX	
7	102168	ITAG - HERMANN VON RAUTENKRANZ		