

Tender No. : DID4789L15/L6
Tender Date : 08.09.2014
Bid Closing On : 16.10.2014 at 13:00 hrs.(IST)
Bid Opening On : 16.10.2014 at 13:00 hrs.(IST)

Tender issued to following parties only:

Sln0	V_Code	Vendor Name	City/Country
1	200306	VOLTAS LIMITED	GUWAHATI
2	200703	ESCORTS CONSTRUCTION EQUIPMENT LIM	FARIDABAD
3	201975	JVS ENGINEERS	VADODARA
4	202290	GODREJ & BOYCE MFG CO LTD	MUMBAI - 400 079
5	202463	GODREJ & BOYCE MFG CO LTD	KOLKATA
6	202924	ESCORTS CONSTRUCTION EQUIPMENT LIM	KOLKATA
7	204920	PUNJAB TRACTORS LIMITED	S.A.S. NAGAR (PUNJAB)
8	204921	MACNEILL ENGINEERING LIMITED	KOLKATA
9	204922	FTS ENGINEERING PVT LIMITED	KOLKATA
10	210208	VOLTAS MATERIAL HANDLING PVT LTD	THANE WEST

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam

E-mail:material@oilindia.in, **Fax No.**91-374-2800533

Tender No. & Date : DID4789L15/L6 08.09.2014

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 16.10.2014 at 13:00 hrs. (IST)
Bid Opening On : 16.10.2014 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 0C000172	<p><u>HYDRAULIC FORKLIFT TRUCK</u></p> <p>1.0 SPECIFICATIONS:</p> <p>(A) Brand new Hydraulic Forklift Truck having following specifications: Make: Komatshu/ Godrej/ Voltas/ Escort or equivalent.</p> <p>a. Capacity - 3000 Kg at approx. 500 mm Load Centre with Clear View Mast.</p> <p>b. Engine - Water-cooled diesel engine of adequate power. Make - Simpson (preferred) or equivalent. Emission: Applicable emission norms as per CMVR act.</p> <p>c. Steering - Hydraulic Power Assisted Steering.</p> <p>d. Turning Radius - As minimum as possible. Preferably not more than 3100 mm.</p> <p>e. Transmission - Automatic Torque Converter Transmission. (Min. 2 forward & 2 reverse speed).</p> <p>f. Travelling Speed - Not less than 15 Km/hr (loaded)</p> <p>g. Brake - Hydraulic power assisted Service Brake. Suitable Parking Brake.</p> <p>h. No. of Wheels - Adequate no. of front & rear wheels.</p> <p>i. Tyres - Pneumatic tyre with tube : preferably of size 7.0x12x12PR (front) & 6.5x10x10PR (Rear).</p> <p>j. Wheelbase - As maximum as possible, preferably not less as 1700 mm.</p> <p>k. Unladen Weight - In the range of 4200 Kg to 6000 Kg.</p> <p>l. Ground Clearance - Preferably not less than 100 mm.</p> <p>m. Overall height with retracted mast - Preferably not more than 2700mm</p> <p>n. Max. Fork Height - As maximum as possible, preferably not less than 3500 mm with rated load.</p> <p>o. Overall height with max. fork lift - As minimum as possible, preferably not more than 5000 mm.</p> <p>p. Fork - Adjustable fork width. Individual fork width approx. 100 mm</p>	2	NO

Tender No. & Date : DID4789L15/L6

08.09.2014

Item No./ Mat. Code	Material Description	Quantity	UOM
	<p>Length as maximum as possible: not less than 1000 mm</p> <p>(B) OTHER FITMENTS & ACCESSORIES:</p> <p>a. All standard fuel meter, battery charge indicator, engine hour meter, engine water temperature meter, engine oil pressure meter, etc. b. Hydraulic Oil Level Gauge / Indicator, Filters, etc. c. High Visibility Canopy with metal covered top and Vertical Exhaust. d. Head & Tail Lights, Traffic indicator lights, Reversing Spot Light, Electrical Horn, Reversing Buzzer, Rear View Mirror, Towing Pin & Maintenance Tool Kit.</p> <p>(C) SPARES: The following spares are to be supplied along with unit:</p> <p>a. Hydraulic filter (return line) ----- 2nos. b. Master cylinder repair kit-----2 set c. Wheel cylinder repair kit-----2 set for front & 2 set for rear. d. Engine fuel filter-----2 nos. e. Lub oil filter-----2 nos.</p> <p>(D) SAFETY & OPERATIONAL FEATURES:</p> <p>a. All Hydraulic actuators are to operate at fail-safe mode, actuator shall have Lock Valves. b. Inching Control. c. Mechanical locking device at mast raised and lowered position.</p> <p>(E) PAINTING: Body - To provide the available colour shed. Undercarriage - Rust proof painting.</p> <p>2.0 DOCUMENTATION:</p> <p>(A) The following documents/ literatures are to be submitted along with the bid -</p> <p>a. Technical leaflet with dimensional drawing, to support the specifications provided in the bid. (All specifications, as desired, as well as MODEL NAME/CODE of the offered Forklift shall clearly be defined in the bid; submission of only Technical Leaflet is not sufficient). Make and Model of the Hydraulic Pump(s) and Motor(s) shall be indicated in the bid. b. A list of customers to whom the bidder has supplied the offered forklift truck during last 3(three) years. c. List of tools that shall be supplied under Maintenance Tool Kit. d. List of recommended spares with part number for two-year maintenance. e. Capacity curve i.e. Capacity vs. load centre, of the offered model.</p> <p>(B) The following documents/literatures are to be submitted along with the supply -</p> <p>a. Insurance, as applicable and Sale Letter in Form 21 & 22/ 22(A) as per</p>		

Tender No. & Date : DID4789L15/L6

08.09.2014

Item No./ Mat. Code	Material Description	Quantity	UOM
	Indian MV Act. b. Test Certificate for the equipment. c. 2(two) sets of Spare Parts Catalogue, Workshop & Service Manual and 1(one) No. Operator's Manual.		
20 OC000172	<u>HYDRAULIC FORKLIFT TRUCK</u> 1.0 SPECIFICATIONS: (A) Brand new Hydraulic Forklift Truck having following specifications: Make: Komatshu/ Godrej/ Voltas/ Escort or equivalent. a. Capacity - 3000 Kg at approx. 500 mm Load Centre with Clear View Mast. b. Engine - Water-cooled diesel engine of adequate power. Make - Simpson (preferred) or equivalent. Emission: Applicable emission norms as per CMVR act. c. Steering - Hydraulic Power Assisted Steering. d. Turning Radius - As minimum as possible. Preferably not more than 3100 mm. e. Transmission - Automatic Torque Converter Transmission. (Min. 2 forward & 2 reverse speed). f. Travelling Speed - Not less than 15 Km/hr (loaded) g. Brake - Hydraulic power assisted Service Brake. Suitable Parking Brake. h. No. of Wheels - Adequate no. of front & rear wheels. i. Tyres - Pneumatic tyre with tube : preferably of size 7.0x12x12PR (front) & 6.5x10x10PR (Rear). j. Wheelbase - As maximum as possible, preferably not less as 1700 mm. k. Unladen Weight - In the range of 4200 Kg to 6000 Kg. l. Ground Clearance - Preferably not less than 100 mm. m. Overall height with retracted mast - Preferably not more than 2700mm n. Max. Fork Height - As maximum as possible, preferably not less than 3500 mm with rated load. o. Overall height with max. fork lift - As minimum as possible, preferably not more than 5000 mm. p. Fork - Adjustable fork width. Individual fork width approx. 100 mm Length as maximum as possible: not less than 1000 mm (B) OTHER FITMENTS & ACCESSORIES: a. All standard fuel meter, battery charge indicator, engine hour meter, engine water temperature meter, engine oil pressure meter, etc. b. Hydraulic Oil Level Gauge / Indicator, Filters, etc. c. High Visibility Canopy with metal covered top and Vertical Exhaust. d. Head & Tail Lights, Traffic indicator lights, Reversing Spot Light, Electrical Horn, Reversing Buzzer, Rear View Mirror, Towing Pin & Maintenance Tool Kit.	1	NO

Tender No. & Date : DID4789L15/L6

08.09.2014

Item No./ Mat. Code	Material Description	Quantity	UOM
	<p>(C) SPARES: The following spares are to be supplied along with unit:</p> <p>a. Hydraulic filter (return line) ----- 2nos. b. Master cylinder repair kit-----2 set c. Wheel cylinder repair kit-----2 set for front & 2 set for rear. d. Engine fuel filter-----2 nos. e. Lub oil filter-----2 nos.</p> <p>(D) SAFETY & OPERATIONAL FEATURES:</p> <p>a. All Hydraulic actuators are to operate at fail-safe mode, actuator shall have Lock Valves. b. Inching Control. c. Mechanical locking device at mast raised and lowered position.</p> <p>(E) PAINTING: Body - To provide the available colour shed. Undercarriage - Rust proof painting.</p> <p>2.0 DOCUMENTATION:</p> <p>(A) The following documents/ literatures are to be submitted along with the bid -</p> <p>a. Technical leaflet with dimensional drawing, to support the specifications provided in the bid. (All specifications, as desired, as well as MODEL NAME/CODE of the offered Forklift shall clearly be defined in the bid; submission of only Technical Leaflet is not sufficient). Make and Model of the Hydraulic Pump(s) and Motor(s) shall be indicated in the bid. b. A list of customers to whom the bidder has supplied the offered forklift truck during last 3(three) years. c. List of tools that shall be supplied under Maintenance Tool Kit. d. List of recommended spares with part number for two-year maintenance. e. Capacity curve i.e. Capacity vs. load centre, of the offered model.</p> <p>(B) The following documents/literatures are to be submitted along with the supply -</p> <p>a. Insurance, as applicable and Sale Letter in Form 21 & 22/ 22(A) as per Indian MV Act. b. Test Certificate for the equipment. c. 2(two) sets of Spare Parts Catalogue, Workshop & Service Manual and 1(one) No. Operator's Manual.</p>		

Standard Notes: (1) VALIDITY : Your offer must be valid for 75 days from the date of bid opening. Offer with inadequate validity will be rejected.

(2) The offer should be submitted in Duplicate.

(3) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).

(4) In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf.

In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope, the offer shall be treated as unsolicited offer and will not be considered for opening.

The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.

(5) For order with F.O.R. Destination term, 100% payment against despatch documents will not be entertained. In this regards please refer payment terms in ANNEXURE-MM/TENDER/LP/01/06.

(6) To evaluate the inter-se ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Government of Assam Guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their bids.

(7) Bidder must mention page no./nos. in every pages of their offer.

(8) Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

(9) Bidder should clearly mention their name and address on the outside of the envelope containing their offer.

(10) In the event of receipt of only a single offer against the tender within B.C.date, OIL reserves the right to extend the B.C. date as deemed fit by the company. During the extended period, the bidders who have already submitted the bids on or before the original B.C date, shall not be permitted to revise their quotation.

Special Notes : 1.a. The Forklift shall be inspected by OIL engineer at supplier's works/showroom prior to despatch.

b. Supplier shall affect despatch of the Forklift to OIL, Duliajan only on receipt of OIL's acceptance / despatch advice.

c. Delivery within 4(four) months from the date of placement of firm order.

d. The Forklift Truck shall be commissioned by the supplier at site.

e. The unit shall be under guarantee/warranty by the supplier for a minimum period of 1(one) year from the date of successful commissioning at site.

f. Item is to be procured from OEM or its authorized dealer. In case of dealer, authorization from OEM is to be enclosed with the offer.