Tender No. : DID4870L15/L6
Tender Date : 13.09.2014

Bid Closing On : 30.10.2014 at 13:00 hrs.(IST) Bid Opening On : 30.10.2014 at 13:00 hrs.(IST)

Tender issued to following parties only:

Slno	V_Code	Vendor Name	City/Country
1	200284	INCAB INDUSTRIES LTD.	KOLKATA
2	200290	UNIVERSAL CABLES LIMITED	KOLKATA
3	200291	Cable Corporation of India Ltd.	KOLKATA
4	200292	CRYSTAL CABLE INDUSTRIES LTD.	KOLKATA
5	200298	FINOLEX CABLES LTD	KOLKATA
6	200667	DELTON CABLES LIMITED	NEW DELHI
7	201932	NORTH EASTERN CABLES PVT. LTD.	JORHAT
8	203120	ELKAY TELELINKS LTD	NEW DELHI
9	203121	ANKUR TECHNOCRATS	NEW DELHI
10	203123	SATELLITE CABLES PVT. LTD.	NEW DELHI
11	203548	KEC INTERNATIONAL LIMITED	KOLKATA
12	205570	NICCO CORPORATION LIMITED (CABLE DI	KOLKATA
13	207178	POLYCAB WIRES PVT. LTD.	MUMBAI
14	209650	POLYCAB WIRES PVT LTD	GUWAHATI
15	209651	PARAMOUNT COMMUNICATIONS LTD	NEW DELHI
16	209652	PRESTIGE CABLE INDUSTRIES	DELHI
17	209691	CENTRAL CABLES	NAGPUR
18	209807	IMT CABLES	NEW DELHI
19	209808	HAVELLS	NOIDA
20	209809	KEI INDUSTRIES	GUWAHATI
21	210430	RADIANT-RSCC SPECIALTY CABLE PVT. L	HYDERABAD
22	210751	ASIAN WIRES & CABLES	NEW DELHI

Page: 1/3

OIL INDIA LIMITED

(A Govt. of India Enterprise) P.O. Duliajan-786602, Assam

E-mail:material@oilindia.in, Fax No.91-374-2800533

Tender No. & Date : DID4870L15/L6 13.09.2014

Bid Security Amount : INR 0.00 OR USD 0.00

(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 30.10.2014 at 13:00 hrs. (IST) Bid Opening On : 30.10.2014 at 13:00 hrs. (IST)

Performance Guarantee: Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<u>10</u> 99077372	14 core 1.5sq mm Armoured Cable, Instrumentation (Singles, Unshielded)High temperature armoured instrument, halogen free, UV resistant, Low Smoke, non-hydroscopic, chemical resistant, Low toxicity, Flame Retardant.Tinned copper wired braided armor 600V UL/250 DNVXLPE insulation	600	M
20 99077374	3 core 1.5sq mm Armoured Cable, Instrumentation (Singles, Unshielded) High temperature armoured instrument, halogen free, UV resistant, Low Smoke, non-hydroscopic, chemical resistant, Low toxicity, Flame Retardant.Tinned copper wired braided armor 600V UL/250 DNV XLPE insulation.	600	М
3 <u>0</u> 99077376	15 Pair x 0.5 sq mm High temperature Armoured cable, Instrumentation,individually shielded twisted pairs, circular conductor, Heat and oil resistant, halogen free, UV resistant, Low Smoke, non hydroscopic,chemical resistant, low toxicity, flame retardant, tinned copper wired braided armour 600 V UL / 250 DNV XLPE insulation	250	М
40 99077378	8 Pair x 1.5 sq mm High temperature Armoured cable, Instrumentation,individually shielded twisted pairs, circular conductor, Heat and oil resistant, halogen free, UV resistant, Low Smoke, non hydroscopic,chemical resistant, low toxicity, flame retardant, tinned copper wired braided armour 600 V UL / 250 DNV XLPE insulation	250	М
<u>50</u> 99077380	5 Triple x 1.5 sq mm High temperature Armoured cable, instrumentation,Individually shielded twisted Triples, Circular Conductor, heat and oil resistant, halogen free, UV resistant, Low smoke, non # hydroscopic,chemical resistant, low toxicity, Flame retardant.Tinned copper wired braided armour.600 V UL/250 DNV XLPE insulation.	250	М
<u>60</u> 99077381	2 pair x 2.5 sq mm, Flame retardant (85 deg C), Armoured 250 V, Instrumentation cable, Individually shielded twisted pairs, circular conductor, heat and oil resistant, halogen free, UV resistant, Low smoke, non-hydroscopic, chemical resistant, Low toxicity Tinned Copper Wired	250	М

Tender No. & Date : DID4870L15/L6 13.09.2014

Item No./ Mat. Code	Material Description	Quantity	UOM
	braided armour 600 V UL / 250 DNV XLPE insulation.		
70 99077377	5 Pair x 0.5 sq mm High temperature Armoured cable, Instrumentation,individually shielded twisted pairs, circular conductor, Heat and oil resistant, halogen free, UV resistant, Low Smoke, non hydroscopic,chemical resistant, low toxicity, flame retardant, tinned copper wired braided armour 600 V UL / 250 DNV XLPE insulation	200	M

Standard Notes: (1) VALIDITY: Your offer must be valid for 75 days from the date of bid opening. Offer with inadequate validity will be rejected.

- (2) The offer should be submitted in Duplicate.
- (3) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
- (4) In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf.

In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope, the offer shall be treated as unsolicited offer and will not be considered for opening.

The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.

- (5) For order with F.O.R. Destination term, 100% payment against despatch documents will not be entertained. In this regards please refer payment terms in ANNEXURE-MM/TENDER/LP/01/06.
- (6) To evaluate the inter-se ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Government of Assam Guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their bids.
- (7) Bidder must mention page no./nos. in every pages of their offer.
- (8) Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.
- (9)Bidder should clearly mention their name and address on the outside of the envelope containing their offer.

Special Notes: 1. The bidder shall provide technical literature/ catalogue along with the offer for technical

scrutiny, failing which the offer will be liable for rejection.

- 4. The item shall be procured from original equipment manufacturer or their authorized dealers/agents. In case of dealer/agent, party must submit copy of their valid dealership certificate from OEM, without which the offer shall be liable for rejection.
- 5. All types and sizes of cables being supplied shall be subjected to Type tests, Routine tests and Acceptance test according to relevant standards. The bidder shall provide relevant test certificates along with the items supplied. Sample test certificate shall be provided along with the offer failing which the offer will be liable for rejection.
- 6. Supplier has to provide sample(approximately of 6" length) of the quoted cables along with the offer for technical evaluation.
- 7. The item shall be guaranteed for a minimum period of 12(twelve) months from the date of commissioning or 18(eighteen) months from the date of receiving at Moran Power Station, whichever is earlier.
- 8. Packing of materials should be adequate to avoid transit damage etc.
- 9. All the materials shall be dispatched/delivered directly to Chief Engineer (Electrical), Electrical Department, Oil India Limited, Moran 785669, Dist. Sivasagar, Assam.The bidder should clearly mention the delivery destination as FOR Moran in the offer and quote accordingly.