

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam – 786602 (e-mail : material@oilindia.in, Fax : 0374-2800533) within 10 days of publication of the tender on OIL's website.

The vendors must fulfill the following conditions:

- i) The party should have 03 (three) years' experience as on the Bid closing date for the same item.
- ii) The party should have received one order for at least 50% quantity in last 03 (three) years' (as on the Bid closing date) for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last 3 (three) financial years or current financial year should be more than Rs. 23.26 Lakhs.

NOTE:

- a. The applicant must meet the above qualifying criteria for which documentary evidence should be enclosed by the applicant with the application without which tender document shall not be issued.
- b. Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.
- c. Application without complete supporting document will not be considered.

Tender No. : DIS5206L15/L4
Tender Date : 28.10.2014
Bid Closing On : 11.12.2014 at 13:00 hrs.(IST)
Bid Opening On : 11.12.2014 at 13:00 hrs.(IST)

Tender issued to following parties only:

S/no	V_Code	Vendor Name	City/Country
1	200284	INCAB INDUSTRIES LTD.	KOLKATA
2	200290	UNIVERSAL CABLES LIMITED	KOLKATA
3	200291	Cable Corporation of India Ltd.	KOLKATA
4	200292	CRYSTAL CABLE INDUSTRIES LTD.	KOLKATA
5	200298	FINOLEX CABLES LTD	KOLKATA
6	200667	DELTON CABLES LIMITED	NEW DELHI
7	201932	NORTH EASTERN CABLES PVT. LTD.	JORHAT
8	203120	ELKAY TELELINKS LTD	NEW DELHI
9	203121	ANKUR TECHNOCRATS	NEW DELHI
10	203123	SATELLITE CABLES PVT. LTD.	NEW DELHI
11	203548	KEC INTERNATIONAL LIMITED	KOLKATA
12	205570	NICCO CORPORATION LIMITED (CABLE DI	KOLKATA
13	207178	POLYCAB WIRES PVT. LTD.	MUMBAI
14	209650	POLYCAB WIRES PVT LTD	GUWAHATI
15	209651	PARAMOUNT COMMUNICATIONS LTD	NEW DELHI
16	209652	PRESTIGE CABLE INDUSTRIES	DELHI
17	209691	CENTRAL CABLES	NAGPUR
18	209807	IMT CABLES	NEW DELHI
19	209808	HAVELLS	NOIDA
20	209809	KEI INDUSTRIES	GUWAHATI
21	210430	RADIANT-RSCC SPECIALTY CABLE PVT. L	HYDERABAD
22	210751	ASIAN WIRES & CABLES	NEW DELHI

OIL INDIA LIMITED

(A Govt. of India Enterprise) Fax No. 91-0374-2800533
P.O. Duliajan-786602, Assam E-mail:material@oilindia.in

Tender No. & Date : DIS5206L15/L4 28.10.2014

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 11.12.2014 at 13:00 hrs. (IST)

Bid Opening On : 11.12.2014 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
<u>10</u> 81022392	CABLES, CONDUCTORS, WIRES & ACCESSORIES Cable, PVC insulated with inner sheath of either extruded regenerated rubber or plastic tape, galvanised steel tape/wire, armoured, PVC overall sheathed, with stranded Aluminium conductor and having the following specification : Size : 4c x 25 mm.sq., Grade: 1100 V. The cable should conform to IS:1554/1964 with latest amendments, should bear ISI mark and should be supplied in single length of 500 mtrs. packed in strong wooden drum. The cable must bear voltage grade, size, manufacture name & IS marking/monogram embossed on the outer surface. Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB" or EQUIVALENT.	3000	M
<u>20</u> 81022654	Cable, single core, PVC 250 volts grade, Size in copper - 7/.064 Size in Aluminium - 7/2.24 mm Nominal Area - 25 sq.mm. (100 Mtrs./Coil) The cable must bear voltage grade, size, manufacture name & IS marking/monogram embossed on the outer surface. Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB" or EQUIVALENT.	2000	M
<u>30</u> 81023817	Cable with Stranded aluminium conductor, 4 core x 16 sq.mm., 1100 volts grade, PVC insulated covered with inner sheath of either extruded regenerated rubber or plastic tapes, galvanised steel tape/wire armoured, with PVC outer sheath overall, conforming to IS:1554-1964 (Part-I), in minimum length of 500 metres packed in wooden drum. The cable must bear voltage grade, size, manufacture name & IS marking/monogram embossed on the outer surface. S.S.I. Item Group IV. Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB" or EQUIVALENT.	2000	M
<u>40</u>	Cable, control, 4 core, each core having a cross	3000	M

Tender No. & Date : DIS5206L15/L4 28.10.2014

Item No./ Mat. Code	Material Description	Quantity	UOM
81023852	sectional area of 2.5 sq.mm, with stranded copper conductors, PVC insulated, armoured, overall PVC sheathed, 1100 volts grade, conforming to IS:1554 (Part I) - 1964, in minimum length of 500 metres packed in wooden drum. The cable must bear voltage grade, size, manufacture name & IS marking/monogram embossed on the outer surface. Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB"or EQUIVALENT.		
50 81025506	Cable, Flexible, 4-core, Round, 141/0.30 mm(10 Sq.mm), conductor composed of annealed bare copper wire PVC Insulated laid up, screened with bare copper wires and PVC sheathed overall 660/1100 volts grade, conforming to IS:694(I)-1964 in wooden drum of 500 metre length. The cable must bear voltage grade, size, manufacture name & IS marking/monogram embossed on the outer surface. Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB"or EQUIVALENT.	500	M
70 81025585	ARMOURED COPPER CABLE FOR LIGHTING SYSTEM, PBS WIRING IN HAZARDOUS AREA AND OTHER INDUSTRIAL INSTALLATIONS. Cable, flexible, 3-core,round 80/0.20 mm,conductor composed of annealed bare copper wire, PVC insulated laid up, screened with bare copper wires and PVC sheathed overall, 660/1100 volts grade,conforming to IS:694(I)-1964 in minimum length of 200bmetres packed in wooden drum. The cable must bear voltage grade, size, manufacture name and ISmarking/monogram embossed on the outer surface. Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB"or EQUIVALENT.	2000	M
80 81025698	PVC CABLE FOR VARIOUS PROJECT JOB Cable, underground, PVC insulated steel tape/ wire armoured, PVC overall sheathed, 3.1/2 core, each core having 70 sq.mm. cross section, Stranded Aluminium conductor, voltage grade 1100, conforming to IS:694-1977, in single length of minimum 500 metres, packed in strong wooden drum. The cable must bear voltage grade, size, manufacture name & IS marking/monogram embossed on the outer surface. Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB"or EQUIVALENT.	2000	M
60 81025563	CABLE, FLEXIBLE ARMOURED COPPER CABLE FOR LIGHTING SYSTEM, PBS WIRING IN HAZARDOUS AREA AND OTHER INDUSTRIAL INSTALLATIONS. 3x2.5 sq mm, 1100v grade, Heavy duty, PVC insulated, PVC sheathed, galvanised steel wire armoured cable with stranded, untinned copper conductor. All core insulations shall be colour coded with red, black and green	4000	M

Tender No. & Date : DIS5206L15/L4 28.10.2014

Item No./ Mat. Code	Material Description	Quantity	UOM
	<p>colours. All insulated cores laid up together, covered with inner sheath of extruded black PVC compound, galvanised steel wire armour and black PVC outer sheath. Sufficient filler shall be used to give overall circular shape to the cable.</p> <p>The cable shall be approved by IS: 1554 with latest amendments. PVC insulation should be as per IS-5831. Armour should be as per IS-3975. Conductor should be as per IS-8130.</p> <p>Manufacturer's name, cable size, voltage grade, ISI mark should be marked on the cable outer sheath in permanent manner at regular interval. Sequential marking should be provided on the cable outer sheath at every one meter length for measurement during use.</p> <p>Make : "NICCO/ASIAN/CRYSTAL/UNIVERSAL/CCI/RPG/INCAB/POLYCAB/ANKUR/NECAB"or EQUIVALENT.</p> <p>Note:</p> <p>1. The cable shall be packed in good quality wooden drum as per IS 10418. Manufacturer's name, cable size, voltage grade, ISI mark, year of manufacture should be marked on the cable drum. Each drum shall have cable length of minimum 500 mtrs.</p> <p>2. Cable shall be tested for routine tests as per IS at manufacturer's works before dispatch. Manufacturer's test certificate for routine test as per IS should be submitted with the cable.</p> <p>3. Cable shall be guaranteed against manufacturing defects for one year after receipt by us. The guarantee certificate should be submitted with the cable.</p>		

Note description for item no./nos. : 10, 20, 30, 40, 50, 60, 70, 80

Note :

- 1) Bidder must submit with quotation the details confirming compliance of the wire to details mentioned.
- 2) The supplier must provide authorise certificate from the manufacturer of the material, failing which offer may be liable for rejection.
- 3) Materials must be offered for pre-despatch inspection.

Standard Notes: (1) VALIDITY : Your offer must be valid for 75 days from the date of bid opening. Offer with inadequate validity will be rejected.

(2) The offer should be submitted in Duplicate.

(3) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).

(4) In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf.

In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope, the offer shall be treated as unsolicited offer and will not be considered for opening.

The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.

(5) For order with F.O.R. Destination term, 100% payment against despatch documents will not be entertained. In this regards please refer payment terms in ANNEXURE-MM/TENDER/LP/01/06.

(6) To evaluate the inter-se ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Government of Assam Guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their bids.

(7) Bidder must mention page no./nos. in every pages of their offer.

(8) Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

(9) Bidder should clearly mention their name and address on the outside of the envelope containing their offer.

(10) In the event of receipt of only a single offer against the tender within B.C.date, OIL reserves the right to extend the B.C. date as deemed fit by the company. During the extended period, the bidders who have already submitted the bids on or before the original B.C date, shall not be permitted to revise their quotation.