



# **OIL INDIA LIMITED**

## **BID DOCUMENT**

**Tender NO. : CGI 7741L22**

***Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.***

**OIL INDIA LIMITED**  
**(A Government of India Enterprise)**  
**CONTRACTS SECTION, PHQ**  
**P.O.UdayanVihar– 781171, Guwahati, ASSAM**

OIL INDIA LIMITED (OIL) invites Bids through its E-Procurement portal “<https://etender.srm.oilindia.in/irj/portal>” for the following services under **Single Two Single Bid** system.

<b>1.0 IFB No.</b>	<b>CGI 7741L22</b>
Service Requirement	<i>Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.</i>
Cost of Bid Document	<b>NIL</b>
Bid Security(EMD)	<b>NIL</b>
Period of Sale of Bid Document/Issue of User ID & Password	<b>As per online data</b>
Bid Closing /Opening Date & Time	<b>As per online data</b>

- 2.0 For participation the application(s) on applicants letter pad with a request for **USER ID & PASSWORD** is to be submitted /sent to reach the **Office of GM-Contracts, Contracts section, Pipeline Head Quarter, Oil India Limited, P.O. Udayan Vihar, Assam-781171** within the period of sale (inclusive both the days i.e. start date & end date) of Bid document.

*Alternatively, applicants already having User ID & Password for OIL’s E-procurement portal can register against the IFB.*

- 2.1 In case the Bidder(s) send their application for Bid Documents in sealed envelopes, the following must be super scribed on the envelope along with the name & registered postal address of the bidder in typed format or in clear legible handwriting:

Application & IFB No.: **CGI7741L22**

Description of Services: ***Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.***

Amongst others, the Bidder(s) must also provide the following information in the application for request for Bid documents: (i) Valid e-mail ID (ii) Registered Postal Address with PIN code (iii) Vendor Code with OIL (if available) (iv) Mobile No. /Telephone No/Fax No.

- 2.2 No physical Bid documents will be provided. USER\_ID and initial PASSWORD will be communicated to the bidder through e-mail at the e-mail address provided along with request for bid documents as mentioned in 2.2(i) above and will be allowed to participate in the bidding through OIL’s E-Procurement portal.
- 3.0 The details of IFB can be viewed using “Guest Login” provided in the E-Procurement portal and also in OIL’s web site [www.oil-india.com](http://www.oil-india.com). The link to OIL’s E-Procurement portal has also been provided through OIL’s web site [www.oil-india.com](http://www.oil-india.com)

- 4.0 EMD: EMD is exempted for this tender

5.0 The details of IFB can be viewed using “Guest Login” provided in the E-Procurement portal and also in OIL’s web site [www.oil-india.com](http://www.oil-india.com). The link to OIL’s E-Procurement portal has also been provided through OIL’s web site [www.oil-india.com](http://www.oil-india.com)

**Note:** All corrigenda, amendments, time extension, clarifications etc. if any to the above tender will be hosted on OIL’s website and in the e-portal <https://etenders.srm.oilindia.in/irj/portal> only and no separate notification shall be issued in the press. Prospective bidders are requested to regularly visit the website and e-portal to keep themselves updated.

\*\*\*\*\*

**OIL INDIA LIMITED**  
**(A Government of India Enterprise)**  
**CONTRACTS SECTION, PHQ**  
**P.O. UdayanVihar – 781171, Guwahati, ASSAM**

OIL INDIA LIMITED invites ON-LINE BIDS from eligible Bidders/Firms for the following mentioned works/services under **SINGLE STAGE TWO BID System** through its e-Procurement site on limited tender basis.

**DESCRIPTION OF WORK/ SERVICE:** *Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.*

<b>IFB NO:</b>	<b>CGI 7741L22</b>
<b>Type of IFB:</b>	<b>Single Stage Two Bid System</b>
<b>Location:</b>	<b>PS2, MORAN.</b>
<b>Contract Period:</b>	<b>78(Seventy Eight) weeks</b>
<b>Mobilisation Period:</b>	<b>7 days</b> from the date of issue of Work Order.
<b>Technical Bid Closing/ Opening Date &amp; Time:</b>	As per online data
<b>Price Bid Opening Date &amp; Time:</b>	As per online data
<b>Bid Submission Mode:</b>	Bid should be submitted online in OIL's E-Procurement Portal
<b>Bid Form Submission:</b>	Bid Form Proforma-B to be submitted along with Technical Bid
<b>Bid Opening Place:</b>	Office of the GM-Contracts, Oil India Limited, Guwahati- 781171, Assam
<b>Bid Validity:</b>	<b>120 days</b> from Bid opening Date
<b>Bid Security Amount:</b>	<b>NIL</b>
<b>Amount Of Performance Security:</b>	<b>3%</b> of Annualised Contract Value.
<b>Validity of Performance Security:</b>	<b>Up to 3 months</b> from the date of completion of the contract

All bidders should submit the Proforma-D (Declaration for Bid security) confirming that the Bid is valid for minimum 120 days from the date of opening of Technical Bid. Bid without submission of Proforma-D will be summarily rejected.

Bids without DECLARATION FOR BID SECURITY PROFORMA in the manner specified above will be summarily rejected.

**DECLARATION FOR BID SECURITY**

**PROFORMA-D**

To,

M/s. Oil India Limited

.....,

.....

Sub: .....

Tender No:.....

Dear Madam/Sir,

After examining / reviewing provisions of above referred tender documents (including all corrigendum/ Addenda), we M/s. .... (Name of Bidder) have submitted our offer / bid no.....

We, M/s. ....(Name of Bidder) hereby understand that, according to your conditions, we are submitting this Declaration for Bid Security.

We understand that we will be put on watch list/holiday/banning list (as per policies of OIL INDIA in this regard), if we are in breach of our obligation(s) as per following:

- (a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or
- (b) having been notified of the acceptance of our Bid by the OIL INDIA LIMITED during the period of bid validity:
  - (i) fail or refuse to execute the Contract, if required, or
  - (ii) fail or refuse to furnish the Contract Performance Security, in accordance provisions of tender document.
  - (iii) Fail or refuse to accept 'arithmetical corrections' as per provision of tender document.
- (c) having indulged in corrupt/fraudulent/collusive/coercive practice as per procedure.

Place:

[Signature of Authorized Signatory of

Bidder]

Date:

Name:

Designation:

Seal:

- a) Bidders to confirm that in the event of award of Contract, bidder will submit **Performance Security Deposit @ 3% of Annualised Contract Value** and this will not earn any interest.

**A Bank Guarantee in the prescribed format issued by any of the following Bank is only acceptable :**

- i) Any schedule Indian Bank or Any Branch of an International bank situated in India and registered with Reserve Bank of India as scheduled foreign bank in case of domestic bidder OR
- ii) Any foreign Bank which is not a Scheduled Bank in India, provided the Bank Guarantee issued by such Bank is counter-guaranteed by any Branch situated in India of any Scheduled Bank incorporated in India.

**Bank Guarantee issued by a scheduled Bank in India at the request of some other Non-Scheduled Bank of India shall not be acceptable.**

**The bank guarantee issued by the bank must be routed through SFMS platform as per the following details:**

- a) (i) “MT760/ MT760 COV for issuance of bank guarantee”  
(ii) “MT767/ MT767 COV for issuance of bank guarantee”

**The above message/ intimation shall be sent through SFMS by the BG issuing Bank Branch to Axis Bank, Guwahati Branch, IFS Code- UTIB0000140, Branch Address – Axis Bank Ltd, Guwahati Branch, Chibber House , G S Road, Dispur, Assam , PIN- 781005.”**

- b) **The vendor shall submit to OIL the copy of SFMS message as sent by the issuing bank branch along with the original bank guarantee**

- 2.0 (a) **SEALED ENVELOPES containing the Bid Security Declaration Form (PROFORMA-D), Printed catalogue and Literature, if called for in the tender shall be marked with the above IFB Number and description of work and submitted in the office of :**

**GM-CONTRACTS  
CONTRACTS SECTION, PHQ  
OIL INDIA LIMITED  
GUWAHATI– 781171, ASSAM.**

- 3.0 **Bid should be submitted online up to 11:00 AM (IST) (OIL’s e-procurement Portal Server Time) on the date as mentioned and will be opened on the same day at/after 02:00 PM (IST) at Office of the GM-Contracts in presence of authorized representative of the bidder.**
- 4.0 **All the Bids must be Digitally Signed using “Class 3” digital certificate [Organization] (e-commerce application) only as per Indian IT Act obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India. The bid signed using other than “Class 3” digital certificate, will be liable for rejection. Please note Encryption certificate is also required along with Digital Certificate Class III [Organization] in order to submit bid in system . Please refer**

“Guideline to Bidder for participating in OIL”

- 5.0 The Company reserves the right to reject any or all the tenders or accept any tender without assigning any reason.
- 6.0 (a) No Bidder can withdraw his bid within the validity or extended validity of the bid. Withdrawal of any bid within validity period or in breach of bidder's obligation will lead to the bidder being put on watch list/holiday/banning list (as per policies of OIL INDIA in this regard).  
(b) Once a withdrawal letter is received from any bidder, the offer will be treated as withdrawn and no further claim / correspondence will be entertained in this regard.
- 7.0 Conditional bids are liable to be rejected at the discretion of the Company.
- 8.0 The selected bidder will be required to enter into a formal contract, which will be based on their bid and O.I.L's Standard Form of Contract.
- 9.0 Time will be regarded as the essence of the Contract and the failure on the part of the Contractor to complete the work within the stipulated time shall entitle the Company to recover liquidate damages and / or penalty from the Contractor as per terms of the tender /contract.
- 10.0 The contractor will be required to allow OIL officials to inspect the work site and documents in respect of the workers payment.
- 11.0 **The successful bidder shall furnish a Performance Security Deposit in the form of Demand Draft / Banker's Cheque / Bank Guarantee as specified above before signing the formal contract.** The Performance Security Deposit will be refunded to the Contractor after satisfactory completion of the work, but a part or whole of which shall be used by the Company in realization of liquidated damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason. This Performance Security Money shall not earn any interest.
- 12.0 **BACKING OUT BY BIDDER:** In case any bidder withdraws their bid within the bid validity period, the party will be debarred for a period of 2(two) years from the date of withdrawal of bid.
- 13.0 **BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA:** In case LOA issued is not accepted by the L1 bidder or Performance Security is not submitted as per terms of the Contract within the stipulated time, **the bidder shall be debarred for 2 (two) years from the date of default.**
- 14.0 **FURNISHING FRAUDULENT INFORMATION/DOCUMENT:** Bidder should note that the documents/information submitted by the bidders(s) against the tender are presumed to be genuine, authentic and true copy of the originals. In case at any stage of tendering process or during execution of contract or after expiry of contract, if it is found at any time that, a Bidder / Contractor has / had furnished fraudulent documents / information, the company shall immediately reject the bid of such bidder(s) or cancel /terminate the contract, as the case may be and the Bid Security/Performance Security shall be forfeited. Also the bidder /

the party/the contractor shall be debarred for a period of three (03) years from the date of issuance of debarment notice, besides legal action.

**15.0 The tender will be governed by:**

**Forwarding Letter.**

**Instruction to Bidders**

**BEC-BRC-Bid Evaluation Criteria & Bid Rejection Criteria.**

**Part -I - General Conditions of Contract. (GCC)**

**Part - II - Schedule of Work, Unit and Quantity (SOQ)**

**Part - III - Special Conditions of Contract (SCC)**

**Part-IV- Payment Terms**

**Part-V-Schedule of company's Plants, Materials and Equipment**

**Part-VI- Owner's Drawing and Data- will be provided by Civil Engineering Section, PHQ**

**Part-VII- Safety Measures (SM)**

**Part-VIII- Integrity Pact – Not Applicable for this IFB**

**Price Bid Format**

**Proforma and Annexures (I to XI)**

**16.0 The Integrity Pact is applicable against this tender:**

OIL shall be entering into an Integrity Pact with the bidders as per format enclosed vide "Part-VIII Integrity Pact" of the tender document. This Integrity Pact Proforma has been duly signed digitally by OIL's competent signatory (Digitally Signed). The proforma has to be returned by the bidder (along with the technical bid) duly signed (digitally) by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid. Uploading the Integrity Pact with digital signature will be construed that all pages of the Integrity Pact has been signed by the bidder's authorized signatory who sign the Bid.

(Note: Following persons have been appointed as Independent External Monitor:

A. SHRI SUTANU BEHURIA, IAS (Retd.),

E-mail: [sutanu2911@gmail.com](mailto:sutanu2911@gmail.com)

B. . SHRI RUDHRA GANGADHARAN, IAS (RETD.),

Ex-Secretary, Ministry of Agriculture

(e-mail id : [rudhra.gangadharan@gmail.com](mailto:rudhra.gangadharan@gmail.com))

C.SHRI OM PRAKASH SINGH, IPS (RETD.),

Former DGP, Uttar Pradesh

E-mail: [Ops2020@rediffmail.com](mailto:Ops2020@rediffmail.com)

**17.0 SPECIAL NOTE:**

**GUIDELINES FOR PARTICIPATING IN OIL'S E-PROCUREMENT :**

To participate in OIL's E-procurement tender, bidders should have a legally valid digital certificate of Class 3 with Organizations Name as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCAI), Controller of Certifying Authorities (CCA) of India (<http://www.cca.gov.in>). Bidders must have a valid User Id to access OIL e-Procurement site. Bidders can click on Guest login button to view the available open tenders in the E-portal. Bidders shall request OIL through E-mail or fax or letter along with the cost of bid documents as indicated in the NIT for issue of the USER ID for accessing and submitting against the E-procurement tender. The User ID shall be issued to the eligible bidders on receipt of the requisite cost of the bid document. In



case any bidder is exempted from paying the tender fee, they should request OIL with supporting documents for issue of the User Id on free of charge basis. The detailed guidelines are available in OIL's e-procurement site. For any clarification in this regard, bidders may contact OIL.

Please note that all tender forms (Bid document, Integrity Pact, Proforma, Annexure) and supporting documents are to be submitted through OIL's E-Procurement site only except Original Bid Security and any other document if specified in the IFB which are to be submitted in sealed envelope super scribed with tender no. and due date to: The G.M. (Contracts), Pipeline Head Quarter, Oil India Limited, Guwahati- 781171, ASSAM

Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the bid or submission of offers not substantially responsive to the bid in every respect will be at the bidders risk and may result in the rejection of its offer without seeking any clarifications. Offers sent without the requisite value of prescribed bid security (if called for in the bid) in original will be ignored straightway.

Please note Encryption certificate is also required along with Digital Certificate Class III [Organization in order to submit bid in system. Please refer "Guideline to Bidder for participating in OIL"]

- 18.0 The tender is invited under SINGLE STAGE TWO BID SYSTEM. The bidder has to submit the "Un-Priced Techno-Commercial" and "Price-Bid" through electronic form in the OIL's e-Tender portal within the Bid Closing Date and Time stipulated in the e-Tender portal. **The Technical Bid is to be submitted as per Scope of Work & Technical Specifications along with all technical related documents related to the tender are to be uploaded under Technical RFx Tab.** The Price Bid rates shall be quoted as specified in the "PRICE BID FORMAT" and to be attached as attachment under the Notes & attachment tab. **The price quoted in the "PRICE BID FORMAT" will only be considered for evaluation.**

**Please note that no price details should be uploaded under Technical RFx. Details of prices as per Price Bid format / Priced bid can be uploaded as Attachment under Notes & Attachment Tab. Offer not complying with above submission procedure will be rejected.**

A few screen shots to find out the required IFB is shown below.

Notes and Attachments	→ Only Price Details Should Be Uploaded
Technical attachments	→ All technical bid documents except price details

Please do refer "**NEW INSTRUCTION TO BIDDER FOR SUBMISSION**" for the above two points and also please refer "**New Vendor Manual (effective 12.0.2017)**" available in the login Page of the OIL's E-tender Portal.

Regarding new bid submission procedure (effective from 12.04.2017 onwards), please refer **new vendor manual** available in OIL's E-tender Site:



## **Oil India Limited e-Procurement**

User ID \*   
Password \*   
   
Logon Problems? [Get Support](#)

[Supplier Enlistment for E-Tender](#)

[Important Note for New Portal Users:](#)

[Click here to View Compatibility Settings](#)

[General Guidelines to bidders](#)

[Click for User Manuals](#)

Click here for  
the New  
Manual &  
Instruction

© 2012 Oil India Limited. All rights reserved.

[Click for Terms of use, Privacy Policy, Refund Policy Docs](#)

### **Notes :**

- \* The “Techno-Commercial Unpriced Bid” shall contain all techno-commercial details **except the prices.**
  - \*\* The “Price bid” must contain the price schedule and the bidder’s commercial terms and conditions. For uploading Price Bid, first click on Sign Attachment, a browser window will open, select the file from the PC and click on Sign to sign the Sign. On Signing a new file with extension .SIG will be created. Close that window. Next click on Add Attachment, a browser window will open, select the .SIG signed file from the PC and name the file under Description, Assigned to General Data and click on OK to save the File.
- 8.0 Bidder is responsible for ensuring the validity of digital signature and it’s proper usage by their employee.
- 9.0 The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidding company.
- 10.0 OIL reserves the right to increase/decrease the quantum of job at the time of award of contract and it will be obligatory on the part of the successful bidder to accept the same at the offered rates.
- 11.0 The Company reserves the right to reject any or all the tenders or accept any tender without assigning any reason.
- 12.0 Offer must conform in all respect to the terms and conditions of the enquiry. Deviations, if any, must be clearly and specifically stated. Conditional bids are liable to be rejected at the discretion of the Company.

Thanking you,

Yours faithfully,  
OIL INDIA LIMITED

General Manager (Contracts)  
for CGM ( PLS)

**INSTRUCTIONS TO BIDDERS**

- 1.0 Bidder shall bear all costs associated with the preparation and submission of bid. Oil India Limited, hereinafter referred to as 'Company', will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

**2.0 BIDDING DOCUMENTS**

- 2.1 The services required, bidding procedures and contract terms are prescribed in the Bidding Documents. This Bidding Document includes the following:

- a) A forwarding letter highlighting the following points
  - (i) Company's IFB No.
  - (ii) Bid closing date and time
  - (iii) Bid opening date, time and place
  - (iv) Bid submission place
  - (v) Bid opening place
  - (vi) The amount of Bid Security
  - (vii) The amount of Performance Guarantee
  - (viii) Quantum of liquidated damages for default in timely mobilizations
- b) Instructions to Bidders
- c) BEC-BRC-Bid Evaluation Criteria & Bid Rejection Criteria
- d) General Conditions of Contract (Part-I)
- e) Schedule of Work, Unit, Quantities, Rates and Prices (Part- II-SOQ)
- f) Special Conditions of Contract (Part-III-SCC)
- g) Payment Terms (Part IV)
- h) Schedule of company's Plants, Materials and Equipment -( Part-V)
- i) Owner's Drawing & Data -( Part-VI)- will be provided by Company
- j) Safety Measures (Part-VII-SM)
- k) Integrity Pact- (Part-VIII)
- l) Price Bid Format
- m) Proforma & Annexure.

- 2.2 The bidder is expected to examine all instructions, forms, terms and specifications in the Bid document. Failure to furnish all information required in the Bidding Documents or submission of a bid not substantially responsive to the Bidding Documents in every respect will be at the Bidder's risk & responsibility and may result in the rejection of its bid.

**3.0 TRANSFERABILITY OF BID DOCUMENTS :**

- 3.1 Bid Documents are non-transferable. Bid can be submitted only in the name of the bidder in whose name the Bid Document has been issued.
- 3.2 Unsolicited offers will not be considered and will be rejected straightway.

**4.0 AMENDMENT OF BIDDING DOCUMENTS:**

- 4.1 At any time prior to the deadline for submission of bids, the company may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the Bidding Documents by the issuance of an Addendum.

- 4.2 The Addendum will be sent in writing through post / courier / Fax/e-mail to all prospective Bidders to whom Company has sent the bid documents and also be uploaded in the OIL's e-portal in the C-folder under the tab "Amendments to Tender Documents". The company may, at its discretion, extend the deadline for bid submission, if the Bidders are expected to require additional time in which to take the Addendum into account in preparation of their bid or for any other reason. Bidders shall also check OIL's E-Tender portal [C-folder under the tab "Amendments to Tender Documents"] for any amendments to the bid documents before submission of their bids.

**5.0 PREPARATION OF BIDS**

- 5.1 LANGUAGE OF BIDS: The bid as well as all correspondence and documents relating to the bid exchanged between the Bidder and the Company shall be in English language, except that any printed literature may be in another language provided it is accompanied by an English translated version, which shall govern for the purpose of bid interpretation.

- 5.2 DOCUMENTS COMPRISING THE BID: The complete bid should be submitted on-line in the e-portal.

**6.0 BID FORM:**

The bidder shall complete the Bid Form and the appropriate Price Schedule furnished as attachment in the e-portal.

**7.0 BID PRICE:**

- 7.1 Prices must be quoted by the bidders, both in words and in figures. In case of any discrepancy between the words and in figures, the prices indicated in words only will be considered.
- 7.2 Price quoted by the successful bidder must remain firm during its performance of the Contract and will not be subjected to variation on any account.
- 7.3 Bidder shall be deemed to have satisfied himself before submitting his bid as to the correctness and sufficiency of its bid for the services required and of the rates and prices quoted, which rates and prices shall, except insofar as otherwise provided, cover all its obligations under the contract.

**8.0 DOCUMENTS ESTABLISHING BIDDER'S ELIGIBILITY AND QUALIFICATIONS:**

These are as per BEC/BRC

**9.0 PERIOD OF VALIDITY OF BIDS:**

- 9.1 Bids shall remain valid for **120 days** from the date of bid opening.
- 9.2 In exceptional circumstances, the OIL may solicit the Bidder's consent to an extension of the period of validity. The request and the response thereto shall be made in writing (or by Fax). A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request will neither be required nor permitted to modify their bid.

**10.0 FORMAT AND SIGNING OF BID:**

The original and all copies of the bid shall be typed or written in indelible inks and shall be signed(digitally) by the Bidder or a person or persons duly authorized to bind the Bidder to the contract.

**11.0 SUBMISSION OF BIDS.**

- 11.1 Bids are to be submitted online through OIL's E-procurement portal with digital signature. The bid and all attached documents should be digitally signed by the bidder using "Class 3" digital certificates [e commerce application (Certificate with personal verification and Organization Name)] as per Indian IT Act 2000 obtained from the licensed Certifying Authorities operating under the Root Certifying Authority of India(RCAI), Controller of Certifying Authorities (CCA) of India before bid is uploaded.

The bid including all uploaded documents shall be digitally signed by duly authorized representative of the bidder to bind the Bidder to the contract. The authenticity of above digital signature shall be verified through authorized CA after bid opening and in case the digital signature is not of "Class-3" with organization name, the bid will be rejected.

Bidder is responsible for ensuring the validity of digital signature and its proper usage by their employees.

- 11.2 Any person signing the Bid or any other document in respect of this Bid Document or other relevant documents on behalf of the Bidder without disclosing his authority to do so shall be deemed to have the authority to bind the Bidder. If it is discovered at any time that the person so signing has no authority to do so, the company (OIL) may, without prejudice to any other right or remedy, cancel his Bid or Contract and hold the Bidder liable to the Company (OIL) for all costs and damages arising from the cancellation of the Bid or Contract including any loss which the Company (OIL) may sustain on account thereof.
- 11.3 Timely submission of the bids is the responsibility of the Bidder should be submitted before the bid closing date and time. Company shall not be responsible for any delay.
- 11.4 E-mail/ Fax/ Telex/Telegraphic/Telephonic offers will not be accepted.
- 11.5 Bidder shall submit the Bid, duly completed in terms of the Bid Document.

**12.0 DEADLINE FOR SUBMISSION OF BIDS:**

- 12.1 Bids should be submitted on-line up to 11.00 AM (IST) (Server Time) on the Bid Closing date mentioned in the Forwarding Letter. Bidders will be permitted by System to make any changes in their bid after the bid has been uploaded by the bidder prior to the date and time as mentioned in the bid. But no changes would be allowed by the system once the due date and for submission of bids has been reached and bids are opened.
- 12.2 No bid can be submitted after the submission date line is reached. The system time displayed on the e-procurement web page shall decide the submission dead line.

- 12.3 The documents in physical form must be received by Company at the address specified in the "Forwarding Letter" on or before the Bid Closing Date & Time mentioned in the "Forwarding Letter". Timely delivery of the same at the address mentioned in the Forwarding Letter is the responsibility of the Bidders.

13.0 **LATE BIDS:**

Bidders are advised in their own interest to ensure that their bids are uploaded in system before the closing date and time of the bid. Any Bid received by the Company after the Bid Closing Date & Time stipulated by the Company shall be rejected.

14.0 **MODIFICATION AND WITHDRAWAL OF BIDS:**

- 14.1 Bidders will be permitted by System to make any changes in their bid after the bid has been uploaded by the bidder prior to the date and time as mentioned in the bid. But no changes would be allowed by the system once the due date and for submission of bids has been reached and bids are opened.
- 14.2 No bid can be modified / withdrawn subsequent to the deadline for submission of bids.
- 14.3 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiry of the period of bid validity specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval shall result in the Bidder's forfeiture of its Bid Security.

15.0 **EXTENSION OF BID SUBMISSION DATE:**

Normally no request for extension of Bid Closing Date & Time will be entertained. However, OIL at its discretion, may extend the Bid Closing Date and/or Time due to any reasons. However, the bidder whose bid has been received within the bid closing date and time will not be allowed to revise their Bid/prices. Withdrawal of such Bid also will not be permitted by the system.

16.0 **BID OPENING AND EVALUATION:**

- 16.1 OIL shall open the Bids, in the presence of Bidder's representatives who choose to attend at the date, time and place mentioned in the Covering Letter. However, an authorization letter (as per Proforma-II) from the bidder must be produced by the Bidder's representative at the time of bid opening. Unless this Letter is presented, the representative will not be allowed to attend the bid opening. The Bidder's representatives who are allowed to attend the bid opening shall sign a register evidencing their attendance. Only one representative against each bid will be allowed to attend. **In technical bid opening date, only Technical RFx will be allowed to open by the system.** Bidders therefore should ensure that techno-Commercial bid is uploaded under the **Technical RFx** Tab Page only **and no price should be mentioned anywhere under the Technical RFx.**
- 16.2 In case of any unscheduled holiday or Bandh on the Bid Opening Date, the Bids will be opened on the next full working day. Accordingly, Bid Closing Date / time will get extended up to the next working day and time.
- 16.3 Bid for which an acceptable notice of withdrawal has been received pursuant to clause 14.0 shall not be opened. OIL shall examine bids to determine whether they are complete, whether

requisite Bid Securities have been furnished, whether documents have been properly signed and whether the bids are generally in order.

- 16.4 Bid opening shall be done as detailed in clauses 16.1 and 16.2 above
- 16.5 OIL shall prepare, for its own records, minutes of bid opening including the information disclosed to those present in accordance with the sub-clause 16.3
- 16.6 To assist in the examination, evaluation and comparison of bids, normally no clarifications shall be sought from the Bidders. However, for assisting in the evaluation of the bids especially on the issues where the Bidder confirms compliance in the evaluation and contradiction exists on the same issues due to lack of required supporting documents in the Bid (i.e. document is deficient or missing), or due to some statement at other place of the Bid (i.e. reconfirmation of confirmation) or vice versa, clarifications may be sought by OIL at its discretion. The request for clarification and the response shall be in writing and no change in the price or substance of the bid shall be sought, offered or permitted.
- 16.7 Prior to the detailed evaluation, OIL will determine the substantial responsiveness of each bid to the requirement of the Bidding Documents. For purpose of these paragraphs, a substantially responsive bid is one, which conforms to all the terms and conditions of the Bidding Document without material deviations or reservation. A material deviation or reservation is one which affects in any way substantial way the scope, quality, or performance of work, or which limits in any substantial way, in-consistent way with the bidding documents, the Company's right or the bidder's obligations under the contract, and the rectification of which deviation or reservation would affect unfairly the competitive position of other bidders presenting substantial responsive bids. OIL's determination of bid's responsiveness is to be based on the contents of the Bid itself without recourse to extrinsic evidence.
- 16.8 A Bid determined as not substantially responsive will be rejected by the Company and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
- 16.9 The Company may waive minor informality or nonconformity or irregularity in a bid, which does not constitute a material deviation, provided such waiver, does not prejudice or affect the relative ranking of any Bidder.
- 17.0 **EVALUATION AND COMPARISON OF BIDS:**
- 17.1 The OIL will evaluate and compare the bids as per Priced Bid Format of the bidding documents.
- 17.2 Post bid or conditional discounts/rebates offered by any bidder shall not be considered for evaluation of bids. However, if the lowest bidder happens to be the final acceptable bidder for award of contract, and if they have offered any discounts/rebates, the contract shall be awarded after taking into account such discounts/rebates.
- 18.0 **CONTACTING THE COMPANY:**

18.1 Except as otherwise provided in Clause 14.0 above, no Bidder shall contact OIL on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded except as required by OIL vide sub-clause 16.6.

18.2 An effort by a Bidder to influence OIL in the bid evaluation, bid comparison or Contract award decisions may result in the rejection of their bid.

19.0 **AWARD CRITERIA:**

OIL will award the Contract to the successful Bidder whose bid has been determined as the bidder obtaining highest mark in the evaluation process of both the technical bid (concept design) and commercial bid combined together as explained in succeeding para.

20.0 **OIL' S RIGHT TO ACCEPT OR REJECT ANY BID:**

OIL reserves the right to accept or reject any or all bids and to annul the bidding process and reject all bids, at any time prior to award of contract, without there by incurring any liability to the affected bidder, or bidders or any obligation to inform the affected bidder of the grounds for OIL's action.

21.0 **NOTIFICATION OF AWARD:**

21.1 Prior to the expiry of the period of bid validity or extended validity, OIL will notify the successful Bidder in writing by registered letter or by cable or telex or fax or e-mail (to be confirmed in writing by registered / couriered letter) that its bid has been accepted.

21.2 The notification of award will constitute the formation of the Contract.

22.0 **SIGNING OF CONTRACT:**

22.1 At the same time as OIL notifies the successful Bidder that its Bid has been accepted, OIL will either call the successful bidder for signing of the agreement or send the Contract Form provided in the Bidding Documents, along with the General & Special Conditions of Contract, Technical Specifications, Schedule of rates incorporating all agreements between the parties.

22.2 Within 2(Two) Weeks from the date of issue of Letter of Award (LOA), the successful Bidder shall sign and date the contract and return it to OIL. Till the contract is signed, the LOA issued to the successful bidder shall remain binding amongst the two parties.

22.3 In the event of failure on the part of the successful bidder to sign the contract within the period specified above or any other time period specified by OIL. OIL reserves the right to terminate the LOA issued to the successful bidder. The party shall also be debarred for a period of 2(two) years from the date of default.

23.0 **FURNISHING FRAUDULENT INFORMATION/DOCUMENTS:**



If it found that a bidder has furnished fraudulent information/documents, it shall constitute sufficient ground for annulment of the award and the party shall be debarred for a period of 3(three) years from the date of detection of such fraudulent act besides the legal action.

**24.0 BID DOCUMENT:**

Before submission of Bids, Bidders are requested to make themselves fully conversant with all Conditions of the Bid Document and other relevant information related to the works to be executed under this contract.

**25.0 MOBILIZATION PERIOD: 1(ONE) WEEK from the date of issue of Work Order.**

**26.0 SITE VISIT:**

The Bidder, at the Bidder's own cost, responsibility and risk is encouraged to visit and examine the site of work and its surroundings, understand the logistics and obtain all information that may be necessary for preparing the Bid and entering into a Contract for the required services/work. The Contractor shall be deemed prior to Pre-Bid Conference & submitting their Bid to have:

- a) Inspected and examined the Site and its surroundings and carried out such surveys as it considers necessary;
- b) Satisfied itself as to the nature of the work and materials necessary for the execution of the Works;
- c) Satisfied itself as to the circumstances at the Site, including, without limitation, the ground and sub-soil, the form and nature of the Site and the climate and hydrological conditions of the Site;
- d) Satisfied itself as to the means of communication with and access to & through the Site, the accommodation it may require and the precautions and the times and methods of working;
- e) Obtained for itself all necessary information as to the risks, contingencies and all other circumstances, which may influence or affect the Contract price and its obligations under the Contract;
- f) Satisfied itself with all the Indian as well as local conditions, factors and legislation which may have any effect on the execution of the work covered under the Bid Document.
- g) Ascertained the general labour position at the Site and have understood the cost associated with engagement of the labours.

\*\*\*\*\*

**BID EVALUATION CRITERIA & BID REJECTION CRITERIA FOR THE TENDER**

A) Bid Evaluation Criteria (BEC):

1.0 All the documents related to BEC must be submitted along with the Techno-Commercial Bid. Otherwise, the bid will be considered as non-responsive and rejected.

2.0 Interested bidders shall have to submit the following documents to qualify for opening of the Price Bid:

**2.1 TECHNICAL CRITERIA**

(a) One successfully completed similar contract work of value not less than **Rs.44,62,400.00** under tender with CPWD, Railways, APWD, MES, NRL, ONGCL, OIL or any other Government Organization / Public Sector Undertaking during the last seven (07) years reckoned from the original bid closing date.

(b) For proof of requisite experience of SIMILAR work, Job Completion Certificate clearly mentioning Gross value of job done, Nature of works, Contracts period/Contract Start and Completion date issued by CPWD, Railways, APWD, MES, NRL, ONGCL, OIL or any other Government Organization / Public Sector Undertaking must be submitted along with the bid.

(c) SIMILAR work executed by a bidder for its own organization / subsidiary will not be considered as experience for the purpose of meeting BEC.

(d) If the prospective bidder is executing SIMILAR work which is still running and the contract value executed prior to due date of bid submission is equal to or more than the minimum prescribed value in the BEC such experience will also be taken in to consideration provided that the bidder submits satisfactory work execution certificate issued by end user.

**"Similar work" mentioned in Paragraph 2.1 above means the following:**

**Construction of RCC building/foundations with internal electrification.**

**Note: Experience of repairing / maintenance nature of above will not be considered for evaluation.**

(e) The bidder must possess a valid electrical contractor's license issued / endorsed by Electrical Licensing Board of Govt. of Assam or else have tie up with an electrical Firm / contractor holding valid aforementioned license. The bidder or their collaborators must have experience in internal electrification works in Office. Residential Building during last seven (7) years reckoned from the original bid closing date of this tender. In case of collaboration with any firm as mentioned above, the bidder must furnish an MoU entered into with the collaborator towards providing the requisite service as per the terms of the tender.

**2.1.1 FINANCIAL CRITERIA**

a) Annual financial turnover as per Audited Annual Reports in any of preceding three (3) financial years, preceding scheduled bid opening date should be at least **Rs.26,77,500.00**

b) Net worth of firm/bidder must be positive for preceding financial/ accounting year.

**NOTE: -Considering the time required for preparation of Financial Statements, if the last date of preceding financial/ accounting year falls within the preceding six months reckoned from the original bid closing date and the Financial Statements of the preceding financial / accounting year are not available with the bidder, then the financial turnover of the previous three financial / accounting years excluding the preceding financial / accounting year will be considered. In such cases, the Net worth of the previous financial/ accounting year excluding the preceding financial/ accounting year will be considered. However, the bidder has to submit**

**an affidavit/ undertaking certifying that the balance sheet/ Financial Statements for the financial year 2020-2021 (or as the case may be) has actually not been audited so far.**

For proof of Annual Turnover & Net worth any one of the following document must be submitted along with the bid: -

i) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth. ***In addition to membership number & Firm Registration Number, UDIN is also to be specified in the certificate of Turnover & Net worth issued by the CA.***

OR

ii) Audited Balance Sheet along with Profit & Loss account.

2.1.2 Bids must be valid for minimum 120 days from the date of Technical Bid opening. If bidder does not submit / declare bid validity period, it will be presumed that the bid validity is 120 days.

Note: In case of extension of Bid Opening Date, bid validity should be extended suitably by the bidder, as and when advised by OIL.

3.0 The bids conforming to the specifications, terms and conditions stipulated in the tender documents and considered to be responsive after subjecting to Bid Evaluation Criteria will be considered for further evaluation given below:

i) To ascertain the inter-se-ranking, the comparison of the responsive bids will be made.

(ii) In case of identical lowest offered rate by more than 1 (one) bidder, the selection of priority-1 and priority-2 bidder will be made by draw of lots amongst the parties offering the same lowest price. The tender shall be awarded to priority-1 bidder only, but if priority-1 bidder fails to accept the LOI/found non-eligible/ fails to execute the job, then Company reserves the right to award the same to priority -2 bidder after taking management approval for the same.

iii) Company's internal estimate (IE) is prepared inclusive of all cost of materials, labours, tools & equipment, PPE, machinery and all taxes except PF & GST. PF can be reimbursed on submission of valid documents/voucher from appropriate authority.

(iv) Bidders must fill up the Technical compliance evaluation sheet for BEC / BRC and the format is attached under "Notes and Attachments" tab in the main bidding engine of OIL's e-Tender portal

"OIL registered "A" Class bidders are exempted from submitting document fulfilling their experience & turnover criteria as well as depositing bid security amount as specified in the clause no 2.1, 2.1.1 of BID EVALUATION CRITERIA, providing submission of his/her/their "One-time Security deposit in the line with Integrated Procedure/Manual for Procurement of Goods and services clause no 43.2. However, all bidders shall have to submit documents in connection with BEC Clause 2.1(e) above.

3.1 Other Information /Documents: All Bidders including OIL registered bidder with one time security deposit must have to furnish the following information with relevant documents wherever necessary:

- a) Tax Exemption Certificate, if any, if /applicable.
- b) PAN no. ( photocopy of the PAN card required).
- c) Goods & Service Tax registration No.
- d) Bank account No. with name of Bank, Type of account, Bank address.
- e) P.F. Account No. / Code or affidavit for applying P.F as per Annexure-I
- F) ESI Registration Number.

#### **4.0 COMMERCIAL CRITERIA**

**a. BID REJECTION CRITERIA (BRC):**

1.The tender is invited under SINGLE STAGE – TWO BID SYSTEM. The bidders shall submit both the "TECHNICAL" and "PRICED" bids through electronic form in the OIL's E-Procurement portal within the Bid Closing Date and Time stipulated in the E-Tender. The Technical Bid should be submitted as per Scope of Work & Technical Specifications along with all technical documents related to the tender and uploaded under "Technical Attachment" Tab only. Bidders must note that no price details should be uploaded in "Technical Attachment" Tab Page. Details of prices as per Price Bid format/Priced bid to be uploaded under "Notes and Attachment" Tab. A screen shot in this regard is shown below. Offer not complying with above submission procedure will be rejected as per Bid Rejection Criteria. In Bid opening, both Technical & Priced Bids will be opened.

2. Bid Security is Exempted. However, BID Security declaration Format to be submitted .

3.Bid Documents / User Id & Password for OIL's E-Tender portal are not transferable. Bid submitted by parties who have not submitted the requisite tender fees will be rejected.

4.Any bid received in the form of Physical document/ Telex/Cable/Fax/E-mail will not be accepted.

5.Bidders must quote clearly and strictly in accordance with the price schedule outlined in Price Bidding Format attached under "Notes and Attachments" tab in the main bidding engine of OIL's e-Tender portal; otherwise the bid will be rejected. All other techno-commercial documents other than price details to be submitted with Un-priced Techno-Commercial Bid as per tender requirement in the c-Folder link (collaboration link) under "Technical RFx Response" Tab Page only.

6.There should not be any indication of price in the Un-priced Techno-Commercial Bid. If there is any indication of price in the Un-priced Techno-Commercial Bid, Such Bid will be rejected straightway.

7.Bidder must accept and comply with the following provisions as given in the tender document. Deviations to such provisions shall make the bid liable for rejection.

- a. Firm price
- b. EMD / Bid Bond
- c. Scope of work
- d. Specifications
- e. Price schedule
- f. Delivery / completion schedule
- g. Period of validity of bid
- h. Liquidated Damages
- i. Performance bank guarantee / Security deposit
- j. Guarantee of material / work
- k. Arbitration / Resolution of Dispute
- l. Force Majeure
- m. Applicable Laws
- n. Integrity Pact, if applicable

ANNEXURE-AA:**CERTIFICATE OF ANNUAL TURNOVER & NETWORTH**

(To be issued by practicing Chartered/Cost Accountant Firm  
on their Letter Head)

**TO WHOM IT MAY CONCERN**

This is to certify that the following financial positions extracted from the audited financial statement of M/s\_\_\_\_\_ (Name of the bidder) for the last three(3) completed accounting years up to\_\_\_\_\_ (as the case may be) are correct.

YEAR	TURNOVER(₹)	NETWORTH(₹)

Place:

Date:

Seal:

Membership Code and Registration No.

Signature

\*\*\*End of BEC-BRC\*\*\*  
\*\*\*\*\*

**PART-I**

**GENERAL CONDITIONS OF CONTRACT (GCC)**

**OIL INDIA LIMITED**  
**(A Government of India Enterprise)**  
**CONTRACTS SECTION, PHQ**  
**P.O. UdayanVihar – 781171, Guwahati, ASSAM**

**DESCRIPTION OF WORK/SERVICES:-**

*Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.*

**GENERAL CONDITIONS OF CONTRACT (GCC)**

MEMORANDUM OF AGREEMENT made this \_\_\_\_\_ day of \_\_\_\_\_ between OILINDIA LIMITED a Company incorporated under the Companies Act 1956 and having its registered Office at Duliajan in the District of Dibrugarh, Assam (hereinafter called Company) of the one part and Shri/Smti \_\_\_\_\_ and Shri/Smti \_\_\_\_\_ carrying on business as partners /proprietor under the firm name and style of M/s. \_\_\_\_\_ with the main Office at \_\_\_\_\_ in the District of \_\_\_\_\_ aforesaid (hereinafter called 'Contractor') on the other part.

**WITNESSETH:**

1. a) The contractor hereby agrees to carry out the work set down in the Schedule of work which forms **Part-II** of this Contract in accordance with the 1968 General Conditions of Contract of Oil India Limited and General Specifications read in conjunction with any drawings and Particular Specifications & instructions which forms **Part-III** of the contract utilizing any materials/services as offered by the Company as per **Part-V** of the contract at Various field installations within the states of Assam, West Bengal & Bihar as per **Part-VI**  
  
b) In this Contract all words and expressions shall have the same meaning as are respectively assigned to them in the 1968 General Conditions of Contract of Oil India Limited which the Contractor has perused and is fully conversant with before entering into this Contract.  
  
b) The clauses of this contract and of the specifications set out hereunder shall be paramount and in the event of anything herein contained being inconsistent with any term or terms of the 1968 General Conditions of Contract of Oil India Limited, the said term or terms of the 1968 General conditions of Contract to the extent of such inconsistency, and no further, shall not be binding on the parties hereto.
2. The contractor shall provide all labour, supervision and transport and such specified materials described in **Part-III** of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and his rates shall include for these. The work executed and materials supplied shall be to the satisfaction of the Company's Engineer and Contractor's rates shall include for all incidental and contingent work which although not

specifically mentioned in this contract are necessary for its completion in a sound and workman like manner.

3. The Company's Engineer shall have power to:
  - a) Reduce the rates at which payments shall be made if the quality of work although acceptable is not up to the required standard set forth in the OIL Standard Specifications which have been perused and fully understood by the Contractor.
  - b) Order the Contractor to remove any inferior material from the site and to demolish or rectify any work of inferior workmanship, failing which the Company's Engineer may arrange for any such work to be demolished or rectified by any other means at the Contractor's expenses.
  - c) Order the Contractor to remove or replace any workman who he (The Engineer) considers incompetent or unsuitable; the Engineer's opinion as to the competence and suitability of any workman engaged by the Contractor shall be final and binding on the Contractor.
  - d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the Contractor shall carry out and be bound by the same.
  - e) Order deviations in **Part II, III and IV** of this Contract. All such deviation orders shall be in writing and shall show the financial effect, if any, of such deviation and whether any extra time is to be allowed.
4. The Contractor shall have no claim against the company in respect of any work which may be withdrawn but only for work actually completed under this contract. The contractor shall have no objection to carry out work in excess of the quantities stipulated in **Part-II** if so ordered by the company at the same rates, terms and conditions.
5. The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the contractor for permanent incorporation in the work under this contract particularly for execution of this contract up to the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the company's Engineer in presence of the contractor. The Contractor shall have no claim to any further payment whatsoever. The valuation would be carried out exparte if Contractor fails to turn up despite reasonable notice which will be binding on the Contractor.
6. The Contractor hereby undertakes to indemnify the Company against all claims which may arise under the under noted Acts:-
  - i) The Factories Act & Rules
  - ii) The Minimum Wages Act, 1948.
  - iii) The Workman's Compensation Act, 1923.
  - iv) The Payment of wages Act, 1963.
  - v) The Payment of Bonus Act, 1965.

- vi) The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under.
- vii) Employees Pension Scheme, 1995.
- viii) Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.
- ix) The Employees Provident Fund and Miscellaneous Provisions Act, 1952.
- x) AGST Act.
- xi) GST Act.

or any other Acts or Statute not here in above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labour appointed by the Contractor. Such Statutory increase in the wage rates of Contract Labour shall be borne by the contractor.

The Contract shall be deemed to be a Contract made under, governed by and construed in accordance with the laws of India for the time being in force and shall be subject to the exclusive jurisdiction of **Courts situated in Guwahati**

- 7. The Contractor shall clear away all rubbish and surplus material from the site on completion of work and shall leave the site clean and tidy.
- 8. The duration of the contract shall be 78(Seventy Eight) weeks from the commencement date mentioned in the work order. The Contractor must complete the work within the contract period. During the currency of the job, the work progress must be commensurate with the time elapsed. In the event of any delay on the contractor's part, he/she will be liable to pay to the company liquidated damages at the rate of 1/2% (Half p.c ) per week of the contract price of the item(s) delayed in completion and the maximum value of the liquidated damage will be 7.5% of the contract price of the item(s) delayed provided the item(s) delayed are not critical for commissioning and final utilization of the work. If, however, the item(s) delayed in completion are critical for commissioning and final utilisation of the work then the contractor will be liable to pay liquidated damages by way of penalty at the rate of 1/2% (Half percent) of the total contract cost subject to a maximum of 7.5% of the total contract cost.

OIL's Engineer's certificate as to the criticality or otherwise of an item shall be final.

The payment of liquidated damages/penalty may be reduced or waived at the sole discretion of the Company whose decision in this regard will be final.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the company attributable to such delay. The company's decision in this regard shall be final.

- 9. In order to promote, safeguard and facilitate the general operational economic in the interest of the Company during the continuance of this contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and or support, assist, maintain or help any person or persons engaged in antisocial activities, demonstration, riots , or in any agitation



prejudicial to the Company's interest and any such even taking shape or form at any place of the Company's works or and its neighborhood.

10. The tendered all-inclusive of Price (the Contract price) **except GST is Rs.1.33.87.402.28 (Not to be filled up by the bidder. This will be entered at the time of Signing of the agreement) but the Company shall pay the Contract or only for actual work done at the all-inclusive rates set down in the Schedule of work part II of this Contract.**

Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.

11. The contractor employing 20 (twenty ) or more workmen on any day preceding 12 months shall be required to obtain requisite licence at his cost from the appropriate Licensing Officer before undertaking any Contract work. The Contractor shall also observe the rules & regulations framed under the Contract Labour (Regulation & Abolition) Act.
12. The Company for any reason whatsoever and of which the company shall be sole judge may terminate this Contract with a 24 hours' notice in writing to the Contractor and in the event of Company's so doing the clause 5 here of shall prevail and the accounts between the parties will be in accordance therewith finalized.
13. The Contractor will not be allowed to construct any structure (for storage / housing purpose) with thatch, bamboo or any other inflammable materials within any company's fenced area.
14. The Contractor shall ensure that all men engaged by him/her are provided with appropriate protective clothing and safety wear in accordance with Factories Act & Rules. The Company's representative shall not allow/accept those men who are not provided with the same.
15. All Statutory taxes levied by the Central & State Government or any other competent authority from time to time will be borne by contractor and the amount of the contract specified in the contract is inclusive of all tax liabilities but excluding GST. GST if applicable shall be, to the company's account. However, GST portion payable directly by the Service provider (if applicable) shall be reimbursed to the Contractor on the basis of the documentary evidence.
16. The Contractor shall deploy local persons in all works.
17. The Contractor shall not engage minor labour below 18(eighteen) years of age under any circumstances.
18. The Contractor and his/her workmen shall strictly observe the rules and regulations as per Factories Act & Rules(latest editions).
19. **GENERAL OBLIGATIONS OF COMPANY:**

COMPANY shall, in accordance with and subject to the terms and conditions of this contract:

- i) Pay the Contractors in accordance with terms and conditions of the contract.
- ii) Allow access to Contractors and their personnel, subject to normal security and safety procedures, to all areas as required for orderly performance of the work.

20. **SPECIAL CONDITIONS**

- a) The contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.
- b) Contractor(s) whosoever is liable to be covered under the P.F. Act and contract cost is inclusive of P.F., must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the Contractor must deposit Provident Fund Contribution (covering Employee's & Employer's share) with the competent authority monthly under their direct code. The Contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the Company. In case of failure to provide such documentary evidence, the Company reserves the right to withhold the amount equivalent to applicable P.F. Contribution.

21. **FORCE MAJEURE:**

- 21.1 In the event of either party being rendered unable by 'Force Majeure' to perform any obligation required to be performed by them under the contract, the relative obligation of the party affected by such 'Force Majeure' will stand suspended for the period during which such cause lasts. The word 'Force Majeure' as employed herein shall mean acts of God, war, revolt, agitation, strikes, riot, fire, flood, sabotage, civil commotion, road barricade (but not due to interference of employment problem of the Contractor), acts of government of the two parties, which makes performance impossible or impracticable and any other cause, whether of kind herein enumerated or otherwise which are not within the control of the party to the contract and which renders performance of the contract by the said party impossible.
- 21.2 Upon occurrence of such cause and upon its termination, the party alleging that it has been rendered unable as aforesaid thereby, shall notify the other party in writing within Seventy Two (72) hours of the alleged beginning and ending thereof, giving full particulars and satisfactory evidence in support of its claim.
- 21.3 Should 'force majeure' condition as stated above occurs and should the same be notified within seventy two (72) hours after its occurrence the 'force majeure' rate shall apply for the first fifteen (15) days. Parties will have the right to terminate the Contract if such 'force majeure' conditions continue beyond fifteen (15) days with prior written notice. Should either party decide not to terminate the Contract even under such condition, no payment would apply after expiry of fifteen (15) days force majeure period unless otherwise agreed to.

22. **TERMINATION:**

- 22.1 **TERMINATION ON EXPIRY OF THE TERMS (DURATION):** The contract shall be deemed to have been automatically terminated on the expiry of duration of the Contract or the extension period, if exercised by Company under the provision of the Contract.
- 22.2 **TERMINATION ON ACCOUNT OF FORCE MAJEURE:** Either party shall have the right to terminate this Contract on account of Force Majeure as set forth in Article 21.0 above.
- 22.3 **TERMINATION ON ACCOUNT OF INSOLVENCY:** In the event that the Contractor or its collaborator at any time during the term of the Contract, becomes insolvent or makes a voluntary assignment of its assets for the benefit of creditors or is adjudged bankrupt, then the Company shall, by a notice in writing have the right to terminate the Contract and all the Contractor's rights and privileges hereunder, shall stand terminated forthwith.
- 22.4 **TERMINATION FOR UNSATISFACTORY PERFORMANCE:** If the Company considers that, the performance of the Contractor is unsatisfactory, or not up to the expected standard, the Company shall notify the Contractor in writing and specify in details the cause of the dissatisfaction. The Company shall have the option to terminate the Contract by giving 15 days' notice in writing to the Contractor, if Contractor fails to comply with the requisitions contained in the said written notice issued by the Company.
- 22.5 **TERMINATION DUE TO CHANGE OF OWNERSHIP & ASSIGNMENT:** In case the Contractor's rights and /or obligations under this Contract and/or the Contractor's rights, title and interest to the equipment/ material, are transferred or assigned without the Company's consent, the Company may at its absolute discretion, terminate this Contract.
- 22.6 If at any time during the term of this Contract, breakdown of Contractor's equipment results in Contractor's being unable to perform their obligations hereunder for a period of 15 successive days, Company at its option, may terminate this Contract in its entirety without any further right or obligation on the part of the Company, except for the payment of money then due. No notice shall be served by the Company under the condition stated above.
- 22.7 Notwithstanding any provisions herein to the contrary, the Contract may be terminated at any time by the Company on giving 30 (thirty) days written notice to the Contractor due to any other reason not covered under the above clause from 22.1 to 22.6 and in the event of such termination the Company shall not be liable to pay any cost or damage to the Contractor except for payment for services as per the Contract up to the date of termination including the De-mobilization cost, if any.
23. **CONSEQUENCES OF TERMINATION:** In all cases of termination herein set forth, the relative obligations of the parties to the Contract shall be limited to the period up to the date of termination. Notwithstanding the termination of this Contract, the parties shall continue to be bound by the provisions of this Contract that reasonably require some action or forbearance after such termination.
- 23.1 Upon termination of this Contract, Contractor shall return to Company all of Company's items, which are at the time in Contractor's possession.

- 23.2 In the event of termination of contract, Company will issue Notice of termination of the contract with date or event after which the contract will be terminated. The contract shall then stand terminated and the Contractor shall demobilize their personnel & materials.

24. **SETTLEMENT OF DISPUTES AND ARBITRATION:**

24.1 **Arbitration (Applicable for Suppliers/Contractors other than PSU) :**

Except as otherwise provided elsewhere in the contract, if any dispute, difference, question or disagreement arises between the parties hereto or their respective representatives or assignees, in connection with construction, meaning, operation, effect, interpretation of the contract or breach thereof which parties are unable to settle mutually, the same shall be referred to Arbitration as provided hereunder :

- a. A party wishing to commence arbitration proceeding shall invoke Arbitration Clause by giving 30 day's notice to the other party. The notice invoking arbitration shall specify all the points of dispute with details of the amount claimed to be referred to arbitration at the time of invocation of arbitration and not thereafter. If the claim is in foreign currency, the claimant shall indicate its value in Indian Rupee for the purpose of constitution of the arbitral tribunal.
- b. The number of arbitrators and the appointing authority will be as under:

Claim amount (excluding claim for interest and counter claim, if any)	Number of Arbitrator	Appointing Authority
Up to Rs. 5 Crore	Sole Arbitrator	OIL
Above Rs. 5 Crore	3 (Three) Arbitrators	One Arbitrator by each party and the 3 <sup>rd</sup> Arbitrator, who shall be the presiding Arbitrator, by the two Arbitrators.

- c. The parties agree that they shall appoint only those persons as arbitrators who accept the conditions of the arbitration clause. No person shall be appointed as Arbitrator or Presiding Arbitrator who does not accept the conditions of the arbitration clause.
- d. Parties agree that there will be no objection if the Arbitrator appointed holds equity shares of OIL and/or is a retired officer of OIL/any PSU. However, neither party shall appoint its serving employees as arbitrator.
- e. If any of the Arbitrators so appointed dies, resigns, becomes incapacitated or withdraws for any reason from the proceedings, it shall be lawful for the concerned party/arbitrators to appoint another person in his place in the same manner as aforesaid. Such person shall proceed with the reference from the stage where his predecessor had left if both parties consent for the same; otherwise, he shall proceed de novo.
- f. Parties agree that neither shall be entitled for any pre-reference or pendente-lite interest on its claims. Parties agree that any claim for such interest made by any party shall be void.
- g. The arbitral tribunal shall make and publish the award within time stipulated as under :

Amount of Claims and counter claims (excluding interest)	Period for making and publishing of the award (counted from the date of first meeting of the Arbitrators)
Upto Rs. 5 Crore	Within 8 months
Above Rs. 5 Crore	Within 12 months

The above time limit can be extended by Arbitrator, for reasons to be recorded in writing, with the consent of the other parties.

- h. If after commencement of the arbitration proceedings, the parties agree to settle the dispute mutually or refer the dispute to conciliation, the arbitrators shall put the proceedings in abeyance until such period as requested by the parties.
- i. Each party shall be responsible to make arrangements for the travel and stay etc. of the arbitrator pointed by it. Claimant shall also be responsible for making arrangements for travel/stay arrangements of the Presiding Arbitrator and the expenses incurred shall be shared equally by the parties.
- j. In case of sole arbitrator, OIL shall make all necessary arrangements for his travel, stay and the expenses incurred shall be shared equally by the parties.
- k. The Arbitration shall be held at the place from where the contract has been awarded. However, parties to the contract can agree for a different place for the convenience of all concerned.
- l. The Arbitrator(s) shall give reasoned and speaking award and it shall be final and binding on the parties.
- m. Subject to aforesaid, provisions of the Arbitration and Conciliation Act, 1996 and any statutory modifications or re-enactment thereof shall apply to the arbitration proceedings under this clause.

**24.2 Arbitration (applicable in case of Contract awarded on Public Sector Enterprise):**

In the event of any dispute or difference relating to, arising from or connected with the Contract, such dispute or difference shall be referred by either party to the arbitration of one of the Arbitrators in the Department of Public Enterprises, to be nominated by the Secretary to the Government of India, In-Charge of the Bureau of Public Enterprises. The Arbitration and Conciliation Act 1996 shall not be applicable to the Arbitration under this clause. The award of the Arbitrator shall be binding upon the parties to the dispute, provided however; any party aggrieved by such award may make a further reference for setting aside or revision of the award to the Law Secretary, Department of Legal Affairs, Ministry of Law and Justice, Government of India. Upon such reference, the dispute shall be decided by the Law Secretary or the Special Secretary/Additional Secretary, whose decision shall bind the parties finally and conclusively. The parties in the dispute will share equally the cost of the arbitration as intimated by the Arbitrator.

The venue of all arbitrations under both 24.1 & 24.2 will be **Guwahati, Assam**. The award made in pursuance thereof shall be binding on the parties.

25. **I.B. VERIFICATION REPORT AND SECURITY REVIEW:**

Contractor will be required to submit the verification report to ascertain character and antecedents from the Civil Administration towards the persons engaged under this contract to the Head of the user Department before engagement.

In case of any doubt or dispute as to the interpretation of any clause herein contained, the decision of the Company's Engineer shall be final and binding on the contractor.

26. **SET OFF CLAUSE:**

Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).

27. **FURNISHING FRAUDULENT INFORMATION/DOCUMENT:**

If it is found that a Bidder/Contractor has furnished fraudulent document/information the party shall be debarred for period of 3(three) years from date of detection of such fraudulent act, besides the legal action.

28. **WARRANTY AND REMEDY OF DEFECTS:**

28.1 Contractor warrants that it shall perform the work in a professional manner and in accordance with the highest degree of quality, efficiency, and with the state of the art technology/ inspection services and in conformity with all specifications, standards and drawings set forth or referred to in the Scope of Work. They should comply with the instructions and guidance which Company may give to the Contractor from time to time..

28.2 Should Company discover at any time **during the execution** of the Contract that the work carried out by the contractor does not conform to the foregoing warranty, Contractor shall after receipt of notice from Company, promptly perform all corrective work required to make the services conform to the Warranty. Such corrective work shall be performed entirely at contractor's own expenses. If such corrective work is not performed within a reasonable time, the Company, at its option, may have such remedial work carried out by others and charge the cost thereof to Contractor which the contractor must pay promptly. In case contractor fails to perform remedial work, the performance security shall be forfeited.

29. **CONFIDENTIALITY, USE OF CONTRACT DOCUMENTS AND INFORMATION:**

- 29.1 Contractor shall not, without Company's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing pattern, sample or information furnished by or on behalf of Company in connection therewith, to any person other than a person employed by Contractor in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 29.2 Contractor shall not, without Company's prior written consent, make use of any document or information except for purposes of performing the contract.
- 29.3 Any document supplied to the Contractor in relation to the contract other than the Contract itself remain the property of Company and shall be returned (in all copies) to Company on completion of Contractor's performance under the Contract if so required by Company.
30. **TAXES:**
- 30.1 Tax levied as per the provisions of Indian Income Tax Act and any other enactment/rules on income derived/ payments received under the contract will be on contractor's account.
- 30.2 Contractor shall be responsible for payment of personal taxes, if any, for all the personnel deployed in India.
- 30.3 The contractor shall furnish to the company, if and when called upon to do so, relevant statement of accounts or any other information pertaining to work done under the contract for submitting the same to the Tax authorities, on specific request from them. Contractor shall be responsible for preparing and filing the return of income etc. within the prescribed time limit to the appropriate authority.
- 30.4 Prior to start of operations under the contract, the contractor shall furnish the company with the necessary documents, as asked for by the company and / or any other information pertaining to the contract, which may be required to be submitted to the Income Tax authorities at the time of obtaining "No objection Certificate" for releasing payments to the contractor.
- 30.5 Tax clearance certificate for personnel and corporate taxes shall be obtained by the contractor from the appropriate Indian Tax authorities and furnished to company within 6 months of the expiry of the tenure of the contract or such extended time as the company may allow in this regard.
- 30.6 Corporate income tax will be deducted at source from the invoice at the specified rate of income tax as per the provisions of Indian Income Tax Act as may be in force from time to time.
- 30.7 Corporate and personal taxes on contractor shall be the liability of the contractor and the company shall not assume any responsibility on this account.

30.8 *All local taxes, levies and duties, sales tax, , customs duty, etc. on purchases and sales made by contractor shall be borne by the contractor.*

30.9 **GST:**

Quoted price should be **exclusive** of applicable GST. Please also refer **clause 45** onwards.

30.10 **CUSTOMS DUTY ON EQUIPMENT:**

- i) Contractor is liable to pay all customs duty, as applicable on the equipment brought to India for executing the works.
- ii) The Contractor shall be fully liable for observing all the formalities in this regard as well as to pay the customs duty chargeable on the equipment, including any deposit payable for such purposes. No adjustment in the Contract Price shall be permissible for any change in duty drawback applicable in respect of equipment and machinery brought to India for use in the project and for re-export of equipment & machinery, on completion of the project.

30.11 **CUSTOMS DUTY:**

The quoted price shall include full customs duties for materials (for permanent incorporation in the work), equipment and plants envisaged to be imported for execution of work.

30.12 **IMPORT LICENSE:**

The Contractor shall arrange import of all materials required for permanent incorporation in the works as well as construction equipment as per the guidelines laid down by the Government of India. Import license shall not be provided by Company.

31. **INSURANCE:**

31.1 The contractor shall arrange insurance to cover all risks in respect of their personnel, materials and equipment belonging to the contractor or its subcontractor during the currency of the contract.

31.2 Contractor shall at all time during the currency of the contract provide, pay for and maintain the following insurances amongst others:

- a) Workmen compensation insurance as required by the laws of the country of origin of the employee.
- b) Employer's Liability Insurance as required by law in the country of origin of employee.
- c) General Public Liability Insurance covering liabilities including contractual liability for bodily injury, including death of persons, and liabilities for damage of



property. This insurance must cover all operations of Contractor required to fulfill the provisions under this contract.

- d) Contractor's equipment used for execution of the work hereunder shall have an insurance cover with a suitable limit (as per international standards).
- e) Automobile Public Liability Insurance covering owned, non-owned and hired automobiles used in the performance of the work hereunder, with bodily injury limits and property damage limits shall be governed by Indian Insurance regulations.
- f) Public Liability Insurance as required under Public Liability Insurance Act 1991.

31.3 Contractor shall obtain additional insurance or revise the limits of existing insurance as per Company's request in which case additional cost shall be to Contractor's account.

31.4 Any deductible set forth in any of the above insurance shall be borne by Contractor.

31.5 Contractor shall furnish to Company prior to commencement date, certificates of all its insurance policies covering the risks mentioned above.

31.6 If any of the above policies expire or are cancelled during the term of this contract and Contractor fails for any reason to renew such policies, then the Company will renew/replace same and charge the cost thereof to Contractor. Should there be a lapse in any insurance required to be carried by Contractor for any reason whatsoever, loss/damage claims resulting there from shall be to the sole account of Contractor.

31.7 Contractor shall require all of their sub-contractor to provide such of the foregoing insurance coverage as Contractor is obliged to provide under this Contract and inform the Company about the coverage prior to the commencement of agreements with its sub-contractors.

31.8 All insurance taken out by Contractor or their sub-contractor shall be endorsed to provide that the underwriters waive their rights of recourse on the Company.

32. **CHANGES:**

32.1 During the performance of the work, Company may make a change in the work within the general scope of this Contract including, but not limited to, changes in methodology, and minor additions to or deletions from the work to be performed. Contractor shall perform the work as changed. Changes of this nature will be affected by written order by the Company.

32.2 If any change result in an increase in compensation due to Contractor or in a credit due to Company, Contractor shall submit to Company an estimate of the amount of such compensation or credit in a form prescribed by Company. Such estimates shall be based on the rates shown in the Schedule of Rates (**Part - II**). Upon review of Contractor's estimate, Company shall establish and set forth in the Change Order the amount of the

compensation or credit for the change or a basis for determining a reasonable compensation or credit for the change. If Contractor disagrees with compensation or credit set forth in the Change Order, Contractor shall nevertheless perform the work as changed, and the parties will resolve the dispute in accordance with Clause 24.0 hereunder. Contractor's performance of the work as changed will not prejudice Contractor's request for additional compensation for work performed under the Change Order.

33. **NOTICES:**

- 33.1 Any notice given by one party to other, pursuant to this Contract shall be sent in writing or by telex or Fax and confirmed in writing to the applicable address specified below:

**Company**

**For contractual matters**

GM (Contracts)  
OIL INDIA LIMITED  
PO: UdayanVihar  
Assam-781171, India  
E-mail: ramanujd@oilindia.in  
Tel.No. 91-0361-2595601

**For Technical matters**

GM(CIVIL)  
OIL INDIA LIMITED  
PO: UdayanVihar  
Assam-781171, India  
E-mail: gautamdas@oilindia.in  
Tel. No. 91-0361-2595280

Contractor

\_\_\_\_\_  
\_\_\_\_\_  
Fax No. :  
Email:

- 33.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

34. **SUBCONTRACTING:**

- 34.1 Contractor shall not subcontract or assign, in whole or in part, its obligations to perform under this contract, except with Company's prior written consent.

35. **MISCELLANEOUS PROVISIONS:**

- 35.1 Contractor shall give notices and pay all fees at their own cost required to be given or paid by any National or State Statute, Ordinance, or other Law or any regulation, or bye-law of any local or other duly constituted authority as may be in force from time to time in India, in relation to the performance of the services and by the rules & regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the services.
- 35.2 Contractor shall conform in all respects with the provisions of any Statute, Ordinance of Law as aforesaid and the regulations or bye-law of any local or other duly constituted

authority which may be applicable to the services and with such rules and regulation, public bodies and Companies as aforesaid and shall keep Company indemnified against all penalties and liability of every kind for breach of any such Statute, Ordinance or Law, regulation or bye-law.

- 35.3 During the tenure of the Contract, Contractor shall keep the site where the services are being performed reasonably free from all unnecessary obstruction and shall store or dispose of any equipment and surplus materials and clear away and remove from the site any wreckage, rubbish or temporary works no longer required. On the completion of the services, Contractor shall clear away and remove from the site any surplus materials, rubbish or temporary works of every kind and leave the whole of the site clean and in workman like condition to the satisfaction of the Company and conform to ISO 14001.
- 35.4 Key personnel cannot be changed during the tenure of the Contract except due to sickness/death/resignation of the personnel in which case the replaced person should have equal experience and qualification which will be again subject to approval by the Company.

36. **LIABILITY:**

- 36.1 Except as otherwise expressly provided, neither Company nor its servants, agents, nominees, Contractors, or sub-contractors shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss of or damage to the property of the Contractor and/or their Contractors or sub-contractors, irrespective of how such loss or damage is caused and even if caused by the negligence of Company and/or its servants, agent, nominees, assignees, contractors and sub-Contractors. The Contractor shall protect, defend, indemnify and hold harmless Company from and against such loss or damage and any suit, claim or expense resulting there from.
- 36.2 Neither Company nor its servants, agents, nominees, assignees, Contractors, subcontractors shall have any liability or responsibility whatsoever for injury to, illness, or death of any employee of the Contractor and/or of its Contractors or sub-contractor irrespective of how such injury, illness or death is caused and even if caused by the negligence of Company and/or its servants, agents nominees, assignees, Contractors and sub-contractors. Contractor shall protect, defend, indemnify and hold harmless Company from and against such liabilities and any suit, claim or expense resulting there from.
- 36.3 The Contractor hereby agrees to waive its right to recourse and further agrees to cause their underwriters to waive their right of subrogation against Company and/or its underwrites, servants, agents, nominees, assignees, Contractors and subcontractors for loss or damage to the equipment of the Contractor and/or its subcontractors when such loss or damage or liabilities arises out of or in connection with the performance of the contract.
- 36.4 The Contractor hereby further agrees to waive its right of recourse and agrees to cause its underwriters to waive their right of subrogation against Company and/or its underwriters, servants, agents, nominees, assignees, Contractors and sub-contractors for injury to,

illness or death of any employee of the Contractor and of its Contractors, sub-contractors and/or their employees when such injury, illness or death arises out of or in connection with the performance of the contract.

- 36.5 Except as otherwise expressly provided, neither Contractor nor its servants, agents, nominees, Contractors or sub-contractors shall have any liability or responsibility whatsoever to whomsoever for loss of or damage to the equipment and/or loss or damage to the property of the Company and/or their Contractors or sub-contractors, irrespective of how such loss or damage is caused and even if caused by the negligence of Contractor and/or its servants, agents, nominees, assignees, Contractors and sub-contractors. The Company shall protect, defend, indemnify and hold harmless Contractor from and against such loss or damage and any suit, claim or expense resulting there from.
- 36.6 Neither Contractor nor its servants, agents, nominees, assignees, Contractors, subcontractors shall have any liability or responsibility whatsoever to whomsoever for injury or illness, or death of any employee of the Company and/or of its Contractors or sub-contractors irrespective of how such injury, illness or death is caused and even if caused by the negligence of Contractor and/or its servants, agents, nominees, assignees, Contractors and sub-contractors. Company shall protect, defend indemnify and hold harmless Contractor from and against such liabilities and any suit, claim or expense resulting there from.
- 36.7 The Company agrees to waive its right of recourse and further agrees to cause its underwriters to waive their right of subrogation against Contractor and /or its underwriters, servants, agents, nominees, assignees, Contractors and subcontractors for loss or damage to the equipment of Company and/or its contractors or sub-contractors when such loss or damage or liabilities arises out of or in connection with the performance of the contract.
- 36.8 The Company hereby further agrees to waive its right of recourse and agrees to cause it underwriters to waive their right of subrogation against Contractor and/or its underwriters, servants, agents, nominees, assignees, Contractors and sub-contractors for injury to, illness or death of any employee of the Company and of its Contractors, sub-contractors and/or their employees when such injury, illness or death arises out of or in connection with the performance of the Contract.

37. **CONSEQUENTIAL DAMAGE:**

- 37.1 Except as otherwise expressly provided, neither party shall be liable to the other for special, indirect or consequential damages resulting from or arising out of the contract, including but without limitation, to loss or profit or business interruptions, howsoever caused and regardless of whether such loss or damage was caused by the negligence (either sole or concurrent) of either party, its employees, agents or sub-contractors.

38. **INDEMNITY AGREEMENT:**

- 38.1 Except as provided hereof Contractor agrees to protect, defend, indemnify and hold Company harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit,

which may arise in favour of Contractor's employees, agents, contractors and sub-contractors or their employees on account of bodily injury or death, or damage to personnel/property as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.

- 38.2 Except as provided hereof Company agrees to protect, defend, indemnify and hold Contractor harmless from and against all claims, suits, demands and causes of action, liabilities, expenses, cost, liens and judgments of every kind and character, without limit, which may arise in favour of Company's employees, agents, contractors and sub-contractors or their employees on account of bodily injury or death, or damage to personnel/property as a result of the operations contemplated hereby, regardless of whether or not said claims, demands or causes of action arise out of the negligence or otherwise, in whole or in part or other faults.

39. **INDEMNITY APPLICATION:**

The indemnities given herein above, whether given by Company or Contractor shall be without regard to fault or to the negligence of either party even though said loss, damage, liability, claim, demand, expense, cost or cause of action may be caused, occasioned by or contributed to by the negligence, either sole or concurrent of either party.

40. **PAYMENT & INVOICING PROCEDURE:**

- 40.1 Company shall pay to Contractor, during the term of the contract, the amount due calculated according to the rates of payment set and in accordance with other provisions hereof. No other payments shall be due from Company unless specifically provided for in this contract. All payments will be made in accordance with the terms hereinafter described.
- 40.2 All payments due by Company to Contractor shall be made at Contractor's designated bank. All bank charges will be to Contractor's account. Payment will be cleared on monthly basis only.
- 40.3 Payment of any invoices shall not prejudice the right of Company to question the validity of any charges therein, provided Company within one year after the date of payment shall make and deliver to Contractor written notice of objection to any item or items the validity of which Company questions.
- 40.4 Contractor will submit six sets of all invoices to Company for processing of payment. Separate invoices for the charges payable under the contract shall be submitted by Contractor for foreign currency and Indian Rupee.
- 40.5 Payment of invoices if undisputed shall be made.
- 40.6 The Company shall within 30 days of receipt of the invoice notify Contractor of any item under dispute, specifying the reasons thereof, in which event, payment of the disputed

amount may be withheld until settlement of the dispute, but payment shall be made of any undisputed portion.

40.7 The acceptance by Contractor of part payment on any billing not paid on or before the due date shall not be deemed a waiver of Contractor's rights in respect of any other billing, the payment of which may then or thereafter be due.

40.8 Contractor shall maintain complete and correct records of all information on which Contractor's invoices are based up to 2(two) years from the date of last invoice. Such records shall be required for making appropriate adjustments or payments by either party in case of subsequent audit query / objection. Any audit conducted by Company of Contractor's records, as provided herein, shall be limited to Company's verification (i) of the accuracy of all charges made by Contractor to Company and (ii) that Contractor is otherwise in compliance with the terms and conditions of this Agreement.

41. **WITH-HOLDING:**

41.1 Company may withhold or nullify the whole or any part of the amount due to Contractor, after informing the Contractor of the reasons in writing, on account of subsequently discovered evidence in order to protect Company from loss on account of :

- a) For non-completion of jobs assigned as per **PART-III**.
- b) Contractor's indebtedness arising out of execution of this Contract.
- c) Defective work not remedied by Contractor.
- d) Claims by sub-Contractor of Contractor or others filed or on the basis of reasonable evidence indicating probable filing of such claims against Contractor.
- e) Failure of Contractor to pay or provide for the payment of salaries/wages, contributions, unemployment compensation, taxes or enforced savings withheld from wages etc.
- f) Failure of Contractor to pay the cost of removal of unnecessary debris, materials, tools, or machinery.
- g) Damage to another Contractor of Company.
- h) All claims against Contractor for damages and injuries, and/or for non-payment of bills etc.
- i) Any failure by Contractor to fully reimburse Company under any of the indemnification provisions of this Contract. If, during the progress of the work Contractor shall allow any indebtedness to accrue for which Company, under any circumstances in the opinion of Company may be primarily or contingently liable or ultimately responsible and Contractor shall, within five days after demand is made by Company, fail to pay and discharge such indebtedness, then Company may during the period for which such indebtedness shall remain unpaid, with-hold from the amounts due to Contractor, a sum equal to the amount of such unpaid indebtedness.

With-holding will also be affected on account of the following:-

- i) Order issued by a Court of Law in India.
- ii) Income-tax deductible at source according to law prevalent from time to time in the country.
- iii) Any obligation of Contractor which by any law prevalent from time to time to be discharged by Company in the event of Contractor's failure to adhere to such laws. When all the above grounds for with-holding payments shall be removed, payment shall thereafter be made for amounts so with-hold. Notwithstanding the foregoing, the right of Company to withhold shall be limited to damages, claims and failure on the part of Contractor which is directly/ indirectly related to some negligent act or omission on the part of Contractor.

42. **SUBSEQUENTLY ENACTED LAWS:**

Subsequent to the date of submission of contractor's bid, if there is a change in or enactment of any law or interpretation of existing law, which results in additional cost/reduction in cost to Contractor on account of the operation under the Contract, the company/Contractor shall reimburse/pay Contractor /company for such additional/reduced costs actually incurred.

43. **ROYALTY AND PATENTS:**

Each party shall hold harmless and indemnify the other from and against all claim and proceedings for or on account of any patent rights, design, trade mark or other protected rights arising from any use of materials, equipment, processes, inventions and methods which have not been imposed on the attending party by the terms of the contract or the specifications or drawings forming part thereof.

44. **WAIVER:**

Any delay in exercising and any omission to exercise any right, power or remedy exercisable by the Company under this contract shall not impair such right, power or remedy nor shall any waiver by the Company of any breach by the Contractor of any provision of this contract prevent the subsequent enforcement of that provision by the Company or be deemed a waiver by the Company of any subsequent breach by the Contractor.

**45.0 GOODS AND SERVICES TAX**

**45.1 GENERAL REMARKS ON TAXES & DUTIES:**

In view of **GST** Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST/VAT, Service tax, Entry Tax and other indirect taxes and duties have been submerged in **GST**.

Accordingly reference of Excise Duty, Service Tax, VAT, Sales Tax, Entry Tax or any other form of indirect tax except of **GST** mentioned in the bidding document shall be ignored.

**45.2** Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever **GST** (CGST & SGST/UTGST or IGST) is applicable.

**45.3** “**GST**” shall mean Goods and Services Tax charged on the supply of material(s) and services. The term “**GST**” shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as “**IGST**”) or Central Goods and Services Tax (hereinafter referred to as “**CGST**”) or State Goods and Services Tax (hereinafter referred to as “**SGST**”) or Union Territory Goods and Services Tax (hereinafter referred to as “**UTGST**”) depending upon the import / interstate or intrastate supplies, as the case may be. It shall also mean GST compensation Cess, if applicable.

**45.4** Quoted price/rate(s) should be inclusive of all taxes and duties, except **GST(i.e. IGST or CGST and SGST/UTGST applicable in case of interstate supply or intra state supply respectively and cess on GST if applicable) on the final service**. However, GST rate (including cess) to be provided in the respective places in the Price Bid. Please note that the responsibility of payment of GST (CGST & SGST or IGST or UTGST) lies with the Supplier of Goods /Services (Service Provider) only. Supplier of Goods / Services (Service Provider) providing taxable service shall issue an Invoice/Bill, as the case may be as per rules/ regulation of **GST**. Further, returns and details required to be filled under GST laws & rules should be timely filed by Supplier of Goods / Services (Service Provider) with requisite details.

**45.4.1** Bidder should also mention the **Harmonised System of Nomenclature (HSN)** and **Service Accounting Codes (SAC)** at the designated place in **SOR**.

**45.5 Where the OIL is entitled to avail the input tax credit of GST:**

**45.5.1** OIL will reimburse the **GST** to the Supplier of Goods / Services (Service Provider) at actuals against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of **GST** paid. In case of any variation in the executed quantities, the amount on which the **GST** is applicable shall be modified in same proportion. Returns and details required to be filled under GST laws & rules should be timely filed by supplier with requisite details.

**45.5.2** The input tax credit of **GST** quoted shall be considered for evaluation of bids, as per evaluation criteria of tender document.

**45.6 Where the OIL is not entitled to avail/take the full input tax credit of GST:**

**45.6.1** OIL will reimburse **GST** to the Supplier of Goods / Services (Service Provider) at actuals against submission of Invoices as per format specified in rules/ regulation of **GST** subject to the ceiling amount of **GST** as quoted by the bidder. In case of any variation in the executed quantities (If directed and/or certified by the In-Charge) the ceiling amount on which **GST** is applicable will be modified on pro-rata basis.

**45.6.2** The bids will be evaluated based on total price including **GST**.

**45.7** Payments to Service Provider for claiming **GST** amount will be made provided the above formalities are fulfilled. Further, OIL may seek copies of challan and certificate from Chartered Accountant for deposit of **GST** collected from OIL.

**45.8 Contractor/vendor shall be required to issue tax invoice in accordance with GST Act and/or Rules so that input credit can be availed by OIL.** In the event that the contractor / vendor fails to provide the invoice in the form and manner prescribed under the **GST Act read with GST**



**Invoicing Rules** thereunder, OIL shall not be liable to make any payment on account of **GST** against such invoice.

**45.9 GST** shall be paid against receipt of tax invoice and proof of payment of **GST** to government. In case of non-receipt of tax invoice or non-payment of **GST** by the contractor/vendor, OIL shall withhold the payment of **GST**.

**45.10 GST payable under reverse charge mechanism for specified services or goods under GST act or rules, if any, shall not be paid to the contractor/vendor but will be directly deposited to the government by OIL.**

**45.11** Where OIL has the obligation to discharge **GST** liability under reverse charge mechanism and OIL has paid or is /liable to pay **GST** to the Government on which interest or penalties becomes payable as per GST laws for any reason which is not attributable to OIL or ITC with respect to such payments is not available to OIL for any reason which is not attributable to OIL, then OIL shall be entitled to deduct/ setoff / recover such amounts against any amounts paid or payable by OIL to Contractor / Supplier.

**45.12** Notwithstanding anything contained anywhere in the Agreement, in the event that the input tax credit of the **GST** charged by the Contractor / Vendor is denied by the tax authorities to OIL for reasons attributable to Contractor / Vendor, OIL shall be entitled to recover such amount from the Contractor / Vendor by way of adjustment from the next invoice. In addition to the amount of **GST**, OIL shall also be entitled to recover interest at the rate prescribed under GST Act and penalty, in case any penalty is imposed by the tax authorities on OIL.

**45.13** TDS under GST, if applicable, shall be deducted from contractor's/vendor's bill at applicable rate and a certificate as per rules for tax so deducted shall be provided to the contractor/vendor.

**45.14** The Contractor will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the Contractor shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/ duties by the contractor shall be to contractor's account.

**45.15 It is the responsibility of the bidder to quote the correct GST rate. The classification of goods/services as per GST (Goods & Service Tax) Act should be correctly done by the contractor to ensure that input tax credit on GST (Goods & Service Tax) is not lost to the OIL on account of any error on the part of the contractor.**

**45.16** In case, the quoted information related to various taxes, duties & levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/ tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference and in case the rate of duty/ taxes finally assessed is on the lower side.

**45.17** Notwithstanding anything mentioned elsewhere in the Bidding Document the aggregate liability of OIL towards Payment of GST shall be limited to the volume of GST declared by the bidder in its bid & nothing shall be payable extra except for the statutory variation in GST.

**45.18** Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd

**45.19** GST liability, if any on account of supply of free samples against any tender shall be to bidder's account.

**45.20** In case of statutory variation in **GST**, other than due to change in turnover, payable on the contract value during contract period, the Supplier of Goods / Services (Service Provider) shall submit a copy of the 'Government Notification' to substantiate the rate as applicable on the Bid due date and on the date of revision.

Beyond the contract period, in case OIL is not entitled for input tax credit of **GST**, then any increase in the rate of **GST** beyond the contractual delivery period shall be to Service provider's account whereas any decrease in the rate **GST** shall be passed on to the OIL.

Beyond the contract period, in case OIL is entitled for input tax credit of **GST**, then statutory variation in applicable **GST** on supply and on incidental services, shall be to OIL's account.

Claim for payment of **GST**/ Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) **GST**, otherwise claim in respect of above shall not be entertained for payment of arrears. **The base date for the purpose of applying statutory variation shall be the Bid Opening Date.**

**45.21** The contractor will be liable to ensure to have registered with the respective tax authorities, wherever applicable and to submit self-attested copy of such registration certificate(s) and the Contractor will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/ E-way Bill, if applicable etc.

**45.22** In case the bidder is covered under Composition Scheme under GST laws, then bidder should quote the price inclusive of the GST (CGST & SGST/UTGST or IGST). Further, such bidder should mention "Cover under composition system" in column for GST (CGST & SGST/UTGST or IGST) of price schedule.

**45.23** OIL will prefer to deal with registered supplier of goods/ services under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid. Where OIL is entitled for input credit of GST, the same will be considered for evaluation of bid as per evaluation methodology of tender document.

**45.24** Procurement of Specific Goods: Earlier, there is no tax incidence in case of import of specified goods (i.e. the goods covered under List-34 of Customs Notification no. 12/2012-Cus dated. 17.03.2012 as amended). Customs duty is not payable as per the policy. However, under GST regime, IGST Plus GST compensation cess (if applicable) would be levyable on such imports. Bidders should quote GST as inclusive considering IGST component for the imported Materials portion while quoting their prices on destination basis. However, GST rate to be specified in the price bid format.

#### **45.25 Documentation requirement for GST**

**The vendor will be under the obligation for invoicing correct tax rate of tax/duties as prescribed under the GST law to OIL, and pass on the benefits, if any, after availing input tax credit.**

Any invoice issued shall contain the following particulars :

- a) Name, address and GSTIN of the supplier;
- b) Serial number of the invoice;
- c) Date of issue;
- d) Name, address and GSTIN or UIN, if registered of the recipient;

- e) Name and address of the recipient and the address of the delivery, along with the State and its code,
- f) HSN code of goods or Accounting Code of services[SAC];
- g) Description of goods or services;
- h) Quantity in case of goods and unit or Unique Quantity Code thereof;
- i) Total value of supply of goods or services or both;
- j) Taxable value of supply of goods or services or both taking into discount or abatement if any;
- k) Rate of tax (IGST,CGST, SGST/ UTGST, cess);
- l) Amount of tax charged in respect of taxable goods or services (IGST,CGST, SGST/UTGST, cess);
- m) Place of supply along with the name of State, in case of supply in the course of interstate trade or commerce;
- n) Address of the delivery where the same is different from the place of supply and
- o) Signature or digital signature of the supplier or his authorised representative.

GST invoice shall be prepared in triplicate, in case of supply of goods, in the following manner

- a) The original copy being marked as ORIGINAL FOR RECIPIENT;
- b) The duplicate copy being marked as DUPLICATE FOR TRANSPORTER and
- c) The triplicate copy being marked as TRIPLICATE FOR SUPPLIER.

In case of any advance given against any supplies contract, the supplier of the goods shall issue Receipt Voucher containing the details of details of advance taken along with particulars as mentioned in clause no. (a), (b), (c), (d), (g), (k), (l), (m) & (o) above.

#### **45.26 Anti-profiteering clause**

As per Clause 171 of GST Act it is mandatory to pass on the benefit due to reduction in rate of tax or from input tax credit to the consumer by way of commensurate reduction in prices. The Supplier of Goods / Services may note the above and quote their prices accordingly.

**45.26.1 In case the GST rating of vendor on the GST portal / Govt. official website is negative / black listed, then the bids may be rejected by OIL.** Further, in case rating of bidder is negative / black listed after award of work for supply of goods / services, then OIL shall not be obligated or liable to pay or reimburse GST to such vendor and shall also be entitled to deduct / recover such GST along with all penalties / interest, if any, incurred by OIL.

IN WITNESS whereof the parties hereunto set their hands seals the day and year first written above:-

SIGNED AND DELIVERED FOR AND ON  
BEHALF OF CONTRACTOR

(Signature of Contractor or his legal Attorney)

\_\_\_\_\_ by  
the hand of \_\_\_\_\_ its  
Partner/Legal Attorney

SIGNED & DELIVERED FOR & ON  
BEHALF OF OIL INDIA LIMITED

And in presence of

Date: \_\_\_\_\_

\_\_\_\_\_  
Date: \_\_\_\_\_

\_\_\_\_\_  
(Full Name of Signatory)

\_\_\_\_\_  
(Seal of Contractor's Firm)

\_\_\_\_\_  
(Signature of (Witness)

(Full name of Signatory)

Address:

\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
(Signature of Acceptor)

Designation: \_\_\_\_\_

\*\*\*\*\*

**E-TENDER: CGI7741L22****PART II - SOQ  
PROFORMA-A****OIL INDIA LIMITED  
(A Govt. of India Enterprise)**

*Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.*

**TENDER NO. CGI7741L22****SCHEDULE OF QUANTITIES (SOQ), SERVICE/WORK AND RATES**

SL. NO.	DESCRIPTION OF WORK	QTY (A)	UNIT	OIL'S RATE PER UNIT (B)	OIL'S TOTAL AMOUNT C=(AXB)	SERVICE ACCOUNTING CODE (SAC)	SPECIFY % OF GST ON (C)
10	<b><u>SECTION-I, CIVIL GROUP-A</u></b> Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m.All kinds of soil	2,250.000	M2	16.17	36,382.50		
20	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and neatly dressed. All kinds of soil	190.000	M3	135.59	25,762.10		
30	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	190.000	M3	147.22	27,971.80		

**E-TENDER: CGI7741L22**

40	Collecting / excavating sand, soil, silt, ordinary earth from any source, load into lorries, transport it to distant place of work including procuring earth and laying in layer of 150mm thickness and compacting, profile properly made for taking measurement, including all measurable lead upto 30m and lift as required. (The contractor shall be responsible for all formalities of supply of earth such as purchase of land including royalties, monopoly / other statutory taxes as required from any distance.)	1,027.000	M3	414.48	425,670.96		
50	Providing & laying flat brick soling in foundation and under floor with best quality full size jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete.	390.000	M2	468.74	182,808.60		
60	Providing & Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 ( 1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	49.000	M3	4,276.95	209,570.55		
70	Providing and Laying cement Concrte in retaining walls, return walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping bed blocks, anchor blocks, plain window sills, fillets etc upto floor five level, excluding the cost of centring, shuttering and finishing: 1:3:6 (1 cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	20.000	M3	5,527.14	110,542.80		

**E-TENDER: CGI7741L22**

80	Providing & Laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	34.000	M3	4,379.70	148,909.80		
90	Providing & Laying Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. upto floor five level excluding cost of centring, shuttering, finishing and reinforcement: 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	17.500	M3	5,483.31	95,957.93		
100	Providing & Laying Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size).	93.000	M3	5,832.24	542,398.32		
110	Supplying, fitting and fixing in position using TMT reinforcement bars conforming to relevant IS Code for RCC work including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete as directed.	20,010.000	KG	72.59	1,452,525.90		
120	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and	180.000	M2	365.81	65,845.80		

**E-TENDER: CGI7741L22**

	centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete work in foundation.footings,bases of columns etc.using 25mm tk timber planking.						
130	Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers. with water proof ply 12 mm thick	305.000	M2	443.47	135,258.35		
140	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete work for: Columns, Pillars, Piers, Abutments, Posts and Struts.	260.00	M2	679.16	176,581.60		
150	Providing and laying Centring and shuttering including strutting, propping etc and removal or form tor: Stairs, (excluding landings) except spiral-staircases.	30.000	M2	505.40	15,162.00		
160	Providing & fixing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete in chajja,corbel etc. using 25mm tk. planks.	52.000	M2	564.46	29,351.92		
170	" Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform. with water proof ply 12 mm thick	530.000	M2	686.26	363,717.80		



**E-TENDER: CGI7741L22**

	"						
180	Providing and laying shuttering works in slab edges upto 200 mm wide.	132.000	M	111.01	14,653.32		
190	Providing Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)	32.000	M3	7,172.72	229,527.04		
200	Providing Half brick masonry with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement :4 coarse sand)	653.000	M2	968.31	632,306.43		
210	"Providing and Laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement: 2 coarse sand : 4 graded stone aggregate 12.5mm nominal size) including providing and mixing water proofing material in cement concrete work."	10.000	M2	213.35	2,133.50		
220	Providing and laying 12mm cement plaster of mix:1:4 (1 cement : 4 fine sand)	2,390.000	M2	164.12	392,246.80		
230	Providing and laying 12mm cement plaster finished with a floating coat of neat cement of mix:1:3 (1 cement : 3 fine sand)	210.000	M2	191.18	40,147.80		
240	Construction of surface drain with cement brick work (1 cement : 6 sand) for trapezoidal section drain of top width 525mm x bottom width 225mm x 150mm height, bricks laid flat over 25mm thick bedding (1 cement : 7 sand) 15mm thick neat finish on plaster (1 cement : 3 sand) including necessary excavation to	100.000	M	742.93	74,293.00		

**E-TENDER: CGI7741L22**

	required size, dressing, grading ramming and levelling and curing complete.						
250	"Supplying & fixing standard Ist quality ceramic glossy wall tiles of size (200mm x 300mm), thickness not less than 6.50mm of approved brand , quality & shade i.e. Kajaria, somani, Orient or equivalent conforming to IS:15622-2006 over 12 mm thick bed of cement mortar 1:3."	72.000	M2	788.11	56,743.92		
260	Providing & Laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption's less than 0.08% and conforming to IS : 15622 of approved make in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand) including grouting the joints with white cement and matching pigments etc., complete.Size of Tile 60x60cm	340.000	M2	1,156.73	393,288.20		
270	"Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. Polished Granite stone slab jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent."	35.000	M2	2,954.87	103,420.45		
280	" Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed	1.050	M3	62,284.96	65,399.21		

**E-TENDER: CGI7741L22**

	and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). Using Kiln seasoned and chemically treated hollock wood "						
290	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. Using 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws "	28.000	M2	2,392.86	67,000.08		
300	" Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works "	1,050.000	KG	112.50	118,125.00		
310	" Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap	695.000	KG	350.54	243,625.30		

**E-TENDER: CGI7741L22**

	beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) "						
320	"Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm) "	75.000	M2	867.79	65,084.25		
330	" Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main ""T"" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross ""T"" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main ""T"" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross ""T"" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the	85.000	M2	1,017.01	86,445.85		

**E-TENDER: CGI7741L22**

	grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main ""T"" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all Tsections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. GI Metal Ceiling Lay in plain Tegular edge Global white color tiles of size 595x595 mm, and 0.5 mm thick with 8 mm drop; made of G I sheet having galvanizing of 100 gms/sqm (both sides inclusive) and electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending.12.5 mm thick fully Perforated Gypsum Board tile made from plasterboard having glass fibre conforming to IS: 2095 part I, of size 595x595 mm, having perforation of 9.7x9.7 mm at 19.4 mm c/c with center borders of 48 mm and the side borders of 30 mm, backed with non woven tissue on the back side, having an NRC (Noise Reduction Coefficient) of 0.79, with 50 mm resin bonded glass wool backing. "						
340	Supplying, fitting and fixing MAC blinds horizontal and vertical complete as specified and directed by the department at all levels.	30.000	M2	2,009.94	60,298.20		
350	Providing and fixing stainless steel ( Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and	190.000	KG	499.57	94,918.30		

**E-TENDER: CGI7741L22**

	making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).						
360	Providing and fixing floor mounted, white vitreous china single piece, double traps syphonic water closet of approved brand/make, shape, size and pattern including integrated white vitreous china cistern of capacity 10 litres with dual flushing system, including all fittings and fixtures with seat cover, cistern fittings, nuts, bolts and gasket etc including making connection with the existing P/S trap, complete in all respect as per directions of Engineer-in-Charge.	4.000	EA	13,419.49	53,677.96		
370	" Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap "	5.000	EA	2,388.46	11,942.30		
380	" Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.	5.000	EA	1,232.80	6,164.00		

**E-TENDER: CGI7741L22**

390	" Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required : 510x1040 mm bowl depth 250 mm "	1.000	EA	4,476.03	4,476.03		
400	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	4.000	EA	6,002.15	24,008.60		
410	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	4.000	EA	1,152.09	4,608.36		
420	" Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms "	4.000	EA	501.23	2,004.92		
430	" Providing and fixing toilet paper holder : C.P. brass "	4.000	EA	525.87	2,103.48		
440	Supplying,fitting & fixing CP Concealed stop cock 15mm dia. as directed and specified.	15.000	EA	526.32	7,894.80		

**E-TENDER: CGI7741L22**

450	" Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore "	5.000	EA	363.71	1,818.55		
460	Providing & laying PVC sanitation soil pipe 110mm dia.	20.000	M	476.44	9,528.80		
470	Providing & fixing PVC plain bend CPVC Pipe 15mm.	8.000	EA	193.41	1,547.28		
480	" Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 15 mm nominal outer dia Pipes "	35.000	M	399.07	13,967.45		
490	" Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 20 mm nominal outer dia Pipes "	35.000	M	266.46	9,326.10		
500	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	1,555.000	M2	107.75	167,551.25		



**E-TENDER: CGI7741L22**

510	Providing and laying one coat of cement primer of approved brand and manufacture on new wall surface.	1,450.000	M2	61.43	89,073.50		
520	Providing and laying wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: Two or more coats on new work	1,555.000	M2	118.99	185,029.45		
530	Acrylic Smooth Exterior Painting-2 Coat (New Work) Over one coat cement based Primer.	784.000	M2	120.23	94,260.32		
540	Applying priming coat: With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood)	83.000	M2	56.46	4,686.18		
550	Providing and applying Painting with synthetic enamel paint of approved brand and manufacture to give an even shade:Two or more coats on new work	180.000	M2	111.31	20,035.80		
560	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	500.000	L	7.64	3,820.00		
570	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and	9.600	M2	2,555.86	24,536.26		

**E-TENDER: CGI7741L22**

	M.S. top cover of required thickness for rolling shutters.						
580	Providing and fixing ball bearing for rolling shutters.	2.000	EA	364.50	729.00		
590	" Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter "	32.000	M	264.84	8,474.88		
600	" Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. 110 mm bend "	24.000	EA	112.71	2,705.04		
610	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	12.000	EA	739.30	8,871.60		
620	Providing and fixing 150 mm bright finished floor brass door stopper with rubber cushion, necessary brass screws etc. to suit shutter thickness complete	12.000	EA	201.85	2,422.20		
630	Providing & fixing 150 mm nominal size square 100 mm diameter of the inner hinged round grating	6.000	EA	147.23	883.38		
640	Providing and fixing bright finished brass 100 mm mortice latch and lock with 6 levers and a pair of lever	12.000	EA	618.78	7,425.36		

**E-TENDER: CGI7741L22**

	handles of approved quality with necessary screws etc. complete.						
650	"Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete : 250x10 mm "	12.000	EA	324.40	3,892.80		
660	"Providing and fixing bright finished brass handles with screws etc. complete: 125 mm "	34.000	EA	177.68	6,041.12		
670	"CONSTRUCTION OF WATER BOUND MACADAM base course 100mm thick (Wearing course) and Surfacing Course (sealing coat) with loose hand broken metal of size 63mm and graded down to 45mm rolled dry to proper compaction, grade and camber and wet rolling after placing bindage of loamy earth and finally sealing the compacted surface with a 25mm thick layer of sand shingles and as directed as applied over new consolidated surface. (Road roller supplied by contractor). "	800.000	M2	123.29	98,632.00		
680	Supply of Hand broken stone (63mm-45mm)	104.000	M3	2,290.23	238,183.92		
690	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	800.000	M2	746.03	596,824.00		

**E-TENDER: CGI7741L22**

	<b>SECTION-I, CIVIL GROUP-B Boundary Wall</b>						
10	Jungle cutting and clearing including removal of cut materials upto 100m from site and disposing as directed.	340.000	M2	2.03	690.20		
20	Surface dressing of the ground including removing vegetation	350.000	M2	16.17	5,659.50		
30	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and neatly dressed. All kinds of soil	255.000	M3	135.59	34,575.45		
40	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	255.000	M3	147.22	37,541.10		
50	Providing & laying flat brick soling in foundation and under floor with best quality full size jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete.	150.000	M2	468.74	70,311.00		
60	Providing & Laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 ( 1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	18.500	M3	4,276.95	79,123.58		

**E-TENDER: CGI7741L22**

70	Providing & Laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	40.000	M3	4,379.70	175,188.00		
80	Providing & Laying Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. upto floor five level excluding cost of centring, shuttering, finishing and reinforcement: 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	13.500	M3	5,483.31	74,024.69		
90	Centring and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete.	90.000	M2	365.81	32,922.90		
100	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete work for: Columns, Pillars, Piers, Abutments, Posts and Struts.	165.000	M2	679.16	112,061.40		
110	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete work for: intels, beams, plinth beams, girders, bressumers and cantilevers..	40.000	M2	553.90	22,156.00		

**E-TENDER: CGI7741L22**

120	Supplying, fitting and fixing in position using TMT reinforcement bars conforming to relevant IS Code for RCC work including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete as directed.	5,750.000	KG	72.59	417,392.50		
130	"Providing Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)"	24.000	M3	7,172.72	172,145.28		
140	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	90.000	M3	8,165.73	734,915.70		
150	"Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete."	820.000	KG	75.12	61,598.40		
160	Providing and laying 12mm cement plaster of mix:1:4 (1 cement : 4 fine sand)	850.000	M2	164.12	139,502.00		
170	Finishing walls with water proofing cement paint of required shade: New work (Two or more coats applied @ 3.84 kg/10 sqm) including supply of materials.	850.000	M2	77.11	65,543.50		
180	Painting with aluminium paint of approved brand and manufacture to give an even shade.Two or more coats on new work	20.000	M2	109.33	2,186.60		

**E-TENDER: CGI7741L22**

190	" Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length ( total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineerin-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) "	150.000	M	252.44	37,866.00		
200	Services with welding and cutting set , supplied by contractor	3.000	PD8	2,055.47	6,166.41		
	<b>SECTION-II ELECTRICAL</b>						
10	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 3 nos Single core 1.5 sq.mm size FRLS PVC insulated copper cable in recessed using medium grade ISI approved 25mm size PVC conduit & accessories, suitable GI box as required.( Colour codes – Phase –R/Y/B; Neutral –Black & Earth-Green)). Concealed Point wiring includes laying of PVC conduit in the roof/Wall also.	220.000	NO	1,386.00	304,920.00		
20	Wiring for light plug point with 3 nos Single core 1.5 sq.mm size FRLS PVC insulated copper cable in recess using medium grade ISI approved 25mm size PVC conduit & accessories, etc as required.( Colour codes – Phase –R/Y/B; Neutral –Black & Earth-	750.000	M	214.00	160,500.00		

**E-TENDER: CGI7741L22**

	Green)).Concealed wiring includes laying of PVC conduit in the roof/Wall also.						
30	Wiring for circuit/ sub main from MCB DB to desired Switch Board with 3 nos Single core 2.5 sq.mm size FRLS PVC insulated copper cable in recess using medium grade ISI approved 25mm size PVC conduit & accessories, ( Colour codes : Phase –R/Y/B; Neutral –Black & Earth- Green)).Concealed circuit wiring includes laying of PVC conduit in the roof/Wall also.	650.000	M	260.00	169,000.00		
40	Wiring for circuit/ sub main/Power wiring from MCB DB to desired Switch Board/power point with 3 nos Single core 4 sq.mm size FRLS PVC insulated copper cable in recess using medium grade ISI approved 25mm size PVC Conduit & accessories, ( Colour codes : Phase –R/Y/B; Neutral –Black & Earth- Green). Concealed circuit wiring includes laying of PVC conduit in the roof/Wall also.	860.000	M	317.00	272,620.00		
50	Wiring for circuit/ sub main wiring from Main panel to DB, DB to MCB DB with 3 nos Single core 10 sq.mm size FRLS PVC insulated copper cable in recess using medium grade ISI approved 32mm size PVC conduit & accessories, ( Colour codes: Phases - R/Y/B; Neutral –Black & 1 Nos Earth- Green)).Concealed sub main wiring includes laying of PVC conduit in the roof/Wall also.	200.000	M	619.00	123,800.00		
60	Wiring for circuit/ sub main wiring from Main panel to DB, DB to MCB DB with 6 nos Single core 10 sq.mm size FRLS PVC insulated copper cable in recess using medium grade ISI approved 32mm size PVC conduit & accessories, ( Colour codes: Phases - R/Y/B;	100.000	M	1,014.00	101,400.00		



**E-TENDER: CGI7741L22**

	Neutral –Black & 1 Nos Earth- Green)).Concealed sub main wiring includes laying of PVC conduit in the roof/Wall also.						
70	"Supply and Fixing of 3 Module type Switch Board Box shall be made out of steel sheet of min 1.20 mm thickness and complete finished box should be duly pretreated, zinc coated & passivated or made of GI sheet of 1.2mm thickness to accommodate specified number of electrical accessories and suitable for indoor electrical installation with provision for earthing terminal. Modular type Frame Plate with matching Cover Plate suitable for above Switch Board Box suitable to accommodate specified number of electrical accessories. Frame Plate shall be made out of polycarbonate.The configurations for the relevant plate are defined as under: A- Number of Rows: 1. B- Number of openings:3. C- Size of opening.: 1M Internal connection of wire is included in the item."	30.000	NO	258.00	7,740.00		
80	"Supply and Fixing of 8 Module type Switch Board. Box shall be made out of steel sheet of min 1.20 mm thickness and complete finished box should be duly pretreated, zinc coated & passivated or made of GI sheet of 1.2mm thickness to accommodate specified number of electrical accessories and suitable for indoor electrical installation with provision for earthing terminal.Frame Plate with matching Cover Plate suitable for above Switch Board Box suitable to accommodate specified number of electrical accessories. Frame Plate shall be made out of polycarbonate.	32.000	NO	402.00	12,864.00		

**E-TENDER: CGI7741L22**

	The configurations for the relevant plate are defined as under: A- Number of Rows: 1 B- Number of openings:8 C- Size of opening.1M "						
90	"Supply and Fixing of 8 Module type Switch Board. Box shall be made out of steel sheet of min 1.20 mm thickness and complete finished box should be duly pretreated, zinc coated & passivated or made of GI sheet of 1.2mm thickness to accommodate specified number of electrical accessories and suitable for indoor electrical installation with provision for earthing terminal.Frame Plate with matching Cover Plate suitable for above Switch Board Box suitable to accommodate specified number of electrical accessories. Frame Plate shall be made out of polycarbonate. The configurations for the relevant plate are defined as under: A- Number of Rows: 2 B- Number of openings:12 C- Size of opening.1M "	9.000	NO	510.00	4,590.00		
100	Supplying and fixing of 2 module 5pin 6A Socket outlet in Modular Board with connections etc.as required. Modular socket outlet, flush type mounting, non-shuttered type for 250V,50Hz. supply and conforming to IS:1293/ 2005 with amendments No.1,2&3.The dimensions shall be as per annexure `A of IS: 1293/2005 with amendments No.1,2&3 Note:-	33.000	NO	150.00	4,950.00		

**E-TENDER: CGI7741L22**

	Dimensions and withdrawal force values for 2-pin sockets and 5-pin sockets shall be as per IS:1293.						
110	"Supplying and fixing 3 module GI box with modular plate and cover in front on recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. Modular type switch shall be ISI marked switch modular, unenclosed, push / piano type suitable for flush mounting with screw type terminals suitable for 250V, 50Hz. supply and conforming to IS: 3854/1997 Reaffirmed 2007. Modular socket outlet, flush type mounting, non-shuttered type for 250V,50Hz. supply and conforming to IS:1293/ 2005 with amendments No.1,2&3.The dimensions shall be as per annexure `A of IS: 1293/2005 with amendments No.1,2&3 Note:-Dimensions and withdrawal force values for 2-pin sockets and 5-pin sockets shall be as per IS:1293."	90.000	NO	388.00	34,920.00		
120	"Supplying and fixing 3 module GI box with modular plate and cover in front on recess, including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required.Modular type switch shall be ISI marked switch modular, unenclosed, push / piano type suitable for flush mounting with screw type terminals suitable for 250V, 50Hz. supply and conforming to IS: 3854/1997 Reaffirmed 2007. Modular socket outlet, flush type mounting, non-shuttered type for 250V,50Hz. supply and conforming to IS:1293/ 2005 with amendments No.1,2&3.The dimensions shall be as per annexure `A of IS: 1293/2005 with amendments	50.000	NO	492.00	24,600.00		

**E-TENDER: CGI7741L22**

	No.1,2&3 Note:-Dimensions and withdrawal force values for 2-pin sockets and 5-pin sockets shall be as per IS:1293."						
130	Supplying and installation of recess type 20A metallic plug/socket DB complete with 20A Plug and Socket and 20 A DP RCBO,30mA sensitivity for AC.	20.000	NO	5,804.00	116,080.00		
140	Supply and fixing of 6 A Modular switch in the existing modular boxes.Modular type switch shall be ISI marked switch modular, unenclosed, push / piano type suitable for flush mounting with screw type terminals suitable for 250V, 50Hz. supply and conforming to IS: 3854/1997 Reaffirmed 2007	250.000	NO	72.00	18,000.00		
150	Supply and fixing of Blank Plate	200.000	NO	22.00	4,400.00		
160	Supply and fixing of ceiling rose	81.000	NO	66.00	5,346.00		
170	"Supply and fixing 1 Module step Fan Regulator 100W.Electronic Fan regulator step type (Capacitor Type) with minimum 4 steps(5 position) flush mounting type to IS:11037/1984(Reaffirm 2005) suitable for electric ceiling fan of voltage 230V, AC,50 Hz having wattage up to 100 Watts Max. The capacitor used shall be of standard make. "	39.000	NO	347.00	13,533.00		
180	Supply, Installation, testing and commissioning of 1400 mm sweep ceiling fan without modular step regulator, including wiring the down rods of standard length (upto 30 cm).Fan shall have double bearing with minimum air delivery shall be 230 CMM. Minimum Power input shall be 60 W .	39.000	NO	2,827.00	110,253.00		

**E-TENDER: CGI7741L22**

190	Supply, Installation, testing and commissioning of Exhaust Fan, 300 mm sweep, 900±10% PM heavy duty metallic exhaust fan in the existing pening, including making the hole to suit the size of the above fan, making good the damage, connection, testing, commissioning etc. as required. Minimum power input shall be 50 W. Pre-lubricated double ball bearing for maintenance free running and conforming to IS 2312-1967 with latest amendment.	15.000	NO	4,583.00	68,745.00		
200	Supply, Installation, testing and commissioning of high performance suspension mounting, LM-79 certified 1x4 LED panel luminaire & LM-80 certified LED chip with aluminium extruded channel & white powder coating. Fitting shall be with high translucent diffuser & white optics reflector for glare free light distribution with 40 +/-10% w system wattage, system efficacy >85 lm/W, with output more than 3400 Lumen. THD shall be <10% and PF shall be >0.9. Colour temperature shall be in between 5500 to 6500 K. The driver shall be external type. Luminaire life time shall not be less than 40,000 Hrs. The fitting shall be complete with all accessories etc., including supplying and fixing ball and socket arrangement, 2 nos. downrods of 20 mm dia X 1.6 mm thick steel conduit upto 75 cm length, painting and wiring the down rods and connection with 1.5 sq. mm FR PVC insulated, copper conductor, three core cable and earthing etc. as required.	15.000	NO	4,984.00	74,760.00		
210	Supply, Installation, testing and commissioning of surface mounting powder coated, Aluminum extrusion housing, IP20 acrylic diffuser fitted 4 ft (1200 mm) LED Batten LM-79 certified luminaire & LM-80	20.000	NO	1,181.00	23,620.00		

**E-TENDER: CGI7741L22**

	certified LED chip (SMD) complete with all mounting accessories. The product should have an even light distribution with max.20 +/-10% w system wattage, system efficacy >90 lm/W system lumen greater than 1800 Lumen. and CCT 6500k, CRI >80. THD shall be <10% and PF >0.9. Life time shall not be less than 40,000 hours.The product should have an electronic constant current driver with open & short circuit protection, reverse polarity protection and surge protection.						
220	Supply,Installation, testing and commissioning of surface mounting Powder coated, Aluminum extrusion housing, IP20 Diffused Acrylic glass fitted 2ft LED Batten LM-79 certified luminaire & LM-80 certified LED complete with all mounting accessories. The product should have an even light distribution with system lumen greater than 1300 Lumen with max.10 +/-10% w system wattage. and CCT 6500k, CRI >80 and system efficacy >90 lm/W. Lifetime should be at least 40000 hours.The product should have an Electronic constant current driver with Open & Short circuit protection, reverse polarity protection and surge protection, PF >0.9, THD <10%.	20.000	NO	1,018.00	20,360.00		
230	Supply,Installation, testing and commissioning of recessed type 35 to 38 W LED CRCA powder coated luminaire complete with all mounting accessorioies for fixing in the POP type ceiling including supplying, fixing arrangment and connection with 3x1.5 sq. mm FR PVC insulated,copper conductor, single core cable and earthing etc. as required.Minimum output Lumen shall be 3200 and colour temperature shall be 5500K to 6500K.Driver shall be external. Efficacy shall be	15.000	NO	4,725.00	70,875.00		

**E-TENDER: CGI7741L22**

	more than 90%. Power factor>0.9, THD < 10% , IEC Compliant for safety.						
240	Supply,Installation, testing and commissioning of recessed accent lighting luminaire (downlight) with matt finish reflector complete with green perform LED lamps with all accessories including fixing arrangement in the ceiling, wiring and connection with 1.5 mmsq FRLS single core copper conductor.Minimum lumen out shall be 1200 Lumen,CRI>80%,driver shall be constant current non integrated, Optics High Efficiency diffuser with more than 85% transmittance.	130.000	NO	1,124.00	146,120.00		
250	Supply,Installation,Testing & commissioning of 16 WAY SPN MCB DB with double door , single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface , complete with 100 A tinned 12 way copper busbar, 12 way neutral busbar, 12 way earth bar, din bar, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required.DB shall have following as incomer :63 A RCBO, sensitivity 100mA -1 nos.Outgoings are 10 A MCB ,C curve-6 nos,20 A MCB,C curve- 6 nos.Make of RCBO, MCBs and box shall be of same make. All accessories like Lugs/Thimble etc .required for installation shall be supplied by Contractor.	6.000	NO	11,150.00	66,900.00		
260	Supply,Installation,Testing & commissioning 3 phase 8 way 63A MCB DB: 3 phase 8 way TPN prewired MCB DB with double door of following specification: DB shall be as per IS 8623, Suitable for Flush mounting and surface mounting application with 100 A copper busbar for each phase, with neutral bar, earth bar and cable ties for cable management, fully	2.000	NO	19,274.00	38,548.00		

**E-TENDER: CGI7741L22**

	<p>insulated busbar and neutral bar. DB shall have proper arrangement for door earthing and corner shields for better protection, Pan assembly for ease of installation, masking sheet, reversible doors, with provision for four pole RCBO as incomer and SP MCB as outgoing, supplied with wire set and MCBs. Wires shall be FRLS copper single core cables of sufficient capacity. DB shall have protection against mechanical impact, minimum protection index shall be IK 09 with acrylic door of IEC-62262 and Ingress protection of IP43. Limiting dimensions of DB shall be: front side length with door: 700 mm, breadth: 500 mm and depth 70 mm. Knockouts on the top shall be of following dimensions: 1 no., 32 mm dia; 8 nos., 25 mm dia. Knockouts on bottom shall be of following dimensions: 1 no., 32 mm dia; 8 nos., 25 mm dia. Knockouts on both sides shall be of following dimensions: 1 no. 32 mm dia and 2 nos., 25 mm dia. Part 1:DB shall have 63 A,10kA 100 mA RCBO as incomer as per IS: 12460 with latest ammendments, Part 2. Outgoing distribution in each phase shall consist of 8 nos. of MCB (4 nos. of 10 A and 4 nos. of 20 A MCB), all C curve, 10 KA capacity; total no. of MCBs in DB- 24 nos. All MCBs shall be as per IS/IEC 60947-2. All accessories like Lugs/Thimble etc .required for installation shall be supplied by Contractor.</p>						
270	Supplying and fixing metal box of 200 mm X 250 mm X 100 mm on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc as required.	120.000	NO	335.00	40,200.00		



**E-TENDER: CGI7741L22**

280	Supplying and fixing metal box of 150 mm X 150 mm X 60 mm on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc as required.	100.000	NO	237.00	23,700.00		
290	Supplying and fixing of Mild steel hexagonal/Round fan box with 12mm Rod ,18G in the fan position.	40.000	NO	219.00	8,760.00		
300	Supply and fixing of Earthing with G.I. earth pipe 3 metre long, 50 mm dia ( Conforming to BIS:1239) including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.	6.000	NO	4,651.00	27,906.00		
310	Supplying and laying 25 mm X 3 mm G.I strip at over ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required.(Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm)	100.000	M	106.00	10,600.00		
320	"Supply and fixing of 3.5x70 mmsq PVCA 1100v grade, Heavy duty, PVC insulated, PVC sheathed, galvanised steel wire armoured cable with stranded, Aluminium conductor. Cable should be fixed with proper size of saddles at suitable interval. All core insulations shall be colour coded with red, yellow ,blue and black colours. All insulated cores laid up together, covered with inner sheath of extruded black PVC compound, galvanised steel wire armour and black PVC outer sheath. Sufficient filler shall be used to give overall circular shape to the cable. The cable shall be approved by IS: 1554 with latest amendments.	100.000	M	436.00	43,600.00		

**E-TENDER: CGI7741L22**

	PVC insulation should be as per IS-5831. Armour should be as per IS-3975. Conductor should be as per IS-8130. Manufacturer's name, cable size, voltage grade, ISI mark should be marked on the cable outer sheath in permanent manner at regular interval. Sequential marking should be provided on the cable outer sheath at every one meter length for measurement during use."						
330	"Making of cable trench in the soil as per following details. The trench will be made in soil along the route decided in consultation with OIL. The trench will be 750mm deep, 400mm wide. The trench bottom will be filled with 75mm thick layer of clean sand and levelled to give flat bedding for cable. The cable shall be laid on this sand bed. After laying the cable in the trench the trench will be filled with another layer of clean sand of thickness 75mm. This sand layer will be leveled and complete trench length covered with A- Class bricks. The bricks will be placed perpendicular to the cable route closely without any gap. The trench will then filled with soil and the soil surface shall be dressed properly."	300.000	M	268.00	80,400.00		
340	Technical Specification of outdoor type feeder Pillar:  1. Enclosure Material: CRCA sheet(minimum 2 mm thickness)  2. Degree Of Protection: IP55  3. Bus bar rating: 200A copper	1.000	NO	120,000.00	120,000.00		

	<p>4. Bus bar short time current capacity: 25kA Peak(minimum)</p> <p>5. Mounting Type: Outdoor / Floor mounting</p> <p>6. Cable entry: Bottom</p> <p>7. System voltage: 415V, 50HZ, 4 Wire</p> <p>Equipment details of the Feeder Pillar Panel:</p> <p>1. MCCB 160A FP 36kA Micro processor release with overload &amp; Short circuit protection:1 No(incomer)</p> <p>2. Rotary Handle: for incomer</p> <p>3. Outgoing:</p> <p>a) MCCB 100A FP 25kA Micro processor release with overload and Short circuit protection: 2 no</p> <p>b) MCB 63A FP: 4 Nos</p>						
--	--	--	--	--	--	--	--

	<p>c) MCB 32A DP: 2 Nos.</p> <p>4. Danger Plate: On both Front &amp; back side of the Panel (In English, Assamese &amp; Hindi)</p> <p>5. Marking Label: For all incomer, outgoing.</p> <p>6. Wiring Accessories, Earth strip, Sleeves, Ferrules, Dinrail,&amp; other accessories as per requirement</p> <p>7. Copper Earth bus should be provided inside the Panel.</p> <p>8. “415V Feeder Pillar Panel” should be written on top of the Panel.</p> <p>9. Busbar &amp; Accessories: 200A Copper Busbar for main Bus &amp; Earthing Bus</p> <p>10. LED based indication lamp for all phases in incomer.</p> <p>11. 3 phase Digital ammeter with selector switch</p> <p>12. 3 phase Digital Voltmeter with selector switch</p> <p>Recommended/Given cable size</p> <p>1. Incoming-1 2RX4CX120Sq.mm AL Cable 2. Outgoing 1 RX4CX70Sq.mm AL Cable(for 100A outgoing) 3. Outgoing 1 RX2CX50Sq.mm AL Cable(for 63A outgoing)</p>						
--	--	--	--	--	--	--	--

	<p>4. Outgoing 1 RX2CX35Sq.mm AL Cable(for 40A outgoing)</p> <p>INSTALLATION AND COMMISIONING OF PANEL</p> <p>Installation, Testing &amp; Commissioning of Feeder Pillar Panel</p> <p>1) Shall be carried out under direct supervision of competent person from Vendor.</p> <p>2) Tools and tackle shall be provided by supplier for erection, testing and commissioning.</p> <p>3) IR value of the panel shall be checked before energizing. Earth resistance value shall also be checked before energizing of Panel.</p> <p>4) Earthing: Earthing of the Feeder Pillar Panel including installation of 2(two) numbers of chemical earth electrodes and interconnection with 50mm×6mm GI Strip shall be in the scope of supplier and construction of brick earth pit chamber with FRP/Chequered plate cover . All the materials required for earthing shall be brought by the supplier. The individual electrode resistance to earth should be less than 5 ohm and grid resistance less than 1 ohm.</p> <p>5) Civil Work: The area where Feeder Pillar Panel will be installed is to be properly levelled and concrete foundation as per FP manufacturer to be constructed atleast 2 feet above ground level.</p>						
--	--	--	--	--	--	--	--

**E-TENDER: CGI7741L22**

	6) Feeder Pillar unloading at site, shifting to the place where it will be installed and any job required for installation and commissioning are in bidders scope of work.  "						
350	<p>Supply, installation &amp; commissioning of area lighting system including following items</p> <p>1. Supply and erection of 7 meter GI octagonal pole.- 10 nos. 2. Supply and erection of 70W LED street light luminaire in suitable bracket- 10 nos.</p> <p>3. Supply, installation of light control box with digital timer, contactor, DP MCB completed in all respect- 1 no. 4. Supply, installation of Junction box and wiring cable as from JB to luminaire for lighting system.- 10 nos. 5. Civil foundation work for erection of poles as per pole manufacturer foundation drawing.- 10 nos. 6. Supply and laying of 3 core 10sqmm PVCA aluminium cable as required- 200 meter(Apprx).</p> <p>Specification of 70W LED Luminaire:</p> <p>1. LED Street Light Luminaire Power should be 70W+/- 5%</p> <p>2. LED luminaries should have Pressure die- cast Aluminum alloy body should be powder coated with corrosion resistance pure polyester based powder and OEM's logo shall be embossed/engraved on the housing</p> <p>3. Luminaire should be rated with Impact resistance of IK08</p>	1.000	LSM	250,000.00	250,000.00		

**E-TENDER: CGI7741L22**

	4. The light engine and driver compartment should be able to provide ingress protection IP66 against dust, water and moisture. 5. System Efficacy at Luminaire Level shall be minimum 145 lumens/Watt at CCT 5700+/-300K 6. The LED luminaire should comply the standard of IS 10322, IS 16103, IS 16107 and Driver should comply with IS I5885						
		<b><u>OIL'S TOTAL AMOUNT</u></b>				<b>Quoted percentage of the Bidders in words and figure. (In between (+/- 10%))</b>	
	Bidders' to quote <b>+10% to -10%</b> on the <b>total cost</b> . ( For quoting below the quoted rates, either (-) sign or the word "below" to be mentioned before the figure in percentage. ) No percentage to be quoted against any line item.	<b><u>₹ 13,387,402.28</u></b>					

**Please note that :-**

The bidders should ***not quote*** their rates ***against individual items***. The rates shall be quoted within (+/-) 10% on the total internal estimate, as specified in Schedule of Works (Part-II) subject to the limit of overall percentage from -10% to +10% of the internal estimated contract cost. However, the bids with quoted overall percentage below (-10%) and above (+10%) of the internal estimated cost will be rejected outright. The rates shall be in figures and up to two decimal places only. In case of any identical situation, the L-1 bidder will be decided through draw of lots.

The Rates of Company's Internal Estimate are exclusive of P.F. & GST. The Bidders must quote their rates excluding P.F. & GST.

The Wages Component for the Work is : 22.50 %

The Contractor must quote considering the prevailing minimum labour wage rate for each day of work.

Offers not furnished in the above format as per instruction given shall be summarily rejected.

## **E-TENDER: CGI7741L22**

---

### Special Notes:

1. The price/rate(s) quoted by the Bidders will be inclusive of all taxes except **GST** (i.e. IGST or CGST and SGST/UTGST as applicable in case of interstate supply or intra state supply respectively and Cess on GST , if applicable) on the final services. However, GST rate (including cess) to be provided in the respective places in the Price Bid.
  2. OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet. However, in case any unregistered bidder is submitting their bid, their prices will be loaded with applicable GST while evaluation of bid. Where OIL is entitled for input credit of GST, the same will be considered for evaluation of bid as per evaluation methodology of tender document."
  - 3.. Price Bid uploaded without giving any of the details of the taxes (Including rates and amounts) will be considered as inclusive of all taxes including GST.  
When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ Contracts will be binding on the bidder."
  5. Refer GST Clauses(**Clause no. 31 of GCC**).
  6. Bidders are required to quote for all the items as per Price Bid Format; otherwise the offer of the bidder will be straightway rejected.
  7. Bidders are also requested to refer the Taxes and Duties clause during GST regime attached vide ***Annexure-I*** (refer bid document) for compliance
  8. Amount of GST shall not be included by the Contractor in their quoted price. OIL will reimburse the GST to the CONTRACTOR against submission of invoices issued in accordance with GST Rules,
  9. Bidder shall furnish this Form duly filled in all respects along with his price part. However, Bidder is required to furnish this **Form indicating only the Rate of Duty/ Tax (%)** as per Column (d) along with his un-priced part.
  10. The rate of GST indicated in this format shall be considered for statutory variation as per the provisions of bidding document.
  11. **GST quoted above shall be considered for evaluation as per provisions of Bidding Document.**
  12. Contractor shall indicate total GST amount payable under the contract in this format. However, if Services, to be provided by the Contractor, falls under the category defined under reverse charge rule of GST then the liability of deposition of GST to the tax authority by the Contractor, and by the Owner shall be dealt in accordance with Notifications issued on reverse charge rule of GST by Government of India from time to time.
- Notes:*
- (i) *Bidders are requested to quote for all the items mentioned above. Bids will be evaluated considering the entire requirement as above. **The Rates/amounts should be quoted by the Bidders inclusive of all applicable taxes and duties, however, GST payable to be shown separately.***
- (ii) *Bidders are also requested to refer the Taxes and Duties clause during GST regime attached vide **Annexure-A** for compliance.*

**\*\*\*\*\***



**TAXES AND DUTIES CLAUSE - FOR VENDOR/SUPPLIER/CONTRACTOR**  
**(For Supplies/ Services during GST Regime i.e., New Tender)**

**INDIRECT TAXES/ GST**

1. *For the purposes of levy and imposition of GST, the expressions shall have the following meanings:*
  - (a) *GST - means any tax imposed on the supply of goods and/or services under GST Law.*
  - (b) *Cess – means any applicable cess, existing or future on the supply of Goods and Services as per Goods and Services Tax (Compensation to States) Act, 2017.*
  - (c) *GST Law - means IGST Act 2017, CGST Act 2017, UTGST Act, 2017 and SGST Act, 2017 and all related ancillary Rules and Notifications issued in this regard from time to time.*
2. ***The rates quoted by the bidders shall be inclusive of all taxes, duties and levies. However, bidders are required to provide separately the rate and amount of all types of taxes, duties and levies. In case, the quoted information related to various taxes, duties & levies subsequently proves wrong, incorrect or misleading, OIL will have no liability to reimburse the difference in the duty/ tax, if the finally assessed amount is on the higher side and OIL will have to right to recover the difference in case the rate of duty/ taxes finally assessed is on the lower side. Further, for the purpose of this contract, it is agreed between the parties that if Goods and Services Tax introduced during the tenure of this contract/agreement then the bidders have to clearly show the amount of GST separately in the Tax Invoices. Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.***
3. *Offers without giving any of the details of the taxes (Including rates and amounts) as specified above will be considered as inclusive of all taxes including GST. When a bidder mentions taxes as extra without specifying the rates & amount, the offer will be loaded with maximum value towards taxes received against the tender for comparison purposes. If the bidder emerges as lowest bidder after such loading, in the event of order on that bidder, taxes mentioned by OIL on the Purchase Order/ Contracts will be binding on the bidder.*
4. *Bidders are required to pass on the benefit arising out of introduction of GST, including seamless flow of Input Tax Credit, reduction in Tax Rate on inputs as well as final goods by way of reduction of price as contemplated in the provision relating to Anti-Profiteering Measure vide Section 171 of the CGST Act, 2017. Accordingly, for supplies made under GST, the bidders should confirm that benefit of lower costs has been passed on to OIL by way of lower prices/taxes and also provide details of the same as applicable. OIL reserves the right to examine such details about costs of inputs/input services of the bidders to ensure that the intended benefits of GST have been passed on to OIL.*
5. *Oil India Ltd. shall declare the value of free issue of materials and services, if any, involved in the execution of the contract. The Contractor should consider the same while working out the*

~~6. GST liability, if any. Further in cases where GST is leviable on any facilities provided by OIL and used by bidders and the consideration for which is recovered by OIL in the form of reduction in the invoice raised by bidders then OIL will raise GST invoices on such transactions and the same will be reimbursed by bidders.~~

**7. When Input tax credit is available for Set Off as per the end use certification given by User Department at the time of raising Purchase Requisition (P.R.)**

*Evaluation of L-1 prices shall be done based on Quoted price after deduction of Input Tax Credit (ITC) of GST, if available to OIL. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders*

**When Input tax credit is NOT available for Set Off**

*Evaluation of L-1 prices shall be done based on Quoted price only. OIL shall evaluate the offers on the basis of the quoted rates only and any claim subsequently by the bidders for additional payment/liability shall not be admitted and has to be borne by the bidders*

8. *In a situation where Purchase Orders (POs)/ Contracts have been placed prior to GST Regime and supplies are effected during GST Regime, it is made clear that any statutory variation (increase/decrease) due to introduction of GST, as the case may be, but within the contractual delivery/completion period will be to the account of OIL subject to documentary evidence. However, any increase in statutory levy after the expiry of the scheduled date of delivery shall be to the supplier's account.*

9. *Bidders agree to do all things not limited to providing GST compliant Tax Invoices or other documentation as per GST law relating to the supply of goods and/or services covered in the instant contract like raising of and /or acceptance or rejection of credit notes / debit notes as the case may be, payment of taxes, timely filing of valid statutory Returns for the tax period on the Goods and Service Tax Network (GSTN), submission of general information as and when called for by OIL in the customized format shared by OIL in order to enable OIL to update its database etc. that may be necessary to match the invoices on GSTN common portal and enable OIL to claim input tax credit in relation to any GST payable under this Contract or in respect of any supply under this Contract.*

10. *In case Input Tax Credit of GST is denied or demand is recovered from OIL by the Central / State Authorities on account of any non-compliance by bidders, including non-payment of GST charged and recovered, the Vendor/Supplier/Contractor shall indemnify OIL in respect of all claims of tax, penalty and/or interest, loss, damages, costs, expenses and liability that may arise due to such non-compliance. OIL, at its discretion, may also withhold/recover such disputed amount from the pending payments of the bidders.*

10. *GST liability, if any on account of supply of free samples against any tender shall be to bidder's account.*

\*\*\*\*\*

**PART-III****Special Conditions of Contract (SCC)****SPECIFICATION OF WORK/ SPECIAL CONDITIONS:****CIVIL PART:****1.00 GENERAL:**

All materials used in the work shall conform to the latest revision of the relevant Indian Standard Specifications to the extent practicable. Where no such specifications exist they shall be of the best quality available in the market. Wherever ISI certified materials and products are available these alone shall be used. All materials shall be stored at site in accordance with IS-4082-1996.

Unless specially provided for in the contract the tendered rates shall include the cost of carriage, transport, loading, unloading and stacking as directed for all materials required on the work. Where a tender provides a rate for transport of materials, it includes for all loading, unloading and stacking on the site in such position and manner as directed. Any materials found not conforming to specification must be removed from site within 48 hours.

**2.00 SITE CLEARANCE:**

Before the earthwork is started, the area coming under cutting and/refilling shall be cleared of shrubs, vegetation, grass, uprooting of tree stumps and such others, and rubbish removed upto a distance of 50 meters outside the periphery of the area under clearance.

**3.00 STORAGE:**

Materials shall be transported, handled and stored at site carefully to the approval of Engineer so as to prevent any damage of any kind to be kept at his own risk and cost.

Cement shall be stored in a weather proof shed, the floor of which shall be raised 300 mm clear from the ground and 600 mm away from the wall all round in order to protect from rain and moisture. Empty cement bag shall be returned to the Company in good condition.

**4.00 CEMENT CONCRETE/ REINFORCED CEMENT CONCRETE WORK:**

All C.C. work in 1:3:6 proportions shall be done with 18 mm graded down broken stone. Broken stone shall be properly screened before use. All reinforced cement concrete work to be done in prop. 1:1.5:3 unless otherwise specified -- 18mm down to 12mm graded down broken stone as per related drawings and instructions of site Engineer to be followed in case of any discrepancies. Proper vibration to be done as per IS recommendation. Floor paneling to be done in the line of expansion joint as directed by Engineer In-charge.

Fine Aggregate - Fine aggregate shall be hard, durable, clean and free from adherent coating and organic matter. It shall not contain harmful impurities such as pyrites, coal, lignite, mica, shale or similar laminated material, clay, alkali, soft fragments, sea shells and organic impurities in such quality as to affect the strength or durability of the concrete. Fine aggregate to be used for reinforced concrete shall not contain any material liable to attack the steel reinforcement. Fine aggregate which is chemically reactive with alkalis of cement is harmful as cracking of concrete may take place.

**Coarse Aggregate** - Coarse aggregate shall be obtained from natural sources such as stone, gravel, etc crushed or un-crushed or a continuation thereof from approved quarries. This shall consist of coarse material most of which is retained on 4.75mm sieve. Aggregate shall be hard, strong, dense, durable, clean and free from veins and adherent coatings. It shall be free from soft, feeble, thin, elongated or laminated pieces and shall be roughly cubical in shape. It shall be clear and free from dirt and any other deleterious matter.

**Reinforcement bars** - The following types of steel for reinforcement shall be used in reinforced concrete construction and these shall conform to Indian Standards or as revised from time to time mentioned against each

1) Mild steel and medium tensile steel bars and hard drawn steel wire – IS: 432.

2) HYSD bars – IS: 1786.

**Bending & Placing steel reinforcement in position**-Bending shall be carried out as per relevant IS specification and direction of the Engineer-in-charge. All reinforcement bars shall be accurately placed in position with spacing and cover as shown in the drawing or as specified and firmly held so during the placing and vibrating and setting of concrete. Bars shall be thoroughly cleared of rust, seals, grease, oil and any other foreign matter before placing them in position. The overlap jointing shall be staggered. The bars shall be fixed with 22G binding wire. Precast cover blocks 1:2 (1 cement: 2sand) cement mortar 40 mm square and necessary thickness shall be used to keep the reinforcement bars in proper position. For this block, no extra payment to be made. Wire required for binding shall not be measured separately.

**Mixing** - Mixing of reinforced cement concrete shall, as a rule be done in a mechanical mixer. However, the Engineer-in-charge may permit hand mixing in specific cases where in his opinion it is not practicable to resort to mechanical mixing, either on account of the quality of cement concrete required is small or for any other reason. In such cases, it should be ensured that the inferior quality of concrete produced by hand mixing will not adversely affect the structure.

**Consistency** - The quantity of water to be used for each batch containing 50 Kg of cement, to give the required consistency shall not be more than 34 litres for 1:3:6, mix 32 litres for 1:2:4 mix, 30 litres for 1:1.5:3 mix and 27 litres for 1:1:2 mix. In case of vibrated concrete, the above quantity shall be suitably reduced. The quantity of water shall be regulated by carrying out regular Slump Test.

**Placing of concrete** - Before placing the concrete the sub-base/form work shall be cleared of all injurious or foreign matter, watered and well consolidated. Formwork shall be clean and free from all foreign material. It is necessary that the time between mixing and placing of concrete does not exceed the initial setting process. Mixed concrete that has been left standing shall not be used after the initial set has commenced the addition of water (or cement) to make such a mixture more workable shall not be allowed. In foundation trenches or such other situations, the entire concrete used in the work shall be laid gently (not thrown) in layers not exceeding 15cm. The concrete so deposited shall be thoroughly vibrated by means of mechanical vibrators till dense concrete is obtained.

**Curing** - Concrete shall be carefully protected during first stage of hardening from harmful effects or excessive heat, drying winds, rain or running water and shock. After the concrete has begun to harden i.e. about 1 to 2 hours after its laying it shall be protected from quick drying with moist gunny bags or any other material approved by the Engineer-in-charge. After 24 hours of laying of concrete the surface shall be cured by flooding water upto 25mm depth or by covering with wet adsorbent

materials. The curing shall be done for a minimum period of 7 days from the date of pouring of concrete, unless otherwise specified.

Finishing - In case of roof slabs the top surface shall be finished even and smooth with wooden trowel, before the concrete begins to set. The surface of RCC slab on which the cement concrete or mosaic floor is to be laid shall be roughened with brushes while the concrete is green. This shall be done carefully without disturbing the concrete. Before laying the floor, the laitance shall be removed, the surface of slab hacked and a coat of cement slurry at 2.75 Kg of cement per square metre shall be applied, so as to get a good bond between RCC and concrete floor. The exposed surface which is to receive plaster or where it is to be joined with brick masonry wall, shall be properly roughened immediately after the removal of form work, taking care to remove the laitance completely without disturbing the concrete. Before the surface is plastered, it shall be cleaned and wetted so as to give good bond between concrete and plaster.

#### **5.00 FORM WORK:**

The formwork shall be rigid and so corrected as to retain the shape and dimensions of the member being cast. Form work for concrete shall be seasoned timber or other approved materials as per directions of the Engineer. It shall be sufficiently tightened to prevent loss of cement slurry and all holes and joints shall be chaulked with putty. It shall have sufficient strength and rigidity to withstand the load of concrete, and vibrations, movement of men, materials and plants and any other incidental loads without excessive deflection beyond permissible limits. The formwork shall be so constructed as to be removable in sections by inscribing or otherwise loosening – them without hammering or levering with force. Only wedges, clamps bolts or screws etc shall be used in preference to nails or spikes. All side pieces shall be easily removable without disturbing the bottom pieces. Where however, use of nails and spikes become unavoidable, these shall be left projecting so that they can easily be withdrawn.

Surface treatment for shuttering - Forms shall be cleaned of all dust, wood shavings, dirt and other matter by washing with water. This process is facilitated by providing draining holes in the shuttering. The surface shall then be coated with soap solution applied before concreting is done. Soap solution for the purpose shall be prepared by dissolving yellow soap in water to get consistency of paint. Alternatively a coat of raw linseed oil/refined pale paraffin mineral oil or form oil of approved manufacture may be applied. In case steel shuttering is used, soap solution or raw linseed oil shall be applied after thoroughly cleaning the surface. Care shall be taken that such approved composition is kept out of contact with the reinforcement.

In normal circumstances and where ordinary Portland cement is used form may generally be removed after the expiry of the following periods.

- a) Walls, columns and vertical face of all structural members as may be decided by the Site Engineer: 24 to 48 hours.
- b) Slabs side (props left under): 3 days
- c) Beam soffits (props. left under): 14 days
- d) Removal of props under slabs
  - i) Spanning up to 4.5 m: 14 days
  - ii) Spanning over 4.5 m: 21 days
- e) Removal of props under beams:
  - i) Spanning up to 6 m: 21 days
  - ii) Spanning above 6 m: 28 days

In no circumstances shall forms be struck until the concrete reaches a strength of at least twice the stress to which concrete may be subjected at the time of removal of form work. All form works shall be removed without such shock or vibration as would damage the concrete. Form work for long span deep beams to be supported by MS props or Bhaluka Bamboo props as required based on the design for the formwork to take care the massive load of the green concrete.

#### **6.00 BRICKWORK:**

- a) All bricks shall be of 75 class designation quality locally available.
- b) Bricks shall be of size as specified in the item of work or of nominal size
- c) Bricks shall be well burnt, sound, hard with sharp edges of uniform size and shape free from cracks, stones or particles of lime and other defects, shall be kiln burnt and satisfy the following requirement:
  - i) They shall give a clear metallic sound when struck
  - ii) They shall be of uniform colour and size
  - iii) They shall not be cracked, stratified or under or over burnt
  - iv) The tolerance in dimensions shall be +/- 12mm in length, 6mm in width and 3mm in height.
- v) Keys or frogs shall be formed on one of the larger size, except in the case of machine extruded bricks where no frogs are required
- vi) The increase in weight when soaked in water for 24 hours shall not be more than 20% of the dry weight of the bricks.
- d) If required by the Site Engineer, necessary test shall be conducted at the contractor's expense to ensure quality. In general, the bricks shall be the best quality locally available.

#### **7.00 CEMENT MORTAR:**

- i) Must be freshly mixed: Cement mortar will only be mixed in such quantities as can be used up on the work within half an hour of mixing. Mortar which has been mixed longer or which has taken its initial set will on no account be used on the work or remixed with fresh mortar. It must be immediately removed from the site or work.
- ii) Method of mixing: The cement and sand will be mixed dry in the specified proportions, by turning over at least three times on the mixing platform. Only sufficient water will then be added, thorough a rose of a watering can, to produce a workable mixture. The wet mortar will be thoroughly worked or mixed by repeatedly turning over, not less than three times on the mixing board.
- iii) Size of mixing platform and precaution against list : All mixing of mortar must be done on platforms of angle size and workman bringing the material to and from the platform must not be permitted to walk about on it, thereby bringing mud or dirt to the place, where the mortar is being mixed. The platform must be clean and level and all joints closed or filled so that the cement is not washed out.
- iv) Proportion of cement and sand: Where not otherwise specified, cement mortar for plaster will consist of one part of cement to two parts of sand. For mortar for brick or stone masonry work the proportion unless otherwise specified, will be one part of cement to three parts sand

#### **8.00 PLASTER WORK**

- i) Preparation of surface: All putlog holes in brick work and junction between concrete and brick work shall be properly filled in advance. Joints in brick work shall be raked about 10mm and concrete surface hacked to provide grip to the plaster. Projecting burrs of mortar formed due to gaps at joints in shuttering shall be removed. The surface shall be scrubbed clean with wire brush/coil brush to remove dirt, dust etc. and the surface thoroughly washed with clean water to remove efflorescence, grease and oil etc. and shall be kept wet for a minimum of six hours before application of plaster.
- ii) Proportion: The cement plaster shall be in specified proportion of cement and sand.

- iii) **Mixing:** The cement and sand should be thoroughly mixed in dry condition. After dry mixing the materials shall be wetted with just sufficient water to bring the mortar to proper consistency of thick paste. Mortar should be used immediately after mixing and arrangements shall be made so that not more than 30 minutes elapse between the cement first coming in contact with the moisture and laying.
- iv) **Placing:** Plaster shall be laid over the prepared surface in one coat to the specified thickness and rubbed with "PATAS" and trowel and shall be smooth, free from waviness and trowel marks.
- v) **Sequence of operations:** For external plaster, the plastering operations shall be started from the top floor and carried downwards. For internal plaster, the plastering operations may be started wherever the building frame and cladding work are ready and the temporary supports of the ceiling resting on the wall or the floor have been removed.
- vi) **Curing:** Each coat shall be kept damp continuously till the next coat is applied or for a minimum period of 7 days. Moistening shall commence as soon as plaster is hardened sufficiently. Soaking of walls shall be avoided and only as much water as can be readily absorbed shall be used.

#### **9.00 FILLING EXCAVATED EARTH IN FOUNDATION TRENCHES AND PLINTH OR UNDER FLOORS:**

As soon as the work in foundation has been completed and measured, the sides of foundations shall be cleared of all debris, bricks bats, mortar dropping etc, and filled with earth in layers not exceeding 30cms, each layer shall be adequately watered, rammed and consolidated before the succeeding one is laid. Earth shall be rammed with iron rammers where feasible, and with the butt ends crowbars where rammer cannot be use.

The plinth shall be similarly filled with earth in layers not exceeding 30cms, adequately watered and consolidated by ramming with iron or wooden rammers. When filling reaches the finished level, the surface shall be flooded with water for at least 24 hours, allowed to dry and then rammed and consolidated, in order to avoid any settlement at a later stage.

**Sand filling in plinth:** Sand shall be clean and free from dust, organic and other foreign matter. Sand filling to be carried out in layers and watering to be done.

#### **10.00 TESTS REPORT:**

Test report for construction material to be submitted as per direction of Engineer-In-Charge and no separate payment shall be made for the same unless otherwise specified in the schedule of rates.

#### **11.00 RECORD KEEPING:**

i) A site order book to be maintained at site and instructions given to the Contractor will be recorded in the site order book and the same has to be signed by the contractor to comply with the instruction given therein.

ii) A separate register to be maintained at site by the contractor to record the works executed and a remarks columns to be added in this to record the hindrance.

#### **11.00 MEASUREMENT & PAYMENT:**

Payment for all works done shall be made on the basis of actual work done as per the schedule of rates. For all extra work done on the advise of the Company's Engineer and which is not included in the schedule of rates, deviation order for the same shall be made on the rates as decided by the Company's Engineer.

**12.0** The bidder must provide following minimum numbers of equipments in operational condition capable of providing uninterrupted services under the contract as and when required.

- i) Concrete mixer machine 03 Nos.
- ii) Vibrator 05 Nos.
- iii) Sump pump 02 Nos.
- iv) Welding and cutting set 02 Nos.
- v) Hydraulic Excavator 01 Nos.

- vi) Truck/Dumper 01 Nos
- vii) Concrete cube mould 12 Nos
- viii) Slump cone 01 nos

**13.00 HSE POINTS :**

- (i) It will be solely the Contractor's responsibility to fulfill all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-contractors hired by him comply with the same requirement as the contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-subcontractors.
- (ii) Every person deployed by the contractor in a Factory must wear safety gadgets to be provided by the contractor. The Contractor shall provide proper Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. However, it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the Factory use the proper PPE while at work.
- (iii) All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.
- (iv) The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the contractor and how it is to be managed.
- (v) The contractor shall provide a copy of the SOP to the person designated by the Factory owner who shall be supervising the contractor's work.
- (vi) Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For work of a specified scope/nature, he should develop and provide to the Factory owner a site specific code of practice in line.
- (vii) It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager / Safety Officer / Engineer / Official / Supervisor/Junior Engineer for safe operation.
- (viii) Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.
- (ix) Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- (x) The contractor shall have to report all incidents including near miss to Installation Manager / departmental representative of the concerned department of OIL.
- (xi) The contractor has to keep a register of the persons employed by him/her. The contractor's supervisor shall take and maintain attendance of his men every day for the work, punctually.
- (xii) If the company arranges any safety class / training for the working personnel at site (company employee, contractor worker, etc.) the contractor will not have any objection to any such training.
- (xiii) To arrange daily tool box meeting and regular site safety meetings and maintain records.
- (xiv) Records of daily attendance, accident report etc. are to be maintained by the contractor (If applicable).



(xv) A contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.

(xvi) A contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.

(xvii) Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.

(xviii) In case Contractor is found non-compliant of HSE laws as required company will have the right for directing the contractor to take action to comply with the requirements, and for further non-compliance, the contractor will be penalized prevailing relevant Acts/Rules/Regulations.

(xix) When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE measures company will have the right to direct the contractor to cease work until the non-compliance is corrected.

(xx) The contractor should prevent the frequent change of his contractual employees as far as practicable.

(xxi) The contractor should frame a mutually agreed bridging document between OIL & the contractor with roles and responsibilities clearly defined.

(xxii) For any HSE matters not specified in the contract document, the contractor will abide the relevant and prevailing Acts/rules/regulations/ pertaining to Health, Safety and Environment.

### ***ELECTRICAL PART:***

The SCC for the Electrical Part of the Tender comprises two basic parts as follows:

#### **A. GENERAL**

#### **B. TECHNICAL**

#### **A. GENERAL**

1.1 Special conditions of contract shall be read in conjunction with the General Conditions of Contract, Bill of Quantities, specifications of work, drawings and any other document forming part of this contract wherever the context so requires.

1.2 Notwithstanding the sub-division of the documents into these separate sections and volumes, every part of each shall be deemed to be supplementary of every other part and shall be read with and into the contract so far as it may be practicable to do so.

1.3 Where any portion of the General Conditions of contract is repugnant to or at variance with any provisions of the Special conditions of Contract, then unless different intention appears, the provisions of the Special Conditions of Contract shall be deemed to override the provision(s) of General Conditions of Contract only to the extent that such repugnance or variance cannot be reconciled with the tender conditions of contract and shall be to the extent of such repugnance of variations, prevail; it being understood that the provisions of General Conditions of Contract shall otherwise prevail.

1.4 Wherever it is stated anywhere in this tender document that such and such a supply is to be effected or such and such a work is to be carried out, it shall be understood that the same shall be effected/carried out by the contractor at his own cost, unless a different intention is specifically and expressly stated herein or otherwise explicit from the context.

1.5 The materials, design and workmanship shall satisfy the relevant Indian Standards, the job specifications contained herein & codes referred to. Where the job specifications stipulate requirements in addition to those contained in the standard codes and specifications, these additional

requirements shall also be satisfied. In the absence of any Standard/Specifications/Codes of practice for detailed specifications covering any part of the work covered in this tender, the instructions/directions of Company will be binding on the Contractor.

1.6 The items given under Bill of Quantity shall be read in conjunction with scope of work, scope of supply (by Contractor) and job specifications and in case of any irreconcilable conflict between them the provision in the item under "Bill of Quantity" will override the corresponding provision only if the scope of work, scope of supply and job specifications, which cannot be reconciled in such cases the decision of Company shall be final and binding on the contractor.

1.7 In case of contradiction between Indian Standards, General Conditions of Contract, Special Conditions of contract, Specifications Drawings, Bill of Quantity, the following shall prevail in order of precedence.

(i) Letter of intent / Detailed Letter of intent along with statement of Agreed Variations and its enclosures.

(ii) Bill of Quantity.

(iii) Special Conditions of Contract.

(iv) Job specifications

(v) Drawings

(vi) General Condition of contract

(vii) Indian Standard/Technical/Material Specifications.

## **2.0 LOCATION OF SITE AND SITE PARTICULARS**

2.1. Pump Station#2, Moran

2.2 The intending Bidder shall be deemed to have visited the site and familiarized himself thoroughly with the site conditions and job details before submitting the tender. Non familiarity with the site conditions will not be considered a reason either for extra claims or for not carrying out the work in strict conformity with the drawings and specifications.

## **3.0 STATUTORY REQUIREMENT FOR WORK**

3.1 The contractor should have valid Electrical Contractor License issued or recognized/endorsed by State Licensing Board, Govt. of Assam. In case license expires during contract period the same shall be renewed by the contractor. The contract may be terminated if the license is not renewed.

3.2 In case the contractor/firm does not possess Electrical Contractor License, he/the firm may form a consortium with another person/firm who/which possesses valid Electrical Contractor License issued or recognized/endorsed by State Licensing Board, Govt. of Assam.

3.3 Contractor shall employ wiremen with valid wireman permit (covering relevant portions), issued/recognised by State Licensing Board, Govt. of Assam to carry out all electrical jobs and shall deploy one supervisor holding valid Electrical supervisor's competency certificate (covering relevant portions), issued/recognized/endorsed by State Licensing Board, Govt. of Assam for supervision of electrical jobs.

3.4 Quality of jobs carried out by the Contractor shall be of high standard and should be as per the norms of BIS, NEC, CEA Regulations and other electrical standards recognized by the company.

## **4.0 POWER**

Electricity required for wiring purpose shall be arranged by the contractor. However, electricity may be provided by the Company at its discretion to use drill machine or any other portable tools required for wiring purposes if available at nearest point on chargeable basis. The Contractor shall have to arrange for required switch board with proper safety device like RCBO/ELCB/RCCB to draw power and use safely from the existing source. However for welding machine power supply will not be provided by the company, contractor may use Diesel Welding Generators for the same

**5.0 SCOPE OF SUPPLY**

Company does not envisage supplying any material for this work & contractor shall arrange all materials, instruments, tools and tackles etc. required for execution of the work.

**6.0 SCOPE OF WORK**

Brief details of work to be carried out by the contractor are as described below. This will include supply, storage, laying, installation, jointing and testing, obtaining approvals, testing and commissioning and completion of different works. The contractor shall finally give a certificate of electrical work executed by him stating the job done as per the requirement of Central Electricity Authority Regulations, 2010. The work shall be carried out as described in Schedule of Quantities (SOQ), specifications, and drawings, BIS/NEC guidelines and as per the instructions by Engineer-in-charge (electrical), of the Company. The scope of work shall cover electrification works of any office building/Industrial house/ residential area or as specified by concerned Engineer in charge.

The broad items/activities covered under “electrical works” shall include the supply, installation, testing and commissioning of any or all of the following

- i) Point wiring of light points, call bell points, Ceiling fan points, and exhaust fan points.
- ii) Plug points, general power points, metal clad plug & socket outlet points etc. including light and power accessories etc., complete in all respects.
- iii) All surface/concealed wiring through BIS marked medium/heavy duty PVC Casing capping/conduit, on or through wall, roof, floor beams, false ceiling, floors etc.
- iv) Cables from Main Distribution Board (VTPN DB) to Sub Distribution Board (TPN DB), sub main wiring from main/sub distribution boards to various final distribution boards/switch boards.
- v) Feeder Pillar Panel, Main TPN MCBDB, Sub Distribution Boards (SPN DB), as required.
- vi) Light fixtures, and ceiling, wall & exhaust fans.
- vii) Earthing of all Main Feeder Pillar, TPN DBs and SPN DBs etc. complete in all respects.

**7.0 SCHEDULE OF QUANTITIES/RATE**

7.1 The quantities shown against the various items are only approximate and may vary to any extent individually subject to relevant clause of General Conditions of Contract. Any increase or decrease in the quantities shall not form the basis for alteration of rates quoted and accepted including where low/high rates have been quoted by the successful bidder.

7.2 The Engineer in charge reserves the rights to interpolate or extrapolate the rate for any new item of work not finding a place in the Bill of Quantity, for similar items of lower and/or higher magnitude available in the Bill of Quantity.

7.3 In case any activity though specifically not covered in Bill of Quantity description but covered under scope of work/spec./drawing etc., contractor has to carry out the same without any extra claim.

7.4 The words “Bill of Quantity”, “BOQ”, “Schedule of Quantity” and “SOQ”, appearing in this document, carry the same meaning.

**8.0 PRICE VARIATION**

OIL requires "FIRM PRICES" as indicated in General Conditions or Contract during Contract period and no material or labour escalation shall be admissible on any account whatsoever.

**9.0 MEASUREMENTS, BILLING & PAYMENT**

9.1 All works shall be measured in metric system based on actual work done as per the terms and conditions of the Tender documents.

9.2 The final bill shall be submitted by the Contractor within three months of physical completion of the work or within one month of the date of the final certificate of completion furnished by the contractor (approved by OIL) whichever is earlier. No further claims shall be made by the Contractor after submission of the final bill and these shall be deemed to have been waived and extinguished.

9.3 Final bill based on Schedule of Quantity shall be prepared and submitted based on joint measurements (OIL and contractor). Contractor shall ensure that bills are submitted promptly and timely.

9.4 Contractor must ensure that payments have been made to his personnel (engaged under this contract) in time for smooth functioning of the Contract which shall not be less than the minimum wages.

It is to be noted that the minimum wage rates published by the RLC office are revised twice a year, in April and October. The internal estimate for this contract is based on the minimum wages as published in October 2019. While submitting offers, the contractor is construed to have considered the possible escalation in wage rates mentioned above.

#### **10.0 DEDUCTIONS FOR INCORRECT WORK:**

If the Engineer-in-charge(Electrical) deems it expedient to correct work damaged or not done in accordance with the contract, an equitable deduction from the contract price shall be made thereof and the decision of the engineer shall be final.

#### **11.0 CONTRACT DRAWINGS**

Contractor has to prepare all working drawings mentioned below and obtain approval from the engineer in charge (Electrical) before starting of the civil work.

- a) Layout diagram of complete wiring showing route for wiring from Main supply in sub-station to feeder Pillar Panel, Feeder Pillar Panel to TPNDB, TPN DB to SPN DB, SPN DB to Switch Board, Light and ceiling positions etc.
- b) Schematic diagram for complete electrical work.
- c) The contract shall keep at least one copy each of drawings, conditions of contract, specifications, instructions and schedule of quantities at the site of works available for reference by any authorized representative Engineer-in-charge(Electrical), at all times during the progress of the works.

#### **12.0 COMPLETION DOCUMENTS**

The contractor shall submit 4 copies of AS BUILT layout drawings to OIL after completion of the work. These complete drawings shall give the following information:

- a) Layout of all equipment, switch boards, DB's etc.
- b) Single line diagram of Electrical System
- c) Location of DB's, Sub-mains, junction boxes & earthing
- d) Schematic diagram for overall electrical distribution
- e) Layout of lighting & power wiring
- f) Cable schedule
- g) Operation & Maintenance Manuals for equipment if any
- h) Manufacturers test report & data sheets for equipment if any
- i) Electrical test certificate for the electrical work done as per CEAR, 2010

### **B. TECHNICAL**

#### **1.0 SCOPE**

This section covers the general technical requirements and measurement system of the various components in Internal Electrical Installation works.

#### **2.0 TERMINOLOGY**

---

The definition of terms shall be in accordance with IS:732-1989 (Indian Standard Code of Practice for Electrical Wiring), except for the definitions of “point”, “circuit”, and “sub-main wiring”, which are defined hereunder.

## **2.1 POINT WIRING**

### **2.1.1 Point wiring:**

A point wiring (other than socket outlet point wiring)

- Shall extend from the controlling switch/MCB/controller to the corresponding point/device (lamps/luminaire/fan/exhaust fan/call bell etc.). Point/device refers to either single devices (like lamps, fans, etc.) or multiple devices controlled from one single switch/MCB/controller (like chandeliers, group of decorative lamps, etc.). Point wiring does not include switch which is covered under a separate item (supply and fixing of modular switch).
- Includes supply & fixing of all items as specified in SOQ, like device holders, wires, conduit/casing-capping, accessories like screws, rawl plug, outlet boxes, junction boxes, pull-through boxes etc., including metal/PVC boxes if any, provided with switch boards for loose wires/conduit terminations, bushed conduit or porcelain tubing where wiring cables pass through wall etc.
- Shall be measured in terms of number of “points” only. There shall be no linear measurement for point wiring, or for the number and size of wires used.
- Details of wire size, material, conduit/casing capping, colour of insulation as in SOQ.
- It is to be noted that point wiring is estimated to cover approximately 7.0 metre wiring on an average.

### **2.1.2 Light plug point (socket outlet point) wiring:**

A Socket (“plug point”) outlet point wiring

- Shall extend from the switchboard to the corresponding wall socket outlet. Sockets may include a single socket or multiple sockets (of same rating) in one module.
- Shall be reckoned as total length of wiring and shall be measured on linear basis along the run of wiring.
- Details of wire size, material, conduit/casing capping, colour of insulation as in SOQ.

## **2.2 CIRCUIT WIRING:**

Circuit wiring

- Shall extend from the distribution board up to the switch board/box.
- Include all wiring accessories
- Shall be reckoned as total length of wiring and measured on linear basis along the run of wiring
- Details of wire size, material, conduit/casing capping, colour of insulation as in SOQ.

## **2.3 POWER PLUG POINT WIRING:**

Power plug point wiring

- Shall extend from distribution board to combined 5/6 A & 15/16 A 6 pin socket outlet and 20A MCB Switch/ socket.
- Include all wiring accessories
- Shall be reckoned as total length of wiring and measured on linear basis along the run of wiring
- Details of wire size, material, conduit/casing capping, colour of insulation as in SOQ.

## **2.3 SUB-MAIN WIRING**

Sub-main wiring

- Shall extend from one main/distribution switchboard to another.
- Shall be reckoned as total length of wiring and measured on linear basis along the run of wiring.
- Includes all wiring accessories
- Details of wire size, material, conduit/casing capping, colour of insulation as in SOQ.

**3.0 OTHER WIRING WORKS:**

As per the details given in the SoQ.

**4.0 SYSTEM OF DISTRIBUTION AND WIRING:****4.1 Control at the point of entry of supply:**

There shall be a circuit breaker on each live conductor of the supply mains at the point of entry.

**4.2 Distribution:**

The wiring shall be done on a distribution system through main and/or branch (sub-main) distribution boards. The system design as well as the locations of boards shall be as indicated in BOQ/drawings or as specified by the OIL Engineer-in-charge. Main Panel i.e. Feeder Pillar Panel shall be controlled by a MCCB. Each outgoing circuit shall also be controlled by a circuit breaker. The branch distribution board shall be controlled by a circuit breaker. Each outgoing circuit shall be provided with a miniature circuit breaker (MCB) of specified rating on the phase or live conductor. The loads of the circuits shall be divided, as far as possible, evenly between the numbers of ways of the distribution boards, leaving at least one spare circuit for future extension.

The neutral conductors (incoming and outgoing) shall be connected to a common link (multilayer connector) in the distribution board and be capable of being disconnected individually for testing purposes.

'Power' wiring shall be kept separate and distinct from 'Lighting' wiring beyond the branch distribution boards.

**4.3 Balancing of Circuits:**

The balancing of circuits in three wire or poly phase installations shall be arranged beforehand to the satisfaction of the OIL Engineer-in-charge.

**4.4 Wiring System:**

- Wiring shall be measured only as per "point wiring" or "linear basis", as explained above.
- Lights, fans and call bells shall be wired in the 'lighting' circuits.
- 6/16A combined socket outlets and other power outlets shall be wired in the 'Power' circuits.
- 5A/6A Socket outlet shall be wired in the light plug point circuit.
- The wiring throughout the system shall be such that there is no break in the neutral wire except in the form of linked MCCB's, MCB's, RCBO's etc.

**4.5 Run of Wiring:**

The wiring shall be in surface casing-capping and/or conduit. Due consideration shall be given for neatness, good appearance and safety.

**5.0 JOINTS IN WIRING:**

No bare conductor in phase and / or neutral or twisted joints in phase, neutral, and / or protective conductors in wiring shall be permitted. There shall be no joints in the through-runs of wires. There shall be no looping of earth wires and neutral wires between points. All light points, plug points etc. shall have their individual neutral and earth wires laying up to the switchboard or distribution board as the case may be.

**6.0 RATINGS OF OUTLETS:**

MCBs / switches / controllers for devices like light fittings, ceiling fans, exhaust fan etc. shall be rated according to the corresponding device capacity.

RCCBs for household circuits and similar installations should be rated for 30mA tripping current.

Socket Outlets shall be rated according to their intended use only.

**7.0 CAPACITY OF CIRCUITS:**

'Lighting' circuit shall not have more than a total of 10 points of light, fan and socket outlets, or a total connected load of 800W per circuit, whichever is less. 'Power' circuit shall have only one outlet per circuit.

**8.0 CONFORMITY TO CEA REGULATIONS, 2010 AND STANDARDS:**

All electrical works shall be carried out in accordance with the provisions of CEA (Measures relating to safety and electric supply) Regulations 2010, National Electric code and National Building Code. The works shall also conform to relevant Indian Standards.

In all electrical installation works, relevant safety codes of practice shall be followed.

**9.0 TESTING OF WIRING / INSTALLATION:**

Wherever required by OIL's engineer-in-charge, capping shall not be fixed on the casing till the work has been inspected with the wires in position and approved. Inspection will be done in stages, as work progresses.

On completion of an electrical installation (or extension thereof) OIL's engineer-in-charge may require a test certificate for the installation/wiring job before energising the circuits. In such instances, contractor shall issue a test certificate, countersigned by certified supervisor under whose supervision the job was carried out.

The following tests should be carried out:

- i) Insulation resistance test
- ii) Earth continuity test
- iii) Earth electrode resistance test

All necessary test instruments shall be arranged by the contractor.

**10.0 GENERAL REQUIREMENTS OF COMPONENTS:****10.1 Quality of materials:**

All materials shall be of such design, size, material and make as to satisfactorily function under the rated conditions of operation.

**10.2 Ratings of components:**

All components in a wiring installation, conductors, switches and accessories shall be of appropriate ratings of voltage, current, and frequency, as indicated in BOQ.

**10.3 Conformity to Standards:**

All components shall conform to relevant Indian Standard Specification, including amendments or revisions thereof up to the date of tender acceptance.

**10.4 General Notes:**

- a) Items shall be procured from the manufacturer or their authorized dealers only.
- b) All the items shall be brand new and shall bear BIS monogram, wherever specified.
- c) Item shall be guaranteed for a period of one year from the date of installation of materials against any manufacturing defect or workmanship.

**11.0 WIRES AND CABLES:****11.1 Wiring:**

Conductors of wiring cables shall be of copper. The smallest size of conductor for various circuits including earthing shall be not less than as follows:

- 'Lighting': 1.5 sq. mm,
- 'Light Plug Point': 1.5 sq. mm,
- 'Circuit Wiring': 2.5 sq. mm,
- 'Power': 4 sq. mm,
- Sub-Main: 10 sq. mm,

- Main: 10 or 16 sq.mm, depending on the installed load.

All wiring cables shall be FRLHS, single core, multi-stranded, PVC insulated, unsheathed, 1100V grade, BIS marked & FIA & TAC approved, with flexible conductor.

#### 11.2 Cables:

Cables shall be armoured, PVC insulated and PVC sheathed power cables of 1100 V grade. They shall be fitted on wall surface/ Tray/False ceiling/False floor as required, clamping shall be with 1 mm thick saddle, wherever required.

### 12.0 PVC CASING AND CAPPING

12.1 PVC casing and capping shall be BIS marked.

12.2 Providing and fixing of PVC casing and capping include bends, elbows, tees, inside and outside corners, round blocks and painting:

PVC casing and capping should be strong and properly fitted so as to hold wires laid in it up to 70% to its full capacity for all areas. It should be rigidly screwed at 150mm interval crosswise with suitable woodscrews of 25mm length turned in PVC sleeve inserted in neatly drilled holes of proper size and depth with cup washer to give proper grip over more surface area. It can be run whether in horizontal or vertical position as required.

12.3 Providing earth continuity wires:

The earth continuity wire shall be provided in the casing throughout the length of wiring. The size of earth continuity wire shall be same size with the main wire for circuits. All metallic parts, switchboards, light fittings and power sockets shall be connected to the earth wires and the connection shall be electrically and mechanically sound.

### 13.0 PVC CONDUITS & GI BOX:

13.1 All rigid conduit pipes shall be of medium duty PVC conduit of good quality and be BIS marked. GI Boxes as required should be proper size and BIS marked and of reputed brand.

13.2 The conduit wiring system shall be complete in all respects, including their accessories. Where a large number of control switches and/or fan regulators are required to be installed at one place, these shall be installed in more than one outlet box adjacent to each other for ease of maintenance.

13.3 Bunching of cables:

Cables shall always be bunched so that the outgoing and return cables are drawn into the same conduit. Where the distribution is for three phase loads only, conductors for all the three phases and neutral wire shall be drawn in one conduit.

### 14.0 WIRING ACCESSORIES:

14.1 Control switches for points:

Control switches (single pole switches) carrying not more than 16A shall be modular type complete with plate, as specified, and the switch shall be "ON" when the knob is down. Control switch shall be placed only in the live conductor of the circuit. No single pole switch or fuse shall be inserted in the protective (earth) conductor, or earthed neutral conductor of the circuit.

14.2 Socket outlets:

6/16 pin Socket outlets shall be of shutter type modular complete with plate. These shall be rated either for 6A, or 6/16A combined. Combined 6 pin (6A/16A) socket outlet shall be provided in 'power' circuits wherever specified. 6A Socket outlets shall only be of 5 pin type; the earth pin shall be connected to earth through protective (loop earthing) conductor. The control switches for 6A and 16A socket outlets shall be kept along with the socket outlets. Generally socket outlet shall be installed at a height of above 30 cm but below 130 cm from the floor level.

The layout of wiring shall be as approved by Engineer in Charge.

14.3 Switch box covers:

These shall be modular type of suitable size.



14.4 Ceiling rose – Only one flexible cord shall be connected per ceiling rose. For multiple pendants, each pendant shall have its own rose, or a specially designed rose shall be used.

#### **15.0 FITTINGS:**

Indoor type fittings specification:

All light fittings other than area lighting should be of indoor type, ready to install, warranted for at least one year from the date of installation and should be of reputed brand.

For area lighting, outdoor luminaire with IP66 rating to be used. They should possess the same criterion for installation, warranty and brand as mentioned above.

#### **16.0 PRE-WIRED MCB DISTRIBUTION BOARDS:**

Pre wired MCB DB's shall be provided where specified.

The complete board shall be factory fabricated and shall be duly pre-wired, ready for installation at site.

The board shall be of wall mounted, cubicle type construction, fabricated out of 1.6mm thick sheet steel, with stove enamelled paint finish. The board shall be provided with a hinged cover of 1.6mm thick sheet steel on the front. Only the knob/dolly of the MCB's shall protrude out of the front covers through openings neatly machine made for the purpose. Knock out holes at the bottom, and detachable plate with knock out holes at the top of the board shall be provided.

TPN DB shall also be provided with two nos. loose wire box and SPN DB shall be provided with one no. loose wire box as a compartment for the complete width and depth of the board, and of minimum height of 125mm in case of TPN DB's, and 100 mm in case of SPN DB's.

Each distribution board shall be provided with a circuit list giving details of each circuit which it controls and the current rating of the circuit, and the size of the MCB. The board shall be complete with the following accessories:

- a) 100 A copper bus bar(s) for MCB DBs
- b) Neutral link
- c) Common earth bar
- d) DIN bar for mounting MCB's
- e) Screw type terminal connectors suitable for incoming and outgoing cables.
- f) Earthing stud(s)

The board shall be fully prewired with single core PVC insulated copper conductors/insulated solid copper links, and terminated on to extended type terminal connectors, suitable for connections to the sizes of the respective conductors. All incoming and outgoing wiring to the pre wired MCB DB's shall be terminated only in extended terminal connectors to be provided within the DB. The terminal connectors shall therefore be so provided as to facilitate easy cable connections and subsequent maintenance. Connectors (Terminal blocks) are to be provided. A common copper earth bar shall be provided within the loose wire box. The common neutral bar as well as the terminal connectors shall, however, be provided within the main compartment just below the loose wire box.

#### **17.0 MINIATURE CIRCUIT BREAKERS (MCB's):**

'C' series MCB's shall be invariably used for all loads. Ratings (A), number of poles, type as MCB or isolator, etc. shall be as specified in the SOQ. The MCB's shall be of minimum 10KA rupturing capacity.

#### **18.0 SWITCH BOARD LOCATIONS:**

Switch boards shall be located as indicated on the drawings or as instructed by OIL's engineer. Switchboards should not be installed in places likely to be exposed to the weather. However exact location will be as per suitable available spaces.

Unless otherwise specified, a switch board shall be installed so that its bottom is 1.30 m from the floor level. Switchboards shall be well clear of door openings and with an open (unimpeded) space in front of the switchboard for easy access.

Where it is required to terminate a number of casing capping or conduits on a board, it may be convenient to provide a suitable PVC adapter box for the purpose. Such boxes shall be provided with the prior approval of the Engineer-in-charge (Electrical) and this will not be paid for separately. No apparatus shall project beyond any edge of the panel.

#### **19.0 FANS, REGULATORS AND CLAMPS:**

Fan Regulators:

Electronic modular type 100W fan regulator shall be of approved makes. The fans, regulators etc., are to be procured from authorized dealer to ensure genuineness of the material.

#### **20.0 EARTHING:**

Whenever earth electrode is to be supplied and installed, only readymade, maintenance free, CPRI approved earthing electrodes with the proper dimensions (as per BOQ) shall be used. This shall be complete with excavation of earth pit and construction of brick earth chamber to proper specifications as in BOQ.

GI Earth strap shall be supplied with the earth electrode for connecting the earth electrode to the equipment. Earth strap shall be terminated in the electrode/equipment with proper size of zinc coated nuts and bolts.

#### **21.0 FEEDER PILLAR PANEL:**

Main feeder pillar panel should be as per specification of SOQ. This panel shall be of outdoor type and shall be completed in all aspect. Installation and commissioning work to be carried out as per SoQ.

#### **22.0 WORKMANSHIP:**

Good workmanship is an essential requirement to be complied with. The entire work of manufacture/fabrication, assembly and installation shall conform to sound Engineering practice. The work shall be carried out under the direct supervision of a person holding a valid supervisor's certificate of competency issued by the State Govt. for the type of work involved, employed by the contractor, who shall rectify then and there the defects pointed out by the Engineer-in-charge (Electrical) during the progress of work.

#### **23.0 COMMISSIONING ON COMPLETION:**

After the entire wiring is completed, a joint inspection shall be carried out. The contractor shall rectify the defects pointed out by OIL during inspection. The works shall be tested by the contractor and contractor shall submit the test certificates duly signed by the competent persons. The system shall be energised only after OIL approves the work done and submission of test certificate.

**\*\*\*\*\***

**PART-IV**

**PAYMENT TERMS**

**AS PER CLAUSE NO. 10 AND 40 OF PART I-GCC**

**\*\*\*\*\***

**PART-V**

**OIL INDIA LIMITED**  
**(A Government of India Enterprise)**  
**CONTRACTS SECTION, PHQ**  
**P.O. UdayanVihar – 781171, Guwahati, ASSAM**

**SCHEDULE OF COMPANY'S PLANTS, MATERIALS & EQUIPMENT**

**a) SCHEDULE OF MATERIALS AVAILABLE AT THE COMPANY'S STORES / STOCK PILES** for permanent incorporation in works and

**b) SCHEDULE OF COMPANY'S PLANTS AND EQUIPMENTS** for use in the execution of work

**Materials:**

(i) Cement will be supplied by company free of cost. Total number of cement bags required for the job to the maximum of theoretical consumption as per the specification of CPWD and shall be supplied by company free of cost. Additional and damaged cement requirement in excess of above shall be issued to the vendor on chargeable basis at a rate double the cost of company costing price. In case the consumption of cement is less than that the quantity issued to the contractor then the contractor shall arrange to return the excess quantity in good usable condition to the company at its stores.

(ii) All empty cement bags must be returned to Company's Go-down failing which Rs 8/-(Rupees Eight only) per bag for empty cement bags will be recovered from the Contractor's bill.

Plants and Equipment: - Nil

**NOTE:-**

1. The Contractor is to arrange transport of the above materials to site of work.
2. If the materials listed above are not available suitable substitute will be provided by the Company and Contractor shall incorporate the same in the works without extra cost.
3. Containers if issued to the contractor must be returned to Company in good condition.
4. Plants and equipment if issued to Contractor must be under proper watch so that no part is pilfered. These must be handled only by Company's operators. Contractor shall be responsible for any loss or damage to these plants and equipment while these are under his/their custody.
5. Materials issued to Contractor must be under proper watch & ward so that no part is pilfered. If any pilferation takes place the matter will be referred to appropriate Govt. authorities for legal action as well as realization of the materials issued.
6. Cement issued to Contractor by the Company is meant only for the specific Company work relating to the Contract. However, if any quantity of Cement is left over from the quantities issued for any reason whatsoever, on the completion / cancellation / termination of the Contract the same shall have to be returned to the Company in full within one week of completion/cancellation of the work failing which the matter will be referred to appropriate Govt. authorities for legal action as well as realization of the Cement.

7. All other materials issue to the Contractor by the Company if subsequently found to be in excess of the actual requirement will have to be returned by the Contractor within two weeks of completion of the work failing which the cost of all such materials will be recovered from the Contractor at double the value of materials without any reference to him.

---

**Part-VI-** Owner's Drawing and Data will be furnished during execution

\*\*\*\*\*  

---

**PART-VII - SAFETY MEASURES**

**To,  
GM-CONTRACT  
OIL INDIA LIMITED  
Guwahati-781171**

**SUB: SAFETY MEASURES**

**Description of work/service: *Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.***

.

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

- a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.
- b) The names of the authorized persons who would be supervising the jobs on day to day basis from our end are the following:

i) \_\_\_\_\_

ii) \_\_\_\_\_

iii) \_\_\_\_\_

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

- c) Due notice would be given for any change of personnel under item(b) above.
- d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. Any violation pointed out by the Company's engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.
- e) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.
- (Seal)

Yours Faithfully

Date\_\_\_\_\_

M/s\_\_\_\_\_

FOR & ON BEHALF OF BIDDER

**PART-VIII- INTEGRITY PACT**

**INTEGRITY PACT**

Between

Oil India Limited (OIL) hereinafter referred to as "The Principal"

And

(Name of the bidder).....hereinafter referred to as "The Bidder/Contractor"

**Preamble:**

The Principal intends to award, under laid down organizational procedures, contract/s for ..... The Principal values full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

In order to achieve these goals, the Principal cooperates with the renowned international Non-Governmental Organization "Transparency International" (TI). Following TI's national and international experience, the Principal will appoint an external independent Monitor who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

**Section: 1 -Commitments of the Principal**

**(1)** The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:

1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for him/herself or third person, any material or immaterial benefit which he/she is not legally entitled to.
2. The Principal will, during the tender process treat all Bidders with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder could obtain an advantage in relation to the tender process or the contract execution.
3. The Principal will exclude from the process all known prejudiced persons.

**(2)** If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the relevant Anti-Corruption Laws of India, or if there be a Page 2 of 6 substantive suspicion in this regard, the Principal will inform its Vigilance Office and in addition can initiate disciplinary actions.

**Section: 2 -Commitments of the Bidder/Contractor**

(1) The Bidder/Contractor commits itself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.

1. The Bidder/Contractor will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or immaterial benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.

2. The Bidder/Contractor will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, Subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.

3. The Bidder/Contractor will not commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

4. The Bidder/Contractor will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

(2) The Bidder/Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences.

(3) The Bidder/Contractor signing Integrity Pact shall not approach the Courts while representing the matters to IEMs and he/she will await their decision in the matter.

**Section 3 -Disqualification from tender process and exclusion from future Contracts**

If the Bidder, before contract award has committed a transgression through a violation of Section 2 or in any other form such as to put his reliability or credibility as Bidder into question, the Principal is entitled to disqualify the Bidder from the tender process or to terminate the contract, if already signed, for such reason.

1. If the Bidder/Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Principal is entitled also to

exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, in particular the number of transgressions, the position of the transgressions within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a minimum of 6 months and maximum of 3 years.



2. The Bidder accepts and undertakes to respect and uphold the Principal's Absolute right to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.

3. If the Bidder/Contractor can prove that he has restored/recouped the Damage caused by him and has installed a suitable corruption prevention system, the Principal may revoke the exclusion prematurely.

4. A transgression is considered to have occurred if in light of available evidence no reasonable doubt is possible.

5. Integrity Pact, in respect of a particular contract, shall be operative from the date Integrity Pact is signed by both the parties till the final completion of the contract **or as mentioned in Section 9- Pact Duration whichever is later**. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings

#### **Section 4 -Compensation for Damages**

1. If the Principal has disqualified the Bidder from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover from the Bidder liquidated damages equivalent to Earnest Money Deposit / Bid Security.

(2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the principal shall be entitled to demand and recover from the Contractor liquidated damages equivalent to Security Deposit / Performance Bank Guarantee.

3. The bidder agrees and undertakes to pay the said amounts without protest or demur subject only to condition that if the Bidder/Contractor can prove and establish that the exclusion of the Bidder from the tender process or the termination of the contract after the contract award has caused no damage or less damage than the amount or the liquidated damages, the Bidder/Contractor shall compensate the Principal only to the extent of the damage in the amount proved.

#### **Section 5 -Previous transgression**

1. The Bidder declares that no previous transgression occurred in the last 3 years with any other Company in any country conforming to the TI approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.

2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

#### **Section: 6 -Equal treatment of all Bidders/Contractor/Subcontractors**

1. The Principal will enter into Pacts on identical terms with all bidders and contractors.

2. The Bidder / Contractor undertake(s) to procure from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the provisions laid down in this agreement/Pact by any of its sub-contractors/sub-vendors.

3. The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

### **Section: 7 -Criminal charges against violating Bidders/Contractors/ Subcontractors**

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the Vigilance Office.

### **Section: 8 -External Independent Monitor/Monitors**

1. The Principal appoints competent and credible external independent Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.

2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the Chairperson of the Board of the Principal.

3. The Contractor accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Subcontractor with confidentiality.

4. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.

5. As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or heal the violation, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, the Independent External Monitor shall give an opportunity to the bidder / contractor to present its case before making its recommendations to the Principal.

6. The Monitor will submit a written report to the Chairperson of the Board of the Principal within 8 to 10 weeks from the date of reference or intimation to him by the 'Principal' and, should the occasion arise, submit proposals for correcting problematic situations.

7. If the Monitor has reported to the Chairperson of the Board a Substantiated suspicion of an offence under relevant Anti-Corruption Laws of India, and the Chairperson has not, within reasonable time, taken visible action to proceed against such offence or reported it to the Vigilance Office, the Monitor

may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

8. The word 'Monitor' would include both singular and plural.

**Section:9 -Pact Duration**

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the respective contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairperson of the Principal.

**Section:10 -Other provisions**

1. This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi. The Arbitration clause provided in the main tender document / contract shall not be applicable for any issue / dispute arising under Integrity Pact.

2. Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.

3. If the Contractor is a partnership or a consortium, this agreement must be, signed by all partners or consortium members.

4. Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

.....  
**For the Principal**

.....  
**For the Bidder/Contractor**

Witness 1: .....

Witness 2: .....

Place.

Date .

-----

**PROFORMA - I**  
**BID FORM**

To  
THE GM (CONTRACTS)  
OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
P.O. GUWAHATI-781171  
DIST. KAMRUP(M)  
ASSAM

Sub: IFB No. : **CGI7741L22**

Dear Sir,

Having examined the General and Special Conditions of Contract and the Terms of Reference including all attachments thereto, the receipt of which is hereby duly acknowledged, we the undersigned offer to perform the services in conformity with the said conditions of Contract and Terms of Reference for the sum of \_\_\_\_ (Price not to be indicated) \_\_\_\_ stated below or such other sums as may be ascertained in accordance with the Price Bid Form attached herewith and made part of this Bid:

We undertake, if our Bid is accepted, to commence the work within (\_\_\_\_) days calculated from the date of issue of Company's LOA.

We agree to abide by this Bid for a period of 120 **days** from the date fixed for Bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof in your notification of award shall constitute a binding Contract between us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 2021.

Signature and seal of the Bidder: \_\_\_\_\_

(In the capacity of) : \_\_\_\_\_

Name of Bidder : \_\_\_\_\_

\*\*\*\*\*  
\_\_\_\_\_

**PROFORMA – II**

**LETTER OF AUTHORITY**

To  
THE GM (CONTRACTS)  
OIL INDIA LIMITED  
(A Govt. of India Enterprise)  
P.O. GUWAHATI-781171  
DIST. KAMRUP(M)  
ASSAM

Sir,

Sub: IFB No. **CGI7741L22**

We \_\_\_\_\_ confirm that Mr. \_\_\_\_\_ (Name and address) as authorized to represent us to Bid, negotiate and conclude the agreement on our behalf with you against Invitation No.: \_\_\_\_\_ for

***“Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement..”***

We confirm that we shall be bound by all and whatsoever our said representative shall commit.

Yours Faithfully,

Signature: \_\_\_\_\_  
Name : \_\_\_\_\_  
Designation: \_\_\_\_\_  
For & on behalf of: \_\_\_\_\_

Note: This letter of authority shall be printed on letter head of the Bidder and shall be signed by a competent person to bind the Bidder.

\*\*\*\*\*  
\_\_\_\_\_

**PROFORMA - III****STATEMENT OF NON-COMPLIANCE****(Only exceptions/deviations to be rendered)**

- 1.0 The Bidder shall furnish detailed statement of **exceptions/deviations**, if any, to the tender stipulations, terms and conditions in respect of each PART of Bid Document in the following format:

<b>PART No.</b>	<b>Clause No. (Page No.)</b>	<b>Non-Compliance</b>	<b>Remarks</b>

**Authorised Person's Signature:** \_\_\_\_\_**Name:** \_\_\_\_\_**Designation:** \_\_\_\_\_**Seal of the Bidder:**

**NOTE:** OIL INDIA LIMITED expects the bidders to fully accept the terms and conditions of the bid document. However, should the bidders still envisage some exceptions/deviations to the terms and conditions of the bid document, the same should be indicated as per above format and submit along with their bids.

If the “**Statement of Compliance**” in the above Proforma is left blank (or not submitted along with the technical bid), then it would be construed that the bidder has not taken any exception/deviation to the tender requirements.

\*\*\*\*\*  
\_\_\_\_\_

**PROFORMA- IV**

[TO BE FILLED-UP / SUBMITTED BY THE VENDOR ON ITS LETTER HEAD  
FOR E-REMITTANCE]

Name:

FULL Address:

Phone Number :

Mobile Number :

E-mail address:

FAX Number :

Bank Account Number:  
(in which the Bidder wants remittance against invoices)

Bank Name :

Branch :

Address of the Bank:

Bank Code :

IFSC/RTGS Code of the Bank:

NEFT Code of the Bank :

PAN Number :

GST Registration Number:

---

Signature of Vendor with Official Seal

Note: This declaration shall be printed on letter head of the Bidder and shall be signed by a competent person.

\*\*\*\*\*

---

**DECLARATION FOR BID SECURITY****PROFORMA-D**

To,

M/s. Oil India Limited

.....,

.....

Sub: .....

Tender No:.....

Dear Madam/Sir,

After examining / reviewing provisions of above referred tender documents (including all corrigendum/ Addenda), we M/s. .... (Name of Bidder) have submitted our offer / bid no.....

We, M/s. ....(Name of Bidder) hereby understand that, according to your conditions, we are submitting this Declaration for Bid Security.

We understand that we will be put on watch list/holiday/banning list (as per policies of OIL INDIA in this regard), if we are in breach of our obligation(s) as per following:

- (a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or
- (b) having been notified of the acceptance of our Bid by the OIL INDIA LIMITED during the period of bid validity:
  - (i) fail or refuse to execute the Contract, if required, or
  - (ii) fail or refuse to furnish the Contract Performance Security, in accordance provisions of tender document.
  - (iii) Fail or refuse to accept 'arithmetical corrections' as per provision of tender document.
- (c) having indulged in corrupt/fraudulent/collusive/coercive practice as per procedure.

Place:

[Signature of Authorized Signatory of Bidder]

Date:

Name:

Designation:

Seal:



**PROFORMA-VI****FORM OF PERFORMANCE BANK GUARANTEE**

(To be submitted by the successful bidder in case of award of contract)

To:

M/s. OIL INDIA LIMITED,  
CONTRACTS SECTION  
PIPELINE DEPARTMENT, GUWAHATI  
ASSAM, INDIA, PIN –781 171.

WHEREAS \_\_\_\_\_ (Name and address of Contractor)  
(hereinafter called "Contractor") had undertaken, in pursuance of Contract No.  
\_\_\_\_\_ to execute (Name of Contract and Brief Description of the Work)  
\_\_\_\_\_ (hereinafter called "the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee as security for compliance with Contractor's obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee; NOW THEREFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up to a total of (Amount of Guarantee in figures) \_\_\_\_\_ (in words \_\_\_\_\_), such amount being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of guarantee sum as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein. We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or the work to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way cease us from any liability under this guarantee, and we hereby waive notice of such change, addition or modification.

This guarantee is valid until the -----day of -----

The details of the Issuing Bank and Controlling Bank are as under:

A. Issuing Bank:

BANK FAX NO:

BANK EMAIL ID:

BANK TELEPHONE NO.:

IFSC CODE OF THE BANK:

B. Controlling Office:

Address of the Controlling Office of the BG issuing Bank:

Name of the Contact Person at the Controlling Office with Mobile No. and e-mail address:

SIGNATURE AND SEAL OF THE GUARANTORS \_\_\_\_\_

Designation \_\_\_\_\_

Name of Bank \_\_\_\_\_

Address \_\_\_\_\_

Witness \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

Date \_\_\_\_\_

Place \_\_\_\_\_

**Note: Bank details of Oil India Limited may be required by Bank for issuance of Bank Guarantee (BG):**

<b>BANK DETAILS OF BENEFICIARY</b>		
<b>a</b>	Bank Name	AXIS BANK
<b>b</b>	Branch Name	GUWAHATI
<b>c</b>	Branch Address	CHIMBER HOUSE, G.S.ROAD, DISPUR ASSAM
<b>d</b>	Banker Account No.	140010200027654
<b>e</b>	Type of Account	CURRENT ACCOUNT
<b>f</b>	IFSC Code	UTIB0000140
<b>g</b>	MICR Code	781211002
<b>h</b>	SWIFT Code	Axisinbb140
<b>i</b>	Contact No.	8876501401
<b>j</b>	Contact Person Name	Mr. Dibakar Ghaosh
<b>k</b>	Fax No.	Not available
<b>l</b>	Email Id	<u>Guwahati.branchhead@axisbank.com</u>

\*\*\*\*\*

**PROFORMA-VII**

FORMAT FOR UNDERTAKING  
(IN TERMS OF TENDER NO. CGI7741L22  
(On Non-Judicial Stamp Paper of Rs. 100/-)  
TO BE NOTORISED

To  
GM-CONTRACTS  
OIL INDIA LIMITED  
GUWAHATI

Dear Sirs,

**UNDERTAKING/DECLARATION BY THE BIDDER IN RESPECT OF TENDER NO  
CGI7741L22**

This is in connection with the Bid submitted by me/us, ..... (Name of Bidder), against Tender No. **CGI 7741L22** for ***“Construction of new office cum workshop building at P.S.-2 Moran including internal electrification and supply of all materials except cement.”***

I/We, the afore mentioned Bidder against the subject tender, hereby declare that my/our quoted rates include the following -

- (a) Labour wages as per Minimum Wages Act and notifications issued by the Central Govt. from time to time, including P.F, insurance and Bonus.
- (b) Material and Equipment (if any) cost.
- (c) PPE cost.
- (d) IME (Initial Medical Examination) cost.
- (e) Other charges / cost including overheads, profit, insurance and handling charge..

I/We, the afore mentioned Bidder against the subject tender take note that minimum wages may increase from time to time as notified by statutory authority and Central Govt. and undertake that I/We shall not make Company (i.e. OIL) liable to reimburse me/us for such statutory increase in wage rates of the labours/workers engaged by me/us during the entire period of the contract, including extension if any. Currently, such increase in the wage rates is twice in a year. I/We have bid after considering this increase in wage rates for the entire period of Contract including extension provision.

I/We, the afore mentioned Bidder against the subject tender, further undertake that I/We will pay my/our workers the existing Daily wages as notified under the Minimum Wages Act from time to time by the Central Govt. and such statutory or any other increase in the wages rates including consequent increase in statutory contributions like provident fund etc. of contract labours engaged by me/us shall be borne solely by me/us during the entire period of the contract, including extension if any, without any cost implication whatsoever upon the Company.

I/We further agree and undertake that in case of any violation of the above undertaking, Oil India Limited (OIL) shall be at liberty to take appropriate action against me/us in terms of the

Tender/Contract including but not limited to termination of contract and debarment from future business with OIL. I shall duly comply with all the statutory obligations, more particularly under applicable labour laws. I further agree and undertake that in case of any dispute or claims arise out of my non-compliance of statutory obligations under the Contract, by the Labourers engaged by me or by any statutory authorities, I shall only be responsible for the same and hold the Company harmless against such dispute or claims. I further authorize the Company, in the event of my default or non-compliance of any statutory obligations, to deduct/recover and adjust such amount or claim against my Bills due under the Contract or against any other existing or future Contracts with the Company including performance security.

I/We declare that the information given above is true and any misstatement, misrepresentation, or suppression of facts in connection with the above undertaking may entail rejection of the bid and cancellation of contract, if awarded.

Yours faithfully,

1. Authorized Signatory with Seal

---

(Bidder)

Place:-

Date:-

\*\*\*\*\*  
\_\_\_\_\_

**PROFORMA-IX**

To,  
**General Manager (F&A)-PL**  
Oil India Limited  
Pipeline HQ, Narangi , Guwahati ,Assam-781171

Dear Sir,

Sub: E-Payments vide RTGS/NEFT

I/We request and hereby authorise you to execute E-Payment vide RTGS/NEFT modes to My /Our Bank account as per the details given below:

**(A) BANK DETAILS**

1. Bank A/c No. ( Must Enclose Cancelled Cheque)
2. Account Type        Saving Bank/ Curent Account
3. Bank Branch
4. Bank Address
5. IFSC Code
6. MICR No.

**(B) VENDOR DETAILS :**

1. Vendor Code ( See the vendor code given in the PO/Contract)
2. Name
3. PAN No. (Must enclosed self-attested photo copy of PAN Card )
4. Address with Mobile/Telephone No.
5. ~~VAT TIN No.~~
6. ~~CST Regn. No.~~
7. GSTN. No.
8. ~~Central Excise Regn.No.~~
9. Email ID

I/We hereby declare that the particulars given above are correct and complete. I/We confirm that I/we shall bear the charges, if any levied by my/our bank for the credit in our above account through NEFT. If the transaction is delayed or lost because of incomplete or incorrect information, we would not hold the company responsible.

Thanking you,

Date:

\_\_\_\_\_  
Authorised Signatory & Stamp

.....  
Bank Certificate

We confirm that the details given above are correct as per our records.

Date:

Place:

Official

\_\_\_\_\_  
Signature, Code & Stamp of Authorised Bank

**PROFORMA-X****Format of Undertaking by Bidders towards submission of authentic information/documents**

*(To be typed on the letter head of the bidder)*

To,  
**General Manager (Contracts)-PL**  
Oil India Limited  
Pipeline HQ, Narangi , Guwahati ,Assam-781171

Subject: Undertaking of Authenticity of Information/documents submitted

Refer : Tender No.....Dated.....

Sir/Madam

With reference to our quotation against your above-referred tender, we hereby undertake that no fraudulent information/documents have been submitted by us.

We take full responsibility for the submission of authentic information/documents against the above cited bid.

We also agree that, during any stage of the tender/contract agreement, in case any of the information/documents submitted by us are found to be false/forged/fraudulent , OIL has right to reject our bid at any stage including forfeiture of our EMD and/or PBG and/or cancel the award of contract and/or carry out other penal action on us, as deemed fit.

Yours faithfully,

For (type name of the firm here)

Signature of Authorised Signatory

Name:

Designation:

Phone No:

Place:

Date:

(Affix seal of the Organization here, if applicable)

\*\*\*\*\*