

OIL INDIA LIMITED
(A GOVT. OF INDIA ENTERPRISE)
P.O. DULIAJAN-786602

Date: 07.12.2016

CONTRACTS DEPARTMENT

(CIVIL TENDER: ONLY FOR OIL REGISTERED VENDOR)

SEALED Bids are invited from OIL Registered Contractors on “one Firm/Contractor one bid” basis for the following works:

Sl. No.	IFB No.	Description of work	Location	Time of completion	OIL Class	Bid document cost.
1	DCC3112L17	Construction of R.C.C. Staircase (front side), Tea room & Renovation of Employee's toilet at Moran Power Station inside Moran Industrial area including supply of all materials, except cement.	Inside of OIL Industrial area Moran	12 (Twelve) Weeks	D	Free

2. All the tender documents are available at OIL's website www.oil-india.com. The bidders will have to download the Proforma-1, duly fill it up and sign it, and submit the same in SEALED ENVELOPES (Only Proforma -1 is to be submitted. No other document is required to be submitted by the bidders.).

3. Sealed envelopes containing duly filled up and duly signed Proforma-I shall be marked at top with the above IFB Number and description of work and addressed to the DGM-Contracts (HoD), Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam.

4. Bids will be received upto 12.45 P.M. (IST) on **12/01/2017** at the office of the DGM-Contracts (HoD), Duliajan and opened on the same day at 1.00 P.M.(IST) at his office. For tender related to Moran only, Bidders may also deposit their bids in tender box placed at the office of civil engineering department, Moran upto 12.45 P.M. (IST) on **10/01/2017**.

5. However, if the above mentioned closing/opening day of the tender happens to be non-working day due to Bandh/Strike or any other reason, the bids will be received and opened on the following working day at the same time except on Saturday.

6.(i)The bidder should not quote their rates for individual items. They should offer their overall rate only as a percentage of Company's internally estimated cost within the limit of at Par to +10% on the Company's internal estimated contract cost. However the bids with overall rates quoted below at par and above (+10%) of Company's internal estimate will be rejected outright. In case of identical lowest offered rate by more than 1 (one) bidder, the selection will be made by draw of lots amongst the parties offering the same lowest price for priority -1 and priority-2 bidder. The Tender shall be awarded to priority-1 bidder only but if priority-1 bidder fails to accept the LOI/found non eligible/ fails to execute the jobs, then Company reserves the right to award the same to priority-2 bidder, if approved by Company's management.

(ii) Estimated contract cost is inclusive of all overheads, Taxes, duties, levies etc. except PF & Service Tax.

(iii) If the rate (percentage) is quoted in figures as well as in words, the percentage rate quoted in words shall be considered to be correct in case of discrepancy. No overwriting shall be allowed. However, in case of any correction, same should be initialed.

7. All corrigenda, addenda, amendments, time extension, clarifications etc. to the tender will be hosted on the OIL's website only and no separate notification shall be issued in the press. Prospective bidders are requested to regularly visit the website to keep themselves updated..

DGM –CONTRACTS(Civil)
For RESIDENT CHIEF EXECUTIVE

Copy:-

GM(F&A)/GM(ES)/DGM-CIVIL(HoD)/DGM-MORAN } With a request to have the above Notice
DGM (EPA)/Dy.CEC(Moran)/Sr.E.C(Digboi). } displayed on the Notice Board.

DGM-Security :- Please arrange to provide Security service on 12/01//2017 from 12.30 P.M.(IST) onwards.

Tender No. DCC3112L17

PROFORMA- I

(Only this Proforma-1 is required to be submitted by the bidders. No other document is required.)

Name of Work : Construction of R.C.C. Staircase (Front side), Tea Room & Renovation of Employee's toilet at Moran Power Station inside Moran OIL Industrial area including supply of all materials except Cement.

Location : Inside of OIL Industrial area Moran.

Contract cost : ₹ 7, 26,689.09

Name of the Firm :

Name of bidder/ Power of Attorney Holder:.....

OIL Registration No. : **Vendor Code:**.....

Bidder's Address :

Mobile No.: **E mail ID :**

I/We have gone through all the tender documents (i) Tender Notice / IFB (ii) GCC (iii) SCC (iv) SOQ (v) SCPME (vi) SM along with NIT uploaded in the website www.oil-india.com and agree with all the terms and conditions provided there in.

I/We hereby declare that I/We have submitted the "One Time Security Deposit" in line with OIL's notification no.: CONT/CIV/1296/2016 dated 25.08.2016 on or before 12:45 Hrs. of Bid Closing/Opening date of this tender and failing to the same my/our bid will be rejected straightway by Company.

I/we on this _____ day of _____ 2016, hereby offer to execute the work described above at the rate of _____ % **above */ at par** the Company's estimated total contract cost inclusive of all overheads, Taxes, duties, levies etc. except PF & Service Tax in accordance with the Contract terms & conditions, which I/ we have fully understood.

[* Indicate one only striking out the other.

** If the rate (percentage) is quoted in figures as well as in words, the percentage rate quoted in words shall be considered to be correct in case of discrepancy.

*** If any corrections are made, same has to be signed by the concerned bidder. If the same is not signed, the bid will be rejected outright]

Note:

- 1.0 The % aggregate offered by the bidder over the Company's internal estimated contract cost shall be applicable uniformly towards all individual items.
- 2.0 In case of any identical situation, the L-1 bidder will be determined through draw of lots.
- 3.0 Offer not furnished in the above format as per instruction given above, shall be summarily rejected.
- 4.0 If more than one bid is received from any bidder, Company reserves the right to reject all such bids. However, Company, at its discretion, may consider any one of such bids.

Signature of bidder with seal

Date:



OIL INDIALIMITED
(A Govt. of India Enterprise)
Contracts Department, Duliajan

M/s.

SEALED Tenders on percentage rate basis are invited from Registered O.I.L. Class 'D' Contractors for the following work.

DESCRIPTION OF WORK	LOCATION	TIME OF COMPL. (WEEKS)	ESTIMATED CONTRACT COST OF THE WORK (Rs.)	BID CLOSING/ OPENING DATE
Construction of RCC Staircase (Front side), Tea room & Renovation of employee's toilet at Moran Power Station inside Moran OIL Industrial Area including supply of all materials, except Cement.	Inside of OIL Industrial area Moran	12	7,26,689.09	12.01.2017

2.0 All the tender documents are available at OIL's website www.oil-india.com. The bidders will have to download the Proforma-1, duly fill it up and sign it, and submit the same in SEALED ENVELOPES (Only Proforma -1 is to be submitted. No other document is required to be submitted by the bidders.). The envelope shall be marked at the top with the above Tender Number and description of work and addressed to the

DGM-Contracts (HoD)
OIL INDIA LIMITED
Contracts Department, Duliajan

The Proforma-1 to be submitted by the bidders (after filling up and signing the same) should be the Proforma-1 uploaded with the bid document which is signed by OIL's authorized signatory. Bid document, i.e. filled up and signed Proforma-1, submitted by the bidders not containing the signature of OIL's authorized signatory and / or submitted in any other format shall be rejected straightway.

If more than one bid is received from any bidder, Company reserves the right to reject all such bids. However, Company, at its discretion, may consider any one of such bids.

3.0 Tenders will be received up to 12:45 PM (IST) on the date as mentioned above and opened on the same day at 01:00 PM (IST) at his office before any attending bidders. Tender box is placed at the office of DGM-Contracts (HoD), Duliajan. For tender related to Moran only, Bidders may also deposit their bids in tender box placed at the office of civil engineering department, Moran upto 12.45 P.M. (IST) on 10/01/2017.

4.0 The bidder should note that they have to submit the "One Time Security Deposit" in line with OIL's notification no.: CONT/CIV/1296/2016 dated 25.08.2016, on or before 12:45 Hrs. of Bid Closing/Opening date of this tender. Failing to which, the bid submitted by the bidder will be rejected straightway.

5.0 (i) **The bidder should not quote their rates for individual items. They should offer their overall rate only as a percentage of Company's internally estimated cost within the limit of at Par to +10% on the Company's internal estimated contract cost. However the bids with overall rates quoted below at par and above (+10%) of Company's internal estimate will be rejected outright.** In case of identical lowest offered rate by more than 1 (one) bidder, the selection will be made by draw of lots amongst the parties offering the same lowest price for priority -1 and priority-2 bidder. The Tender shall be awarded to priority-1 bidder only but if priority-1 bidder fails to accept the LOI/found non eligible/ fails to execute the jobs, then Company reserves the right to award the same to priority-2 bidder, if approved by Company's management.

- (ii) Estimated contract cost is inclusive of all overheads, Taxes, duties, levies etc. except PF & Service Tax.
- (iii) If the rate (percentage) is quoted in figures as well as in words, the percentage rate quoted in words shall be considered to be correct in case of discrepancy. No overwriting shall be allowed. However, in case of any correction, same should be initialed.

6.0 Before tendering, the bidder is advised to inspect the works with permission from DGM (Civil) or his representative, to assess the nature and extent of and the conditions under which it will be carried out.

Though effort will be made to allot the works at the specified location, Company reserves the right to allot the works in any other location.

7.0 The Company reserves the right of rejecting or accepting any or all bids without assigning any reason.

8.0 No bidder must withdraw the bid after its public opening. Any such withdrawal will make the bidder liable to forfeit his Earnest Money in full and be debarred from further tendering at the sole discretion of the Company and the period of debarment shall be as per Company's prevailing banning policy.

9.0 The bid must be valid for 90 (Ninety) days from the date of opening of the tender.

10.0 Conditional bids are liable for rejection at the sole discretion of the Company.

11.0 Time shall be regarded as the essence of the Contract and the failure on the part of Contractor to complete the work within the stipulated time, shall entitle the Company to recover liquidated damages and/ or penalty from The Contractor as per terms of the tender/contract.

12.0 The selected bidder will be required to enter into formal contract, which will be based on his bid on the OIL Standard Form of Contract.

13.0 The successful bidders, including OIL registered Contractors must furnish a Security Deposit @ 2.50% of the Contract price in form of Bank Draft/ Banker's Cheque/ Bank Guarantee in favour of M/s Oil India Ltd., DULIAJAN, payable at DULIAJAN, before signing the formal contract. The Security Deposit will be refunded to the contractor after satisfactory completion of the work, but part or whole of which shall be used by the Company in realization of liquidated damage or claims, if any, or for adjustment of compensation/ loss due to Company for any reason. This Security Money shall not earn any interest.

14.0 Bids can be dropped in the tender box placed at the Office of the DGM-Contracts or can be sent by registered post addressed to

DGM-Contracts (HoD)
OIL INDIA LIMITED
Contracts Department, Duliajan

so as to reach his office before scheduled closing date and time. The Company will not be responsible for any postal delay or non-receipt.

15.0 Price shall be firm throughout the whole contract period.

16.0 The Contractor will be required to allow OIL officials to inspect the works and documents in respect of the workers' payment.

17.0 Debarred contractors are not eligible for bidding during the time of debarment.

18.0 BACKING OUT BY BIDDER: In case bidder withdraws its bid within the bid validity period, Bid Security will be forfeited and the party will be debarred as per the "Guidelines for Banning business Dealings".

19.0 BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA: In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document, the bid security shall be forfeited the party will be debarred as per the "Guidelines for Banning business Dealings".

20.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT: If it is found at any time that, a Bidder / Contractor has / had furnished fraudulent documents / information, the Bid Security / Performance Security shall be forfeited and the party will be debarred as per the "Guidelines for Banning business Dealings".

21.0 As per the Service Tax Act, the bidders/contractors are required to furnish Service Tax invoices containing the requisite details as shown in the Proforma of Tax Invoice. The Contractors must ensure submission of monthly Service Tax Invoice and Service Tax (if applicable) shall be reimbursed to them. In the absence of Service Tax invoices, Service Tax will not be reimbursed and the consequences of the same shall entirely rest upon the Contractors.

(A. DAS)
DGM-CONTRACTS (Civil)

Copy:

| With a request to have
| the above Notice displayed
| on their Notice Board

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

WORKS CONTRACT

DCC3112L17

DESCRIPTION OF WORK/ SERVICE:-

Construction of R.C.C. Staircase (front side), Tea room & Renovation of employee's toilet at Moran Power Station inside Moran OIL Industrial area including supply of all materials except Cement.

GENERAL CONDITIONS OF CONTRACT (GCC)

MEMORANDUM OF AGREEMENT made this _____ day of _____
Between OIL INDIA LIMITED a Company incorporated under the Companies Act 1956 and having its Registered Office at Duliajan in the District of Dibrugarh, Assam (hereinafter called Company) of the one part and Shri/Smti _____ and Shri/Smti _____ carrying on business as partners/proprietor under the firm name and style of M/s. _____ with the main Office at _____ in the District of _____ aforesaid (hereinafter called 'Contractor') on the other part.

WITNESSETH:

1. a) The contractor hereby agrees to carry out the work set down in the Schedule of work which forms part-II of this Contract in accordance with the 1968 General Conditions of Contract of Oil India Limited and General Specifications read in conjunction with any drawings and Particular Specifications & instructions which forms Part-III of the contract utilizing any materials/services as offered by the Company as per Part-IV of the contract at _____ .

b) In this Contract all words and expressions shall have the same meaning as are respectively assigned to them in the 1968 General Conditions of Contract of Oil India Limited which the Contractor has perused and is fully conversant with before entering into this Contract.

c) The clauses of this contract and of the specifications set out hereunder shall be paramount and in the event of anything herein contained being inconsistent with any term or terms of the 1968 General Conditions of Contract of Oil India Limited, the said term or terms of the 1968 General conditions of Contract to the extent of such inconsistency, and no further, shall not be binding on the parties hereto.

2. i) The contractor shall provide all labour, supervision and transport and such specified materials described in part-II of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and his rates shall include for these. The work executed and materials supplied shall be to the satisfaction of the Company's Engineer and Contractor's rates shall include for all incidental and contingent work which although not specifically mentioned in this contract are necessary for its completion in a sound and workman like manner.

ii) Contractor shall have to produce necessary cash memos towards forest produce used against the contract to DGM (Civil) used against this contract from the authorities prior to processing of final payment. In absence of cash memos, the final bill shall not be processed.

3. The Company's Engineer shall have power to:

a) Reduce the rates at which payments shall be made if the quality of work although acceptable is not upto the required standard set forth in the OIL Standard Specifications which have been perused and fully understood by the Contractor.

b) Order the Contractor to remove any inferior material from the site and to demolish or rectify any work

Demolished or rectified by any other means at the Contractor's expenses. arrange for any such work to be

c) Order the Contractor to remove or replace any workman who he (The Engineer) considers incompetent or unsuitable; the Engineer's opinion as to the competence and suitability of any workman engaged by the Contractor shall be final and binding on the Contractor.

d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the Contractor shall carry out and be bound by the same.

e) Order deviations in Part II and III of this Contract. All such deviation orders shall be in writing and shall show the financial effect, if any, of such deviation and whether any extra time is to be allowed. The rates to be applied for such Deviation Order shall be the same for those appearing in Company's Schedule of Rate in force on the date of issue of such Deviation Order, to which the contractor has no objection.

4. The Contractor shall have no claim against the company in respect of any work which may be withdrawn but only for work actually completed under this contract. During the actual execution of the contract, if any, additional items (deviated items) are required, which are not covered in the tender, payments of such items shall be made at the current OIL schedule of rates. In case of positive variation in quantity of any item from the quantity mentioned in the schedule of work during the actual execution of work, the Contractor will have to carry out the positive varied quantity at the contract rate, or Internally estimated rate, whichever is lower.

5. The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the contractor for permanent incorporation in the work under this contract particularly for execution of this contract upto the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the company's Engineer in presence of the contractor. The Contractor shall have no claim to any further payment whatsoever. The valuation would be carried out exparte if Contractor fails to turn up despite reasonable notice which will be binding on the Contractor

6. The Contractor hereby undertakes to indemnify the Company against all claims which may arise under the under noted Acts :-

- i) The Mines Act.
- ii) The Minimum Wages Act, 1948.
- iii) The Workman's Compensation Act, 1923.
- iv) The Payment of wages Act, 1963.
- v) The Payment of Bonus Act, 1965.
- vi) The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under.
- vii) Employees Pension Scheme, 1995.
- viii) Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.
- ix) The Employees Provident Fund and Miscellaneous Provisions Act, 1952.
- x) VAT Act.
- xi) Service Tax Act, if applicable.

or any other Acts or Statute not here in above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labour appointed by the Contractor. Such Statutory increase in the wage rates of Contract Labour shall be borne by the contractor

7. The Contractor shall clear away all rubbish and surplus material from the site on completion of work and shall leave the site clean and tidy.

8. The Contractor must complete the work within 12 weeks of the written order to commence work. During the currency of the job, the work progress must be commensurate with the time elapsed. In the event of any delay on the contractor's part, he/she will be liable to pay to the company liquidated damages at the rate of 1/2% (Half percentage) per week of the contract price of the item(s) delayed in completion and the maximum value of the liquidated damage will be 7.5% of the contract price of the item(s) delayed provided the item(s) delayed are not critical for commissioning and final utilization of the work. If, however, the item(s) delayed in

completion are critical for commissioning and final utilization of the work then the contractor will be liable to pay liquidated damages by way of penalty at the rate of 1/2% (Half percent) per week of delay of the total contract cost subject to a maximum of 7.5% of total contract cost.

The DGM (Civil)'s certificate as to the criticality or otherwise of an item shall be final.

The payment of liquidated damages/penalty may be reduced or waived at the sole discretion of the Company whose decision in this regard will be final.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the company attributable to such delay. The company's decision in this regard shall be final.

9. In order to promote, safeguard and facilitate the general operational economic in the interest of the Company during the continuance of this contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and or support, assist, maintain or help any person or persons engaged in antisocial activities, demonstration, riots , or in any agitation prejudicial to the Company's interest and any such event taking shape or form at any place of the Company's works or and its neighborhood.

10. The tendered all-inclusive Price (i.e. the Contract price) is Rs. _____
(Rupees _____ only.) but the Company shall pay the Contractor only for actual work done at the all inclusive rates set down in the Schedule of work part II of this Contract.

On account payment may be made, not oftener than monthly, upto the amount of 92.5% of the value of work done. Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.

11. The contractor employing 20 (twenty) or more workmen on any day preceding 12 months shall be required to obtain requisite license at his cost from the appropriate Licensing Officer before undertaking any Contract work. The Contractor shall also observe the rules & regulations framed under the Contract Labour (Regulation & Abolition) Act.

12. Wages shall be paid by the Contractor to the workmen directly without any intervention of any Jamadars or Thekadars and that the Contractor shall ensure that no amount by way of commission or otherwise be deducted/ recovered by the Jamadar from the wages of the workmen.

13. The Company for any reason whatsoever and of which the company shall be sole judge may terminate this Contract with a 24 hours notice in writing to the Contractor and in the event of Company's so doing the clause 5 here of shall prevail and the accounts between the parties will be in accordance therewith finalized.

14. The Contractor will not be allowed to construct any structure (for storage / housing purpose) with thatch, bamboo or any other inflammable materials within any company's fenced area.

15. The Contractor shall ensure that all men engaged by him/her are provided with appropriate protective clothing and safety wear in accordance with regulation 89(a) and 89(b) in the Oil mines Regulations 1984. The Company's representative shall not allow/accept those men who are not provided with the same.

16. All Statutory taxes levied by the Central and State Government or any other competent authority from time to time will be borne by Contractor and the amount of the contract specified in the contract is inclusive of all tax liabilities. However, any subsequent increase in such statutory taxes after bid opening day will be borne by the Company. Similarly if there is any decrease in such statutory taxes after bid opening, the Company shall recover the decreased amount of such taxes from the contractor.

17. The Contractor shall deploy local persons in all works.

18. The Contractor shall not engage minor labour below 18 (eighteen) years of age under any circumstances.

19. The Contractor and his/her workmen shall strictly observe the rules and regulations as per Mines Act. (latest editions).

20. Special Conditions:-

a) The amount of retention money shall be released after 6(six) months from the date of issue of completion certificate from concerned department.

b) The contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.

c) Contractor(s) whosoever is liable to be covered under the P.F. Act and contract cost is inclusive of P.F., must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the Contractor must deposit Provident Fund Contribution (covering Employee's & Employer's share) with the competent authority monthly under their direct code. The Contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the Company. In case of failure to provide such documentary evidence, the Company reserves the right to withhold the amount equivalent to 12% P.F. Contribution on wage component.

d) In case P.F. is not included in the contract cost and later on required to be deposited by the Contractor, the same will be reimbursed on production of documentary evidence of depositing the same to the authority concerned. 12% P.F. will be applicable on the wage component of the contract cost.

Based on contractor's declaration regarding P.F. & Wage component in last page of part-II, the same will be incorporated in the contract.

e) All safety precautions to be maintained by the Contractor at his own cost as per safety rules and regulations.

f) The Contractor shall use pump if needed for dewatering of pit while excavation for which no extra payment will be made.

g) The Contractor shall have to work during rainy seasons also.

h) Watch and ward, loss or damage to Company's property, theft and other incidental charges shall be Contractor's responsibility.

i) Efficient workmen to be engaged by the Contractor.

j) The Contractor's representative should report to Engineer-in-charge on all working day's at 7.00 A.M. and 3.00 P.M. for instructions.

k) Materials if rejected should be removed from site within 48(forty- eight) hours of rejection, failing which the Company reserves the right to get the rejected materials removed at the risk and cost of the Contractor.

l) The Company reserves the right to get the part or whole work complete at the risk and cost of the Contractor if he fails to complete the work within the stipulated time without any valid reason. The Company's decision shall be final and binding on the Contractor.

m) The Contractor shall obtain labour clearance within 7(seven) days of signing the Contract.

n) Water that may accumulate on the site during progress of the works or in trenches and excavations from other than accepted risks shall be removed from the site to entire satisfaction of the Engineer-in-charge and at the Contractor's expense.

o) The Contractor shall be in a position to execute 2(two) locations simultaneously.

p) If required, the Contractor shall have to work in two shifts for which no extra payment will be admissible to him/them.

- q) If needed water and electricity will have to be arranged by the Contractor at his own cost.
- r) The Contractor and his workmen are to be strictly observed the safety precautionary rules as per Mines Act (Latest edition) while executing the work.
- s) The Contractor shall have to provide temporary latrine facilities in all the entire work site for use of their workmen during progress of work.
- t) The contractor himself (the signatory of the contract) must visit the site at least twice in a week as fixed for taking necessary instruction from the Engineer-in charge.
- u) The program of works to be submitted in the form of Bar Chart within 3 days of receipt of work order work twice in a week for necessary technical guidance and advices from Engineer- in-charge or site-in-charge.

21. SPECIAL INSTRUCTION:

DELETED

22. ARBITRATION :

Any dispute under this contract will be settled through Arbitration as per Indian Arbitration and Conciliation Act, 1996.

Place of Arbitration : DULIAJAN .

23. FORCE MAJEURE:

Force Majeure (exemption) Clause of the International Chamber of Commerce (ICC Publication No. 421) is hereby incorporated in this contract.

24. I.B. VERIFICATION REPORT AND SECURITY REVIEW:

Contractor will be required to submit the verification report to ascertain character and antecedents from the Civil Administration towards the persons engaged under this contract to the Head of the user Department before engagement.

25. In case of any doubt or dispute as to the interpretation of any clause herein contained, the decision of the Company's Engineer shall be final and binding on the contractor.

26. SET OFF CLAUSE:-

"Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited)."

27.0 FURNISHING FRAUDULENT INFORMATION/DOCUMENT: If it is found at any time that, a Bidder / Contractor has / had furnished fraudulent documents / information, the Bid Security / Performance Security shall be forfeited and the party will be debarred as per the "Guidelines for Banning business Dealings".

28.0 LIQUIDATED DAMAGES FOR DELAY IN MOBILISATION AND/ OR COMPLETION OF WORKS AND SERVICES

28.1 In normal case of works /service contracts, liquidated damages will be applicable @ 0.5% of the contract value per week or part thereof, for delay in contract mobilization /completion date subject to a maximum ceiling of 7.5% of contract value .

IN WITNESS whereof the parties hereunto set their hands seals the day and year first written above:-

SIGNED & DELIVERED FOR AND
ON BEHALF OF

(Signature of Contractor or
his legal Attorney)

----- by the hand

(Full Name of Signatory)

of -----
its Partner/Legal Attorney

(Seal of Contractor's Firm)

And in presence of

(Signature of witness)

Date : _____

(Full Name of Signatory)

Address:

(Signature of Acceptor)

SIGNED & DELIVERED FOR & ON
BEHALF OF OIL INDIA LIMITED

Designation _____

Date _____

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
GROUP A					
SECTION A					
Labour supervision and related transport wherever applicable					
10	:Demolishing R.C.C. work manually / by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-Charge.	Cubic meter	10.000	1,097.13	10,971.30
20	:Demolishing cement concrete manually / by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in - charge.1:3:6 or richer mix.	Cubic meter	5.000	752.05	3,760.25
30	:Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50metres lead.	Kilogram	2,000.000	1.76	3,520.00
40	:Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be	Cubic meter	6.328	144.96	917.31

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
50	levelled and neatly dressed. All kinds of soil Supplying and filling in plinth with sand under floors including, watering, ramming consolidating and dressing complete	Cubic meter	10.000	897.21	8,972.10
60	Laying Brick Flat Soling (75mm thick) including grading the base and spreading 25mm thick sand bed at bottom and grouting soling with cement mortar (prop. 1:3) and carrying all materials from a distance of upto 30.00m.	Square meter	18.000	375.05	6,750.90
70	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	Cubic meter	8.000	3,664.73	29,317.84
80	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars.	Kilogram	740.000	69.76	51,622.40
90	Centring and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns,	Square meter	91.749	187.00	17,157.06

Contractor

2

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
100	etc. for mass concrete. Centring and shuttering including strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts.	Square meter	50.592	409.70	20,727.54
110	Centring and shuttering including strutting, propping etc. and removal of form for: Lintels, beams, plinth beams, girders, bressumers and cantilevers.	Square meter	21.590	293.90	6,345.30
120	Centring and shuttering including strutting, propping etc. and removal of form for: Weather shade, Chajjas, corbels etc., including edges.	Square meter	28.100	460.72	12,946.23
130	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level : 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cubic meter	2.100	3,610.63	7,582.32
140	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts	Cubic meter	14.300	4,328.90	61,903.27

Contractor

3

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
150	etc. upto floor five level excluding cost of centring, shuttering, finishing and reinforcement: 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 sand)	Cubic meter	1.500	5,069.02	7,603.53
160	Half brick masonry with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement :4 coarse sand)	Square meter	100.500	667.53	67,086.77
170	6mm cement plaster of mix:1:3 (1 cement : 3 fine sand)	Square meter	91.788	87.98	8,075.51
180	12mm cement plaster of mix:1:4 (1 cement : 4 fine sand)	Square meter	100.500	100.34	10,084.17
190	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of Approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), including	Square meter	80.000	735.80	58,864.00

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
200	<p>pointing The joints with white cement and matching pigments etc., complete.</p> <p>Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622(thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3 kg per sqm, Including pointing in white cement mixed with pigment of matching shade complete.</p>	Square meter	75.000	731.72	54,879.00
210	Structural steel work in single section fixed with or without connecting plate including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kilogram	1,500.000	67.13	100,695.00
220	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position	Kilogram	1,150.440	74.53	85,742.29

Contractor

5

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
230	and applying a priming coat of approved steel primer all complete: Providing Wood work in frames of false ceiling, partitions etc. sawn and put up in position :Kiln seasoned and chemically treated Hollock wood.	Cubic meter	0.114	48,630.80	5,543.91
240	Fixing plain multipurpose cement board (high pressure steam cured) as per IS 14862: 2000 with suitable fibre cement screw in ceiling etc.	Square meter	6.000	443.01	2,658.06
250	complete, (frame work to be paid separately).- 6 mm thick cement board Providing and fixing Pre coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %),total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by	Square meter	10.000	674.38	6,743.80

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
260	<p>Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, Excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.</p> <p>Providing and fixing Pre-coated galvanised steel sheet roofing accessories 0.50 mm (+ 0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: mm (+ 0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws. complete Ridges plain (500 - 600 mm)</p>	Meter	5.000	695.67	3,478.35
270	<p>Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+ 0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: mm (+ 0.05 %) total coated</p>	Meter	25.000	841.31	21,032.75

Contractor

7

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
280	thickness, Zinc coating 120 grams per sqm as Per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Gutter (600 mm over all girth) Providing and fixing ISI marked oxidised M.S. handles conforming to IS :4992 with necessary screws etc. complete:125 mm	each	12.000	26.62	319.44
290	Distemping with 1st quality acrylic washable distemper (ready made) of Approved manufacturer and of required shade and colour complete as per manufacturer's specification. One or more coats on old work	Square meter	210.000	23.93	5,025.30
300	Finishing walls with water proofing cement paint of required shade: New work (Two or more coats applied @ 3.84 kg/ 10 sqm)	Square meter	150.000	50.38	7,557.00
310	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work	Square meter	20.000	60.35	1,207.00
320	Providing and fixing Un plasticised-PVC pipe clips of approved design to un plasticised-PVC rain water pipes by means of 50x50x50 mm	Meter	25.000	162.05	4,051.25

Contractor

8

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
330	<p>hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. 110 mm Printing new letter and figures of any shade (Printing new letter and figures of any shade with synthetic enamel paint black or any other approved colour to give an even shade) English and Roman. (Note: PAINT TO BE SUPPLIED BY THE CONTRACTOR. Measurement shall be per letter per cm height)</p>	Centimeter	9,000.000	0.44	3,960.00
340	<p>Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: 17.4.1 One urinal basin with 5 litre</p>	each	1.000	3,187.72	3,187.72

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
350	white P.V.C. automatic flushing cistern Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C. P. brass pillar taps	each	2.000	2,071.45	4,142.90
360	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fitting arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms.	each	3.000	421.05	1,263.15
370	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Circular shape 450 mm dia.	each	3.000	670.51	2,011.53
380	Providing and fixing PTMT Soap Dish Holder having	each	4.000	169.34	677.36

Contractor

10

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
390	length of 138 mm, breadth 102 mm, height of 75 mm with concealed fitting arrangements, weighing not less than 106 gms. Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm Sand Cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	each	4.000	3,321.87	13,287.48
				Total of SECTION A Rs.	<u>721,671.09</u>
SECTION C					
Transport Only					
10	:Carriage of material by mechanical transport including loading unloading and stacking: Cement, stone blocks, G.I., C.I., A.C. & C.C. pipes below 100 mm dia. and other heavy materials : Beyond 4KM and Upto	US ton	50.000	100.36	5,018.00

Contractor

11

Company

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

Tender No. DCC3112L17

SOQ - Schedule of Work, Unit, Quantities, Rates and Prices.

Service Line No.	Description of Works	Unit	Qty.	Estimated Rates per unit (Rs)	Estimated Amount
------------------------	-------------------------	------	------	--	---------------------

5KM.

Total of SECTION C Rs. 5,018.00

Total of GROUP A Rs. 726,689.09

Grand total of all groups Rs. 726,689.09

Add PF Amount Rs. 0.000

Grand Total Contract Cost: Rs. 726,689.09

The Company's estimated total contract cost is inclusive of all overheads, Taxes, duties, levies etc. except PF & Service Tax.

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

WORKS CONTRACT

Special Conditions of Contract(SCC)

Tender No.: DCC3112L17

SCOPE OF WORK:

Brief specifications are given here under for general guidance purpose of the tenderers. The job scope includes Construction of R.C.C. staircase (front side), tea room & renovation of employee's toilet. It shall clearly be noted that the bidders are required to give their rates taking into consideration all aspects as per site requirements and specifications enclosed along with this tender document. Quoted offers shall be inclusive of all materials Except cement.

1.0 In general, the scope of work covers the following but not limited to:

1.1 Demolishing R.C.C. work manually / by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-Charge.

1.2 Demolishing cement concrete manually / by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in - charge. 1:3:6 or richer mix.

1.3 Dismantling steel work in built up sections in angles, Tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.

1.4 Earth work in excavation by mechanical means (Hydraulic excavator)/manual means in foundation trenches or drains(not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. In all kinds of soil.

1.5 Supplying and filling in plinth with sand under floors including, watering, ramming consolidating and dressing complete

1.6 Laying Brick Flat Soling (75 mm thick) including grading the base and spreading 25 mm thick sand bed at bottom and grouting soling with cement mortar (prop. 1:3) and carrying all materials from a distance of upto 30.00 m.

1.7 Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)

1.8 Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars.

1.9 Centring and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete.

1.10 Centring and shuttering including strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts.

1.11 Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement - All work upto plinth level : 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)

1.11.1 Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. upto floor five level excluding cost of centring, shuttering, finishing and reinforcement: 1:1.5:3 (1 cement: 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size).

1.12 Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 sand).

1.13 Half brick masonry with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level. Cement mortar 1:4(1 cement :4 coarse sand).

1.14 6 mm cement plaster of mix:1:3 (1 cement : 3 fine sand).

1.15 12 mm cement plaster of mix:1:4 (1 cement : 4 fine sand).

1.16 Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to bespecified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigments etc., complete.

1.17 Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %),total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5 x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.

1.18 Distempering with 1st quality acrylic washable distemper (ready made) of approved manufacturer and of required shade and colour complete as per manufacturer's specification.One or more coats on old work.

1.19 Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm Sand Cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests

1.20 Providing and fixing PTMT Soap Dish Holder having length of 138 mm, breadth 102 mm, height of 75 mm with concealed fitting arrangements, weighing not less than 106 gms.

2.0 WATER:

Water for mixing cement mortar or concrete shall not be salty or brackish and shall be clean, reasonably clear and free from objectionable quantity of silt and traces of oil, acid, injurious alkali, salts, organic matter and other deleterious materials which will either weaken the mortar or concrete or causes efflorescence or attack the steel in reinforced cement concrete. Water shall be obtained from sources approved by the Site Engineer. Potable water is generally considered satisfactory for mixing and curing concrete mortar masonry etc. Where water other than from main source is used this shall be tested in an approved testing laboratory to establish its suitability. All charges connected there with shall be borne by the contractors.

3.0 STORAGE

Cement in bags shall be stored on wooden platforms minimum 200 mm above the floor level and minimum 600 mm above the ground level whichever is higher, in perfectly dry and watertight sheds. The cement shall be stacked not more than eight bags high and in a manner to facilitate their removal and use in the order in which they are received. Cement bags shall be stacked at least 450 mm clear off the walls and the space between the consecutive two rows shall not be less than 600 mm. Storage of cement at the work site shall be at the Contractor's cost and risk. Any damage occurring to the cement due to faulty storage or negligence on his/her/their part shall not be used in the work and shall have to inform immediately the Engineer-in-charge in writing. The cost will be at the charge of the contractor concerned. The contractor shall keep proper records on site in respect of daily consumption in bonded book. Contractor shall have to produce to Company's Engineer for their inspection.

4.0 MEASUREMENT & PAYMENT:

Payment for all works done shall be made on the basis of actual work done as per the schedule of rates. For all extra work done on the advice of the Company's Engineer and which is not included in the schedule of rates, deviation order for the same shall be made on the rates as decided by the Company's Engineer.

5.0 SPECIAL INSTRUCTION TO THE CONTRACTOR:

5.1 Efficient workmen to be engaged by the Contractor.

5.2 The Contractor's representative should report to Engineer-in charge on all working days at 7.30 AM for day to day instruction.

5.3 Materials if rejected should be removed from site within 48(forty eight) hours of rejection, failing which the company reserves the right to get the rejected materials removed at the risk and cost of the contractor.

5.4 The Company reserves the right to get the part or whole work completed through other agency at the risk and cost of the contractor if he fails to complete the work within the stipulated time without any valid reasons. The Company's decision shall be final and binding on the Contractor.

5.5 The Contractor shall obtain labour clearance within seven days of signing the contract.

5.6 Water that may accumulate on the site during progress of the works or in trenches and excavation from site to entire the satisfaction of the Engineer-in-charge and at the Contractor's expense.

5.7 If needed water and electricity will have to be arranged by the Contractor at his own cost.

5.8 The Contractor and his workmen have to strictly observe the safety precautionary rules as per Mines Act.(Latest edition) while executing the work.

5.9 No road closure will be allowed during execution of work and necessary traffic signal/road boards to be displayed at proper place by the Contractor at his own cost. The Contractor shall be wholly responsible for any accident arising out of non-fulfilment of this condition.

5.10 The Contractor will be required to work expeditiously at the site and must visit the site before tendering.

5.11 Welding and cutting sets with fuel & operator, welder, fitter etc including supply of all necessary accessories shall be arranged by the Contractor at his cost at site for fabrication and erection work.

5.12 Hot and Cold permit, Gas leakage testing certificate issued by the Concerned Department to be submitted by the contractor to Engineer-in-charge.

5.13 The Contractor will be required to submit, the test report of materials supplied by contractor, if Engineer-In-Charge desired, from approved govt. agency before its use in construction. The total expenditure of the tests will be borne by the contractor.

5.14 Quantity of cement used will be calculated as per consumption rate as per CPWD standard.

6.0 Company's Internal Estimate is excluding of PF component.

7.0 SAFETY MEASURE HSE POINTS TO BE INCORPORATED IN THE CONTRACT:-

(i) It will be solely the Contractors responsibility to fulfill all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all sub-contractors hired by him comply with the same requirement as the contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-sub contractors.

(ii) Every person deployed by the contractor in a mine must wear safety gadgets to be provided by the contractor. The Contractor shall provide proper Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. . However, it will be the Contractors sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work.

(iii) All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.

(iv) The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the contractor and how it is to be managed.

(v) The contractor shall provide a copy of the SOP to the person designated by the mine owner who shall be supervising the contractor's work.

(vi) Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line .

(vii) It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OILs installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager / Safety Officer / Engineer/Official/Supervisor/Junior Engineer for safe operation.

(viii) Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.

- (ix) Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- (x) The contractor shall have to report all incidents including near miss to Installation Manager / departmental representative of the concerned department of OIL.
- (xi) The contractor has to keep a register of the persons employed by him/her. The contractor's supervisor shall take and maintain attendance of his men every day for the work, punctually.
- (xii) If the company arranges any safety class / training for the working personnel at site (company employee, contractor worker, etc) the contractor will not have any objection to any such training.
- (xiii) To arrange daily tool box meeting and regular site safety meetings and maintain records.
- (xiv) Records of daily attendance, accident report etc. are to be maintained in Form B, E, J (as per Mines Rules 1955) by the contractor.
- (xv) A contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.
- (xvi) A contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.
- (xvii) Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.
- (xviii) In case Contractor is found non-compliant of HSE laws as required company will have the right for directing the contractor to take action to comply with the requirements, and for further non-compliance, the contractor will be penalized prevailing relevant Acts/Rules/Regulations.
- (xix) When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE measures company will have the right to direct the contractor to cease work until the non-compliance is corrected.
- (xx) The contractor should prevent the frequent change of his contractual employees as far as practicable.
- (xxi) The contractor should frame a mutually agreed bridging document between OIL & the contractor with roles and responsibilities clearly defined.
- (xxii) For any HSE matters not specified in the contract document, the contractor will abide the relevant and prevailing Acts/rules/regulations/ pertaining to Health, Safety and Environment.
- (xxiii) Since the job will be carried out inside Industrial area, Contractor shall have to arrange necessary entry pass, ID card etc. as per requirement for security reason. The Rules of "Restricted Area" must be observed.

8.0 Company's Internal Estimate is inclusive of all overheads, taxes, duties, levies etc. except PF & Service Tax.

9.0 Defect Liability Period is 6 months beyond completion of complete works as certified by Engineer-in-charge.

10.0 Company reserves the right to debar the bidder / contractor during processing of tender and / or during continuation of the contract on commission or omission on the part of the bidder / contractor as under:

- a) Has indulged in malpractices, bribery, fraud, pilferage.
- b) Is bankrupt or is being dissolved or resolved to be wound up or proceedings for winding up or dissolution have been instituted.

- c) Has furnished false information /statement / declaration and / or forged document / certificate.
- d) Has substituted materials in lieu of materials supplied by OIL or has not returned or has short returned or has unauthorized disposed-off materials / documents / drawings / tools or plants or equipment supplied by OIL.
- e) Has obtained official Company information or copies of documents in relation to the tender / contract by dubious methods / means.
- f) Has deliberately violated and circumvented the provisions of labour laws / regulations / rules, safety norms or other statutory requirements.
- g) Has indulged in construction and erection of defective works or supply of defective materials/services and not made good of the defects within reasonable time in spite of follow-up by Company.
- h) Has not cleared OIL's previous dues.
- i) Has committed Breach of Contract or has failed to perform a contract or has abandoned the contract.
- j) Has refused to accept LOA / LOI / Purchase Order / Signing of the Contract after accepting LOA / Work Order after the same is issued by OIL within the period of Bid validity and as per agreed terms & conditions.
- k) After bid opening, withdraws / revises its bid within the period of bid validity for no valid reasons. However, reduction of quoted rate(s) / Bid price by L1 Bidder after the bid opening date shall not constitute ground for banning.
- l) Has parted with, leaked or provided confidential / proprietary information of OIL given to the party only for its use (in discharging its obligations against an order / contract) to any third party without prior consent of OIL.
- m) Use intimidation / threatening or brings undue outside pressure on the Company or its Official(s) for acceptance of its bid or acceptance of materials supplied or performance of the job under the contract / purchase order.
- n) If the Director / Owner / Proprietor / Partner of a party is convicted by a court of law for offences involving moral turpitude in relation to its business dealings during last five years.
- o) Poor performance of the supplier / contractor /service provider in one or several contracts / supplies affecting Company's operations.
- p) Any other ground for which, in the opinion of the Company makes it undesirable to deal with the party.

OIL INDIA LIMITED
(A Govt. of India Enterprise)
Contracts, Duliajan

WORKS CONTRACT

Schedule of company's Plants, Materials and Equipments

Tender No.: DCC3112L17

1.0 SCHEDULE OF COMPANY'S PLANTS AND EQUIPMENT for use in the execution of work

2.0 Materials:-All required materials to be supplied by contractor Except cement.

NB: (a) All empty cement bags must be returned to Materials Godown Duliajan failing which a sum of Rs.8/-(Rupees Eight only) per bag will be recovered from the Contractor's bill.

ii) Plants and Equipment: - a)welding set - 1no b) concrete Mixture machine

Remarks: Nil

NOTE:-

1. The Contractor is to arrange transport of the above materials to site of work and for safety thereof for which no extra payment will be made.

2. If the materials listed above are not available suitable substitute will be provided by the Company and Contractor shall incorporate the same in the works without extra cost.

3. Containers must be returned to Company in good condition.

4. Plants and equipment if issued to Contractor must be under proper watch so that no part is pilfered. These must be handled only by Company's operators. Contractor shall be responsible for any loss or damage to these plants and equipment while these are under his/their custody.

5. Materials issued to Contractor must be under proper watch & ward so that no part is pilfered. If any pilferation takes place the matter will be referred to appropriate Govt. authorities for legal action as well as realization of the materials issued.

6. Cement issued to Contractor by the Company is meant only for the specific Company work relating to the Contract. However, if any quantity of Cement is left over from the quantities issued for any reason whatsoever, on the completion / cancellation / termination of the Contract the same shall have to be returned to the Company in full within one week of completion/cancellation of the work failing which the matter will be referred to appropriate Govt. authorities for legal action as well as realization of the Cement.

7. All other materials issue to the Contractor by the Company if subsequently found to be in excess of the actual requirement will have to be returned by the Contractor within two weeks of completion of the work failing which the cost of all such materials will be recovered from the Contactor at double the value of materials without any reference to him.

To
 DGM-CONTRACTS (HOD)
 Oil India Limited
 DULIAJAN

SUB:SAFETY MEASURES
Tender No : DCC3112L17

Description of work/service :

Construction of RCC staircase(front side) ,tea room,& renovation of employee's toilet at Moran Power Station inside Moran OIL industrial area including supply of all materials except cement.

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.

b) The names of the authorised persons who would be supervising the jobs on day to day basis from our end are the following

i) _____

ii) _____

iii) _____

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

c) Due notice would be given for any change of personnel under item(b) above.

d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil Mines Regulations,1984 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the Company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.

e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.

f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.

(Seal)

Yours Faithfully

Date_____

M/s_____

CONTRACTOR
 FOR & ON BEHALF OF