OIL INDIA LIMITED (A GOVT. OF INDIA ENTERPRISE) P.O. DULIAJAN-786602

CONTRACTS DEPARTMENT

(CIVIL TENDER: ONLY FOR OIL REGISTERED VENDOR)

SEALED Bids are invited from OIL Registered Contractors on "one Firm/Contractor one bid" basis for the following works:

SI. No.	IFB No.	Description of work	Location	Contract Period	OIL Class	Bid document cost.
1	DCC7541L18	Construction of Boundary wall and drains for two nos. of Water Supply Stations (W-16 WS Station, Length = 185.00 m & A-Type WS Station, Length = 140.00 m; Brick Wall height = 0.60 m & Jingle wall fencing height = 1.80 m) including supply of all materials except cement.	Moran	16 (Sixteen) Weeks	D	Free

- 2. All the tender documents are available at OIL's website www.oil-india.com. The bidders will have to download the Proforma-I, duly fill it up and sign it with firm's seal, and submit the same in SEALED ENVELOPES (Only Proforma-I is to be submitted. No other document is required to be submitted by the bidders.).
- 3. Sealed envelopes containing duly filled up and duly signed Proforma-I shall be marked at top with the above IFB No. and Description of Work and addressed to the CGM-Contracts, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam.
- 4. Bids will be received upto **12.45 P.M.** (IST) on <u>**26.04.2018</u>** at the office of **CGM-Contracts**, **Duliajan** and opened on the same day at **1.00 P.M.** (IST) at his office.</u>
- 5. However, if the above mentioned closing/opening day of the tender happens to be non-working day due to Bandh/Strike or any other reason, the bids will be received and opened on the following working day at the same time except on Saturday.
- 6.(i) The bidder should not quote their rates for individual items. They should offer their overall rate only as a percentage of Company's internally estimated cost within the limit of 'at Par' to '+10%' on the Company's internal estimated contract cost. However the bids with overall rates quoted below 'at par' and above (+10%) of Company's internal estimate will be rejected outright. In case of identical lowest quoted overall rate by more than 1 (one) bidder, the selection will be made by Draw of Lots amongst the parties offering the same lowest overall rate for Priority-1 and Priority-2 bidder. The DOL will be held on the day of bid opening after the opening of bids is completed. The Contract shall be awarded to Priority-1 bidder only but if Priority-1 bidder fails to accept the LOI/found non eligible/ fails to execute the jobs, then Company reserves the right to award the same to Priority-2 bidder, if approved by Company's management.
- (ii) Estimated contract cost is inclusive of all overheads, Taxes, duties, levies etc. except PF & GST.
- (iii) If the rate (percentage) is quoted in figures as well as in words, the percentage rate quoted in words shall be considered to be correct in case of discrepancy. No overwriting shall be allowed. However, in case of any correction, same should be initialed.
- 7. All corrigenda, addenda, amendments, time extension, clarifications etc. to the tender will be hosted on the OIL's website only. Prospective bidders are requested to regularly visit the website to keep themselves updated.

GM-CONTRACTS (CIVIL) For CGM - CONTRACTS For RESIDENT CHIEF EXECUTIVE

Date: 29.03.2018

OIL INDIA LIMITED

(A Govt. of India Enterprise)

Contracts Department, Duliajan

SEALED Bids on percentage rate basis are invited from OIL's Registered Class 'D' Contractors for the following work.

DESCRIPTION OF WORK	LOCATION	CONTRACT PERIOD (WEEKS)	ESTIMATED CONTRACT COST OF THE WORK (₹)	BID CLOSING/ OPENING DATE
Construction of Boundary wall and drains for two nos. of Water Supply Stations (W-16 WS Station, Length = 185.00 m & A-Type WS Station, Length = 140.00 m; Brick Wall height = 0.60 m & Jingle wall fencing height = 1.80 m) including supply of all materials except cement.	Moran	16	20,71,171.91	26.04.2018

2.0 All the tender documents are available at OIL's website www.oil-india.com. The bidders will have to download the Proforma-I, duly fill it up and sign it with firm's seal, and submit the same in SEALED ENVELOPES (Only Proforma-I is to be submitted. No other document is required to be submitted by the bidders.). The envelope shall be marked at the top with the above Tender no. and Description of Work and addressed to

CGM-Contracts OIL INDIA LIMITED Contracts Department, Duliajan

The Proforma-I to be submitted by the bidders (after filling up and signing the same) should be the Proforma-I uploaded with the bid document which is signed by OIL's authorized signatory. Bid document, i.e. filled up and signed Proforma-I, submitted by the bidders not containing the signature of OIL's authorized signatory and / or submitted in any other format shall be rejected straightway.

If more than one bid is received from any bidder, Company reserves the right to reject all such bids. However, Company, at its discretion, may consider any one of such bids.

- 3.0 Bids will be received upto **12:45 PM** (IST) on the date as mentioned above and opened on the same day at **01:00 PM** (IST) at the office of **CGM-Contracts** in front of the bidders present. Tender box is placed at the office of **CGM-Contracts**, **Duliajan**.
- 4.0 The bidders who do not submit the "One Time Security Deposit" in line with OIL's Notification No.: CONT/CIV/1296/2016 dated 25.08.2016 one week prior to closing/opening date of the tender will not be eligible to participate in this tender. If such bidders participate in this tender, their bids will be rejected.
- 5.0 (i) The bidders need not to quote their rates for individual items. They should offer their overall rate only as a percentage of Company's internally estimated cost within the limit of 'at Par' to '+10%' on the Company's internal estimated contract cost. However the bids with overall rates quoted below at par and above (+10%) of Company's internal estimate will be rejected outright.

In case of identical lowest offered rate by more than 1 (one) bidder, the selection will be made by draw of lots amongst the parties offering the same lowest price for Priority -1 and Priority-2 bidder. The Contract shall be awarded to Priority-1 bidder only but if Priority-1 bidder fails to accept the LOI/found non eligible/ fails to execute the jobs, then Company reserves the right to award the same to Priority-2 bidder, if approved by Company's management.

The Draw of Lots, if required, will be conducted on the day of bid opening as per the procedure mentioned below:-

After taking out the bids from the envelopes, the envelopes will be disposed off immediately and will not be kept in file/record. The offers/ bids will then be numbered & signed by Contracts and F&A officers. The vendor code, name and OIL Registration No. of the firm will be checked. It will also be checked whether the firm had submitted One-time Security Deposit one week prior to closing/opening date of the tender as mentioned in paragraph 4.0 or not. If the vendor code does not match with the corresponding name and/or OIL's Registration No of the firm, or if it is found that the One-time Security Deposit had not been submitted by the bidder one week prior to closing/opening date of the tender, the bidder will be rejected. The quoted overall rate will be checked and the bids quoting the minimum overall rate (within 'at par' to '+10%' of IE) will be selected for Draw of Lots (D.o.L). By such D.o.L, the Priority-1 (P-1) bidder will be selected first. Next, Priority-2 (P-2) bidder will also be selected in the similar manner. All the above procedures will be completed on the day of bid opening.

- (ii) Estimated contract cost is inclusive of all overheads, Taxes, duties, levies etc. except PF & GST.
- (iii) If the rate (percentage) is quoted in figures as well as in words, the percentage rate quoted in words shall be considered to be correct in case of discrepancy. No overwriting shall be allowed. However, in case of any correction, same should be initialed.
- 6.0 Before tendering, the bidder is advised to inspect the works with permission from GM-Civil or his representative, to assess the nature and extent of and the conditions under which it will be carried out.
 - Though effort will be made to allot the works at the specified location, Company reserves the right to allot the works in any other location.
- 7.0 The Company reserves the right of rejecting or accepting any or all bids without assigning any reason.
- 8.0 No bidder must withdraw the bid after its public opening. Any such withdrawal will make the bidder liable to forfeit his Earnest Money in full and be debarred from further tendering at the sole discretion of the Company and the period of debarment will not be less than 2 (two) years.
- 9.0 The bid must be valid for 90 (Ninety) days from the date of opening of the tender.
- 10.0 Conditional bids are liable for rejection at the sole discretion of the Company.
- 11.0 Time shall be regarded as the essence of the Contract and the failure on the part of Contractor to complete the work within the stipulated time, shall entitle the Company to recover liquidated damages and/or penalty from the Contractor as per terms of the tender/contract.
- 12.0 The selected bidder will be required to enter into formal contract, which will be based on his bid on the OIL Standard Form of Contract.
- 13.0 **PERFORMANCE SECURITY DEPOSIT:** The successful bidder shall furnish a Performance Security Deposit in the form of Letter of Credit/Bank Guarantee (PBG in prescribed format of **Annexure-I)** as specified above before signing the formal contract. The Security Deposit will be refunded to the Contractor after satisfactory completion of the work, but a part or whole of which shall be used by the Company in realization of liquidated

INSTRUCTION TO BIDDERS

damages or claims, if any or for adjustment of compensation or loss due to the Company for any reason. This Security Money shall not earn any interest.

<u>Note:</u> The bidders are requested to advise the Performance Bank Guarantee issuing bank to comply with the following and ensure to submit, the receipt of the copy of SFMS message as sent by the issuing bank branch, along with the original Performance Bank Guarantee in OIL's tender issuing office:

The Performance Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:

- i. "MT 760 / MT 760 COV for issuance of Performance Bank Guarantee.
- ii. "MT 760 / MT 767 COV for amendment of Performance Bank Guarantee.

The above message/intimation shall be sent through SFMS by the PBG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code – UTIB0001129, Branch Address – AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar, Duliajan, District - Dibrugarh, PIN 786602.

14.0 Bids can be dropped in the tender box placed at the Office of the CGM-Contracts or can be sent by registered post addressed to

CGM-Contracts OIL INDIA LIMITED Contracts Department, Duliajan

So as to reach his office before scheduled closing date and time. The Company will not be responsible for any postal delay or non-receipt.

- 15.0 Price shall be firm throughout the whole contract period.
- 16.0 The Contractor will be required to allow OIL officials to inspect the works and documents in respect of the workers' payment.
- 17.0 Debarred contractors are not eligible for bidding during the time of debarment.
- 18.0 **BACKING OUT BY BIDDER**: In case any bidder withdraws their bid within the bid validity period, the Bid security will be forfeited and shall be dealt as per OIL's banning policy dated 6th Jan 2017 available at OIL's website.
- 19.0 **BACKING OUT BY L-1 BIDDER AFTER ISSUE OF LOA**: In case LOA issued is not accepted by the L1 bidder or the Performance Security is not submitted as per the terms of the contract within the time specified in the Bid Document, the bid security shall be forfeited and the bidder shall be dealt as per OIL's banning policy dated 6th Jan 2017 available at OIL's website.
- 20.0 **FURNISHING FRAUDULENT INFORMATION/DOCUMENT**: If it is found at any time that, a Bidder / Contractor has / had furnished fraudulent documents / information, the Bid Security / Performance Security shall be forfeited and the bidder shall be dealt as per OIL's banning policy dated 6th Jan 2017 available at OIL's website.

GM-CONTRACTS (CIVIL)
For CGM - CONTRACTS
For RESIDENT CHIEF EXECUTIVE

PROFORMA-I

(Only this Proforma-I is required to be submitted by the bidders in the tender box. No other document is required.)

Name of Work: Construction of Boundary wall and drains for two nos. of Water Supply Stations

(W-16 WS Station, Length = 185.00 m & A-Type WS Station, Length = 140.00 m; Brick Wall height = 0.60 m & Jingle wall fencing height = 1.80 m) including supply

of all materials except cement.

Locati	on	:	Moran	
Contra	ct Cost	:	₹ 20,71,171.91	
Name	of the F	irm:		
Vendo	r Code:		OIL Registration No.:	
Name	of Bidde	er/ Pov	ower of Attorney Holder:	
Mobile	No.:		E mail ID:	
	IIT uplo		rough all the tender documents (i) ITB (ii) GCC (iii) SCC (iv) SOQ (v) S in the website www.oil-india.com and agree with all the terms and	
			re that, I/We have submitted the "One Time Security Deposit" in line w 96/2016 dated 25.08.2016, one week prior to closing/opening date of t	
rate (ti	cked be	low) ir	//2018, hereby offer to execute the work described above at tinclusive of all overheads, taxes, duties, levies etc. except PF & GST in Conditions, which I/ we have fully understood.	
	My offe	ered ra	(Please tick <u>any one box</u> to declare your rate) rate is "at par" with Company's internal estimated contract cost.	
	My offe	ered ra	rate is % above Company's internal estimated contr	act cost.
*	shall b	e cons correct	percentage) is quoted in figures as well as in words, the percentage ransidered to be correct in case of discrepancy. Ctions are made, same has to be signed by the concerned bidder. If the second outright]	•
1.0 1.0 2.0 3.0 4.0	Bid wir Bid wir shall b Bid wir and/or	thout a th Rat e rejec II be re	at, my/our bid will be rejected in case of following conditions: any Quoted Rate shall be rejected straightway. The quoted below "at par" or above (+10%) of Company's internal estimeted straightway. The rejected straightway if the Vendor Name does not match with corresport Registration no. The rejected if submitted without the sign and/or seal of the bidder.	
Note: 1.0			n one bid is received from any bidder, Company reserves the right to re company, at its discretion, may consider any one of such bids.	eject all such bids.

In case of any identical situation, the L-1 bidder will be determined through draw of lots.

The % aggregate offered by the bidder over the Company's internal estimated contract cost shall be

Signature of bidder with Seal Date:

applicable uniformly towards all individual items.

2.0

3.0

OIL INDIA LIMITED

(A Govt. of India Enterprise) Contracts Department Duliajan, District: Dibrugarh ASSAM, PIN: 786602

Works Contract

<u>DESCRIPTION OF WORK</u>: Construction of Boundary wall and drains for two nos. of Water Supply Stations (W-16 WS Station, Length = 185.00 m & A-Type WS Station, Length = 140.00 m; Brick Wall height = 0.60 m & Jingle wall fencing height = 1.80 m) including supply of all materials except cement.

GENERAL CONDITIONS OF CONTRACT (GCC)

MEMORANDUM								-
under the Compan	ies Act 1	1956 and havin	g its Re	egistere	d Office	e at D	uliajar	n in the
District of Dibruga Shri/Smti		•		•	<i>J</i> ,			
on business as								
M/s								-
of		aforesaid (here	inafter ca	alled 'C	ontracto	r') on t	the oth	ner part.
WITNESSETH:								
1. a) The confidence of work General Conditions read in conjunction which forms Part-II Company a	which fo s of Co n with a II of the	orms Part-II of to ontract of Oil iny drawings ar contract utilizin	this Cont India L nd Partio g any ma	tract in imited cular S aterials/	accordand Ge pecificat services	ance weneral stions & s as c	vith th Specifi & instr offered	ne 1968 ications uctions by the
b) In this Contract respectively assignation that which the into this Contract.	ed to the	em in the 1968	General	Conditi	ons of C	Contrac	ct of O	il India
c) The clauses of paramount and in term or terms of th	the even	nt of anything h	erein [°] con	ntained	being i	nconsi	stent v	with any

term or terms of the 1968 General conditions of Contract to the extent of such

specified materials described in Part-II of the Contract including tools and plants as necessary for the work and shall be responsible for all royalties and other levies and his rates shall include for these. The work executed and materials supplied shall be

i) The contractor shall provide all labour, supervision and transport and such

Contractor - 1 Company

inconsistency, and no further, shall not be binding on the parties hereto.

2.

to the satisfaction of the Company's Engineer and Contractor's rates shall include for all incidental and contingent work which although not specifically mentioned in this contract are necessary for its completion in a sound and workman like manner. ii) Contractor shall have to produce necessary cash memos towards forest produce used against the contract to Head (Civil) used against this contract from the authorities prior to processing of final payment. In absence of cash memos, the final bill shall not be processed.

- **3.** The Company's Engineer shall have power to:
- a) Reduce the rates at which payments shall be made if the quality of work although acceptable is not up to the required standard set forth in the OIL Standard Specifications which have been perused and fully understood by the Contractor.
- b) Order the Contractor to remove any inferior material from the site and to demolish or rectify any work of inferior workmanship, failing which the Company's Engineer may arrange for any such work to be demolished or rectified by any other means at the Contractor's expenses.
- c) Order the Contractor to remove or replace any workman who he (The Engineer) considers incompetent or unsuitable; the Engineer's opinion as to the competence and suitability of any workman engaged by the Contractor shall be final and binding on the Contractor.
- d) Issue to the Contractor from time to time during the progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the Contractor shall carry out and be bound by the same.
- e) Order deviations in Part II and III of this Contract. All such deviation orders shall be in writing and shall show the financial effect, if any, of such deviation and whether any extra time is to be allowed. The rates to be applied for such Deviation Order shall be the same for those appearing in Company's Schedule of Rate in force on the date of issue of such Deviation Order, to which the contractor has no objection.
- 4. The Contractor shall have no claim against the company in respect of any work which may be withdrawn but only for work actually completed under this contract. The contractor shall have no objection to carry out work in excess of the quantities stipulated in Part-II. During the actual execution of the contract, if any, additional items (deviation items) are required, which are not covered in the tender, payment of such items shall be made at the current OIL schedule of rate. In case of positive variation in quantity of any items for the quantity mentioned in the schedule of work during the actual execution of work, the contractor will have to carry out the positive varied quantity at the contract rate, or internally estimated rate, whichever is lower.
- 5. The Company reserves the right to cancel this Contract at any time upon full payment of work done and the value of the materials collected by the contractor for permanent incorporation in the work under this contract particularly for execution of this contract up to the date of cancellation of the Contract. The valuation of the work done and the materials collected shall be estimated by the company's Engineer in presence of the contractor. The Contractor shall have no claim to any further

Contractor - 2 Company

payment whatsoever. The valuation would be carried out exparte if Contractor fails to turn up despite reasonable notice which will be binding on the Contractor.

- **6.** The Contractor hereby undertakes to indemnify the Company against all claims which may arise under the under noted Acts:-
 - I. The Mines Act.
 - II. The Minimum Wages Act, 1948.
 - III. The Workman's Compensation Act, 1923.
 - IV. The Payment of wages Act, 1963.
 - V. The Payment of Bonus Act, 1965.
 - VI. The Contract Labour (Regulation & Abolition) Act, 1970 and the rules framed there under.
 - VII. Employees' Pension Scheme, 1995.
 - VIII. Inter-State Migrant (Regulation of Employment and Condition of Service) Act. 1979.
 - IX. The Employees Provident Fund and Miscellaneous Provisions Act, 1952.
 - Goods and Service Tax (GST) Law,

Or any other Acts or Statute not here in above specifically mentioned having bearing over engagement of workers directly or indirectly for execution of work. The Contractor shall not make the Company liable to reimburse the Contractor for the statutory increase in the wage rates of the Contract Labour appointed by the Contractor. Such Statutory increase in the wage rates of Contract Labour shall be borne by the contractor.

- 7. The Contractor shall clear away all rubbish and surplus material from the site on completion of work and shall leave the site clean and tidy.
- 8. The Contractor must complete the work within 16 weeks of the written order to commence work. During the currency of the job, the work progress must be commensurate with the time elapsed. In the event of any delay on the contractor's part, he/she will be liable to pay to the company liquidated damages at the rate of 1/2% (Half percent) per week of the contract price of the item(s) delayed in completion and the maximum value of the liquidated damage will be 7.5% of the contract price of the item(s) delayed provided the item(s) delayed are not critical for commissioning and final utilization of the work. If, however, the item(s) delayed in completion are critical for commissioning and final utilisation of the work then the contractor will be liable to pay liquidated damages by way of penalty at the rate of 1/2% (Half percent) per week of delay of the total contract cost subject to a maximum of 7.5% of total contract cost.

The GM-Civil's certificate as to the criticality or otherwise of an item shall be final.

The payment of liquidated damages/penalty may be reduced or waived at the sole discretion of the Company whose decision in this regard will be final.

In the event of there being undue delay in execution of the Contract, the Company reserves the right to cancel the Contract and / or levy such additional damages as it deems fit based on the actual loss suffered by the company attributable to such delay. The company's decision in this regard shall be final.

Contractor - 3 Company

9. In order to promote, safeguard and facilitate the general operational economic in the interest of the Company during the continuance of this contract the Contractor hereby agrees and undertakes not to take any direct or indirect interest and or support, assist, maintain or help any person or persons engaged in antisocial activities, demonstration, riots, or in any agitation prejudicial to the Company's interest and any such even taking shape or form at any place of the Company's works or and its neighbourhood.

10.	The tendered all-inclusive Price (i.e. the Contract price) is ₹		_ (Nc	ot to
be fi	lled up by bidder while submitting the offer in c-Folder. This f	igur	e wil	I be
filled	d up by OIL at the time of award of the contract to the succes	ssful	bid	der.)
(₹	OI	nly)	but	the
Comp	pany shall pay the Contractor only for actual work done at the all in	nclus	sive r	ates
set do	own in the Schedule of work part II of this Contract.			

On account payment may be made, not oftener than monthly, up to the amount of 92.5% of the value of work done. Final payment will be made only after satisfactory completion of the work. Such final payment shall be based on the work actually done allowing for deviations and any deductions and the measurement shall be checked and certified correct by the Company's Engineer before any such final payment is made.

- 11. The contractor employing 20 (twenty) or more workmen on any day preceding 12 months shall be required to obtain requisite licence at his cost from the appropriate Licensing Officer before undertaking any Contract work. The Contractor shall also observe the rules & regulations framed under the Contract Labour (Regulation & Abolition) Act.
- **12.** Wages shall be paid by the Contractor to the workmen directly without any intervention of any Jamadars or Thekaders and that the Contractor shall ensure that no amount by way of commission or otherwise be deducted/ recovered by the Jamadar from the wages of the workmen.
- **13**. The Company for any reason whatsoever and of which the company shall be sole judge may terminate this Contract with a 24 hours notice in writing to the Contractor and in the event of Company's so doing the clause 5 here of shall prevail and the accounts between the parties will be in accordance therewith finalised.
- **14.** The Contractor will not be allowed to construct any structure (for storage / housing purpose) with thatch, bamboo or any other inflammable materials within any company's fenced area.
- **15.** The Contractor shall ensure that all men engaged by him/her are provided with appropriate protective clothing and safety wear in accordance with the Oil Mines Regulations 2017. The Company's representative shall not allow/accept those men who are not provided with the same.
- **16.** All Statutory taxes levied by the Central and State Government or any other competent authority from time to time, except PF & GST, will be borne by Contractor and the contract cost is inclusive of all tax liabilities except PF & GST. However, any

Contractor - 4 Company

subsequent increase in such statutory taxes after bid opening day will be borne by the Company. Similarly if there is any decrease in such statutory taxes after bid opening, the Company shall recover the decreased amount of such taxes from the contractor.

- **17.** The Contractor shall deploy local persons in all works.
- **18**. The Contractor shall not engage minor labour below 18(eighteen) years of age under any circumstances.
- **19.** The Contractor and his/her workmen shall strictly observe the rules and regulations as per Mines Act (Latest editions).

20. SPECIAL CONDITIONS:

- a) The amount of retention money shall be released after 6(six) months from the actual date of completion of work.
- b) The contractor will be required to allow OIL Officials to inspect the work site and documents in respect of the workers' payment.
- c) Contractor(s) whosoever is liable to be covered under the P.F. Act and contract cost is inclusive of P.F., must ensure strict compliance of provisions of Provident Fund and Miscellaneous Provisions Act, 1952 in addition to the various Acts mentioned elsewhere in this contract. Any contractor found violating these provisions will render themselves disqualified from any future tendering. As per terms of the contract, if applicable, the Contractor must deposit Provident Fund Contribution (covering Employee's & employer's share) with the competent authority monthly under their direct code. The Contractor shall be required to submit documentary evidence of deposit of P.F. Contribution to the Company. In case of failure to provide such documentary evidence, the Company reserves the right to withhold the amount equivalent to P.F. Contribution on wage component.
- d) In case P.F. is not included in the contract cost and later on required to be deposited by the Contractor, the same will be reimbursed on production of documentary evidence of depositing the same to the authority concerned. 12% P.F. will be applicable on the wage component of the contract cost.
- e) All safety precautions to be maintained by the Contractor at his own cost as per safety rules and regulations.
- f) The Contractor shall use pump if needed for dewatering of pit while excavation for which no extra payment will be made.
- g) The Contractor shall have to work during rainy seasons also.
- h) Watch and ward, loss or damage to Company's property, theft and other incidental charges shall be Contractor's responsibility.
- i) Efficient workmen to be engaged by the Contractor.

Contractor - 5 Company

- j) The Contractor's representative should report to Engineer-in-charge on all working days at 7.00 A.M. and 3.00 P.M. for instructions.
- k) Materials if rejected should be removed from site within 48 (forty- eight) hours of rejection, failing which the Company reserves the right to get the rejected materials removed at the risk and cost of the Contractor.
- I) The Company reserves the right to get the part or whole work complete at the risk and cost of the Contractor if he fails to complete the work within the stipulated time without any valid reason. The Company's decision shall be final and binding on the Contractor.
- m) The Contractor shall obtain labour clearance within 7(seven) days of signing the Contract.
- n) Water that may accumulate on the site during progress of the works or in trenches and excavations from other than accepted risks shall be removed from the site to entire satisfaction of the Engineer-in-charge and at the Contractor's expense.
- o) The Contractor shall be in a position to execute 2(two) locations simultaneously.
- p) If required, the Contractor shall have to work in two shifts for which no extra payment will be admissible to him/them.
- q) If needed water and electricity will have to be arranged by the Contractor at his own cost.
- r) The Contractor and his workmen are to strictly observe the safety precautionary rules as per Mines Act (Latest edition) while executing the work.
- s) The Contractor shall have to provide temporary latrine facilities in the entire work site for use of their workmen during progress of work.
- t) The contractor himself (the signatory of the contract) must visit the site at least twice in a week as fixed for taking necessary instruction from the Engineer-in charge.
- u) The program of works to be submitted in the form of Bar Chart within 3 days of receipt of work order.
- v) The Contract cost is excluding P.F. & GST. Wage component of the Contract cost is **28.32** %.

21. SPECIAL INSTRUCTION

The contractor must quote considering the prevailing minimum Labour wage rate for each day of work.

Contractor - 6 Company

22. GOODS AND SERVICES TAX (GST) CLAUSES UNDER GCC

22.1 GENERAL REMARKS ON TAXES & DUTIES:

In view of **GST** Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST/VAT, Service tax, Entry Tax and other indirect taxes and duties have been submerged in **GST**. Accordingly reference of Excise Duty, Service Tax, VAT, Sales Tax, Entry Tax or any other form of indirect tax except of **GST** mentioned in the bidding document shall be ignored.

- 22.2 Bidders are required to submit copy of the GST Registration Certificate while submitting the bids wherever **GST** (CGST & SGST/UTGST or IGST) is applicable.
- 22.3 "GST" shall mean Goods and Services Tax charged on the supply of material(s) and services. The term "GST" shall be construed to include the Integrated Goods and Services Tax (hereinafter referred to as "IGST") or Central Goods and Services Tax (hereinafter referred to as "CGST") or State Goods and Services Tax (hereinafter referred to as "SGST") or Union Territory Goods and Services Tax (hereinafter referred to as "UTGST") depending upon the import / interstate or intrastate supplies, as the case may be. It shall also mean GST compensation Cess, if applicable.
- 22.4 Quoted price/rate(s) should be inclusive of all taxes and duties, except GST (i.e. IGST or CGST and SGST/UTGST applicable in case of interstate supply or intra state supply respectively and cess on GST if applicable) on the final service. Please note that the responsibility of payment of GST (CGST & SGST or IGST or UTGST) lies with the Supplier of Goods / Services (Service Provider) only. Supplier of Goods / Services (Service Provider) providing taxable service shall issue an Invoice/ Bill, as the case may be as per rules/ regulation of GST. Further, returns and details required to be filed under GST laws & rules should be timely filed by Supplier of Goods / Services (Service Provider) with requisite details.

22.5 Where OIL is entitled to avail the input tax credit of GST:

OIL will reimburse the **GST** to the Supplier of Goods / Services (Service Provider) at actuals against submission of Invoices as per format specified in rules/ regulation of GST to enable OIL to claim input tax credit of **GST** paid. In case of any variation in the executed quantities, the amount on which the **GST** is applicable shall be modified in same proportion. Returns and details required to be filed under GST laws & rules should be timely filed by supplier with requisite details.

22.6 Where OIL is not entitled to avail/take the full input tax credit of GST:

OIL will reimburse **GST** to the Supplier of Goods / Services (Service Provider) at actuals against submission of Invoices as per format specified in rules/regulation of **GST**.

Contractor - 7 Company

- 22.7 Payments to Service Provider for claiming **GST** amount will be made provided the above formalities are fulfilled. Further, OIL may seek copies of challan and certificate from Chartered Accountant for deposit of **GST** collected from OIL.
- 22.8 Contractor/vendor shall be required to issue tax invoice in accordance with GST Act and/or Rules so that input credit can be availed by OIL. In the event that the contractor / vendor fails to provide the invoice in the form and manner prescribed under the GST Act read with GST Invoicing Rules thereunder, OIL shall not be liable to make any payment on account of GST against such invoice.
- **22.9 GST** shall be paid against receipt of tax invoice and proof of payment of **GST** to government. In case of non-receipt of tax invoice or non-payment of **GST** by the contractor/vendor, OIL shall withhold the payment of **GST**.
- **22.10 GST** payable under reverse charge mechanism for specified services or goods under GST act or rules, if any, shall not be paid to the contractor/vendor but will be directly deposited to the government by OIL.
- 22.11 Where OIL has the obligation to discharge **GST** liability under reverse charge mechanism and OIL has paid or is /liable to pay **GST** to the Government on which interest or penalties becomes payable as per GST laws for any reason which is not attributable to OIL or ITC with respect to such payments is not available to OIL for any reason which is not attributable to OIL, then OIL shall be entitled to deduct/ setoff / recover such amounts against any amounts paid or payable by OIL to Contractor / Supplier.
- 22.12 Notwithstanding anything contained anywhere in the Agreement, in the event that the input tax credit of the **GST** charged by the Contractor / Vendor is denied by the tax authorities to OIL for reasons attributable to Contractor / Vendor, OIL shall be entitled to recover such amount from the Contractor / Vendor by way of adjustment from the next invoice. In addition to the amount of **GST**, OIL shall also be entitled to recover interest at the rate prescribed under GST Act and penalty, in case any penalty is imposed by the tax authorities on OIL.
- 22.13 TDS under GST, if applicable, shall be deducted from contractor's/vendor's bill at applicable rate and a certificate as per rules for tax so deducted shall be provided to the contractor/vendor.
- 22.14 The Contractor will be under obligation for charging correct rate of tax as prescribed under the respective tax laws. Further the Contractor shall avail and pass on benefits of all exemptions/concessions available under tax laws. Any error of interpretation of applicability of taxes/ duties by the contractor shall be to contractor's account.
- 22.15 Further, it is the responsibility of the bidders to make all possible efforts to make their accounting / IT system GST compliant in order to ensure availability of Input Tax Credit (ITC) to Oil India Ltd.

Contractor - 8 Company

22.16 Beyond the contract period, in case OIL is not entitled for input tax credit of GST, then any increase in the rate of GST beyond the contractual delivery period (in case the delay is attributable to the service provider), shall be to Service provider's account whereas any decrease in the rate of GST shall be passed on to the OIL.

Beyond the contract period, in case OIL is entitled for input tax credit of **GST**, then statutory variation in applicable **GST** on supply and on incidental services, shall be to OIL's account.

Claim for payment of **GST**/ Statutory variation, should be raised within two [02] months from the date of issue of 'Government Notification' for payment of differential (in %) **GST**, otherwise claim in respect of above shall not be entertained for payment of arrears.

22.17 The contractor will be liable to ensure to have registered with the respective tax authorities, wherever applicable, and to submit self-attested copy of such registration certificate(s) and the Contractor will be responsible for procurement of material in its own registration (GSTIN) and also to issue its own Road Permit/ E-way Bill, if applicable etc.

22.18 Documentation requirement for GST

The vendor will be under the obligation for invoicing correct tax rate of tax/duties as prescribed under the GST law to OIL, and pass on the benefits, if any, after availing input tax credit.

Any invoice issued shall contain the following particulars

- a) Name, address and GSTIN of the supplier;
- b) Serial number of the invoice:
- c) Date of issue:
- d) Name, address and GSTIN or UIN, if registered of the recipient;
- e) Name and address of the recipient and the address of the delivery, along with the State and its code,
- f) HSN code of goods or Accounting Code of services[SAC];
- g) Description of goods or services;
- h) Quantity in case of goods and unit or Unique Quantity Code thereof;
- i) Total value of supply of goods or services or both;
- j) Taxable value of supply of goods or services or both taking into discount or abatement if any;
- k) Rate of tax (IGST, CGST, SGST/ UTGST, cess);
- I) Amount of tax charged in respect of taxable goods or services (IGST,CGST, SGST/UTGST, cess);
- m) Place of supply along with the name of State, in case of supply in the course of interstate trade or commerce;
- n) Address of the delivery where the same is different from the place of supply and
- o) Signature or digital signature of the supplier or his authorised representative. GST invoice shall be prepared in triplicate, in case of supply of goods, in the following manner
 - i. The original copy being marked as ORIGINAL FOR RECIPIENT;
 - ii. The duplicate copy being marked as DUPLICATE FOR TRANSPORTER and

Contractor - 9 Company

iii. The triplicate copy being marked as TRIPLICATE FOR SUPPLIER.

22.19 ANTI-PROFITEERING CLAUSE

In case the GST rating of vendor on the GST portal / Govt. official website is negative / black listed, then the bids may be rejected by OIL. Further, in case rating of bidder is negative / black listed after award of work for supply of goods / services, then OIL shall not be obligated or liable to pay or reimburse GST to such vendor and shall also be entitled to deduct / recover such GST along with all penalties / interest, if any, incurred by OIL.

22.20 OIL will prefer to deal with registered bidder under GST. Therefore, bidders are requested to get themselves registered under GST, if not registered yet.

23. ARBITRATION:

Any dispute under this contract will be settled through Arbitration as per Indian Arbitration and Conciliation Act, 1996.

Place of Arbitration: Duliajan, Dibrugarh, Assam.

24. FORCE MAJEURE:

Force Majeure (exemption) Clause of the International Chamber of Commerce (ICC Publication No. 421) is hereby incorporated in this contract.

25. I.B. VERIFICATION REPORT AND SECURITY REVIEW:

Contractor will be required to submit the verification report to ascertain character and antecedents from the Civil Administration towards the persons engaged under this contract to the Head of the user Department before engagement.

26. In case of any doubt or dispute as to the interpretation of any clause herein contained, the decision of the Company's Engineer shall be final and binding on the contractor.

27. SET OFF CLAUSE:

"Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited)."

28. FURNISHING FRAUDULENT INFORMATION/DOCUMENT:

If it is found that a Bidder/Contractor has furnished fraudulent document/information, the Bid Security/ Performance Security shall be forfeited and the party shall be debarred as per the OIL's Banning Policy dated 6th Jan 2017 available at OIL's website.

Contractor - 10 Company

Date_____

29. <u>LIQUIDATED DAMAGES FOR DELAY IN MOBILISATION AND/ OR</u> COMPLETION OF WORKS AND SERVICES

In normal case of works /service contracts, liquidated damages will be applicable @ 0.5% of the contract value per week or part thereof, for delay in contract mobilization /completion date subject to a maximum ceiling of 7.5% of contract value .

IN WITNESS whereof the parties hereunto set their hands seals the day and year first written above:-

SIGNED & DELIVERED FOR AND ON BEHALF OF	(Signature of Contractor or his legal Attorney)
By the hand of	(Full Name of Signatory)
It's Partner/Legal Attorney	(Seal of Contractor's Firm)
And in presence of	(Signature of witness)
Date:	(Full Name of Signatory) Address:
	(Signature of Acceptor)
SIGNED & DELIVERED FOR & ON BEHALF OF OIL INDIA LIMITED	Designation

Contractor - 11 Company

Part-II SOQ

OIL INDIA LIMITED

(A Govt. of India Enterprise)
Contracts Department
<u>Duliajan, Assam</u>

WORKS CONTRACT Tender No. DCC7541L18

SI. No.	Description of items	Quantity.	UOM	Curr.	Rate
	GROUP-A SEC-A				
10	Jungle cutting and clearing including removal of cut materials upto 100 m from site, including plants and trees upto 150 mm in girth, jungle cutting considered cut at ground level.	650	M2	INR	1
20	Demolishing cement concrete manually / by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in - charge.1:3:6 or richer mix.	10	M3	INR	714.45
30	Demolishing brick work manually / by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-Charge. In cement mortar.	30	M3	INR	603.22
40	Services with welding and cutting set in carrying out miscellaneous repairs / new construction involving steel work (services of one welder and one jugali per set) to be supplied by the contractor. (New welding set inclusive fuel etc. to be supplied by the contractor).	4	PD8	INR	971.71
50	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilizing the remaining earth locally for road work.) for ordinary soil by Manual Means (Depth upto 3 m)	308.42	M3	INR	209.52
60	Laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 sand: 6 graded stone aggregate 20 mm nominal size).	34.56	М3	INR	3,864.65

SI.	Description of items	Quantity.	UOM	Curr.	Rate
No.		- Cuarrity:			rtato
70	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars.	3,725.35	KG	INR	66.27
80	Centering and shuttering including strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts. (Ref. CPWD No. 5.9.6)	158.67	M2	INR	389.24
90	Centering and shuttering including strutting, propping etc. and removal of form for: Foundations, footings, bases of columns, etc. for mass concrete. (Ref. SOR-CPWD No. 5.9.1)	85.2	M2	INR	177.69
100	Laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement - All work upto plinth level: 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size). (Ref. SOR-CPWD No. 5.1.2)	41.28	M3	INR	3,767.33
110	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. upto floor five level excluding cost of centering, shuttering, finishing and reinforcement: 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20 mm nominal size) (Ref. SOR-CPWD No. 5.2.2)	20.43	M3	INR	4,448.95
120	Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: Cement mortar 1:4 (1 cement: 4 coarse sand). (Ref. SOR-CPWD No. 6.1.1).	74.75	M3	INR	5,491.86
130	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand). (Ref. SOR-CPWD No. 6.4.1)	22.43	M3	INR	6,087.64
140	12 mm cement plaster of mix:1:6 (1 cement : 6 fine sand) (Ref. SOR-CPWD No. 13.1.2)	682.5	M2	INR	102.76
150	Finishing walls with water proofing cement paint of required shade: New work (Two or more coats applied @ 3.84 kg/10 sq. m). (Ref. SOR-CPWD No. 13.44.1)	195	M2	INR	47.86

SI.	Description of items	Quantity.	UOM	Curr.	Rate
No.	Description of items	2darrity.	OOW	Odii.	Nato
160	Pointing on brick work or brick flooring with cement mortar 1:3 (1 cement: 3 fine sand): Flush / Ruled / Struck or weathered pointing. (Ref. SOR-CPWD No. 13.31.1)	195	M2	INR	99.58
170	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete: (Ref. SOR-CPWD No. 10.2)	2,923.00	KG	INR	70.8
180	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work. (Ref. SOR-CPWD No. 13.61.1)	85.78	M2	INR	57.33
190	Fencing with R.C.C. post placed at required distance, embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be strutted on both sides and end post one side only, provided with horizontal lines and two diagonals of barbed wire weighing 9.38 kg per 100 meters (minimum), between the two posts fitted and fixed with G.I. staples on wooden plugs or G.I. binding wire tied to 6 mm bar nibs fixed while casting the post (cost of R.C.C. posts, struts, earth work and concrete to be paid for separately) :- Payment to be made per meter cost of total length of barbed wire used. With G.I. barbed wire	1,950	М	INR	8.09
200	Erecting steel gate of any size on existing posts.	30	M2	INR	73.43
210	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m. All kinds of soil	650	M2	INR	9.96
220	Dismantling woven wire/jingle wire/XPM/IRC fencing with post & rolling, collecting and stacking dismantled material as directed in a place ready for transport.	487.5	M2	INR	8.77
230	Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete. Mild steel and Medium\Tensile steel bars. (Ref. SOR CPWD-5.22.1)	780.07	KG	INR	60.42

SI. No.	Description of items	Quantity.	UOM	Curr.	Rate
240	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.	487.5	M2	INR	517.64
250	Laying Brick Flat Soling (75mm thick) including grading the base and spreading 25mm thick sand bed at bottom and grouting soling with cement mortar (prop. 1:3) and carrying all materials from a distance of upto 30.00m. (Ref. SOR-CPWD-47.33)	195	M2	INR	446.17

Grand Total Contract Cost: ₹ 20,71,171.91

• Bidder must include all liabilities including statutory liabilities in their quoted rates (excluding PF and GST).

Note:

1. The Company's Internal Estimated Rates, as indicated in Part-II, are inclusive of all overheads, taxes, duties, levies etc. except P.F. & GST.

OIL INDIA LIMITED

(A Govt. of India Enterprise)
Contracts Department
Duliajan (Assam)

WORKS CONTRACT

PARTICULAR SPECIFICATIONS AND INSTRUCTIONS:

<u>Description of Work:</u> Construction of Boundary wall and drains for two nos. of Water Supply Stations (W-16 WS Station, Length = 185.00 m & A-Type WS Station, Length = 140.00 m; Brick Wall height = 0.60 m & Jingle wall fencing height = 1.80 m) including supply of all materials except cement.

1. GENERAL CONDITION AND SCOPE OF WORKS(CIVIL)

- a) **Site Clearance**: Cutting and uprooting of tree stumps as and when required, cleaning grass and disposal of all debris before starting of the work and after completion of the work at contractor's own cost.
- b) Cement Concrete/ Reinforced Cement Concrete Work: All C.C. work in 1:3:6 proportions shall be done with 25 mm graded down broken stone. Broken stone shall be properly screened before use. All reinforced cement concrete work to be done in prop. 1:1.5:3 with 25 mm down to 12 mm graded down broken stone as per related drawings and instructions of site Engineer to be followed in case of any discrepancies. Proper vibration to be done as per IS recommendation. Floor paneling to be done in the line of expansion joint as directed by Engineer in-charge.
- c) Curing Of Concrete: Curing shall be done in accordance with IS:456 by keeping the concrete surface covered with wet hessian cloths, canvas or similar absorbent materials and kept constantly wet for a period of not less than 7 days from the date of pouring of concrete. Brick work and plastered surface to be kept wet by sprinkling with water for at least 7 days.
- d) **Measurement & Payment:** Payment for all works done shall be made on the basis of actual work done and not as per contract quantity.
- e) **Safety Measure**: Safety measure as per OIL regulations shall be adhered to by the Contractor as per the site condition. Safety belts and other measure taken by the Contractors shall be borne by the Contractor. If any loss or damage caused to life during the erection and execution, the contractor shall be fully responsible for the loss.
- f) Storage: Materials shall be transported, handled and stored at site carefully to the approval of Engineer so as to prevent any damage of any kind to be kept at his own risk and cost.

Part-III SCC

Cement shall be stored in a weather proof shed, the floor of which shall be raised 300 mm clear from the ground and 450 mm away from the wall all round in order to protect from rain and moisture. Empty cement bag shall be returned to the Company in good condition.

- g) Water: Water shall be clear, clean and free from all harmful impurities which must be approved by the Engineer. Arrangement of water for concreting and other purpose shall be made by the contractor at his own cost. Water from excavation shall not be used for construction work and curing.
- **2. GENERAL REQUIREMENTS:** All exposed MS members to be painted with two coats of synthetic enamel paint over a coat of primer or as directed.
- **3. MANDATORY TESTS:** The various mandatory tests shall be carried out by the contractor at his own cost. Following tests /test certificate to be produced by the contractor at his own cost from a competent government authority.
- (i) Cube test for RCC to be done as per relevant IS code of practice IS 456-2000.
- (ii) Test certificate for steel materials, MS Rod, tor steel etc. should be produced.
- (iii) Tests for Bricks.
- **4. SCOPE:** The specification and the method of measurements described herein are applicable for all the items of works involved in the site.
- 5. GENERAL: All materials used in the work shall conform to the latest revision of the relevant Indian Standard Specifications to the extent practicable. Where no such specifications exist they shall be of the best quality available in the market. Wherever ISI certified materials and products are available these alone shall be used. All materials shall be stored at site in accordance with IS-4082-1996. Unless specially provided for in the contract the tendered rates shall include the cost of carriage, transport, loading, unloading and stacking as directed for all materials required on the work. Where a tender provides a rate for transport of materials, it includes for all loading, unloading and stacking on the site in such position and manner as directed.

6. MATERIALS AND WORK SPECIFICATIONS:

- a) <u>Cement</u>: Cement shall be issued by the company from its Store at Moran/Duliajan as per requirement and will be calculated as per CPWD specification. Cement shall be stored in weatherproof shade with raised wooden plank flooring to prevent deterioration by dampness or intrusion of foreign matter. It shall be stored in such a way as to allow the removal and use of cement in chronological order of receipt, i.e. first received being first used. Cement deteriorated and or clotted shall not be used on work but shall be removed at once from the site.
- b) <u>Fine Aggregate</u>: Sand shall conform to relevant portion of IS 515. It shall passes through an IS sieve 4.75(3/16 BS) test sieve, leaving a residue not more than 5%. It shall be from natural source or crushed stone screening, if allowed. Chemically inert, clean, sharp, hard, durable, well graded and free from dust, clay, shale, large pebbles, salt, organic matter, loam mica, or other deleterious matter. The sum of percentage of

all such deleterious materials in sand shall not exceed 5% by weight. It shall be washed if directed to reduce the percentage of deleterious substances to acceptable limits. Sand shall not contain any trace of salt and it shall be tested and sand containing any trace of salt shall be rejected.

The fine aggregate for concrete shall be graded within limits as specified in IS 383. The fine aggregate shall be stacked carefully on a clean, hard, dry surface so that it will not get mixed us with deleterious foreign materials. If such a surface is not available a platform of planks or corrugated iron sheets or brick floor or a thin layer of lean concrete shall be prepared.

- c) <u>Coarse Aggregate</u>: Shall consist of crushed or broken stone 95% of which shall be retained on 5.75mm IS test sieve. It shall be obtained from crushing Granite, Quartzite, Trap Basalt or similar approved stones from approved quarry and shall conform to IS-383 and IS-515. Coarse aggregate shall be chemically inert when mixed with cement and shall be fairly cubical in shape and free from soft, feeble, thin, porous, laminated or flaky pieces. It shall be free from dust and any other foreign matter.
- d) <u>Bricks</u>: Bricks shall generally comply with IS-1077 except in size, which shall be conforming to the sizes locally available.

 Bricks of 75 class designation shall be the best quality locally available, table moulded, well burnt but not over burnt, have plane rectangular face with parallel sides and sharp right angle edges have a fine compact and uniform texture. The bricks shall be free from cracks, chips, flaws, stones or lumps of any kind and shall not show efflorescence either dry or subsequent to soaking in water. It shall emit a clear ringing sound on being struck and shall not absorb water more than 20% by weight. Common building bricks shall have a minimum compressive strength of 75 kg/sg.cm unless

otherwise specifically stated.

- e) <u>Water</u>: Water for mixing cement mortar or concrete shall not be salty or brackish and shall be clean, reasonably clear and free from objectionable quantity of silt and traces of oil, acid, injurious alkali, salts, organic matter and other deleterious materials which will either weaken the mortar or concrete or causes efflorescence or attack the steel in reinforced cement concrete. Water shall be obtained from sources approved by the Site Engineer. Potable water is generally considered satisfactory for mixing and curing concrete mortar masonry etc. Where water other than from main source is used this shall be tested in an approved testing laboratory to establish its suitability. All charges connected there with shall be borne by the contractors.
- 7. CEMENT MORTAR: Cement mortar shall be of proportions specified for each type of work in the schedule. It shall be composed to Portland cement and sand. The ingredients shall be accurately measured and well and evenly mixed together in a mechanical pan mixer, care being taken not to add more water than is required. No mortar that has begun to set shall be used. River sand shall be used unless otherwise specified.

If hand mixing is allowed it shall be done on pucca water proof platform. The gauged materials shall be put on the platform and mixed dry water will then be added and the whole mixed again until it is homogeneous and of uniform colour. Not more than one bag of cement shall be mixed at one time and which can be consumed within half an hour of its mixing.

- **8. CONTRACTOR'S GODOWN:** The contractor must make adequate arrangement at his own expense, for the storage in suitable go-down of all perishable materials such as cement. On no circumstances the cement shall be stacked on the ground either in or outside go-down.
- **9. PREPARATION OF SITE:** The land described or shown on the site plan shall be cleared of all obstructions, rubbish, brush wood, jungle and bamboo clumps as directed by the Site Engineer.

10. EXCAVATION OF FOUNDATION:

- a) Trenches for wall foundation, column footings, raft-foundations, pile caps, plinth beams, water tanks, cess pits etc. shall be excavated to the exact length, width and depth shown or figured on the drawing or as may be directed by the Site Engineer. If taken out to greater length, width or depth than shown or required, the extra work occasioned thereby shall be done at contractor's expense. Extra depth shall be brought up by plain cement concrete filling 1:4:8 proportion and extra length and width filled in by rammed earth or if the Site Engineer thinks it necessary for the stability of the work by 1:4:8 concrete as may be directed at the contractor's cost.
- b) Excavated materials shall be used for filling in plinth or each side of the foundation blocks or trenches or it shall be spread elsewhere on or near the site work including watering, ramming and consolidating or removed from site as may be ordered.
- c) The contractor shall at his own expense and without extra charge, make provision for supporting all utility services, lighting the trenches, separating and stacking serviceable materials neatly, shorting, timbering, bailing out water either sub-soil or rain water including pumping at any stage of the work. Trenches shall be kept free from water masonry of concrete works are in progress and till the concrete is sufficiently set.
- 11. FILLING: Filling shall be done with approved quality earth. It shall be free from salt, organic matter, black cotton or slushy earth and combustible materials. All clods shall be broken.
- 12. TRANSPORTATION: The concrete shall be conveyed from the place of mixing to the place of final deposits as rapidly as practicable by methods which will prevent segregation or loss of any of the ingredients. If segregation does occur during transport, the concrete shall be remixed before being placed. In no case more than 30 min. shall elapse between mixing and final placement in its position. Concrete shall be thoroughly compacted during the operation of placing and thoroughly worked around the reinforcement by punning, prodding, mechanically vibrating. The intensity and duration of vibration should not be more which may cause segregation of concrete and will be weaker in strength.
- 13. FORM WORK: Form work shall conform to the slope lines, curvature and dimensions of concrete and RCC structure as shown in the relevant drawings. Form work for concrete shall be plywood, steel plates, seasoned timber or other approved materials as per directions of the Engineer. It shall be sufficiently tightened to prevent

loss of cement slurry and all holes and joints shall be chaulked with putty. For casting R.C.C. slab polythene sheet may have to be used to prevent leakage as advised by the Engineer-in-charge for which no extra payment will be made to the Contractor.

14. SCAFFOLDING: The scaffolding required for brick work, plastering work etc. shall be strong enough and of approved materials by the Engineer-in-charge. Before use of scaffolding, it has to be inspected and approved by the Engineer-in-charge or authorized representative.

15. SITE BOOKS & RECORDS:

- a) A site order book will be maintained at site which will be in the custody of the Engineer-in-charge or his representative and all instructions given to the Contractor will be recorded in the site order book and the same has to be signed by the contractor to comply with the instruction given therein.
- b) A register to be maintained at site which will be in the custody of the Engineer-incharge or his representative to maintain the records of cement the same has to be signed by the contractor.
- c) A separate register to be maintained at site by the contractor to record the works executed and remarks columns to be added in this to record the hindrance.

16. SPECIAL INSTRUCTION TO THE CONTRACTOR:

- a) The Contractor must use mixture machine and at vibrator for the RCC works. The Contractor shall use pump if needed for dewatering for excavation job for which no extra payment will be made.
- b) Watch and ward, loss or damage to Company's property theft and other incidental charges shall be Contractor's responsibility.
- c) Efficient workmen to be engaged by the Contractor.
- d) The Contractor's representative should report to Engineer-in charge on all working days at 7.00AM for instruction.
- e) Materials if rejected should be removed from site within 48(forty eight) hours of rejection, failing which the company reserves the right to get the rejected materials removed at the risk and cost of the contractor.
- f) The Company reserves the right to get the part or whole work completed through other agency at the risk and cost of the contractor if he fails to complete the work within the stipulated time without any valid reasons. The Company's decision shall be final and binding on the Contractor.
- g) The Contractor shall obtain labour clearance within seven days of signing the contract.
- h) Water that may accumulate on the site during progress of the works or in trenches and excavation from other than accepted risks shall be removed from the site to entire the satisfaction of the Engineer-in-charge and at the Contractor's expense.
- i) If needed water and electricity will have to be arranged by the Contractor at his own cost. However, if felt, water may be provided by Company on Chargeable basis depending on its availability & approval by the Competent authority.
- j) The Contractor and his workmen have to strictly observe the safety precautionary rules as per Mines Act. (Latest edition) while executing the work.
- k) No road closure will be allowed during execution of work and necessary traffic signal/road boards to be displayed at proper place by the Contractor at his own cost.

- The Contractor shall be wholly responsible for any accident arising out of non-fulfillment of this condition.
- I) The Contractor will be required to work expeditiously at the site and must visit the site before tendering.
- m) Welding and cutting sets with fuel & operator, welder, fitter etc shall be arranged by the Contractor at his cost at site for fabrication and erection work.
- n) Hot and Cold permit, Gas leakage testing certificate issued by the Concerned Department to be submitted by the contractor to Engineer-in-Charge before starting of dismantling job.
- 17. This tender is floated with rates based on the existing OIL's SOR i.e. with old labour wages. The Labour Escalation as per minimum labour wages effective as on the original Bid Closing date shall be reimbursed to the bidder who is awarded the contract, for all the labour items, against which, the bidder's quoted rates are lower than the rates calculated (to be calculated later on for payment of escalation) on the basis of minimum labour wages as on the original bid closing date.
- 18. The Contractor shall deposit the PAN and GST registration number (if applicable, as per Statutory GST Regulations) as and when required by the Company. If the above are not available with the bidder, the bidder must apply for the same after signing of the Contract and submit the same within 45 days of signing the contract (or as and when advised by the Company, after 45 days of signing the contract). Moreover, the statutory guidelines of Goods and Service Tax (GST) shall be adhered to by the bidder.
- **19.** The bidder must provide the following minimum numbers of equipment in operational condition capable of providing uninterrupted services under the contract as and when required.

LIST OF MATERIALS & EQUIPMENTS TO BE SUPPLIED BY CONTRACTOR:

- Welding Machine = 1 no.
- **20.** Company reserves the right to initiate actions against the bidder / contractor during processing of tender and / or during continuation of the contract as per OIL's Banning Policy dated 6th Jan 2017 available at OIL's website.
- 21. Defect liability period shall be 6 months beyond the date of completion of works as certified by Engineer-In-Charge. During defect liability period, all corrective works shall be carried out entirely at Contractor's own expenses. If such corrective works are not carried out within a reasonable time, the Company, at its discretion, may have such remedial works carried out by other agencies and charge the cost thereof to the Contractor. This amount shall be deducted from contractor's bill/ Retention money/ Performance security.

OIL INDIA LIMITED

(A Govt. of India Enterprise) Contracts Department, Duliajan

WORKS CONTRACT

SCHEDULE OF COMPANY'S PLANTS, MATERIALS AND EQUIPMENTS

Tender No. DCC7541L18

- A. SCHEDULE OF MATERIALS AVAILABLE AT THE COMPANY'S STORES/STOCK PILES for permanent incorporation in works and
- B. SCHEDULE OF COMPANY'S PLANTS AND EQUIPMENTS for use in the execution of work.
- 1) **MATERIALS:** All materials to be supplied by the contractor except cement. The Cement will be issued to the contractor from Moran/Duliajan Materials Go-down at free of cost as per CPWD specification.
- 2) PLANTS AND EQUIPMENT: Nil

NOTE:

- 1. All empty cement bags must be returned to the Moran/Duliajan Materials Go-down after use of the cement failing which ₹ 8.00 (Rupees Eight only) per bag for empty cement bags will be recovered from the Contractor's bill.
- 2. The Contractor is to arrange transport of the above materials within the site of work and for safety thereof for which no extra payment will be made.
- 3. Materials issued to Contractor must be under proper watch & ward so that no part is pilfered. If any pilferation takes place the matter will be referred to appropriate Govt. authorities for legal action as well as realization of the materials issued.
- 4. Cement issued to Contractor by the Company is meant only for the specific Company work relating to the Contract. However, if any quantity of Cement is left over from the quantities issued for any reason whatsoever, on the completion / cancellation / termination of the Contract the same shall have to be returned to the Company in full within one week of completion/cancellation of the work failing which the matter will be referred to appropriate Govt. authorities for legal action as well as realization of the Cement.
- 5. All other materials issued to the Contractor by the Company if subsequently found to be in excess of the actual requirement will have to be returned by the Contractor within two weeks of completion of the work failing which the cost of all such materials will be recovered from the Contractor at double the value of materials without any reference to him.

SAFETY MEASURES

To, CGM-CONTRACTS OIL INDIA LIMITED DULIAJAN-786602

SUB: SAFETY MEASURES

<u>DESCRIPTION OF WORK/SERVICE</u>: Construction of Boundary wall and drains for two nos. of Water Supply Stations (W-16 WS Station, Length = 185.00 m & A-Type WS Station, Length = 140.00 m; Brick Wall height = 0.60 m & Jingle wall fencing height = 1.80 m) including supply of all materials except cement.

Sir,

We hereby confirm that we have fully understood the safety measures to be adopted during execution of the above contract and that the same have been explained to us by the concerned authorities. We also give the following assurances.

- a) Only experienced and competent persons shall be engaged by us for carrying out work under the said contract.
- b) The names of the authorized persons who would be supervising the jobs on day to day basis from our end are the following:

i)	
ii)	
iii)	

The above personnel are fully familiar with the nature of jobs assigned and safety precautions required.

- c) Due notice would be given for any change of personnel under item (b) above.
- d) We hereby accept the responsibility for the safety of all the personnel engaged by us and for the safety of the Company's personnel and property involved during the course of our working under this contract. We would ensure that all the provisions under the Oil Mines Regulations, 2017 and other safety rules related to execution of our work would be strictly followed by our personnel. Any violation pointed out by the Company's Engineers would be rectified forthwith or the work suspended till such time the rectification is completed by us and all expenditure towards this would be on our account.
- e) We confirm that all persons engaged by us would be provided with the necessary Safety Gears at our cost.

- f) All losses caused due to inadequate safety measures or lack of supervision on our part would be fully compensated by us and the Company will not be responsible for any lapses on our part in this regard.
- g) We shall abide by the following HSE (Health Safety & Environment) points:

GENERAL HEALTH, SAFETY & ENVIRONMENT (HSE) POINTS:

- 1. It will be solely the Contractor's responsibility to fulfill all the legal formalities with respect to the Health, Safety and Environmental aspects of the entire job (namely; the person employed by him, the equipment, the environment, etc.) under the jurisdiction of the district of that state where it is operating. Ensure that all subcontractors hired by him comply with the same requirement as the contractor himself and shall be liable for ensuring compliance all HSE laws by the sub or sub-sub contractors.
- 2. Every person deployed by the contractor in a mine must wear safety gadgets to be provided by the contractor. The Contractor shall provide proper Personnel Protective Equipment as per the hazard identified and risk assessed for the job and conforming to statutory requirement and company PPE schedule. Safety appliances like protective footwear, Safety Helmet and Full Body harness has to be DGMS approved. Necessary supportive document shall have to be submitted as proof. If the Contractor fails to provide the safety items as mentioned above to the working personnel, the Contractor may apply to the Company (OIL) for providing the same. OIL will provide the safety items, if available. But in turn, OIL will recover the actual cost of the items by deducting from Contractor's Bill. However, it will be the Contractor's sole responsibility to ensure that the persons engaged by him in the mines use the proper PPE while at work. All the safety gears mentioned above are to be provided to the working personnel before commencement of the work.
- 3. The Contractor shall prepare written Safe Operating Procedure (SOP) for the work to be carried out, including an assessment of risk, wherever possible and safe methods to deal with it/them. The SOP should clearly state the risk arising to men, machineries & material from the mining operation / operations to be done by the contractor and how it is to be managed.
- 4. The contractor shall provide a copy of the SOP to the person designated by the mine owner who shall be supervising the contractor's work.
- 5. Keep an up to date SOP and provide a copy of changes to a person designated by the Mine Owner /Agent /Manager.
- 6. Contractor has to ensure that all work is carried out in accordance with the Statute and SOP and for the purpose he may deploy adequate qualified and competent personnel for the purpose of carrying out the job in a Contractor 1 Company SCC safe manner. For work of a specified scope/nature, he should develop and provide to the mine owner a site specific code of practice in line.

- 7. All persons deployed by the contractor for working in a mine must undergo Mines Vocational Training, initial medical examination, PME. They should be issued cards stating the name of the contractor and the work and its validity period, indicating status of MVT, IME & PME.
- 8. The contractor shall submit to DGMS returns indicating Name of his firm, Registration number, name and address of person heading the firm, nature of work, type of deployment of work persons, number of work persons deployed, how many work persons hold VT Certificate, how many work persons undergone IME and type of medical coverage given to the work persons.
- 9. The return shall be submitted quarterly (by 10th of April, July, October & January) for contracts of more than one year. However, for contracts of less than one year, returns shall be submitted monthly.
- 10. It will be entirely the responsibility of the Contractor/his Supervisor/representative to ensure strict adherence to all HSE measures and statutory rules during operation in OIL's installations and safety of workers engaged by him. The crew members will not refuse to follow any instruction given by company's Installation Manager / Safety Officer / Engineer / Official / Supervisor/Junior Engineer for safe operation.
- 11. Any compensation arising out of the job carried out by the Contractor whether related to pollution, Safety or Health will be paid by the contractor only.
- 12. Any compensation arising due to accident of the Contractor's personnel while carrying out the job, will be payable by the contractor.
- 13. The contractor shall have to report all incidents including near miss to Installation Manager / departmental representative of the concerned department of OIL.
- 14. The contractor has to keep a register of the persons employed by him/her. The contractor's supervisor shall take and maintain attendance of his men every day for the work, punctually.
- 15. If the company arranges any safety class / training for the working personnel at site (company employee, contractor worker, etc) the contractor will not have any objection to any such training.
- 16. The health check up of contractor's personnel is to be done by the contractor in authorized Health Centers as per OIL's requirement & proof of such test(s) is to be submitted to OIL. The frequency of periodic medical examinations should be every five years for the employees below 45 years of age and every three years for employees of 45 years of age and above.

- 17. To arrange daily tool box meeting and regular site safety meetings and maintain records.
- 18. Records of daily attendance, accident report etc. are to be maintained in Form B, E, J (as per Mines Rules 1955) by the contractor.
- 19. A contractor employee must, while at work, take reasonable care for the health and safety of people who are at the employee's place of work and who may be affected by the employee's act or omissions at work.
- 20. A contractor employee must, while at work, cooperate with his or her employer or other persons so far as is necessary to enable compliance with any requirement under the act or the regulations that is imposed in the interest of health, safety and welfare of the employee or any other person.
- 21. Contractor's arrangements for health and safety management shall be consistent with those for the mine owner.
- 22. In case Contractor is found non-compliant of HSE laws as required company will have the right for directing the contractor to take action to comply with the requirements, and for further non-compliance, the contractor will be penalized prevailing relevant Acts/Rules/Regulations.
- 23. When there is a significant risk to health, environment or safety of a person or place arising because of a non-compliance of HSE Measures Company will have the right to direct the contractor to cease work until the non-compliance is corrected.
- 24. The contractor should prevent the frequent change of his contractual employees as far as practicable.
- 25. The contractor should frame a mutually agreed bridging document between OIL & the contractor with roles and responsibilities clearly defined.
- 26. For any HSE matters not specified in the contract document, the contractor will abide the relevant and prevailing Acts/rules/regulations/ pertaining to Health, Safety and Environment.

Yours Faithfully
M/s BEHALF OF CONTRACTOR

TENDER NO. DCC7541L18

STANDARD FORMAT OF PERFORMANCE SECURITY (BANK GUARANTEE) (TO BE FURNISHED BY THE CONTRACTOR IN CASE OF SUBMITTING PERFORMANCE SECURITY IN THE FORM OF BANK GUARANTEE AFTER ISSUE OF LOI)

CONT	DIL INDIA LIMITED, RACTS DEPARTMENT AJAN, ASSAM, INDIA, PIN - 786 602.
WHER (hereii ——— Work)	REAS (Name and address of Contractor) nafter called "Contractor") had undertaken, in pursuance of Contract No to execute (Name of Contract and Brief Description of the (hereinafter called "the Contract").
shall	WHEREAS it has been stipulated by you in the said Contract that the Contractor furnish you with a Bank Guarantee as security for compliance with Contractor's tions in accordance with the Contract.
THER to a currer your f limits or rearneces:	WHEREAS we have agreed to give the Contractor such a Bank Guarantee; NOW EFORE we hereby affirm that we are Guarantors on behalf of the Contractor, up total of (Amount of Guarantee in figures) (in words), such amount being payable in the types and proportions of ncies in which the Contract price is payable, and we undertake to pay you, upon irst written demand and without cavil or argument, any sum or sums within the of guarantee sum as aforesaid without your needing to prove or to show grounds asons for your demand for the sum specified therein. We hereby waive the sity of your demanding the said debt from the Contractor before presenting us he demand.
the C docun us fro	further agree that no change or addition to or other modification of the terms of contract or the work to be performed thereunder or of any of the Contract nents which may be made between you and the Contractor shall in any way cease m any liability under this guarantee, and we hereby waive notice of such change, on or modification.
This g	uarantee is valid until theday of
The de	etails of the Issuing Bank and Controlling Bank are as under:
Α.	Issuing Bank: BANK FAX NO: BANK EMAIL ID: BANK TELEPHONE NO.: IFSC CODE OF THE BANK:
В.	Controlling Office:
	Address of the Controlling Office of the BG issuing Bank:
addre:	Name of the Contact Person at the Controlling Office with Mobile No. and e-mail ss:

TENDER NO. DCC7541L18

Page No.2

SIGNATURE AND SEAL OF THE GUARANTORS _ Designation	
Name of Bank	
Address	
Witness	
Address	
Date	
Place	

Note 1: The Bank Guarantee issuing bank branch must ensure the following:

The Bank Guarantee issued by the Bank must be routed through SFMS platform as per following details:

- i. "MT 760 / MT 760 COV for issuance of Bank Guarantee.
- ii. "MT 760 / MT 767 COV for amendment of Bank Guarantee.

The above message/intimation shall be sent through SFMS by the BG issuing bank branch to Axis Bank, Duliajan Branch, IFS Code – UTIB0001129, Branch Address – AXIS Bank Ltd, Duliajan Branch, Daily Bazar, Jyotinagar, Duliajan, District - Dibrugarh, PIN 786602.

Note 2: Bank details of Oil India Limited may be required by Bank for issuance of Bank Guarantee (BG):

	Bank Details of Beneficiary		
а	Bank Name	STATE BANK OF INDIA	
b	Branch Name	Duliajan	
С	Branch Address	Duliajan, DistDibrugarh	
d	Banker Account No.	10494832599	
е	Type of Account	Current Account	
f	IFSC Code	SBIN0002053	
g	MICR Code	786002302	
h	SWIFT Code	SBININBB479	
i	Contact No.	9435554859	
j	Contact Person Name	Mr. K. L. K. Banik, AGM	
k	Fax No.	0374-2802729	
I	Email Id	sbi.02053@sbi.co.in	