

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach CHIEF MANAGER (M&C), OIL INDIA LIMITED, RAJASTHAN PROJECT, M&C DEPARTMENT, 02-A, DISTRICT SHOPPING CENTRE SARASWATI NAGAR, BASNI, JODHPUR - 342005, RAJASTHAN, INDIA (e-mail: km_kumar@oilindia.in; Fax: 0291-2727050) within 10 days of publication of the tender on OIL's website.

The vendors must fulfil the following conditions:

- i) The party should have 03 (three) years' experience as on the Bid closing date for the same item.
- ii) The party should have received one order for at least 50% quantity in last 03 (three) years' (as on the Bid closing date) for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last 3 (three) financial years or current financial year should be more than Rs.16.08 lakhs.

NOTE:

- a. The applicant must meet the above qualifying criteria for which documentary evidence should be enclosed by the applicant with the application without which tender document shall not be issued.
- b. Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.
- c. Application without complete supporting document will not be considered.

.....

Tender No. : JID5476L15
Tender Date : 21.11.2014
Bid Closing On : 23.12.2014 at 13:00 hrs.(IST)
Bid Opening On : 23.12.2014 at 13:00 hrs.(IST)

Tender issued to following parties only:

S/no	V_Code	Vendor Name	City/Country
1	200034	LAXMI UDYOG OIL FIELD EQUIPMENTS PV	JODHPUR
2	200036	MENON ASSOCIATES	KOLKATA
3	204138	MACO CORPORATION (INDIA) PVT. LTD.	KOLKATA

OIL INDIA LIMITED

(A Govt. of India Enterprise)

Rajasthan Project,

02-A, SARASWATI NAGAR,

DISTRICT SHOPPING CENTRE, BASNI

JODHPUR- 342005,

RAJASTHAN, INDIA

Fax-0291 2727050

Ph-0291 2727048

Email: mat_rp@oilindia.in

Tender No. & Date : JID5476L15**21.11.2014**

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 23.12.2014 at 13:00 hrs. (IST)

Bid Opening On : 23.12.2014 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 99078576	Sucker Rods manufactured in accordance with API Spec 11B. Type: Steel, Grade:"D", AISI 41XX series Steel, Size: OD-1"(25.40MM), length : 25 Feet,	150	NO
20 99078644	Sucker Rods manufactured in accordance with API Spec 11B, with slim coupling. Type: Steel, Grade:"D", AISI 41XX series Steel, Size: OD-7/8"(22.22MM), length : 25 Feet,	150	NO
30 99078577	Pony Rods manufactured in accordance with API Spec 11B. Type: Steel, Grade:"D", AISI 41XX series Steel, Size: OD-1" (25.40MM), length: 20 inch,	4	NO
40 99078578	Pony Rods manufactured in accordance with API Spec 11B. Type: Steel, Grade:"D", AISI 41XX series Steel, Size: OD-1" (25.40MM), length: 44 inch,	4	NO
50 99078579	Pony Rods manufactured in accordance with API Spec 11B. Type: Steel, Grade:"D", AISI 41XX series Steel, Size: OD-1"(25.40MM), length: 68 inch,	4	NO
60 99078580	Pony Rods manufactured in accordance with API Spec 11B. Type: Steel, Grade:"D", AISI 41XX series Steel, Size: OD-1"(25.40MM), length: 92 inch,	4	NO
70	Polish Rod manufactured in accordance with API Spec 11B. Type: Alloy	4	NO

Tender No. & Date : JID5476L15

21.11.2014

Item No./ Mat. Code	Material Description	Quantity	UOM
99078581	Steel, Grade: AISI 41XX series Steel, Size: OD-1 1/2" (38.10MM), length: 30feet. Polish Rod pin threads on both ends, Diameter of pin thread: 13/8".		
80 99078582	Subcouplings for connecting polish rod to 1" sucker rod and manufactured in accordance with API Spec 11B. Class: T, size: OD: 2", Length: 4.5".	6	NO
90 99075093	1" Sucker Rod Elevators made by heat treated alloy steel bodies and forged steel bails.operation latches and replaceable feature of both spring and plates. Safety is assured by two latches, either of which will hold the rod. Rear levers are also conveniently located for ease of operation.	2	NO
100 99075094	"7/8"" Sucker Rod Elevators are made by heat treated alloy steel bodies and forged steel bails.operation latches and replaceable feature of both spring and plates. Safety is assured by two latches, either of which will hold the rod. Rear levers are also conveniently located for ease of operation.	2	NO
110 99075095	1" Sucker Rod wrench of high grade alloy steel, hardened to resist wear. The tool is excellent for manual makeup and break out of Sucker Rod joints. The head is spring loaded and a hardened steel bushing is provided between the wrench head and handle.	2	NO
120 99075096	7/8" Sucker Rod wrench of high grade alloy steel, hardened to resist wear. The tool is excellent for manual makeup and break out of Sucker Rod joints. The head is spring loaded and a hardened steel bushing is provided between the wrench head and handle.	2	NO
130 99078583	1inch Sucker rod coupling manufactured in accordance with API Spec. 11B, Class -T, Size:1", length: 4".	10	NO
140 99078645	7/8 inch Sucker rod coupling manufactured in accordance with API Spec. 11B, Class -T, Size:7/8", length: 4".	10	NO
150 99075097	1.1/8" Triple bolts design clamp for maximum 50,000 PSI working load. AISI 1040 steel and is designed and machined to provide greater holding power. AISI 4140 Alloy steel hinge pins, The bolts, nuts and washers are made from high tensile heat treated steel and are cadmium plated for maximum corrosion resistance. The clamping surface is bored and reamed to exact polished rod size for better clamping at 90 degree to the polished hole.	6	NO

Standard Notes: 1.0 Items shall be brand new, unused & of prime quality. Bidders shall warrant (in event of order) that the items will be free from all defects & fault in material, workmanship and manufacture and shall be in full conformity with the ordered specification. This clause shall be valid for 18 months from date of dispatch/shipment or 12 months from the date of receipt at destination, whichever is earlier. The defective items, if any, rejected by OIL, shall be replaced by the supplier at their own expenses. Bidders must confirm the same in their quotation.

2.0 Validity of the offer should be 75 days from the date of bid opening. Bid with lesser validity will be rejected.

3.0 Quotation should be submitted in duplicate.

4.0 In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf and a copy of Authorisation letter issued by you is also to be submitted alongwith the bid. In the authorisation letter, it is to be clearly mentioned that you are authorising your dealer/stockist/channel partner to quote on your behalf against the tender (Tender no should be clearly mentioned)

In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope and fail to submit Authorisation Letter, the offer shall be treated as unsolicited offer and will not be considered for opening.

The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.

Further, the authorised dealer should submit a copy of valid dealership certificate from their OEM.

5.0 Bidders are to quote for Unit Material value, Packing/Forwarding Charges (if any), Taxes & Duties as applicable, Transportation charges (if extra) upto upto Thaiyat-Hamira which is 25 KM (approx.) from Jaisalmer Town (Rajasthan), Transit Insurance, Payment Terms, Delivery Period etc in their offer.

6.0 In the event of receipt of only a single offer against the tender within B.C. date, OIL reserves the right to extend the B.C. date as deemed fit by the Company. During the extended period, the bidders who have submitted the bids on or before the original B.C. date shall not be permitted to revise their quotation.

7.0 For order with F.O.R. Destination term, 100% payment against dispatch document will not be entertained. In this regards please refer payment terms in ANNEXURE - MM/RP/GLOBAL/2013. Bidders are advised to take not of this while mentioning payment term.

8.0 Please consider bid closing time as at 15:00 hrs (IST). You are advised to ignore the timing of 13:00 hrs (IST), appearing in the covering page of the tender document.

9.0 The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

10.0 Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

11.0 Original signed offer should be submitted in sealed envelope. No offers should be sent by Telex, Cable, E-mail or Fax. Such offers will not be accepted.

12.0 Bids containing incorrect statement will be rejected.

13.0 Bids shall have no interlineations, erasures or overwriting except as necessary to correct the errors made by the bidder, in which case, such corrections shall be initiated by the person(s) signing the bid. Any bid not meeting this requirement shall be rejected.

14.0 The offer should reach within the Bid Closing Date & Time addressed to:

CHIEF MANAGER (M&C)
OIL INDIA LIMITED
RAJASTHAN PROJECT
M&C DEPARTMENT
02-A SARASWATI NAGAR, BASNI
DISTRICT SHOPPING CENTRE
JODHPUR - 342005,
RAJASTHAN
INDIA

Other terms and conditions of the tender shall be as per General Terms and Conditions vide booklet MM/RP/GLOBAL/2013 (copy enclosed). However, if any of the Clauses of the tender stipulated above contradict the Clauses of the booklet MM/RP/GLOBAL/2013 elsewhere, those in this tender document shall prevail.

15.0 Contact details of dealing officer:

KRISHNA MOHAN KUMAR
DY. MATERIALS MANAGER
PHONE- 0291-2729-473
EMAIL: km_kumar@oilindia.in