OIL INDIA LIMITED

(A Govt. of India Enterprise) P.O. Duliajan-786602, Assam.

Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : DFD5854L18/06 25.09.2017

Bid Security Amount : INR 0.00 OR USD 0.00

(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 13.12.2017 at 13:00 hrs. (IST) Bid Opening On : 13.12.2017 at 13:00 hrs. (IST)

Performance Guarantee: Applicable

OIL INDIA LIMITED have issued Limited tenders to following parties for items detailed below. For General Terms & Conditions, please refer to Document No. MM/GLOBAL/01/2005 available in OIL's web site:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 0C000648	Refrigerated / Heating Circulator Bath	1	NO
	Microprocessor controlled heating circulating water bath for internal and external temperature applications, having open stainless steel double walled bath tank. The bath to be supplied with flat stainless steel bath cover and cooling coils.		
	Bath material: Stainless Steel		
	2. Working temperature range: -40 to 150 deg C		
	3. Temperature setup through keypad		
	4. Temperature stability: +/- 0.03 deg C or better		
	5. Display: LED/LCD		
	6. Heater capacity: 1.3 # 2.2 kW		
	7. Pump capacity: a) Flow rate: 14 to 22 liters/min, b) Pressure: 0.35 to 0.55 bar		
	8. Low liquid level protection		
	9. Power: 200-230V / 50-60 Hz		
	10. External pump connections should be provided		
	11. Filling Volume: Up to 10 Litres		
30 0C000001	Viton or equivalent tubing (metre) for the above circulator	10	NO

Page: 2/4

Tender No. & Date: DFD5854L18/06 25.09.2017

Item No./	Material Description	Quantity	UOM
Mat. Code			
40	Insulator (metre) for the tubing in line item no. 30.	10	NO
0C000001			
50 0C000001	Bath fluid (litre) for use in the above bath	20	NO
	Installation & Commissioning		
10	Installation & Commissioning	1	AU

Special Notes: 1.

- 1. The items shall be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of despatch/shipment or 12 months from date of successful installation of the items at site which ever is earlier. The defective materials, if any, rejected by us shall be replaced by the supplier at their own expense. Bidders must confirm the same while quoting.
- 2. The minimum FOB/FCA charges in case of partial order for reduced quantity/ items shall have to be indicated by the bidder. In case this is not indicated specifically, the charges quoted would be prorata calculated and the same will be binding on the bidder.
- 3. Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises (MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005). Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable.
- 4. Bidder shall be OEM or authorised dealer of OEM. Valid dealership certificate should be enclosed along with the bid or else the offer will be rejected.
- 5. Bidders to take note of clause no.10.1.3 which has been added in Section-C, special terms & conditions for Indian bidders of General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012) regarding transportation of materials.
- 6. The bidder should submit the original model-specific product brochure along with the bid document.
- 7. The bidder should submit the filled bid documents: FORMAT A (NO DEVIATION CONFIRMATION) and FORMAT B (TECHNICAL SPECIFICATION SHEET)
- 8. The Refrigerated / Heating Circulator bath should be supplied with the original model-specific operation and maintenance manuals.
- 9. The Refrigerated /Heating Circulator bath is to be installed and commissioned at R&D Department, Oil India Ltd in Duliajan by an authorized and trained service engineer. The installation engineer should demonstrate all features of the system at the time of installation and impart operational training at site to the laboratory personnel.

- 10. The supplier should clearly mention the Installation and Commissioning terms (Free-of-Cost / chargeable as extra). In case the supplier wishes to charge an additional amount for installation and commissioning, they should clearly mention this installation term and the chargeable amount in their offer.
- 11. The Refrigerated /Heating Circulator bath should carry a warranty of one year minimum from the date of installation, and should be serviceable during and after the warranty period by an authorized and trained service engineer stationed in India.

12. ANNUAL MAINTENANCE CONTRACT (AMC):

- a) The rate for AMC for five years from the date the warranty is over should be quoted with year-wise breakup, which shall be taken into account for evaluation of the bids.
- b) While quoting for AMC, the bidder should take into account two (02) preventive maintenance visit and two (02) breakdown visits per year by an OEM trained and authorized service engineer. In case of breakdown visit, the service engineer must come to attend the equipment to make it operational within 15 (fifteen) days after receiving the intimation. In case he cannot rectify the problem during his first visit, and has to visit again to rectify the problem reported/identified originally, all those visits would be considered as single breakdown visit.
- c) The bidders must submit a written undertaking that they would be able to provide AMC service at the quoted rates after expiry of warranty.
- 13. The offered item should conform to every point in the technical specification as outlined in the enquiry. Any offer either not mentioning or deviating from any of the technical specifications outlined in the enquiry for that item will be rejected.
- 14. The offer should comply with / confirm the clauses outlined under Special Terms and Conditions. Any offer either not confirming or deviating from any of the Special Terms and Conditions outlined in the enquiry will be rejected.
- 15. The Bidders should offer and quote for all the items in NIT. Incomplete bids shall be rejected.
- 16. The Bidders should fill up the attached Tender Evaluation Sheet / Technical Specification Sheet whereby they are required to put in their comment(s) against each parameter as "Complied" or "Not complied/Deviation" and giving the reference of the supporting documents (wherever applicable) mentioning its page number in their bid documents.
- 17. The General Terms & Conditions for Global Tenders (MM/GLOBAL/01/2005) has been amended and the amendment dated 25.04.2016 have been issued in this regard which is uploaded in OIL Website. Bidders to note the changes made to "The General Terms & Conditions for Global Tenders (MM/GLOBAL/012005)" and to submit their offers complying with the same.
- 18. Validity of the offers should be 90 days from the date of bid opening. Bids with lesser validity shall be rejected.
- 19. Quotation must be submitted in triplicate.
- 20. The items covered by this enquiry shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for concessional rate of IGST against Essentiality Certificate wherever applicable as per Notification No.3/2017-Integrated Tax (Rate) dated 28th June, 2017.

- 21. In view of implementation of GST w.e.f. 01.07.2017, The General Terms & Conditions for Global Tender(MM/GLOBAL/01/2005) has been amended and the Addendum dated 21.08.2017 has been issued in this regard which is uploaded in OIL Website. Bidders to note the changes made to "The General Terms & Conditions for Global Tenders (MM/GLOBAL/01/2005)" and to submit their offers complying with the same.
- 22. Bidders to note that Ministry of Petroleum & Natural Gas, Government of India implemented PPLC Policy to provide Purchase Preference (linked with local content) by notification no. Ref. O-27011/44/2016-ONG-II/FP dtd.25.04.2017. A new Clause on applicability of Purchase Preference (linked with local content) policy in the tender is furnished vide addedndum dated 21.08.2017 to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005). Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable.
- 23. Payment: Payment shall be released as follows:
- i) 80 % of the order value shall be paid against proof of despatch/shipment of the goods.
- ii) Remaining 20 % of the order value along with commissioning charges, shall be paid after successful commissioning and acceptance of the unit by OIL.
- iii) OIL may also consider making 100 % payment towards supply of the units against proof of despatch provided bidders agree to pay interest for 20 % of the order value and also submit Bank Guarantee for the amount equivalent to 20 % of the order value.
- iv) Payment towards Installation/Commissioning shall be released on successful completion of the Installation/Commissioning programme.

Any offer not complying with the above shall be loaded at one percent above the prevailing Bank Rate (CC rate) of State Bank of India for evaluation purpose.

24. Successful bidder shall be required to furnish a Performance Security equivalent to ten (10%) of total evaluated value of Order, which should remain valid throughout the period execution, including extension, if any. The successful bidder shall submit Performance Security within 30 days of award, failing which OIL reserves the right to cancel the order and forfeit their Bid Security. Bidders should undertake in their bids to submit Performance Security as stated above.

Tender No. : DFD5854L18/06

Tender No. : DFD5854L18/06
Tender Date : 25.09.2017
Bid Closing On : 13.12.2017 at 13:00 hrs.(IST)
Bid Opening On : 13.12.2017 at 13:00 hrs.(IST)

Tender issued to following parties only:

Slno	V_Code	Vendor Name	City/Country
1	100536	JULABO LABORTECHNIK GMBH	
2	102267	SHELDON MANUFACTURING INC	CORNELIUS
3	103049	LAUDA DR. R. WOBSER GMBH & CO. KG	LAUDA-KÖNIGSHOFEN
4	103082	PETER HUBER KALTEMASCHINENBAU GMBH	
5	200987	NORTH EAST CHEMICALS CORPN	GUWAHATI
6	201204	WIDSONS SCIENTIFIC WORKS	DELHI
7	203663	SISKIN INSTRUMENTS CO(P) LTD	BANGALORE
8	208250	COLE-PARMER INDIA	MUMBAI
9	208942	THERMO FISHER SCIENTIFIC INDIA PVT.	NAVI MUMBAI
10	210113	SCIENTIFIC ENGINEERING CORPORATION	NEW DELHI
11	210864	SCIENTIFIC RESEARCH INSTRUMENTS COM	BENGALURU
12	210871	SAWANT PUMPS PVT. LTD.	GHATKOPAR(W), MUMBAI
13	211043	BIO TECHNICS INDIA	MUMBAI
14	211044	SIGMA SVI BIOSOLUTIONS PVT. LTD.	NEW DELHI
15	213585	INKARP INSTRUMENTS PVT. LTD	KOLKATA
16	213586	ALLIANCE TECKNOLOGIES	KOLKATA
17	213590	FIRSTSOURCE LABORATORY	KOLKATA

NO DEVIATION CONFIRMATION

Ref. No	Date:
From:(Inse	rt name and address of Bidding Entity)
Tel.: Fax: E-mail address:	
То	
GM (MATERIALS) MATERIALS DEPARTMENT OIL INDIA LIMITED DULIAJAN District: DIBRUGARH (Assan PIN 786602	n)
Sub: Bid for "	<u>"</u>
Tender No :	
Dear Sir,	
therefore, certify that we h	deviation / exception' in any form may result in rejection of Bid. We have not taken any 'exception / deviation' anywhere in the Bid and we exception' is mentioned or noticed, our Bid may be rejected.
Place:	[Signature of Authorized Signatory of Bidder]
Date:	Name:
	Designation:
	Seal:

TECHNICAL SPECIFICATION SHEET

Sub:	Bid for "	r 	
Tende	r No :		

SL. No.	Tender Specification	Bidders Remarks (Complied / Not Complied / Deviation)	Relevant Page number of their Bid to support the remarks / Compliance	Remarks*
1.	Microprocessor controlled heating circulating			
	water bath for internal and external temperature			
	applications, having open stainless steel double			
	walled bath tank.			
2.	The bath to be supplied with flat stainless steel			
	bath cover and cooling coils.			
3.	Bath material: Stainless Steel			
4.	Working temperature range: -40 to 150 deg C			
5.	Temperature setup through keypad			
6.	Temperature stability: +/- 0.03 deg C or better			
7.	Display: LED/LCD			
8.	Heater capacity: 1.3 – 2.2 kW			
9.	Pump capacity:		`	
	a) Flow rate: 14 to 22 liters/min,			
	b) Pressure: 0.35 to 0.55 bar			
10.	Low liquid level protection			
11.	Power: 200-230V / 50-60 Hz			
12.	External pump connections should be provided			
13.	Filling Volume: Up to 10 Litres			
14.	The bidder should submit the original model-			

	specific product brochure along with the bid		
	document.		
15.	The Refrigerated / Heating Circulator bath should		
	be supplied with the original model-specific		
	operation and maintenance manuals.		
16.	The Refrigerated /Heating Circulator bath is to be		
	installed and commissioned at R&D Department,		
	Oil India Ltd in Duliajan by an authorized and		
	trained service engineer. The installation engineer		
	should demonstrate all features of the system at		
	the time of installation and impart operational		
	training at site to the laboratory personnel.		
17.	The supplier should clearly mention the		
	Installation and Commissioning terms (Free-of-		
	Cost / chargeable as extra). In case the supplier		
	wishes to charge an additional amount for		
	installation and commissioning, they should clearly		
	mention this installation term and the chargeable		
	amount in their offer.		
18.	The Refrigerated /Heating Circulator bath should		
	carry a warranty of one year minimum from the		
	date of installation, and should be serviceable		
	during and after the warranty period by an		
	authorized and trained service engineer stationed		
	in India.		
19.	ANNUAL MAINTENANCE CONTRACT (AMC):		
	a) The rate for AMC for five years from the date		
	the warranty is over should be quoted with year-		
	wise breakup, which shall be taken into account		
	for evaluation of the bids.		
	LAMBILE COLOR COLOR COLOR DISTRICT		
	b) While quoting for AMC, the bidder should take		

into account two (02) preventive maintenance visit		
and two (02) breakdown visits per year by an OEM		
trained and authorized service engineer. In case of		
breakdown visit, the service engineer must come		
to attend the equipment to make it operational		
within 15 (fifteen) days after receiving the		
intimation. In case he cannot rectify the problem		
during his first visit, and has to visit again to rectify		
the problem reported/identified originally, all		
those visits would be considered as single		
breakdown visit.		
c) The bidders must submit a written undertaking		
that they would be able to provide AMC service at		
the quoted rates after expiry of warranty.		

* Remarks: to be filled in, if any. Additionally, Bidders are required to Fill-in and submit Format – A "No Deviation Confirmation", without which the offer shall be treated as incomplete and liable for rejection.

Place: [Signature of Authorized Signatory of Bidder]

Date: Name:

Designation:

Seal: