

OIL INDIA LIMITED

(A Govt. of India Enterprise)

P.O. Duliajan-786602, Assam.

Fax No. 91-374-2800533, E-mail:material@oilindia.in

Tender No. & Date : DFD6567L15/06 17.03.2015

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 17.06.2015 at 13:00 hrs. (IST)

Bid Opening On : 17.06.2015 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED have issued Limited tenders to following parties for items detailed below. For General Terms & Conditions, please refer to Document No. MM/GLOBAL/01/2005 available in OIL's web site:

Item No./ Mat. Code	Material Description	Quantity	UOM
<u>10</u> 99065510	<u>SPARES FOR DIFFERENT TYPES OF WELL SERVICING UNITS OF WSS& ALP SECTION LIKE CTU,NPU,HOCU,FPU ETC.</u> Hydraulic Hose, 1/4"ID,100R2 AT, length =1 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	20	NO
<u>20</u> 99065511	Hydraulic Hose, 1/4"ID,100R2 AT, length = 1.5 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	20	NO
<u>30</u> 99065512	Hydraulic Hose, 1/4"ID,100R2 AT, length = 2 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	20	NO
<u>40</u> 99065513	Hydraulic Hose, 1/4"ID,100R2 AT, length =4 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	20	NO
<u>50</u> 99065514	Hydraulic Hose, 1/4"ID,100R2 AT, length= 6 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	20	NO
<u>60</u> 99065515	Hydraulic Hose, 1/4"ID,100R2 AT, length = 8 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	20	NO
<u>70</u> 99065516	Hydraulic Hose, 1/4"ID,100R2 AT, length =30 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	8	NO
<u>80</u> 99065517	Hydraulic Hose, 1/4"ID,100R2 AT, length= 1 m, Max WP: 5000 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female swivel 90 deg Tube elbow short drop (JIC)	20	NO
<u>90</u> 99065518	Hydraulic Hose, 1/4"ID,100R2 AT, length= 4 m, Max WP: 5000 psig,One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female swivel 90 deg Tube elbow short drop (JIC)	15	NO
<u>100</u>	Hydraulic Hose, 1/4"ID,100R2 AT, length= 6 m, Max WP:5000 psig, One end	15	NO

Tender No. & Date : DFD6567L15/06**17.03.2015**

Item No./ Mat. Code	Material Description	Quantity	UOM
99065519	Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female swivel 90 deg Tube elbow short drop (JIC)		
110 99065520	Hydraulic Hose, 1/4"ID,100R2 AT, length= 8 m, Max WP: 5000 psig,One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female swivel 90 deg Tube elbow short drop (JIC)	20	NO
120 99065521	Hydraulic Hose, 3/8" ID,100R9 AT, length =1 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	12	NO
130 99065522	Hydraulic Hose, 3/8" ID,100R9 AT, length=2 m, Max WP:5000 psig, Both end Female Swivel SAE 37 deg (JIC)	12	NO
140 99065523	Hydraulic Hose, 3/8" ID,100R9 AT, length=4 m, Max WP:5000 psig, Both end Female Swivel SAE 37 deg (JIC)	12	NO
150 99065524	Hydraulic Hose, 3/8" ID,100R9 AT, length=8 m, Max WP:5000 psig,Both end Female Swivel SAE 37 deg (JIC)	15	NO
160 99065525	Hydraulic Hose, 3/8" ID,100R9 AT, length=30 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	10	NO
170 99065548	Hydraulic Hose, 3/8" ID,100R9 AT, length =4 m, Max WP: 4500 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female Swivel 90deg Tube Elbow Short Drop (JIC)	12	NO
180 99065549	Hydraulic Hose, 3/8" ID,100R9 AT, length= 6 m, Max WP:4500 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female Swivel 90deg Tube Elbow Short Drop (JIC)	10	NO
190 99065550	Hydraulic Hose, 3/8" ID,100R9 AT, length = 8 m, Max WP:4500 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female Swivel 90deg Tube Elbow Short Drop (JIC)	10	NO
200 99065551	Hydraulic Hose, 3/8" ID,100R9 AT, length =12 m, Max WP:4500 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female Swivel 90deg Tube Elbow Short Drop (JIC)	10	NO
210 99065552	Hydraulic Hose, 3/8"ID, 100R9-AT, length = 8 m, Max WP: 4500 psig, Both End SAE 37 deg Female Swivel 90deg Tube Elbow Short Drop (JIC)	10	NO
220 99065553	Hydraulic Hose, 3/8"ID, 100R9-AT, length = 8 m, Max WP: 4500 psig, Both End SAE 37 deg Female Swivel 45 deg Tube Elbow Short Drop (JIC)	12	NO
230 99065554	Hydraulic Hose, 1/2"ID, 100R9-A, length =1 m, Max WP: 4000 psig, Both end Female Swivel SAE 37 deg (JIC)	15	NO
240 99065555	Hydraulic Hose, 1/2"ID, 100R9-A, length =2 m, Max WP: 4000 psig, Both end Female Swivel SAE 37 deg (JIC)	15	NO

Tender No. & Date : DFD6567L15/06**17.03.2015**

Item No./ Mat. Code	Material Description	Quantity	UOM
250 99065556	Hydraulic Hose, 1/2"ID, 100R9-A, length =4 m, Max WP: 4000 psig,Both end Female Swivel SAE 37 deg (JIC)	15	NO
260 99065557	Hydraulic Hose, 1/2"ID, 100R9-A, length =8 m, Max WP: 4000 psig,Both end Female Swivel SAE 37 deg (JIC)	12	NO
270 99065558	Hydraulic Hoses, 1/2"ID, 100R9-A, length=12 m, Max WP: 4000 psig, Both end Female Swivel SAE 37 deg (JIC)	15	NO
280 99065559	Hydraulic Hoses, 5/8"ID, 100R2-AT, length =1.5 m,Max WP: 2750 psig,Both end Female Swivel SAE 37 deg (JIC)	5	NO
290 99065560	Hydraulic Hose, 5/8"ID, 100R2-AT, length =2 m, Max WP: 2750 psig, Both end Female Swivel SAE 37 deg (JIC)	5	NO
300 99065561	Hydraulic Hose, 5/8"ID, 100R2-AT, length =4 m, Max WP: 2750 psig, Both end Female Swivel SAE 37 deg (JIC)	10	NO
310 99065562	Hydraulic Hose, 5/8"ID, 100R2-AT, length= 6 m, Max WP: 2750 psig,Both end Female Swivel SAE 37 deg (JIC)	8	NO
320 99065563	Hydraulic Hose, 5/8"ID, 100R2-AT, length =8 m, Max WP: 2750 psig,Both end Female Swivel SAE 37 deg (JIC)	10	NO
330 99065564	Hydraulic Hose, 3/4"ID, 100R10-A, length =4 m, Max WP: 5000 psig,Both end Female Swivel SAE 37 deg (JIC)	20	NO
340 99065565	Hydraulic Hose, 3/4"ID, 100R10-A, length =4 m, Max WP: 5000 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female Swivel 45 deg Tube Elbow Short Drop (JIC)	20	NO
350 99065566	Hydraulic Hose, 3/4"ID, 100R10-A, length = 6 m, Max WP: 5000 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female Swivel 45 deg Tube Elbow Short Drop (JIC)	20	NO
360 99065569	Hydraulic Hose, 3/4"ID, 100R10-A, length=8 m, Max WP: 5000 psig, One end Female Swivel SAE 37 deg (JIC) and other end SAE 37 deg Female Swivel 45 deg Tube Elbow Short Drop (JIC)	15	NO
370 99065570	Hydraulic Hose, 3/4"ID, 100R10-A, length = 6 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	15	NO
380 99065571	Hydraulic Hose, 3/4"ID, 100R10-A, length=8 m, Max WP: 5000 psig, Both end Female Swivel SAE 37 deg (JIC)	15	NO
390 99065572	Hydraulic Hose, 3/4"ID, 100R10-A, length =8 m, Max WP: 5000 psig,Both end 3/4" FNPT rigid	15	NO
400	Hydraulic Hose, 1"ID, 100R9A, length = 8 m, Max. WP: 3000 psig, Both end	15	NO

Tender No. & Date : DFD6567L15/06**17.03.2015**

Item No./ Mat. Code	Material Description	Quantity	UOM
99065573	Female Swivel SAE 37 deg (JIC)		
410 99065574	Hydraulic Hose units, 1"ID, 100R9A, length =12 m, Max. WP: 3000 m, Both end Female Swivel SAE 37 deg (JIC)	10	NO
420 99065575	Hydraulic Hose, 1"ID, 100R9A, length=8 m, Max. WP: 3000 psig, Both end 1"FNPT rigid.	10	NO
430 99065576	Hydraulic Hose, 1.1/4"ID, 100R2AT, length =8 m, Max. WP: 1625 psig, Both end Female Swivel SAE 37 deg (JIC)	4	NO
440 99065577	Hydraulic Hose, 1.1/4"ID, 100R13, length = 8 m, Max. WP: 5000 psig,Both end Female Swivel SAE 37 deg (JIC)	4	NO
450 99065578	Hydraulic Hose,1.1/2"ID, 100R2-AT,length= 3 m, Max WP: 1250 psig, Both end Female Swivel SAE 37 deg (JIC)	6	NO
460 99065579	Hydraulic Hose,1.1/2"ID, 100R2-AT, length = 8 m, Max WP: 1250 psig, Both end Female Swivel SAE 37 deg (JIC)	4	NO
470 99065580	Hydraulic Hose, 2" ID, 100R2-AT,length= 8 m, Max WP: 1125 psig, Both end Female Swivel SAE 37 deg (JIC)	4	NO
480 99065581	Hydraulic Hose, 2" ID, 100R2-AT,length = 12 m, Max WP: 1125 psig, Both end Female Swivel SAE 37 deg (JIC)	4	NO

Special Notes : 1. The items shall be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of despatch/shipment or 12 months from date of receipt items at site whichever is earlier. The defective materials, if any, rejected by us shall receipt items at site whichever is earlier. The defective materials, if any, rejected by us shall be replaced by the supplier at their own expense. Bidders must confirm the same while quoting.

2. The minimum FOB/FCA charges in case of partial order for reduced quantity/ items shall have to be indicated by the bidder. In case this is not indicated specifically, the charges quoted would be prorata calculated and the same will be binding on the bidder.

3. Technical Literature and Drawing of the items shall be submitted along with the offer for technical evaluation.

4. The Hoses and the End Connection of the hoses shall be of same make. Bidder has to confirm the same in the offer.

5. Hydraulic test certificate of individual hoses must be furnished along with the supply. The bidder shall confirm the same in their offer.

6. Bidders other than OEM (Original Equipment Manufacturer) must submit proper valid

authorisation certificate alongwith the warranty back-up from OEM failing which offer shall be liable for rejection.

7. Validity of the offers should be 120 days from the date of bid opening. Bids with lesser validity shall be rejected.

8. Quotation must be submitted in triplicate.

9. The items covered by this tender shall be used by Oil India Limited in the PEL/ML areas which are issued/renewed after 01/04/99 and hence Nil Customs Duty during import will be applicable. Indigenous bidder shall be eligible for Deemed Export Benefit against this purchase. Details of Deemed Export are furnished vide Addendum to MM/GLOBAL/01/2005 enclosed.

Tender No. : DFD6567L15/06
Tender Date : 17.03.2015
Bid Closing On : 17.06.2015 at 13:00 hrs.(IST)
Bid Opening On : 17.06.2015 at 13:00 hrs.(IST)

Tender issued to following parties only:

S/no	V_Code	Vendor Name	City/Country
1	100025	EATON CORPORATION (HYDRAULIC DIV)	NIRRESOTA
2	100138	SONAL ENTERPRISES	NEW YORK 10956-5538
3	100183	CONTITECH RUBBER INDUSTRIAL KFT	BUDAPEST
4	100684	AKV ENTERPRISES(CANADA)	ONTARIO
5	100755	ZICOM EQUIPMENT PTE LTD	SINGAPORE
6	101134	PARKER HANNIFIN	OHIO
7	101414	GATES RUBBER COMPANY	KANSAS 66749
8	200046	Parveen Industries Pvt. Ltd.	DELHI
9	200052	SARA SAE PVT. LTD.	DEHRADUN
10	205046	PARKER HANNIFIN INDIA PVT. LTD.	NAVI MUMBAI
11	206827	PARCOMM HYDRAULICS PVT.LTD.	KOLKATA

NOTICE

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam – 786602 (E-mail : material@oilindia.in , Fax : 0374-2800533) within 10 days of publication of the tender in OIL's website.

The vendors must fulfill the following conditions :

- i) The party should have three years' experience as on the Bid closing date for the same item.
- ii) The party should have received one order for at least 50% quantity in last three years (as on the Bid closing date) for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last three financial years or current financial year should be more than Rs 24 Lakhs.

NOTE : i) Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.

- ii) Application without complete supporting document will not be considered.
