

OIL INDIA LIMITED

(A Govt. of India Enterprise)

P.O. Duliajan-786602, Assam.

Fax No. 91-374-2800533, E-mail:material@oilindia.in

ANNEXURE-I**Tender No. : DFS1967L17/03****Tender Date : 02.08.2016**

Item No./ Mat. Code	Material Description	Quantity	UOM
10 03548901	CASING HEAD HOUSING & ITS ACCESSORIES Casing Head Housing, for Water Disposal Well Head, 2000 PSI W.P, 7.1/6" NB Flange x 5.1/2" OD LTC Casing Female Treaded, as per API Specification 6A(latest edition), as detailed below: a) Material : Minimum 45 K API Forged/Cast Alloy Steel. b) Product specification level: PSL 1 c) Performance Rating : PR1 d) Material Class : AA e) Temperature Rating : U. f) Working Pressure : 140.6kg/sq.cm(2000 psi) g) Test Pressure : 210.9kg/sq.cm(3000 psi) h) Total Hight : 139.7 mm(5.1/2") i) Minimum ID : 121.4 mm(4.778")(ID of 5.1/2" 20 ppf casing as per API 5 CT) j) Top Connection : Flange, 140.6 kg/sq.cm(2,000 psi)working pressure, 178 mm(7.1/16")NB,RX-45 ring grooved, Flange Thickness 55.6 mm(2.19"), Flange OD 355 mm(14"), Hub Thickness 222.0 mm(8.74") Drilled 12 nos of 29 mm(1.14"), Dia through holes spaced equally at bolt circle diameter of 292.1 mm(11.5"), suitable to accommodate the hanger flange for Water Disposal Well Head(Material Code: 03-56-3360). k) Bottom Connection: Threaded, 5.1/2" LTC Casing female thread as per API CT, Suitable to install over for 5.1/2" OD LTC threaded casing.	10	NO
20 03563360	HANGER FLANGE Hanger Flange for Water Disposal Well Head Hanger Flange for Water Disposal Well Head, 2000 psi WP, 2.7/8" OD 8rd EUE Female Threaded x 7.1/16" NB Studded Flanged, as per API specification 6A(latest edition), as detailed below: a) Material : Minimum 45 K API Forged/Cast Alloy Steel. b) Product specification level: PSL 1 c) Performance Rating : PR1 d) Material Class : AA e) Temperature Rating : U. f) Working Pressure : 140.6kg/sq.cm(2000 psi) g) Test Pressure : 210.9kg/sq.cm(3000 psi) h) Total Hight : 139.7 mm(5.1/2") i) Minimum ID : 62.0 mm(2.441")(ID of 2.7/8" OD 6.5 ppf 8rd N80 tubing as per API 5 CT) j) Top Connection : Threaded, 2.7/8" OD EUE 8rd female thread as per API 5CT, suitable for installing pup joint/tubing to pick up the hanger flange along with 2000 m long(approx.) 2.7/8" OD 6.5 ppf 8rd N80 tubing string attached at bottom of the hanger flange. k) Bottom Connection: Single Studded Flange, 140.6kg/sq.cm(2000 psi) working pressure, 178mm(7.1/16") NB,RX-45 ring grooved, Flange OD 355 mm(14"), Flanged Thickness 55.6 mm(2.19"), Hub Thickness 222.0 mm(8.74"), Tapped 12 nos of 1" Dia Stud holes spaced equally at bolt circle diameter of 292.1mm(11.5"), complete with firmly screwed 12 nos of 1" dia 8 UNC threaded 5.375" long studs & 01 no hexagonal nuts for each stud,	10	NO

ANNEXURE-I**Tender No. : DFS1967L17/03****Tender Date : 02.08.2016**

Item No./ Mat. Code	Material Description	Quantity	UOM
	suitable to install over Casing Head Housing for Water Disposal Well Head(Material Code: 03-54-8901).Also, Threaded, 2.7/8" OD EUE 8rd female thread as per API 5CT, suitable for suspension of 2000 m long(approx.)2.7/8" OD 6.5 ppf 8rd N80 tubing string. I) Accessories: RX 45 Ring joint gasket-01 no.		

Note description for item no./nos. : 10, 20**SPECIAL NOTE:**

For reason of compatibility, the Formation Water Disposal Well Heads(03548901) must be procured along with its companion Flanges(03563360) from the same source.

Special Notes : 1.0 The items covered by this tender will attract Custom Duty on merit. Indian bidders are required to quote NON DEEMED EXPORT price.

2.0 Bidders are required to quote with minimum validity of 90 days from the Bid Closing Date as per NIT requirement. BIDS with lesser validity shall be rejected.

3.0 Bidders have to indicate the minimum FOB/FCA charges in case of partial order for reduced quantity/items. In case this is not indicated specifically, the charges quoted would be prorated calculated and the same will be binding on the bidder.

4.0 Bidders are required to mention the weight of each item individually. **QUOTATION must be submitted in TRIPLICATE with original company catalogues as well as necessary certificates.**

5.0 Please mention clearly in your quotation the Net. Weight, Gross Weight & Volume, Indian Agent's Name and its Commission, Payment Terms, Ocean Freight/Air Freight Charges, Port of Loading, Delivery period, Country of origin with manufacturer's name, etc.

6.0 Bidders to take note of clause no.10.1.3 which has been added in Section-C, special terms & conditions for Indian bidders of General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005-July2012) regarding transportation of materials.

7.0 Bidders to note that Govt. of India under Micro, Small and Medium Enterprises Development (MSMED) Act 2006, has proclaimed the Public Procurement Policy, 2012 with effect from 1st April, 2012 in respect of procurement of goods and services, produced and provided by micro and small enterprises, by its Ministries, Departments and Public Sector Undertakings for promotion and development of Micro and Small Enterprises. A new Clause on applicability of Public Procurement Policy for procurement of goods from Micro and Small Enterprises(MSE) in the tender is furnished vide Amendment to General Terms and Conditions for Global Tender (MM/GLOBAL/E-01/2005). Bidders are requested to take note of the same and to submit their offers accordingly wherever applicable.

8.0 The General Terms & Conditions for Global Tenders (MM/GLOBAL/01/2005)" has been amended and the Amendment dated 25.04.2016 has been issued in this regard which is uploaded in OIL Website. Bidders to note the changes made to "The General Terms & Conditions for Global Tenders (MM/GLOBAL/01/2005)" and to submit their offers complying with the same.

ANNEXURE-I

Tender No. : DFS1967L17/03

Tender Date : 02.08.2016

9.0 Performance Security clause (Clause No. 10.0 of Section-A) of "General Terms & Conditions for Global Tenders (MM/GLOBAL/01/2005)" has been amended and the new clause is detailed in the Amendment dated 25.04.2016 issued to MM/GLOBAL/01/2005. Bidders to note the same and to confirm its acceptance in their offers.