

ANNEXURE : II

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam – 786602 (e-mail : material@oilindia.in, Fax : 0374-2800533) within 10 days of publication of the tender on OIL's website.

The vendors must fulfill the following conditions:

- i) The party should have 03 (three) years' experience as on the Bid closing date for the same item.
- ii) The party should have received one order for at least 50% quantity in last 03 (three) years' (as on the Bid closing date) for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last 3 (three) financial years or current financial year should be more than Rs.07.80 lakhs.

NOTE:

- a. The applicant must meet the above qualifying criteria for which documentary evidence should be enclosed by the applicant with the application without which tender document shall not be issued.
- b. Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.
- c. Application without complete supporting document will not be considered.

Tender No. : DID6475L15/L5
Tender Date : 04.03.2015
Bid Closing On : 16.04.2015 at 13:00 hrs.(IST)
Bid Opening On : 16.04.2015 at 13:00 hrs.(IST)

Tender issued to following parties only:

S/no	V_Code	Vendor Name	City/Country
1	201653	KUB ENTERPRISE	DULIAJAN
2	203011	GOGOI ENTERPRISES	DIBRUGARH - 1.
3	203577	ARADHANA AGENCY	GUWAHATI
4	204039	ELECTRONICS SOUND -N- ZOOM,	SIMALUGURI
5	204114	JOST'S ENGINEERING CO. LTD.	KOLKATA
6	204139	POWERGRIPP UNIVERSAL	SIBSAGAR
7	208039	R P TRADERS	SIMALUGURI
8	208172	SMART SYSTEMS	DIBRUGARH
9	208982	KAMAKHYA SUPPLIERS	GUWAHATI
10	209881	PCI LIMITED	KOLKATA
11	210040	DIVISION OF DHR HOLDING INDIA PVT.	MUMBAI
12	210196	YOKOGAWA INDIA LTD.	GUWAHATI
13	210377	SIDHARTHA ENTERPRISE	SIVSAGAR
14	210783	TTL INDIA PVT.LTD.(A FLUKE COMPANY)	MUMBAI
15	211148	HELIX CORPORATION	BANGALORE
16	211163	DHR HOLDING INDIA PVT. LTD	NEW DELHI
17	211164	TOSHNIWAL INDUSTRIES PVT. LTD.	AJMER

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam

E-mail:material@oilindia.in, **Fax No.**91-374-2800533

Tender No. & Date : DID6475L15/L5 04.03.2015

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 16.04.2015 at 13:00 hrs. (IST)
Bid Opening On : 16.04.2015 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 0C000062	Specifications for Portable Noise/Sound Level Meter with Calibrator: # Measuring Range: +30 to +130 dB # Frequency range: 31.5 Hz to 8 kHz # Accuracy ±1 digit : ±1.0 dB # Resolution : 0.1 dB # Operating temperature : 0 to +40 °C # Storage temperature : -10 to +60 °C # Battery type : 9V block battery # Battery life : 50 h # Weight: Light weight > 500 grams # Measuring Range Selection: 30 to 80 dB; 50 to 100 dB; 80 to 130 dB # Time weighting : FAST 125 ms setting / SLOW 1 s setting # Pressure dependency: -0.0016 dB/hPa Sound Calibrator: One no # Sound Pressure Level: 94 dB/ 104 dB # Switchable frequency: 1000 Hz # Battery type: 9V Battery # Battery life: 40 h # Accuracy: ±0.5 dB in accordance with Class 2 to IEC 60942	7	NO
20 0C000062	Specifications for Intrinsically Safe Noise Dosimeter with calibrator: Functional Requirement: # Microphone: ¼ inch pre-polarized condenser(electret) field replaceable threaded microphone # Measuring range: 65 bB to 140 dB # Windscreen: Rugged foam permanently attached to a threaded mount for maximum protection. Dosimeter: # Independent Threshold selectable from 70 dB to 90 dB or more # Independent Exchange rates 3 dB, 4 dB or 5 dB for each dosimeter	2	NO

Tender No. & Date : DID6475L15/L5

04.03.2015

Item No./ Mat. Code	Material Description	Quantity	UOM
	<p># Independent Criterion Levels from 70 dB to 90 dB in 1 dB increments.</p> <p>Measuring Settings:</p> <p># RMS Range: 70 to 140 dB # RMS weighting: A or C # RMS time response: Fast or Slow</p> <p>Peak Detector:</p> <p># Peak Range: 110 to 143 dB # Peak Weighting: Selectable</p> <p>Displayed Data/Values:</p> <p># SPL, Lavg or Leq, TWA, Max Level, Min Level, Peak Level, Exposure, Runtime, Projected Dose etc</p> <p>Displayed Status Indicators: # Battery, memory, Run/Pause, Overload indication, Dose Exposure indicator(Multi-coloured LED, user selectable)</p> <p>Additional Features:</p> <p># Calibration times displayed # Lock out security function(multilevel) # Device setup, easy quick setup through requisite software in English. # Data logging # Lavg or Leq, Max, Peak and overload indication at one minute intervals.</p> <p>Power/Electrical Characteristics:</p> <p># Battery preferably Lithium type # Battery Life: Minimum 40 hours # Battery charge: Quick charge in 2 to 4 hours. Recommended daily download data with simultaneous battery charging for maximum efficiency. # Memory capacity : 180 hours # Communications: as per standard(USB to PC etc)</p> <p>Standard: # IEC 60079-O:2004 and IEC 60079-11: 2006</p> <p>Physical Characteristics: # Weight: Should be light weight # Case material: Engineerd Polymer # IP rated 65 # Lockable windscreen # Keypad: Minimum 4 keys-Up Arrow, Down Arrow, Run/Stop, On/Off, Enter etc # Display: Minimum 128 x 64 LCD</p> <p>Sound Calibrator: One no</p>		

Tender No. & Date : DID6475L15/L5**04.03.2015**

Item No./ Mat. Code	Material Description	Quantity	UOM
	# Single output : 114 dB to 1000 Hz		
	Software: All necessary software for operation to be provided.		

Standard Notes: A.1 Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam - 786602 (e-mail : material@oilindia.in, Fax : 0374-2800533) within 10 days of publication of the tender on OIL's website.

B.(1) VALIDITY : Your offer must be valid for 75 days from the date of bid opening. Offer with inadequate validity will be rejected.

(2) The offer should be submitted in Duplicate.

(3) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).

(4) In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf.

In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope, the offer shall be treated as unsolicited offer and will not be considered for opening.

The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.

(5) For order with F.O.R. Destination term, 100% payment against despatch documents will not be entertained. In this regards please refer payment terms in ANNEXURE-MM/TENDER/LP/01/06.

(6) To evaluate the inter-se ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Government of Assam Guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their bids.

(7) Bidder must mention page no./nos. in every pages of their offer.

(8) Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.

(9) Bidder should clearly mention their name and address on the outside of the envelope containing their offer.

(10) In the event of receipt of only a single offer against the tender within B.C.date, OIL reserves the right to extend the B.C. date as deemed fit by the company. During the extended period, the bidders who have already submitted the bids on or before the original B.C date, shall not be permitted to revise their quotation.

Special Notes : 1. Bidder should submit details technical literature / catalogue along with the offer.

2. All the equipment's are to be guaranteed against any manufacturing defects for a minimum period of 12 months from the date of commissioning or 18 months from the date of receipt.

3. Quotation must be accompanied with original relevant catalogue / literature and drawing. Otherwise, offer will not be technically acceptable.

4. The offer must be submitted along with sample NIST traceability certificate without which it will be liable for rejection.

5. A copy of valid Dealership certificate / Letter of Authorization of the authorized dealer / OEM must be submitted along with the quotation, if the material is quoted by the authorized dealer; failing which offer will be rejected.

6. The material supply should be accompanied with test, calibration and warranty / guarantee certificates.

7. Quotation should be forwarded in a tabular form, enlisting the compliance and deviations of the technical specifications for ease in scrutiny.