

ANNEXURE : II

Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam – 786602 (e-mail : material@oilindia.in, Fax : 0374-2800533) within 10 days of publication of the tender on OIL's website.

The vendors must fulfill the following conditions:

- i) The party should have 03 (three) years' experience as on the Bid closing date for the same item.
- ii) The party should have received one order for at least 50% quantity in last 03 (three) years' (as on the Bid closing date) for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last 3 (three) financial years or current financial year should be more than Rs.7.75 lakh.

NOTE:

- a. The applicant must meet the above qualifying criteria for which documentary evidence should be enclosed by the applicant with the application without which tender document shall not be issued.
- b. Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.
- c. Application without complete supporting document will not be considered.

.....

Format For Uploading NIT in Oilindia web Portal

* indicates mandatory field.

Tender No : *	DID7776L16
Tender Title : *	Spare for Fire Extinguisher.
Tender Type : *	<div>Limited</div>
Attached File Name : *	DID7776L16
Is Flagged ?	<input checked="" type="checkbox"/>

Tender No. : DID7776L16/L5
Tender Date : 04.07.2015
Bid Closing On : 13.08.2015 at 13:00 hrs.(IST)
Bid Opening On : 13.08.2015 at 13:00 hrs.(IST)

Tender issued to following parties only:

S/no	V_Code	Vendor Name	City/Country
1	200019	GOENKA ENGG. & INDUSTRIAL PVT. LTD.	NEW DELHI
2	200211	STEEL & INDUSTRIAL STORES	ASSAM
3	200442	WATERCHEM PRODUCTS	TINSUKIA
4	200538	ANAND ASSOCIATES	KOLKATA
5	200554	ASHOK MARKETING CO.	KOLKATA
6	200560	ASSOCIATED INDUSTRIES	KOLKATA - 700 001
7	200803	HYDRAX INTERNATIONAL	KOLKATA
8	201104	SONI RUBBER PRODUCTS LTD	KOLKATA
9	201133	TAURIAN TUBES	KOLKATA
10	201427	SPR INDUSTRIES	KOLKATA
11	201489	INDUSTRADE	TINSUKIA
12	201644	INDUSTRIAL MACHINERY STORES	DIBRUGARH
13	201909	URVASHI AGENCIES PVT.LTD.	GUWAHATI
14	202448	SHREERAM RUBBER INDUSTRIES	KOLKATA
15	202666	AEICORP PVT. LTD.	KOLKATA
16	202708	SWASTIK RUBBER PRODUCTS LTD.	KOLKATA
17	203490	ESAB INDIA LIMITED	WEST BENGAL
18	203719	GATES (INDIA) PVT LTD	LALRU

OIL INDIA LIMITED
(A Govt. of India Enterprise)
P.O. Duliajan-786602, Assam

E-mail:material@oilindia.in, **Fax No.**91-374-2800533

Tender No. & Date : DID7776L16/L5 04.07.2015

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 13.08.2015 at 13:00 hrs. (IST)
Bid Opening On : 13.08.2015 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 99078972	Valve/Cap Assembly along with Neck Ring, Dip Tube Seat, Pressing Lever, Carrying Handle, Safety Pin, String, Plunger Assembly Spring, Cartridge Seat Bolt, Safety Device & Rubber O-Ring 60 x 3.55 mm etc. for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683. Made of Forged Brass as per IS:6912/319 Grade FLB with CE Marking Material Of Construction of Valve Body & Nut Ring: CuZn40pB2 (EN-12165) Valve/Cap Assembly Dimension: M74 x 2 threaded Neck Ring Dimension: M74 x pitch 2 mm threaded Valve/Cap Assembly shall be as per Drg. No. KFPL/PD/P/CP/P/9/04	50	NO
20 99078973	O-Ring for Cap assembly for Cartridge Type Kanex & Safex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction : NBR A80/GB7038 Dimension: 60 x 3.55 mm	2000	NO
30 99078974	Safety Pin for Cartridge Type Kanex & Safex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction : Ø 3.8 SUS201 Dimension: Ø 3.8 x 22 x 35 mm	1000	NO
40 99078975	String of Safety Pin for Cartridge Type Kanex & Safex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction : Soft-PVC	1000	NO
50 99078976	Cartridge Seat along with both O- Rings for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction Cartridge Seat: Hexagon bar(S=21)-HPb59-1 Material Of Construction of O-Ring : NBR A70/GB7038	100	NO
60 99078977	O-Ring for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction : NBR A70/GB7038 Dimension: 15 x 1.8 mm	200	NO

Tender No. & Date : DID7776L16/L5

04.07.2015

Item No./ Mat. Code	Material Description	Quantity	UOM
70 99078978	Plunger Assembly along with 3 Nos. O- Ring & Spring for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction of all O-Rings : NBR A70/GB7038 Material Of Construction of Spring: Ø2-SUS304H Dimension of Spring: Ø 2 x 11.5 x 26.5 mm	50	NO
80 99078979	Siphon Tubes (Inlet) with Bolt for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction of Siphon Tubes: Aluminium 6063 alloy Dimension: Length:400mm,O.D: 8mm, M8 threaded Material Of Construction of Bolt: OCr18Ni9 Bolt Dimension: M5 threaded	600	NO
90 99078980	Benzo Tube with clamp for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction for Benzo Tube: Soft PVC Material Of Construction for Clamp : Spring Steel with Zink Coating	600	NO
100 99078981	Siphon Tubes (Outlet) for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction : Aluminium 6063 alloy Dimension: Length:460mm,O.D:16mm,I.D:12 mm, Thread: M16x1.5 pitch	600	NO
110 99078982	Discharge Hose with Nozzle & 2 nos. O Ring for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Metal part connections shall be connected with hot press clamps Material Of Construction of Discharge Hose: - EPDM Rubber Nozzle - Forged Brass as per IS:6912 Grade FLB	300	NO
120 99078983	Pair of O rings (Inlet & Outlet) for Discharge Hose for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction : NBR A70/GB7038 Inlet O ring Dimension: 12 x 2 mm Outlet O ring Dimension: 27 x 2 mm	600	NO
130 99078984	Plastic Seal for safety pin for Cartridge Type Kanex & Safex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683	2000	NO
140 99078985	Marking Label/ Sticker for Cartridge Type Kanex & Safex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 PVC/ Polyester as base material of the Label/ Sticker Instruction shall be as per IS 15683	200	NO
150 99078986	PVC Base for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683 Material Of Construction : PVC	200	NO
160 99078987	Safety Device along with Glue water (648) for Cartridge Type Kanex Make Fire Extinguisher (DCP 9 Kg capacity) as per IS 15683	20	NO

- Standard Notes:**
- (1) **VALIDITY :** Your offer must be valid for 75 days from the date of bid opening. Offer with inadequate validity will be rejected.
 - (2) The offer should be submitted in Duplicate.
 - (3) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
 - (4) In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf.
In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope, the offer shall be treated as unsolicited offer and will not be considered for opening.
The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.
 - (5) For order with F.O.R. Destination term, 100% payment against despatch documents will not be entertained. In this regards please refer payment terms in ANNEXURE-MM/TENDER/LP/01/06.
 - (6) To evaluate the inter-se ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Government of Assam Guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their bids.
 - (7) Bidder must mention page no./nos. in every pages of their offer.
 - (8) Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.
 - (9) Bidder should clearly mention their name and address on the outside of the envelope containing their offer.
 - (10) In the event of receipt of only a single offer against the tender within B.C.date, OIL reserves the right to extend the B.C. date as deemed fit by the company. During the extended period, the bidders who have already submitted the bids on or before the original B.C date, shall not be permitted to revise their quotation.

- Special Notes :**
1. Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam - 786602 (e-mail : material@oilindia.in, Fax : 0374-2800533) within 10 days of publication of the tender on OIL's website.
 2. Material test certificate for all the component of Valve /Cap Assembly shall be submitted along with supply from approved laboratory.
 3. The supplier should get the sample approved before bulk supply.