Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam — 786602 (e-mail: material@oilindia.in, Fax: 0374-2800533) within 10 days of publication of the tender on OIL's website.

The vendors must fulfill the following conditions:

- i) The party should have 03 (three) years' experience as on the Bid closing date for the same item.
- ii) The party should have received one order for at least 50% quantity in last 03 (three) years' (as on the Bid closing date) for the item from any reputed firm.
- iii) Annual turnover of the firm in any of the last 3 (three) financial years or current financial year should be more than Rs. 8.32 Lakhs.

#### NOTE:

- a. The applicant must meet the above qualifying criteria for which documentary evidence should be enclosed by the applicant with the application without which tender document shall not be issued.
- b. Relevant documents in support of experience, last order and annual turnover must be submitted along with the application.
- c. Application without complete supporting document will not be considered.

### **OIL INDIA LIMITED**

(A Govt. of India Enterprise) Fax No. 91-0374-2800533 P.O. Duliajan-786602, Assam

E-mail:material@oilindia.in

**ANNEXURE-I** Tender No. : DIS6980L16/L4 Tender Date : 20.04.2015

	Tender Date : 20.04.2015		
Item No./ Mat. Code	Material Description	Quantity	UOM
<b>130</b> 81140218	WIRING MATERIALS CALLING BELL AND SPARES Melody Musical Door Bella) Type: Silver, Multitune (English), Electronic, Battery operated. Make: Anchor/Bajaj/Crompton Greaves. (Note: For use in newly constructed B'lows)		NO
<b>70</b> 81060256	L A M P Lamp, clear, coiled coil, gas filled with standard bayonet cap, 230 V / 250 V, 100 W, conforming to IS-418-1978 (Reaffirmed 1992) with latest amendments, ISI marked. MAKE: PHILLIPS / BAJAJ / CROMPTON / OSRAM / OSAKA / GE LIGHTING		NO
<b>80</b> 81060325			NO
150 81060529	LIGHT FITTINGS Universal starter, suitable for 20-40-65-80 Watts, 220-240 V flourescent tubes conforming to IS:2215 - 1968 with latest amendments.	9000	NO
160 81060564	Rotor Locking type lamp holder with nickel plated brass contacts, suitable for 20 - 40 W, bipin type flourescent tubes conforming to IS: 3323 -1980 with latest amendments.	900	NO
170 81060518	Ballast, copper wire wound, polyester filled 40 Watts, capacity suitable for use with single 40 W tube, 230 V, 250 V. A.C. conforming to IS: 1534 with latest amendments. Make: CROMPTON GREAVES/GEC-Alsthom/ GE Lighting/PHILLIPS/BAJAJ.		NO
STREET LIGHT FITTINGS  400 Watt single ended High Pressure Metal Halide Lamps consisting of a quartz discharge tube, containing high pressure mercury mixture of Metal Halide, housed in a hard glass outer envelop fitted with a standard screw base, with the following specifications:  Designed to operate on both HPL and SON Gear Lamp Voltage: 125 volts  Lamp current: 3.4 A on HPL gear and 3.8 A on SON Gear Lamp Size: Tubular  Max. permissible base pinch: 250°C  Max. permissible base pinch: 600°C  Colour Temperature: 4500°K with HPL gear and 3900°K with SON gear.  CRI: 65Ra		200	NO

Page: 2 / 4

# ANNEXURE-I Tender No. : DIS6980L16/L4 Tender Date : 20.04.2015

	Tender Date : 20.04.2015			
Item No./ Mat. Code	Material Description	Quantity	UOM	
	Lumen output: 35000 Im with HPL gear and 38000 Im with SON gear. Cap: E40 Cat. Ref.: 400 W HPI-T			
	Make : Philips/Bajaj/Crompton Greaves/HPL/GE Lighting/Havells			
	STREET LIGHT FITTINGS			
<b>100</b> 81061795				
<b>110</b> 81061807	High pressure Mercury Vapour Lamp, designated as MBF, 400 Watts, 200-250 V. AC with standard cap designated as E-40 conforming to IS:2183-1973 with latest amendments.		NO	
<u>120</u> 81061818			NO	
	INSULATING MATERIALS			
180 81070854	Black adhesive tape, consist of strips of cotton sheet, impregnated with adhesive insulating compound, width - 16 mm to 19 mm, thickness 0.5 mm, Voltage Gd 1000 volts R.M.S., Length - 20 mtrs conforming to IS:7809 (Part I) - 1975 with latest amendments.  Make - ESJEE / OHMIC / BELL'S POWER FLEX / BELLS	300	RL	
	SPARES FOR DC PCR OF S-5 & S-6 AC SCR E-2000 BHEL RIG			
<b>140</b> 81273046	32 Amps Contactor with Coil Voltage 240V AC Make: M/S Schneider Electric.	10	NO	
	Part No. LC1 - D32M7 of SCHNEIDER ELECTRIC			
<b>10</b> 81269390	SPARES FOR NEW AC PCRs OF S-1, S-3 & S-8 DRILLING RIGS Contactor, main, 3 Pole, 80 A rated, with 110 VAC coil & 3NO+1NC contacts  Port No. I C1080F5 + I AD N20	4	NO	
<b>20</b> 81269419	Part No. LC1D80F5 + LAD-N20  Set of 3 (three) Indication Lamps, LED type for R, Y, B phase busbars - RED, YELLOW & BLUE colour, 415 VAC, Size : 22.5 mm Make : Siemens/BCH/Binay/L&T	15	SET	
<b>30</b> 81269420	Indication lamp, LED type, RED colour, 230 VAC, size 22.5 mm Make: Siemens/BCH/Binay.		NO	
<b>40</b> 81269421	Indication lamp, LED type, YELLOW colour, 110 VAC, size 22.5 mm Make:Siemens/BCH/Binay.	50	NO	

Page: 3/4

ANNEXURE-I Tender No. : DIS6980L16/L4
Tender Date : 20.04.2015

Material Description		
81269422 Make:Siemens/BCH/Binay.  Ceiling Fan Regulator, Electronic type, 100 Watt, 230 Volt  a) Deluxe Mode, Electronic type Fan Regulator with Steps. The regulator shall be capable of reducing the speed of at least 50% of the full speed at the rated voltage. Fans shall be capable of running on all the running positions of the regulator at the rated voltage. The regulator shall be 100 W, rated 230 Volts. b) The regulator shall have an "OFF" position preferably next to the lowest speed contact, and shall be provided with not less than five running positions. c) The regulator handle or knob shall either be of insulating material, or if metal, shall be adequately insulated electrically and thermally so that its	Quantity	UOM
a) Deluxe Mode, Electronic type Fan Regulator with Steps. The regulator shall be capable of reducing the speed of at least 50% of the full speed at the rated voltage. Fans shall be capable of running on all the running positions of the regulator at the rated voltage. The regulator shall be 100 W, rated 230 Volts. b) The regulator shall have an "OFF" position preferably next to the lowest speed contact, and shall be provided with not less than five running positions. c) The regulator handle or knob shall either be of insulating material, or if metal, shall be adequately insulated electrically and thermally so that its	50	NO
min 25 mm. Graduations shall be marked on the knob and base plate to indicate selected speed step position. d) The Electronic Fan Regulator should confirm to the Specification No.IS: 11037/1984(reaffirmed 2005) with latest amendment, if any. e) MAKE: Philips/ Havell's/ Crabtree/ Anchor.	900	NO

Note description for item no./nos.: 100, 150

NOTE:

Make: BAJAJ, PHILIPS, CROMPTON GREAVES, GELIGHTING.

Note description for item no./nos.: 110

Make: BAJAJ, PHILLIPS, CROMPTON, OSRAM, OSAKA, GE LIGHTING

Standard Notes: (1) Other than the vendors to whom the enquiry has been issued, interested vendors who wish to participate in the tender may apply with proper credentials and other relevant details so as to reach Head-Materials, Oil India Limited, P.O. Duliajan, Dist. Dibrugarh, Assam - 786602 (e-mail :material@oilindia.in, Fax: 0374-2800533) within 10 days of publication of the tender on OIL's website.

(2)VALIDITY: Your offer must be valid for 75 days from the date of bid opening. Offer with inadequate validity will be rejected.

- (3) The offer should be submitted in Duplicate.
- (4) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of a sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
- (5) In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf.

Page: 4/4

## ANNEXURE-I Tender No. : DIS6980L16/L4 Tender Date : 20.04.2015

In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope, the offer shall be treated as unsolicited offer and will not be considered for opening.

The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.

- (6) For order with F.O.R. Destination term, 100% payment against despatch documents will not be entertained. In this regards please refer payment terms in ANNEXURE-MM/TENDER/LP/01/06.
- (7) To evaluate the inter-se ranking of the offers, Assam Entry Tax on purchase value will be loaded as per prevailing Government of Assam Guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their bids.
- (8) Bidder must mention page no./nos. in every pages of their offer.
- (9) Bidders should submit their bids (preferably in tabular form) explicitly mentioning compliance / non compliance to all the NIT terms and conditions of NIT.
- (10)Bidder should clearly mention their name and address on the outside of the envelope containing their offer.
- (11) In the event of receipt of only a single offer against the tender within B.C.date, OIL reserves the right to extend the B.C. date as deemed fit by the company. During the extended period, the bidders who have already submitted the bids on or before the original B.C date, shall not be permitted to revise their quotation.

Special Notes : 1)

- 1) Please submit valid dealership certificate of the offered items from OEM.
- 2) Please submit technical literature/catalogue to the offered products.
- 3) Please confirm make of the offered items.

NOTE: Your offer may not be evaluated in the absence of above documents.

Tender No. : DIS6980L16/L4
Tender Date : 20.04.2015

Bid Closing On : 28.05.2015 at 13:00 hrs.(IST)
Bid Opening On : 28.05.2015 at 13:00 hrs.(IST)

### Tender issued to following parties only:

Slno	V_Code	Vendor Name	City/Country
1	200211	STEEL & INDUSTRIAL STORES	ASSAM
2	200310	ASSAM ELECTRICALS	TINSUKIA
3	200384	PHILIPS ELECTRONICS INDIA LIMITED	KOLKATA
4	200832	INDUSTRIAL EQUIPMENTS	GUWAHATI
5	201832	BAJAJ ELECTRICALS LIMITED	GUWAHATI
6	202000	BENGAL ELECTRICAL INDUSTRIES	KOLKATA
7	202289	U.K. ENTERPRISE	GUWAHATI
8	203062	GLOCON	TINSUKIA
9	203118	OSRAM INDIA LTD	KOLKATA - 700 020
10	203202	HAVELL'S INDIA LIMITED	GUWAHATI
11	203453	ELMECH TRADERS	TINSUKIA
12	203577	ARADHANA AGENCY	GUWAHATI
13	203799	CROMPTON GREAVES LTD	GUWAHATI
14	204724	KIRAN ELECTRONICS	GUWAHATI
15	204799	NATIONAL ELECTRIC CORPN (CAL)	KOLKATA
16	205062	POWER GRID ASSOCIATES	DULIAJAN
17	205108	GE INDIA INDUSTRIAL PVT. LTD.	KOLKATA
18	205574	NATIONAL MARKETING ENTERPRISES	TINSUKIA
19	208329	GARG HARDWARE & ELECTRICALS	JORHAT
20	208781	SHIV ENTERPRISE	TINSUKIA
21	208845	BALAJI ELECTRICALS	TINSUKIA
22	210398	TIRUPATI ELECTRICAL	DULIAJAN
23	401861	R K CHETIA	DULIAJAN