

Tender No. : JID3416L17
Tender Date : 22.12.2016
Bid Closing On : 31.01.2017 at 13:00 hrs.(IST)
Bid Opening On : 31.01.2017 at 13:00 hrs.(IST)

Tender issued to following parties only:

S/no	V_Code	Vendor Name	City/Country
1	200834	INDUSTRIAL INSTRUMENTATION	KOLKATA
2	200926	MANOMETER (INDIA) PVT.LTD.	MUMBAI
3	201027	PROCON CONTROLS PVT. LTD.	KOLKATA
4	201151	TOSHNIWAL ENTERPRISES	KOLKATA
5	201813	JOST'S ENGINEERING COMPANY LTD	MUMBAI
6	201949	ODIN INDIA PRIVATE LIMITED	CHENNAI
7	204333	ABB LIMITED	KOLKATA
8	204700	BAUMER TECHNOLOGIES INDIA PVT. LTD.	MUMBAI
9	204743	WIKA INSTRUMENTS INDIA PVT LTD	PUNE
10	206067	PRECISION INDUSTRIES	MUMBAI
11	206265	Bells Controls Ltd.	New Delhi
12	206773	YANTRIKA INSTRUMENTS PVT. LTD	GURGAON
13	210535	ASHCROFT INDIA PVT. LTD.	NEW DELHI
14	210536	WIKA INSTRUMENTS INDIA PVT. LTD.	DELHI
15	210537	H.GURU INDUSTRIES	NEW DELHI
16	211048	AAKANKSHA ENTERPRISES	BHILWARA

OIL INDIA LIMITED

(A Govt. of India Enterprise)

Rajasthan Project,

02-A,SARASWATI NAGAR,

DISTRICT SHOPPING CENTRE, BASNI

JODHPUR- 342005,

RAJASTHAN, INDIA

Fax-0291 2727050

Ph-0291 2727048

Email: mat_rp@oilindia.in

Tender No. & Date : JID3416L17**22.12.2016**

Bid Security Amount : INR 0.00 OR USD 0.00
(or equivalent Amount in any currency)

Bidding Type : Single Bid (Composite Bid)

Bid Closing On : 31.01.2017 at 13:00 hrs. (IST)

Bid Opening On : 31.01.2017 at 13:00 hrs. (IST)

Performance Guarantee : Not Applicable

OIL INDIA LIMITED invites Limited tenders for items detailed below:

Item No./ Mat. Code	Material Description	Quantity	UOM
10 99055696	Pressure Gauge-Range:0-10Kg,,Type:Direct,Mounting:Local,Dial Size:150mm,white,Case:Di-cast aluminium,Windows:Shatterproof,glass,Encloser:Weatherproof,class-IP-65/NEMA-4,Pressure Element:Bourdon,316SS,Brizal ring:Screwed,Socket:316SS,Accuracy:+/-1%of FSD,Overrange protection:130% ofRange,Zero adjustment:Micrometer pointer,Connection:1/2"NPT(M),Bottom,Movement:316SS,Blowout protection.	10	NO
20 99055697	Pressure Gauge-Range:0-20Kg,Type:Direct,Mounting:Local,Dial Size:150mm,white,Case:Di-cast aluminium,Windows:Shatterproof,glass,Encloser:Weatherproof,class-IP-65/NEMA-4,Pressure Element:Bourdon,316SS,Brizal ring:Screwed,Socket:316SS,Accuracy:+/-1%of FSD,Overrange protection:130% ofRange,Zero adjustment:Micrometer pointer,Connection:1/2"NPT(M),Bottom,Movement:316SS,Blowout protection.	10	NO
30 99055698	Pressure Gauge-Range:0-60Kg,Type:Direct,Mounting:Local,Dial Size:150mm,white,Case:Di-cast aluminium,Windows:Shatterproof,glass,Encloser:Weatherproof,class-IP-65/NEMA-4,Pressure Element:Bourdon,316SS,Brizal ring:Screwed,Socket:316SS,Accuracy:+/-1%of FSD,Overrange protection:130% ofRange,Zero adjustment:Micrometer pointer,Connection:1/2"NPT(M),Bottom,Movement:316SS,Blowout protection.	20	NO
40 99055700	Pressure Gauge-Range:0-250Kg,Type:Direct,Mounting:Local,Dial Size:150mm,white,Case:Di-cast aluminium,Windows:Shatterproof,glass,Encloser:Weatherproof,class-IP-65/NEMA-4,Pressure Element:Bourdon,316SS,Brizal ring:Screwed,Socket:316SS,Accuracy:+/-1%of FSD,Overrange protection:130% ofRange,Zero adjustment:Micrometer pointer,Connection:1/2"NPT(M),Bottom,Movement:316SS,Blowout protection.	40	NO

Tender No. & Date : JID3416L17**22.12.2016**

Item No./ Mat. Code	Material Description	Quantity	UOM
50 99083336	Pressure Gauge-Range: 0-100 Kg/cm2, Type: Direct, Mounting: Local, Dial Size: 150mm, white, Case: Die-cast aluminum/ SS304/ SS316 Windows: Shatterproof glass, Enclosure: Weatherproof, Class-IP-65/NEMA-4, Pressure Element: Bourdon, SS316, Bezel ring: Screwed, Socket: SS316, Accuracy: +/-1% of FSD, Overrange protection: 130% of Range, Zero adjustment: Micrometer pointer, Connection: 1/2" NPT (M), Bottom, Movement: SS316, Blowout protection.	30	NO
60 99083337	Pressure Gauge-Range: 0-350 Kg/cm2, Type: Direct, Mounting: Local, Dial Size: 150mm, white, Case: Die-cast aluminum/ SS304/ SS316 Windows: Shatterproof glass, Enclosure: Weatherproof, Class-IP-65/NEMA-4, Pressure Element: Bourdon, SS316, Bezel ring: Screwed, Socket: SS316, Accuracy: +/-1% of FSD, Overrange protection: 130% of Range, Zero adjustment: Micrometer pointer, Connection: 1/2" NPT (M), Bottom, Movement: SS316, Blowout protection.	40	NO

Standard Notes: 1.0 Items shall be brand new, unused & of prime quality. Bidders shall warrant (in the event of order) that the items will be free from all defects & fault in material, workmanship and manufacture and shall be in full conformity with the ordered specification. The defective items, if any, rejected by OIL shall be replaced by the supplier on F.O.R. destination basis at their own expenses including payment of all taxes and duties. Bidders must confirm the same in their quotation.

2.0 Validity of the offer should be 75 days from the date of bid opening. Bid with lesser validity will be rejected.

3.0 Quotation should be submitted in duplicate.

4.0 In the event you authorize your dealer/stockist/channel partner to quote on your behalf, the dealer/stockist/channel partner while submitting bid should mention on the body of the envelope that they are submitting bid on your behalf and a copy of Authorisation letter issued by you is also to be submitted along with the bid. In the authorisation letter, it is to be clearly mentioned that you are authorising your dealer/stockist/channel partner to quote on

your behalf against the tender (Tender no should be clearly mentioned)

In the event the dealer/stockist/channel partner do not mention the name of their OEM/principal on the body of the envelope and fail to submit Authorisation Letter, the offer shall be treated as unsolicited offer and will not be considered for opening.

The dealer/stockist/channel partner should take note of above while submitting bid on behalf of their OEM/principal.

Further, the authorised dealer should submit a copy of valid dealership certificate from their OEM.

5.0 Bidders are to quote for Unit Material value as per tender requirement, Packing/Forwarding Charges (if any), Taxes & Duties as applicable, Transportation charges etc. upto AT THAIYAT HAMIRA STORE, Jaisalmer, Rajasthan, Payment Terms, Delivery Period, Net Weight, Gross Weight & Volume in their offer.

Comparison of offers will be done on Total F.O.R AT THAIYAT HAMIRA STORE, Jaisalmer, Rajasthan basis.

Note: The bid will be evaluated item wise.

6.0 To evaluate the inter-se-ranking of the offers, Rajasthan Entry Tax on purchase value will be loaded as per prevailing Govt. of Rajasthan guidelines as applicable on bid closing date. Bidders may check this with the appropriate authority while submitting their offer.

However, payment of applicable Rajasthan Entry Tax on purchase value shall be to OIL's Account.

7.0 For order with F.O.R. Destination term, 100% payment against dispatch document will not be entertained. In this regards please refer payment terms in ANNEXURE - MM/TENDER/LP/01/06. Bidders are advised to take note of this while mentioning payment term.

8.0 Please consider bid closing/opening time as at 15:00 hrs IST). You are advised to ignore the timing of 13:00 hrs IST), appearing in the covering page of the tender document.

9.0 The prices offered will have to be firm through delivery and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and rejected.

10.0 Bids received after the bid closing date and time will be rejected. Similarly, modifications to bids received after the bid closing date & time will not be considered.

11.0 Original signed offer should be submitted in sealed envelope. No offers should be sent by Telex, Cable, E-mail or Fax. Such offers will not be accepted.

12.0 Bids containing incorrect statement will be rejected.

13.0 Bids shall have no interlineations, erasures or overwriting except as necessary to correct the errors made by the bidder, in which case, such corrections shall be initiated by the person(s) signing the bid. Any bid not meeting this requirement shall be rejected.

14.0 PURCHASE PREFERENCE : Purchase Preference will be applicable as per latest Govt. Guidelines. Bidders to take note of the same and quote accordingly. It is the bidder's responsibility to submit necessary documents from the Competent Authority to establish

that they are eligible for purchase preference against this tender.

15.0 PRICE PREFERENCE : Price Preference will be applicable as per latest Govt. Guidelines. Bidders to take note of the same and quote accordingly. It is the bidder's responsibility to submit necessary documents from the Competent Authority to establish that they are eligible for price preference against this tender.

16.0 The offer should reach within the Bid Closing Date & Time addressed to:

CHIEF MANAGER (M&C)
OIL INDIA LIMITED
RAJASTHAN PROJECT
M&C DEPARTMENT
02-A SARASWATI NAGAR, BASNI
DISTRICT SHOPPING CENTRE
JODHPUR - 342005,
RAJASTHAN
INDIA

17.0 Contact details of dealing officer:

KRISHNA MOHAN KUMAR
MATERIALS MANAGER
PHONE- 0291-2729-473
EMAIL: km_kumar@oilindia.in

Other terms and conditions of the tender shall be as per General Terms and Conditions vide booklet MM/TENDER/LP/01/06, copy enclosed. However, if any of the Clauses of the tender stipulated above contradict the Clauses of the booklet MM/TENDER/LP/01/06 elsewhere, those in this tender document shall prevail.

Special Notes : 1. All items should be brand new, unused and of prime quality.

2. The bidder must provide Warranty / Guarantee for all the items valid for one year from the date of installation or 18 months from the date of supply, whichever is earlier. Warranty / Guarantee certificate must be provided along with the materials. The bidder must submit confirmation in this regard along with the bid.

3. Other than OEM, party must provide a copy of valid Letter of Authorization Certificate from OEM along with the offer, failing which offer may be liable for rejection.

4. A set of Maintenance manual must be provided along with the materials.

5. Test/ Calibration certificate for each item should be provided along with the materials. The bidder must submit confirmation in this regard along with the bid.

6. The bidder must submit product catalogue for the items offered, failing which offer may be liable for rejection.

7. The pressure gauges having SS304/SS316 as case material and SS304 as movement material will also be accepted.

8. Kindly consider the term Bezel ring wherever the term Brizal ring is mentioned in the item

specifications. The snap action type Bezel ring will also be acceptable.

9. Any manufacturing defects / transit damages observed after receipt of the materials or within the Warranty/Guarantee period must be rectified / replaced by the successful bidder within a short period of time at their own cost on FOR destination basis.

10. Packing must be adequate to avoid damages during transit.